


**Ethane/LTA 150 K · N = 4 · T\_N = 15360 t.u.**

n\_steps = 76,800,000 · h = 0.0002 · B = N n\_steps = 3.072e+08 walker-steps · complete seeds: ABF 16/16, ABF+FR 16/16

Seed-averaged instantaneous CV density vs budget fraction u



Identical diverging colour scale for every panel (and every N): blue = below the uniform target, grey = at target, red = above; clipped at 4x. Displayed on 36 CV bins (5 production bins each). Columns = the 200 uniform budget saves  $u = k/200$ .

Each column pools only  $N \times$  seeds = 64 walkers over 36 cells (one walker =  $0.56 \times$  uniform), so the map is necessarily speckled; read it for where the population sits, not for cell-level values.

Small N (N = 4, i.e.  $\leq 4$ ): each seed contributes only 4 walkers to an instantaneous histogram, so instantaneous marginals are necessarily discrete (TV\_inst floor  $E_N[TV] = 0.796$ ).

Dashed horizontal guides:  $|\phi| = 0.791$  rad (window  $|z| < 1.5$  Å) and  $|\phi| = 2.109$  rad (cage  $|z| > 4$  Å).

eqb\_plot\_config/2 · config lta\_150K\_production.json · 2026-10-10 07:18 UTC