#### React Native?

#### iOS开发吐槽大会





An internal error occurred. Source editor functionality is limited. Attempting to restore...

Command failed due to signal: Segmentation fault: 11

```
extension User: Decodable {
  static func decode(j: JSON) -> Decoded<User> {
    return curry(User.init)
      <^> j <| "id"
      <*> j <| "name"
      <*> j <|? "email"
      <*> j <| "role"
      <*> j <| ["company", "name"]
      <*> j <|| "friends"
```

1.0 - 1.1 - 1.2 - 2.0 - 2.1 - 2.2 - 2.3 - 3.0

### SWIFT EVOLUTION

	0	#647 opened on Sep 23 by zhigang1992
	<b>(</b> F)	try rawData() throws and rawString() returns nil question #645 by arrrggghhh was closed on Sep 23
	<b>®</b>	Current state and future of SwiftyJSON #639 by Idiqual was closed on Sep 22
	®	Swift 3 Alamofire JSON conversion problem #637 by sree127 was closed on Sep 22
	®	swiftjson of ibm version in swift3 cant loop? question #636 by rudian was closed on Sep 28
	®	Swift3 branch is also not working #635 by Sudhi55 was closed on Sep 23
	®	Swift 3 Please! #634 by mdabrarniyazi was closed on Sep 23
	®	Swift 3 Release? #627 by rlam3 was closed on Sep 23
	(P)	Errors while trying to integrate swift3 compatible SwiftyJson #626 by debayanb was closed on Sep 23
	(P)	Have abandoned this project? #625 by IsmailHassanein was closed on Sep 23
0	®	Swift 2.3 support #624 by danielphillips was closed on Sep 23
	®	Xcode GM Swift3.0 Support #623 by zxcv740 was closed on Sep 23
	®	Add Swift 3 Compatibility #619 by rbugajewski was closed on Sep 23

#### SWIFTYJSON

```
API.request(A, { a in
    API.request(B(a), { b in
        API.request(C(a, b), { c in
            saveToDatabase(c)
        }, { error in
            hande(error)
        })
    }, { error in
        hande(error)
    })
}, {error in
    handle(error)
})
```

```
requestA().flatMap({ a in
    requestB(a).flatMap({ b in
        requestC(a, b).do(onNext:{ c in
            saveToDatabase(c)
        })
    })
})
```

```
async {
    let a = await requestA()
    let b = await requestB(a)
    let c = await requestC(a, b)
    await saveToDatabase(c)
} catch (let error) {
    handle(error)
```

- Create NNNN-directional-index-methods.md out of scope for current release
- Create NNNN-unboxing-anyindex.md out of scope for current release
- #warning out of scope for current release #353 opened on Jun 3 by harlanhaskins

#367 opened on Jun 16 by Haravikk

#366 opened on Jun 14 by Haravikk

- Introducing with to the Standard Library out of scope for current release #346 opened on May 28 by brentdax
- Proposal: Add last(where:) and lastIndex(where:) Methods to Collect
  out of scope for current release
  #329 opened on May 18 by natecook1000
- Proposal: more lenient subscript methods over Collections out of scope #328 opened on May 18 by luish
- Multi-line string literal proposals. out of scope for current release #322 opened on May 15 by johnno1962
- Proposal: Factory Initializers out of scope for current release
  #247 opened on Apr 5 by rileytestut
- Throwing Properties and Subscripts proposal out of scope for current relea
  #218 opened on Mar 21 by brentdax
- Create 0052-enforcing\_calling\_super.md out of scope for current release #211 opened on Mar 14 by drumnkyle
- Deriving collections of enum cases out of scope for current release
  #114 opened on Jan 21 by jtbandes
- Tail Call Optimization attribute and modifier out of scope for current release

SWIFT

Still No Async Await
Still No Higher Kinded Type

### AUTOLAYOUT

# 越是强大的东西,往往越不好用。

#### Cheng Lou



#### Dominik Hadl





@dominikhadl

Handy guide for using Auto Layout:

- 1. Open Interface Builder
- 2. Disable Auto Layout
- 3. Enjoy

#ios #iosdev #autolayoutsucks

**RETWEETS** 

LIKES

3









2:40 PM - 25 Feb 2015













## 


### REACT NATIVE?

#### 应用其实就是一个漂 亮的JSON...

Zhigang Fang 译

#### **REACT NATIVE:**

#### Data -> View



React Native: Development

Reload

Debug in Chrome

**Enable Live Reload** 

Start Systrace

**Enable Hot Reloading** 


**Show Inspector** 


**Show Perf Monitor** 

Cancel

## BABEL - ES6, ES7

### REDUX





## FLOW

```
/* @flow */
type SuccessCallback<T> = (value: T) => void
type FailureCallback = (error: Error) => void
type Execution<T> = (success: SuccessCallback<T>, failuer: FailureCallback) => void
class Async<T> {
  execution: Execution<T>
  constructor(execution: Execution<T>) {
    self.execution = execution
 }
  static unit(value: T): Async<T> {
    return new Async((success, failuer) => {
        success(value)
   })
  flatMap<U>(mapping: (value: T) => Async<U>): Async<U> {
    return new Async((success, failure) => {
        this.execution((value) => {
            mapping(value).execution(success, failure)
       }, failure)
   })
 map<U>(mapping: (value: T) => U): Async<U> {
    return this.flatMap((value) => Async.unit(mapping(value)))
Async.unit(123).map((i) => i * 2).execution(console.log, console.warn)
```


### ESLINI

2 errors

1 warning

### IMMUTABLEJS

#### COPY



### GRAPHQL

```
id,
name,
title,
followers(first: 100) {
    name,
    gender,
    age
}
```

### CROSS PLATFORM

### HOT UPDATE

#### 当我们在聊REACT NATIVE的时候

## 我们在聊...

#### ReactNative - 谁在使用?

#### 电商/O2O

- 手机京东
- 唯品会
- 乐视商城
- 百度糯米
- 波罗蜜全球购
- 全民一元夺宝
- 返利
- 干牛
- 京东到家
- 58同城
- 美甲帮

#### 旅游

- Airbnb
- 携程旅行
- 去哪儿旅行
- 途牛旅游
- 艺龙旅行
- 去哪儿火车票
- 游谱旅行
- 就旅行
- 探途离线地图
- 快巴出行

#### 金融

- 一账通
- 蚂蚁聚宝
- 速投盈
- 借贷宝
- 干牛
- 小方
- 快贷贷款
- 挖财记账理财

#### 社交/工具

- QQ空间
- 新浪微博
- 手机百度
- 虾米音乐
- 网易有道词典
- 丁香医生
- 米家
- ee聊天交友
- 堆糖
- 洋葱数学
- 龙珠直播

《React Native 业务实践和性能优化》携程旅行网 赵辛贵

# 

#### 坑

- Performance hotspot
- Component quality
- Knowledge overhead
- • •