

# Privacy Lens: Evidence-Bounded Android Privacy Review with Witnessed Governance and Non-Collecting Decision Calibration

## (Revision 26)

Zhiheng Zhang

Student ID: 54560484

Supervisor: Richard Sinnott

August 2026

### Abstract

Mobile privacy-review tools face an evidence-to-decision gap: a permission observation may indicate activity but cannot by itself establish purpose, necessity, lawful basis, acquisition completeness, legal compliance, or developer intent. Privacy Lens addresses this gap with a local-first Android prototype that converts bounded permission-audit summaries into traceable prompts for human review.

The architecture treats provenance, temporal scope, missing context, and uncertainty as first-class evidence. A fail-closed engine rejects malformed records and unsafe aggregation, isolates simulator data, and binds findings to replaceable rule packs. Independent legal-review reassurance additionally requires verified source bytes, a signed canonical attestation, a valid monotonic root envelope, and a minimum two-witness receipt threshold. Production roots, envelopes, witnesses, and legal attestation remain empty.

Revision 26 adds a non-collecting decision pause after the evidence. Users distinguish a technical signal from a GDPR verdict or developer intent, receive immediate correction, and review provenance, evidence gaps, and proportionality. Answers exist only while the card is open and neither persist nor upload. A preregistration draft fixes a two-arm comprehension study, primary endpoint, sample size, exclusions, stopping rule, and analysis. A dependency-free analyzer accepts a visibly synthetic dry run without converting it into participant evidence.

The 1,000-case engine corpus, 1,800-case independent governance oracle, decision-state probes, accessibility and release-privacy contracts, TypeScript, and lint passed. Release build and one-device evidence are reported separately after artifact verification. The internal artifact-quality rubric reaches 98/100, with every component at least 95%, so further self-scored feature iteration stops. This threshold is not a legal opinion, participant outcome, accessibility certification, journal decision, or proof of publication quality. The contribution is an auditable boundary between technical signal, governed legal evidence, reflective action, and the external validation still required.

# Contents

|          |                                                                                  |           |
|----------|----------------------------------------------------------------------------------|-----------|
| <b>1</b> | <b>Introduction</b>                                                              | <b>7</b>  |
| 1.1      | Problem Statement: The Evidence-to-Decision Gap . . . . .                        | 7         |
| 1.2      | Why Mobile Permission Evidence Matters . . . . .                                 | 7         |
| 1.3      | From Technical Signal to Review Finding . . . . .                                | 8         |
| 1.4      | Consent, Attention, and Interface Burden . . . . .                               | 9         |
| 1.5      | Accountability Rather Than Automated Adjudication . . . . .                      | 10        |
| 1.6      | Regional Extensibility as a Governance Problem . . . . .                         | 10        |
| 1.7      | Research Method . . . . .                                                        | 11        |
| 1.8      | Research Questions . . . . .                                                     | 12        |
| 1.9      | Research Objectives and Contributions . . . . .                                  | 12        |
| 1.10     | Scope and Claim Boundary . . . . .                                               | 13        |
| 1.11     | Thesis Structure . . . . .                                                       | 13        |
| 1.12     | Revision 21 contribution: evidence-bound legal review . . . . .                  | 14        |
| 1.13     | Revision 22 contribution: cryptographically checked review evidence . . . . .    | 14        |
| 1.14     | Revision 23 contribution: offline source-content identity . . . . .              | 14        |
| 1.15     | Revision 24 contribution: a signed monotonic trust-store boundary . . . . .      | 15        |
| 1.16     | Revision 25 contribution: independently witnessed trust-store releases . . . . . | 15        |
| 1.17     | Revision 26 contribution: decision calibration without collection . . . . .      | 15        |
| <b>2</b> | <b>Literature Review and Foundations</b>                                         | <b>16</b> |
| 2.1      | Review Protocol and Source Quality . . . . .                                     | 16        |
| 2.2      | Regulatory Principles and Technical Signals . . . . .                            | 17        |
| 2.2.1    | From Legal Principle to Review Question . . . . .                                | 17        |
| 2.2.2    | Lawful-Basis Evidence Is Basis Specific . . . . .                                | 18        |
| 2.2.3    | Data Protection by Design and Interface Conduct . . . . .                        | 18        |
| 2.3      | Android Visibility and Permission Semantics . . . . .                            | 18        |
| 2.3.1    | A Taxonomy of Mobile Privacy Evidence . . . . .                                  | 19        |
| 2.3.2    | Historical Operations and the Ordinary-App Boundary . . . . .                    | 20        |
| 2.4      | Human Factors and Calibrated Trust . . . . .                                     | 20        |
| 2.4.1    | Cognitive Load and Progressive Disclosure . . . . .                              | 20        |
| 2.4.2    | Trust Calibration and Explanation Quality . . . . .                              | 21        |
| 2.4.3    | Accessibility as an Evidence Requirement . . . . .                               | 21        |
| 2.5      | Replaceable Rule Systems . . . . .                                               | 22        |
| 2.5.1    | Pack Lifecycle and Review Governance . . . . .                                   | 22        |
| 2.5.2    | Rule-Based and Learned Decision Models . . . . .                                 | 22        |
| 2.5.3    | Automated Validation and Oracle Independence . . . . .                           | 23        |
| 2.6      | Comparative Positioning Against Prior Android Studies . . . . .                  | 23        |

|          |                                                                              |           |
|----------|------------------------------------------------------------------------------|-----------|
| 2.7      | Research Gap: From Observation to Calibrated Review . . . . .                | 24        |
| 2.8      | Conceptual Model: Evidence, Rule, Claim, and Action . . . . .                | 25        |
| 2.9      | Store Delivery as a Trust Boundary . . . . .                                 | 26        |
| 2.10     | Synthesis . . . . .                                                          | 26        |
| 2.11     | Accountability, expertise, and the limit of the four-eyes claim . . . . .    | 27        |
| 2.12     | Cryptographic provenance is not legal validity . . . . .                     | 27        |
| 2.13     | Revision 23: content-addressed sources and legal-status boundaries . . . . . | 27        |
| 2.14     | Revision 24: key lifecycle and rollback concepts . . . . .                   | 28        |
| 2.15     | Revision 25: attestation subject and digest concepts . . . . .               | 28        |
| 2.16     | Revision 26: usable-security evidence and preregistration . . . . .          | 29        |
| <b>3</b> | <b>Requirements and System Design</b>                                        | <b>29</b> |
| 3.1      | Design Objectives and Requirements . . . . .                                 | 29        |
| 3.2      | Design Alternatives and Threat Model . . . . .                               | 30        |
| 3.2.1    | Selection Rationale . . . . .                                                | 31        |
| 3.3      | Architecture and Decision Lifecycle . . . . .                                | 32        |
| 3.3.1    | End-to-End Decision Lifecycle . . . . .                                      | 33        |
| 3.3.2    | Failure-State Design . . . . .                                               | 34        |
| 3.3.3    | Data-Minimisation Decisions . . . . .                                        | 35        |
| 3.3.4    | Requirement Priorities and Release Gates . . . . .                           | 36        |
| 3.4      | Stakeholders and Functional Requirements . . . . .                           | 37        |
| 3.4.1    | Stakeholders and Usage Scenarios . . . . .                                   | 37        |
| 3.4.2    | Functional Decomposition . . . . .                                           | 38        |
| 3.4.3    | Non-Functional Requirements . . . . .                                        | 38        |
| 3.5      | Evidence and Regulation-Pack Design . . . . .                                | 39        |
| 3.5.1    | Evidence Schema and Provenance . . . . .                                     | 39        |
| 3.5.2    | Admission and Fail-Closed Validation . . . . .                               | 40        |
| 3.5.3    | Temporal Isolation Model . . . . .                                           | 41        |
| 3.5.4    | Rule-Pack Contract in Detail . . . . .                                       | 41        |
| 3.5.5    | State, Persistence, and Migration . . . . .                                  | 42        |
| 3.5.6    | Security and Abuse Cases . . . . .                                           | 42        |
| 3.6      | Traceability and Evaluation Design . . . . .                                 | 43        |
| 3.6.1    | Traceability from Requirement to Evidence . . . . .                          | 43        |
| 3.6.2    | Evaluation Strategy . . . . .                                                | 43        |
| 3.6.3    | Design Invariants . . . . .                                                  | 43        |
| 3.6.4    | Decision Records for Future Extension . . . . .                              | 44        |
| 3.7      | Legal-review attestation requirements . . . . .                              | 45        |
| 3.8      | Signed source-record requirements . . . . .                                  | 45        |
| 3.9      | Revision 23 requirements and source-content threat model . . . . .           | 45        |

|          |                                                                               |           |
|----------|-------------------------------------------------------------------------------|-----------|
| 3.10     | Revision 24 requirements and trust-store threat model . . . . .               | 46        |
| 3.11     | Revision 25 witness requirements and attacker model . . . . .                 | 46        |
| 3.12     | Revision 26 human-decision requirements . . . . .                             | 47        |
| <b>4</b> | <b>Implementation</b>                                                         | <b>47</b> |
| 4.1      | Implementation Overview and Module Boundaries . . . . .                       | 47        |
| 4.2      | Rule and Evidence Pipeline . . . . .                                          | 48        |
| 4.2.1    | Regulation-Pack Implementation . . . . .                                      | 49        |
| 4.2.2    | Pack Governance Lifecycle . . . . .                                           | 49        |
| 4.2.3    | Runtime Validation Pipeline . . . . .                                         | 51        |
| 4.2.4    | Signal Computation . . . . .                                                  | 51        |
| 4.2.5    | Finding Construction and Communication . . . . .                              | 53        |
| 4.2.6    | Repository Behaviour . . . . .                                                | 53        |
| 4.3      | Android Bridge and Scheduling . . . . .                                       | 54        |
| 4.4      | Product Interface and Accessibility . . . . .                                 | 54        |
| 4.4.1    | Interface Implementation . . . . .                                            | 54        |
| 4.4.2    | Brand and Accessibility Implementation . . . . .                              | 55        |
| 4.5      | Release Configuration and Privacy Controls . . . . .                          | 56        |
| 4.6      | Implementation-to-Requirement Traceability . . . . .                          | 57        |
| 4.7      | Implemented attestation gate . . . . .                                        | 58        |
| 4.8      | Version-4 signed source-record gate . . . . .                                 | 58        |
| 4.9      | Revision 23 implementation: manifest-bound source bytes . . . . .             | 58        |
| 4.10     | Revision 24 implementation: canonical envelopes and monotonic state . . . . . | 59        |
| 4.11     | Revision 25 implementation: threshold receipt assessment . . . . .            | 60        |
| 4.12     | Revision 26 implementation: pure readiness state machine . . . . .            | 60        |
| <b>5</b> | <b>Evaluation and Results</b>                                                 | <b>60</b> |
| 5.1      | Evaluation Overview and Headline Results . . . . .                            | 60        |
| 5.1.1    | Source and Rule Verification . . . . .                                        | 61        |
| 5.1.2    | Legal-Evidence Completeness Verification . . . . .                            | 61        |
| 5.1.3    | Release Build and Manifest Verification . . . . .                             | 62        |
| 5.1.4    | Physical-Device Evaluation . . . . .                                          | 62        |
| 5.1.5    | Usability and Trust Assessment . . . . .                                      | 63        |
| 5.2      | Protocol and Reproducibility . . . . .                                        | 63        |
| 5.2.1    | Evaluation Questions and Acceptance Logic . . . . .                           | 64        |
| 5.2.2    | Claim-to-Evidence Acceptance Matrix . . . . .                                 | 64        |
| 5.2.3    | Reproducibility Controls . . . . .                                            | 65        |
| 5.3      | Engine and Regulation-Pack Results . . . . .                                  | 66        |
| 5.3.1    | Deterministic Corpus Interpretation . . . . .                                 | 66        |

|          |                                                                             |           |
|----------|-----------------------------------------------------------------------------|-----------|
| 5.3.2    | Adversarial Input Results . . . . .                                         | 66        |
| 5.3.3    | Temporal and Replay Results . . . . .                                       | 67        |
| 5.3.4    | Accountability and Presentation Results . . . . .                           | 67        |
| 5.3.5    | Regulation-Pack Results . . . . .                                           | 68        |
| 5.4      | Android Artefact and Device Results . . . . .                               | 68        |
| 5.4.1    | Build Reproduction . . . . .                                                | 68        |
| 5.4.2    | Manifest and Installed-Package Reconciliation . . . . .                     | 69        |
| 5.4.3    | Physical Interaction Protocol . . . . .                                     | 69        |
| 5.4.4    | Visual Review Method . . . . .                                              | 70        |
| 5.5      | Interpretation and Validity . . . . .                                       | 71        |
| 5.5.1    | Result Boundary . . . . .                                                   | 71        |
| 5.5.2    | Evidence Triangulation . . . . .                                            | 71        |
| 5.5.3    | Oracle Independence and Correlated Defect Risk . . . . .                    | 73        |
| 5.5.4    | Metric Interpretation and Error Analysis . . . . .                          | 73        |
| 5.5.5    | Store-Candidate Evidence Review . . . . .                                   | 74        |
| 5.5.6    | Evaluation Repeatability and Change Control . . . . .                       | 75        |
| 5.6      | Evaluation Synthesis . . . . .                                              | 76        |
| 5.7      | Revision 21 attestation-gate results . . . . .                              | 77        |
| 5.8      | Revision 22 signed-bundle results . . . . .                                 | 77        |
| 5.9      | Revision 23 evaluation: offline source-content verification . . . . .       | 78        |
| 5.10     | Revision 24 evaluation: signed trust-store adversarial probes . . . . .     | 78        |
| 5.11     | Revision 25 evaluation: witness quorum and release binding . . . . .        | 79        |
| 5.12     | Revision 26 evaluation: implemented safeguard and study readiness . . . . . | 80        |
| <b>6</b> | <b>Discussion and Limitations</b>                                           | <b>80</b> |
| 6.1      | Interpretation of Findings . . . . .                                        | 81        |
| 6.1.1    | What the Prototype Establishes . . . . .                                    | 81        |
| 6.1.2    | Construct and Internal Validity . . . . .                                   | 81        |
| 6.1.3    | External and Ecological Validity . . . . .                                  | 81        |
| 6.1.4    | Legal and Regional Validity . . . . .                                       | 82        |
| 6.1.5    | Usability and Accessibility . . . . .                                       | 82        |
| 6.1.6    | Interpreting the Engineering Result . . . . .                               | 82        |
| 6.2      | Technical Validity Boundaries . . . . .                                     | 83        |
| 6.2.1    | Acquisition Authority and Observation Quality . . . . .                     | 83        |
| 6.2.2    | Threshold Meaning, Calibration, and Decision Error . . . . .                | 85        |
| 6.2.3    | Temporal Evidence and Replay Semantics . . . . .                            | 86        |
| 6.2.4    | Regulation-Pack Governance Beyond Software Modularity . . . . .             | 87        |
| 6.3      | Human, Ethical, and Operational Trust . . . . .                             | 88        |
| 6.3.1    | Trust, Comprehension, and Willingness to Use . . . . .                      | 88        |

|          |                                                                     |           |
|----------|---------------------------------------------------------------------|-----------|
| 6.3.2    | Privacy and Security of the Reviewing Application . . . . .         | 89        |
| 6.3.3    | Research Ethics and Responsible Evaluation . . . . .                | 90        |
| 6.3.4    | Store and Operational Readiness . . . . .                           | 91        |
| 6.4      | Cross-Disciplinary Assurance Case . . . . .                         | 91        |
| 6.5      | Prioritised Next Work . . . . .                                     | 92        |
| 6.6      | Attestation threat model and remaining validity limits . . . . .    | 93        |
| 6.7      | Revision 22 residual trust and content risks . . . . .              | 93        |
| 6.8      | Revision 23 residual validity and governance limits . . . . .       | 93        |
| 6.9      | Revision 24 residual validity and governance limits . . . . .       | 94        |
| 6.10     | Revision 25 residual witness and artifact validity limits . . . . . | 94        |
| 6.11     | Revision 26 residual human-validity limits . . . . .                | 95        |
| <b>7</b> | <b>Conclusion</b>                                                   | <b>95</b> |
| 7.1      | Answers to the Research Questions . . . . .                         | 95        |
| 7.2      | Contributions and Research Significance . . . . .                   | 97        |
| 7.3      | Final Product Position . . . . .                                    | 98        |
| 7.4      | Implications for Privacy-Engineering Practice . . . . .             | 99        |
| 7.5      | Future Work . . . . .                                               | 99        |
| 7.6      | Closing Statement . . . . .                                         | 100       |
| 7.7      | Revision 24 product-position update . . . . .                       | 101       |
| 7.8      | Revision 25 product-position update . . . . .                       | 102       |
| 7.9      | Revision 26 product-position update . . . . .                       | 102       |

# 1 Introduction

This chapter defines the problem that Privacy Lens is designed to solve and the claims that the thesis is prepared to defend. The central concern is not whether Android exposes a permission fact, but whether that fact can be transformed into a useful review prompt without acquiring legal meaning that the evidence does not contain. The chapter therefore moves from the mobile privacy context to the evidence-to-decision problem, the research questions, and the contribution boundary.

## 1.1 Problem Statement: The Evidence-to-Decision Gap

Mobile applications ask users to make privacy decisions while the evidence needed to evaluate those decisions remains fragmented. A permission declaration states capability, not necessarily use; a runtime observation can indicate activity, but not purpose, lawful basis, necessity, or proportionality. The Regulation requires legal and organisational analysis in addition to technical safeguards, including the principles in Article 5 and data protection by design and by default in Article 25 [1, 2].

Privacy Lens addresses a narrower engineering problem: how can an ordinary Android application present available permission-audit evidence without transforming incomplete telemetry into a false legal conclusion? The application collects no remote evidence, has no account or advertising layer, and stores findings locally. It exposes whether a finding came from device-visible observations or a synthetic demonstration, displays missing-evidence limitations, and prepares questions for human review.

The work began as a GDPR-oriented prototype. The evaluated release retains the GDPR as its legal objective but removes jurisdiction-specific interpretation from the core decision mechanism. Legal mappings are loaded through replaceable regulation packs. This separation makes regional extension possible while preventing the interface, repository, and Android bridge from silently inheriting one jurisdiction’s terminology.

## 1.2 Why Mobile Permission Evidence Matters

Mobile privacy is difficult to reason about because a handheld device combines intimate data, continuous availability, and many independent software actors. A user may encounter an application as a single icon, yet that application can depend on operating-system services, embedded libraries, cloud endpoints, analytics components, advertising identifiers, and background tasks. The apparent simplicity of a permission prompt therefore hides a larger processing system. The prompt may describe access to a sensor or data category, but it does not normally explain every purpose, recipient, retention period, inference, or downstream combination. Contextual integrity theory is useful here because it treats privacy as the appropriateness of information flows within a social context rather than as secrecy alone [3]. A technically permitted flow can still be surprising or inappropriate when its purpose, recipient, or persistence differs from the context understood by the user.

The mismatch matters across application domains because camera, microphone, location,

contacts, and activity signals can reveal sensitive behaviour even when an operating-system permission is technically valid. Privacy Lens therefore does not infer purpose or legality from a permission name. It preserves the observed signal, its source, its time window, and the questions that remain unanswered. This domain-neutral position keeps the architecture applicable to different application categories without claiming knowledge that the evidence contract does not contain.

Android’s permission model provides necessary protection, but permission state and processing purpose are different constructs. A granted permission indicates that an application may invoke a protected capability under specified platform conditions. It does not state whether the capability was invoked, why an invocation occurred, whether derived data were retained, or whether the processing satisfied a legal obligation. Conversely, a denied or absent permission does not prove the absence of all related data because an application may receive information through another service, user input, previously collected records, or a less sensitive signal from which attributes can be inferred. The prototype therefore treats permission observations as one evidence family within a broader review, not as a complete representation of processing.

Prior Android studies show why permission state must be interpreted with behaviour and context. Wijesekera and colleagues instrumented Android for a 36-person field study and found substantial mismatch between protected-resource access and participant expectations [4]. Cao and colleagues studied 1,719 participants across ten countries and regions; expectation and application-provided explanation were associated with permission decisions [5]. More recently, Prange and colleagues followed 132 Android users and observed that revocations often occurred in clusters and particularly affected rarely used applications or permissions judged non-essential [6]. These studies supply behavioural evidence that Privacy Lens itself does not possess. The present contribution is complementary: it does not predict what a user will accept, but preserves enough provenance and uncertainty for an eventual reviewer or participant to judge a technical prompt in context.

### 1.3 From Technical Signal to Review Finding

The central research problem can be described as an evidence-to-decision gap. At one end of the gap are platform facts: a package identifier, permission category, access count, observation window, acquisition source, and timestamp. At the other end are questions that matter to a person or regulator: Was processing expected? Was it necessary for the stated purpose? Was a valid lawful basis available? Were special-category conditions satisfied? Were recipients and retention disclosed? Was the data subject able to exercise meaningful control? No deterministic transformation can recover answers that were never present in the input.

Two common design errors follow from ignoring this gap. The first is semantic inflation, in which a technical event is labelled as a legal violation. This gives a small signal the authority of a much broader assessment. The second is evidential silence, in which an empty or unavailable audit is displayed as a reassuring green state. On stock Android, ordinary applications often lack authority to inspect unrestricted cross-application history. Treating an empty result as absence of activity would therefore reward the system precisely when its visibility is weakest.



Privacy Lens introduces an intermediate output: a review finding. A finding can say that the available count crossed a research threshold, that evidence is unavailable, or that no technical concern was identified within the observed window. It can also state which contextual facts are missing. This format preserves utility without claiming certainty. The distinction is comparable to the difference between a screening instrument and a diagnosis: screening can identify cases that deserve attention, but its result must be interpreted in context and by an appropriately qualified actor.

The design also recognises that explanation is not an optional layer added after computation. Explanation begins with data modelling. If the repository stores only a severity colour and a message, the interface cannot later reconstruct the source, rule version, temporal scope, or missing context. Revision 15 retained provenance fields and added basis-specific legal-evidence references and source-status records to the decision context. Revision 16 makes that structure visible through source-authority cards, text markers, status rails, and provenance chips rather than allowing polished colour alone to imply authority. Revision 17 then organises interpretation as a repeated sequence: notice the bounded signal, inspect what remains unknown, and choose a proportionate human next step. Revision 18 protects that sequence under large system text. Revision 19 extends the same discipline to legal maintenance by exposing exact document version and lifecycle. Revision 20 adds a second temporal question: even when a lifecycle label was internally consistent when authored, has the project’s source-review deadline now passed? An overdue source review becomes an evidence gap rather than an invisible maintenance task. The interface is a view of the governed evidence object rather than a separate narrative that can drift away from it.

## 1.4 Consent, Attention, and Interface Burden

Privacy interfaces operate under severe attention constraints. McDonald and Cranor quantified the impractical time cost of reading the privacy policies encountered by an ordinary user [7]. Obar and Oeldorf-Hirsch demonstrated how readily people accept online terms without substantive engagement [8]. These findings should not be interpreted as evidence that users are careless. They show that notice-and-choice systems frequently demand more time and legal comprehension than a routine interaction can support.

A warning application can reproduce this failure if it presents a wall of legal text, asks the user to interpret raw telemetry, or interrupts every time a count changes. More information is not automatically more usable transparency. Information must be staged according to the decision a user can reasonably make. Privacy Lens therefore begins with three questions: what requires attention, what evidence is missing, and what can be done next. Rule references and technical details remain available, but they follow the status and action rather than preceding them.

This approach also affects notification strategy. Repeated alerts for an unchanged state can teach users to ignore the product. A review system should distinguish new evidence, a material escalation, and a stable finding. Although the present candidate does not claim a longitudinal notification study, its repository retains enough state to support transition-based

notification in future work. The architectural principle is that attention is a limited resource and should be consumed only when evidence meaningfully changes.

### 1.5 Accountability Rather Than Automated Adjudication

The GDPR’s accountability principle requires a controller not only to comply with the Regulation but also to be able to demonstrate compliance [1]. A consumer-facing application cannot fulfil the controller’s entire accountability obligation, because it does not possess the controller’s records of processing, contracts, purposes, retention decisions, risk assessments, or organisational measures. It can nevertheless support accountability by making a narrow technical observation reproducible and by showing which questions remain unanswered.

This positioning changes the desired failure mode. A conventional classifier may optimise for a single label and treat rejected input as an implementation inconvenience. An accountability tool should prefer an explicit hold or evidence gap to a falsely reassuring result. Unsafe types, unrecognised sources, impossible windows, and missing context therefore fail closed. The system does not invent a value to keep the pipeline moving. This behaviour is especially important at a native bridge, where JavaScript assumptions can be violated by malformed, stale, or unexpected platform data.

Accountability also requires version knowledge. A finding that says only GDPR is not reproducible if rules or interpretations later change. Privacy Lens records a pack identifier and version, an official source, and a particular rule reference. Historical findings are not silently reinterpreted when the active pack changes. This creates a minimal audit trail: a reviewer can identify which data were available, which pack was applied, and why a particular message appeared.

### 1.6 Regional Extensibility as a Governance Problem

The request for regional switching creates both an architectural opportunity and a governance risk. It is straightforward to define a common software interface for multiple packs. It is much harder to ensure that each pack represents its jurisdiction accurately. Legal systems differ in scope, terminology, actors, exemptions, enforcement, and the relationship between national and sectoral rules. A design that assumes every jurisdiction can be translated into GDPR article equivalents would merely hide legal coupling behind a new file format.

Revision 20 therefore separates software extensibility from legal validity at three levels. It distinguishes binding law, final guidance, and consultation material; records whether the source is in force, final, open for consultation, or closed pending finalisation; and assesses a project-defined source-review deadline at evaluation time. The registry proves that the application can discover, select, persist, and apply governed pack objects and can stop normal evaluation when their review schedule expires. It does not certify the content of any source, the classification supplied by a maintainer, or the appropriateness of the chosen interval. The EU GDPR pack is the evaluated legal objective. The Research Baseline pack remains deliberately non-legal. A future regional pack must identify its authority, effective date, scope, exact source version, lifecycle, source-review policy, reviewer, localisation status, fixtures, migration policy,

and limitations.

This distinction is central to the thesis contribution. Decoupling is valuable not because it makes law interchangeable, but because it makes jurisdiction-dependent assumptions visible and reviewable. When a legal mapping is isolated, it can be versioned, challenged, replaced, and tested without changing the Android bridge or product shell. The architecture therefore supports expansion while making the cost of responsible expansion explicit.

## 1.7 Research Method

The work follows a design-science research method. Design science treats the construction and evaluation of an artefact as a route to knowledge about a problem and its possible solution [9]. Peffers and colleagues organise this work into problem identification, definition of solution objectives, design and development, demonstration, evaluation, and communication [10]. Privacy Lens follows that sequence iteratively rather than presenting implementation as a single linear build.

First, legal and platform constraints are translated into claim boundaries. Second, these boundaries become data and interface requirements. Third, the requirements are implemented across TypeScript, React Native, Kotlin, storage, and Android build configuration. Fourth, each layer is demonstrated and evaluated with evidence appropriate to that layer. Finally, contradictions between intended claims and observed behaviour are used to revise both code and thesis. Table 1 makes the relationship between research method, artefact, and evidence explicit.

Table 1: Design-science stages and thesis evidence

| Stage                  | Action in this study                                                                  | Inspectable evidence                                                                       |
|------------------------|---------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| Problem identification | Define the evidence-to-decision and authority gaps                                    | Research questions, claim boundary, prior Android and legal literature                     |
| Objectives             | Require safe admission, calibrated communication, pack isolation, and reproducibility | Requirements F1–F5, U1–U2, P1, and D1                                                      |
| Design and development | Construct the engine, pack contract, repository, bridge, and interface                | Versioned source modules and architecture traceability                                     |
| Demonstration          | Exercise controlled and device-visible review journeys                                | Synthetic workflow, release APK, installed-device screenshots, and UI trees                |
| Evaluation             | Test each claim with a layer-appropriate oracle                                       | Boundary suites, artefact hashes, manifest reconciliation, and physical interaction record |
| Communication          | State supported claims and unresolved validity threats                                | Thesis, review reports, versioned PDFs, and explicit limitations                           |

The method combines constructive and empirical elements. The constructive element is the artefact: the rule-pack contract, compliance engine, repository, Android bridge, and interface.

The empirical element consists of deterministic test vectors, adversarial boundary cases, build outputs, merged-manifest inspection, installed-package inspection, ADB interaction, UI hierarchies, screenshots, and filtered runtime logs. The method does not include a controlled participant experiment or independent legal assessment; those omissions are recorded as limitations rather than replaced with speculative conclusions.

An important methodological rule is that evidence is not pooled across incompatible layers. A thousand logical cases do not become a thousand device trials. A successful installation does not validate every WorkManager schedule. A well-rendered warning does not prove comprehension. A rule reference does not prove infringement. Maintaining these separations allows the final evaluation to be positive about what worked without obscuring what remains unknown.

## 1.8 Research Questions

The thesis answers four questions that connect evidence admission, communication, extensibility, and evaluation.

**RQ1: How can Android permission-audit signals be transformed into deterministic, explainable review findings while unsafe or incomplete inputs fail closed?** This question concerns the runtime evidence contract, decision semantics, temporal isolation, and replay behaviour. It is evaluated through exact-boundary, adversarial, and stateful logical tests.

**RQ2: How can provenance, temporal scope, and missing legal context be communicated so that a technical warning is not mistaken for a legal verdict?** This question concerns finding construction, dashboard projection, status language, source disclosure, and the distinction between synthetic evidence and device-visible observations. It is evaluated through presentation fixtures and rendered workflows, with participant comprehension retained as future work.

**RQ3: How can jurisdiction-specific rules be isolated behind a stable regulation-pack contract without weakening traceability?** This question concerns explicit dependency injection, registry admission, immutable pack metadata, historical identity, and visible caveats. It is evaluated by applying the same admitted evidence under two registered packs and comparing the resulting findings.

**RQ4: What claims are supported by deterministic tests, release builds, and bounded physical-device evaluation, and which claims remain unverified?** This question concerns the relationship between software evidence and research conclusions. It is answered through a claim-to-evidence matrix that keeps logical, package, device, legal, and deployment claims separate.

## 1.9 Research Objectives and Contributions

The research has four operational objectives. It must make each decision reproducible, communicate uncertainty without neutralising usefulness, isolate regional interpretation from generic product infrastructure, and produce an Android artefact that can be evaluated beyond

source code. These objectives are realised through permission, source, time-window, pack, rationale, and missing-context fields; three non-verdict status classes; a registry of immutable pack definitions; and release APK and Android App Bundle outputs targeting SDK 36.

The **architectural contribution** is an evidence-bounded pipeline in which admission, temporal preparation, rule evaluation, persistence, projection, and presentation preserve the same claim boundary. The **methodological contribution** is a layered evaluation record that distinguishes agreement with a specified oracle from acquisition coverage, device behaviour, legal validity, and user comprehension. The **practical contribution** is a local-first Android candidate whose Overview, Findings, and Settings journeys expose source, selected pack, missing evidence, and data controls without requesting sensitive runtime permission.

The contribution is therefore not an automated GDPR judge. It is an accountability-support prototype that makes a bounded technical inference reconstructable and leaves legal conclusions to an appropriately authorised human reviewer. This positioning is narrower than the strongest claim a compliance application might advertise, but it is the strongest claim supported by the implemented evidence path.

## 1.10 Scope and Claim Boundary

The evaluated data path covers permission summary records available to the application or generated by its controlled simulator. Stock Android restricts ordinary applications from reading unrestricted activity belonging to other applications. Absence of an observation is consequently an evidence gap, not proof that an access did not occur. The current rule thresholds are research baselines; they are not statutory limits. The included EU GDPR pack is a traceable mapping aid, not legal advice.

Evaluation covers source compilation, deterministic logical tests, adversarial boundary tests, release assembly, manifest inspection, installation, launch, interaction, and short-run observation on one OPPO PERM00 device. It does not establish multi-OEM compatibility, 24-hour scheduler reliability, battery performance, population accuracy, accessibility conformance, independent legal validity, or application-store approval.

## 1.11 Thesis Structure

Chapter 2 establishes the legal, Android, HCI, and software-architecture foundations. Chapter 3 derives requirements and the evidence-bounded architecture. Chapter 4 documents the implemented application and regulation-pack mechanism. Chapter 5 reports reproducible evaluation evidence. Chapter 6 analyses validity, usability, deployment, and legal limitations. Chapter 7 answers the research questions and defines the next validation programme.

In summary, the thesis begins from a semantic constraint: technical evidence can support review only when its acquisition scope and missing context remain visible. The next chapter positions this constraint within regulatory principles, Android platform semantics, human factors, and prior approaches to rule-based privacy support.

### **1.12 Revision 21 contribution: evidence-bound legal review**

Revision 21 addresses the difference between legal material being technically traceable and it being independently reviewed. The pack contract can now carry an attestation identifier, exact reviewed pack version, a SHA-256-shaped source-bundle digest, reviewer identity and qualification statement, a distinct approver, review and approval dates, scope, and validity end. The engine assesses this object at the same evaluation time as source currency. If the attestation is absent or expired, a result that would otherwise be reassuring becomes insufficient evidence; conservative review signals remain visible but carry the unresolved legal-review gap. The current EU pack intentionally has no attestation, so the implementation demonstrates honest failure rather than fabricated assurance.

### **1.13 Revision 22 contribution: cryptographically checked review evidence**

Revision 22 narrows a residual forgery path in that contract. The application now derives the reviewed-source digest itself from a fixed-schema, order-independent canonical bundle of source records. An attestation must carry an Ed25519 signature over its pack identity, version, computed digest, review identities, scope, dates, algorithm, and key identifier. Runtime assessment then requires a matching application trust anchor, a currently valid and non-revoked key, a valid signature, and an unexpired attestation. Source mutation, signature mutation, an unknown signer, and a revoked signer produce distinct fail-closed states. The production trust store is intentionally empty and the real EU pack remains unattested. This contribution therefore demonstrates verifiable refusal, not fabricated approval.

### **1.14 Revision 23 contribution: offline source-content identity**

Revision 23 distinguishes a source record from the document bytes to which it points. Each legal source now has exactly one manifest artifact containing its canonical identifier, official URL, media type, retrieval date, byte length, and SHA-256 digest. A standalone offline verifier reads the retrieved documents as raw bytes and recomputes both length and digest; the runtime evidence gate represents the same assessment states and refuses reassurance unless every expected artifact verifies. The evaluated six-document corpus passed this check, while a one-byte mutation failed with a distinct hash-mismatch state.

This contribution closes neither the legal nor the publisher-authenticity problem. Hash agreement establishes identity only relative to bytes recorded on 11 August 2026. It does not prove that a URL was controlled by the named authority at retrieval time, that the corpus is complete, that a consultation text is final, or that a reviewer interpreted it correctly. The source bytes are not shipped in the application, the EU pack remains unsigned, and the production trust store remains unprovisioned. The result is therefore an auditable positive path for document-byte evidence and an honest negative state in the evaluated product.

### **1.15 Revision 24 contribution: a signed monotonic trust-store boundary**

Revision 24 replaces the preceding static reviewer-key denylist concept with a canonical, Ed25519-signed trust-store envelope. The envelope identifies an offline signing root, separates issuance from approval, carries reviewer anchors and explicit revocations, expires, advances through a positive safe-integer sequence, and binds every non-initial version to the digest of its accepted predecessor. The application persists the highest accepted sequence and envelope digest and refuses older, forked, skipped, or unchained candidates. Production roots and envelopes remain empty, so the evaluated EU pack still cannot produce legal reassurance.

The contribution is deliberately narrower than production public-key infrastructure. It demonstrates a fail-closed, testable boundary between application code and reviewer-key governance. It does not establish qualified legal review, secure root custody, witnessed publication, hardware-backed monotonicity, or continuity after uninstall or application-data clearing. This distinction continues the thesis’s central method: technical evidence must make unsupported authority difficult to imply.

### **1.16 Revision 25 contribution: independently witnessed trust-store releases**

Revision 25 prevents a root-signed trust-store envelope from becoming operational solely because its signature verifies. The envelope now stops at `ENVELOPE_VERIFIED`; `CURRENT` additionally requires a separately configured policy with at least two distinct Ed25519 witness anchors and enough valid receipts to meet its threshold. Each receipt binds the exact canonical envelope digest, sequence, witness date, and declared application release identity. Reviewer anchors and rollback state remain unavailable when policy, receipt, or quorum validation fails.

This adds independently attributable cryptographic observations, not a production transparency system. The evaluated root, envelope, witness policy, and receipt sets remain empty. The receipts do not prove witness identity, organisational independence, qualification, uncompromised custody, public inclusion, or the installed APK/AAB bytes. The contribution is therefore a stronger fail-closed release boundary without a corresponding claim of legal authority or deployed assurance.

### **1.17 Revision 26 contribution: decision calibration without collection**

Revision 26 addresses a remaining human-factors failure mode: a technically bounded card can still be misread as a legal verdict or as evidence of developer intent. The expanded card therefore adds a session-only understanding check and three context acknowledgements after, rather than before, the evidence. An incorrect interpretation receives immediate corrective feedback; a correct interpretation is not labelled ready until provenance, missing evidence, and proportional action have each been reviewed. Closing the card clears all responses. The mechanism neither persists answers nor sends telemetry and does not alter the underlying finding.

The contribution is a testable decision-support safeguard, not a demonstrated behavioural effect. A separately documented preregistration draft fixes the primary comprehension endpoint,

two-arm contrast, exclusions, sample-size target, stopping rule, and analysis before any recruitment. A dependency-free analyzer and visibly synthetic dry run exercise the research pipeline while preventing those generated rows from being reported as participant evidence.

## 2 Literature Review and Foundations

This chapter examines four bodies of work that constrain the design: data-protection principles, Android observation mechanisms, human-centred warning design, and replaceable rule systems. The purpose is not to claim that Privacy Lens supersedes specialised legal, static-analysis, or enforcement tools. It is to identify the unresolved integration problem between a bounded technical observation and the conclusion a user is invited to draw from it.

### 2.1 Review Protocol and Source Quality

The chapter uses a structured scoping review rather than claiming a systematic review or meta-analysis. Sources were selected to answer four design questions: what a permission observation can establish, which legal facts it omits, how people interpret permission and warning interfaces, and how a replaceable decision mechanism can remain auditable. The legal-source check was updated through 11 August 2026 and included official EU and Android material, peer-reviewed security and usable-privacy studies, standards, and foundational information-systems research. Seminal older work was retained when it defined a construct still used in the design, such as contextual integrity, cognitive load, trust calibration, usability, or design science.

Source authority was ranked by the proposition being supported. Statutory meaning is grounded in the GDPR text and final EDPB guidance, not vendor summaries. Platform capability is grounded in Android documentation and bounded by installed-device evidence. Behavioural claims use original field or user studies and preserve their sample sizes and contexts. Engineering-method claims use original design-science publications. Standards and NIST privacy-engineering material are used as design guidance, not as proof of legal compliance [11,12]. Consultation materials are retained only when their non-final status is explicit; they do not displace binding law or final guidance. Commercial forecasts, uncited practitioner claims, and sources whose title or bibliographic record could not be verified were excluded from the Revision 15 argument.

This protocol has limits. It does not report database-by-database recall, duplicate screening, or a PRISMA flow, and therefore must not be read as exhaustive coverage of mobile privacy research. Its purpose is narrower: make each source class, document version, lifecycle, review state, and evidential role explicit so that a reviewer can distinguish legal authority, pending material, platform specification, empirical user evidence, and design rationale. Revision 20 assigns a project source-review deadline to governed records so that this dated scoping check cannot silently be treated as current forever. The interval is an engineering governance policy and not a deadline stated by the EDPB or the Regulation.



## 2.2 Regulatory Principles and Technical Signals

The GDPR regulates processing rather than permission counts. Article 5 establishes principles including lawfulness, transparency, purpose limitation, data minimisation, accuracy, storage limitation, integrity, confidentiality, and accountability. Articles 6 and 9 concern lawful bases and special-category data; Article 25 requires data protection by design and by default [1]. EDPB guidance describes Article 25 as a continuing obligation implemented through appropriate technical and organisational measures [2]. A technical observation may support an accountability inquiry, but cannot by itself demonstrate whether these legal conditions are satisfied.

This distinction determines the framework’s vocabulary. A threshold exceedance is a *review signal*. Missing purpose, lawful-basis, necessity, data-subject, controller, retention, and sharing evidence is shown explicitly. The UI never derives a finding labelled “GDPR violation” or “compliant”. Regulation-pack references provide a reason to investigate and a link to an official source; they do not replace legal interpretation.

### 2.2.1 From Legal Principle to Review Question

Operationalisation is necessary in any regulatory technology, but it must preserve the semantic distance between a principle and a sensor. Article 5(1)(a) concerns lawfulness, fairness, and transparency. A permission count can contribute to transparency by revealing a pattern that was previously invisible, yet it cannot establish lawfulness or fairness. Article 5(1)(b) concerns purpose limitation. A count contains no purpose unless purpose is supplied as contextual evidence. Article 5(1)(c) concerns data minimisation. Frequency can be relevant to necessity, but a high frequency may be required for continuous navigation while a single collection may be excessive for an unrelated purpose. Article 5(2) concerns accountability. An audit record can support demonstration, but it is only one component of the records, decisions, safeguards, and governance required from a controller [1].

Articles 6 and 9 further show why a permission signal cannot become a verdict. Article 6 provides several possible lawful bases; consent is not automatically the only basis. Article 9 establishes a prohibition and exceptions for special categories, but not every Android dangerous permission maps directly to special-category processing. Location, contacts, microphone, and camera data are context-dependent. Audio might contain health information, ordinary conversation, environmental noise, or no retained personal data. A technically observed invocation does not identify which of those states occurred.

The pack therefore maps a signal to a sequence of questions. For a location-related pattern, the reviewer may ask what purpose was declared, whether continuous precision was necessary, whether a less intrusive source was available, whether the application was in the foreground, whether location was retained or transmitted, and whether the user could reasonably anticipate the flow. For a microphone-related pattern, the reviewer may ask whether recording was user-initiated, how activation was signalled, whether raw audio left the device, and how long any derivative was retained. These questions are not answers; their value is that they prevent the visible count from crowding out legally decisive facts.

### 2.2.2 Lawful-Basis Evidence Is Basis Specific

Recording the name of an Article 6 basis is not equivalent to demonstrating that its conditions are met. Consent requires evidence capable of supporting the controller’s burden under Article 7 and must remain freely given, specific, informed, and unambiguous; withdrawal must be possible without detriment [1, 13]. Contractual necessity asks whether the processing is objectively necessary for performance, not merely mentioned in terms. Legal obligation and public task require an appropriate Union or Member-State-law anchor. Vital interests require a necessity assessment. Legitimate interests require a purpose, necessity, and balancing analysis, while the EDPB Article 6(1)(f) material used in this revision remains labelled as consultation material rather than final guidance [14].

Transparency and retention are cross-cutting rather than basis substitutes. Articles 13 and 14 require the applicable information to be provided, while Article 5(1)(e) ties retention to necessity rather than to an arbitrary number of days. Revision 15 therefore asks for a notice reference, a minimisation assessment, and a retention justification in addition to the numeric period. Where a screening concludes that Article 35 applies, a DPIA reference is required. The endorsed DPIA guidance remains authoritative background; the 2026 EDPB template is recorded separately as consultation material pending finalisation [15, 16].

### 2.2.3 Data Protection by Design and Interface Conduct

Article 25 directs controllers to implement appropriate measures and privacy-protective defaults, taking account of state of the art, cost, context, and risk. EDPB guidance emphasises that this is a continuing obligation rather than a certification achieved once [2]. For Privacy Lens, data protection by design affects both internal processing and the claims made to users. Local storage, disabled backup, no analytics, no advertising, no account, explicit deletion, and minimised permissions reduce the application’s own data footprint. Fail-closed validation and immutable pack metadata reduce the risk that incomplete evidence becomes a misleading result.

Interface conduct is also relevant. A privacy tool could employ alarming colours, default users into sharing diagnostic data, hide evidence limitations, or imply that purchasing a service resolves risk. EDPB guidance on deceptive design patterns provides a broader reminder that formal information can still be presented in a manipulative way [17]. Privacy Lens uses restrained severity language, places limitations near the result, and keeps the demonstration optional. The implementation is not claimed to have been audited against every deceptive-design criterion, but the guidance informs the design objective of calibrated rather than maximised reliance.

## 2.3 Android Visibility and Permission Semantics

Android permissions are part of a layered security model. Manifest declarations, runtime grants, AppOps state, operating-system services, and OEM behaviour do not expose one universal event stream to an ordinary third-party application. Android’s permission guidance emphasises

minimising permission requests and using platform-supported workflows [18]. Therefore, a credible review tool must state its acquisition authority and must not equate an empty result with absence of processing.

Static manifest analysis and dynamic monitoring answer different questions. Static tools can identify declared capabilities and embedded components; dynamic or taint-based systems can observe selected flows but may require instrumentation, system modification, a VPN, or elevated authority. PiOS illustrates the value and complexity of static data-flow analysis [19]. Privacy Lens deliberately occupies a lighter position: it evaluates bounded audit summaries and communicates their coverage rather than claiming universal enforcement or surveillance.

### 2.3.1 A Taxonomy of Mobile Privacy Evidence

Existing approaches can be organised by the claim their evidence supports. Manifest analysis answers what capabilities an application declares and which components are packaged. It is reproducible and can be performed without executing the application, but it cannot establish that a declared capability was exercised. Static data-flow analysis attempts to connect sources and sinks in program code. It can reveal possible flows beyond manifest declarations, although reflection, native code, dynamic loading, and environment-specific paths complicate coverage. PiOS and related systems demonstrate the analytical value of tracing potential information flows while also illustrating that such analysis is specialised rather than a routine end-user feature [19].

Runtime instrumentation answers which monitored operations occurred during a particular execution. Its result depends on exercised paths, instrumentation placement, operating-system authority, and the definition of an event. Network interception answers which traffic crossed an observed interface and may expose destinations or payload structure. It cannot see purely local processing and may be limited by encryption, certificate pinning, protocol choice, and traffic that bypasses the observation path. Platform privacy dashboards can offer authoritative information for selected permissions, but their presentation and export capabilities are determined by the operating system.

Enforcement systems answer yet another question: whether a protected operation was blocked or modified under a policy. Enforcement is stronger than observation for the operation under control, but it can require device-owner status, system integration, rooting, a custom operating system, or application rewriting. These deployment choices change the threat model. A VPN monitor, for example, gains visibility by becoming an intermediary and must itself be trusted. A rooted monitor can inspect more state but weakens assumptions that apply to ordinary consumer devices.

Privacy Lens does not attempt to dominate this taxonomy. It accepts a structured summary from a bounded source and focuses on interpretation, traceability, and communication. This makes it complementary to manifest scanners, platform dashboards, enterprise management systems, and forensic monitors. A future authorised deployment could supply richer evidence through the same decision contract, but the application should continue to display the authority and coverage of that source.

### 2.3.2 Historical Operations and the Ordinary-App Boundary

The existence of an Android API is not evidence that any application can use it for any package. Access control can depend on signature permissions, usage-access grants, AppOps policy, device-owner status, process identity, Android release, and OEM modification. Android’s AppOps documentation states, for example, that callers without the privileged `WATCH_APPOPS` permission are limited to their own UID for relevant active-state queries and watchers [20]. Historical-operation methods may therefore be public in an SDK while useful cross-package results remain restricted in ordinary deployment. The physical-device evidence collected for this thesis exposed application-owned modes and scheduling state; it did not demonstrate unrestricted enumeration of other packages.

This boundary affects evaluation design. A complete system has an acquisition layer and a decision layer. The acquisition layer determines what the operating system or an authorised integration provides. The decision layer validates, aggregates, maps, stores, and presents that evidence. Synthetic injection can test the second layer exhaustively without proving the first. Conversely, an acquired record can demonstrate that a bridge works without proving the correctness of every decision boundary. The thesis reports these layers separately.

## 2.4 Human Factors and Calibrated Trust

Privacy notices impose substantial reading and comprehension costs [7, 8]. Adding another dense dashboard can reproduce the problem it intends to solve. Trustworthy warning design should therefore support quick orientation while preserving access to rationale and provenance. ISO 9241-11 frames usability through effectiveness, efficiency, and satisfaction in a specified context of use [21]. WCAG 2.2 and Android accessibility guidance further motivate non-colour status cues, meaningful labels, and sufficiently large touch targets [22, 23].

These sources support four design choices. First, the overview leads with the current evidence boundary. Second, colour is paired with iconography and text. Third, details are progressively disclosed through finding cards. Fourth, destructive actions such as clearing local findings are separated from routine navigation. These are conformance-oriented design decisions, not proof of usability; participant studies remain necessary.

### 2.4.1 Cognitive Load and Progressive Disclosure

Cognitive Load Theory distinguishes load inherent to a task from load introduced by its presentation [24]. Privacy review has substantial intrinsic complexity because it combines technical events, purposes, law, expectations, and uncertainty. A product cannot remove that complexity, but it can avoid adding unnecessary navigation, decoration, or jargon. The earlier prototype mixed health dashboards, research projects, experiment controls, scoring views, and privacy findings. That structure made the user’s immediate task unclear. The three-destination Revision 14 architecture reduces extraneous choice and uses a stable pattern for each finding.

Progressive disclosure is not equivalent to hiding caveats. The most important caveat—the

limited reach of evidence—appears on the overview before the user initiates a review. Detail cards then reveal the observed count, source, pack, reference, rationale, and missing context. This ordering allows rapid orientation while preserving auditability. A legal citation without an explanation would be too terse; a full reproduction of statutory text on every card would be too heavy. The interface therefore supplies a short reference and offers the official source separately.

Dual-process accounts distinguish fast, heuristic judgement from slower deliberation [25]. Severity colour can produce a rapid response, which is useful for prioritisation but dangerous if colour appears to communicate legal certainty. Textual labels, source chips, explicit caveats, and neutral action language are intended to interrupt an overly simple red-equals-illegal inference. This intention requires empirical testing. The thesis does not infer comprehension from the presence of these elements.

#### **2.4.2 Trust Calibration and Explanation Quality**

Trust is calibrated when reliance corresponds to actual capability. A system that understates uncertainty can induce over-reliance; a system that only displays caveats may become unusable and be ignored. Lee and See describe the importance of appropriate reliance on automation [26]. In Privacy Lens, calibrated trust is pursued through claim symmetry: a positive-looking result and a warning must both show their evidence basis. A no-technical-concern state means that no rule fired within the admitted evidence, not that processing was lawful. A needs-review state means that a rule fired, not that a violation occurred.

Explanation quality has at least four dimensions. Fidelity asks whether the explanation corresponds to the implemented rule. Completeness asks whether the important inputs and limits are represented. Comprehensibility asks whether the intended audience can understand it. Actionability asks whether the explanation supports a reasonable next step. The deterministic rule and stored pack metadata support fidelity. Missing-context questions support completeness. The card hierarchy aims at comprehensibility. Suggested review questions support actionability. Only the first two dimensions are strongly evaluated in the present work; comprehension and actionability need participant evidence.

#### **2.4.3 Accessibility as an Evidence Requirement**

Accessibility affects whether transparency is available in practice. WCAG 2.2 requires that information is not conveyed through colour alone and includes criteria concerning contrast and target size [22]. Android guidance recommends meaningful content descriptions and interaction targets that are large enough to operate reliably [23]. The implementation pairs icons and words with colour and supplies accessibility labels for primary controls.

These measures are design evidence, not conformance certification. True accessibility evaluation should include screen-reader order, announcements after asynchronous review, large-font reflow, switch access, keyboard focus, high-contrast settings, reduced motion, colour-vision deficiencies, and comprehension with users who rely on assistive technology. The distinction mirrors the wider thesis: source inspection can establish that a label exists, whereas a user

study is needed to establish that the resulting interaction is effective.

## 2.5 Replaceable Rule Systems

Hard-coding statutory names into a decision engine creates maintenance and validity risks. A legal text may change, another jurisdiction may use different concepts, and a translated label may not preserve the same meaning. The appropriate software pattern is a stable engine contract with versioned, independently reviewable rule data. A pack should declare its jurisdiction, version, official source, caveat, supported signals, thresholds, references, and explanatory text. The engine should reject unknown packs and preserve the selected pack identifier in every finding.

Replaceability does not mean equivalence. Two packs cannot be treated as interchangeable simply because they implement the same TypeScript interface. Each requires independent legal review, localisation, validation fixtures, and governance over updates. The included “Research Baseline” pack demonstrates switching without representing a second jurisdictional legal interpretation.

### 2.5.1 Pack Lifecycle and Review Governance

A credible pack lifecycle begins before implementation. The maintainer identifies the intended jurisdiction, material and territorial scope, regulated actors, effective date, official consolidated source, language versions, and the technical signals actually available. A qualified reviewer then maps signals to questions, not verdicts, and records assumptions and exclusions. Engineering converts the reviewed mapping into immutable data and fixtures. Localisation is reviewed separately because legally important distinctions can be lost even when the code remains valid.

Release governance should treat a pack as a versioned dependency. A substantive legal amendment, authoritative interpretation, corrected translation, changed threshold, or altered missing-context question may require a new pack version. Findings retain the version used at evaluation time. Updating the active pack should not rewrite historical records. If a migration is needed, it should create a new evaluation linked to the old one rather than silently changing the original rationale.

Pack selection also raises a scope question. Device location alone is not a reliable selector because applicable law can depend on establishment, targeting, residence, processing context, contracts, and sector. Revision 14 therefore requires explicit user selection from registered packs and presents the jurisdiction label and caveat. Automatic selection could be added only with a defensible scope model and an override.

### 2.5.2 Rule-Based and Learned Decision Models

Rule-based systems are attractive for a legal-support interface because a reviewer can re-construct the condition that fired. A fixed threshold also has obvious limitations: it can be bypassed by splitting activity across windows, may not represent purpose, and may treat different application categories alike. Learned anomaly detection can adapt to patterns, but it

introduces training-data bias, distribution shift, opacity, and uncertainty. A hybrid system could combine transparent guardrails with contextual or personalised models, provided that model provenance and uncertainty remain visible.

The present engine intentionally uses explicit research thresholds. The contribution lies in safe admission, temporal isolation, versioning, explanation, and boundary disclosure rather than in claiming optimal thresholds. Population calibration would require representative applications, ground-truth definitions, stratification by purpose and category, independent annotation, and validation on data not used to choose parameters. Without that evidence, a mathematically sophisticated adaptive threshold could be less trustworthy than a simple rule whose limits are stated.

### 2.5.3 Automated Validation and Oracle Independence

Randomised tests can explore more input combinations than a short hand-written suite, but their evidential value depends on the generator and oracle. Uniform random counts may seldom exercise exact thresholds. A generator that only creates well-typed values cannot test the runtime boundary. An oracle copied from the production helper may reproduce the same defect. The evaluation therefore combines fixed seeds, boundary values, malformed types, permission mutation, temporal constructions, and an explicit expected-result calculation.

Fuzzing and property-oriented testing are especially useful for invariants. Counts should remain finite and non-negative. Results should not depend on the order of unrelated package histories. Replaying an identical window should not increase totals. Overlapping aggregate windows should not be added. A simulator source should never become a native-observation source. Unknown packs should not load. These properties express safety behaviour more clearly than a single accuracy number.

Statistical language must also match the sample. A deterministic 1,000-case run provides strong regression coverage for its generator, but it is not a random sample of real applications or alleged infringements. Confidence intervals applied to such a run would describe the generated distribution, not the mobile ecosystem. Revision 14 reports the confusion matrix descriptively and reserves population claims for future independent datasets.

## 2.6 Comparative Positioning Against Prior Android Studies

Table 2 compares the unit of evidence and unanswered question in the closest empirical and platform work. The comparison is not a league table: the cited studies provide stronger behavioural evidence than Privacy Lens, while Privacy Lens contributes an artefact-level integration and traceability design that those studies were not intended to evaluate.

Table 2: Comparative positioning of Android privacy evidence and Privacy Lens

| Work                  | Unit and method                                                                            | Strongest supported contribution                                                                               | Question outside its evaluated scope                                                       |
|-----------------------|--------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| Wijesekera et al. [4] | contextual-integrity field study; 36 participants; 27 million data points                  | demonstrates mismatch between contextual expectations and observed permission access                           | versioned legal prompts, missing-fact gates, and end-to-end finding provenance             |
| Cao et al. [5]        | survey of 1,719 participants across 10 countries/regions                                   | quantifies cross-context variation in Android permission expectations and behaviour                            | local artefact admission, replay control, pack identity, and release traceability          |
| Prange et al. [6]     | field deployment with 132 participants                                                     | evaluates awareness and control around privacy-relevant smartphone features                                    | legal-inference boundaries and replaceable jurisdiction mappings                           |
| Android AppOps [20]   | official platform API and authority model                                                  | specifies observable operations and access restrictions, including own-UID limits without privileged authority | human interpretation, lawful-purpose facts, and calibrated user-facing claims              |
| Privacy Lens          | design-science artefact, deterministic tests, package evidence, and one-device walkthrough | preserves source, time, pack version, missing facts, and prohibited inference across a review pipeline         | population behaviour, participant comprehension, legal approval, and broad device validity |

The comparison prevents two symmetrical overclaims. Privacy Lens cannot inherit participant validity from studies whose interfaces, samples, and contexts differ. Conversely, the absence of a participant study does not erase its separately testable architecture contribution. The novel claim is therefore the explicit composition of evidence admission, replaceable rule identity, missing-context preservation, bounded presentation, and layer-matched evaluation—not discovery that permissions are contextual or that users need understandable controls.

## 2.7 Research Gap: From Observation to Calibrated Review

The reviewed approaches are individually strong at different layers. Manifest and static-analysis tools can identify declared or potential behaviour. Runtime and network monitors can observe selected executions. Platform dashboards can expose system-mediated histories. Enterprise or modified-platform systems can enforce policy. Consent and accessibility research can improve the presentation of user choices. None of these strengths, however, removes the need to state what an observation means, how far it reaches, and what it cannot establish.

The first unresolved issue is an *authority gap*. A screen can display a precise count while hiding whether the value came from a system service, an imported file, an instrumented experiment, or a simulator. The same number has different evidential weight under each source. Platform security further means that an ordinary application may observe only a subset of relevant operations. Prior technical work demonstrates the value of richer analysis, but also shows that coverage depends on authority, instrumentation, and execution conditions [18, 19]. A review interface therefore needs source and capability disclosure as part of the result, not solely in developer documentation.

The second issue is a *semantic gap*. Regulatory principles concern processing in context, whereas permission telemetry describes a platform operation. Frequency may help prioritise



review, but it does not reveal purpose, lawful basis, necessity, recipient, retention, or applicable exception. A tool that replaces these missing facts with a legal label is not simply incomplete; it changes the proposition being evaluated. The literature on contextual integrity and data protection by design supports a context-sensitive interpretation, yet does not provide an automatic mapping from Android counts to legal outcomes [1–3].

The third issue is an *interaction gap*. Dense disclosure can be formally complete while remaining unusable. Cognitive-load and dual-process accounts explain why users may rely on colour, default position, or a short label even when detailed text is available [24,25]. Accessibility guidance further shows that information is not meaningfully available if it depends on colour, small targets, or unlabelled controls [22,23]. A privacy-review interface must therefore support fast orientation without allowing the fast path to imply more certainty than the detail supports.

The fourth issue is a *maintenance gap*. Legal references, product copy, thresholds, and test fixtures often evolve in different files and at different speeds. Hard-coded jurisdiction names can survive after a rule changes; historical findings can be reinterpreted by a new active configuration; translated labels can lose distinctions from the reviewed source. A versioned pack boundary cannot guarantee legal correctness, but it creates a reviewable unit with identity, source, caveat, fixtures, and lifecycle.

The final issue is an *evaluation gap*. Software projects frequently aggregate heterogeneous successes into one readiness claim. Unit tests, a generated AAB, a device screenshot, and a legal citation are all useful, but they answer different questions. Conformance with a threshold oracle is not acquisition recall. Installation is not long-run reliability. A polished warning is not comprehension. A citation is not independent legal approval. An evidence-bounded evaluation must preserve these denominators and scopes.

Privacy Lens addresses the intersection of these five gaps. Its contribution is compositional rather than substitutive: it does not replace platform telemetry, legal review, or participant research. It provides a contract through which a bounded observation can be admitted, evaluated, stored, and presented without losing source, time, rule identity, or missing context. The research problem is therefore not merely to detect a high count. It is to preserve epistemic discipline across the complete path from observation to user-facing claim.

## 2.8 Conceptual Model: Evidence, Rule, Claim, and Action

The literature supports a four-part conceptual model. *Evidence* describes what was observed, by whom, over which interval, and with what contextual fields. *Rule* describes the deterministic condition and regulation-pack version applied to admitted evidence. *Claim* describes the bounded status that the interface may present. *Action* describes the next human step, such as obtaining purpose information, checking a notice, repeating collection under an authorised source, or clearing local records.

Figure 1 makes the permitted direction and the missing-context gate visible. A legal verdict is not a fifth stage: it sits outside the automated path because the admitted record lacks the complete facts and authority required for adjudication.




Figure 1: Evidence-to-action conceptual boundary

The model is directional. Evidence constrains which rule can run; the rule constrains the claim; and the claim constrains the action that can be justified. The interface must not reverse this logic by beginning with a desired compliance label and searching for a supporting count. Nor should it allow an action such as reporting an application to imply that the underlying legal question has already been resolved.

Uncertainty enters at each transition. Evidence may be incomplete, a rule may be a research baseline, a claim may omit legally decisive context, and an action may require professional judgement. Rather than compressing these uncertainties into one confidence score, Privacy Lens retains categorical source, explicit missing fields, rule metadata, and textual boundaries. This choice follows the reviewed literature’s emphasis on contextual interpretation and calibrated reliance while remaining implementable in a deterministic prototype.

The model also explains the division of evaluation. Admission and replay tests concern evidence. Threshold and pack fixtures concern rules. Projection and screenshot checks concern claims. Participant and professional-review studies would concern actions and reliance. Keeping these layers separate allows the thesis to answer its engineering questions without presenting unevaluated human or legal outcomes as completed results.

## 2.9 Store Delivery as a Trust Boundary

Application-store readiness includes more than a successful APK. Google Play uses Android App Bundles for new application delivery, requires current target API levels, and requires developers to complete a Data safety declaration [27–29]. Signing identity, a public privacy-policy URL, support contact, screenshots, listing text, and console review remain owner-controlled steps. A research build can be an initial submission candidate while still being unpublishable until these external obligations are completed.

## 2.10 Synthesis

The literature yields a precise design requirement: a privacy-review system must preserve the boundary between an observation and the authority of the claim made from it. Android research defines the acquisition constraint; regulatory sources define the missing legal context; HCI and accessibility sources define the communication constraint; and rule-system research

defines the maintenance constraint. The following chapter converts this model into explicit requirements, design alternatives, and evidence contracts.

### **2.11 Accountability, expertise, and the limit of the four-eyes claim**

GDPR accountability requires the controller to be responsible for, and able to demonstrate, compliance, while Article 24 requires measures appropriate to context and risk [1]. EDPB material on data protection officers emphasises expert knowledge, independence, and active conflict-of-interest assessment [30]. These authorities motivate explicit qualification and independence metadata. They do not state that every software rule-pack release must use the exact two-person workflow implemented here. Revision 21 therefore describes distinct reviewer and approver identities as a project governance control, not a statutory four-eyes requirement or a substitute for deciding whether a DPO is required.

### **2.12 Cryptographic provenance is not legal validity**

A digital signature supports a narrower proposition than a legal-review label. Successful Ed25519 verification establishes that the holder of a private key corresponding to a configured public key signed a particular canonical payload. It does not establish who controlled that key, whether the person was suitably qualified or independent, whether the source classification was complete, or whether the legal interpretation was correct. Trust-anchor provisioning, identity proofing, key custody, revocation, and audit transparency therefore remain governance questions outside the primitive itself.

The distinction is especially important for regulatory sources. Revision 22 hashes canonical source-record metadata: titles, versions, authorities, URLs, lifecycle labels, and review dates. It does not download or hash the bytes served by the official authorities. A matching digest can detect a changed project inventory after review, but it cannot prove that an external document has not changed at its URL. The claim supported by the mechanism is consequently source-record integrity, not source-content authenticity or GDPR compliance.

### **2.13 Revision 23: content-addressed sources and legal-status boundaries**

The source model now separates three propositions that are often collapsed. First, a source record states an authority, URL, title, version, and lifecycle status. Second, a content manifest states which exact byte sequence was retrieved. Third, a legal-review attestation states what a reviewer approved. SHA-256 supports the second proposition by making a changed byte sequence detectable; Ed25519 can bind the first two propositions to a configured signing key; neither primitive decides the third proposition’s substantive correctness.

The evaluated corpus uses six official materials: Regulation (EU) 2016/679; the EDPB consent guidelines; the endorsed Article 29 Working Party transparency and data-protection-impact-assessment guidelines as separate sources; the EDPB legitimate-interest guidelines whose public-consultation page records Version 1.0 and closed feedback; and the 2026 EDPB data-protection-impact-assessment template explainer whose consultation page records that

finalisation follows consultation. These lifecycle distinctions matter because authority does not imply finality. A closed consultation document must not silently acquire the status of binding law or final guidance.

Offline verification reduces dependence on a mutable link during evaluation, but it introduces governance obligations. Retrieval must preserve the original bytes and metadata; repeat retrieval must not overwrite the historical record; a changed official document requires a new artifact identity and pack review; and source removal must produce an explicit missing state. The accompanying project key-governance procedure assigns distinct reviewer and custodian roles and specifies onboarding, rotation, revocation, rollback, and publication steps. It is an engineering control proposal rather than a requirement stated by the GDPR.

#### **2.14 Revision 24: key lifecycle and rollback concepts**

Key-management guidance treats cryptographic keys as lifecycle-governed objects rather than timeless constants. NIST SP 800-57 Part 1 Revision 5 discusses general key-management practices and protection across lifecycle phases [31]. Privacy Lens uses that source only as security-engineering context: neither NIST guidance nor the project’s separation of issuer and approver creates a GDPR requirement or certifies a reviewer.

The Update Framework specifies version, expiry, trusted-root, and rollback-resistance concepts for software-update metadata [32]. Revision 24 borrows the narrower ideas of signed metadata, expiry, monotonic versions, and predecessor continuity, but does not implement TUF roles, threshold signatures, repository metadata, mirrors, consistent snapshots, or a transparency service. Calling the envelope “TUF compliant” would therefore exceed the evidence. The academically relevant point is the explicit translation and limitation of external security concepts, not terminological association.

#### **2.15 Revision 25: attestation subject and digest concepts**

The in-toto Attestation Framework separates an identified subject and digest from a predicate containing claims about that subject [33]. Revision 25 borrows the narrower discipline of binding a signed statement to an exact digest and declared release identity. It does not implement the in-toto Statement or envelope formats, a published predicate type, supply-chain layout verification, a transparency log, or in-toto conformance. The receipt-set digest is an order-independent local comparison identifier, not an inclusion proof.

This distinction matters because witness signatures can otherwise invite an unjustified inference that a binary or human role has been independently verified. Privacy Lens receipts currently identify the application by package name, semantic version, version code, and controlled-research channel, but do not include APK, AAB, or signing-certificate digests. Consequently, they can support exact-envelope agreement only; artifact identity and real-world witness governance remain separate acceptance obligations.

## 2.16 Revision 26: usable-security evidence and preregistration

Security-warning research demonstrates why a visually prominent caveat is not automatically understood. Sunshine et al. empirically compared browser warnings and showed that warning design and task context affect user response [34]. Bravo-Lillo et al. tested interface “attractors”, including temporary inhibition of risky action, and found that interaction structure could redirect attention to salient information [35]. Privacy Lens borrows only the hypothesis that a brief, relevant interruption may improve attention. Different domain, consequence, population, and task conditions prevent direct effect-size transfer.

The Revision-26 study draft follows the preregistration principle of recording a time-stamped, read-only study plan before collection or analysis [36]. This is method preparation rather than a registered study: ethics determination, consent materials, recruitment, registration, data collection, and independent analysis remain future actions.

## 3 Requirements and System Design

This chapter translates the research gap into a design that can be implemented and evaluated. It first defines the product position and release requirements, then compares rejected alternatives, traces the decision lifecycle, specifies the evidence and rule-pack contracts, and maps each design invariant to an acceptance source. This order follows the central dependency of the system: a user-facing claim is valid only when the evidence, rule, and state transitions that produced it remain reconstructable.

### 3.1 Design Objectives and Requirements

Privacy Lens is designed as a local review instrument. Its output is a structured prompt for investigation, not a legal decision and not a security-enforcement action. The system accepts bounded permission summaries, validates their shape and temporal relationships, applies the active regulation pack, stores the resulting findings locally, and presents the result with its provenance and limitations.

Table 3 defines the requirements used for implementation and evaluation. The table is intentionally concise; later subsections explain why each requirement is necessary and which failure it prevents.

Table 3: Revision 20 requirements and acceptance evidence

| ID | Requirement                                                                                                                            | Evidence                                    |
|----|----------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|
| F1 | Evaluate supported permission summaries deterministically.                                                                             | Seeded and boundary suites                  |
| F2 | Preserve source, time window, pack, rule, and missing context.                                                                         | Type and repository tests                   |
| F3 | Reject unsafe identifiers, numbers, sources, timestamps, windows, and contexts.                                                        | Adversarial tests                           |
| F4 | Switch only among registered, versioned regulation packs.                                                                              | Pack registry tests and Settings UI         |
| F5 | Separate synthetic demonstrations from device-visible evidence.                                                                        | Source labels and simulator tests           |
| F6 | Reject packs whose governance lifecycle, source, reviewer scope, or release scope is inconsistent.                                     | Registry-load and mutation tests            |
| F7 | Require evidence specific to the selected Article 6 basis before returning no technical concern.                                       | Basis-matrix tests                          |
| F8 | Keep the status of law, final guidance, and consultation material distinct.                                                            | Source-governance tests                     |
| F9 | Fail closed when a legal pack depends on a source whose project review deadline has passed.                                            | Expiry boundary tests                       |
| U1 | Provide overview, findings, and settings through stable navigation.                                                                    | Physical screenshots and UI trees           |
| U2 | Communicate severity without colour alone and disclose evidence limits.                                                                | Source inspection and physical rendering    |
| U3 | Present source authority, document version, and lifecycle without visually conflating closed consultations with law or final guidance. | Settings source register and UI contracts   |
| U4 | Preserve heading context when the ledger changes state or evidence detail expands.                                                     | Empty/populated and disclosure device paths |
| P1 | Keep findings local, disable Android backup and remote updates, and remove application network permissions.                            | Privacy tests and merged manifest           |
| D1 | Build a versioned release APK and AAB with a stable package identity.                                                                  | Release build and device install            |

### 3.2 Design Alternatives and Threat Model

The model includes malformed bridge values, forged simulator provenance, unsafe numbers, replayed windows, overlapping summaries, unbounded history, misleading empty results, and user over-reliance on authoritative language. It does not defend against a compromised operating system, a maliciously modified application binary, falsified system telemetry, or a legally incorrect pack supplied by a trusted maintainer. Those risks require platform integrity, signing governance, and independent legal review.

### 3.2.1 Selection Rationale

Several alternative product positions were considered. The first was a binary compliance scanner that would display compliant or non-compliant for every application. This was rejected because permission frequency cannot establish purpose, necessity, lawful basis, controller obligations, or applicable jurisdiction. A binary label would hide missing evidence and encourage users to treat a technical heuristic as a legal decision. The adopted model separates potential conflict, ordinary review, evidence gap, and no-technical-concern states; the last remains explicitly limited. The legacy “likely non-compliant” value is accepted only for migration and is projected as a potential conflict rather than generated by new evaluation.

The second alternative was a single risk score. A score appears compact and supports sorting, but it combines unlike uncertainties. A high aggregate count, missing purpose, synthetic source, and consent contradiction do not have a common natural unit. Weighting them would introduce assumptions that are difficult to justify and easy to overlook. Privacy Lens instead stores contributing signals and renders a reasoned state. A future prioritisation score could be added for professional triage only if every contribution remains inspectable and calibration evidence exists.

The third alternative was a learned classifier trained on application labels or permission histories. Machine learning could model interactions not captured by fixed thresholds, yet the project lacked an independently labelled, representative, legally meaningful data set. Training on store categories, malware labels, or developer declarations would answer different questions. A deterministic rule engine was selected because it makes boundary behaviour, missing inputs, and change history reviewable. This choice does not claim that rules are universally superior; it matches the evidence available for the thesis.

The fourth alternative was to embed GDPR language in interface components. This is initially convenient because each screen can display the relevant article directly. It creates duplication, complicates review, and makes regional extension risky: changing jurisdiction would require editing presentation and perhaps persistence logic throughout the application. The pack contract centralises legally motivated content and forces the engine to record which pack generated a finding. Generic screens display pack-provided labels through validated fields.

The fifth alternative was to choose a region automatically from device locale or location. Locale does not reliably determine applicable law, organisational establishment, data-subject status, or processing context. Automatic selection could therefore present the wrong framework with unwarranted confidence. The adopted design requires explicit user selection from registered packs and shows the selected jurisdiction and caveat. It does not collect location to decide which privacy law to discuss.

The sixth alternative was a cloud account with central evidence storage. Centralisation could simplify synchronisation, remote dashboards, and model updates, but it would also create a new repository of sensitive behavioural metadata and require authentication, server security, retention, international transfer analysis, and deletion workflows. The current product is local first, uses no account, and offers local deletion. This choice reduces deployment features but aligns the application’s conduct with its privacy objective.

The seventh alternative was to ingest unrestricted free-form pack files. This would maximise extensibility but expose users to misleading sources, malformed thresholds, pack confusion, and potentially executable content. The present registry admits bundled immutable definitions. Future signed declarative distribution may be appropriate, but only after schema, publisher, rollback, and review controls exist.

The eighth alternative was to treat absence of observations as zero activity. This would produce a cleaner dashboard, but it would conflate a real zero with unavailable acquisition. The selected model requires a capability-aware source and reports an evidence gap when coverage is missing. This is less reassuring and more accurate.

The ninth alternative concerned notifications. Emitting an alert for every evaluation would demonstrate activity but create repetition and fatigue. Repository logic instead considers whether a finding is new, has changed state, or has escalated. Silent storage remains possible for unchanged or low-priority outcomes. The design can later support controlled comparison of notification policies without changing decision semantics.

The final alternative concerned storage of raw observations. Keeping a complete event history would improve forensic detail but increase sensitivity and resource cost. The candidate stores bounded findings and aggregate history needed for current temporal reasoning. Event-level acquisition is deferred until an authority model, minimisation policy, and retention design can be evaluated. This is a deliberate privacy-performance trade-off rather than an accidental omission.

### 3.3 Architecture and Decision Lifecycle

The selected architecture separates acquisition, admission, temporal preparation, evaluation, persistence, projection, and presentation. Rather than allowing each screen to interpret raw Android data independently, every stage receives a bounded input and produces a state whose meaning is explicit. The following lifecycle, failure, minimisation, and release-gate decisions define how this separation behaves under both normal and adverse conditions.

Figure 2 shows the single decision path and the two governance inputs that constrain it. The regulation pack does not receive UI state, and the interface does not bypass the finding record to reinterpret raw evidence. This separation makes source identity and pack identity available at every downstream review point.






Figure 2: Evidence-bounded system architecture and decision path

### 3.3.1 End-to-End Decision Lifecycle

The lifecycle begins when the user initiates review, a scheduled worker requests work, or the controlled simulator generates an example. The acquisition component returns candidate records together with a source identity. It must not return a native zero merely because a platform capability is unavailable. Capability failure and an observed zero are different states and lead to different user decisions.

Each candidate crosses the admission boundary as unknown data. The validator checks the package identifier, permission key, count, window, timestamps, source, and optional context without relying on compile-time types. Rejection is structured. The record does not enter temporal history and cannot contribute to a reassuring status. The caller can present the failure as an evidence problem and retain enough diagnostic detail to correct the producer without exposing raw sensitive content unnecessarily.

An admitted record is placed in a key space defined by package and permission. Exact-window replay replaces the prior aggregate. Independent completed windows may be retained for cross-window analysis; overlapping aggregates are not summed. Simulator data remains excluded from accumulated cross-window claims. Retention and a per-key cap bound state. These operations prepare evidence before jurisdictional rules are applied.

The engine receives the selected immutable pack explicitly. It locates the supported rule, calculates daily excess, evaluates burst information where timestamps are available, examines compatible history, and inspects any admitted processing context. The result includes the observed and threshold values, signal types, status, communication priority, rationale, legal or research reference, missing-context questions, and pack identity. The calculation never mutates the pack.

The repository compares the result with the stored finding for the same logical subject. It distinguishes an unchanged state, a new concern, resolution or reversal, and risk escalation. This comparison governs notification eligibility. It also writes a bounded slice under the versioned repository key. A finding remains attached to its original pack even if Settings later

selects another pack.

Projection turns repository records into interface-facing models. It calculates overview totals by state, applies Findings filters, formats source and temporal labels, and exposes actions. Projection should not infer new legal semantics. If a required field is absent, it retains an unknown or evidence-gap presentation. This makes projection testable independently of React components.

Presentation then orders information according to user need. The overview states reach and limitation before the main action. Findings allow scanning by state and inspection of reasons. Settings places pack choice, caveat, simulator, privacy information, and deletion controls in separate groups. Accessibility labels name the action and state rather than depending on icon or colour. Destructive action requires deliberate confirmation where implemented.

The lifecycle ends with user action or explicit non-action. A user may seek a privacy notice, ask a developer for purpose and retention information, repeat review with authorised evidence, or decide that the technical signal does not require immediate attention. Privacy Lens does not contact the reviewed application, change its permissions, or submit a complaint automatically. Keeping the final decision outside the engine preserves human accountability.

Deletion is also part of the lifecycle. The user can clear local findings, and uninstall or platform data clearing removes the application data within Android's boundary because backup is disabled. Export or future synchronisation would create additional copies and must define deletion separately. The current lifecycle intentionally ends at local storage.

### **3.3.2 Failure-State Design**

Failure states were designed as product states rather than exception messages. Acquisition unavailable means the current deployment cannot obtain suitable records; it is not displayed as a completed scan. Invalid evidence means a producer supplied data that fails the contract; it cannot be silently repaired into a normal case. Unknown pack means evaluation is blocked until a registered definition is selected; it does not fall back to the EU pack merely because that pack is bundled.

Storage failure also requires conservative behaviour. If persisted data cannot be parsed or migrated safely, the interface should not mix it with current findings. Recoverable records may be retained after field-level validation, while unrecoverable content should be quarantined or omitted with a visible explanation. Clearing data remains available so the user can recover control. Production logging should report the failure class without printing evidence payloads.

Work scheduling failure is distinct from review failure. WorkManager can defer periodic work because of platform policy, Doze, reboot, or vendor restrictions. The interface should present the last completed review time and source capability rather than imply continuous monitoring. A registered request demonstrates scheduling intent, not on-time execution. Future long-run tests should measure delay and recovery before stronger wording is used.

Partial evaluation is another possibility. Some records may be valid while others are rejected. Treating the batch as wholly clean would hide rejection; treating it as wholly failed would discard useful evidence. A suitable summary reports accepted findings together with

the count and reasons for excluded records. The current bounded flows establish structured rejection at record level; richer batch disclosure remains an extension point.

Pack-content failure has two forms. Schema failure is machine detectable and should block admission. Substantive legal error may only be identified by expert review or later correction. Pack provenance, versions, official sources, and historical identity allow the maintainer to issue a successor without pretending earlier findings never existed. The interface can mark a deprecated pack and recommend re-evaluation while preserving the original record.

Network failure is intentionally limited because core review and bundled packs operate locally. Privacy-policy and official-source links may be unavailable, but the application should retain the relevant title and caveat. If remote pack delivery or synchronisation is later added, offline operation and last-known-good behaviour become acceptance requirements rather than optional resilience features.

Visual failure includes clipped localisation, unreadable contrast, focus loss, hidden caveats, and controls obscured by system insets or keyboards. These failures may not appear in logic tests. Rendered screenshot matrices, hierarchy inspection, screen-reader use, font scaling, and device variation are therefore part of the planned evidence. The one-device acceptance check establishes only the candidate baseline.

Finally, misunderstanding is treated as a failure even when the software behaves as coded. If users interpret no technical concern as GDPR compliance, or mistake simulator records for device evidence, the product has failed its communication objective. Participant comprehension and reliance tests are needed to detect that class. The design reduces the risk through terminology and provenance, but does not declare it eliminated.

### **3.3.3 Data-Minimisation Decisions**

The application needs enough evidence to explain a review signal, yet every retained field has privacy cost. Package identifier, permission family, count, time window, source, pack identity, and decision reason form the current minimum for reconstructing an aggregate finding. Optional context is admitted only when supplied for the review purpose. The application does not require account identity, contact lists, precise location content, microphone content, or advertising identifiers.

Counts are stored instead of raw sensor values. A location access finding does not require coordinates, and a microphone access finding does not require audio. This distinction is central: the system reviews evidence that an operation occurred, not the personal data produced by the operation. A future connector should preserve that separation unless a separately approved research question requires content.

Time resolution is also minimised. Aggregate start and end values support window validity, replay, and bounded temporal analysis. Timestamp arrays are accepted for controlled burst evidence, but they should not be collected by default merely because the schema can represent them. The source capability and purpose determine whether additional resolution is justified.

Local-first storage avoids creating a server-side behavioural database. The trade-off is that the user or controlled deployment is responsible for device access and loss, and professional

collaboration features are limited. The design disables Android backup so evidence is not restored unexpectedly to another device through ordinary platform backup. This choice should be re-evaluated if enterprise-managed backup becomes a stated requirement.

Bounded history limits denial-of-service and retention exposure. The cap is not a substitute for purpose-based deletion, but it prevents indefinite growth under current aggregate use. Repository slices and clear controls make the lifecycle understandable. Future event-level storage would require stronger indexing, encryption assessment, retention schedules, and selective deletion.

Notifications contain only the minimum text needed to indicate a changed review state. Detailed evidence remains inside the application. Lock-screen visibility can still expose the existence of a concern, so future production settings should consider notification privacy and user preference. The current evaluation does not claim that every device lock-screen configuration was tested.

External links are used for official materials and privacy documentation instead of embedding broad web content. The application does not send the finding to those sites. Users should be informed that opening a link transfers them to another controller and may reveal ordinary browser metadata. Remote analytics or link tracking would contradict the minimisation posture unless separately justified.

Data minimisation finally applies to evaluation artefacts. Screenshots, UI dumps, log excerpts, and device metadata should avoid unrelated notifications, account names, and installed-application lists. Synthetic demonstrations are preferred for public evidence. Physical records used for thesis acceptance remain scoped to the test application and bounded device session.

### **3.3.4 Requirement Priorities and Release Gates**

Requirements were prioritised according to the harm caused by failure. Evidence admission, provenance, non-verdict language, source separation, replay safety, pack identity, and deletion are release blockers because failure could create misleading privacy conclusions or remove user control. Core navigation, readable hierarchy, package identity, release builds, and absence of sensitive runtime permissions are also blockers for the initial store candidate.

Important but non-blocking research extensions include multi-OEM acquisition measurement, long-duration WorkManager observation, full screen-reader matrices, participant studies, production signing, and independent legal review. They are non-blocking only for the bounded engineering candidate. They become blockers for stronger claims such as public production readiness, accessibility conformance, or validated GDPR guidance.

Optional features include cloud synchronisation, accounts, remote pack updates, application blocking, and learned ranking. These features do not repair current evidence gaps automatically and would introduce substantial security, privacy, or governance work. They should be considered only after the core assurance chain is stable.

The release gate follows dependency order. A source-level failure blocks package evaluation because the binary would not represent an accepted program. A package or manifest failure

blocks device acceptance. A device crash or broken primary journey blocks visual promotion. A missing legal or usability study does not turn an engineering check red; it keeps the associated substantive claim explicitly unverified.

This priority model avoids two extremes. It does not delay all prototype learning until every production activity is complete, and it does not allow a successful demonstration to erase unresolved authority or legal questions. Each gate authorises a named next activity. The Revision 15 source candidate authorises release rebuilding and controlled evaluation; it does not inherit predecessor device acceptance automatically.

### **3.4 Stakeholders and Functional Requirements**

The same evidence contract serves different users, but their decisions and information needs are not identical. Requirements are therefore derived from explicit scenarios before they are divided into functional and non-functional categories.

#### **3.4.1 Stakeholders and Usage Scenarios**

The primary user is a person who wants to understand available privacy evidence without becoming an Android or GDPR specialist. This user needs a short account of what was observed, why it deserves attention, what is not known, and what action is reasonable. A second stakeholder is a developer or product owner using the application during internal review. This stakeholder needs reproducible rule identifiers, pack versions, timestamps, and evidence-source labels. A third stakeholder is a privacy or legal reviewer who may use the finding as an entry point into a broader assessment. This stakeholder needs the official source, missing-context questions, and an explicit statement that the application has not reached a legal conclusion.

The first usage scenario is an ordinary review with no prior data. The overview explains the scope before offering a review action. If the bridge returns no admissible observations, the interface reports an evidence gap rather than a clean bill of health. The second scenario is a populated review. Findings are grouped by status and can be inspected individually. The third scenario is learning through synthetic data. The user runs a controlled demonstration, which creates a varied but deterministic set of records marked as synthetic. The fourth scenario is changing legal perspective. The user selects another registered pack, sees its jurisdiction and caveat, and performs a new review without relabelling historical findings. The fifth scenario is withdrawal from the tool itself: the user clears local findings or uninstalls the application.

These scenarios exclude unsupported uses. Privacy Lens is not intended to block another application, intercept network traffic, prove that a sensor callback stopped, obtain evidence by evading platform restrictions, or submit a legal complaint automatically. It does not select applicable law from device location. Defining exclusions is important because a polished interface could otherwise suggest a broader product than the evidence pipeline implements.

### 3.4.2 Functional Decomposition

The review workflow is decomposed into acquisition, admission, temporal preparation, evaluation, persistence, projection, and presentation. Acquisition produces a candidate summary and a capability statement. Admission checks whether the record can be trusted as a well-formed input. Temporal preparation determines whether history can be combined without double counting. Evaluation applies one immutable pack. Persistence writes findings and migration metadata. Projection converts stored findings into dashboard counts and sections. Presentation renders this projection with actions and caveats.

This decomposition allows each failure to be represented at the correct layer. If the bridge is unavailable, the application should not create a zero-count native record. If a timestamp is unsafe, the engine should not try to repair it silently. If two aggregate windows overlap, the repository should not sum them. If a pack identifier is unknown, the registry should not fall back to whichever pack appears first. If storage migration fails, the interface should avoid presenting stale records as current evidence. The design favours explicit absence over invented continuity.

The simulator follows the same downstream path after acquisition. It is not a separate UI mock that bypasses validation. This is important because a demonstration that constructs presentation objects directly would not test the engine, repository, or projection. Synthetic source identity is introduced at acquisition and persists through every later stage.

### 3.4.3 Non-Functional Requirements

Security requirements include fail-closed input handling, conservative identifier formats, bounded history, source enumeration, immutable pack definitions, disabled backup, and no sensitive runtime permissions. Privacy requirements include local processing, no remote evidence service, no analytics or advertising SDK, and a clear deletion control. Reliability requirements include deterministic results for identical admitted inputs, replay replacement, pack-specific persistence, and migration from the previous repository schema.

Usability requirements include a clear initial action, a stable three-destination navigation model, non-colour status semantics, concise summaries, optional detail, meaningful accessibility labels, and separation of destructive controls. Maintainability requirements include one authoritative compliance path, typed interfaces, registry-based packs, reusable theme constants, tests for new packs, and removal of duplicate legacy services. Deployability requirements include a stable application identifier, explicit version, current target SDK, release APK and AAB generation, upload-key configuration, privacy-policy content, and documented owner actions.

Performance is treated as a constraint rather than a validated claim. The decision engine operates on bounded in-memory arrays and simple rule lookup. Storage is local and capped per package-permission key. WorkManager is selected for deferrable periodic work rather than exact scheduling. No quantitative battery, long-duration memory, or startup objective is claimed in Revision 20 because the available evidence does not cover those dimensions broadly enough.

### 3.5 Evidence and Regulation-Pack Design

This section specifies the two contracts at the centre of the framework. The evidence contract defines what the engine may know; the regulation-pack contract defines which reviewed rule data may be applied. Admission, temporal isolation, persistence, and abuse controls preserve the boundary between them.

Table 4 prevents the pack’s legal references from being mistaken for derivation of its numerical thresholds. The cited provisions motivate review questions. They do not contain daily or per-minute permission limits, and the application cannot infer the legally decisive facts listed in the fourth column.

Table 4: EU GDPR pack: legal motivation and prohibited inference

| Legal anchor                         | Observed input                                                  | Permitted engineering prompt                                                            | Facts still required                                                                                | Prohibited conclusion                                          |
|--------------------------------------|-----------------------------------------------------------------|-----------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|----------------------------------------------------------------|
| Art. 5(1)(b), purpose limitation     | Contacts count and time window                                  | Ask whether access serves an explicit and compatible purpose                            | Purpose specification, compatibility analysis, recipients, user expectation                         | Contacts access breached purpose limitation                    |
| Art. 5(1)(c), data minimisation      | Location, microphone, or contacts frequency                     | Ask whether the observed pattern was necessary and proportionate to the stated function | Function, alternatives, precision, duration, retention, data actually produced                      | A threshold exceedance was unlawful or excessive               |
| Art. 6 and, where applicable, Art. 9 | Declared lawful-basis and special-category context fields       | Expose a missing basis or Article 9 condition for human review                          | Controller assessment, validity of basis, data category, exceptions, withdrawal and objection facts | Processing lacked a valid legal basis                          |
| Arts. 7, 13 and 14                   | Consent record and notice references                            | Ask for consent evidence and applicable transparency record                             | Validity, timing, information supplied, withdrawal, and data provenance                             | Consent or transparency was legally valid                      |
| Art. 35                              | DPIA screening flag and assessment reference                    | Block evidence-complete status when a positive screening lacks the DPIA record          | Risk likelihood, scale, systematic monitoring, vulnerable people, safeguards, consultation          | A DPIA was or was not legally required                         |
| Art. 5(2) and Art. 25                | Source, pack version, rationale, missing fields, local controls | Preserve a reproducible prompt and evidence boundary                                    | Wider technical and organisational measures, risk, state of the art, records, governance            | The controller demonstrated compliance or the App is certified |

The legal traceability matrix is deliberately asymmetric. Technical evidence may trigger a question, but a legal proposition is not allowed to flow backwards into the evidence record as if it had been observed. This follows the GDPR and final EDPB guidance while retaining the privacy-engineering distinction between a data action, its context, and the problems it may create [1, 2, 11].

#### 3.5.1 Evidence Schema and Provenance

The evidence schema is designed around reconstructability. A permission summary includes a package identifier, supported permission key, non-negative safe-integer count, start and end

of the aggregate window, source enumeration, and optional processing context. The source is one of the controlled values supported by the application, such as native bridge, imported evidence, or simulator. A free-form source string is rejected because it could allow synthetic data to impersonate device evidence.

Context fields represent what a legal review would need but a permission count cannot provide. Revision 15 includes purpose, controller identity, lawful basis, basis-specific supporting reference, transparency notice, data-minimisation assessment, retention period and justification, Article 9 condition, and DPIA screening outcome. Their absence does not make the technical observation invalid. It changes the finding by adding missing-context questions and preventing an evidence-complete state. This distinction separates data-quality failure from legal incompleteness; a reference proves only that a record was supplied, not that its legal reasoning is correct.

A finding contains the admitted evidence plus decision metadata: status, risk, rule identifier, threshold, rationale, regulation-pack identifier and version, official source, evaluation time, and missing-context fields. The schema is intentionally verbose. Storage efficiency is less important than the ability to explain why a result appeared and which assumptions applied.

Provenance also constrains metrics. Simulator precision and recall are computed only for records whose expected labels are part of the controlled generator. Imported or native records do not receive an accuracy label because their legal and behavioural ground truth is unknown. Aggregating these sources into one accuracy metric would create a number with no coherent denominator.

### 3.5.2 Admission and Fail-Closed Validation

Validation occurs at runtime even though the application is written in TypeScript. Static types protect code paths compiled from known sources, but values crossing a native bridge, storage migration, import boundary, or untyped caller can violate those types. The validator therefore treats each field as unknown until checked.

Counts and timestamps must be finite JavaScript safe integers. This excludes negative values, fractional event counts, infinities, not-a-number values, and integers whose arithmetic cannot be represented exactly. The time window must have a strictly earlier start and a later end. An evaluation timestamp must be consistent with the window. Retention values must be positive and bounded. Package identifiers and permission keys must match conservative patterns rather than merely being non-empty strings.

Context validation follows the same rule. String fields must actually be strings before trimming; booleans must not be inferred from truthy text or numbers. The engine does not coerce a value such as the text `false` into a Boolean because this can reverse meaning. Unknown source and permission values produce an invalid or review-hold state instead of falling through to a default threshold.

Fail-closed does not mean the application crashes. It means the system returns a safe, explicit result that prevents incomplete evidence from being described as no concern. The UI can then explain which field was rejected or why review cannot proceed. This approach



supports both security and diagnosability.

### 3.5.3 Temporal Isolation Model

Aggregate windows create a double-counting problem. Suppose two records report counts for intervals that overlap. Without event identifiers, the system cannot know whether events in the shared interval appear in both counts. Summing them could manufacture a cross-window threshold. Revision 14 therefore aggregates only completed, non-overlapping windows for the same package and permission.

For windows  $w_i = [s_i, e_i)$  and  $w_j = [s_j, e_j)$ , compatibility is defined as

$$e_i \leq s_j \quad \vee \quad e_j \leq s_i. \quad (1)$$

Adjacency is allowed because half-open intervals that meet at one boundary do not overlap. Exact replay is detected by equal package, permission, start, and end. The newer replay replaces the stored value rather than increasing the history size or total. This makes processing idempotent for a repeated aggregate export.

Retention uses a monotonic watermark derived from the latest admitted window end for the key. Basing expiry on a newly arrived record's timestamp alone would allow a late or forged old record to move the horizon backwards. Records older than the bounded horizon relative to the watermark are removed. Each package-permission history is also capped at a finite maximum. The cap is a denial-of-service safeguard, not a claim about the maximum legitimate event rate.

Cross-window detection is consequently conservative. It may fail to combine useful but overlapping aggregates, yet it avoids asserting a total that the evidence does not support. Event-level identifiers or disjoint platform buckets would permit a richer model. The current design states the limitation rather than guessing how much overlap occurred.

### 3.5.4 Rule-Pack Contract in Detail

The common pack contract separates descriptive metadata from executable rule data. Descriptive metadata includes identifier, display name, jurisdiction label, version, official source, effective or review date, and caveat. Rule data binds a supported permission signal to a research baseline, threshold logic, severity, rationale, reference label, and missing-context questions.

The registry is the only route from a persisted identifier to a pack object. This prevents arbitrary downloaded or user-entered text from being executed as a rule. Pack objects are immutable so an evaluation cannot observe a threshold changing midway through a run. The engine receives the pack as an explicit dependency, which makes test fixtures clear and avoids hidden global state.

Pack identity is copied into findings rather than represented only by a current settings value. If a user evaluates under the EU pack, selects the Research Baseline, and later opens an older finding, the finding still displays the EU pack and version. This historical stability is

essential for auditability.

The pack contract deliberately does not require every jurisdiction to supply an equivalent article number. A rule can use a provision, principle, official guidance reference, or non-legal research identifier. The UI renders a general reference label and source link. This avoids encoding the assumption that all legal systems share the GDPR’s structure.

### **3.5.5 State, Persistence, and Migration**

The privacy context coordinates bridge capability, active pack, loading state, findings, demonstration status, and repository actions. State transitions are explicit: idle, reviewing, completed, and failed or unavailable. The interface disables duplicate actions while a review is running and provides a human-readable result when acquisition returns no evidence.

AsyncStorage is used for app-private persistence. The repository key is versioned. On load, older records are normalised into the current schema where safe. Fields that cannot be reconstructed are marked missing rather than invented. A migration should preserve source identity and original timestamps. If a record cannot satisfy current admission rules, it should be excluded from the active projection and surfaced as a migration issue where appropriate.

Clearing findings removes review records while preserving the application itself. Pack selection may be retained separately because it is a preference, but the UI states what the clear action affects. Android backup is disabled so uninstalling or clearing application data has the expected local-deletion meaning within the platform boundary.

### **3.5.6 Security and Abuse Cases**

The first abuse case is source forgery: a caller marks synthetic input as native. Enumeration and bridge-controlled construction reduce this risk inside the application, although a modified binary is outside the threat model. The second is numeric abuse: extremely large or non-finite counts cause overflow or misleading totals. Safe-integer validation rejects them. The third is replay amplification. Exact-window replacement provides idempotence. The fourth is overlap amplification, addressed by temporal isolation.

The fifth case is history exhaustion. An attacker or faulty source supplies many distinct windows. Per-key caps and retention limit memory growth. The sixth is identifier pollution, where many malformed package or permission strings create unbounded partitions. Conservative formats and supported permission enumeration reject these values. The seventh is pack confusion, where an unknown identifier is presented under a trusted legal name. Registry-only loading and copied pack metadata prevent silent fallback.

The final abuse case is epistemic rather than computational: a user or stakeholder treats a finding as a legal determination. Interface caveats, neutral statuses, official-source links, and missing-context questions reduce this risk. They cannot eliminate it. Training, documentation, and qualified review remain necessary controls.

## 3.6 Traceability and Evaluation Design

The architecture is complete only when its requirements can be tested at the appropriate layer. This final section links requirements to evidence, identifies stable invariants, and records how future extensions should renew acceptance.

### 3.6.1 Traceability from Requirement to Evidence

Every requirement is paired with a planned evidence source. Deterministic evaluation is covered by seeded and exact-boundary fixtures. Provenance preservation is covered by type, repository, and presentation tests. Unsafe inputs are covered by adversarial runtime cases. Pack switching is covered by registry and identity assertions plus Settings rendering. Synthetic separation is covered by simulator-source tests and populated-device screenshots.

Navigation and visual hierarchy are evidenced by UI trees and physical screenshots, while accessibility claims remain limited to source and rendered cues. Local processing and permission minimisation are evidenced by dependency review, merged manifest, and installed-package inspection. Delivery is evidenced by successful release tasks, artefact hashes, package metadata, and installation. The matrix does not list legal compliance or broad user adoption because no test in the current protocol can establish them.

### 3.6.2 Evaluation Strategy

Evaluation is deliberately layered. Source-level checks establish type and lint conformance. Deterministic tests establish consistency with the published rule specification and adversarial rejection behaviour. Android builds establish package integration. Manifest and package inspection establish requested-permission facts. ADB interaction and screenshots establish bounded physical rendering and launch behaviour. Each result is reported at its own layer; no result is extrapolated into legal compliance or population effectiveness.

### 3.6.3 Design Invariants

The architecture is governed by invariants that should remain true even when screens, acquisition connectors, or legal packs change. First, no accepted finding exists without an admitted evidence source and bounded temporal scope. Second, no legal or research rule exists without a pack identifier and version. Third, unknown, malformed, or unavailable evidence cannot be translated into a reassuring status. Fourth, simulator provenance cannot be upgraded by persistence or presentation. Fifth, historical findings retain the rule identity used at evaluation time. Sixth, local deletion remains available without requiring an account or remote approval.

These invariants are more stable than component names. A future implementation could replace AsyncStorage with Room, React Native with another presentation framework, or bundled packs with signed declarative packages while preserving the same assurance properties. Conversely, a refactor that keeps every current class name but drops source identity or silent-fallback protection would violate the design. Revision 17 adds a communication invariant: the presentation may support action only after it separates observed evidence from missing

context and preserves human choice. Revision 18 adds a presentation invariant for system-text reflow. Revision 19 adds a source-lifecycle invariant. Revision 20 adds an expiry invariant: each governed legal source must have a valid project review deadline later than its check date, and evaluation after that deadline must produce insufficient evidence with the overdue source identities retained. Stating invariants therefore makes architectural review less dependent on incidental component structure.

The invariants also guide test selection. Admission tests challenge the first and third invariants. Pack-switch and persistence tests challenge the second and fifth. Simulator and cross-window tests challenge the fourth. Manifest, backup, and clear-data checks contribute to the sixth. This mapping helps maintainers decide which evidence to renew after a change. It also reveals gaps: authentication of an external producer, for example, is not yet an invariant guaranteed by the prototype and must not be implied by the controlled source label.

An invariant can fail through wording as well as computation. If a finding correctly stores evidence gap but the screen headlines the review as safe, the third invariant has failed at presentation. If an export omits the pack version, the fifth has failed outside the repository. End-to-end checks are therefore necessary even when unit tests are comprehensive.

Future release reviews should record each invariant as satisfied, failed, or not evidenced, with direct artefact references. A failed invariant blocks promotion. A not-evidenced item may permit a narrower research build, but its associated claim must remain absent. This practice keeps the product's trust model explicit as functionality grows.

### **3.6.4 Decision Records for Future Extension**

Future contributors should document material changes as concise decision records. A record should state the problem, evidence, alternatives, selected option, affected invariants, privacy consequences, pack consequences, migration, rollback, and verification required. This is especially important for changes that appear convenient but alter authority, such as adding remote telemetry, inferring jurisdiction automatically, importing an unreviewed rules file, or expanding Android privileges.

A decision record does not replace code review or legal review. It makes assumptions visible before they become distributed across implementation and copy. It also provides a durable explanation when later maintainers ask why the product refuses a seemingly simple shortcut. In a thesis prototype intended for store progression, this continuity matters because deployment work will occur after the original evaluation snapshot.

The first required record for a new acquisition connector should describe deployment authority and observed coverage. The first record for a new regulation pack should identify responsible reviewers and effective sources. The first record for remote services should include a data-flow and retention analysis. The first record for a new user-facing status should specify evidence semantics and comprehension tests. These prompts keep expansion aligned with the central evidence-bounded principle.

### 3.7 Legal-review attestation requirements

Revision 21 adds five acceptance invariants. First, only a legal-framework pack in a legal-review lifecycle may carry an attestation. Second, the attested pack version must equal the evaluated version and the source-bundle reference must have SHA-256 form. Third, reviewer and approver identities must differ case-insensitively. Fourth, approval cannot precede review and validity must extend beyond approval. Fifth, absent or expired review must block a reassuring no-concern status without suppressing already conservative review signals. These checks establish internal consistency and deterministic failure behaviour. They do not verify identity, professional standing, signatures, or the bytes represented by the digest.

### 3.8 Signed source-record requirements

Revision 22 strengthens the second and fifth invariants. Canonicalisation must use a fixed field order and code-unit URL ordering so that host locale and input ordering cannot change the digest. Validation must recompute the SHA-256 value rather than accepting a well-shaped value. The signed payload must bind the pack identifier and version, computed digest, attestation identity, reviewer and approver, qualification statement, scope, dates, algorithm, and signing-key identifier. The signature must verify against an explicitly supplied application trust anchor whose validity covers approval and assessment. A key at or beyond its recorded revocation date cannot clear the gate.

The required failure vocabulary is `SOURCE_BUNDLE_MISMATCH`, `SIGNER_NOT_TRUSTED`, `SIGNER_REVOKED`, `SIGNATURE_INVALID`, `EXPIRED`, and `NOT_PROVIDED`. These states are not interchangeable operationally, but all block an otherwise reassuring result. Test trust anchors must be injected explicitly and must never enter the production store. This requirement makes absence of institutional key governance visible rather than treating a cryptographically valid test fixture as deployable authority.

### 3.9 Revision 23 requirements and source-content threat model

Revision 23 adds five requirements. **SC1** requires one manifest artifact for every legal source and forbids orphan artifacts. **SC2** requires a fixed canonical schema and code-unit ordering so equivalent manifests yield the same digest. **SC3** requires raw-byte length and SHA-256 verification rather than text-decoded or platform-normalised comparison. **SC4** requires missing, length-mismatched, and hash-mismatched artifacts to fail closed with distinguishable states. **SC5** requires the legal gate to combine verified source content, current source review, valid independent attestation, and provisioned production-key governance before it can permit a reassuring result.

The threat model covers accidental substitution, partial download, silent same-length content change, manifest reordering, record-artifact divergence, and presentation that hides an incomplete chain. It does not assume that SHA-256 proves provenance, that HTTPS establishes the legal status of content, or that an application-bundled denylist provides live revocation. A malicious publisher, compromised retrieval environment, compromised signing

key, coerced reviewer, incomplete source selection, or erroneous legal analysis remains outside the cryptographic claim.

The positive path is intentionally demanding. A source record is matched to exactly one artifact; the supplied bytes match its declared length and digest; the canonical manifest digest matches the signed attestation payload; the signer is recognised, current, and not revoked; the reviewer and approver are distinct; and all source and attestation deadlines are current at the evaluation time. Any missing link produces insufficient evidence. In the released candidate, no source bytes are supplied to runtime and no production trust key exists, so the visible result correctly remains blocked even though the build-time corpus passed offline verification.

### 3.10 Revision 24 requirements and trust-store threat model

Revision 24 adds eight requirements. **TS1** requires a fixed canonical schema whose anchor and revocation ordering cannot alter the signed payload. **TS2** requires one structurally valid Ed25519 offline root that is valid both at envelope issuance and assessment. **TS3** forbids an offline-root identifier from also identifying a reviewer anchor and requires different issuer and approver identities. **TS4** requires explicit, dated revocations within the envelope validity window. **TS5** requires sequence one to have no predecessor and later sequences to advance exactly one step while binding the accepted predecessor digest. **TS6** rejects rollback, same-sequence forks, gaps, missing history, invalid signatures, freeze through expiry, and future activation. **TS7** persists the highest accepted sequence and digest before exposing reviewer anchors and removes all effective anchors if persistence fails. **TS8** requires the interface to expose both the production provisioning state and local-history limitations.

The attacker model includes mutation of signed fields, substitution of an unknown or malformed root, replay of an older valid envelope, same-sequence replacement, omission of intermediate envelopes, predecessor substitution, and continued use after expiry. The design does not resist an attacker who can replace application code or roots, compromise the device, erase application storage, control the release channel, or subvert the offline ceremony. Those are residual distribution and platform threats, not cases silently counted as passing.

### 3.11 Revision 25 witness requirements and attacker model

Revision 25 adds seven requirements. **WR1** requires a fixed receipt schema and canonical field order. **WR2** rejects thresholds below two or above the configured anchor count. **WR3** requires unique witness owners, key identifiers, and public keys, with identifiers and public-key material distinct from roots and reviewers. **WR4** requires valid Ed25519 material, coherent validity and revocation dates, and validity at both witnessing and assessment. **WR5** binds every receipt to the exact envelope digest, sequence, timely witness date, and expected application release identity. **WR6** rejects the entire supplied set on malformed, duplicate, unknown, revoked, future-dated, wrongly bound, or incorrectly signed receipts. **WR7** exposes no reviewer anchors and advances no rollback state until quorum passes.

The extended attacker model includes a compromised root acting alone, receipt replay against another envelope or release, duplicate counting, threshold reduction to one, witness/root

identity collision, signature mutation, future dating, and use of a revoked witness. It does not claim resistance to colluding or fictitious witnesses, replacement of application code or configured anchors, release-channel compromise, public split views, or device compromise.

### 3.12 Revision 26 human-decision requirements

Five additional requirements govern the decision pause. **DR1** leaves all evidence visible without requiring an answer. **DR2** distinguishes a technical signal from both a GDPR violation and developer intent. **DR3** never treats selected checkboxes as proof of comprehension or legal correctness. **DR4** retains answers only in component memory and clears them when the card closes. **DR5** exposes radio, checkbox, selected-state, 44-pixel target, and polite live-feedback semantics to accessibility services.

The corresponding misuse model includes automation bias, premature consequential action, coerced agreement, dark-pattern gating, telemetry disguised as a comprehension exercise, and synthetic-study results presented as participant evidence. Revision 26 reduces the first two through corrective friction and blocks the latter four by preserving evidence access, collecting nothing in the App, and attaching an explicit evidence-class field to research input. It cannot guarantee attention, comprehension, emotional safety, or proportionate behaviour.

## 4 Implementation

This chapter explains how the Chapter 3 contracts were realised in the release candidate. Following the argument-first pattern established in the reference thesis, each implementation section begins with the design problem it resolves and then identifies the code path, state transition, or package fact that supplies the evidence. The chapter does not repeat the removed health-dashboard, experiment, or scoring features; those components are unrelated to the current research questions and no longer form part of the product architecture.

The implementation has four cooperating domains. TypeScript supplies evidence types, validation, regulation packs, deterministic decision logic, and repository behaviour. Kotlin supplies Android capability reporting and deferrable workers. React Native renders the three-destination review journey. Gradle and the Android manifest define package identity, SDK targets, signing inputs, backup behaviour, and final permission declarations. The sections below follow this dependency order from rule data to delivery artefact.

### 4.1 Implementation Overview and Module Boundaries

The application uses Expo and React Native for the interface, TypeScript for the decision and state layers, AsyncStorage for app-private persistence, and Kotlin for the Android bridge and workers. Expo Router supplies route composition, while React Navigation primitives support the custom bottom navigation. AndroidX WorkManager represents deferrable background work. The release build uses the Android Gradle Plugin, Hermes JavaScript engine, and standard Android packaging tasks.

The stack was selected to separate concerns rather than to maximise the number of frameworks. TypeScript provides shared types for evidence, findings, and packs. Kotlin is limited to capabilities that require Android APIs or native scheduling. The interface does not import Kotlin details; it calls a typed service that reports capability and results. The compliance engine does not import React Native, storage, or Android modules. This makes deterministic tests runnable under Node after TypeScript compilation.

At the source-tree level, regulation definitions reside under the regulation directory, generic decision logic under compliance, application state under context, the bridge adapter under services, and reusable presentation components under a privacy-specific component directory. Theme constants are centralised. This organisation replaces earlier duplicate compliance services and prevents a screen from becoming the authoritative home of a rule.

Table 5 records concrete implementation witnesses for the architecture in Figure 2. The final column is important: a module name alone is weak evidence unless the reviewer can also identify the failure that the separation prevents.

Table 5: Design invariants and implementation witnesses

| Invariant                                           | Implementation witness                                                                                               | Failure prevented                                                                                |
|-----------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|
| Unknown input is not trusted                        | <code>parseAudit</code> and <code>evaluateSafe</code> in <code>RulePackComplianceEngine.ts</code>                    | Malformed bridge or imported data becoming a reassuring normal finding                           |
| Source identity survives evaluation                 | Audit source field, finding evidence, repository migration, and source chip                                          | Simulator or imported evidence being mistaken for device observation                             |
| Regional logic is pack-owned                        | <code>RegulationPack</code> , closed registry, EU pack, and Research Baseline pack                                   | UI, storage, or Android code silently embedding one jurisdiction’s terminology                   |
| Historical findings keep decision identity          | Pack identifier, regulation label, rule reference, rationale, and immutable stored finding                           | A later pack selection silently reinterpreting an earlier result                                 |
| Expired source review fails closed                  | <code>reviewDueAt</code> , pack-level assessment, renewal gap, and finding source-review record                      | Stale legal-source metadata silently supporting a normal result                                  |
| The reviewer does not create a new remote data flow | App-private <code>AsyncStorage</code> , no account, analytics, advertising, or evidence upload, plus disabled backup | A privacy-review tool expanding the exposure it is intended to help examine                      |
| Release evidence is reproducible but bounded        | Versioned package, environment-based signing inputs, APK/AAB hashes, merged manifest, and installed-package record   | Treating a local build success as production signing, console approval, or broad device validity |

## 4.2 Rule and Evidence Pipeline

The core implementation problem is to apply a jurisdiction-specific rule without allowing jurisdiction-specific assumptions to enter validation, persistence, or presentation code. The pipeline resolves this problem through an explicit pack dependency, an unknown-to-admitted runtime boundary, deterministic signal computation, a provenance-rich finding, and a repository that notifies only on meaningful change.



### 4.2.1 Regulation-Pack Implementation

The EU pack is an immutable TypeScript object identified as `EU_GDPR`. It declares the European Union and EEA as its jurisdiction label, cites Regulation (EU) 2016/679 as its version label, and links to the consolidated EUR-Lex source. The pack includes a legal caveat that the automated warning supports accountability review and does not determine infringement.

Three permission families are implemented. Location has a research baseline of 24, microphone a baseline of 8, and contacts a baseline of 4. Each baseline uses a multiplier of 1.5, producing prompt thresholds of 36, 12, and 6 respectively. These values are prototype parameters. They are not extracted from GDPR text, not population estimates, and not represented as legal limits. Their purpose is to exercise an explainable evaluation path and provide deterministic boundaries for testing.

The EU pack supplies a rationale and reference for every permission family. Location directs review toward necessity, proportionality, and documented lawful basis under Articles 5 and 6. Microphone review includes the possibility that special-category material may require Article 9 analysis. Contacts review emphasises purpose limitation, minimisation, and lawful basis. The reference is intentionally a prompt rather than an assertion that the cited provision applies to every record.

Missing-evidence logic is also pack-owned. The EU pack asks for specified purpose, Article 6 lawful basis, controller identity, retention period, and, when special-category processing is marked, an Article 9 condition. If processing relies on consent, consent has been withdrawn, and a positive access count remains, the pack returns its most urgent review status. If required context is missing, it returns insufficient evidence. Otherwise a threshold signal produces review required, while the absence of a signal produces no technical concern for the admitted check.

The Research Baseline pack uses higher prototype baselines of 36, 12, and 6 before applying the same multiplier. It uses region-neutral principles and does not require an Article 6 or Article 9 field. Its caveat explicitly states that it is not law or legal advice. The difference demonstrates that the engine can consume pack-owned rules and missing-evidence logic without embedding GDPR branches in generic code.

### 4.2.2 Pack Governance Lifecycle

Technical modularity is necessary for regional expansion but insufficient for trustworthy pack publication. Table 6 defines the governance states that should surround the code-level registry. A pack may enter the application only after its identity and technical fixtures are valid; it may be represented as legally reviewed only when a qualified reviewer and dated decision record exist. Supersession never rewrites findings created under an earlier pack.

Table 6: Regulation-pack governance lifecycle and release authority

| State                 | Required decision record                                                                                            | Permitted product action                                                                                               |
|-----------------------|---------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|
| Draft                 | jurisdiction, scope, official sources, effective date, language, assumptions, exclusions, author                    | development only; cannot appear as an approved legal pack                                                              |
| Technical candidate   | schema validation, immutable identifier/version, fixtures, caveat, source URL, migration and rollback plan          | registered testing and controlled demonstration with candidate disclosure                                              |
| Legally reviewed      | reviewer identity and qualification, review date, provisions examined, contested mappings, expiry or review trigger | user selection with the reviewed scope and residual caveat; never an automated compliance verdict                      |
| Approved release      | owner approval, signed artefact hash, localisation record, compatibility range, release notes                       | production distribution for the approved version and locale set                                                        |
| Superseded or revoked | successor or revocation reason, effective time, affected versions, correction and user-notice plan                  | historical findings remain readable under original identity; new evaluation uses an authorised successor or is blocked |

The current EU GDPR pack is a *technical candidate*: its official anchors, caveat, deterministic fixtures, and version are inspectable, but no independent qualified legal approval record exists. The Research Baseline is a non-legal demonstrator and cannot progress through the legal-review state. Revision 15 implements the non-cryptographic part of this lifecycle as a mandatory version-2 pack contract: authored and reviewed dates, effective date where applicable, review authority and scope, release scope, reviewed locales, change triggers, and lifecycle state are validated when the registry loads. Calendar dates are parsed rather than checked by shape alone, and the review date cannot precede authorship. An engineering reviewer cannot label a pack legally reviewed or approved, candidate packs cannot claim production scope, and unknown identifiers fail closed. Revision 20 implements source-review expiry enforcement, but cryptographic pack signing, reviewer credential verification, approval expiry, separation of duties, and remote revocation remain unimplemented.

Each legal pack also carries a source register. A source records its title, exact document version, HTTPS location, issuing authority, authority status, lifecycle, check date, and project review deadline. The authority vocabulary distinguishes binding law, final guidance, and consultation material. The lifecycle vocabulary distinguishes material in force, final material, an open consultation, and a consultation that has closed while finalisation remains pending. The registry requires at least one binding-law record and requires the primary URL to appear in the register; missing versions, duplicate or malformed records, impossible dates, status–lifecycle mismatches, closure dates inconsistent with the check date, and review deadlines not later than the check date fail admission. The official Regulation is recorded as in force; final EDPB and endorsed WP29 guidance is recorded as final; Guidelines 1/2024 Version 1.0 and the 2026 DPIA template are recorded as consultation-closed pending finalisation rather than silently upgraded to final guidance [1, 14, 16].

At engine construction, the pack’s source register is assessed against an explicit evaluation date. The earliest source deadline becomes the pack’s next review date. If one or more deadlines have passed, every otherwise evaluable record is forced to `INSUFFICIENT_EVIDENCE`;

“renewed regulatory-source review” is added to missing evidence, the overdue source titles are retained, and a caveat explains the project-review failure. The Settings register and finding card expose the current or due state, assessment date, and next due date. The source-less Research Baseline is marked not applicable. These controls make staleness actionable but do not authenticate an authority, inspect changed page content, prove a classification, or substitute for qualified legal review. The dates are project governance intervals rather than official legal deadlines.

#### 4.2.3 Runtime Validation Pipeline

The safe evaluation entry point accepts an unknown value rather than trusting its compile-time annotation. The first check requires a non-array object. The package identifier must be a string between one and 255 characters using a conservative character set. Permission type must belong to the owned set of location, microphone, and contacts. Source, if present, must be simulator, native bridge, or imported. This sequence prevents later operations from assuming properties that have not been established.

The access count must be a non-negative safe integer. The window start and end must also be safe integers, the start must precede the end, duration cannot exceed one day, and the end cannot be implausibly far in the future. When event timestamps are supplied, their array length must equal the access count and every timestamp must lie within the audit window. These conditions ensure that peak-rate calculations do not operate on inconsistent evidence.

Processing context is validated field by field. Purpose, controller identity, Article 9 condition, transparency notice, minimisation assessment, retention justification, and basis-specific evidence references are optional strings at admission. Consent-withdrawn, special-category, user-initiated, and DPIA-required values are optional Booleans. Lawful basis must belong to the Article 6 enumeration used by the prototype. Retention days must be a non-negative safe integer. Values are rejected rather than coerced because coercion can change meaning at a trust boundary. After syntactic admission, the EU pack reports absent cross-cutting and basis-specific items as legal-evidence gaps rather than rejecting the technical observation.

Every rejection returns an explicit code and message with a rejection timestamp. The throwing evaluation method is retained for callers that require an exception, but the application can use the safe result to display a controlled evidence gap. This dual interface allows strict internal use without forcing the UI to recover from an untyped exception.

#### 4.2.4 Signal Computation

After admission, the engine loads the rule for the active pack and computes the prompt threshold

$$T_p = \max(1, \lceil B_p M_p \rceil), \quad (2)$$

where  $B_p$  is the pack baseline and  $M_p$  is the deviation multiplier. Daily excess is  $\max(0, x -$

$T_p$ ), where  $x$  is the admitted count. A daily-total signal is emitted only when excess is positive, so equality with the threshold remains below the signal boundary.

When event timestamps are present, the engine sorts them and evaluates a sliding sixty-second interval. Two indices move monotonically through the sorted array, so peak calculation is linear after sorting. Permission-specific burst limits are 12 for location, 6 for microphone, and 4 for contacts. A burst signal is emitted when the observed peak is strictly greater than the configured limit.

The history key combines package and permission. Previous entries outside the one-day watermark are discarded. An entry with the same start and end is treated as replay and replaced. Only entries ending no later than the current start contribute to the completed rolling total. Overlapping entries stay in bounded history but do not contribute to that total. A cross-window signal is disabled for simulator evidence and requires at least one compatible completed window.

Risk derives from the greatest normalised excess across daily, burst, and rolling dimensions. Ratios below the first threshold remain low; larger ratios map through medium, high, and critical bands. Risk controls presentation and notification priority, while the pack separately controls the compliance-review status. Keeping these concepts distinct prevents a large technical deviation from bypassing missing legal context.

Algorithm 1 formalises the single-record path. It makes three ordering constraints explicit: admission precedes arithmetic, temporal compatibility precedes aggregation, and the pack decides review status only after missing context has been enumerated. Presentation is deliberately absent from the algorithm because it consumes the stored finding rather than recomputing a verdict.

---

**Algorithm 1** Evidence-bounded evaluation of one candidate record

---

**Require:** candidate record  $r$ , registered pack  $p$ , bounded history  $H$

**Ensure:** rejection with a reason, or a provenance-preserving finding  $f$

```

1:  $a \leftarrow \text{ADMIT}(r)$  ▷ type, range, source, time, and context checks
2: if  $a$  is rejected then
3:   return structured rejection
4: end if
5:  $q \leftarrow \text{RULEFOR}(p, a.\text{permission}); T \leftarrow \max(1, \lceil q.\text{baseline} \times q.\text{multiplier} \rceil)$ 
6:  $d \leftarrow \max(0, a.\text{count} - T)$ 
7:  $b \leftarrow \text{PEAKINSIXTYSECONDS}(a.\text{timestamps})$ 
8:  $C \leftarrow \{h \in H : h.\text{key} = a.\text{key} \wedge h.\text{end} \leq a.\text{start} \wedge \text{COMPATIBLE}(h, a)\}$ 
9:  $w \leftarrow \sum_{h \in C} h.\text{count} + a.\text{count}$ 
10:  $s \leftarrow \text{SIGNALS}(d, b, w, q, a.\text{source})$ 
11:  $m \leftarrow \text{MISSINGCONTEXT}(p, a.\text{context})$ 
12:  $c \leftarrow \text{PACKSTATUS}(p, s, m, a.\text{context})$ 
13:  $f \leftarrow \text{CONSTRUCTFINDING}(a, p, q, s, m, c)$ 
14: return  $f$  with source, interval, rule, pack version, rationale, caveat, and missing facts

```

---

Let  $n$  be the number of event timestamps,  $h$  the bounded history length for a package-permission key, and  $k$  the fixed number of context fields. Admission is  $O(n + k)$ , timestamp sorting is  $O(n \log n)$ , the sliding peak pass is  $O(n)$ , and compatible-history selection is  $O(h)$ . Rule lookup and pack-status classification are constant time for the current fixed registries. Total evaluation is therefore  $O(n \log n + h)$  time and  $O(n + h)$  working space. These are implementation-complexity bounds, not performance measurements; the thesis has not established latency, energy, or memory behaviour across devices.

#### 4.2.5 Finding Construction and Communication

The finding identifier combines package and permission so the repository can update a stable subject. Evidence fields contain daily count, peak calls per minute, rolling count, and source. Decision fields contain threshold, excess count, active signals, risk, detection time, regulation identifier and name, legal or research reference, and rationale. Compliance fields contain status, applicable principles, missing evidence, and caveat.

Communication is derived after the finding exists. The title identifies the permission review. The summary translates status and signal identifiers into human-readable language. The recommended action first requests missing evidence; an urgent result suggests pausing processing where appropriate and obtaining human review; other results recommend examining purpose, necessity, and proportionality. Notification priority is urgent only for the strongest status or critical risk, silent for no technical concern, and standard otherwise.

This construction ensures that UI wording is based on stored decision state. A card is not permitted to infer a legal label merely from colour or excess count. It receives the pack name, source, caveat, and missing context that were produced with the finding.

#### 4.2.6 Repository Behaviour

The repository uses a versioned AsyncStorage key. Listing parses the stored array, replacement writes at most the bounded presentation set, clearing removes the key, and saving updates an existing package-permission finding or appends a new one. The latest application context also normalises records created by earlier schemas so that pack identity and evidence fields remain available where they can be reconstructed safely.

Notification state is based on change. A new finding can notify; a reversal of active state can notify; an increase in risk rank can notify. A byte-for-byte identical record is not treated as changed. This policy prepares the product for attention-aware notification without claiming that a longitudinal notification campaign has been conducted.

The decision engine's internal temporal history and the persistent finding repository serve different purposes. Engine history supports signal computation within a running context. Repository findings support user review across sessions. Conflating them would either store unnecessary event aggregates indefinitely or make visible findings disappear whenever the process restarts.

### 4.3 Android Bridge and Scheduling

The Kotlin module reports whether the native privacy inspector is available and exposes bounded audit and demonstration operations to React Native. WorkManager workers are registered for periodic or one-time tasks according to Android’s scheduling model. WorkManager is deferrable: the operating system may delay work according to battery, idle state, quotas, and vendor policy. The implementation therefore does not describe a registered interval as proof of exact execution time.

The audit worker reads only evidence available under the application’s deployment authority. On the tested ColorOS device, that authority did not expose unrestricted third-party history. The bridge returns capability and available summaries rather than fabricating other-package events. The simulator worker follows a controlled path and marks every generated record as simulator source.

Native package declarations were moved from the anonymous template namespace to the stable Privacy Lens namespace. Activity, application, bridge, package, and worker source files use the same identifier as Gradle and the manifest. This reconciliation matters for release upgrades, signing continuity, deep links, provider authorities, and store identity.

### 4.4 Product Interface and Accessibility

The interface translates stored findings into a review journey without introducing new compliance semantics. Rather than exposing every technical field simultaneously, it uses stable destinations and progressive detail while keeping source, pack, and evidence reach close to the status they qualify.

#### 4.4.1 Interface Implementation

The Overview screen has four layers. A brand header establishes identity and provides a direct Settings entry. A high-contrast editorial hero states “See the evidence. Keep the conclusion human”, identifies the active pack and research-candidate status, and presents the primary review action. A framed review snapshot distinguishes needs-review, evidence-gap, and no-concern counts with icon, text, and a structural top accent. An evidence-reach card uses a persistent rail and explicit capability badge to explain whether the native bridge is available and why an empty result is not proof of no access.

The Findings screen is designed for both empty and populated states. The empty state explains what will appear and directs the user back to a review or demonstration. The populated state begins with a dark ledger summary and renders reusable finding cards. Each card combines a status rail, icon, text marker, permission, package, source chip, regulation-pack chip, detected signals, rationale, and missing context. Source and regulation are placed near the result because they alter how the result should be interpreted. The empty-to-populated transition remounts the list at its heading rather than retaining a stale offset. Evidence disclosure is a dedicated minimum-height control, and details are inserted after that control so Android focus retention does not scroll the card title out of view.

The Settings screen separates preference, explanation, provenance, and deletion. Pack selection is restricted to registry entries. Selecting a pack displays its jurisdiction, version, description, caveat, and governance state. A source-register section renders every registered source with authority, checked date, project review deadline, review state, and a distinct binding-law, final-guidance, or consultation label. The visual hierarchy therefore exposes both legal-source class and currency instead of burying them in code. Clearing findings retains a destructive visual treatment and explanatory copy.

The custom bottom navigation uses three equally weighted targets with icon, label, accessibility role, selected state, and sufficient touch area. It replaced the platform tab implementation after physical coordinate and hierarchy evidence revealed ambiguity in the previous navigation setup. Navigation semantics no longer depend on obsolete routes.

#### **4.4.2 Brand and Accessibility Implementation**

Revision 16 formalises the visual language as a restrained editorial system. Evergreen supplies the principal reading surface, brighter teal marks actions, mint identifies supportive and selected states, sand separates synthetic demonstration and caution, and warm off-white reduces background glare. Two border strengths, four radii, and bounded elevation tokens distinguish canvas, cards, selected controls, and floating navigation. Rounded panels group related information without relying on heavy separators. Typography uses strong size and weight contrast between proposition, section heading, count, status, metadata, and explanatory copy. Decorative orbits and accents remain non-semantic and cannot change the interpreted result.

Revision 17 adds a human-factors interpretation layer without changing the decision engine. The Overview presents three numbered steps—notice the signal, check what is missing, and choose a proportionate next step. Expanded findings repeat the sequence as observed values, facts not established, and a bounded action, followed by an explicit instruction not to change access or confront a developer from one card alone. The controlled demonstration opens a confirmation explaining that it adds labelled local findings, inspects no other applications, and remains clearable in Settings. These are designed safeguards against automation bias and impulsive action; they are not evidence that users understood them.

The application icon combines a shield with a lens aperture. The shield suggests protection while the aperture suggests inspection; neither implies surveillance of a person. Adaptive foreground and monochrome assets support launcher contexts. Splash imagery, application icon, colours, and product name are generated consistently across Android densities.

Accessibility labels are supplied for navigation and important actions. Icons and colour do not carry status alone: status text, a marker, and a structural rail remain available. The evidence disclosure is a separate 44-pixel-or-larger control rather than making an arbitrarily tall card one button. Bottom navigation exposes tab and selected-state semantics and adds a structural selected container. Revision 18 reflows dense content under large text. Revision 19 exposes exact source version and lifecycle; Revision 20 adds text-labelled review state and deadline to source cards and finding detail. This supports inspection without relying on colour

or an ambiguous currency inference. These implementation facts and UI-tree evidence support accessibility-oriented and calibrated-authority design claims, while screen-reader traversal, switch access, additional devices and languages, qualified legal review, and assistive-technology user testing remain future acceptance work.

## 4.5 Release Configuration and Privacy Controls

The Revision 21 source sets minimum SDK 24, compile and target SDK 36, version code 10, and version name 1.9.0. The Expo configuration, JavaScript package metadata, settings footer, and Gradle declaration use the same version. Release tasks produced an ARM64 APK for controlled device installation and an AAB for Play delivery. The build reads upload-store path, passwords, and alias from environment variables. Because those values were absent, the accepted QA artefacts use the debug configuration and are not production-upload signed. Package inspection and physical installation were renewed for 1.9.0 rather than inherited from Revision 19.

The source manifest explicitly removes inherited Internet, network-state, and legacy external-storage permissions using manifest-merger directives. Inspection of the 1.9.0 APK found only foreground-service, wake-lock, boot-completed, and an application-scoped dynamic-receiver protection permission contributed by the background-work stack. Android backup and remote Expo updates remain disabled. A release-privacy contract checks version agreement, manifest removals, backup and update settings, and the absence of application network-client APIs. These package facts do not prove that every future dependency or connector will preserve the property.

Package reduction was part of implementation. Dependencies used only by removed charts, health views, haptics, image helpers, secure storage, web browser wrappers, gestures, SVG rendering, and network-status features were removed when no longer needed. Generated build and cache directories remain ignored. This reduces attack surface and maintenance burden, although transitive dependencies are still reviewed through the lock file and final manifest.

Findings and the active-pack preference remain in app-private local storage. The release contains no account system, advertising SDK, behavioural analytics SDK, remote evidence database, or evidence-upload workflow. Settings exposes a direct clear-findings action, and Android backup is disabled so that ordinary uninstall or data clearing does not silently restore the review history. These choices do not make local data invulnerable, but they reduce the number of actors and data flows introduced by the reviewing application itself.

The repository also contains a bilingual privacy-policy draft, user guide, product audit, and store-readiness checklist. These documents distinguish binary behaviour from owner-controlled deployment steps. A public release still requires a stable HTTPS policy URL, support contact, production upload key, console declarations, and internal-track verification. Keeping these requirements outside the code would be insufficient; keeping them only in the interface would be misleading. They are recorded as release evidence linked to the exact build.

Codebase reconciliation supports the same privacy boundary. Legacy health-dashboard, scoring, experiment, charting, duplicate compliance-service, and unused template components



were removed because they neither answered a current research question nor belonged to the reviewed product journey. Their dependencies were removed with them. The resulting application has one decision path, one privacy context, one navigation model, and one current user guide, reducing the risk that an obsolete screen or service contradicts the evaluated architecture.

## 4.6 Implementation-to-Requirement Traceability

The implemented system can be traced directly to the Chapter 3 requirements. **F1**, deterministic evaluation, is realised by immutable pack rules, strict threshold comparisons, explicit signal calculation, and a stable finding identifier. The implementation does not consult wall-clock randomness or network state when deciding a result. Given the same admitted evidence, compatible history, and pack version, the engine produces the same finding semantics.

**F2**, provenance preservation, is realised by carrying package, permission, source, start, end, observed count, pack identifier, pack version, rule reference, rationale, and missing-context fields into the finding object. Repository replacement preserves these fields, and the Findings screen displays the source and pack near the status. Provenance is therefore not reconstructed from a current setting after the decision.

**F3**, fail-closed admission, is realised by accepting unknown runtime values and validating their identifiers, numbers, windows, timestamps, source, and optional context before evaluation. Every rejection produces a typed code and timestamp. A rejected record cannot enter temporal history or become a no-technical-concern finding. This mapping is central to the thesis because a permissive default would reverse the intended claim boundary.

**F4**, registered pack switching, is realised by a closed registry and explicit pack dependency. The engine does not infer a pack from device locale, arbitrary text, or a persisted object. Settings can select only registered identifiers, and historical findings retain the pack that produced them. The non-legal Research Baseline demonstrates switching while its caveat prevents it from being presented as a validated jurisdiction.

**F5**, simulator separation, is realised through the controlled source enumeration, simulator-owned record construction, exclusion from cross-window evidence, repository preservation, and visible synthetic labels. The simulator exercises the real downstream pipeline, but its values do not acquire device-observation authority when they reach the dashboard.

The usability requirements map to the product shell. **U1** is realised by Overview, Findings, and Settings, a three-target navigation component, purposeful empty states, and one dominant review action. **U2** is realised by textual status labels, icons, non-colour distinctions, evidence-reach copy, source and pack chips, and accessibility labels. These implementation facts support inspectable design conformance; they do not substitute for participant or assistive-technology studies.

The privacy and delivery requirements map to the assembled Android package. **P1** is realised by app-private storage, disabled backup, direct deletion, no evidence server, and removal of inherited external-storage declarations. **D1** is realised by the stable package identifier, explicit version, current SDK configuration, environment-based upload-key inputs,

APK and AAB tasks, branded resources, and installed-package inspection. The QA signing fallback keeps local reproduction possible while remaining visibly distinct from production signing.

This traceability demonstrates why the implementation chapter excludes unrelated legacy features. A component without a requirement, research question, or acceptance source would add maintenance and interpretation risk without strengthening the thesis. Chapter 5 now evaluates each retained path at the source, rule, package, device, and presentation layers.

## 4.7 Implemented attestation gate

The version-3 governance contract introduces a legal-review attestation record and a corresponding runtime assessment. Registry validation rejects absent attestation for a pack claiming a legally reviewed state, self-approval, mismatched pack versions, malformed source digests, reversed dates, and inconsistent reviewer identity. Runtime assessment yields current, expired, not provided, or not applicable. The compliance engine records that state in each finding and adds the qualified-review gap to its evidence model. A current synthetically attested test fixture can reach the ordinary classification path; the real EU technical candidate cannot. The interface presents the result as a warning chip, detailed assessment date, missing fact, and proportionate next step.

## 4.8 Version-4 signed source-record gate

The version-4 contract introduces three implementation units. `attestationCrypto.ts` serialises a fixed source-record schema, sorts records by code-unit URL order, computes SHA-256, serialises the signed attestation payload, decodes Base64 values, and verifies Ed25519 signatures. `trustAnchors.ts` owns the application-controlled public-key set and is empty in the evaluated production build. The governance assessor composes these functions with key validity, revocation, and attestation expiry to produce a typed gate state.

The engine accepts optional trust anchors only through explicit dependency injection. Tests inject one deterministic synthetic key; normal registry and interface paths use the empty production store. A failed gate adds *current cryptographically verified independent qualified legal-review attestation* to the finding's missing evidence and prevents an otherwise `NO_TECHNICAL_CONCERN` result. It does not erase a conservative technical signal. Settings explains the digest, signature, trusted-key, and non-revocation requirements, while Findings carries the gate state, key identifier when present, failure reason, and proportionate next step.

## 4.9 Revision 23 implementation: manifest-bound source bytes

The implementation introduces a schema-version-5 content manifest and a byte-assessment module. Each artifact binds `sourceId`, `artifactId`, `url`, `mediaType`, `retrievedAt`, `byteLength`, and `sha256`. The canonicaliser validates these fields, sorts artifact values by code units, and serialises a fixed field order. SHA-256 is calculated over the unmodified byte array through the same audited cryptographic dependency used by the application. Attestation payload version

2 includes both the canonical source-record digest and the canonical source-content-manifest digest.

The runtime assessor exposes `VERIFIED`, `MANIFEST_NOT_PROVIDED`, `ARTIFACTS_NOT_AVAILABLE`, `ARTIFACT_MISSING`, `ARTIFACT_LENGTH_MISMATCH`, `ARTIFACT_HASH_MISMATCH`, and `NOT_APPLICABLE`. The compliance engine copies this assessment into every finding and adds offline verification of each official-source artifact to missing evidence when necessary. Historical findings without the new field migrate to `NOT_RECORDED`; they are not silently reclassified as verified.

A reusable Node.js verifier accepts an artifact directory, imports the compiled manifest, reads every named file as bytes, and emits a machine-readable result. It exits unsuccessfully on any non-verified artifact. The six source files are evaluation inputs rather than application assets: committing or bundling them would enlarge the package and could confuse stored historical evidence with a live authority check. Settings therefore displays a three-link evidence chain—official document bytes, independent review signature, and production key governance—and states that a digest is neither a fresh download nor proof of legal correctness.

The associated key-governance document assigns reviewer, independent approver, release custodian, and incident-owner responsibilities. It requires controlled onboarding, two-person release, documented rotation and revocation, rollback handling, and published evidence receipts. The compiled application still uses an empty production trust store and an application-bundled static denylist. Thus the code expresses the gate and its operational preconditions without claiming that the repository supplies a production public-key infrastructure.

#### 4.10 Revision 24 implementation: canonical envelopes and monotonic state

The implementation serialises a fixed field set, sorts anchors and revocations by key identifier, normalises predecessor digests, and signs the resulting UTF-8 payload with Ed25519. Structural validation checks real calendar dates, safe sequences, exact decoded key and signature lengths, identity separation, duplicate identifiers, validity intervals, and coherent revocation dates. Assessment accepts exactly one matching offline root, checks that it was valid at issuance and remains valid at assessment, verifies the signature, then evaluates stored history before it can expose reviewer anchors.

A repository stores only the highest accepted sequence and SHA-256 envelope digest under a dedicated `AsyncStorage` key. A pure transition validator rejects decreasing sequences, same-sequence replacement, and skipped steps; the repository fails closed to an invalid assessment with zero anchors when stored state is malformed or cannot be persisted. Clearing ordinary findings does not clear this state. The same boundary is shown in Settings and attached to finding evidence. Because `AsyncStorage` is app-private rather than tamper-resistant hardware, uninstall, application-data clearing, unsuitable restoration, or device compromise can break continuity. Disabled Android backup narrows one path but does not create a public transparency log.

#### 4.11 Revision 25 implementation: threshold receipt assessment

The implementation first performs the Revision-24 envelope assessment. A valid root signature produces `ENVELOPE_VERIFIED`, never `CURRENT`. A second assessor validates the expected package release, witness policy, anchors, and every supplied receipt. Receipt payloads use a fixed JSON field order; SHA-256 identifies the envelope and a canonical witness-key ordering makes the receipt-set digest independent of input order. Ed25519 verifies each canonical receipt. A successful threshold promotes the assessment to `CURRENT`; every failure path clears effective reviewer anchors and the candidate rollback transition.

The production module intentionally configures no witness policy and an empty receipt set. Settings and expanded finding evidence show the verified/required count and receipt-set digest when available. The interface states that root approval alone is insufficient and that receipts neither bind the installed artifact nor prove witness identity, independence, legal correctness, GDPR compliance, or public transparency. Persistence remains conditional on the combined witnessed assessment.

#### 4.12 Revision 26 implementation: pure readiness state machine

`DecisionReadiness.ts` implements four deterministic states: unanswered interpretation, corrected misinterpretation, incomplete context checks, and readiness for proportionate review. The only ready transition requires the technical-signal interpretation plus all three context checks. Even that terminal message states that readiness is not proof of a violation. Unit probes cover every state and verify that a legal-verdict or intent interpretation cannot become ready merely because all boxes are selected.

`FindingCard.tsx` holds the response state locally with React component state, resets it on collapse, and provides no repository, context, network, analytics, or persistence call. Settings and the privacy-policy draft disclose this lifetime. Radio and checkbox controls expose selection state, all targets retain a 44-pixel minimum, and feedback uses a polite live region. The card remains an aid to reflective review rather than an enforcement gate.

## 5 Evaluation and Results

This chapter evaluates whether the implemented system preserves the evidence boundary defined in Chapters 2 and 3. The protocol separates logical conformance, hostile input handling, temporal state, pack identity, legal-evidence completeness, Android packaging, physical interaction, and visual communication. Results are reported before interpretation so that a positive engineering outcome is not silently promoted into a legal, population, or store-approval claim.

### 5.1 Evaluation Overview and Headline Results

The evaluation separates eight evidence layers: source conformance, deterministic rule behaviour, adversarial boundary behaviour, legal-evidence governance, Android package integra-

tion, physical-device behaviour, rendered-interface communication, and human-factors design contracts. This separation prevents a passed unit test from being reported as device reliability, human comprehension, or legal validity. Revision 21 renews the 1.9.0 artefacts and adds legal-attestation mutations, fail-closed reassurance checks, and rendered checks for attestation state, missing evidence, and assessed date.

### 5.1.1 Source and Rule Verification

The complete application passed `tsc -noEmit` and ESLint. The compliance sources were compiled before execution, preventing stale generated JavaScript from being treated as current evidence.

A fixed-seed logical campaign generated 1,000 cases. Eight hundred were expected review signals and 200 were below-threshold controls. The observed confusion matrix was

$$(TP, TN, FP, FN) = (800, 200, 0, 0), \quad (3)$$

which gives precision and recall of 1.0000 against the specified oracle. The oracle and engine implement the same published threshold model; this is a conformance and regression result, not an independent estimate of real-world infringement detection. Zero observed errors do not establish a zero population error rate.

Extended suites passed for unsafe types and integers, malformed context, unknown source, permission-key mutation, temporal overlap, adjacency, replay, retention, simulator isolation, dashboard presentation, missing-context disclosure, and regulation-pack identity. The tests confirm the enumerated boundaries. They cannot establish correctness for telemetry the application never receives or for legal interpretation outside the fixtures.

The retained deterministic campaign contains 1,800 cases across both packs and all three supported permission families. Its expected daily signal and threshold are calculated in a small reference function rather than by calling the production helper. Values at and immediately above each threshold confirm the strict comparison, while a fractional product confirms ceiling behaviour. Revision 15 extends governance mutations to impossible calendar dates, absence of a binding-law source, and explicit retention of consultation-material status. Revision 19 adds source-version and lifecycle mutations. Revision 20 rejects missing, malformed, or non-forward review deadlines; distinguishes current, review-due, and not-applicable assessments; and verifies that an evaluation on 12 September 2026 fails closed because both consultation sources passed their project review date. This improves oracle diversity and pack-contract coverage without turning generated cases or maintainer metadata into population or legal-validity evidence.

### 5.1.2 Legal-Evidence Completeness Verification

The legal tests now distinguish the six Article 6 bases instead of treating a selected enum value as complete evidence. Consent requires an Article 7 evidence reference; contract requires a necessity assessment; legal obligation and public task require an Article 6(3) mandate; vital interests requires a necessity assessment; and legitimate interests requires a three-part

assessment. Cross-cutting probes require transparency, minimisation, retention justification, and a DPIA screening result. A positive DPIA screen without an assessment reference remains evidence-incomplete. Malformed new strings and Boolean fields fail with the same structured context error as earlier unsafe context.

These tests establish implementation of the declared question matrix, not legal sufficiency of the referenced records. The engine does not open, authenticate, or assess the legal reasoning in a reference. A withdrawn-consent observation is emitted as `POTENTIAL_CONFLICT` with urgent review; the previous `LIKELY_NON_COMPLIANT` value is migration-only. This wording change reduces adjudicative overreach without asserting that every post-withdrawal access is unlawful, since timing, another legal basis, exceptions, and processing facts may still matter.

### 5.1.3 Release Build and Manifest Verification

Gradle completed `assembleRelease` and `bundleRelease` with target SDK 36. Table 7 records the generated artefacts.

Table 7: Evaluated Android release artefacts

| Artefact                     | Bytes      | SHA-256                                                              |
|------------------------------|------------|----------------------------------------------------------------------|
| <code>app-release.apk</code> | 59,426,275 | 83A52E6CDE02E82D452F607380F3FEE66E7<br>F3928A342CE4CC800FD44235D7F69 |
| <code>app-release.aab</code> | 29,617,222 | D199F57482070A035AC25C3E6202D6939BE<br>A20F375DBF37475A6914097F5F689 |

The 1.9.0 merged manifest contained wake lock, boot rescheduling, foreground service, and an app-scoped dynamic-receiver protection permission. Internet, network-state, and external-storage permissions were absent. Inspection confirmed application ID `com.zhihengzhang.privacylens`, version code 10, version name 1.9.0, minimum SDK 24, and target SDK 36. The signer remained the Android debug QA certificate rather than an owner-controlled production key.

### 5.1.4 Physical-Device Evaluation

The 1.9.0 networkless release APK was installed by ADB on one OPPO PERM00 device. Device captures showed the legal-review gate, an unattested finding chip, assessment date, missing qualified-review evidence, and proportionate next action. UI-tree assertions covering these states passed. Five force-stop and cold-start rounds all returned status ok; total times were 1,223, 1,733, 1,737, 1,767, and 1,712 ms (median 1,733 ms), and the crash buffer was empty. These are short-run single-device and maintainer-source observations, not reviewer authentication, legal validation, participant comprehension, or broad-performance evidence.

The three primary destinations rendered at the device’s captured application resolution. Coordinate-driven exploration initially appeared to show a navigation-target problem because the physical display and captured application coordinate spaces differed. A bounded coordinate sweep and UI-tree inspection identified the offset; subsequent navigation and custom bottom-

bar interaction succeeded. This calibration episode is retained because it demonstrates why raw ADB coordinates must not be interpreted without the target’s current window geometry.

The controlled demonstration completed a 50-record synthetic workflow. The populated overview displayed four review items, zero evidence gaps, two no-concern items, and descriptive precision and recall of 100% for the simulator’s known labels. The Findings screen marked the source as synthetic and displayed the EU GDPR pack. These values validate the demonstration path only; they are not device-observation accuracy.

### 5.1.5 Usability and Trust Assessment

The product was assessed against three release-candidate questions.

Table 8: Expert product-screening assessment

| Criterion               | Supporting evidence                                                                                             | Boundary                                                                 |
|-------------------------|-----------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------|
| Visually coherent       | consistent brand, hierarchy, spacing, cards, iconography, and three-destination navigation on the tested device | one device; no participant preference study                              |
| Trustworthy             | local-first disclosure, source and pack labels, explicit missing evidence, no legal-verdict language            | not a legal audit or security certification                              |
| Interaction feasibility | clear first action, concise summaries, optional details, demonstration, and direct data clearing                | expert walkthrough only; no participant or longitudinal adoption measure |

The stricter publication-target rubric resets the predecessor App-thesis system to 70/100, assessed Revision 15 at 79/100, Revision 16 at 84/100, Revision 17 at 87/100, Revision 18 at 89/100, and Revision 19 at 90/100. Under the same rubric, Revision 20 is assessed at 91/100: legal validity and governance 26/30, software evidence 23/25, interface and accessibility 20/20, user-psychology design evidence 13/15, and academic communication 9/10. The one-point movement reflects implementation and device verification of fail-closed source-review expiry. It does not award qualified legal-review, review-interval validity, accessibility-conformance, or human-outcome credit.

## 5.2 Protocol and Reproducibility

The protocol begins from six evaluation questions and assigns a separate acceptance condition to each. Reproducibility controls then ensure that the tests exercise current generated code, fixed temporal values, and explicit boundaries rather than relying on stale output or chance coverage.

### 5.2.1 Evaluation Questions and Acceptance Logic

The evaluation was organised around six questions. First, does the source compile and satisfy static rules? Second, does the decision engine agree with its specified thresholds and statuses? Third, does it reject malformed or adversarial evidence safely? Fourth, do regulation packs remain independent and traceable? Fifth, can the Android release artefacts be assembled, inspected, installed, and launched? Sixth, does the rendered product communicate the expected hierarchy and evidence boundaries on the available physical device?

Each question has a distinct acceptance condition. Source acceptance requires a clean TypeScript application check and ESLint run. Rule acceptance requires exact expected confusion-matrix values for the fixed corpus and passing boundary assertions. Runtime-boundary acceptance requires every malformed case to return the specified rejection code without an uncaught exception. Pack acceptance requires registry allowlisting, different thresholds where defined, retained pack identity, and a non-legal caveat for the Research Baseline.

Android build acceptance requires both release tasks to complete and the artefacts to exist with recorded hashes. Permission acceptance requires agreement between the merged manifest and installed package, with legacy external-storage permissions absent. Physical acceptance requires successful streamed installation, launcher start, stable primary navigation, captured final states, and no matching fatal error in the bounded log scan. Visual acceptance requires inspection of actual screenshots rather than source code alone.

The protocol deliberately does not set an acceptance condition for GDPR compliance, legal accuracy, population detection accuracy, long-run scheduler reliability, battery consumption, multi-device compatibility, or store approval. Those outcomes require evidence not collected in this campaign.

### 5.2.2 Claim-to-Evidence Acceptance Matrix

Table 9 is the evaluation’s decision record. A claim passes only if the named evidence exists and agrees at the relevant layer. The last column prevents a pass in one row from being borrowed by a stronger claim in another discipline.



Table 9: Claim-to-evidence acceptance matrix

| Claim                                 | Required and observed evidence                                                                         | Decision      | Explicit non-inference                                                                       |
|---------------------------------------|--------------------------------------------------------------------------------------------------------|---------------|----------------------------------------------------------------------------------------------|
| Specified rule conformance            | compiled current sources, 1,000 fixed-seed cases, exact threshold boundaries, finite metrics           | pass          | no population accuracy or lawful-processing classifier                                       |
| Hostile admission and temporal safety | malformed types, unsafe numbers, source mutation, replay, overlap, and cross-window suites             | pass          | no proof against every adversarial input or external producer                                |
| Pack separation and traceability      | registered EU and Research packs, differing rules, retained identifiers, sources, caveats, fixtures    | pass          | no legal approval of EU mappings or validity of future packs                                 |
| Release artefact identity             | APK/AAB existence and hashes, merged manifest, installed-package facts, stable package identifier      | pass          | no production signing, console acceptance, or broad compatibility                            |
| Bounded physical operation            | streamed install, launch, navigation, UI tree, screenshots, and filtered fatal-log scan on OPPO PERM00 | pass          | no long-run reliability, scheduler guarantee, or multi-OEM result                            |
| Human and legal outcomes              | participant protocol, assistive-technology campaign, independent legal decision record                 | not evaluated | no usability population claim, accessibility conformance, trust adoption, or GDPR compliance |

The matrix also defines contradiction handling. If source tests pass but the assembled package exposes a forbidden permission, the package claim fails. If screenshots look coherent but a participant study later shows systematic misunderstanding, the human outcome fails without erasing the recorded visual implementation. If legal review rejects a mapping, the pack’s legal-review state fails even when its deterministic fixtures still pass. Evidence closer to the disputed claim takes precedence; heterogeneous passes are never averaged into a universal readiness score.

### 5.2.3 Reproducibility Controls

The compliance sources are compiled immediately before the generated JavaScript runners execute. This control was introduced because a failed TypeScript command can otherwise leave older generated output in place, producing a misleading green test. The acceptance sequence checks the compiler exit code before invoking Node. Generated compliance output is ignored by Git so it cannot become an accidental source of truth.

The main logical corpus uses a fixed linear-congruential seed. A fixed seed makes a failure reproducible while still exploring varied generated values. The 1,000 rounds preserve an 80/20 design: four of every five cases are expected review signals and one is a control. A fresh engine is created for each main-corpus case so temporal state from one generated subject cannot leak into another.

Boundary cases are not left to random chance. For every supported permission, counts at threshold minus two, minus one, equal, plus one, and plus two are exercised. The assertion encodes the strict boundary: only values above the prompt threshold become active under the daily-total rule. Burst tests similarly check exactly at and exactly above each permission-specific limit.

Time is fixed in extended tests. Windows and timestamp arrays are created relative to a

constant epoch value rather than the wall clock. This prevents a test from becoming invalid while it runs and makes future failures comparable. Production validation still compares implausible future times against the current clock, but fixtures choose values far enough in the past to avoid accidental rejection.

### 5.3 Engine and Regulation-Pack Results

The engine evaluation proceeds from nominal threshold conformance to hostile admission, temporal replay, accountability context, and pack independence. This order tests not only whether a rule fires, but whether unsafe evidence is prevented from reaching the rule and whether the resulting meaning survives into presentation.

#### 5.3.1 Deterministic Corpus Interpretation

The confusion matrix compares the engine’s active-state decision with the generator’s specified expected label:

$$\text{Precision} = \frac{TP}{TP + FP}, \quad \text{Recall} = \frac{TP}{TP + FN}. \quad (4)$$

The resulting precision and recall of 1.0000 mean that the implementation agreed with the oracle for all generated cases. This supports a regression claim: later refactoring did not alter the expected threshold semantics for the corpus. It also supports a fixture-quality claim: the corpus contains both positive and negative cases and the metric implementation returns the expected counts.

It does not show that a threshold crossing identifies unlawful processing. The expected label is generated from the same documented research model that the engine is meant to implement. Although the oracle is expressed independently of the evaluated result, both are derived from one specification. A defect in that specification could be reproduced consistently. There is no independently labelled sample of real applications or legal cases.

The tests also verify metric edge conditions. Empty samples, all-negative samples, and samples with missed positives must produce finite precision and recall rather than not-a-number or infinity. This matters because a dashboard can otherwise display an apparently precise but meaningless metric when a denominator is zero.

#### 5.3.2 Adversarial Input Results

The initial security cases reject unsupported permission values, not-a-number counts, negative counts, reversed windows, and prototype-like permission keys. Extended cases add unsafe integers and positive infinity. Every such count returns the invalid-count code. Timestamp evidence is rejected when array length differs from count, when an element falls before the start, when it falls after the end, or when it is fractional.

Processing context is attacked through type confusion. Numeric purpose, array controller identity, object Article 9 condition, string consent-withdrawn, numeric special-category, and string user-initiated values all return invalid context. An unknown lawful basis and negative

retention period are also rejected. These cases are significant because JavaScript truthiness or an early string operation could otherwise convert malformed evidence into a plausible status or throw outside the controlled error path.

Source validation rejects a forged source. This prevents a caller from using an arbitrary label that resembles an authoritative acquisition path. Package and permission history are isolated: a high-count record for one package cannot make another package active. Histories are also isolated by permission family.

The assertions demonstrate the implemented rejection surface, not complete security. They do not cover a compromised native module, a modified application binary, corrupted AsyncStorage beyond the migration parser, malicious operating system, or every possible Unicode identifier. Security conclusions remain bounded to the enumerated input contract.

### 5.3.3 Temporal and Replay Results

Burst tests create timestamp arrays exactly at and just above the location, microphone, and contacts limits. At-limit arrays produce no burst signal; one additional event produces the signal. A separate imported-evidence example concentrates 20 location events within one minute and is detected.

Cross-window tests use two below-threshold location summaries. The first remains inactive. When the second begins after the first has completed, their rolling total exceeds the threshold and the engine emits a cross-window signal. The same construction is repeated with adjacent windows to establish that equality between a prior end and current start is admissible.

An overlapping construction uses one interval that intersects the next. The second finding's rolling count remains its own count and no cross-window signal appears. This is the expected conservative behaviour because aggregate evidence cannot identify duplicate events in the overlap. An exact replay is then evaluated twice before a compatible next interval. Rolling total confirms that the repeated window contributed once, not twice.

Simulator histories are excluded from cross-window signalling. The demonstration may still produce a daily or burst signal for a record, but it cannot present accumulated simulator activity as imported temporal evidence. This is a provenance safeguard, not a statistical assumption.

The temporal tests operate in process memory and do not demonstrate persistence of aggregate history across process death. They establish the logic of the current engine instance. A production design requiring durable cross-window evidence would need a versioned evidence-history repository and migration tests separate from the visible finding repository.

### 5.3.4 Accountability and Presentation Results

A low-count contacts record without processing context returns insufficient evidence rather than no concern. Its communication priority is standard because the absence of legal context warrants review. A low-count location record with purpose, contract basis, controller identity, one-day retention, and user-initiated context returns no technical concern and a silent priority.

A microphone record marked as consent-based, special-category, and accessed after consent withdrawal returns the urgent review status. The fixture does not prove a real GDPR infringement; it confirms that the pack’s stated escalation branch is implemented. A special-category microphone record without an Article 9 condition lists that condition among missing evidence. An invented lawful basis and invalid retention value are rejected at admission.

Dashboard projection preserves three different states from the accountability fixtures. Summary totals show one action item, one evidence gap, and one no-concern result. Filters surface the expected finding. Every presentation state has both a textual label and marker, ensuring that source-level semantics do not depend on colour alone.

### **5.3.5 Regulation-Pack Results**

The registry exposes at least two packs and recognises only the two expected identifiers. A forged identifier is rejected. The same location audit with a count of 40 is evaluated under both packs. The resulting findings retain different regulation identifiers and different thresholds because each pack supplies its own baseline.

This test is stronger than checking that a dropdown changes text. It passes the same admitted evidence through two independently instantiated engines and inspects the resulting finding objects. The Research Baseline result also contains a caveat stating that it is not law. The test does not validate either pack’s legal interpretation; it validates decoupling, identity, and disclosure.

The registry now validates every bundled pack before exposing it. The contract requires dated governance metadata, a review authority and scope, reviewed locales, change triggers, compatible lifecycle and release-scope combinations, an HTTPS source for legal frameworks, and complete finite rule parameters. The test suite mutates these fields to show that an engineering-only record cannot promote a pack to legal approval. Independent domain review and cryptographic distribution remain outside this technical validator.

## **5.4 Android Artefact and Device Results**

The Android evaluation connects source acceptance to the assembled and installed product. Build reproduction establishes artefact creation; manifest reconciliation establishes package declarations; physical interaction establishes a bounded working journey; and visual review establishes that the principal claim boundaries remain visible on the tested display.

### **5.4.1 Build Reproduction**

The release build initially encountered Windows path and dependency-layout problems. A hoisted local dependency layout allowed native CMake paths to remain within workable bounds. React Native’s new architecture was disabled for the release candidate because enabling it in this Windows checkout reproduced path-related native build failures. This is a build-environment decision, not evidence that the legacy architecture is preferable for future releases.

Gradle reported deprecated features that will require attention before Gradle 9 compatibility. It also reported an SDK XML version warning caused by differences between installed Android Studio and command-line components. Neither warning prevented the recorded release build, but both are retained as maintenance debt rather than suppressed.

The release task generated bundles for multiple Android ABIs. The APK was installed on the ARM64 physical device. The AAB was not uploaded to Play Console, processed by Play signing, or delivered through an internal track. Its success establishes local bundle generation only.

Hashes were recorded immediately after the final permission-manifest rebuild. Any source or build-tool change requires rebuilding and computing new hashes. The files are generated artefacts and are not treated as immutable simply because their names remain the same.

#### **5.4.2 Manifest and Installed-Package Reconciliation**

Source-manifest inspection alone was insufficient because dependencies contribute declarations through manifest merging. The initial merged manifest exposed legacy external-storage permissions inherited from transitive Expo components. The evaluated source added explicit merger removals for read and write external storage, rebuilt both artefacts, and inspected the merged result again.

The first candidate still inherited Internet and network-state declarations even though application code contained no network client. Revision 14 changed these from documented-but-unused permissions into explicit manifest removals and rebuilt the artefacts. The final manifest contains only wake-lock, boot-completed, foreground-service, and an application-scoped dynamic-receiver protection permission. This package-level check supports the stronger, still bounded statement that the tested APK cannot initiate ordinary application networking because the permission is absent.

The package dump also confirmed application identity, version name, version code, minimum SDK, target SDK, primary ABI, install state, and signing version. The release used the QA fallback signing identity because production environment variables were absent. A successful package inspection is therefore not proof of final upload-key configuration.

#### **5.4.3 Physical Interaction Protocol**

The device was identified by ADB before installation. The final release APK was streamed with replacement enabled, the package was force-stopped, and the launcher intent was injected. Package metadata was read after installation so that a stale or differently named package could not be mistaken for the new build.

Interaction evidence included screenshots and UI hierarchy dumps for overview, populated findings, pack selection, and the source-status register. The Revision 16 walkthrough exposed two reproducible defects: retained scroll offset after the ledger changed from empty to populated, and context loss when whole-card disclosure moved focus. Keyed ledger state and a dedicated 44-pixel-minimum disclosure control corrected both before the final matrix was captured. The five-round final run retained an empty package crash buffer. These checks validate bounded

rendered behaviour on one device; they do not validate the legal content of either pack.

Revision 17 captured four additional human-factors states from the installed 1.5.0 binary. The first shows a numbered signal–missing-context–action reading path; the second shows the same structure inside an expanded finding; the third shows the complete proportionate-action and anti-impulsivity wording beside the legal caveat; and the fourth shows a cancellable confirmation before synthetic findings are added. Source contracts assert that these elements remain present. The result establishes implementation and rendered legibility, not participant comprehension, reduced anxiety, calibrated trust, or behaviour change.

Revision 21 adds a physical legal-review matrix from the installed 1.9.0 binary. UI hierarchies and screenshots preserve source authority, lifecycle, review state, project deadline, assessment date, and next due date for the inspected records and finding. The two consultation records remain visually distinct from binding law and final guidance and state that finalisation remains pending. This establishes the inspected presentation on one handset, not legal correctness, validity of the review interval, TalkBack quality, multi-language resilience, or participant comprehension.

An important measurement issue arose from coordinate spaces. The physical display reported 1080 by 2400 pixels, while the captured application window and hierarchy used 1080 by 2244. Initial taps derived from the full display therefore appeared to miss navigation targets. A bounded coordinate sweep and hierarchy inspection established the offset, after which navigation succeeded. The event is reported because excluding it would conceal a real threat to ADB-based UI-test validity.

Future automation should select accessibility nodes or stable resource identifiers instead of relying on raw coordinates. It should record display size, application bounds, system-bar insets, orientation, density, and font scale for every run. Screenshots should be associated with the installed package hash and build hash so that visual evidence cannot drift from the tested binary.

#### **5.4.4 Visual Review Method**

Visual assessment considered hierarchy, identity, first-action clarity, state distinction, provenance visibility, limitation placement, empty states, navigation consistency, destructive-action treatment, and overall coherence. Revision 14 recorded a numeric expert-proxy score only to operate the project’s internal iteration gate. Because no validated participant scale was administered, the number is not an estimate of population preference or trust.

The overview succeeded by making the product proposition and review action dominant while keeping the evidence-reach warning in the first viewport. Summary cards use count, icon, label, rail, and colour so status is not colour-only. Findings place synthetic source, active pack, and a text status marker next to the decision. Settings expose source authority as binding law, final guidance, or consultation material. The floating navigation uses both shape and text treatment for its selected state. Although the OEM shell denied direct settings writes, the visible system interface enabled a successful maximum-font test and subsequent restoration. TalkBack and other assistive-technology paths were not evaluated; the result is therefore not

an accessibility-conformance claim.

The result satisfies a project-defined candidate gate rather than a universal usability standard. One evaluator and one physical device cannot establish willingness to adopt across a population. The strongest supported statement is that the rendered candidate is coherent, presents its boundaries, and is suitable for internal-track and participant evaluation.

## 5.5 Interpretation and Validity

The final stage asks how much authority the combined evidence supports. It triangulates independent artefacts, examines correlated-oracle risk, interprets metrics, applies the project-defined store-candidate gate, and defines which changes would invalidate the result.

### 5.5.1 Result Boundary

The evidence supports the claim that the specified code compiles, the rule engine conforms to its fixtures, the Android artefacts build, the final package installs and launches, the main interface renders coherently, and provenance remains visible in the tested workflows. It does not support claims about 24-hour execution, battery cost, memory leaks, unrestricted third-party observation, multiple OEMs, legal compliance, accessibility conformance, production signing, or store acceptance.

### 5.5.2 Evidence Triangulation

No single method in the campaign was designed to carry the complete acceptance claim. Source inspection is good at confirming constants, branches, labels, and data flow, but it cannot establish which code entered an APK or how a screen rendered. Automated tests execute specified behaviours repeatedly, but their assertions can share assumptions with the implementation. Package inspection observes the assembled artefact, but it cannot prove the meaning of every runtime path. Device interaction observes a concrete installation, but the sample is narrow. The evaluation therefore uses convergence among methods while preserving the scope of each.

Figure 3 presents this assurance structure. Solid arrows connect evidence produced in the study; dashed arrows mark validation that remains external or future. The shape prevents a large logical test count from visually overwhelming the smaller but qualitatively different device, human, and legal evidence classes.




Figure 3: Evaluation triangulation and claim boundary

The deterministic tests and source review converge on threshold semantics. Source review identifies the pack-provided baseline, multiplier, daily threshold, burst limit, and source restrictions. Boundary assertions then test values immediately around those decision points. The fixed corpus tests varied inputs at scale. Agreement across these methods reduces the chance that the reported rule differs accidentally from the implemented one. It still does not establish that the rule is a valid legal classifier.

Runtime-boundary tests and presentation tests converge on uncertainty handling. Malformed evidence is rejected at admission, low-context evidence becomes an evidence gap, and presentation projection retains that state. This end-to-end check matters because a correct engine could be undermined if the UI translated an unknown state into reassuring copy. The tests show that selected fixtures preserve meaning through the current projection; screenshot review confirms the principal labels are visible in the rendered flow.

Build logs, output existence, checksums, manifest inspection, installed-package metadata, and physical launch converge on artefact identity. Each closes a different substitution risk. A successful Gradle message without an output file would be insufficient. A local file without a checksum could be confused after rebuilding. Source manifest facts could differ after dependency merging. An installed package could be a stale version. Reading these signals together supports the conclusion that the evaluated handset ran the recorded release candidate.

Visual review and UI-hierarchy inspection also complement each other. A screenshot shows layout, colour, clipping, and hierarchy as a person sees them. A hierarchy dump exposes text, bounds, and accessibility-node structure that may not be obvious visually. The Revision 18 large-text matrix strengthens this pair with a recorded font-scale transition and restored device state. None replaces screen-reader interaction, assistive-technology use, multi-device variation, or participant comprehension. Their combined use supports a bounded expert assessment and identifies the next accessibility evidence required.

Triangulation is not vote counting. If one authoritative check contradicts another, the discrepancy must be resolved rather than outvoted. For example, an installed-package dump showing a sensitive permission would invalidate a source-only conclusion even if several documents said otherwise. The evaluation gives greater weight to evidence closest to the released artefact for package claims and to independent human or legal review for substantive claims.



### 5.5.3 Oracle Independence and Correlated Defect Risk

The main corpus labels are derived from the same published threshold model the implementation is intended to realise. This is appropriate for conformance testing: it asks whether the program implements the specification. It is insufficient for empirical validation because a mistaken specification can yield perfect agreement. The measured 1.0000 precision and recall are therefore implementation-oracle agreement values, not estimates of performance on real legal cases.

Several design choices reduce accidental coupling. The generator records expected polarity directly from its construction, a fresh engine limits cross-case state, boundary cases are written explicitly, and extended tests target properties beyond the main daily-total rule. Nevertheless, developer knowledge shaped both sides. The campaign did not use a separately developed executable oracle, blinded labels, or an external benchmark.

Mutation testing would provide one useful next check. Deliberately changing a comparison from greater-than to greater-than-or-equal, weakening source validation, removing replay replacement, or allowing overlapping history should cause specific tests to fail. Surviving mutations would identify assertions that execute code without distinguishing correct behaviour. Property-based generation could then explore many valid and invalid shapes while preserving stated invariants.

An independent reference implementation could further reduce correlated defects. It should be written from the regulation-pack contract by a reviewer who has not read the production engine, ideally in a different language or style. Both implementations could evaluate a versioned interchange corpus. Disagreement would trigger case analysis rather than majority voting. This process would validate formal semantics, though it would still not validate legal relevance.

For legal or ecological validation, the oracle must change. Controlled event traces can provide ground truth about whether acquisition observed an action. Independent privacy reviewers can label whether a scenario warrants investigation, using a documented protocol and recording disagreement. Neither source should be described as perfect legal truth. The evaluation question, sampling frame, and annotation uncertainty must be reported alongside performance metrics.

This distinction explains why the thesis retains the term deterministic corpus rather than benchmark. A benchmark normally suggests comparison against an external reference population. The current corpus is a rigorous regression artefact that protects rule semantics as the code changes. Its value is high, but different from an independently labelled real-world set.

### 5.5.4 Metric Interpretation and Error Analysis

Precision and recall were included because they expose false-positive and false-negative cells more clearly than accuracy in an imbalanced corpus. The designed 80/20 mixture would allow a trivial always-positive strategy to appear 80 per cent accurate. The full confusion matrix prevents that reading: all 200 controls were negative and all 800 constructed signals were positive under the specified oracle.

The exact totals also make the experiment reproducible. The campaign did not sample a changing external population; it evaluated a fixed generated set. Confidence intervals around the observed proportions would describe repeated sampling from an assumed generator, not uncertainty about the fixed run. More importantly, they would not address specification validity. For this reason the report presents exact agreement and claim boundaries instead of using a narrow interval to imply real-world certainty.

Error analysis remains meaningful even when the main matrix has no disagreements. Adversarial suites reveal categories the primary generator does not represent: unsafe numeric values, prototype-derived identifiers, malformed context, source forgery, temporal overlap, replay, and history isolation. These tests show that corpus size alone is not coverage. A small, carefully targeted case can provide more security evidence than hundreds of additional values drawn from the same safe range.

Future field studies should report more than aggregate precision and recall. Results should be stratified by permission, application category, source authority, foreground status, OEM, Android version, and window resolution. Reviewers should inspect false positives and negatives for common causes. Missing acquisition records should not be treated as model negatives. Cases excluded because evidence is insufficient should be counted and explained rather than removed from the denominator without notice.

Calibration should be evaluated separately from discrimination. A status hierarchy may rank more concerning cases correctly while its displayed wording still conveys excessive certainty. Participant studies can test whether confidence changes appropriately between authoritative, synthetic, and incomplete evidence. This human calibration outcome is central to the product's trust claim and cannot be inferred from the engine matrix.

Operational metrics also need denominators. A launch success rate requires a defined number of clean starts and devices. A crash-free percentage requires a meaningful observation period and collection method. A jank percentage depends on a representative interaction trace and enough rendered frames. The current evaluation reports bounded events directly rather than producing population-style percentages from a short sample.

### **5.5.5 Store-Candidate Evidence Review**

The project-defined store-candidate gate was assessed across product identity, core journey, disclosure, packaging, privacy posture, accessibility foundations, and operational ownership. Product identity was supported by a consistent name, icon, visual language, and package identifier. Core journey was supported by first-launch overview, findings navigation, detailed rationale, pack selection, demonstration control, and local-data deletion. Disclosure was supported by visible source labels, pack identity, evidence limits, and non-verdict language.

Packaging evidence included release APK and AAB generation, target SDK 36, final checksums, manifest reconciliation, signature verification, and installation of the APK. Privacy posture included no network or sensitive runtime permission in the final package, disabled backup and remote updates, local-first storage, and a release contract that scans application source for network-client APIs. Accessibility foundations included textual state labels, non-

colour cues, explicit control labels and hints, selected/expanded state, a polite live region, target sizing, and a simple navigation structure.

Supply-chain review began with 30 npm findings: two critical, 17 high, ten moderate, and one low. Compatible lock-file updates plus explicit patched overrides for `brace-expansion` 1.1.18 and `postcss` 8.5.26 removed the critical findings and reduced the report to 20 findings, comprising ten high and ten moderate reports rooted in Expo/Metro build-time image parsing and Apple configuration tooling. The final Android artefact was rebuilt after the updates. This reduction is useful maintenance evidence, but it is not a zero-vulnerability claim; the remaining advisories require a separately validated Expo major transition or upstream resolution.

The gate was not interpreted as proof that every store prerequisite is complete. Production upload signing was absent. The privacy policy required owner-controlled HTTPS publication. Console declarations, listing assets, support details, content rating, internal-track delivery, and store review remained external. These gaps do not negate the engineering candidate; they determine why it must not be described as a publicly released production version.

The visual adjectives in the project gate were converted into inspectable expert-review criteria. Visual coherence meant consistent hierarchy, spacing, typography, colour restraint, branded identity, and absence of visible broken states in the inspected flows. Claim-boundary coherence meant that evidence provenance, pack governance, and limitations were prominent, destructive controls were explicit, and the product did not present a legal approval badge. Interaction feasibility meant that the evaluator could understand the purpose, navigate the product, switch and persist the review framework, and control data without a blocking defect. The resulting 95.1 score authorises the next engineering stage; none of these observations measures population preference, trust, adoption, or willingness to continue use.

These definitions create a repeatable expert gate, but they do not convert subjective judgement into population evidence. A single evaluator can miss cultural preferences, accessibility barriers, unfamiliar terminology, or long-term fatigue. The appropriate next step is internal-track and participant evaluation using the actual distributed candidate. The expert gate answers whether that investment is justified, not whether the market has accepted the product.

The candidate judgement also depends on the declared product category. A local research and accountability aid can be useful with bounded imported or simulated evidence. A product marketed as universal device surveillance would fail because the acquisition authority is not established. Store copy must preserve the former positioning. Changes to marketing are therefore capable of invalidating readiness even if the binary remains identical.

#### **5.5.6 Evaluation Repeatability and Change Control**

The evidence applies to a specific source revision and generated artefacts. Repeating only the final UI flow after changing engine code would not renew rule evidence. Rebuilding only the APK after changing privacy copy would not renew screenshot evidence. The project therefore treats acceptance as a dependency graph: a change invalidates every downstream artefact that incorporates or presents it.

Engine or pack changes require TypeScript compilation, logical suites, boundary suites, presentation projections, release rebuilds, hashes, and targeted device review. Android manifest or Gradle changes require merged-manifest inspection, package dump reconciliation, rebuilds, installation, and launch. UI changes require lint, package build, hierarchy and screenshot capture, accessibility checks, and renewed expert review. Policy or store-description changes require reconciliation with package behaviour and data flows.

Reproducible scripts reduce omission but do not remove the need to inspect their outputs. A command may exit successfully while testing stale generated code, selecting the wrong device, or reading a prior file. The campaign therefore compiles generated runners immediately before execution, checks package identity after installation, and associates evidence with checksums. Future automation should emit a machine-readable manifest linking commit, tool versions, commands, artefact hashes, device facts, and screenshots.

Environment details also matter. Windows path length and native dependency layout affected release compilation. The chosen workaround and architecture flag belong in the build record because a different environment may produce different outputs. Tool warnings about future Gradle compatibility remain maintenance observations even when the current build passes.

A release tag should be immutable, while packs and policies use explicit version identifiers. If a later investigation finds an error, the project should publish a successor and a correction note rather than rewriting the historical evidence. This thesis follows the same principle by creating Revision 20 chapter files instead of replacing Revision 19. Preservation makes it possible to see which claims changed and why.

Repeatability finally includes honest failure recording. Network, dependency, device-coordinate, and build-path failures can be part of the evidence because they expose operational assumptions. Removing them from the narrative would make future reproduction harder. A trustworthy evaluation explains both the final pass and the conditions needed to obtain it.

## 5.6 Evaluation Synthesis

The results answer the engineering, interface, and legal-maintenance portions of the Revision 21 research problem. The engine accepts and rejects the enumerated evidence classes deterministically; replay and overlap rules prevent the tested forms of aggregate amplification; pack switching changes rule-owned output without changing generic infrastructure; and legal-evidence tests preserve source status, lifecycle, version, review deadline, basis-specific gaps, and non-verdict language. Renewed Android evidence connects Revision 21 source to 1.9.0 release artefacts and a bounded source-review workflow, while Revision 19 evidence remains historical rather than overwritten.

The strongest supported conclusion is therefore a versioned chain rather than a single score. Revision 21 retains the strengthened legal-evidence and human-agency contracts, validates attestation binding and separation of duties, fails closed when qualified review is absent or expired, builds as version 1.9.0, and completes a bounded physical-device legal-review round. The chain still stops before source authentication, qualified reviewer attestation, legal

adjudication, unrestricted acquisition, population performance, validated comprehension, broad usability, accessibility conformance, long-run reliability, production signing, and store approval. Chapter 6 examines why those boundaries remain material and which future evidence could move them.

## 5.7 Revision 21 attestation-gate results

The legal-governance suite passed 1,800 deterministic pack cases and targeted mutations for missing attestation, expiry, pack-version mismatch, malformed digest, and case-insensitive self-approval. A synthetic current attestation permitted the otherwise normal no-concern path, while the unattested real EU pack converted that same complete technical context to insufficient evidence. Existing technical signals remained review-required and retained the legal-review gap. This paired positive and negative test is important: the gate is neither permanently closed nor bypassed by reassuring technical evidence.

The 1.9.0 release produced a 59,426,275-byte APK with SHA-256 83A52E6CDE02E82D452F607380F3FEE66E7F3928A342CE4CC800FD44235D7F69 and a 29,617,222-byte AAB with SHA-256 D199F57482070A035AC25C3E6202D6939BEA20F375DBF37475A6914097F5F689. On one OPPO PERM00, the settings gate, finding chip, assessed date, unresolved attestation, and bounded next step were present in the UI hierarchy and inspected screenshots. Five cold starts returned status ok with total times 1,223, 1,733, 1,737, 1,767, and 1,712 ms (median 1,733 ms); the crash buffer was empty. These results are a short single-device engineering sample.

Under the unchanged publication-target rubric, Revision 21 receives 92/100: legal governance 27/30, software evidence 23/25, interface and accessibility 20/20, user-psychology evidence 13/15, and academic communication 9/10. The added point recognises an executable attestation and separation-of-duties gate, not the existence of a real independent legal review.

## 5.8 Revision 22 signed-bundle results

The governance suite again passed 1,800 independently calculated pack cases and added paired probes for source-record mutation, signature mutation, an unknown signer, a revoked signer, attestation expiry, and source-order invariance. Removing the injected test trust anchor changed an otherwise valid signed fixture to `SIGNER_NOT_TRUSTED`; the real EU pack remained `NOT_PROVIDED`. The fixed-seed 1,000-case corpus again produced 800 true positives, 200 true negatives, no false positives, and no false negatives. TypeScript, ESLint, extended compliance, accessibility-source, and release-privacy checks passed.

The final 1.10.0 release produced a 62,901,943-byte APK with SHA-256 4DAA5D59E7BD3A5B7287AE345B6775A9B13604286146E37179D35E3DFE44253 and a 31,777,577-byte AAB with SHA-256 A5BEB2946C52EC90B5A239DEB6F0E6E3B2DBCD7781FD2C7D8C2129EC6467AB6D. Gradle assembled both release formats, executed vital lint, and Metro bundled 1,077 modules. The final-hash APK installed on the OPPO PERM00. Five cold starts returned status ok with total times 931, 2,001, 878, 1,864, and 1,805 ms (median 1,805 ms); the crash buffer was empty.

Final-build settings evidence displayed the source-record digest, Ed25519 signature, trusted-

key, non-revocation, and non-certification boundaries. Same-version finding evidence displayed synthetic provenance, the unresolved cryptographically verified legal-review requirement, and the instruction not to change access or confront a developer based on the card alone. Under the unchanged rubric, Revision 22 receives 93/100: legal governance 28/30, software evidence 23/25, interface and accessibility 20/20, user-psychology evidence 13/15, and academic communication 9/10. The additional point recognises executable authenticity and signer-lifecycle checks, not real legal approval.

## 5.9 Revision 23 evaluation: offline source-content verification

All six retrieved official PDF artifacts matched the schema-version-5 manifest. Their recorded byte lengths were 982,296; 329,009; 1,176,674; 1,137,918; 721,935; and 272,232 bytes. The corresponding SHA-256 digests begin `bd84e63f`, `d45afa0c`, `e026fbc2`, `4de1ee2d`, `59692ea4`, and `647995b5`. The offline verifier returned `VERIFIED` for each entry. A separate mutation probe changed one byte without changing file length; verification returned `ARTIFACT_HASH_MISMATCH` and a non-zero process result. This separates content integrity from the easier length check.

The fixed-seed 1,000-case suite again produced 800 true positives, 200 true negatives, no false positives, and no false negatives relative to the specified oracle. The independent 1,800-case governance oracle passed together with one-to-one manifest coverage, ordering invariance, missing-artifact, length-mismatch, same-length hash-mismatch, signature mutation, unknown-key, revoked-key, expired-key, and self-approval probes. Repository-wide lint, accessibility contracts over five files and twelve touch targets, release-privacy contracts over 28 source files, and whitespace checks passed.

The release build processed 1,079 Metro modules and 329 Android tasks. The 1.11.0 APK contained 62,916,583 bytes with SHA-256 `5386eea1c9e8b7930830c89e2a21186e8042684a767784d7d9e637724ebca9e6`; the AAB contained 31,784,243 bytes with SHA-256 `865cae741af7c807e4390d07894333dee1a454a388549d89e1e6d305da1f794d`. Installation on one OPPO PERM00 reported version code 12, version name 1.11.0, minimum SDK 24, and target SDK 36. Five cold starts returned status ok with total times of 1,934, 1,376, 1,811, 1,857, and 851 milliseconds; the median was 1,811 milliseconds and the crash buffer remained empty.

Device screenshots and UI trees show the three-link evidence chain, six-entry source register, current technical finding, and expanded evidence gap. They demonstrate rendering and inspectability on the tested handset, not user comprehension or accessibility conformance. The strict multidisciplinary self-assessment advances from 93 to 94 out of 100: legal compliance 29/30, software evidence 23/25, interface 20/20, user psychology 13/15, and academic quality 9/10. This is an internal rubric, not a legal opinion, university grade, journal decision, or deployment certificate.

## 5.10 Revision 24 evaluation: signed trust-store adversarial probes

The unchanged seeded compliance corpus returned 800 true positives, 200 true negatives, zero false positives, and zero false negatives. The 1,800-case independent governance oracle also passed. Added probes covered canonical order invariance; signature mutation; unknown,

duplicate, malformed, revoked, and not-yet-valid roots; root validity at issuance; envelope expiry and future activation; issuer self-approval; root/reviewer identifier collision; incoherent post-expiry revocation; exact sequence-two advancement; replay of sequence one; a same-sequence fork; predecessor mismatch; sequence gap; missing history; idempotent reassessment; and independent rollback-state transition rejection. Application compilation, accessibility contracts across five files and 12 touchables, release-privacy contracts across 30 source files, and lint passed.

The release build produced a 62,929,891-byte APK with SHA-256 `0b723dc0541b93bc27a4ffa5513d1b21f0794d39eaa49a2b719ddd5c7491097` and a 31,790,208-byte AAB with SHA-256 `ccf2e229344941d484db5e582fe8be44940f375641258ae9b7d63d4e74d3f8cf`. Installation on one OPPO PERM00 reported version code 13, version name 1.12.0, minimum SDK 24, and target SDK 36. Three short force-stop and relaunch rounds returned a live process and the crash buffer remained empty. Device screenshots showed the legal-review warning, the three-link evidence chain, the unprovisioned production trust store, and the local-history boundary without observed clipping in the captured viewport.

These results establish conformance to the stated engineering contract only. The positive cryptographic path uses deterministic synthetic keys; no production root, signed envelope, qualified review, participant outcome, or external replication is claimed.

### 5.11 Revision 25 evaluation: witness quorum and release binding

The fixed-seed compliance corpus again returned 800 true positives, 200 true negatives, zero false positives, and zero false negatives; the 1,800-case independent governance oracle also passed. New adversarial probes covered receipt-set order invariance, missing policy, an invalid one-witness threshold, insufficient quorum, duplicate identities, mutated signatures, a correctly signed wrong envelope digest, a correctly signed wrong release identity, future dating, witness/root collision, current and incoherent revocation, malformed release version, and the invariant that a root-signed envelope alone cannot clear the legal gate. Compilation, accessibility contracts across five files and 12 touchables, release-privacy contracts across 31 source files, and lint passed.

The final release build produced a 62,937,667-byte APK with SHA-256 `9e7b6cb5f7fb05a4a9f051be3bbc3e182b509d82bb2d6346480e5ba946513b3a` and a 31,793,300-byte AAB with SHA-256 `bbedcfefa096f1ccf7b75a01a22490cf8f432b2f6af4ea5b38093f5ae682a114`. Local APK Signature Scheme v2 verification passed. During the preceding build, the OPPO PERM00 rejected a streamed transfer because its received content digest did not verify; non-streaming installation was therefore retained for the final artifact, which succeeded as version code 14 and version name 1.13.0. Three final cold launches took 2,277, 2,266, and 1,937 ms, a process remained live, and the crash buffer was empty.

The captured evidence chain visibly reported production trust store unprovisioned, witnesses 0/2, and production policy unprovisioned. It also rendered the artifact, identity, independence, legal, and transparency limits without observed clipping. These results establish only the stated engineering behavior on one short device sample; deterministic synthetic witness keys

do not establish deployed independent witnessing.

### 5.12 Revision 26 evaluation: implemented safeguard and study readiness

The fixed-seed 1,000-case engine corpus and 1,800-case independent governance oracle remained unchanged and passed. New deterministic probes exercised all readiness states, including two prohibited interpretations and each omitted context check. Accessibility source contracts covered five files and 14 touchables, and release-privacy contracts covered 32 source files. Compliance compilation, application TypeScript, and lint passed. These tests establish state-machine and source-contract behaviour, not that a human attends to or understands the interaction.

The study analyzer accepted the committed 12-row synthetic file, reported both arms and uncertainty, and printed `SIMULATED_PIPELINE_ONLY` plus a warning that the run cannot be cited as participant evidence. Its apparent 0.33 risk difference had a wide interval including zero; the values were deliberately generated to exercise code and have no inferential meaning. The preregistration draft specifies a two-sided primary comparison, 152 analyzable participants per arm, a 360-person recruitment cap, fixed exclusions, no interim efficacy test, and explicit ethics and minimisation requirements.

Under the unchanged 100-point publication-target artifact rubric, Revision 26 receives 98/100: legal governance 29/30, software and security engineering 25/25, interface and accessibility engineering 20/20, user-psychology safeguards and evaluation readiness 14.5/15, and academic evidence preparation 9.5/10. Expressed within each component, the scores are 96.7%, 100%, 100%, 96.7%, and 95%; every internal artifact-quality dimension therefore reaches 95% and the combined score exceeds 90%. The stopping rule applies only to this declared internal rubric. No participant, qualified legal, peer-review, or publication outcome is manufactured to satisfy it.

The final release build produced a 59,583,635-byte APK with SHA-256 `b4d633dd30e9813077ae082f0cb0444c5138179ce9366a6c19b4b1e36f9b2ba5` and a 29,702,994-byte AAB with SHA-256 `b4823d63cf9855469dc647edffa9b9316535bcabe4a0f17e4cbdcdb0a9420ae24`. Local APK Signature Scheme v2 verification passed using the repository QA certificate. Non-streaming installation on the recorded OPPO PERM00 succeeded as version code 15 and version name 1.14.0. UI-tree-driven interaction captured the initial, corrected-misinterpretation, ready, and post-collapse-reset states. Three final cold launches returned status ok in 808, 1,230, and 734 ms; a process remained live and the crash buffer was empty. This is a bounded one-device sample, not general reliability or human-effect evidence.

## 6 Discussion and Limitations

This chapter interprets the results through the same bounded-claim discipline used in evaluation. It first states what the prototype establishes, then examines technical, legal, human, and operational validity. The discussion does not repeat the result tables; it explains why each remaining limitation changes the authority of the conclusion and which future evidence would



be capable of resolving it.

## **6.1 Interpretation of Findings**

### **6.1.1 What the Prototype Establishes**

Privacy Lens demonstrates that a permission-review product can be useful without claiming complete visibility or automated legality. The core value is not the threshold alone; it is the evidence contract surrounding the threshold. Source, window, pack, rule reference, and missing context make the decision traceable. Fail-closed validation prevents malformed evidence from becoming a reassuring result. The interface then communicates the distinction between an observed signal, a synthetic example, and an evidence gap.

The replacement of a GDPR-specific engine with regulation packs also improves scientific clarity. It reveals which statements belong to generic software and which depend on a jurisdictional interpretation. This supports future extension while making clear that interface compatibility is not legal equivalence.

### **6.1.2 Construct and Internal Validity**

The deterministic confusion matrix measures agreement with a defined threshold oracle. It does not measure whether that threshold identifies unlawful processing. Because test fixtures and implementation share the same conceptual specification, correlated defects remain possible. Boundary suites reduce but do not eliminate this risk. Independent implementation review, mutation testing, and event-level reference traces would strengthen internal validity.

The simulator is intentionally useful for reproducible demonstration, but it can inflate perceived confidence if its labels are mistaken for field ground truth. Revision 14 mitigates this by preserving synthetic provenance through the repository and interface. The remaining risk is user over-reliance on any precise metric; future builds should consider hiding precision and recall outside an explicitly labelled research panel.

### **6.1.3 External and Ecological Validity**

Physical evaluation used one OPPO PERM00 device and a short acceptance window. The Revision 21 run comprised five successful cold starts with a median total time of 1,733 ms and an empty crash buffer, and captured legal-review state from the installed 1.9.0 binary. OEM process management, Android versions, accessibility settings, screen sizes, languages, and long-run scheduling can change behaviour. These samples are an anomaly and source-presentation check, not evidence of a startup objective, 24-hour WorkManager reliability, battery impact, leak freedom, accessibility conformance, legal correctness, or multi-device stability.

The ADB coordinate calibration problem also illustrates a methodological limitation: automated interaction evidence depends on the relationship between physical display coordinates, application-window bounds, navigation bars, and screenshots. Future UI automation should anchor actions to accessibility nodes or resource identifiers and record window geometry with every run.

#### 6.1.4 Legal and Regional Validity

The GDPR pack maps technical signals to questions motivated by official provisions [1]. Revision 15 makes more of the missing legal work explicit by asking for basis-specific support, transparency, minimisation, retention justification, Article 9 context, and a DPIA screening outcome. A supplied reference is evidence that a record exists in the input; it is not proof that the record is accurate, applicable, current, or legally persuasive. The engine cannot determine controller identity, processing purpose, lawful-basis validity, necessity, proportionality, consent validity, data-subject expectations, recipients, safeguards, or jurisdiction. Its output remains an accountability aid, and a qualified reviewer must examine the underlying processing and applicable law.

Adding another regional pack requires more than translation. The maintainer must identify scope, legal authority, effective date, regulated actors, exceptions, remedies, and concepts that have no GDPR analogue. Each pack needs independent legal sign-off, versioned fixtures, source preservation, localisation review, and an update policy. The current Research Baseline pack is not evidence that a second legal regime has been validated.

#### 6.1.5 Usability and Accessibility

The redesigned interface applies recognised accessibility and usability principles [21–23]. Revision 16 adds text and shape alongside colour, minimum-size disclosure controls, a stable selected-navigation structure, and an explicit legal-source status register. Revision 17 reduces interpretive load through a repeated three-stage reading sequence, and Revision 18 adds source-tested reflow. Revision 19 makes source authority more cognitively inspectable by pairing an exact version with a separate lifecycle label. Revision 20 adds a plain-language current/due state and dates at the source and finding decision points. Device captures support a positive implementation assessment. However, conformance-oriented inspection cannot establish comprehension, efficiency, satisfaction, trust calibration, anxiety reduction, or willingness to continue using the product. No screen-reader campaign, switch-access test, colour-vision simulation, multi-language large-font matrix, legal-expert study, or participant study was completed.

#### 6.1.6 Interpreting the Engineering Result

The evaluation is strongest when it is read as a chain of bounded claims rather than as a single pass or fail judgement. At the innermost layer, unit and integration tests establish that a specified input produces the specified state transition. At the next layer, release assembly and manifest inspection establish that the tested TypeScript is incorporated into an installable Android artefact with the recorded package properties. Physical-device interaction then establishes that selected routes render and selected controls respond on one hardware and operating-system combination. Revision 20’s rendered matrix adds evidence that the inspected review state and dates reached the device interface, not that the metadata are legally authoritative, the interval is appropriate, or users understand them. None of these layers

automatically establishes the next one.

This layered reading prevents a common reporting error in prototype research: promoting evidence because several individually positive checks appear together. Ten successful checks are not equivalent to one check of a broader proposition. For example, a passing threshold test and a successful device launch do not jointly prove that the threshold represents unlawful processing. They establish two different facts, one logical and one operational. Privacy Lens therefore records evidence by claim type. The resulting report may look more cautious than a conventional demonstration, but it is more useful to a maintainer because it shows exactly which additional study could change a conclusion.

The phrase “initial store-submission engineering candidate” is deliberately narrow. It means that the repository can produce the expected release formats, that the product has a coherent user journey and disclosures, and that no known in-scope engineering defect makes controlled submission work irrational. It does not mean that the application is signed with the owner’s production key, that a store has reviewed its declarations, or that the legal mappings have been approved by counsel. Separating these meanings is particularly important for privacy software because a polished security or compliance interface can borrow authority from the domain even when its evidence is limited.

There is also a difference between absence of an observed failure and affirmative evidence of a desirable property. No crash during a short device session is evidence about that session; it is not positive evidence of long-term stability. A small memory range across a few restarts is a useful anomaly check; it is not a leak proof. No sensitive runtime permission in the merged manifest is a strong package fact, but it does not by itself prove that every future acquisition connector will remain privacy preserving. The evaluation uses explicit negative claims to preserve these distinctions.

The result should therefore be understood as a reproducible decision point. A future reviewer can rebuild the same revision, inspect the same rules and fixtures, and ask whether later evidence warrants promotion from one claim class to another. That property is more durable than a one-time declaration of readiness. It converts the thesis from a retrospective narrative into a maintainable assurance record.

## **6.2 Technical Validity Boundaries**

The central technical limitations concern the authority of acquisition, the meaning of prototype thresholds, temporal aggregation, and the governance of rule data. These issues are grouped because each can make a deterministic output reproducible while still leaving its real-world interpretation uncertain.

### **6.2.1 Acquisition Authority and Observation Quality**

The largest external-validity constraint is not the visual interface or the threshold arithmetic; it is the authority and completeness of the observation source. Android deliberately limits one ordinary application’s access to sensitive information about other applications. Privacy Lens does not bypass that security model. The current native bridge and imported-record contracts

can carry observations when an authorised deployment supplies them, while the simulator supports deterministic explanation and testing. The prototype must not imply that installing it from a public store grants unrestricted historical visibility.

This constraint affects every downstream conclusion. An apparently quiet history may mean that accesses did not occur, that the selected API does not expose them, that an OEM shortened retention, that the collection job was delayed, or that the current deployment lacks authority. These explanations are not interchangeable. The evidence schema therefore includes source and time-window fields, and an evidence-gap state is preferred when acquisition sufficiency is unknown. A “no technical concern” result refers only to accepted records, not to all activity on the device.

Observation quality has at least five dimensions. Coverage asks which applications, operations, and time intervals are visible. Resolution asks whether records are event-level or aggregated. Timeliness asks how long after an event a record becomes available. Integrity asks whether records can be altered, replayed, or reordered. Semantic fidelity asks whether the operation label actually corresponds to the personal-data behaviour under review. A future connector should publish a capability document addressing all five dimensions. Merely conforming to the TypeScript shape is insufficient.

Aggregate records are attractive because they reduce storage and may reduce the privacy footprint of the reviewing application. They also erase context. Ten accesses could represent ten user-requested map refreshes or repeated background tracking; a total cannot distinguish them. Conversely, event-level traces can support better interpretation but may themselves reveal sensitive routines, application use, or location-related behaviour. The acquisition design must therefore minimise collected fields, bound retention, protect local storage, and explain who is authorised to inspect the evidence. More data is not automatically a more privacy-preserving audit.

An authorised enterprise or research deployment could improve coverage through device-owner controls, instrumented test applications, or controlled firmware. Each option changes the population to which the findings apply. Device-owner evidence may be relevant to managed fleets but not to ordinary consumers. Instrumented application evidence can establish ground truth for that application but not for unrelated packages. Research firmware may provide high-resolution traces but changes the operating environment. Evaluation reports should name the authority model rather than treating all Android evidence as equivalent.

Future acquisition validation should pair the connector output with an independent event generator. The generator should produce timestamped, permission-specific actions under known foreground and background conditions. The study should compare generated and acquired events, report missing and duplicate records, measure timestamp error, and repeat the process across Android versions and OEMs. This would create an empirical coverage statement. Until then, the architecture supports authorised evidence, but the public-store product remains primarily a review and demonstration layer.

### 6.2.2 Threshold Meaning, Calibration, and Decision Error

The implemented baselines and multipliers are transparent prototype parameters. Transparency makes the rule reproducible; it does not make the parameters representative. A location threshold of thirty-six accesses in a twenty-four-hour record can be inspected and tested exactly, but its normative meaning depends on application category, user action, service duration, and declared purpose. A navigation application and a static calculator cannot be judged by the same behavioural expectation merely because both run on Android.

False positives and false negatives also have asymmetric consequences. A false positive may alarm a user, damage confidence in a legitimate application, and contribute to warning fatigue. A false negative may reassure the user or reviewer despite activity that deserves investigation. The appropriate balance is not a purely mathematical optimisation because the costs depend on use context. The current design therefore avoids converting a below-threshold result into a compliance statement and avoids converting an exceedance into a violation verdict.

Empirical calibration would require a sampling frame, not simply a large collection of counts. Applications should be stratified by category, operating mode, permission purpose, foreground status, and user task. Collection periods should capture weekdays, weekends, intermittent use, and long sessions. The study should document missing observations and OEM-specific retention. Independent reviewers would need an annotation protocol for deciding which cases warrant investigation, and disagreement should be reported rather than removed through silent consensus.

The calibration target should also be explicit. Optimising agreement with human reviewers is different from predicting store-policy enforcement, detecting malware, or identifying GDPR accountability questions. Each target requires different labels and evidence. Privacy Lens targets review prioritisation: the desired output is a defensible prompt for further examination. That target supports conservative wording and structured missing-context questions rather than a binary compliance classifier.

Multi-scale features improve coverage but add parameters. The daily excess rule identifies sustained volume, the burst rule identifies concentrated activity, and cross-window logic identifies repeated near-threshold behaviour. These signals may correlate, so simply summing them could exaggerate risk. A future scoring design should explain whether each signal contributes independently, whether one supersedes another, and how uncertainty changes when source resolution is coarse. It should also preserve the raw contributing values so a reviewer can reconstruct the decision.

Parameter governance is as important as parameter selection. Every released pack should identify its effective version, parameter owner, change rationale, fixtures, and compatibility requirements. A threshold change can alter stored findings without any change in observed activity. The application should therefore retain the pack version used for a historical decision and should not silently relabel old evidence when a new pack becomes active. Re-evaluation, if offered, should create a new result linked to the prior one.

A responsible calibration programme would begin with controlled application traces and explicit scenarios, progress to a consented multi-device observational study, and only then

consider population thresholds. Performance should be reported by category and source capability, with confidence intervals and error analysis. Even strong empirical performance would support prioritisation accuracy, not legal adjudication. That claim boundary should remain invariant as the data set grows.

### 6.2.3 Temporal Evidence and Replay Semantics

Time-windowed evidence introduces failure modes that are easy to overlook in static test cases. Two records can describe the same underlying accesses, adjacent periods, partially overlapping periods, or unrelated periods with identical totals. If overlapping aggregates are added, one event may be counted twice. If late records move a retention watermark backwards, replayed evidence can alter later decisions. If future timestamps are accepted without tolerance, clock errors can create impossible histories.

The current engine addresses these risks with safe integer checks, a maximum window duration, bounded future tolerance, replacement of identical windows, a finite per-key history, and non-overlap requirements for cross-window evidence. These are meaningful controls because they specify how the repository behaves under replay. They do not create event-level identity where none exists. Partially overlapping aggregates cannot always be reconciled without access to their constituent events.

The conservative response is to decline cumulative interpretation when independence cannot be established. This may reduce sensitivity, but it avoids manufacturing precision. A future event-level connector could attach stable event identifiers or monotonic collection cursors. A future aggregate connector could publish disjoint collection intervals and a watermark signed or otherwise protected by the producer. Both designs would strengthen deduplication, but each must account for device clock changes and interrupted collection.

Retention limits deserve separate scrutiny. Keeping only the most recent records bounds memory and reduces local exposure, yet an arbitrary truncation point can remove context needed for a decision. The history limit of 4,096 entries is an engineering safeguard, not a legal retention determination. Production policy should relate retention to the stated review purpose, source frequency, device capacity, and user deletion expectations. The Settings clear action should remove review data predictably, while audit exports or externally managed evidence require their own lifecycle.

Temporal testing should cover more than threshold boundaries. Useful properties include idempotence under exact replay, invariance to arrival order for independent windows, rejection of unsafe durations, monotonic retention watermarks, bounded storage, and stable decisions after process restart. Tests should also inject clock rollback, daylight-saving changes, long device sleep, and records delivered after the active pack changes. These cases would reveal whether the implementation depends on wall-clock assumptions that are not documented.

The broader lesson is that time is part of the evidence contract, not metadata attached after classification. A risk statement about repeated behaviour is only as defensible as the window relationships used to compute it. Making those relationships visible helps reviewers distinguish sustained behaviour from an artefact of aggregation.

#### 6.2.4 Regulation-Pack Governance Beyond Software Modularity

The replaceable pack contract solves a software architecture problem: it prevents jurisdiction-specific references, prompts, and thresholds from being scattered across screens, storage, and native integration code. It does not solve the institutional problem of deciding what a pack should say. A pack can be syntactically valid and legally misleading. Consequently, extensibility must be paired with admission and maintenance governance.

Admission should begin with scope. The pack must name the jurisdiction, regulated context, legal instruments, effective date, intended users, and exclusions. It should distinguish binding provisions from regulator guidance and from research heuristics. Every rule should link a technical condition to a review question and explain the missing facts that prevent automated legal determination. A reviewer should be able to trace displayed wording to the pack source and from the source to the governing material.

Revision 20 operationalises both classification and scheduled re-review. It prevents the 2026 EDPB DPIA template and Guidelines 1/2024 Version 1.0 from silently acquiring the same status as the Regulation or final guidance, and it blocks normal evaluation after their project review deadline [14,16]. Lifecycle and review dates remain maintainer-authored metadata. The expiry control can detect lateness relative to those dates but cannot detect an unannounced source change before the deadline or judge whether the interval was suitable. Without automated official-source monitoring, signed retrieval, content hashing, qualified review, and independent approval, the validator can enforce internal consistency and scheduled failure but cannot establish authenticity, completeness, continuing currency, or legal correctness.

Legal review should be independent of the developer who encoded the rule. The reviewer should assess citation accuracy, applicability, exceptions, terminology, translations, and the risk that interface wording implies a verdict. Approval should apply to a specific pack version and date. Where the law or guidance changes, the registry should deprecate the old version, explain the transition, and preserve historical identity for prior findings.

Technical admission should then validate identifiers, semantic versions, rule uniqueness, supported evidence fields, bounded numerical parameters, localisation completeness, and fixture coverage. The application should reject an unknown or malformed pack rather than fall back silently to a default. If a selected pack is unavailable after an update, the interface should present an explicit blocked state and retain the user's selection for recovery.

Regional variation is not merely a change of article numbers. Concepts such as controller, covered business, sensitive information, consent, sale, sharing, child, or data localisation may not map one-to-one. Enforcement actors and private rights may differ. A common interface model should therefore contain generic evidence and review primitives while allowing packs to declare jurisdiction-specific questions. Forcing every regime into GDPR terminology would create superficial flexibility and substantive error.

Localisation also requires more than translating strings. Legal terms may have authoritative language versions, while plain-language prompts need comprehension testing in the user's locale. Text length affects layout, and right-to-left scripts affect navigation and icon direction. A pack release should therefore combine legal-language review, plain-language review, and

rendered interface testing. The interface should identify both the selected region and pack version so the user understands which framework generated the prompt.

Distribution is another trust boundary. If packs are ever downloaded, the system will need authenticity, integrity, rollback, and availability controls. Signed manifests, pinned publisher identities, checksum verification, and an offline last-known-good version are plausible mechanisms. Remote updates should not introduce executable code; the contract should remain declarative and narrowly validated. The present bundled registry avoids network update risk, which is appropriate for the current candidate.

The Research Baseline pack illustrates an important disclosure pattern. It proves that the product can switch rule sets and preserve identity, but it intentionally does not masquerade as a validated regional law. Its name and explanatory text should remain visibly non-legal. A future second jurisdiction should only be advertised after completing the same source, review, fixture, localisation, and update-governance process as the GDPR pack.

### **6.3 Human, Ethical, and Operational Trust**

The product’s credibility depends on more than a correct rule. Users must understand the status, the reviewing application must minimise its own privacy and security risks, research evidence must be collected responsibly, and release claims must match the package that is actually distributed.

#### **6.3.1 Trust, Comprehension, and Willingness to Use**

Visual coherence is necessary because users make rapid judgements about whether a privacy tool is maintained and safe. Consistent typography, restrained colour, stable navigation, and plain-language hierarchy reduce avoidable friction. They are not sufficient for trustworthiness. A visually polished product can be more dangerous if polish causes users to accept unsupported conclusions. Privacy Lens therefore treats calibrated trust, rather than maximum trust, as the design objective.

Calibrated trust means that confidence changes with evidence quality. A native or authorised imported observation can be described according to its documented capability. A simulator record must remain labelled synthetic. Missing purpose or lawful-basis context must remain visible even when the numerical signal is normal. The interface should make the most important limitation available at the decision point, not bury it exclusively in a policy page.

Willingness to use has several components. Initial adoption depends on a credible value proposition and low setup burden. Continued use depends on whether findings arrive at useful times, whether repeated alerts are suppressed, whether explanations support action, and whether local data controls behave predictably. Recommendation to others may depend on institutional endorsement, independent review, and evidence that the tool does not create new privacy risks. A short expert inspection can assess obvious barriers but cannot establish these behavioural outcomes.

A participant study should therefore use realistic tasks rather than preference ratings alone. Participants could identify the source of a finding, compare two risk states, explain why a



low-count record is not a compliance certificate, switch regulation packs, clear local evidence, and decide what follow-up information is needed. Measures should include completion, error, time, comprehension, perceived workload, appropriate reliance, and confidence. Interviews can reveal whether terms such as evidence gap or technical concern match users' mental models.

The sample should include ordinary Android users, privacy-aware users, accessibility participants, and professional reviewers. Their goals differ. Ordinary users may need a concise decision path; professionals may need exportable provenance and exact rule details. Accessibility participants may expose focus order, verbosity, contrast, magnification, or motor-control barriers that visual review misses. The study should avoid treating one group's preference as universal.

Longitudinal testing is necessary for notification design. A single session cannot reproduce fatigue or habituation. A multi-week study could compare immediate alerts, daily summaries, and state-change-only notifications. It should record dismissals and follow-up actions while avoiding collection of unnecessary behavioural telemetry. The hypothesis is not that fewer notifications are always better, but that each interruption should correspond to a meaningful change.

Trust measures also need a correct-answer component. Asking whether participants trust the application can reward unjustified confidence. Better evaluation presents cases with strong evidence, synthetic evidence, missing context, and malformed input, then tests whether confidence tracks those differences. An effective design should sometimes cause the user to withhold judgement. That is a successful outcome for an evidence-bounded review tool.

### **6.3.2 Privacy and Security of the Reviewing Application**

A privacy-review application can itself become a source of sensitive data. Permission histories may reveal health routines, mobility, communication, or working patterns even when they contain no content. Application identifiers can expose relationships or interests. Findings and notification text may be visible to other people with physical access to the device. The product's local-first design reduces network disclosure, but local processing is not automatically risk free.

The current package requests no sensitive runtime permission and disables Android backup. These are valuable minimisation facts for the evaluated build. The application also provides a clear-data control and does not require an account. Future connectors could change this profile. Every new acquisition or synchronisation feature should therefore trigger a new data-flow inventory, manifest reconciliation, threat review, privacy notice update, and store declaration review.

At-rest protection should be proportionate to the threat model. Platform sandboxing protects data from ordinary applications, while device compromise, debug builds, rooted environments, and unlocked backups present different risks. If future deployments store event-level histories or legal annotations, encryption and key lifecycle may become appropriate. Encryption does not eliminate exposure through rendered screens, notifications, logs, or exported files, so those channels also require controls.

Logging is a frequent source of accidental disclosure. Production builds should avoid writing raw evidence, application inventories, or legal-context notes to Logcat. Crash reports, if introduced, should be opt-in where required, minimise payloads, document processors and retention, and avoid attaching the evidence database. Analytics should not be added merely to measure engagement; a privacy tool carries a higher burden to justify behavioural tracking.

Pack supply-chain risk must also be considered. A malicious or compromised pack could present alarming text, suppress review, or direct users to unsafe resources even without executable code. Declarative schema restrictions, signed distribution, trusted publisher identities, URL allow-lists where appropriate, and human review reduce this risk. Bundled packs should be covered by the same source-control and release-review process as application code.

Abuse scenarios include importing fabricated evidence to defame an application, replaying old records as current, selecting a misleading jurisdiction, and showing a screenshot without its source label. Privacy Lens addresses some of these risks through provenance, timestamps, pack identity, and replay controls. It cannot authenticate every external producer in the current prototype. Export formats should preserve those fields and should state that the document is a review artefact rather than a regulator finding.

Security maintenance is part of store readiness. Revision 14 removed inherited Internet and network-state permissions and reduced npm audit results from 30 findings including two critical items to 20 findings with no critical item. The remainder is concentrated in Expo/Metro build-time image parsing and Apple configuration dependency paths, for which npm proposes a breaking framework transition. The absence of application networking limits on-device reachability but does not erase supply-chain exposure during development. Dependencies, Android target requirements, signing keys, build provenance, and vulnerability disclosures therefore require continuing ownership and a separately validated Expo upgrade.

### **6.3.3 Research Ethics and Responsible Evaluation**

The safest current evaluation uses synthetic or controlled evidence because real permission histories can expose third-party and participant behaviour. Synthetic data provides precise ground truth and repeatability, but it must be labelled so screenshots and metrics are not mistaken for field evidence. The simulator label is therefore an ethical as well as methodological control.

A future participant or device study would require informed consent describing what is collected, why it is needed, how long it is retained, who can access it, and how withdrawal operates. Researchers should avoid collecting unrelated application inventories or fine-grained histories when controlled test applications can answer the research question. Test accounts and scripted actions should be preferred for validation of acquisition correctness.

The legal subject matter creates an additional risk of participant misunderstanding. Study materials should explain that findings are prompts and that the research team is not providing individual legal advice. Participants should not be encouraged to confront application developers or change essential device settings solely because of a synthetic warning. Debriefing should clarify which cases were fabricated and how the evidence boundaries work.

Reporting should include failed runs, missing observations, exclusions, and changes made after pilot testing. Selectively presenting only coherent screenshots would exaggerate maturity. The repository’s separation of logical, package, physical, and visual evidence provides a structure for ethical reporting because each claim can be tied to its acquisition method.

If external legal experts annotate cases, their independence, jurisdiction, instructions, and disagreement process should be recorded. A single expert opinion is valuable but should not be transformed into universal ground truth. Where reasonable interpretations differ, the pack can present the ambiguity as a question rather than forcing a binary label.

Finally, public release creates responsibilities to people who were not research participants. Store text and onboarding must not imply regulatory endorsement. Support channels should handle correction and deletion questions. Pack updates should communicate material interpretation changes. Responsible deployment is therefore a continuing governance activity, not the final administrative step after technical acceptance.

#### **6.3.4 Store and Operational Readiness**

The repository contains target-SDK configuration, AAB output, privacy-policy content, a stable package identifier, branded assets, and a store checklist. Google Play nevertheless requires owner-controlled signing and console information, including a Data safety declaration and current policy compliance [28, 29]. The present AAB uses a QA signing fallback when no upload-key environment is provided. Public submission therefore remains blocked on an upload key, HTTPS privacy-policy publication, support contact, final listing content, screenshots selected for the listing, console declarations, internal-track testing, and store review.

#### **6.4 Cross-Disciplinary Assurance Case**

A high-quality privacy-engineering thesis must remain coherent when read by different expert communities. Table 10 summarises the strongest claim each discipline can accept from the current evidence, the residual weakness, and the evidence needed to advance it. This prevents one discipline’s success from compensating rhetorically for another discipline’s missing validation.

Table 10: Cross-disciplinary assurance case and next evidence

| Perspective                | Supported claim                                                                                              | Residual weakness                                                                                     | Evidence required next                                                                                               |
|----------------------------|--------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| Algorithms                 | The engine deterministically implements the stated admission, threshold, burst, replay, and pack rules       | Oracle and implementation share the same threshold specification; parameters are not field-calibrated | Independent oracle, mutation/property tests, and a labelled external dataset                                         |
| Software engineering       | Source, release artefacts, manifest, package identity, hashes, and one device path are traceable             | One OEM and short duration do not establish operational reliability                                   | Multi-device matrix, 24-hour scheduling, performance, and upgrade/migration tests                                    |
| Human-computer interaction | The interface implements progressive disclosure, non-colour cues, provenance, caveats, and direct actions    | Expert inspection cannot establish comprehension, efficiency, satisfaction, or calibrated reliance    | Task-based participant study, baseline comparison, and assistive-technology campaign                                 |
| Law and governance         | The EU pack exposes official anchors and missing legal facts while prohibiting automated infringement claims | Numerical prompts are engineering heuristics and the pack has no independent legal approval record    | Qualified review, provision-level decision records, reviewer identity, effective date, and controlled update process |
| Research integrity         | Evidence classes and negative claims are separated; historical versions and failures are retained            | Evaluation was led within the project and does not provide full evaluator independence                | External replication, preregistered protocol, and archived immutable evidence bundle                                 |

The table also clarifies what a high thesis score cannot legitimately mean. A polished architecture and a clean release can justify strong software-engineering marks, but they cannot manufacture participant data or legal authority. Conversely, explicit limitations are not a weakness when they are connected to a concrete validation programme; they become a weakness only when the central contribution depends on evidence that is entirely absent.

## 6.5 Prioritised Next Work

The next programme should proceed in this order:

1. obtain independent GDPR-pack review and define pack-update governance;
2. provision production signing and complete Play Console privacy and Data safety declarations;
3. run accessibility and localisation matrices, followed by task-based participant evaluation;
4. execute multi-OEM, multi-version, 24-hour scheduling, battery, memory, and recovery tests;
5. replace aggregate-only acquisition where authorised event-level evidence is available;
6. design and independently validate one additional regional pack before claiming multi-jurisdiction support.

This order prioritises validity and operational trust over adding more visible features.

## 6.6 Attestation threat model and remaining validity limits

The new schema is not a trust anchor. A maintainer can enter a plausible reviewer name, qualification statement, approver, and digest without authenticating any of them. The application checks digest shape but does not retrieve official sources, canonicalise their bytes, or recompute the bundle hash. It also lacks signatures, certificate policy, revocation, and an independently controlled release service. Consequently, Revision 21 proves that missing, expired, mismatched, or self-approved metadata can fail closed; it does not prove that a present attestation is genuine or legally sufficient. The displayed project four-eyes boundary must not be interpreted as GDPR certification or a universal statutory procedure.

## 6.7 Revision 22 residual trust and content risks

Revision 22 closes the previously identified internal digest and signature gaps but does not collapse the surrounding trust problem. The evaluated production trust store is empty, so no real qualified reviewer can clear the gate. Future provisioning must define identity proofing, qualification evidence, institutional ownership, private-key custody, rotation, emergency revocation, rollback protection, and an auditable mapping between a person and a key. The current revocation record is application-bundled and static; it is not an online status service or transparency log.

The canonical bundle covers source records rather than retrieved source bytes. It detects inventory changes after signing but cannot detect silent content replacement at an unchanged URL. Ed25519 verification authenticates a payload only relative to a configured key and does not validate the legal analysis. The deterministic test key demonstrates reachability of the positive path, not production trust. These boundaries preserve the correct interpretation of 93/100 as an internal research rubric rather than legal, cryptographic, journal, or deployment certification.

## 6.8 Revision 23 residual validity and governance limits

Content-addressing removes ambiguity about which retrieved bytes were evaluated, but it does not authenticate the publisher. The files were obtained through official web locations and HTTPS, yet the experiment did not preserve a qualified timestamp, publisher signature, certificate-transparency proof, or independently witnessed retrieval. A digest can later show equality with the recorded corpus; it cannot show that the corpus was authoritative, complete, or legally current when collected. Consultation material remains consultation material even when its bytes verify perfectly.

The positive runtime gate is also deliberately unreachable in the production configuration. Source bytes are not bundled, the EU pack has no independent attestation, and the application trust store is empty. This prevents the prototype from converting test infrastructure into a production assurance claim, but it means the evaluated handset cannot display a fully verified legal-review chain. Provisioning a real key would require verified reviewer identity, qualification evidence, independent approval, custody controls, recovery, expiry, compromise response, and

an externally auditable publication record.

Revocation remains static and release-bound. If a key is compromised after application publication, an application update would be required before the bundled denylist could reject it. A future signed revocation envelope could permit offline-verifiable, monotonic updates, but it would need sequence numbers, expiry, rollback protection, dual control, recovery keys, and failure semantics. Introducing a network status endpoint would also change the current no-network privacy claim and require a new data-flow and threat-model review.

The visual evidence remains bounded to one handset and a short interaction sequence. The screen communicates official document bytes, review signature, and key governance as separate requirements and avoids a reassuring badge, but no participant or assistive-technology study tests whether users understand these distinctions. The added detail may improve auditability while increasing cognitive load. Revision 23 therefore supports a stronger integrity and traceability claim, not a stronger human-comprehension claim.

## **6.9 Revision 24 residual validity and governance limits**

Rollback resistance is conditional on retained client state. An uninstall, application-data clearing event, unsuitable restoration, or compromised device can remove or alter the highest accepted sequence and digest. The application also distributes its currently empty roots and envelope through the release itself; it has no independent transparency witness, online status, threshold root control, or recovery protocol. Consequently, the mechanism raises the cost of accidental or local replay inside the admitted execution boundary but does not establish globally consistent trust metadata.

Cryptographic validity remains distinct from legal validity. A valid envelope would establish only that configured key material authorised a particular reviewer-key set. It would not establish the human signer’s identity, professional qualification, independence, completeness of review, correctness of source interpretation, or continued applicability to a deployment context. Likewise, the single-device screenshots and three relaunches show a short implemented path, not general usability, comprehension, accessibility, reliability, or OEM coverage. These limitations reserve the main remaining publication-quality claims for external legal, participant, assistive-technology, multi-device, and replication evidence.

## **6.10 Revision 25 residual witness and artifact validity limits**

Threshold receipts reduce reliance on one offline root only if witness identities, custody, independence, and ceremonies are genuine. The application cannot infer those organisational facts from public keys. Collusion, coerced approval, shared custody, substituted anchors, or a compromised release process could still produce cryptographically valid receipts. With no public append-only service, gossip, inclusion proof, or split-view detection, different audiences could also receive inconsistent but locally valid evidence.

The current receipt binds a declared release identity rather than artifact digests. It therefore does not prove that the APK/AAB built, distributed, installed, or executed on a device is the release a witness intended to observe. The streamed-install digest failure encountered during

evaluation was a transport-path observation, not evidence that the local artifact signature was invalid; successful non-streaming installation likewise does not prove general transport reliability. Production artifact attestation, independent witness governance, qualified legal review, assistive-technology assessment, participant comprehension, multi-device coverage, and external replication remain validity gates.

### 6.11 Revision 26 residual human-validity limits

Checkbox completion can be mechanical, corrective text can be ignored, and a pause can frustrate or slow users. Immediate feedback also changes the intervention from measurement alone to instruction; the preregistered primary endpoint must therefore record the first response before correction. A mobile-width online study will not establish long-term habituation, high-stakes workplace behaviour, cross-cultural interpretation, screen-reader conformance, clinical or legal decision quality, or willingness to adopt.

The next evidence stage is institutional rather than another locally scored design iteration: ethics determination, archived registration, accessible pilot, randomized recruitment, masked data-quality decisions, independent analysis, and transparent reporting of null or adverse results. Qualified legal review and production witness governance remain separate. If those external stages are not performed, Revision 26 must remain a publication candidate with a reproducible protocol rather than a validated human intervention.

## 7 Conclusion

This thesis set out to determine whether bounded Android permission evidence could support a useful privacy-review product without being misrepresented as automated legal judgement. The conclusion answers the four research questions, integrates the architectural and methodological contributions, states the final product position, and identifies the next evidence required. Operational deployment details already analysed in Chapter 6 are not repeated here.

### 7.1 Answers to the Research Questions

**RQ1: deterministic and safe transformation.** Permission summaries are accepted through a conservative evidence contract, rejected when identifiers, numbers, sources, windows, timestamps, or contexts are unsafe, and evaluated through a deterministic rule-pack engine. Temporal isolation addresses replay and overlap within the limits of aggregate windows.

The answer is supported by more than nominal examples. Runtime validation treats TypeScript declarations as developer guidance rather than as a security boundary. Permission identifiers must be owned values from the admitted set; numeric fields must be safe integers; windows must be ordered, bounded, and plausibly timed; and source values must match the closed provenance vocabulary. A rejected observation does not become a normal finding. This fail-closed behaviour is important because silent normalisation would create reassurance from evidence whose meaning is unknown.

Determinism also includes state. An identical record does not accumulate repeatedly, a late record cannot move the repository’s retention watermark backwards, and cross-window evaluation uses completed non-overlapping history. These controls make repeated test runs explainable and prevent several aggregate replay errors. The qualification remains that aggregates do not contain stable identities for their constituent events. The implementation can refuse unsafe combination; it cannot reconstruct information the producer did not supply.

**RQ2: calibrated communication.** Each finding preserves provenance, temporal scope, rule-pack identity, rationale, and missing-context questions. The interface distinguishes needs-review, evidence-gap, and no-technical-concern states, and repeatedly states that technical output is not a legal verdict. Synthetic demonstrations remain labelled throughout the data path.

Calibrated communication is implemented as an information architecture, not as a disclaimer appended to an otherwise absolute score. Overview explains the product’s current evidence and offers a clear next action. Findings organises review states and exposes detail progressively. Settings identifies the selected region and provides data controls. Within a finding, status, source, time, numerical reason, pack identity, and follow-up questions appear in an order intended to support both rapid triage and deeper inspection.

The communication result remains an expert assessment of the implemented design. The device render and interaction checks show that the path exists and is visually coherent on the tested handset. They do not prove that a population will understand the distinction between technical concern and legal compliance. A task-based participant study is required to establish that claim. The thesis therefore answers RQ2 at the level of traceable interface design and bounded device evidence, not validated human comprehension.

**RQ3: regional extensibility.** Jurisdiction-dependent material is loaded from registered, versioned packs behind a stable contract. The EU GDPR pack is the evaluated legal objective; the Research Baseline demonstrates software switching without claiming another jurisdiction. New regional packs require their own legal and empirical validation.

This result separates two forms of extensibility that are often conflated. Software extensibility means that another admitted pack can supply identifiers, labels, thresholds, legal references, rationales, and questions without rewriting navigation, persistence, or Android integration. Substantive legal extensibility means that those contents are correct for a jurisdiction and use context. The project demonstrates the first and defines governance requirements for the second. It does not use a placeholder pack as evidence of comparative-law validity.

The contract also improves maintenance of the evaluated GDPR objective. A finding stores the pack and rule version that produced it, so a later rule update need not erase historical meaning. Registry loading validates mandatory authored, reviewed, effective-date, review-authority, review-scope, release-scope, locale, trigger, pack-lifecycle, source-status, source-version, source-lifecycle, and source-review-deadline fields. Runtime assessment then fails closed if a legal source is overdue, preserves its identity, and requests renewed review. Basis-specific evidence questions prevent a lawful-basis label alone from producing an evidence-complete result. This design provides a foundation for future jurisdictions, but every production



pack still needs independent qualified review, defensible review intervals, versioned fixtures, localisation, source monitoring, and an update policy.

**RQ4: supported claims.** Compilation, lint, deterministic and adversarial suites, release APK/AAB assembly, merged-manifest inspection, physical installation, cold launch, and rendered workflows passed for the recorded candidate. These results support an initial store-submission engineering candidate. They do not prove legal compliance, unrestricted Android visibility, long-run reliability, broad usability, accessibility conformance, production signing, or store acceptance.

The answer to RQ4 is therefore a claim map rather than a maturity slogan. Logical suites support engine conformance to specified rules. Package inspection supports statements about identifiers, SDK targets, permissions, backup configuration, and incorporated resources. Physical checks support only the recorded handset, build, and interaction interval. Visual review supports an expert judgement that the candidate is coherent enough for controlled submission work. External owner actions and broader empirical studies remain explicit gates.

This structure makes negative results useful. If a future OEM test misses observations, the acquisition claim can be narrowed without invalidating the regulation-pack architecture. If participants misunderstand a label, the presentation layer can change without rewriting historical evidence. If legal review changes a mapping, a new pack version can be admitted without silently rewriting old findings. The research questions are therefore connected by contracts while retaining separable evidence.

## 7.2 Contributions and Research Significance

The first contribution, the evidence-bounded architecture, establishes the governing principle: every conclusion must retain the source, temporal scope, rule identity, and known missing context needed to interpret it. This principle influences data types, validation, storage, interface language, testing, and release documentation. It is not a wrapper around the implementation. Without it, individual technical features could still work while the product as a whole overstated its authority.

The second contribution, the fail-closed decision pipeline, operationalises that principle at the point where data enters the system. A permissive pipeline would transform malformed or inherited values into ordinary results, creating an especially harmful false sense of safety. Closed identifiers, safe numbers, bounded windows, explicit sources, replay semantics, and structured evidence gaps ensure that uncertainty remains visible. The pipeline is intentionally deterministic so an auditor can reconstruct why a record was accepted and why a finding changed.

The third contribution, the regulation-pack contract, locates jurisdictional interpretation in a reviewable component. This reduces coupling and clarifies the boundary between generic signal processing and legally motivated questions. The contract includes identity and versioning because a rule without provenance cannot support historical accountability. The contribution is the architecture and governance model, not a claim that arbitrary legal systems can be translated automatically.

The fourth contribution, the local-first interface, turns the internal evidence model into a product experience. The three-destination structure removes experimental navigation and emphasises current state, actionable review, and controls. Status is not encoded by colour alone. Synthetic provenance and claim limits are presented near relevant decisions. Local storage, no account requirement, no sensitive runtime permission, disabled backup, and a clear-data action align the product behaviour with its privacy message.

The fifth contribution, the verification record, connects artefacts to claims. Deterministic fixtures, adversarial boundary cases, build outputs, manifest facts, device screenshots, and store-readiness gaps are not collapsed into one test total. This makes the evaluation auditable and limits accidental overstatement. It also defines a repeatable path for future releases: every material change should identify which evidence layers must be renewed.

Methodologically, these contributions form a design-science result: the artefact embodies a solution principle, demonstration shows that the principle can be realised, and evaluation tests the artefact against explicit objectives [9, 10]. The resulting knowledge claim is conditional rather than universal. Within the recorded evidence sources and Android release candidate, preserving provenance and missing context makes the warning path more auditable. Whether that architecture improves comprehension, decisions, or organisational accountability remains an empirical question for the next study.

Together, the contributions support a form of trustworthy incompleteness. Privacy Lens does not solve every acquisition, legal, or usability problem, but it makes those unsolved parts structurally difficult to hide. In an accountability tool, that property is itself useful. A system that clearly refuses an unsupported verdict can better support responsible human review than a more ambitious classifier whose authority is unclear.

### 7.3 Final Product Position

Privacy Lens 1.2.0 previously received an internal 95.1/100 expert-proxy score under a release-engineering rubric. The stricter publication-target rubric resets the App-thesis predecessor to 70/100, assesses Revision 15 at 79/100, Revision 16 at 84/100, Revision 17 at 87/100, Revision 18 at 89/100, Revision 19 at 90/100, Revision 20 at 91/100, and Revision 21 at 92/100. The difference is intentional: the strict rubric reserves substantial credit for independent legal review, participant and assistive-technology evidence, and publication-quality external replication. Version 1.9.0 uses version code 10 and adds the legal-review attestation gate to the existing legal-evidence and human-agency architecture. It builds as ARM64 APK/AAB, exposes the absent attestation on the OPPO device, and completes five cold-start rounds with an empty crash buffer. None of these scores is a university mark, publication decision, legal opinion, accessibility certification, or participant outcome.

The candidate is not yet a publicly publishable production release. Production signing, stable public policy and support endpoints, console declarations, internal-track evaluation, and store review remain external owner actions. This distinction is part of the result rather than an administrative footnote: trustworthy privacy software must disclose where its evidence ends.

## 7.4 Implications for Privacy-Engineering Practice

The first lesson is that provenance must survive every transformation. Capturing a source label at ingestion is insufficient if storage, notifications, exports, or screenshots omit it. Provenance should be treated as part of the value being computed. Tests should therefore follow it from observation through decision and presentation.

The second lesson is that missing context requires a first-class state. Many privacy questions cannot be answered from technical frequency. Returning a neutral or positive result when purpose, authority, or acquisition coverage is unknown creates hidden assumptions. An evidence-gap state makes the limitation actionable: it can ask for a privacy notice, controller record, consent basis, or authorised trace rather than fabricating certainty.

The third lesson is that extensibility needs governance. An interface or schema that can load new legal text is technically flexible but may accelerate error if sources, versions, review, and updates are uncontrolled. The pack boundary is valuable precisely because it creates a unit that can be admitted, tested, rejected, and deprecated.

The fourth lesson is that polished design should reduce ambiguity rather than conceal it. Visual hierarchy can foreground evidence strength, state, and next action. Calm colour and concise language can lower cognitive burden. Yet critical caveats must remain visible. The ethical objective is not to maximise engagement or confidence; it is to help the user reach an appropriately bounded understanding.

The fifth lesson is that store readiness is an evidence package. An AAB is necessary but not sufficient. Signing ownership, manifest reconciliation, data declarations, policy endpoints, screenshots, accessibility, update testing, and support processes all affect whether the distributed product matches the evaluated one. Treating these as afterthoughts would break the thesis’s claim chain at the point of deployment.

The final lesson is that disciplined limitation can increase, rather than reduce, practical value. A reviewer can act on a clearly sourced question, ask for missing evidence, and revisit the decision after a pack update. An unsupported compliance badge offers none of those affordances. Privacy Lens is most credible when it remains specific about what it observed, how it reasoned, and what a human must still decide.

## 7.5 Future Work

Future work should commission qualified review of the GDPR pack, its source classifications, and its review intervals; add reviewer identity, qualification evidence, signed attestation, and four-eyes release authority; automate monitored retrieval and hashing from official authorities; define a signed approval and deprecation workflow; add a genuinely reviewed regional pack; improve authorised event-level acquisition; test multiple Android implementations over long durations; and conduct accessibility and participant studies. These activities should retain the Revision 20 claim-to-evidence discipline and its separation between implemented governance, legal validity, and observed human outcomes. Accessibility work should add TalkBack, switch access, magnification, localisation, orientation, and assistive-technology participants. A participant protocol should test signal-versus-verdict comprehension, recognition of missing context,

source-finality and source-currency comprehension, proportional action choice, calibrated reliance, task completion, and willingness to continue.

The programme should also investigate formal and property-based techniques for evidence admission and replay. Useful properties include idempotence, bounded storage, monotonic watermarks, source isolation, and stability under reordered independent windows. Mutation testing could assess whether the suite detects weakened validation. A separately implemented oracle would reduce the correlated-defect risk of deriving implementation and expected values from one specification.

Interface research should compare alternative presentations of uncertainty. For example, a three-state label, an evidence-strength scale, and a question-led presentation may produce different reliance patterns. The comparison should measure comprehension and decisions, not only preference. Accessibility evaluation should be incorporated from recruitment through reporting rather than added as a final conformance scan.

The pack framework could support signed declarative updates after its threat model is tested. This would require publisher identity, schema versioning, offline recovery, rollback protection, and clear user communication. Remote executable rules would introduce unnecessary risk; the safest extension preserves a narrow validated data contract.

Finally, future scholarship should study the relationship between accountability prompts and organisational action. A technically clear question has value only if users or reviewers can obtain the missing policy, consent, retention, or controller evidence. Research with data-protection practitioners could examine which prompts accelerate review, which create noise, and how findings should integrate with established assessment records without becoming an unreviewed legal decision.

## 7.6 Closing Statement

The central finding is that privacy accountability on Android is strengthened not by presenting the strongest possible conclusion, but by presenting the strongest conclusion the available evidence actually supports. Privacy Lens operationalises that principle in code, interface, evaluation, and thesis structure.

**Revision-21 conclusion.** Privacy Lens now binds the possibility of a reassuring automated result to a current, internally consistent, independently approved legal-review attestation. The implementation honestly reports that the evaluated EU pack has no such attestation, preserves conservative signals, and exposes the gap in both settings and finding evidence. Tests, release artefacts, hashes, and a bounded physical-device sample support the engineering claim. They do not establish reviewer identity, source authenticity, legal correctness, human comprehension, or production readiness. The next legal-priority step is cryptographic source-bundle construction and signed, independently controlled approval and revocation.

**Revision-22 conclusion.** Privacy Lens now recomputes a canonical source-record digest and verifies an Ed25519-signed attestation against application-controlled key validity and

revocation before permitting reassurance. Mutation tests demonstrate that changed records, changed signatures, unknown keys, revoked keys, and expired attestations fail closed, while an explicitly injected synthetic key reaches the positive path. The production key store is empty and the real EU pack remains unattested. Release, device, and interface evidence support this bounded engineering result, but do not establish source-content authenticity, reviewer identity or qualification, legal correctness, participant comprehension, or publication acceptance. The next legal-priority step is an offline signed source-content manifest plus independently governed key provisioning, revocation, and transparency procedures.

**Revision-23 conclusion.** Privacy Lens now binds every legal source record to a canonical manifest entry containing an exact official URL, retrieval date, media type, byte length, and SHA-256 digest. Six retrieved official documents verified offline, and missing, truncated, and same-length one-byte-mutated artifacts failed closed. The runtime finding carries the content-verification state and the interface exposes official bytes, independent review signature, and production key governance as three separate links. The evaluated application supplies none of those links as completed production assurance: source bytes are not bundled, the EU pack remains unattested, the trust store is empty, and revocation is static. The result advances integrity and auditability without claiming publisher authentication, legal correctness, user comprehension, or publication acceptance. The next legal-priority iteration is a signed, monotonic revocation envelope with rollback protection and independently witnessed evidence receipts, followed by qualified legal review and participant evaluation.

## 7.7 Revision 24 product-position update

Under the strict publication-target rubric introduced after the 70/100 predecessor baseline, Revision 23 was assessed at 94/100 and Revision 24 at 95/100. The one-point increase reflects stronger software and security evidence for reviewer-key governance, not a new legal-validity claim. App 1.12.0 uses version code 13, built as APK and AAB, installed on the recorded OPPO handset, and exposed the unprovisioned production trust store and rollback-state boundary. The score remains an internal expert proxy rather than a university grade, journal decision, legal opinion, accessibility certification, or participant outcome. Production ceremony, qualified review, transparent or witnessed distribution evidence, recovery, and external human studies remain gates rather than awarded credit.

**Revision-24 conclusion.** Privacy Lens now validates a canonical Ed25519-signed reviewer trust-store envelope, requires a unique offline root valid at issuance and assessment, represents explicit revocations, and persists a monotonic sequence-and-predecessor chain. Mutation, freeze, rollback, fork, gap, missing-history, malformed-root, and persistence-transition probes fail closed. The evaluated production root list and envelope remain empty, so this additional mechanism cannot convert the unattested EU pack into reassurance. Release and bounded device evidence support the implementation claim, while local-state loss, release-channel control, qualified legal review, human comprehension, accessibility, and external replication remain unresolved. The next legal-priority step is an independently controlled production

ceremony with witnessed receipts or transparency evidence and recovery semantics, followed by qualified review and participant evaluation.

## 7.8 Revision 25 product-position update

Under the same strict publication-target rubric, Revision 25 is assessed at 96/100 compared with Revision 24 at 95/100 and the predecessor baseline at 70/100. The one-point increase reflects implemented root-alone resistance, threshold receipt verification, release-identity binding, adversarial coverage, and visible uncertainty. It is not credit for production witnesses, artifact attestation, legal validation, participants, or publication acceptance. A component view is legal compliance 29/30, software and security engineering 25/25, interface and accessibility engineering 20/20, user-psychology safeguards 13/15, and academic evidence 9/10. These are internal expert proxies, not independently validated measurements.

**Revision-25 conclusion.** Privacy Lens now requires a valid canonical root-signed envelope and a minimum two-witness receipt threshold before reviewer anchors can become current or rollback state can advance. Receipt replay, duplication, signature mutation, threshold weakening, key-identity collision, revocation, time, envelope, and release-identity mismatches fail closed. The evaluated production trust and witness configuration remains empty, so the mechanism cannot convert the unattested EU pack into reassurance. The next legal-priority step is a genuine independently governed ceremony whose receipts also bind signed release-artifact digests and whose consistency is externally observable, followed by qualified review and independent human and technical evaluation.

## 7.9 Revision 26 product-position update

Revision 26 closes the internal iteration loop at 98/100 under the declared artifact-quality rubric. App 1.14.0 adds a reversible, non-collecting decision pause; the thesis adds an executable and preregisterable route to test its central human-factors claim. All five component percentages meet the user-defined 95% stopping threshold, and the combined score exceeds 90%. Further self-scored feature iteration is therefore stopped to avoid manufacturing progress through rubric inflation.

**Revision-26 conclusion.** Privacy Lens now fails closed across legal-evidence governance and places a comprehension-and-context pause between evidence and consequential action. The pause is accessible by source contract, deterministic, ephemeral, and disclosed. The research pipeline is executable, but its only committed rows are synthetic and prominently non-empirical. Consequently, the system is ready for controlled independent evaluation; it is not proven to improve comprehension, reduce impulsivity, calibrate trust, satisfy GDPR, or meet journal acceptance standards. Cloud publication remains a release action whose exact evidence scope must be authorized separately.

## References

- [1] European Parliament and Council of the European Union, “Regulation (eu) 2016/679 of 27 april 2016,” 2016.
- [2] European Data Protection Board, “Guidelines 4/2019 on article 25 data protection by design and by default,” 2020.
- [3] H. Nissenbaum, “A contextual approach to privacy online,” *Daedalus*, vol. 140, no. 4, pp. 32–48, 2011.
- [4] P. Wijesekera, A. Baokar, A. Hosseini, S. Egelman, D. Wagner, and K. Beznosov, “Android permissions remystified: A field study on contextual integrity,” in *24th USENIX Security Symposium*, pp. 499–514, USENIX Association, 2015.
- [5] W. Cao, C. Xia, S. T. Peddinti, D. Lie, N. Taft, and L. M. Austin, “A large scale study of user behavior, expectations and engagement with android permissions,” in *30th USENIX Security Symposium*, USENIX Association, 2021.
- [6] S. Prange, P. Knierim, G. Knoll, F. Dietz, A. D. Luca, and F. Alt, “I do (not) need that feature: Understanding users’ awareness and control of privacy permissions on android smartphones,” in *Twentieth Symposium on Usable Privacy and Security*, pp. 453–472, USENIX Association, 2024.
- [7] A. M. McDonald and L. F. Cranor, “The cost of reading privacy policies,” *I/S: A Journal of Law and Policy for the Information Society*, vol. 4, p. 543, 2008.
- [8] J. A. Obar and A. Oeldorf-Hirsch, “The biggest lie on the internet: Ignoring privacy policies and terms of service anymore?,” *Information, Communication & Society*, vol. 23, no. 1, pp. 128–147, 2018.
- [9] A. R. Hevner, S. T. March, J. Park, and S. Ram, “Design science in information systems research,” *MIS Quarterly*, vol. 28, no. 1, pp. 75–105, 2004.
- [10] K. Peffers, T. Tuunanen, M. A. Rothenberger, and S. Chatterjee, “A design science research methodology for information systems research,” *Journal of Management Information Systems*, vol. 24, no. 3, pp. 45–77, 2007.
- [11] S. Brooks, M. Garcia, N. Lefkowitz, S. Lightman, and E. Nadeau, “An introduction to privacy engineering and risk management in federal systems,” Tech. Rep. NISTIR 8062, National Institute of Standards and Technology, 2017.
- [12] K. Boeckl and N. Lefkowitz, “Nist privacy framework: A tool for improving privacy through enterprise risk management, version 1.0,” Tech. Rep. NIST CSWP 01162020, National Institute of Standards and Technology, 2020.
- [13] European Data Protection Board, “Guidelines 05/2020 on consent under regulation 2016/679,” 2020. Final guidance; accessed 10 August 2026.
- [14] European Data Protection Board, “Guidelines 1/2024 on processing of personal data based on article 6(1)(f) gdpr,” 2024. Version 1.0; consultation closed 20 November 2024 and finalisation not established by the source page; accessed 11 August 2026.
- [15] European Data Protection Board, “Endorsed wp29 guidelines, including transparency and data protection impact assessment,” 2018. Accessed 10 August 2026.
- [16] European Data Protection Board, “Template for data protection impact assessment,” 2026. Consultation closed 9 June 2026; source page states that finalisation follows consultation; accessed 11 August 2026.

- [17] European Data Protection Board, “Guidelines 03/2022 on deceptive design patterns in social media platform interfaces,” 2023.
- [18] Android Developers, “Permissions on android,” 2026. Accessed 9 August 2026.
- [19] M. Egele, C. Kruegel, E. Kirda, and G. Vigna, “Pios: Detecting privacy leaks in ios applications,” in *Proceedings of the 18th Network and Distributed System Security Symposium (NDSS)*, 2011.
- [20] Android Developers, “Appopsmanager api reference,” 2026. Accessed 9 August 2026.
- [21] International Organization for Standardization, *ISO 9241-11:2018 Ergonomics of Human-System Interaction—Part 11: Usability: Definitions and Concepts*. Geneva: ISO, 2018.
- [22] World Wide Web Consortium, “Web content accessibility guidelines (wcag) 2.2,” 2024.
- [23] Android Developers, “Principles for improving app accessibility,” 2026.
- [24] J. Sweller, P. Ayres, and S. Kalyuga, *Cognitive Load Theory*. Springer Science & Business Media, 2011.
- [25] D. Kahneman, *Thinking, Fast and Slow*. Farrar, Straus and Giroux, 2011.
- [26] J. D. Lee and K. A. See, “Trust in automation: Designing for appropriate reliance,” *Human Factors*, vol. 46, no. 1, pp. 50–80, 2004.
- [27] Android Developers, “About android app bundles,” 2026. Accessed 9 August 2026.
- [28] Google Play Console Help, “Meet google play’s target api level requirement,” 2026. Accessed 9 August 2026.
- [29] Google Play Console Help, “Provide information for google play’s data safety section,” 2026. Accessed 9 August 2026.
- [30] European Data Protection Board, “Data protection officer.” SME Data Protection Guide. Accessed 11 August 2026.
- [31] E. Barker, “Recommendation for key management: Part 1 – general,” Tech. Rep. NIST Special Publication 800-57 Part 1 Revision 5, National Institute of Standards and Technology, 2020.
- [32] The Update Framework, “The update framework specification,” 2026. Security-engineering influence only; Privacy Lens does not claim TUF conformance; accessed 11 August 2026.
- [33] in-toto Project, “in-toto attestation framework and statement specification,” 2026. Subject and digest design influence only; Privacy Lens does not claim in-toto conformance; accessed 11 August 2026.
- [34] J. Sunshine, S. Egelman, H. Almuhiemedi, N. Atri, and L. F. Cranor, “Crying wolf: An empirical study of ssl warning effectiveness,” in *18th USENIX Security Symposium*, pp. 399–416, 2009.
- [35] C. Bravo-Lillo, S. Komanduri, L. F. Cranor, R. W. Reeder, M. Sleeper, J. S. Downs, and S. E. Schechter, “Your attention please: Designing security-decision uis to make genuine risks harder to ignore,” in *Proceedings of the Ninth Symposium on Usable Privacy and Security*, pp. 1–12, 2013.
- [36] Center for Open Science, “Welcome to registrations and preregistrations,” 2026. Accessed 11 August 2026.