Wormy Game

https://github.com/zhihongzeng2002/pythongame


Game Begin




In the middle of game

Rules:

- 1. Eat the apple
- 2. Don't hit the wall
- 3. Don't hit worm body



Game over




Game Time: 10 minutes

https://github.com/zhihongzeng2002/pythongame

Winner: the highest score

Project 1: Training mode



Code: setup

```
import random, pygame, sys
from pygame.locals import *
FPS = 5
WINDOWWIDTH = 640
WINDOWHEIGHT = 480
CELLSIZE = 20
CELLWIDTH = int(WINDOWWIDTH / CELLSIZE)
CELLHEIGHT = int(WINDOWHEIGHT / CELLSIZE)
BGCOLOR = (0, 0, 0)
GREEN = (0, 255, 0)
DARKGREEN = (0, 155, 0)
DARKGRAY = (40, 40, 40)
UP = 'up'
DOWN = 'down'
LEFT = 'left'
RIGHT = 'right'
HEAD = 0 # index of the worm's head
```


Main function

```
def main():
    global FPSCLOCK, DISPLAYSURF, BASICFONT
    pygame.init()
    FPSCLOCK = pygame.time.Clock()
    DISPLAYSURF = pygame.display.set mode((WINDOWWIDTH, WINDOWHEIGHT))
    pygame.display.set caption('Wormy exercise')
    runGame()
```

Data structure of worm

```
def runGame():
    startx = random.randint(7, CELLWIDTH - 6)
    starty = random.randint(7, CELLHEIGHT - 6)
    wormCoords = [[startx, starty], [startx-1, starty],
        [startx-2, starty], [startx-3, starty], [startx-4, starty]]
    HEAD = 0
    direction = RIGHT
```

0



Main Loop: Event check

```
while True: # main game loop
    for event in pygame.event.get():
        if event.type == QUIT:
            terminate()
        elif event.type == KEYDOWN:
            if event.key == K LEFT and direction != RIGHT:
                direction = LEFT
            elif event.key == K RIGHT and direction != LEFT:
                direction = RIGHT
            elif event.key == K_UP and direction != DOWN:
                direction = UP
            elif event.key == K DOWN and direction != UP:
                direction = DOWN
            else:
                break
```

Worm movement

```
if direction == UP:
   newHead = [wormCoords[HEAD][0], wormCoords[HEAD][1]-1]
elif direction == DOWN:
   newHead = [wormCoords[HEAD][0], wormCoords[HEAD][1]+1]
elif direction == LEFT:
   newHead = [wormCoords[HEAD][0]-1, wormCoords[HEAD][1]]
elif direction == RIGHT:
   newHead = [wormCoords[HEAD][0]+1, wormCoords[HEAD][1]]
if newHead[0] >= 0 and newHead[0] < CELLWIDTH and \
        newHead[1] >= 0 and newHead[1] < CELLHEIGHT:
   wormCoords.insert(0, newHead)
   del wormCoords[-1]
```



4 3 2 1 0 nev	٧
---------------	---

Main Loop: rendering

```
DISPLAYSURF.fill(BGCOLOR)
drawGrid()
drawWorm(wormCoords)
pygame.display.update()
FPSCLOCK.tick(FPS)
```

```
for coord in wormCoords:
   x = coord[0] * CELLSIZE
   y = coord[1] * CELLSIZE
   wormSegmentRect = pygame.Rect(x, y, CELLSIZE, CELLSIZE)
    pygame.draw.rect(DISPLAYSURF, DARKGREEN, wormSegmentRect)
    wormInnerSegmentRect = pygame.Rect(x + 4, y + 4, CELLSIZE - 8, CELLSIZE - 8)
    pygame.draw.rect(DISPLAYSURF, GREEN, wormInnerSegmentRect)
                     Wormy exercise
```

def drawWorm(wormCoords):

```
def drawGrid():
    for x in range(0, WINDOWWIDTH, CELLSIZE): # draw vertical lines
        pygame.draw.line(DISPLAYSURF, DARKGRAY, (x, 0), (x, WINDOWHEIGHT))
    for y in range(0, WINDOWHEIGHT, CELLSIZE): # draw horizontal lines
        pygame.draw.line(DISPLAYSURF, DARKGRAY, (0, y), (WINDOWWIDTH, y))
```

