

# Intelligent Software Engineering

## Introduction to Artificial Intelligence

Zhilei Ren



Dalian University of Technology

September 30, 2025



# Outline

- 1 Dependency Management
  - Package Managers
  - Dependency Visualization
  - Dependency Resolution
  - Dependency Graphs in Practice
  - Best Practices
  - Conclusion
- 2 Introduction
- 3 Intelligent Methods Overview
- 4 Large Language Models (LLMs)
- 5 Search-Based Software Engineering
- 6 Constraint-Based Methods
- 7 Natural Language Processing
- 8 Hybrid Approaches
- 9 Application Domains
- 10 Comparative Analysis
- 11 Tools and Frameworks



# What is Dependency Management?

Dependency management is the process of **managing external libraries, packages, and modules** that your software project relies on to function properly.

## Key aspects:

- Identifying required dependencies
- Specifying version constraints
- Resolving conflicts between dependencies
- Ensuring reproducible builds
- Managing transitive dependencies

## Importance

Poor dependency management can lead to **build failures, security vulnerabilities, and maintenance nightmares.**

# Outline

- 1 Dependency Management
  - Package Managers
  - Dependency Visualization
  - Dependency Resolution
  - Dependency Graphs in Practice
  - Best Practices
  - Conclusion
- 2 Introduction
- 3 Intelligent Methods Overview
- 4 Large Language Models (LLMs)
- 5 Search-Based Software Engineering
- 6 Constraint-Based Methods
- 7 Natural Language Processing
- 8 Hybrid Approaches
- 9 Application Domains
- 10 Comparative Analysis
- 11 Tools and Frameworks



# Package Managers Overview

Package managers automate the process of **installing, upgrading, configuring, and removing software packages**.

## Common package managers by ecosystem:

- **System:** apt, yum, pacman, Homebrew
- **Python:** pip, conda, Poetry
- **JavaScript:** npm, yarn, pnpm
- **Java:** Maven, Gradle
- **Ruby:** gem, Bundler
- **Rust:** Cargo

Each maintains a **central repository** of packages with versioning and dependency information.



# APT - Advanced Package Tool

APT is the package management system used by **Debian and Ubuntu-based Linux distributions**.

## Key commands:

- `apt update`: Refresh package lists
- `apt install <package>`: Install a package
- `apt remove <package>`: Remove a package
- `apt upgrade`: Upgrade all packages
- `apt-cache depends <package>`: Show dependencies

APT uses **Debian packages (.deb)** with metadata describing dependencies, conflicts, and recommendations.



# Outline

- 1 Dependency Management
  - Package Managers
  - **Dependency Visualization**
  - Dependency Resolution
  - Dependency Graphs in Practice
  - Best Practices
  - Conclusion
- 2 Introduction
- 3 Intelligent Methods Overview
- 4 Large Language Models (LLMs)
- 5 Search-Based Software Engineering
- 6 Constraint-Based Methods
- 7 Natural Language Processing
- 8 Hybrid Approaches
- 9 Application Domains
- 10 Comparative Analysis
- 11 Tools and Frameworks



# Visualizing Dependencies with Debtree


Debtrees is a tool that **generates dependency graphs** for Debian packages, helping understand complex dependency relationships.

## Basic usage:

```
debtrees package-name | dot -Tpng > deps.png
```

## Benefits of visualization:

- Identify **circular dependencies**
- Understand **transitive dependency chains**
- Spot **unnecessary or redundant dependencies**
- Analyze **impact of package updates**





# Dependency for nano

```

digraph "nano" {
  rankdir=LR;
  node [shape=box];
  "nano" -> "libncursesw6" [color=blue,label="(>= 6)"];
  "libncursesw6" -> "libtinfo6" [color=blue,label="( = 6.4+20240113-1ubuntu2) "];
  "libncursesw6" -> "libgpm2";
  "nano" -> "libtinfo6" [color=blue,label="(>= 6)"];
  "nano" -> "pico" [color=red];
  "nano" [style="setlinewidth(2)"];
  "pico" [style=filled,fillcolor=oldlace];
}

```




Figure 2: debtree nano | dot -T pdf > nano.pdf



# Dependency for vim




Figure 3: `debtrees vim | dot -T pdf > vim.pdf`



# Outline

- 1 Dependency Management
  - Package Managers
  - Dependency Visualization
  - **Dependency Resolution**
  - Dependency Graphs in Practice
  - Best Practices
  - Conclusion
- 2 Introduction
- 3 Intelligent Methods Overview
- 4 Large Language Models (LLMs)
- 5 Search-Based Software Engineering
- 6 Constraint-Based Methods
- 7 Natural Language Processing
- 8 Hybrid Approaches
- 9 Application Domains
- 10 Comparative Analysis
- 11 Tools and Frameworks



# Dependency Resolution Challenges

Dependency resolution is a **complex constraint satisfaction problem** that involves:

## Common challenges:

- **Version conflicts:** Incompatible version requirements
- **Diamond dependency problem:** Multiple paths to same package
- **Circular dependencies:** A depends on B depends on A
- **Platform-specific dependencies:** Different requirements per OS
- **Optional dependencies:** Features that may or may not be needed

Modern package managers use **SAT/SMT/ILP solvers** to efficiently resolve these constraints.



# Introduction to Z3 Theorem Prover

Z3 is a **high-performance theorem prover** developed by Microsoft Research. It's used for:

- **Constraint solving** and satisfiability checking
- **Software verification** and program analysis
- **Dependency resolution** and configuration management
- **Symbolic execution** and test case generation

## Key features:

- Supports **multiple theories** (arithmetic, arrays, bit-vectors, etc.)
- Provides **Python, C++, Java, and .NET APIs**
- Used in production by Microsoft, Amazon, NASA, and others
- Can solve **complex logical constraints** efficiently



# Classic Example: Chicken-Rabbit Problem

## Problem Statement

- 今有雉兔同笼，上有三十五头，下有九十四足，问雉兔各几何？
- There are chickens and rabbits in the same cage. The total number of heads is 35, and the total number of feet is 94. How many chickens and rabbits are there?
- From 孙子算经 (Sunzi Suanjing, around the 3rd-5th century AD)

## Mathematical formulation:

- Let  $c$  = number of chickens,  $r$  = number of rabbits
- Constraints:  $c + r = 35$  (heads) and  $2c + 4r = 94$  (feet)
- Domain:  $c \geq 0$ ,  $r \geq 0$ , integers



# Classic Example: Chicken-Rabbit Problem

## Imperative Problem Solving

- 上置三十五头，下置九十四足。半其足，得四十七。以少减多。
- Place 35 heads above and 94 feet below. Take half of the feet, which is 47. Then subtract the smaller number from the larger one.

```
num_heads = 35
num_feet = 94
num_feet_half = num_feet // 2
num_rabbits = num_feet_half - num_heads
num_chicken = num_heads - num_rabbits
```



# Solving Chicken-Rabbit Problem with Z3

```
import z3
chicken, rabbits = z3.Ints('chicken rabbits')
z3.solve(chicken >= 1,    # number of chicken
         rabbits >= 1,    # number of rabbits
         chicken + rabbits == 35,
         chicken * 2 + rabbits * 4 == 94)
```





# Z3 Solution and Historical Context

## Connection to dependency resolution:

- Similar to resolving **version constraints** and **conflicts**
- Demonstrates how Z3 handles **integer constraints** and **equations**
- Shows the **pattern** for encoding real-world problems as constraints

This ancient problem illustrates the **fundamental principles** that modern SAT solvers like Z3 use for dependency resolution.



# Encoding Dependencies to Z3

Z3 can solve **complex dependency constraints** using similar techniques:

```
from z3 import *
```

```
def resolve_dependencies():  
    # Package versions as integers  
    pkg_a = Int('pkg_a') # Version of package A  
    pkg_b = Int('pkg_b') # Version of package B  
    pkg_c = Int('pkg_c') # Version of package C  
  
    s = Solver()  
  
    # Available versions  
    s.add(Or(pkg_a == 1, pkg_a == 2))  
    s.add(Or(pkg_b == 1, pkg_b == 2))
```



# Advanced Z3 Dependency Encoding

More realistic dependency constraints can be encoded using **complex constraints and optimization**:

```
# Optimization: find newest versions that satisfy constraints
def optimize_versions():
    pkg_a, pkg_b, pkg_c = Ints('pkg_a pkg_b pkg_c')

    opt = Optimize()  # Use optimizer instead of simplifier

    # Basic constraints (same as before)
    opt.add(Or(pkg_a == 1, pkg_a == 2, pkg_a == 3))
    opt.add(Or(pkg_b == 1, pkg_b == 2))
    opt.add(Or(pkg_c == 1, pkg_c == 2))
    opt.add(If(pkg_a >= 2, pkg_b >= 2, True))

    # Optimization objective: maximize total version
```



# Outline

- 1 **Dependency Management**
  - Package Managers
  - Dependency Visualization
  - Dependency Resolution
  - **Dependency Graphs in Practice**
  - Best Practices
  - Conclusion
- 2 Introduction
- 3 Intelligent Methods Overview
- 4 Large Language Models (LLMs)
- 5 Search-Based Software Engineering
- 6 Constraint-Based Methods
- 7 Natural Language Processing
- 8 Hybrid Approaches
- 9 Application Domains
- 10 Comparative Analysis
- 11 Tools and Frameworks




# Real-World Dependency Complexity

Modern software projects often have **complex dependency graphs** with hundreds or thousands of packages.

## Statistics from large projects:

- Average npm package: 75+ dependencies
- Typical web application: 1000+ transitive dependencies
- Linux distribution: 50,000+ packages with complex inter-dependencies

NPM DELIVERY



# Dependency Vulnerabilities

Dependencies can introduce **security vulnerabilities** that affect your application.

## Common issues:

- Using outdated packages with known vulnerabilities
- Transitive dependencies with security issues
- Malicious packages in public repositories
- License compliance violations



# Outline

- 1 Dependency Management
  - Package Managers
  - Dependency Visualization
  - Dependency Resolution
  - Dependency Graphs in Practice
  - **Best Practices**
  - Conclusion
- 2 Introduction
- 3 Intelligent Methods Overview
- 4 Large Language Models (LLMs)
- 5 Search-Based Software Engineering
- 6 Constraint-Based Methods
- 7 Natural Language Processing
- 8 Hybrid Approaches
- 9 Application Domains
- 10 Comparative Analysis
- 11 Tools and Frameworks



# Dependency Management Best Practices

## Version specification:

- Use **semantic versioning** (SemVer)
- Prefer **pinned versions** in production
- Implement **version ranges** carefully
- Maintain **lock files** for reproducibility

## Development workflow:

- **CI/CD integration** for dependency checks
- **Peer review** for new dependencies
- **Documentation** of dependency choices





# Modern Tools and Techniques

## Advanced techniques:

- **Dependency vendoring**: Including dependencies in source
- **Reproducible builds**: Ensuring consistent artifacts
- **Supply chain security**: Verifying package integrity
- **AI-assisted dependency resolution**

## Future Trends

Increased focus on **software supply chain security** and **automated dependency maintenance**.



# Outline

## 1 Dependency Management

- Package Managers
- Dependency Visualization
- Dependency Resolution
- Dependency Graphs in Practice
- Best Practices
- **Conclusion**

## 2 Introduction

## 3 Intelligent Methods Overview

## 4 Large Language Models (LLMs)

## 5 Search-Based Software Engineering

## 6 Constraint-Based Methods

## 7 Natural Language Processing

## 8 Hybrid Approaches

## 9 Application Domains

## 10 Comparative Analysis

## 11 Tools and Frameworks



# Key Takeaways

- Dependency management is **essential for modern software development**
- Package managers like **apt** **automate dependency resolution**
- Tools like **debtree** **help visualize complex dependency graphs**
- **SAT solvers like Z3** can encode and solve dependency constraints
- **Security and maintenance** are critical aspects of dependency management
- **Best practices and automation** reduce risks and overhead

## Remember

Every dependency is a **potential point of failure** - choose and manage them wisely!

# Vibe Coding


Vibe coding is an artificial intelligence-assisted software development style popularized by Andrej Karpathy in February 2025. The term was listed in the Merriam-Webster Dictionary the following month as a “slang & trending” term. It describes a chatbot-based approach to creating software where the developer describes a project or task to a large language model (LLM), which generates code based on the prompt. The developer evaluates the result and asks the LLM for improvements. Unlike traditional AI-assisted coding or pair programming, the human developer avoids micromanaging the code, accepts AI-suggested completions liberally, and focuses more on iterative experimentation than code correctness or structure<sup>1</sup>.

---

<sup>1</sup>[https://en.wikipedia.org/wiki/Vibe\\_coding](https://en.wikipedia.org/wiki/Vibe_coding)



# The Illusion of AI Productivity




# Intelligent Software Engineering

- **Beyond Traditional Methods:** AI and optimization techniques in software development
- **Multiple Approaches:** Different intelligent methods for different problems
- **Complementary Strengths:** Each method excels in specific domains
- **Practical Applications:** Real-world tools and techniques used today
- **Human-AI Collaboration:** Augmenting developer capabilities



# Spectrum of Intelligent Approaches

- **LLM-based Methods:** Natural language understanding and generation
- **Search-based Optimization:** Evolutionary algorithms and local search
- **Constraint Solving:** Formal methods and SAT solving
- **Hybrid Approaches:** Combining multiple intelligent techniques
- **Specialized AI:** Domain-specific machine learning models



# LLM-based Approaches

- **Foundation:** Transformer architecture trained on massive text/code corpora
- **Strengths:** Natural language understanding, code generation, documentation
- **Applications:** Code completion, architecture design, API generation
- **Examples:** GitHub Copilot, ChatGPT, CodeLlama
- **Limitations:** Hallucinations, lack of formal guarantees





# LLM Code Implementation Example

```
// Prompt: "Implement a thread-safe LRU cache in Java"
public class LRUCache<K, V> {
    private final int capacity;
    private final LinkedHashMap<K, V> cache;

    public LRUCache(int capacity) {
        this.capacity = capacity;
        this.cache = new LinkedHashMap<K, V>(
            capacity, 0.75f, true) {
            protected boolean removeEldestEntry(
                Map.Entry<K, V> eldest) {
                return size() > capacity;
            }
        };
    }
}
```



# SBSE for Software Design and Implementation

- **Foundation:** Treat software design as search problem in solution space
- **Strengths:** Finding optimal or near-optimal design solutions
- **Applications:** Algorithm selection, data structure optimization, code synthesis
- **Key Insight:** Software design decisions can be optimized systematically



# SBSE for Algorithm Selection and Implementation

- **Problem:** Choose optimal algorithm for specific problem constraints
- **Search Space:** Different algorithms and their parameterizations
- **Fitness Function:** Runtime complexity, memory usage, implementation complexity
- **Method:** Genetic algorithm exploring algorithm combinations
- **Result:** Best algorithm choice with optimized parameters




Figure 6: Algorithm selection search space



# SBSE for Data Structure Optimization

```
// Problem: Optimize data structure for frequent insertions
// Search-based approach explores different data structures

// Candidate solutions explored:
Solution 1: ArrayList with binary search ( $O(n)$  insert,  $O(1)$  lookup)
Solution 2: LinkedList ( $O(1)$  insert,  $O(n)$  lookup)
Solution 3: Balanced BST ( $O(\log n)$  insert,  $O(\log n)$  lookup)
Solution 4: Hash table with lazy deletion ( $O(1)$  insert,  $O(1)$  lookup)

// Fitness evaluation based on actual usage patterns
// Optimal solution selected: LinkedList for 90% insertions
```



# SBSE for Code Synthesis and Completion

- **Challenge:** Automatically complete partial code implementations
- **Approach:** Genetic programming with code fragments as building blocks
- **Fitness:** Type correctness, test case passing, code quality metrics
- **Application:** Auto-completing complex algorithmic implementations
- **Example:** Synthesizing efficient matrix operations from specifications



# SBSE for API Implementation Completion

```
// Partial implementation provided by developer
public interface DataProcessor {
    Data process(Input input);
    // Additional methods to be completed...
}
```

```
// SBSE generates complete implementation based on usage
public class EfficientDataProcessor implements DataProcessor {
    public Data process(Input input) { /* optimized */
    public void validate(Data data) { /* auto-generated */
    public Result batchProcess(List<Input> inputs) { /*
    // Additional methods synthesized by search-based
}
```




# Constraint Solving for Software Design

- **Foundation:** Encode design constraints as logical formulas
- **Strengths:** Guaranteed satisfaction of specified properties
- **Applications:** Type-driven synthesis, interface conformance, design patterns
- **Key Benefit:** Formal verification of design decisions



# Constraint-Based API Design and Implementation

- **Problem:** Ensure API consistency and completeness
- **Constraints:** Method preconditions, postconditions, invariants
- **Method:** Enforce constraints during API evolution
- **Application:** Automated checking of API design rules
- **Benefit:** Early detection of design violations





# Constraint-Based Code Completion

```
// Partial code with type constraints
public <T> T process(List<T> items) {
    // Constraint solver infers missing operations
    // Constraints: T must support comparison, serializ
    // Based on usage context and method signatures

    // Solution generated by constraint solver:
    Collections.sort(items); // T must implement Comp
    return serializer.serialize(items); // T must be s
}

// Constraint solver ensures type safety and API consi
```



# Constraint-Based Design Pattern Implementation

- **Objective:** Correctly implement design patterns with formal guarantees
- **Constraints:** Pattern-specific rules (Observer: subject-observer relationships)
- **Method:** Encode pattern constraints as logical formulas
- **Verification:** Check implementation against pattern constraints
- **Completion:** Suggest missing pattern elements



# Constraint-Based Singleton Pattern Enforcement

```
// Constraint: Singleton class must have private constructor  
// and static getInstance method
```

```
class DatabaseConnection {  
    private static DatabaseConnection instance;  
  
    // Constraint solver verifies:  
    //   Constructor is private  
    //   getInstance method exists and is static  
    //   Instance variable is static  
  
    private DatabaseConnection() {} // Verified: private  
    public static DatabaseConnection getInstance() {  
        if (instance == null) {  
            instance = new DatabaseConnection();  
        }  
    }  
}
```




# NLP for Design Specification Processing

- **Foundation:** Extract design intent from natural language
- **Strengths:** Bridging requirement documents and implementation
- **Applications:** Design pattern recognition, architecture extraction
- **Evolution:** From manual analysis to automated understanding



# Combining Methods for Design and Implementation

- **LLM + Constraints:** Generate code with formal verification
- **SBSE + Constraints:** Search with guaranteed constraint satisfaction
- **NLP + SBSE:** Extract design constraints for optimization
- **Multi-method Integration:** Comprehensive design assistance



# Hybrid Example: Intelligent Code Completion

```
// Developer writes partial method:
public String processData(String input) {
    // Step 1: LLM suggests initial completion
    if (input == null) return "";
    String result = input.trim();

    // Step 2: Constraint solver verifies null safety
    //   input checked for null,   return value not null

    // Step 3: SBSE optimizes string operations
    // Replaces inefficient concatenation with StringBuilder

    // Step 4: Final verified and optimized code
    StringBuilder sb = new StringBuilder();
    sb.append(result.toLowerCase());
```



# Software Design and Implementation

- **LLMs**: Rapid prototyping and boilerplate generation
- **SBSE**: Optimal algorithm and data structure selection
- **Constraint-based**: Type-safe API design and implementation
- **Hybrid**: End-to-end design and implementation assistance



# Code Completion and Synthesis

- **LLMs**: Context-aware code suggestions
- **SBSE**: Optimization-driven completion
- **Constraint-based**: Type-directed synthesis with guarantees
- **NLP**: Requirement-driven implementation





# Architecture and Pattern Implementation

- **Constraint-based**: Formal pattern verification
- **SBSE**: Optimal pattern instantiation
- **LLMs**: Pattern explanation and examples
- **Hybrid**: Pattern-compliant architecture generation



# Method Comparison for Design/Implementation

Method	Correctness Guarantees	Creativity	Speed
LLM-based	Low	High	Fast
SBSE	Medium	Medium	Medium
Constraint-based	High	Low	Slow
Hybrid	High	High	Medium

- **Correctness Guarantees:** Formal verification capabilities
- **Creativity:** Novel solution generation
- **Speed:** Response time for practical use



# Strengths for Design and Implementation

- **LLMs**: Excellent for exploratory design and rapid prototyping
- **SBSE**: Superior for optimization problems and algorithm selection
- **Constraint-based**: Unmatched for correctness-critical components
- **Hybrid**: Balanced approach for complex design challenges



# Design and Implementation Tools

- **LLM-based:** GitHub Copilot, Amazon CodeWhisperer, Tabnine
- **SBSE:** Program synthesis tools (SKETCH, Rosette)
- **Constraint-based:** Z3 for program verification, Alloy for design
- **Hybrid:** Intelligent IDEs with multiple AI assistants



# What is AI Pair Programming?

## Definition

AI Pair Programming is a software development practice where developers collaborate with AI assistants to write code, receiving real-time suggestions, reviews, and optimizations.

## Key Characteristics:

- **Real-time Collaboration:** AI provides instant code suggestions
- **Knowledge Sharing:** AI transfers best practices and patterns
- **Quality Assurance:** Immediate code review and optimization
- **Learning Acceleration:** Opportunity for beginners to learn from experts



# Traditional vs. AI Pair Programming

Aspect	Traditional	AI Pair Programming
Availability	Requires another developer	Available 24/7
Knowledge	Limited to developers' experience	Vast best practices coverage
Consistency	Varies by individuals	Highly consistent standards
Cost	Two developers' time	Lower tool costs
Learning	Bidirectional knowledge transfer	Primarily learning from AI
Creativity	Mutual brainstorming	Pattern-based suggestions

Table 1: Comparison of Pair Programming Approaches



# Popular AI Pair Programming Tools

## IDE-Integrated Tools:

- **GitHub Copilot**
  - Most popular AI programming assistant
  - Multi-language support
  - Context-aware code generation
- **Amazon CodeWhisperer**
  - AWS-optimized integration
  - Security scanning features
  - Free for individual use

## Other Tools:

- **Tabnine**
  - On-premise deployment options
  - Privacy-focused
- **Cursor**
  - AI-first code editor
  - Deep code understanding
- **Replit AI**
  - Cloud development environment
  - Real-time collaboration



# AI Pair Programming Workflow

```
// Developer: Write function signature
function calculateTax(income: number, deductions: number): number {
  // Developer: Add comment describing requirements
  // Calculate tax based on income and deductions
  // Use progressive tax brackets

  // AI Assistant: Auto-generates implementation
  const taxableIncome = income - deductions;

  if (taxableIncome <= 0) return 0;

  const brackets = [
    { limit: 10000, rate: 0.1 },
    { limit: 40000, rate: 0.2 },
    { limit: Infinity, rate: 0.3 }
  ];

  let tax = 0;
  let previousLimit = 0;

  for (const bracket of brackets) {
    if (taxableIncome > previousLimit) {
      const amountInBracket = Math.min(
        taxableIncome - previousLimit,
        bracket.limit - previousLimit
      );
      tax += amountInBracket * bracket.rate;
      previousLimit = bracket.limit;
    }
  }
}
```



# AI Pair Programming in Requirements Engineering

## Bridging Requirements and Code

AI Pair Programming helps transform requirements specifications directly into executable code

### Specific Applications:

- **Requirements Prototyping:** Quick conversion of requirements to working prototypes
- **Specification Validation:** Verify requirement feasibility through code
- **Test Case Generation:** Auto-generate test code from requirements
- **API Design:** Generate code frameworks from interface requirements
- **Database Design:** Convert data requirements to SQL schemas

## Example Workflow

Requirements Document → AI Understanding → Code Framework → Iterative Refinement → Final Implementation

# Requirements-to-Code Transformation Example

## Requirements Specification:

### User Requirements:

- User registration
- Email verification
- Password strength check
- Welcome email sending

### Business Rules:

- Password minimum 8 chars
- Mixed case and numbers
- Unique email required
- Verification code valid 10min

## AI-Generated Code Framework:

```
// User registration service
class UserService {
    async register(userData) {
        // Validate email uniqueness
        // Check password strength
        // Create user record
        // Send verification email
        // Return success response
    }

    isStrongPassword(password) {
        // Check length >= 8
        // Check uppercase/lowercase
        // Check contains number
    }
}
```



# Best Practices for Students

## Effective Patterns:

- 1 **Clear Intent:** Write descriptive comments
- 2 **Incremental Development:** Small steps, frequent validation
- 3 **Code Review:** Critically evaluate AI suggestions
- 4 **Test-Driven:** Write tests first, then generate code
- 5 **Security First:** Validate security and edge cases

## Pitfalls to Avoid:

- **Blind Acceptance:** Not reviewing AI-generated code
- **Over-reliance:** Losing programming thinking skills
- **Security Risks:** Ignoring security reviews
- **Copyright Issues:** Using protected code
- **Performance Neglect:** Skipping performance testing

## Quality Assurance Process:

- 1 AI suggests code
2. Student reviews
3. Run tests
4. Integrate to



# Test-Driven AI Pair Programming

## Test-First Development

Write test cases first, then use AI to generate implementation code that passes the tests

### Test Cases Example:

```
// Write tests first
describe('Tax Calculator', () => {
  test('calculates tax correctly', () => {
    expect(calculateTax(50000, 5000))
      .toBe(8500);
  });

  test('handles zero income', () => {
    expect(calculateTax(0, 1000))
      .toBe(0);
  });
});
```

### AI Generates Implementation:

```
// AI implements based on tests
function calculateTax(income, deductions) {
  // Implementation logic...
  // Must pass all test cases
}
```

### Benefits for Learning:

- Ensures code meets requirements
- Automatic validation of correctness
- Facilitates regression testing



# Effective Prompt Engineering for Students

```
// Poor prompt:
"write a sorting function"

// Effective prompt:
"""
Act as an experienced JavaScript developer.
Help me implement a quicksort function.

Requirements:
- Function name: quickSort
- Parameters: array (numbers)
- Returns: new sorted array
- Use recursive implementation with comments

Example input: [3, 1, 4, 1, 5, 9, 2, 6]
Expected output: [1, 1, 2, 3, 4, 5, 6, 9]

Please explain the algorithm approach first,
then provide the code implementation.
"""
```

## Listing 2: Structured Prompt Template

### Prompt Engineering Tips:

- Specify role and context clearly
- Include specific technical requirements



# Learning Benefits for Students

## Technical Skills:

- **Faster Learning:** 2-3x acceleration in skill acquisition
- **Best Practices:** Exposure to professional coding standards
- **Pattern Recognition:** Learn common algorithms and patterns
- **Debugging Skills:** See how AI approaches problem-solving
- **Code Quality:** Understand what makes code maintainable

## Professional Development:

- **Confidence Building:** Quick success with complex tasks
- **Portfolio Growth:** Ability to complete more projects
- **Industry Preparation:** Learn tools used in professional environments
- **Collaboration Skills:** Practice code review and collaboration
- **Problem Decomposition:** Learn to break down complex problems



# Common Challenges for Student Developers

## Technical Challenges:

- **Understanding Limitations:** When AI suggestions are wrong
- **Over-complex Solutions:** AI may suggest advanced patterns
- **Dependency Management:** Handling library recommendations
- **Debugging AI Code:** Tracing issues in generated code
- **Performance Awareness:** Recognizing inefficient solutions

## Learning Challenges:

- **Skill Dependency:** Risk of relying too much on AI
- **Conceptual Gaps:** Missing fundamental understanding
- **Critical Thinking:** Need to evaluate AI suggestions
- **Academic Integrity:** Proper use in coursework
- **Balance Finding:** When to use AI vs. manual coding



# Academic Integrity Considerations

## Responsible Use in Education

AI Pair Programming should enhance learning, not replace it

### Institutional Guidelines:

- **Check Course Policies:** Understand what's allowed in each course
- **Transparency:** Disclose AI assistance in submissions
- **Learning Focus:** Use AI to understand, not just complete work
- **Proper Attribution:** Credit AI contributions appropriately

### Recommended Practices:

- Use AI for learning concepts, not assignment completion
- Document your learning process with AI
- Show both AI suggestions and your modifications
- Discuss AI interactions in code comments
- Focus on understanding the underlying concepts

## Important





# Practical Exercise: Student Project Workflow

## Step-by-Step Learning Approach:

- ① **Requirements Analysis:** Use AI to understand project requirements
- ② **Design Phase:** Get AI suggestions for architecture and patterns
- ③ **Implementation:** Use AI for code generation with active learning
- ④ **Testing:** Generate test cases and learn testing strategies
- ⑤ **Review:** Use AI for code review and optimization suggestions
- ⑥ **Reflection:** Document what you learned from the AI interactions

## Learning Objectives:

- Understand how to translate requirements to code
- Learn professional coding standards and patterns
- Develop critical evaluation skills for code quality
- Practice iterative development and refinement
- Build confidence in tackling complex programming tasks



# Sample Student Project: Todo List Application

## Requirements:

Create a todo list app with:

- Add new tasks
- Mark tasks complete
- Delete tasks
- Filter tasks (all/active/completed)
- Local storage persistence
- Responsive design

## AI-Assisted Learning:

- Get HTML/CSS structure suggestions
- Learn JavaScript event handling
- Understand local storage API
- Study responsive design patterns
- Practice code organization

## Learning Outcomes:

- DOM manipulation techniques
- State management patterns
- Data persistence methods
- UI/UX design considerations



# Future Career Preparation

## Industry Relevance

AI Pair Programming skills are increasingly valuable in professional software development

## Career Benefits:

- **Technical Adaptability:** Experience with modern development tools
- **Efficiency Skills:** Ability to work effectively with AI assistants
- **Quality Mindset:** Understanding of code quality standards
- **Collaboration Experience:** Practice with AI-human teamwork
- **Continuous Learning:** Comfort with evolving technology tools

## Industry Trends:

- AI assistance becoming standard in development environments
- Growing demand for developers who can work effectively with AI
- Increased focus on code quality and maintainability
- Emphasis on rapid prototyping and iteration



# Getting Started: Student Action Plan

## Immediate Steps:

- 1 **Choose a Tool:** Start with GitHub Copilot (student discount available)
- 2 **Small Projects:** Begin with simple coding exercises
- 3 **Active Learning:** Always understand the code AI generates
- 4 **Document Learning:** Keep notes on patterns and techniques learned
- 5 **Seek Feedback:** Discuss AI interactions with instructors and peers

## Learning Resources:

- GitHub Education Pack (free access to developer tools)
- Online tutorials on effective prompt engineering
- University coding clubs and workshops
- Open source projects for practice
- Peer programming sessions with AI discussion

## Call to Action

Start experimenting with AI Pair Programming in your next coding



# Summary: AI as Learning Partner

## Key Takeaways:

- AI Pair Programming accelerates learning when used intentionally
- Critical thinking and code review skills remain essential
- Balance AI assistance with fundamental skill development
- Focus on understanding concepts, not just completing work
- Document and reflect on your learning journey




## Successful Approach

The most effective students use AI as a tutor and collaborator, not a

# Overview of AI-Assisted Programming Architecture

## High-Level System Architecture

AI-assisted programming systems combine several AI technologies to understand, generate, and manipulate code.



### Core Components:

- **Language Models:** Understand and generate code
- **Tokenization:** Convert code to machine-readable format



# The Training Process: How Models Learn Code

## Pre-training on Massive Code Corpora

Models are trained on billions of lines of code from various sources:

### Training Data Sources:

- GitHub repositories (public)
- Stack Overflow questions/answers
- Documentation and tutorials
- Code competition solutions
- Open source libraries

### Learning Objectives:

- Syntax and grammar patterns
- API usage patterns
- Common algorithms and data structures
- Code commenting styles
- Error handling patterns

## Important

Models learn statistical patterns, not true understanding. They predict what comes next based on training data.

# Tokenization: Converting Code to Numbers

## Code Tokenization Process

Code is broken down into tokens (meaningful units) before processing.

## Example: Python Function

```
def calculate_sum(a, b): return a + b
```

## Tokenization Result:

- ["def", "calculate\_sum", "(", "a", ",", "b", ")", ":", "return", "a", "+", "b"]

## Specialized Tokenizers:

- **WordPiece:** Used by Codex/- Copilot
- **Byte Pair Encoding (BPE):** Common in GPT models
- **SentencePiece:** Google's ap-

## Token Types:

- Keywords (def, return)
- Identifiers (calculate\_sum)
- Operators (+, =)
- Literals (numbers, strings)





# Transformer Architecture: The Brain Behind Code Generation

## Transformer Neural Networks

Most code generation models use transformer architecture with attention mechanisms.

```
# Simplified transformer architecture for code generation
class CodeTransformer:
    def __init__(self):
        self.embedding_layer = Embedding(vocab_size, hidden_size)
        self.attention_layers = MultiHeadAttention(num_heads, hidden_size)
        self.feed_forward = FeedForward(hidden_size)
        self.output_layer = Linear(hidden_size, vocab_size)

    def generate_code(self, prompt_tokens):
        # Convert tokens to embeddings
        embeddings = self.embedding_layer(prompt_tokens)


        # Process through multiple attention layers
        for layer in self.attention_layers:
            embeddings = layer(embeddings)

        # Generate probability distribution for next token
        logits = self.output_layer(embeddings)
        next_token_probs = softmax(logits)
```

# Attention Mechanism: Understanding Code Context

## How Attention Works

Attention mechanisms allow the model to focus on relevant parts of the code context.



## Attention Process:

- 1 Convert tokens to Query, Key, Value vectors
- 2 Compute attention scores (similarity between Query and Key)



# Code Representation: Abstract Syntax Trees (ASTs)

## Structured Code Representation

Models often use ASTs to understand code structure beyond plain text.

### Simple Python Code:

```
def factorial(n):  
    if n <= 1:  
        return 1  
    else:  
        return n * factorial(n-1)
```

### AST Structure:

- FunctionDef: factorial
  - Arguments: n
  - Body:
    - If: n <= 1
    - Return: 1
    - Else: Return n \* factorial(n-1)

### Benefits of AST-based Approaches:

- Better understanding of code structure
- Improved syntax correctness
- Easier code transformation
- Better error detection



# Training Objectives: How Models Learn to Code

## Different Learning Approaches

Models use various training objectives to learn coding patterns.

### Pre-training Objectives:

- **Masked Language Modeling:** Predict masked tokens
- **Causal Language Modeling:** Predict next token
- **Denoising Autoencoding:** Reconstruct corrupted code
- **Code Translation:** Convert between languages/styles

### Fine-tuning Objectives:

- **Code Completion:** Complete partial code
- **Bug Fixing:** Identify and fix errors
- **Documentation Generation:** Write comments from code
- **Test Generation:** Create tests from function signatures

## Masked Language Modeling Example



# Context Window Management

## Handling Large Codebases

Models need to manage context efficiently due to limited input size.

### Context Window Challenges:

- Typical limits: 2K-128K tokens
- Large files exceed these limits
- Need to maintain relevant context

### Context Selection Strategies:

- **Sliding Window:** Recent tokens + some history
- **Hierarchical Attention:** Focus on important sections
- **Code Chunking:** Break large files into logical units
- **Import Analysis:** Prioritize im

### Advanced Techniques:

- **Long-range Attention:** Sparse attention mechanisms
- **Memory Networks:** External memory for large context
- **Graph Neural Networks:** Represent code dependencies




# Code Embeddings: Representing Code Semantically

## Learning Code Representations

Models create dense vector representations that capture code semantics.

### Embedding Techniques:

- **Token Embeddings:** Represent individual tokens
- **Positional Embeddings:** Encode token positions
- **Type Embeddings:** Distinguish tokens by type (keyword, variable, etc.)
- **Contextual Embeddings:** Vary based on surrounding context



# Fine-Tuning for Specific Tasks

## Specializing General Models

Pre-trained models are fine-tuned for specific programming tasks.

### Common Fine-Tuning Approaches:

- **Task-Specific Datasets:** Curated examples for specific tasks
- **Instruction Tuning:** Teach models to follow programming instructions
- **Reinforcement Learning:** Optimize for code quality metrics
- **Multi-task Learning:** Learn multiple programming tasks simultaneously

### Fine-Tuning Data Examples:

- Code completion pairs
- Bug-fix examples
- Documentation-code pairs
- Test case implementations

### Optimization Objectives:

- Code compilation success rate
- Test case pass rate
- Code quality metrics
- Human preference alignment



# Code Generation Process: Step by Step

## Autoregressive Generation

Models generate code one token at a time, conditioning on previous tokens.

```
function generate_code(prompt, max_length=100):  
    tokens = tokenize(prompt)  
    generated_tokens = []  
  
    for i in range(max_length):  
        # Get model predictions for next token  
        logits = model.predict(tokens + generated_tokens)  
  
        # Apply sampling strategy  
        next_token = sample_from_logits(logits)  
  
        # Stop if end-of-code token generated  
        if next_token == EOS_TOKEN:  
            break  
  
        generated_tokens.append(next_token)  
  
    return detokenize(generated_tokens)  
  
function sample_from_logits(logits):  
    # Various sampling strategies:  
    # 1. Greedy: argmax(logits)
```



# Sampling Strategies for Code Generation

## Balancing Creativity and Correctness

Different sampling strategies produce different types of code suggestions.

### Common Strategies:

- **Greedy Sampling:** Always choose most likely token
  - Pros: Deterministic, fast
  - Cons: Can get stuck in loops
- **Temperature Sampling:** Control randomness
  - Low temp: More deterministic
  - High temp: More creative

### Advanced Strategies:

- **Top-k Sampling:** Sample from k most likely tokens
- **Nucleus Sampling:** Sample from tokens covering probability mass p
- **Beam Search:** Keep multiple candidate sequences
- **Constrained Decoding:** force syntax constraints



# Error Handling and Code Correctness

## Ensuring Generated Code Works

Systems incorporate multiple mechanisms to improve code quality.

### Error Detection Mechanisms:

- **Syntax Checking:** Ensure generated code parses correctly
- **Type Inference:** Check type consistency
- **Static Analysis:** Detect common errors and anti-patterns
- **Compilation Testing:** Actually compile/run generated code

### Feedback Loops:

- **Immediate Feedback:** Syntax highlighting, error underlining
- **Compilation Results:** Use build system feedback
- **Test Execution:** Run tests on generated code

### Correction Strategies:

- **Retry Generation:** Generate alternative suggestions
- **Error-localized Regeneration:** Regenerate only error parts
- **Constraint Addition:** Add



# Integration with Development Environments

## Seamless Developer Experience

AI assistance is integrated into IDEs through various mechanisms.

### Integration Components:

- **Language Server Protocol (LSP):** Standardized IDE integration
- **Background Analysis:** Continuous code analysis
- **Real-time Suggestions:** As-you-type code completion
- **Context Awareness:** Understanding project structure

### IDE Integration Architecture:

- 1 Developer writes code
- 2 IDE sends context to AI service
- 3 AI model generates suggestions
- 4 Suggestions filtered and ranked

### Performance Considerations:

- Latency requirements (<100ms for completions)
- Caching frequently used suggestions
- Batch processing for multiple suggestions



# Limitations and Challenges

## Current Technical Limitations

Understanding limitations helps use AI programming tools effectively.

### Technical Challenges:

- **Context Length:** Limited understanding of large code-bases
- **Reasoning Depth:** Difficulty with complex logic chains
- **API Knowledge:** May not know latest libraries
- **Security:** Potential for suggesting vulnerable code
- **Performance:** May suggest inefficient algorithms

### Fundamental Limitations:

- **No True Understanding:** Pattern matching, not reasoning
- **Training Data Bias:** Reflects biases in training data
- **Lack of Creativity:** Cannot invent truly novel solutions
- **No Intent Understanding:** Doesn't understand why code is needed
- **Error Propagation:** Can amplify mistakes from training



# Future Directions in AI-Assisted Programming

## Emerging Research Areas

The field is rapidly evolving with several promising directions.

### Research Frontiers:

- **Larger Context Windows:** Handling entire codebases
- **Better Reasoning:** Improved logical reasoning capabilities
- **Multimodal Understanding:** Combining code, docs, and diagrams
- **Personalization:** Adapting to individual coding styles
- **Verification Integration:** Formal verification of generated code

### Architecture Innovations:


- **Retrieval-Augmented Generation:** Combining with code search
- **Program Synthesis:** Generating code from specifications

### Application Areas:

- **Automated Refactoring:** Intelligent code improvement
- **Code Migration:** Porting between languages/frameworks
- **Accessibility:** Helping developers



# Summary: The Technical Foundation



## Key Technical Concepts:

- **Transformer Architecture:** Foundation of modern code generation
- **Attention Mechanisms:** Enable context understanding
- **Tokenization:** Convert code to machine-readable format
- **Autoregressive Generation:** Sequential token prediction



# Function Calling: Structured AI Interactions

## Beyond Text Generation

Function calling allows AI models to interact with external tools and APIs in a structured way.

## What is Function Calling?

- Standardized way for models to request execution of specific functions
- Returns structured data instead of unstructured text
- Enables tool usage, API calls, and code execution
- Critical for reliable AI-assisted programming

### Traditional Approach:

- Model generates text instructions
- Human interprets and executes

### Function Calling Approach:

- Model requests specific function
- System executes automatically
- Structured, reliable results



# Function Calling in AI Programming Assistants

## Practical Applications

Function calling enables sophisticated programming workflows beyond simple code generation.

```
// Example: Function calling for code analysis
const availableFunctions = {
  analyzeSyntax: {
    description: "Analyze code syntax and structure",
    parameters: {
      code: "string",
      language: "string"
    }
  },
  runTests: {
    description: "Execute test cases on code",
    parameters: {
      code: "string",
      testCases: "array"
    }
  }
},
```



# How Function Calling Works Technically

## Architecture Overview

Function calling involves coordination between the AI model, function registry, and execution environment.

## Technical Flow:

- 1 **Function Registration:** Available functions are defined with schemas
- 2 **Model Decision:** AI decides when to call functions based on context
- 3 **Structured Request:** Model outputs function call with parameters
- 4 **Execution:** System executes the function with provided parameters
- 5 **Result Integration:** Function results are fed back to the model

## Benefits:

- **Reliability:** Structured data reduces errors

## Challenges:

- **Security:** Managing execution permissions



# Example: Function Calling for Code Refactoring

## Real-world Workflow

Function calling enables complex multi-step programming tasks.

```
// User request: "Refactor this function to be more efficient"

// Step 1: AI analyzes the code and decides to call analysis functions
{
  "function_call": {
    "name": "analyzeComplexity",
    "parameters": {
      "code": "function processData(data) {...}",
      "metrics": ["cyclomatic", "cognitive"]
    }
  }
}

// Step 2: System returns complexity analysis
{
  "cyclomatic_complexity": 8,
  "cognitive_complexity": 12,
  "suggestions": ["Extract helper functions", "Simplify conditionals"]
}

// Step 3: AI generates refactored code and calls validation
{
  "function_call": {
    "name": "validateRefactoring".
```

# Introduction to Model Context Protocol (MCP)

## Standardizing AI-Tool Interactions

MCP is an emerging standard for how AI models interact with tools and external resources.

### What is MCP?

- **Standardized Protocol:** Common interface for tool integration
- **Tool Discovery:** Models can discover available capabilities
- **Structured Communication:** Well-defined request/response patterns
- **Security Framework:** Controlled access to resources

### Key Components of MCP:

- **Resource Definitions:** How tools describe their capabilities
- **Request Schemas:** Standardized way to make requests
- **Response Formats:** Consistent data structures
- **Error Handling:** Standard error codes and messages



# MCP Architecture and Components

## How MCP Works

MCP provides a framework for tools to expose capabilities to AI models.

### MCP Architecture Layers:

- ① **Transport Layer:** Communication protocol (HTTP, WebSockets, etc.)
- ② **Message Format:** JSON-RPC or similar structured format
- ③ **Schema Definition:** OpenAPI-like tool descriptions
- ④ **Authentication:** Security and access control

#### Server (Tool Provider):

- Exposes capabilities via MCP
- Defines available functions
- Handles authentication
- Manages resource access

#### Client (AI Model/Application):

- Discovers available tools
- Makes structured requests
- Handles responses
- Manages sessions

### Example MCP Tools in Programming:



# MCP in Action: Programming Workflow

## Practical MCP Implementation

MCP enables sophisticated AI programming assistants with tool integration.

```
// MCP Tool Registration
{
  "name": "code-analyzer",
  "version": "1.0.0",
  "capabilities": {
    "functions": [
      {
        "name": "staticAnalysis",
        "description": "Perform static code analysis",
        "parameters": {
          "code": {"type": "string"},
          "ruleset": {"type": "string", "optional": true}
        }
      },
      {
        "name": "complexityMetrics",
        "description": "Calculate code complexity metrics",
        "parameters": {
          "code": {"type": "string"},
          "metrics": {"type": "array"}
        }
      }
    ]
  }
}
```

# Benefits of MCP for AI-Assisted Programming

## Why MCP Matters

MCP addresses key challenges in AI tool integration.

### For Tool Developers:

- **Standardization:** One integration works with multiple AI systems
- **Discoverability:** Tools can be easily found and used
- **Maintenance:** Consistent update and versioning patterns
- **Security:** Built-in authentication and authorization

### For AI System Developers:

- **Interoperability:** Consistent way to integrate tools
- **Extensibility:** Easy to add new capabilities
- **Reliability:** Standardized error handling
- **Performance:** Optimized communication patterns

### For End Users (Developers):



# Function Calling + MCP: Powerful Combination

## Integrated Architecture

Function calling and MCP work together to create robust AI programming systems.

### Combined Workflow:

- ① AI model processes user request and code context
- ② Model identifies need for external tool usage
- ③ Through MCP, discovers available functions
- ④ Uses function calling to execute specific operations
- ⑤ Integrates results back into the response

### Example: Code Optimization

- User: "Optimize this sorting function"
- AI uses MCP to find performance analysis tools

### Example: Bug Fixing

- User: "Fix this runtime error"
- AI uses MCP to access debugging tools
- Calls functions to analyze



# Real-world Examples and Implementations

## Industry Adoption

Major AI programming tools are adopting function calling and MCP.

### OpenAI Function Calling:

- Integrated into GPT-4 and later models
- Allows models to call predefined functions
- Used in GitHub Copilot for advanced features
- Enables code execution, analysis, and validation

### Anthropic's Tool Use:

- Claude's equivalent to function calling
- Integrated with various development tools
- Supports complex multi-step programming tasks

### Amazon CodeWhisperer:

- Uses similar patterns for AWS service integration
- Can call AWS APIs for infrastructure management





# Security Considerations

## Safe AI-Tool Interactions

Function calling and MCP introduce important security considerations.

### Security Challenges:

- **Code Execution:** Preventing malicious code execution
- **Data Exposure:** Protecting sensitive code and data
- **Resource Abuse:** Preventing excessive resource usage
- **Access Control:** Managing permissions appropriately

### Security Measures:

- **Sandboxing:** Isolated execution environments
- **Authentication:** Verified tool identities
- **Authorization:** Role-based access control

### Best Practices:

- **Principle of Least Privilege:** Minimal required permissions
- **Input Validation:** Sanitizing all parameters
- **Output Sanitization:** Cleaning tool responses



# Future Evolution of AI-Tool Integration

## Where This Technology is Headed

Function calling and MCP represent the beginning of sophisticated AI-tool integration.

### Emerging Trends:

- **Automatic Tool Discovery:** AI models finding and learning new tools
- **Adaptive Interfaces:** Tools that customize based on AI capabilities
- **Multi-Modal Integration:** Combining code, documentation, and visual tools
- **Federated Learning:** Tools that improve through AI interactions

### Research Directions:

- **Intelligent Tool Selection:** AI choosing the right tools for tasks
- **Compositional Tool Use:** Combining multiple tools for complex tasks



# Educational Value: Why Students Should Understand This

## Career-Relevant Knowledge

Understanding these concepts prepares students for the future of software development.

## Why This Matters for Students:

- **Industry Standards:** These technologies are becoming standard in professional tools
- **System Design Skills:** Understanding distributed AI systems
- **API Design Knowledge:** Learning how to design AI-friendly interfaces
- **Security Awareness:** Understanding AI system security implications

## Learning Outcomes:

- Understand how modern AI programming tools work internally



# Emerging Trends in Intelligent Development

- **Automated Design Synthesis:** From requirements to implementation
- **Context-Aware Completion:** Understanding project-specific patterns
- **Real-time Design Validation:** Continuous constraint checking
- **Personalized Code Generation:** Adapting to individual coding styles
- **Multi-modal Design Tools:** Combining code, diagrams, and specifications



# Effective Intelligent Design Assistance

- **Problem-Solution Fit:** Match method to design challenge characteristics
- **Incremental Adoption:** Start with well-defined subproblems
- **Validation Strategy:** Always verify intelligent system outputs
- **Human Oversight:** Maintain designer control and understanding
- **Documentation:** Record AI-assisted design decisions and rationale



# Conclusion

- **Rich Methodology:** Diverse intelligent approaches for software design
- **Practical Value:** Accelerating and improving design decisions
- **Complementary Nature:** Different methods excel at different tasks
- **Human-Centric:** Augmenting rather than replacing designers
- **Rapid Evolution:** Continuous improvement in intelligent assistance

**Key Insight:** Intelligent methods provide powerful assistance for complex software design and implementation challenges



# Thank You Questions?

