
NS 1	query	Interactive / insert / 1					
S 2	title	Add person					
IS 3 IS 4 IS 5 IS 6 IS 7 IS 8	pattern	City id = \$cityId Tag id in \$tagIds	id ← \$personId firstName ← \$person lastName ← \$lastNan gender ← \$gender birthday + \$birthday creationDate ← \$creationDate locationIP ← \$location browserUsed ← \$brov {speaks} ← \$langua(email) ← \$emails	nFirstName me / ationDate onIP	studyA {classYear ← \$study. workA {workFrom ← \$workA	At[i].classYear} *	University id = \$studyAt[i].universityId Company id = \$workAt[j].companyId
	desc.	Add a Person node, conn	ected to the net	work by	4 possible edge	e types.	
	params	1 personId 2 personFirstName 3 personLastName 4 gender 5 birthday 6 creationDate 7 locationIP 8 browserUsed 9 cityId 10 languages 11 emails 12 tagIds 13 studyAt 14 workAt	ID String String String Date DateTime String String ID {String} {Long String} {ID} { <id, 32-bit="" integer="">}</id,>		ersityId, clas anyId, workFro		
	CPs	9.1, 9.2					

Interactive / insert / 2

INS 1	query	Interactive / insert / 2		
INS 2	title	Add like to post		
INS 3		likes Doort		
INS 4	pattern	(creationDate ← \$creationDate)		
INS 5	-	id = \$personId		
INS 6	desc.	Add a likes <i>edge</i> to a Post.		
INS 7				
INS 8		1 personId ID		
	params	2 postId ID		
		3 creationDate DateTime		
	CPs	9.2		

INS 1	query	Interactive / insert / 3		
INS 2	title	Add like to comment		
INS 3		likes		
INS 4	pattern	Person (creationDate ← \$creationDate)		
INS 5		id = \$personId		
INS 6	desc.	Add a likes <i>edge</i> to a Comment.		
INS 7				
INS 8		1 personId ID		
	params	2 commentId ID		
		3 creationDate DateTime		
	CPs	9.2		

Interactive / insert / 4





INS 1	query	Interactive / insert / 5		
INS 2	title	Add forum membership		
INS 3		hasMember		
INS 4	pattern	reationDate ← \$creationDate)		
INS 5		id = \$personId		
INS 6	desc.	Add a Forum membership <i>edge</i> (hasMember) to a Person.		
INS 7				
INS 8		1 personId ID		
	params	2 forumId ID		
		3 creationDate DateTime		
	CPs	9.1, 9.2		

Interactive / insert / 6

INS 1

INS 6





Interactive / insert / 8

INS 1	query	Interactive / insert / 8
INS 2	title	Add friendship
INS 3		knows
INS 4	pattern	Person knows Person (creationDate) Person
INS 5		id = \$person2Id
INS 6	desc.	Add a friendship <i>edge</i> (knows) between two Persons.
INS 7		
INS 8		1 person1Id ID
	params	2 person2Id ID
		3 creationDate DateTime
	CPs	9.2