
INS 1	query	Interactive / insert / 1			
INS 2	title	Add person			
INS 3 INS 4 INS 5 INS 6 INS 7 INS 8	pattern	City id = \$cityId Tag id in \$tagIds	Person id ← \$personId firstName ← \$personFirst lastName ← \$parsonFirst lastName ← \$personFirst lastName ← \$personFirst lastName ← \$personFirst lastName ← \$personFirst pirthday ← \$pirthday creationDate ← \$creation locationIP ← \$locationIP browserUsed ← \$prowser {speaks} ← \$languages {email} ← \$emails	workAt NorkFrom ← \$workAt[j].workFrom}	University id = \$studyAt[i].universityId Company id = \$workAt[j].companyId
	desc.	Add a Person node, conne	ected to the networ	rk by 4 possible <i>edge</i> types.	
	params	1 personId 2 personFirstName 3 personLastName 4 gender 5 birthday 6 creationDate 7 locationIP 8 browserUsed 9 cityId 10 languages 11 emails 12 tagIds 13 studyAt 14 workAt	{ <id 32-hit<="" td=""><td><pre><universityid, classyear="">} <companyid, workfrom="">}</companyid,></universityid,></pre></td><td></td></id>	<pre><universityid, classyear="">} <companyid, workfrom="">}</companyid,></universityid,></pre>	
	CPs	9.1, 9.2			

Interactive / insert / 2

INS 1	query	Interactive / insert / 2		
INS 2	title	Add like to post		
INS 3		likes Dect		
INS 4	pattern	(creationDate) Post		
INS 5		id = \$personId		
INS 6	desc.	Add a likes <i>edge</i> to a Post.		
INS 7				
INS 8		1 personId ID		
	params	2 postId ID		
		3 creationDate DateTime		
	CPs	9.2		

INS 1	query	Interactive / insert / 3		
INS 2	title	Add like to comment		
INS 3		likes		
INS 4	pattern	Person (creationDate ← \$creationDate) Comment		
INS 5		id = \$personId		
INS 6	desc.	Add a likes <i>edge</i> to a Comment.		
INS 7				
INS 8		1 personId ID		
	params	2 commentId ID		
		3 creationDate DateTime		
	CPs	9.2		


Interactive / insert / 4




INS 1	query	Interactive / insert / 5		
INS 2	title	Add forum membership		
INS 3		hasMember		
INS 4	pattern	reationDate ← \$creationDate)		
INS 5		id = \$personId		
INS 6	desc.	Add a Forum membership <i>edge</i> (hasMember) to a Person.		
INS 7				
INS 8		1 personId ID		
	params	2 forumId ID		
		3 creationDate DateTime		
	CPs	9.1, 9.2		

Interactive / insert / 6

INS 6





Interactive / insert / 8

INS 1	query	Interactive / insert / 8		
INS 2	title	Add friendship		
INS 3		knows		
INS 4	pattern	Person knows Person (creationDate) Person		
INS 5	'	id = \$person2Id		
INS 6	desc.	Add a friendship <i>edge</i> (knows) between two Persons.		
INS 7				
INS 8		1 person1Id ID		
	params	2 person2Id ID		
		3 creationDate DateTime		
	CPs	9.2		