
DEL	1
DEL	2
DEL	3
DEL	4
DEL	5
DEL	6
DEL	7
DEL	8

query	BI / delete / 1	
title	Remove person and its personal forums and message (sub)threads	
pattern	Message hasInterest Tag Person knows Person isLocatedIn → City id = \$personId	
	Company workAt hasMember (Group/Album/Wall) University studyAt hasModerator (Group)	
	Message hasCreator hasModerator (Album/Wall) b invoke delete operation 6 (Posts) or operation 7 (Comments) b invoke delete operation 4	
desc.	Remove a Person and its edges (isLocatedIn, studyAt, workAt, hasInterest, likes, knows, hasMember, hasModerator, hasCreator). Additionally, remove the Album and Wall Forums whose moderator is the Person and remove all Messages the Person has created in the rest of the Forums (Groups).	
params	1 personId ID	
CPs	9.3, 9.4, 9.5	
relevance	 Removal of a Person removes Forums of type "Walls" and "Albums" but not "Groups", which can continue if even the founder has left the network. For Groups, the hasModerator edge is deleted. We have discussed various approaches to appoint a new moderator, e.g. 1. choose member at random from the set of existing group members or 2. the member with the oldest group join date becomes the moderator. However, to keep the generator and the workload simple, currently no moderator is selected, leaving the group without a moderator. Removal of a Person removes all Posts/Comments they are creator of this could result in the removal of a Comment in the middle of a thread. 	


BI / delete / 2




query	BI / delete / 2		
title	Remove post like		
pattern	Person id = \$personId id = \$postid		
desc.	Given a Person and a Post, remove the likes edge between them.		
params	1 personId ID 2 postId ID		
CPs	9.4		
relevance	Removal of a likes edge is a rare event, e.g. people accidently liking a Post, this can be reflected by the relative frequency of the operation.		

DEL 1	query	BI / delete / 3	
DEL 2	title	Remove comment like	
DEL 3			
DEL 4	pattern	Person Comment	
DEL 5	•	id = \$personId	
DEL 6	desc.	Given a Person and a Comment, remove the likes edge between them.	
DEL 7			
DEL 8		1 personId D	
	params	2 commentId ID	
	CPs	9.4	
	relevance	Removal of a likes edge is a rare event, e.g. people accidently liking a Comment, this can be reflected by the relative frequency of the operation.	

BI / delete / 4



BI / delete / 5




DEL 1	query	BI / delete / 6
DEL 2	title	Remove post thread
DEL 3		likes Person
DEL 4		likes——Person
DEL 5		Forum Post Post Post Person
DEL 6		Forum ContainerOf Post id = \$postId
DEL 7		isLocatedIn Country
DEL 8	pattern	
		replyOf hasTag Tag
		Comment
		ত invoke delete operation 7
		Pamaya a Past node and its adgress (isl acatedla, likes, has Creater, has Tarr, container Of). Pamaya all
	4	Remove a Post node and its edges (isLocatedIn, likes, hasCreator, hasTag, containerOf). Remove all
	desc.	replies to the Post and the connecting replyOf edges. In addition, remove all transitive reply Com-
		ments to the Post and their edges.
	params	1 postId ID

BI / delete / 7

 CPs

relevance

9.3, 9.4, 9.5



DEL 1	query	BI / delete / 8	
DEL 2	title	Remove friendship	
DEL 3 DEL 4 DEL 5	pattern	Person id = \$person1ld id = \$person2ld	
DEL 6	desc.	Given two Person nodes, remove the knows edge between them.	
DEL 8	params	1 person1Id D 2 person2Id D	
	CPs	9.4	
	relevance	n/a	