

Smart References: A Test Paper

SoloPDF test fixture - no link annotations anywhere in this file

1 Introduction

Our processing pipeline is shown in Figure 1 and the numbers are in Table 1.

The loss is defined in Eq. (2); substituting (1) into (2) gives the bound.

Prior work [2] and later studies [1, 3] looked at the same problem;

the overall architecture is sketched in Fig. 2 and surveyed in [5].

A dangling mention of Figure 9 must not produce any preview.

The classic identity we build on is

$$E = m c^2 \tag{1}$$

which holds in every inertial frame.

2 中文段落

如图 3 所示，系统由三部分组成；实验结果见表 1，
损失函数见公式 (2)，相关工作见 [4]。

Nothing below this line refers to anything.

The interval [0, 1] is not a citation and (7) alone is not an equation.

Figure 1 shows how documents flow from parsing to rendering.




Figure 1: The processing pipeline, from parsing to rendering.

Table 1: Results on the benchmark (higher is better).

Method	Accuracy	Speed
Baseline	71.2	1.0x
Ours	84.9	3.2x

We minimise the squared error

$$L = \sum_i (y_i - f(x_i))^2 \tag{2}$$

over the whole training set.

3 Architecture




Fig. 2. Architecture overview: encoder, core and decoder.




图 3 系统结构示意图：三部分之间的数据流。

References

- [1] A. Author and B. Author. Reading documents at scale. In Proc. DocEng, 2021.
- [2] C. Writer. A survey of PDF viewers. Journal of Tools, 12(3):1-20, 2019.
- [3] D. Reader. Hyperlinks considered helpful. Tech. report, 2020.
- [4] 张三, 李四。中文文档的智能引用。计算机学报, 2022。
- [5] E. Scholar. Smart references in practice. arXiv:2101.00001, 2021.