Devops





Version Control Systems




mplilearn. All rights reserved

Learning Objectives

By the end of this lesson, you will be able to:

- Select the suitable version control systems for your organization
- Explain the role of version control systems
- Identify the types of control systems and the supporting tools
- Set up Git
- Identify the suitable source code and version control hosts






History of Version Control Systems

A major focus of version control system (also known as revision control or source control) is to manage the changes to the files, programs, logs, and other information related to code development, code deployment, and code operation.

Revision control systems

distributed








Need of Version Control System

Version control systems can be used to accomplish various tasks.









Repository Usage

Types of files to be added in repositories:

Files and folders which need to be changed over time. Example: Constant addition of code for every increment in the feature.

Inappropriate use of a repository:

Example: A photograph or music library.

Types of files to be avoided in repositories:

Files and folders which do not need to be changed very often.


Example: Time machine for Apple computers.






Popular Version Control Systems

Some of the most preferred and popular open-source version control systems and tools are listed:







Importance of Version Control System

All the documents can be identified by filenames, authors, and the modified dates. It helps in linking contributions and contributors

Helps in tracing the development of the documents such as policies or source codes

The "truth" files and documents can be stored in a given storage location

Helps in differentiating the latest versions and track the recent updates

Continuous integration is easier with the newer version control systems

6

Helps in keeping track of the independent code versions for various reasons

Helps in coding collaboratively and remotely






Role of Version Control System in DevOps Environment





Adopt peer reviews to inspect changes



Provide tried and tested guaranteed results



Regulate monitoring of documents



Establish win-win relationship between Dev and Ops






Types of Control Systems and Its Supporting Tools

Types of Source Control Systems

It uses a single repository for each directory. It is often a symbolic link to a shared directory or network drive.



It acts as a central repository which can be used by all. It supports Lock-Modify-Unlock and Copy-Modify-Merge.

It creates replicas of the repository on each computer. It is fast and is based on immutable snapshots of its state.






File-Based Source Control System

Early source control systems worked at the level of the local file system. It required a subdirectory called SCCS or RCS containing the changes.

Examples of file-based source control systems:



Simplilearn. All rights reserved.

Client-Server Based Source Control System

A central repository can be used by all the developers and others who are involved in the product development and maintenance. An early approach to client-server model was Concurrent Versions System (CVS).









Client-Server Based Source Control System

Conflicts occur if two people change a file at the same time. This problem can be solved in two ways:

Lock-Modify-Unlock

- Only one person can change a file at a time
- A file must be locked before changing it
- Different users can't lock a locked file
- Another user must wait for the lock to be released

Copy-Modify-Merge

- Each user has a personal working copy of the file tree
- Changes are made independently and simultaneously
- Private copies are merged into a new version
- All other copies become outdated as soon as a private copy is committed





Distributed Source Control System

Distributed source control systems create replicas of the repository on each computer. Every user has to work on a replica locally and can do so even being disconnected from the network. They are suited for large projects and independent developers who can work independently and commit the changes for merging.

Examples:



GIT




Bazaar





Features of Distributed System

It is based on immutable snapshots of state with mutable tree structure





It is extremely fast and supports a wide variety of workflows


It is easy to use once the standards are set, and it allows various development models.





Repositories Are Key Tools in DevOps

- Repositories are key tools for DevOps, as they are responsible for providing a mechanism to reach stability in an ever-changing environment.
- Repositories can become very complex
- Branches and merges can have intricate relationships
- Graph is a directed acyclic of state changes
- Unused branches should be deleted but ideally nothing is truly deleted









Git is distributed revision control used to scrutinize the changes in the documents. It is fast, aims for data integrity, and supports nonlinear works. It supports fast branching and merging. Branches are lightweight, and they can perform a commit. Repositories can be published via several protocols such as HTTP, rsync, and FTP.



Bazaar is both, a distributed and a client-server revision control system written in Python for Linux distributions, Mac OS X and Windows variants. It supports collaboration with other revision control Systems such as SVN. It is an innovative tool with flexible features, and it is easier to use.







Subversion, often referred as SVN is a distributed version control tool under Apache license. Developers use subversion to maintain current and previous versions of documents to accomplish its goal as a compatible successor. Path and Revision are the two coordinates which are used to address file system.



Mercurial is a distributed revision control tool which supports Microsoft Windows and Unix-like environments. It is highly scalable, decentralized, and efficient. It is easier to learn, but add-ons should be written in Python. It does not support partial checkouts which is a drawback while working on large projects.







CVS (Concurrent Versions System) is a free client-server revision control system which maintains track of all the work and its changes in a set of documents or files and allows to collaborate. To work well with large text files, it uses delta compression.



Perforce, referred as Perforce Software is used for web-based repository management, team collaboration, and agile planning. It is accepted by larger organizations for better performance on large repositories compared to subversion. Perforce is the right choice if an organization has a large source tree and needs a centralized control system.





RCS

Revision Control System is an early version control system which helps user in creating their own revisions of a document, commit changes, and merge. It operates only on a single file and does not support working with an entire project. Though it is simple to work with, there is minimal security offered.

SCCS

Source Code Control System is a version control system developed to track the status and the changes of the source code and other documents during the development phase. An SCCS file is inclusive of delta table, access, and tracking tags and body of the text. Some of the popular commands are create, edit, delget, get, and prt.





Tools Supporting Version Control Systems



Monotone is an open-source software tool for distributed revision control. It helps in tracking revision of codes, documents and also tracks the history across renames. It strongly supports a diverge/merge workflow. Its noteworthy features are good support for internationalization and localization, very low maintenance, and stable GUI. It does not support potential users to checkout from a proxy network due non-HTTP protocol.




Plastic SCM is a cross-platform commercial software tool for distributed version control. It is a full version control stack which includes a command-line tool, a GUI, different merge tools, and a large number of IDEs. Its popular features are built-in 3-way merge, directory versioning, distributed and centralized operations. It supports popular operating systems such as Mac OS X, Windows, and few Linux platforms.








Popular Terminologies







Git Workflow








Overview of Source Code and Version Control Hosts



OSimplilearn. All rights reserved.

Source Code Hosting Facility

A source code repository is a web hosting and file archive facility where larger data such as source code is stored either privately or publicly. The most popular source code hosting sites are listed:



OSimplilearn. All rights reserved.

Supported Features

Name	Code Review	Bug Tracking	Web Hosting	Build System
GitLab	Yes	Yes	Yes	Yes
Bitbucket	Yes	Yes	Yes	Yes
SourceForge	Yes	Yes	Yes	No
launchpad	Yes	Yes	No	Yes (Only Ubuntu)
GitHub	Yes	Yes	Yes	Via third party





OSimplilearn. All rights reserved.

Supported Version Control Systems

Name	CVS	Git	SVN	Perforce
GitLab	No	Yes	No	No
Bitbucket	No	Yes	No	No
SourceForge	Dropped	Yes	Yes	-
launchpad	Import Only	Yes	Import Only	No
GitHub	No	Yes	Partial	No





Popularity and the Community Usage

Name	Users	Projects	
GitLab	100,000	546,000	
Bitbucket	5,000,000	Private	
SourceForge	3,700,000	500,000	
launchpad	3,965,288	40,881	
GitHub	24,000,000	69,000,000	





Assisted Practice Deploy the Files to GitHub via Git.

Problem Statement: You are given a project to add all the necessary files to your GitHub account via Git interactive terminal.

Access: Click on the Labs tab on the left side panel of the LMS. Copy or note the username and password that is generated. Click on the Launch Lab button. On the page that appears, enter the username and password in the respective fields, and click Login.



Assisted Practice: Guidelines to Deploy Files to Hosting Servers

- 1. List the basic structure of Git, GitHub, and Bitbucket.
- 2. Create files with every extension, and add random content in it (.txt, .html, .css, .ts, .js, .java, .c).
- 3. Initialize the Git repo locally and commit the files.
- 4. Make changes in random files, and repeat step 2.
- 5. Sign in to the GitHub account. Create an account if it is not created.
- 6. Connect the local and remote repositories.
- 7. Add the codes to the repositories of GitHub.
- 8. Repeat this demonstration three times where each time the commit should be for different repositories.





implilearn. All rights reserved.

Key Takeaways

You are now able to:

- Decide the suitable version control systems for your organization
- Explain the role of version control systems
- Identify the types of control systems and the supporting tools
- Set up Git
- Identify the suitable source code and version control hosts





1

Choose the software tool that supports Version Control System.

- A. Perforce
- B. Plastic SCM
- C. Git
- D. CVS





1

Choose the software tool that supports Version Control System.

- A. Perforce
- B. Plastic SCM
- C. Git
- D. CVS



The correct answer is **B**

Plastic SCM is a cross-platform commercial software tool for distributed version control.






2

Choose the correct File-based version control system.

- A. SCCS and RCS
- B. Perforce and SVN
- C. Git and SCCS
- D. SCCS, RCS, and Git





implilearn. All rights reserved.

Knowledge Check

2

Choose the correct File-based version control system.

- A. SCCS and RCS
- B. Perforce and SVN
- C. Git and SCCS
- D. SCCS , RCS, and Git



The correct answer is A

SCCA and RCS are the directories required for containing changes in local file-based version control systems.





3

Choose the correct solutions for the conflict raised in client-server based systems.

- A. Lock-Modify-Unlock
- B. Copy-Modify-Merge
- C. Create-Modify-Merge
- D. Options a and b





3

Choose the correct solutions for the conflict raised in client-server based systems.

- A. Lock-Modify-Unlock
- B. Copy-Modify-Merge
- C. Create-Modify-Merge
- D. Options a and b



The correct answer is **D**

The conflict raised in client-server based systems can be solved using Lock-Modify-Unlock and Create-Modify-Merge techniques.

4

A built-in 3-way merge is a popular feature of _____

- A. Bazaar
- B. Plastic SCM
- C. Perforce
- D. Git





4

A built-in 3-way merge is a popular feature of _____

- A. Bazaar
- B. Plastic SCM
- C. Perforce
- D. Git



The correct answer is **B**

Plastic SCM is a cross-platform tool for version control that has built-in 3-way merge.





5

Which among the following does not support the build system?

- A. SourceForge
- B. GitLab
- C. GitHub
- D. None of the above





5

Which among the following does not support the build system?

- A. SourceForge
- B. GitLab
- C. GitHub
- D. None of the above



The correct answer is A

SourceForge does not support the build system.





Lesson-End Project

Deploy the Files to Bitbucket via Git.



Problem Statement:

Create a directory named "Lesson-02" and perform the following:

- Create multiple files with .html, .xml, .txt, .py, .js, and .java.
- Add random content in each file.
- Connect git local to Bitbucket remote.
- Push the directory "Lesson-02" to Bitbucket account.

Access: Click on the **Labs** tab on the left side panel of the LMS. Copy or note the username and password that is generated. Click on the **Launch Lab** button. On the page that appears, enter the username and password in the respective fields, and click **Login**.

