

17-13-0303-C(1) Type 1 Narrative & Plans – 6453 North Bosworth Avenue., Chicago, IL

Proposed Zoning: RM-4.5 Residential Multi-Unit District

Lot Area: Approximately 3,885 square feet

Proposed Land Use: The existing building will remain. Applicant is seeking a zoning change to establish a garden-level dwelling unit within the existing building for a total of four (4) dwelling units at the subject property. The footprint and height of the existing building will remain.

(A) The Project's Floor Area Ratio: 5,196.06 square feet (1.34 FAR)

(B) The Project's Density (Minimum Lot Area Per D.U.): 971.25 square feet per D.U.
(4 dwelling units)


(C) The amount of off-street parking: 2

*The subject property is around 109 years of age with a residential building containing three (3) dwelling units. Since the Applicant is adding only one (1) dwelling unit to the existing building, parking is not required for the additional dwelling unit pursuant to Section 17-10-0101-B(2)(a) of the Zoning Code of the City of Chicago.

(D) Setbacks:

- a. Front Setback: 7 feet and 3.36 inches (existing)
- b. Rear Setback: 42 feet and 10.2 inches (existing)
- c. Side Setbacks:
 - North Side: 0 feet (existing)
 - South Side: 2.3 feet (existing)

(E) Building Height: 35 feet




1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100


[illegible]

PARTIAL INTERIOR BASEMENT REMODEL FOR NEW RESIDENTIAL UNIT

GENERAL REQUIREMENTS & AGREEMENTS 1. The Contractor shall be responsible for obtaining all necessary permits and approvals from the relevant authorities. 2. The Contractor shall maintain access to all existing utilities and structures at all times. 3. The Contractor shall be responsible for the safety of all workers and the public. 4. The Contractor shall be responsible for the protection of all existing structures and utilities. 5. The Contractor shall be responsible for the removal and disposal of all debris and waste. 6. The Contractor shall be responsible for the restoration of the site to its original condition. 7. The Contractor shall be responsible for the completion of the project within the specified time frame. 8. The Contractor shall be responsible for the payment of all subcontractors and suppliers. 9. The Contractor shall be responsible for the maintenance of all records and documents. 10. The Contractor shall be responsible for the compliance with all applicable laws and regulations.	EMERGENCY ESCAPE & EVACUATION 1. The Contractor shall develop and implement an emergency escape and evacuation plan. 2. The Contractor shall ensure that all workers are trained in the emergency escape and evacuation procedures. 3. The Contractor shall ensure that all workers are aware of the location of the nearest exit and assembly point. 4. The Contractor shall ensure that all workers are able to evacuate the site in a timely and orderly manner. 5. The Contractor shall ensure that all workers are able to follow the instructions of the designated evacuation officer. 6. The Contractor shall ensure that all workers are able to evacuate the site without the use of vehicles. 7. The Contractor shall ensure that all workers are able to evacuate the site without the use of lifts or other equipment. 8. The Contractor shall ensure that all workers are able to evacuate the site without the use of ladders or other equipment. 9. The Contractor shall ensure that all workers are able to evacuate the site without the use of tools or equipment. 10. The Contractor shall ensure that all workers are able to evacuate the site without the use of any equipment.	ROUTING AND SECURITY 1. The Contractor shall ensure that all materials and equipment are stored in a secure and accessible location. 2. The Contractor shall ensure that all materials and equipment are protected from theft and damage. 3. The Contractor shall ensure that all materials and equipment are kept in good condition. 4. The Contractor shall ensure that all materials and equipment are used in accordance with the project requirements. 5. The Contractor shall ensure that all materials and equipment are disposed of in a safe and legal manner. 6. The Contractor shall ensure that all materials and equipment are kept in a secure and accessible location. 7. The Contractor shall ensure that all materials and equipment are protected from theft and damage. 8. The Contractor shall ensure that all materials and equipment are kept in good condition. 9. The Contractor shall ensure that all materials and equipment are used in accordance with the project requirements. 10. The Contractor shall ensure that all materials and equipment are disposed of in a safe and legal manner.	ENGINEERING - MISC. 1. The Contractor shall ensure that all engineering drawings and documents are kept in a secure and accessible location. 2. The Contractor shall ensure that all engineering drawings and documents are protected from theft and damage. 3. The Contractor shall ensure that all engineering drawings and documents are kept in good condition. 4. The Contractor shall ensure that all engineering drawings and documents are used in accordance with the project requirements. 5. The Contractor shall ensure that all engineering drawings and documents are disposed of in a safe and legal manner. 6. The Contractor shall ensure that all engineering drawings and documents are kept in a secure and accessible location. 7. The Contractor shall ensure that all engineering drawings and documents are protected from theft and damage. 8. The Contractor shall ensure that all engineering drawings and documents are kept in good condition. 9. The Contractor shall ensure that all engineering drawings and documents are used in accordance with the project requirements. 10. The Contractor shall ensure that all engineering drawings and documents are disposed of in a safe and legal manner.	ABBREVIATIONS 1. The Contractor shall ensure that all abbreviations are defined and explained in the project documents. 2. The Contractor shall ensure that all abbreviations are used consistently throughout the project documents. 3. The Contractor shall ensure that all abbreviations are kept in a secure and accessible location. 4. The Contractor shall ensure that all abbreviations are protected from theft and damage. 5. The Contractor shall ensure that all abbreviations are kept in good condition. 6. The Contractor shall ensure that all abbreviations are used in accordance with the project requirements. 7. The Contractor shall ensure that all abbreviations are disposed of in a safe and legal manner. 8. The Contractor shall ensure that all abbreviations are kept in a secure and accessible location. 9. The Contractor shall ensure that all abbreviations are protected from theft and damage. 10. The Contractor shall ensure that all abbreviations are kept in good condition.	GENERAL NOTES 1. The Contractor shall ensure that all general notes are defined and explained in the project documents. 2. The Contractor shall ensure that all general notes are used consistently throughout the project documents. 3. The Contractor shall ensure that all general notes are kept in a secure and accessible location. 4. The Contractor shall ensure that all general notes are protected from theft and damage. 5. The Contractor shall ensure that all general notes are kept in good condition. 6. The Contractor shall ensure that all general notes are used in accordance with the project requirements. 7. The Contractor shall ensure that all general notes are disposed of in a safe and legal manner. 8. The Contractor shall ensure that all general notes are kept in a secure and accessible location. 9. The Contractor shall ensure that all general notes are protected from theft and damage. 10. The Contractor shall ensure that all general notes are kept in good condition.	EXCAVATION / REMEDIATION 1. The Contractor shall ensure that all excavation and remediation work is carried out in accordance with the project requirements. 2. The Contractor shall ensure that all excavation and remediation work is carried out in a safe and legal manner. 3. The Contractor shall ensure that all excavation and remediation work is carried out in a secure and accessible location. 4. The Contractor shall ensure that all excavation and remediation work is protected from theft and damage. 5. The Contractor shall ensure that all excavation and remediation work is kept in good condition. 6. The Contractor shall ensure that all excavation and remediation work is used in accordance with the project requirements. 7. The Contractor shall ensure that all excavation and remediation work is disposed of in a safe and legal manner. 8. The Contractor shall ensure that all excavation and remediation work is kept in a secure and accessible location. 9. The Contractor shall ensure that all excavation and remediation work is protected from theft and damage. 10. The Contractor shall ensure that all excavation and remediation work is kept in good condition.	CONCRETE WORK 1. The Contractor shall ensure that all concrete work is carried out in accordance with the project requirements. 2. The Contractor shall ensure that all concrete work is carried out in a safe and legal manner. 3. The Contractor shall ensure that all concrete work is carried out in a secure and accessible location. 4. The Contractor shall ensure that all concrete work is protected from theft and damage. 5. The Contractor shall ensure that all concrete work is kept in good condition. 6. The Contractor shall ensure that all concrete work is used in accordance with the project requirements. 7. The Contractor shall ensure that all concrete work is disposed of in a safe and legal manner. 8. The Contractor shall ensure that all concrete work is kept in a secure and accessible location. 9. The Contractor shall ensure that all concrete work is protected from theft and damage. 10. The Contractor shall ensure that all concrete work is kept in good condition.	ROOFING 1. The Contractor shall ensure that all roofing work is carried out in accordance with the project requirements. 2. The Contractor shall ensure that all roofing work is carried out in a safe and legal manner. 3. The Contractor shall ensure that all roofing work is carried out in a secure and accessible location. 4. The Contractor shall ensure that all roofing work is protected from theft and damage. 5. The Contractor shall ensure that all roofing work is kept in good condition. 6. The Contractor shall ensure that all roofing work is used in accordance with the project requirements. 7. The Contractor shall ensure that all roofing work is disposed of in a safe and legal manner. 8. The Contractor shall ensure that all roofing work is kept in a secure and accessible location. 9. The Contractor shall ensure that all roofing work is protected from theft and damage. 10. The Contractor shall ensure that all roofing work is kept in good condition.	MECHANICAL 1. The Contractor shall ensure that all mechanical work is carried out in accordance with the project requirements. 2. The Contractor shall ensure that all mechanical work is carried out in a safe and legal manner. 3. The Contractor shall ensure that all mechanical work is carried out in a secure and accessible location. 4. The Contractor shall ensure that all mechanical work is protected from theft and damage. 5. The Contractor shall ensure that all mechanical work is kept in good condition. 6. The Contractor shall ensure that all mechanical work is used in accordance with the project requirements. 7. The Contractor shall ensure that all mechanical work is disposed of in a safe and legal manner. 8. The Contractor shall ensure that all mechanical work is kept in a secure and accessible location. 9. The Contractor shall ensure that all mechanical work is protected from theft and damage. 10. The Contractor shall ensure that all mechanical work is kept in good condition.	ELECTRICAL 1. The Contractor shall ensure that all electrical work is carried out in accordance with the project requirements. 2. The Contractor shall ensure that all electrical work is carried out in a safe and legal manner. 3. The Contractor shall ensure that all electrical work is carried out in a secure and accessible location. 4. The Contractor shall ensure that all electrical work is protected from theft and damage. 5. The Contractor shall ensure that all electrical work is kept in good condition. 6. The Contractor shall ensure that all electrical work is used in accordance with the project requirements. 7. The Contractor shall ensure that all electrical work is disposed of in a safe and legal manner. 8. The Contractor shall ensure that all electrical work is kept in a secure and accessible location. 9. The Contractor shall ensure that all electrical work is protected from theft and damage. 10. The Contractor shall ensure that all electrical work is kept in good condition.	WALL TYPE LEGEND 1. The Contractor shall ensure that all wall type legends are defined and explained in the project documents. 2. The Contractor shall ensure that all wall type legends are used consistently throughout the project documents. 3. The Contractor shall ensure that all wall type legends are kept in a secure and accessible location. 4. The Contractor shall ensure that all wall type legends are protected from theft and damage. 5. The Contractor shall ensure that all wall type legends are kept in good condition. 6. The Contractor shall ensure that all wall type legends are used in accordance with the project requirements. 7. The Contractor shall ensure that all wall type legends are disposed of in a safe and legal manner. 8. The Contractor shall ensure that all wall type legends are kept in a secure and accessible location. 9. The Contractor shall ensure that all wall type legends are protected from theft and damage. 10. The Contractor shall ensure that all wall type legends are kept in good condition.	MECHANICAL LEGEND 1. The Contractor shall ensure that all mechanical legends are defined and explained in the project documents. 2. The Contractor shall ensure that all mechanical legends are used consistently throughout the project documents. 3. The Contractor shall ensure that all mechanical legends are kept in a secure and accessible location. 4. The Contractor shall ensure that all mechanical legends are protected from theft and damage. 5. The Contractor shall ensure that all mechanical legends are kept in good condition. 6. The Contractor shall ensure that all mechanical legends are used in accordance with the project requirements. 7. The Contractor shall ensure that all mechanical legends are disposed of in a safe and legal manner. 8. The Contractor shall ensure that all mechanical legends are kept in a secure and accessible location. 9. The Contractor shall ensure that all mechanical legends are protected from theft and damage. 10. The Contractor shall ensure that all mechanical legends are kept in good condition.	ELECTRICAL LEGEND 1. The Contractor shall ensure that all electrical legends are defined and explained in the project documents. 2. The Contractor shall ensure that all electrical legends are used consistently throughout the project documents. 3. The Contractor shall ensure that all electrical legends are kept in a secure and accessible location. 4. The Contractor shall ensure that all electrical legends are protected from theft and damage. 5. The Contractor shall ensure that all electrical legends are kept in good condition. 6. The Contractor shall ensure that all electrical legends are used in accordance with the project requirements. 7. The Contractor shall ensure that all electrical legends are disposed of in a safe and legal manner. 8. The Contractor shall ensure that all electrical legends are kept in a secure and accessible location. 9. The Contractor shall ensure that all electrical legends are protected from theft and damage. 10. The Contractor shall ensure that all electrical legends are kept in good condition.	GENERAL NOTES 1. The Contractor shall ensure that all general notes are defined and explained in the project documents. 2. The Contractor shall ensure that all general notes are used consistently throughout the project documents. 3. The Contractor shall ensure that all general notes are kept in a secure and accessible location. 4. The Contractor shall ensure that all general notes are protected from theft and damage. 5. The Contractor shall ensure that all general notes are kept in good condition. 6. The Contractor shall ensure that all general notes are used in accordance with the project requirements. 7. The Contractor shall ensure that all general notes are disposed of in a safe and legal manner. 8. The Contractor shall ensure that all general notes are kept in a secure and accessible location.</
--	--	---	--	--	--	---	--	--	---	---	---	--	--	---



1 EXISTING BASEMENT PLAN
1/4" = 1'-0"



2 PROPOSED BASEMENT PLAN
1/4" = 1'-0"

PAVILION ARCHITECTURE, INC.
1111 N. LAKE STREET, SUITE 100
CHICAGO, IL 60610
TEL: 312.329.1111
WWW.PAVILIONARCHITECT.COM

ERIK
MYROLD

4453 N. KOSCIUSKO AVE
CHICAGO, IL 60630




PLAN APPROVAL

DESIGN SET



NOTES

1. SEE PLAN & SPEC FOR
2. SEE PLAN & SPEC FOR
3. SEE PLAN & SPEC FOR
4. SEE PLAN & SPEC FOR
5. SEE PLAN & SPEC FOR
6. SEE PLAN & SPEC FOR

AP-1 3 6
PROPOSED
BSMT. LAYOUT



PAVLEWIC ARCHITECTURE INC. T. 412-906-2727 WWW.PAVARCH.COM 1000 E. 11th Avenue Suite 100 Chicago, IL 60611	
ERIK MYROLD 6053 N. ELSTON AVE CHICAGO, IL 60630	
PROJECT: 1000 E. 11th Avenue 3 STORY RESIDENTIAL FOR NEW UNIT	
DESIGN SET	
NOTES	
1. SEE SHEET 1000-01 2. SEE SHEET 1000-02 3. SEE SHEET 1000-03 4. SEE SHEET 1000-04 5. SEE SHEET 1000-05 6. SEE SHEET 1000-06 7. SEE SHEET 1000-07 8. SEE SHEET 1000-08 9. SEE SHEET 1000-09 10. SEE SHEET 1000-10	
APPROVALS	
PROJECT MANAGER ARCHITECT DESIGNER CHECKED DRAWN DATE	



PAVONI ARCHITECTURE INC.
1804 PAV. AVENUE
CHICAGO, IL 60641
TEL: 312-962-5723 WWW.PAV.ARCHITECT.COM
211 N. LAUREL STREET, 10TH FLOOR
CHICAGO, IL 60610

ERIK MYROLD
3100 N. LAUREL STREET, 10TH FLOOR
CHICAGO, IL 60610

3100 N. LAUREL STREET, 10TH FLOOR
CHICAGO, IL 60610

3100 N. LAUREL STREET, 10TH FLOOR
CHICAGO, IL 60610

3100 N. LAUREL STREET, 10TH FLOOR
CHICAGO, IL 60610

3100 N. LAUREL STREET, 10TH FLOOR
CHICAGO, IL 60610

3100 N. LAUREL STREET, 10TH FLOOR
CHICAGO, IL 60610

3100 N. LAUREL STREET, 10TH FLOOR
CHICAGO, IL 60610

3100 N. LAUREL STREET, 10TH FLOOR
CHICAGO, IL 60610

3100 N. LAUREL STREET, 10TH FLOOR
CHICAGO, IL 60610

3100 N. LAUREL STREET, 10TH FLOOR
CHICAGO, IL 60610

3100 N. LAUREL STREET, 10TH FLOOR
CHICAGO, IL 60610

3100 N. LAUREL STREET, 10TH FLOOR
CHICAGO, IL 60610

3100 N. LAUREL STREET, 10TH FLOOR
CHICAGO, IL 60610

3100 N. LAUREL STREET, 10TH FLOOR
CHICAGO, IL 60610

3100 N. LAUREL STREET, 10TH FLOOR
CHICAGO, IL 60610

3100 N. LAUREL STREET, 10TH FLOOR
CHICAGO, IL 60610

3100 N. LAUREL STREET, 10TH FLOOR
CHICAGO, IL 60610

3100 N. LAUREL STREET, 10TH FLOOR
CHICAGO, IL 60610

3100 N. LAUREL STREET, 10TH FLOOR
CHICAGO, IL 60610

3100 N. LAUREL STREET, 10TH FLOOR
CHICAGO, IL 60610

3100 N. LAUREL STREET, 10TH FLOOR
CHICAGO, IL 60610

3100 N. LAUREL STREET, 10TH FLOOR
CHICAGO, IL 60610

3100 N. LAUREL STREET, 10TH FLOOR
CHICAGO, IL 60610

3100 N. LAUREL STREET, 10TH FLOOR
CHICAGO, IL 60610


3100 N. LAUREL STREET, 10TH FLOOR
CHICAGO, IL 60610

3100 N. LAUREL STREET, 10TH FLOOR
CHICAGO, IL 60610

3100 N. LAUREL STREET, 10TH FLOOR
CHICAGO, IL 60610


3100 N. LAUREL STREET, 10TH FLOOR
CHICAGO, IL 60610

3100 N. LAUREL STREET, 10TH FLOOR
CHICAGO, IL 60610




1 WEST ELEVATION
1/4" = 1'-0"

2 SOUTH ELEVATION
1/4" = 1'-0"



3 EAST ELEVATION
1/4" = 1'-0"



4 EAST ELEVATION
1/4" = 1'-0"

PAVANEK ARCHITECTURE, INC.
P. PAVANEK, ARCHITECT
311 N. LAUREL ST., SUITE 100
CHICAGO, IL 60610
TEL: 312.467.1000
FAX: 312.467.1001
WWW.PAVANEKARCHITECT.COM

ERIK
MYROLD

6453 N. ELSTON AVE.
CHICAGO, IL 60630

1/4" = 1'-0"
1/8" = 1'-0"
1/2" = 1'-0"
3/4" = 1'-0"
1" = 1'-0"

1. ALL WORK SHALL BE IN ACCORDANCE WITH THE 2012 IBC AND THE 2012 CHICAGO BUILDING CODE.
2. THE OWNER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS.
3. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY INSURANCE.
4. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY BONDS.
5. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY SCHEDULING.
6. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY LOGISTICS.
7. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY SAFETY.
8. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY QUALITY.
9. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY COMMUNICATIONS.
10. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY DOCUMENTATION.

PLAN APPROVAL

DESIGN SET

NOTES

1. ALL WORK SHALL BE IN ACCORDANCE WITH THE 2012 IBC AND THE 2012 CHICAGO BUILDING CODE.
2. THE OWNER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS.
3. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY INSURANCE.
4. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY BONDS.
5. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY SCHEDULING.
6. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY LOGISTICS.
7. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY SAFETY.
8. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY QUALITY.
9. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY COMMUNICATIONS.
10. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY DOCUMENTATION.

AE-1 6 6

PROPOSED
ELEVATIONS