Fig. 2 H-end / Cl-end energy comparison

Provisional data audit | 28 matched pairs | 9 ordering reversals highlighted

H-end Cl-end candidate (panel a) ordering reversal

(a) Workbook E_b

(b) ΔE_b = H − Cl

(c) ΔE_{int} = H − Cl

L1 CAACme
L2 CAACmePPh3
L3 CAACmeSPh2
L4 CO
L5 CS
L6 N2
L7 N2CAACme
L8 N2CO
L9 N2CS
L10 N2NHCme
L11 N2PPh3
L12 N2SPh2
L13 NHCme
L14 NHCmeCAACme
L15 NHCmePPh3
L16 NHCmeSPh2
L17 OCCAACme
L18 OCCS
L19 OCNHCme
L20 OCPPh3
L21 OCSPh2
L22 PPh3
L23 PPh3SPh2
L24 SCCAACme
L25 SCNHCme
L26 SCPPh3
L27 SCSPh2
L28 SPh2

−25 −20 −15 −10 −5 0
Workbook E_b (kcal mol^{-1})

−10 −2 −1 0 1 3
H − Cl (kcal mol^{-1})
symlog; linear within ±1

−100 −10 −1 0 1 10
H − Cl (kcal mol^{-1})
symlog; linear within ±1

Negative differences indicate a lower H-end tabulated value; positive differences indicate a lower Cl-end value.
Energy reference states, BSSE/ZPE treatment and cross-configuration computational comparability remain unverified.
Highlighted reversals compare numerical ordering only; they do not establish thermodynamic preference.