

## Latest Manual URL

<https://docs.google.com/document/d/1sIQ6CiH0NkkO8xIbc81xAmmyzbnSbz9fnIUemrBLRUo/>

## Version 1.x Manual URL

<https://docs.google.com/document/d/1VELi43m4RbyMBNHbQ0AahYXsT5Pb2ymOit8ImTVdDzc/>

## Technical Support URL

Discord: <https://discord.gg/6UGu7sy>

## Revision History

### v3.2.0

- Added source camera scaling for orthographic arrangements. This allows for size adjustments without increase the texture size
- Experimental: Scaled and absolute position mouse clicking raycast scenes. This provides two methods to select warped objects in the scene

### v3.1.0

- Fixed vertical Projection Camera stack orientation flow from horizontal to vertical for more intuitive preview
- Added a first projection slider to allow the system to start at a different display index. This way users can add their own custom cameras in any previously unused displays.
- Added a regenerate camera toggle for users who do not want the cameras to be regenerated after scripts have been bound to the cameras. Previously it was forced to regenerate which caused users to lose their attached components, or had to resort to attaching them at runtime. With this change, users are now able to utilize Unity's post processing stack on each of the cameras without losing the script settings at runtime.
- Added an Other Workflows section
- Added a Special Thanks section.
- More demo scenes include an example working with videos and two systems working in tandem by using the first projector offset.

### v3.0.0

- New mesh adjustment workflow
- Color correction
- More clamps and invalid input correction mechanisms
- Updated UI

### v2.0.0

- Rebuild from the ground up based on user feedback
- JSON calibration files are using a new format, v1.x JSON that need to be updated to v2.x can be submitted to us for updating. Currently a JSON updater is not included.
- Updated UI
- Mesh control points are controlled differently now, split into Corners, Rows, Columns and Point selection adjustments (custom point group selection in a future update)
- Added white balance controls into UI and shader
- Added keyboard UI and mesh selection controls
- Reduced main scripting inspector UI to avoid confusion and added extra help box messages
- Allow customizable hotkeys

### v1.2.0

- Bug Fixes:
  - Avoids null references when recreating cameras
  - Removed more GetComponent and replaced with direct references for more efficiency
- Added Horizontal and Vertical Perspective Support
- Added warning messages when Game window does not match projector resolution
- New Qoobit Discord Support Channels added. Please join at:  
<https://discord.gg/6UGu7sy>

### v1.1.0

- Bug Fixes:
  - Some fields not being serialized because of editor changes not dirtying scene
  - Loaded calibrations not properly being initialized into UI
  - Control point vertex calculations for edge cases
- Rebuilt code without requiring Substance textures. We had been having a lot of feedback with different versions of Substance not working with Unity 2018, so we reimplemented the shader as a standalone not requiring Substance. This means that in this update, it will be backwards compatible with Unity 2017. Adjusting fades should be more responsive and less buggy with this new implementation.

### v1.0.5

- Added hard limits to the **Projection Warp System** editor to prevent inputting unsupported values
- **Overlap** and **Projection Camera Space** are also hidden if there is only 1 camera being used
- Major code refactoring for increased efficiency removing many instances of *GetComponent*
- Moved many prefabs and substances to the resources folder so that they can be referenced and instantiated in the new workflow behind the scenes

- Added version number to the calibration json in case future versions have different formats
- Added sample scene for use with Unity Video Player.

#### v1.0.4

- Major update to support Substance in Unity for Unity 2018+. Primarily removed the use of deprecated **ProceduralMaterial**.

#### v1.0.3

- Updated **Control Point** and **Projection UI** prefab to be initially disabled to prevent initial blip when launching from build.

#### v1.0.2

- Added support to launch a default json configuration file if it is located in the same directory as the exe. The filename must match **default\_calibration.json**.

#### v1.0.1

- Minor bug fixes

#### v1.0.0

- Initial submit

## What does it do?

This Unity Asset allows you to manage multiple unity cameras to produce large, seamless horizontal or vertical projection panoramas with one controller. It can be used for flat projection surfaces or curved panorama surfaces.


## Prerequisite

The plugin requires at least one projector, with all projectors having the same resolution settings. It is recommended that all projectors used are of the same model for best color matching.

## Supported Projector Configurations

Place the projectors at a distance where the **image slightly overshoots the projected surface**. If possible, **try to align the top or bottom edge** to the projection surface for minimal tweaking for best results. Also, make sure that there is at least 10% overlap between each projected image. Be sure to reorder the cameras in sequence from left to right inside the display settings.


### Horizontal Panorama




The projectors need to be lined up either horizontally in a straight line or curved with adequate overlap between each projector image on the left and right.

## Vertical Panorama

### Side View



Vertical Line



Vertical Curved

The projectors need to be lined up either vertically in a straight line or curved with adequate overlap between each projector image on the top and bottom.

## How it Works

We've scripted a system prefab for drag and drop use in your scene. The **ProjectionWarpSystem** script attached to the prefab controls the shared properties of all the cameras being used.

Please view our tutorial video for the functions of this version:

[https://www.youtube.com/watch?v=\\_6Qgg60m8DI](https://www.youtube.com/watch?v=_6Qgg60m8DI)

(v1.x Tutorial: [https://www.youtube.com/watch?v=\\_6Qgg60m8DI](https://www.youtube.com/watch?v=_6Qgg60m8DI))

We begin by entering the basic global settings that will be using for the setup.

## Projection Warp System Component Values

<b>Initialization File</b>	JSON file to use at start up. If left blank, none will be used and the current mesh settings will be used. If there is a <b>default_calibration.json</b> file in the same folder as your exe build file, it will be loaded automatically if this field is left blank.
<b>Arrangement</b>	Are the projectors horizontally or vertically placed in the physical world? Is what you're trying to draw using an orthographic or perspective camera?
<b>Projector Resolution</b>	The resolution settings on the projectors. Be sure that these are synced across all projectors (and Game windows).
<b>X Divisions/Y Divisions</b>	The number of divisions to use for the render target for shape adjustments. Minimum value of 1 division for each axis.
<b>First Projector</b>	Offsets the first projector to a different display index so users can add their own custom cameras mapped to an unused display that the system isn't using. If not required, please keep this value at the default value of 1.
<b>Projector Count</b>	The number of projectors being used. This will create this amount of Unity cameras and render texture projection targets.
<b>Regenerate Cameras</b>	By default this is enabled. Prior to v3.1.0, this was a forced feature. This meant that cameras would be recreated at runtime, loaded from the calibration file. With this unchecked, cameras will not be regenerated so any additional component scripts added to the cameras can be retained instead of being wiped out at runtime. If enabled, cameras will be regenerated and camera component scripts need to be attached programmatically at runtime. If inspector value adjustments are made that require cameras to be rebuilt, this will toggle back to enabled for consistency.
<b>Near</b>	Near clipping plane for all source cameras
<b>Far</b>	Far clipping plane for all source cameras
<b>Overlap</b>	The amount of overlap between each camera. This will reduce the overall area of the panorama, but is necessary for making

	seamless blend transitions. In HORIZONTAL_ORTHOGRAPHIC and VERTICAL_ORTHOGRAPHIC arrangements, this refers to the amount of positional offset for each of the cameras to create the overlap. In HORIZONTAL_PERSPECTIVE And VERTICAL_PERSPECTIVE, this refers to the amount of angular offset for each of the cameras to cover the desired field of view
<b>Projection Camera Spacing</b>	The amount of space between each render texture mesh. If 0 is used, it is advised to set layer masks for each Projector Image or to use a non zero value to avoid any potential overlaps between adjacent meshes.
<b>Field of View (Perspective Only)</b>	Field of view you wish to cover with the system. In HORIZONTAL_PERSPECTIVE, the value represents the <b>horizontal field of view</b> angle you wish to cover in your scene. In VERTICAL_PERSPECTIVE, the value represents the <b>vertical field of view</b> angle you wish to cover.
<b>Selected Mesh</b>	Index of the currently selected mesh for editing. -1 means not selected.
<b>Show Grid</b>	Shows the base mesh grid for current mesh
<b>Show Selected Grid</b>	Shows the selected grid lines for current mesh
<b>Show Control Points</b>	Show the base mesh control points
<b>Show Selected Control Points</b>	Show the selected control points
<b>Top Blend Range</b>	0 to 1 value for the top edge blend distance (0 = no gradient, 1 = edge to center gradient). The gradient transparency runs linearly from 0 to 1.
<b>Top Blend Choke</b>	0 to 1 value for the top edge starting position (0 = top of mesh, 1 center of mesh)
<b>Bottom Blend Range</b>	0 to 1 value for the bottom edge blend range (0 = no gradient, 1 = edge to center gradient). The gradient transparency runs linearly from 0 to 1.
<b>Bottom Blend Choke</b>	0 to 1 value for the bottom edge starting position (0 = bottom of mesh, 1 center of mesh)

<b>Left Blend Range</b>	0 to 1 value for the left edge blend range (0 = no gradient, 1 = edge to center gradient). The gradient transparency runs linearly from 0 to 1.
<b>Left Blend Choke</b>	0 to 1 value for the left edge starting position (0 = left of mesh, 1 center of mesh)
<b>Right Blend Range</b>	0 to 1 value for the right edge blend range (0 = no gradient, 1 = edge to center gradient). The gradient transparency runs linearly from 0 to 1.
<b>Right Blend Choke</b>	0 to 1 value for the right edge starting position (0 = right of mesh, 1 center of mesh)
<b>Tint</b>	White balance multiplicative color for color correction. Default is white.
<b>Selected Vertex</b>	-1 if no vertex selected for current mesh. Editing mesh defines which corner, row or column is being selected.
<b>Mesh Edit Mode</b>	Values: <b>NONE, CORNERS, ROWS, COLUMNS, POINTS</b> <b>CORNERS</b> mode will only have 4 control points which will linearly stretch the mesh to the corner anchor points. The others will allow offset adjustment on a per point basis relative to the interpolated base positions defined by the corners.
<b>Reference Game Objects</b>	Do not edit. It is used for faster referencing of related dependency scripts

**NOTE** When calibrating, please remember to check the **Projector Warp GUI** item under the **Visibility** heading to display the UI for making adjustments. Alternatively, you can press the ` key to toggle the GUI in play mode. It will only be shown on display 1 because Unity UI has bugs dealing with mouse positions across multiple displays.

## Projection Mesh Component Values

<b>Plane Distance</b>	Distance of projection mesh from orthogonal camera. Make sure there is adequate space so that the cubes for the control points are visible (recommended value 0.4)
-----------------------	--



<b>Index Appear Duration</b>	Amount of time the projector's index is displayed on screen when switching displays for edit
<b>Left Fade Range</b>	Shader Mask Left Fade Range
<b>Left Fade Choke</b>	Shader Mask Left Fade Choke
<b>Right Fade Range</b>	Shader Mask Right Fade Range
<b>Right Fade Choke</b>	Shader Mask Right Fade Choke
<b>Top Fade Range</b>	Shader Mask Top Fade Range
<b>Top Fade Choke</b>	Shader Mask Top Fade Choke
<b>Bottom Fade Range</b>	Shader Mask Bottom Fade Range
<b>Bottom Fade Choke</b>	Shader Mask Bottom Fade Choke
<b>Tint</b>	White balance multiplicative color for color correction. Default is white.
<b>Show Grid</b>	Shows the base mesh grid for current mesh
<b>Show Selected Grid</b>	Shows the selected grid lines for current mesh
<b>Show Control Points</b>	Show the base mesh control points
<b>Show Selected Control Points</b>	Show the selected control points










After setting up the parameters above, a render texture and mesh will be generated for each projection camera.

## Hotkeys

Hotkeys can be remapped by editing the values in the **Projection Warp System Keyboard Input** component.

<b>F1</b>	Help toggle
<b>`</b>	Toggle UI display
<b>F</b>	Show / hide mouse cursor
<b>1 - 8</b>	Select Projector # to edit. The selected display will have its index shown for 3 seconds before fading out.
<b>W, A, S, D</b>	Choose selection / move selection. When using point group edit mode, these keys are used to select a specific point, row or column, or move the selected control points.
<b>F5</b>	Reset selection offset. When you have selected a point group (blue indicates selection), you can reset the offset back to (0,0).
<b>R</b>	Reset mode. Disables point group selection, blend, white balance and help modes.
<b>Space</b>	Select / deselect current point group
<b>T, Y, U, I</b>	Corner, row, column, point group selection mode
<b>O</b>	Edge blending mode
<b>P</b>	White balance mode
<b>G</b>	Show / hide base grid
<b>H</b>	Show / hide selected grid
<b>B</b>	Show / hide control points
<b>N</b>	Show / hide selected control points

## UI Controls (Play Mode Only)

	Currently selected projector. Click to jump to next projector
	Show / hide mouse cursor
	Corner point group selection
	Row point group selection
	Column point group selection
	Single point selection
	Edge blend mode
	White balance mode
	Help / Hotkeys

## Saving and Loading Calibrations

A JSON file is used to save and load the calibration settings for all the cameras in the system.

### In Editor

To save out the calibration file, goto the **Projection Warp System** component and click the **Save Calibration** button. You will be prompted with a dialog to save the file.

To load a calibration file, goto the **Projection Warp System** component and click the **Load Calibration** Button. You will be prompted with a dialog to search for a previously saved JSON configuration file.


### In Play Mode

To save out the calibration file, enter a filename in the input field and click the **Save** button. It will be saved in the folder of your build .exe file.

To load a calibration file, enter a filename relative to your build .exe file click the **Open** Button.

## Pipeline

1. Set the physical projectors in the desired arrangement and try to lock them in place so they don't move around. Synchronize the settings across the projectors and make sure they have adequate overlap in the physical space.
2. Drop the **Projection Warp System** prefab into the current scene and position the GameObject into the region you wish to use for the projection. Animations should be done only on the **Projection Warp System** prefab. All other transforms underneath are being controlled by this script.



3. Enter the global settings for the cameras. Begin by selecting the camera arrangement.


The **Projector Resolution** should be set to the exact resolution of the projectors being used. By default they have been set to 1024x768. Be sure to set all your Game windows to the same resolution or you will see a warning.

The **X Divisions** and **Y Divisions** are arbitrary determined by you and should be set to a resolution that suitably represents the projection surface. The more divisions you have, the more manual tweaking will be needed on the control points at the later stages. However, with more control points, you will have a more accurate deformation.

**Camera Count** needs to be set to the number of projectors being used. They will be centered to the parent prefab.

**Near** and **Far** are the clipping planes that will be used for all the Orthographic Cameras.


**Overlap** is for setting the amount of overlap region between each camera in the panorama. Remember that in **ORTHOGRAPHIC** modes these are positional offsets and in **PERSPECTIVE** modes these are rotational offsets. Make sure that a non zero positive value is set for best results. A good point of reference is to try and get at least 10% of the image overlapped.




## WARNING

After these global values have been set, avoid making changes to them since they will re-generate the meshes for the projections. This includes, but is not limited to, changing the X Divisions, Y Divisions and Camera Count.

4. After setting the values above, each camera will be rendered to their own **Render Texture** which are then projected onto a deformable plane listed under **Projection Cameras**. Since these planes are rendered onto different displays, it is a good idea to move them out of the viewing range of the **Source Cameras**. To move them, just move the **Projection Cameras** GameObject.




In the event, that they cannot be moved out of the viewing range of the **Source Cameras**, create layers and assign them to the **Projection Image** GameObjects so that they will not be rendered through the **Source Cameras**.




The **Projection Camera Space** can also be used to space apart the generated mesh planes so that their images do not overlap on the cropped out areas of the displays.

5. At this point we need to build out and run the program since the Unity Editor doesn't allow simultaneous displaying of multiple full screens during play mode. In editor mode, you can still swap between displays, but it's not very useful for trying to line up the images. After building and running, your scene will be presented in its default state.



Double check that all displays are in the correct sequence. If not goto the display settings and rearrange them accordingly.





The controlling UI has all been consolidated on display 1 since Unity Screen Space UI doesn't work properly beyond display 1.

If you think the UI dialog box is too small, you can change its scale in the editor and rebuild for a larger UI experience.

**TIP** Try to physically move the projectors to match a general point of reference for the horizon. This usually means trying to match the images so that the top or bottom edge lines up with the projection surface as much as possible. Slightly overshooting the surface with the projector images is recommended since you can pull the image back inside the viewing range.

6. Pressing the ` key will reveal the UI and **F1** will reveal all the hotkeys.


Pressing **G**, **H**, **B**, or **N** on the keyboard will toggle the grid, selected grid, control points and selected control points for each selected mesh on each display.

These are a useful reference for finely tuning the overlap regions and knowing exactly which points have been selected. Hiding the grids and control points afterwards are a good way to see how good the overlap region is.

Use the **Space** key to selected the current highlighted point group and **W, A, S, D** to move the point group around. By default they will move at increments of 1. Holding down **Shift** will scale the increments down to 0.1 and **Ctrl + Shift** will adjust increments to 0.01.


Use **1 - 8** to switch between meshes for editing.


**T, Y, U, I** can be used to switch between point group selections

7. After lining up the images properly, it should be looking pretty good with minimal to no blurs in the overlapping regions. Except now, the overlapping regions will be displaying overly bright. We will address that in this step. Switch to blend settings by pressing **O** on the keyboard or clicking the  button on the UI.



There will be **range** and **choke** slider/input values that can be adjusted to create a desired gradient. These values are linked to a shader that is responsible for procedurally generating the alpha gradient used for the blend.

8. After getting a good blend, you should not see overbright areas, however if using non calibrated or off brand projectors, you may have color discrepancies. To address this white balance problem, press **P** on the keyboard or click the  button on the UI.




There will be RGB slider/input values that can be adjusted to try and match the colors on the two projectors.

## 9. **SAVE!**

The most important step! After making the adjustments above, it would be a real pain if you forgot to save (since changes made at runtime are not saved automatically). Clicking the **Save** button will store all the changes into a JSON file that can be used later. Double check that the JSON has been saved and exists in the proper location and close the

executable.

10. Go back to Unity and click the **Load Calibration** button in the inspector and select the JSON file that was just exported. This will bring the settings in as a default and you're good to go. Any future builds will utilize these calibration settings.



**TIP** If you're running the exe on a computer without Unity and need to update the calibrations, rename your calibration filename to **default\_calibration.json** and keep this file in the same directory as your export executable. If the plugin finds this file at startup, it will opt to use this instead of the provided json file.

## Other Workflows

### 1) Custom cameras coexisting with Multi Projection Warp System

An example of this can be found in the **Offset Camera** scene. Here we use a separate custom camera added to the scene set to display 1. For the **Projection Warp System**, we set the first projector to 2, this way we have both systems working independently.

### 2) VR

Similar to 1, you can drop in your SteamVR prefab and set the **Projection Warp System** with an offset first projector of value 2 and it should work as a suitable projection reference outside viewers. A common use case would be to re-parent the **Projection Warp System** to the Camera inside the SteamVR prefab so that it would follow along with what the player is viewing. You can also plop the **Projection Warp System** in an arbitrary position as a suitable 3rd person perspective of the VR content.

### 3) Video

More often than not you're just trying to display a prebuilt panorama video inside Unity. With the help of the video player component, you can have blended video playback with the **Projection Warp System**. An example of this can be found in the **Video Sample** scene.

### 4) Multiple System

If you require two or more separate surfaces to project upon with different vantage points, you can add multiple **Projection Warp Systems** into your scene. Keep in mind that for this to work properly, you need to save separate calibration files for each system, and to manage the offset display indexes on your own. For example, if you're doing two groups of two projectors, you want to set up the first system using **First Projector = 1, Projector Count = 2** and the second system as **First Projector = 3, Projector Count = 2**. With this setup, display 1 and 2 will be allocated to the first system, and display 3 and 4 will be allocated to the second system.

### 5) Post Process Effects

Recently we have numerous customers ask for a way to do this without losing their work. So we introduced in v3.1.0 the ability to not force camera regeneration at runtime. After setting the proper resolution, camera count, and first projector index, uncheck the **Regenerate Cameras** checkbox. You can proceed to add your post process effects or other scripts on to the cameras and they will be retained at runtime. Alternatively, you can keep this value checked and programmatically attach the components to the cameras at runtime via script.

## 6) Clicking in Warped Space

When your display is warped, it can be difficult to select world space objects in the scene. We have provided two methods of item selection in the **Mapped Cursor** and the **Cartesian Space Cursor** scene. Both methods use different raycast mapping methods to select a button on a world space canvas in the scene.

## Special Thanks

- Ondrej Prucha - For suggesting and providing the scripts to help add the camera regenerate toggle introduced in v3.1.0

## Potential Future Upgrades

- Cube Projector Mapping
- SteamVR Integration

If you have any other features you would like to suggest or if you find any bugs or problems, please send us an e-mail at [info@qoobit.com](mailto:info@qoobit.com) or visit us at our Discord channel for more immediate responses: <https://discord.gg/6UGu7sy>

Thanks for using our asset!