English edition

OPO2.0 online information and on-chain development checklist October 19, 2026 Confirmed framework candidate version | Real money function has not yet been enabled 1 Online conclusion and stage threshold This version has formed a shareable Chinese-Japanese-English interactive framework and maintainable source code, but the complete fund mall is not yet ready. You cannot just purchase a server, fill in the payment address, and then open the recharge and issue coins. First, the following independent stages are accepted for acceptance, and the fund switch that fails to pass remains closed.

Stage Current status Activation conditions Public framework preview Published simulation site No real products and payment addresses; clear simulation Real product display consultation Existing back-end candidates Product and subject information, permissions, host, HTTPS, backup acceptance Formal members and orders Latest interface to be integrated Persistent session/ID/qualification, inventory, fulfillment/after-sales closed loop Recharge and points fund ledger To be developed and accepted Chain monitoring, reserves, destruction events, idempotence/reorganization, real refunds LP/node/city issuance of tokens pending contract and operation acceptance. Existing token verification, reward inventory, price collection, contract audit, test chain/small-amount mainnet eni-opo.

2 Information that the project party must complete Information Already available or to be supplemented Delivery requirements Domain name and cloud control Domain name has been selected; control and handover To be verified Registrar/DNS/Certificate/Alibaba Cloud new environment authorization, credentials through safe channels Operation responsibilities and regions OPO name and email address are known; subject to be clarified Actual signing/after-sales/privacy responsible party, specific country and professional review Real product None yet Name/trilingual description/image rights/SKU/inventory/full cost/delivery after-sales Platform USDT reserve address to be confirmed Public address, proof of control, multi-signature, reconciliation and withdrawal/refund policy LP pool and holders to be provided

DEX version, pair address, LP certificate, holder/lock contract ZC contract and permissions Address confirmed; source code not verified Verified source code/ABI/compilation parameters/deployment history/agent/management role Node history list To be formally approved Original investment currency, amount, time, received, beneficiary, member ID mapping Reward and token inventory To be verified on the chain Subscription 200 million, LP 100 million reward, node special, city initial 50 million, LP 549 million ZC separately checked. Domain switch not executed Handover, final migration/reconciliation, rollback and regional review passed Public preview: https://opo-member-demo.guiguowang09.chatgpt.site. This link is available for technical and publicity review and does not constitute formal funding. The official domain name eni-opo.com has been confirmed by the user and no additional domain name will be purchased. This time, no paid cloud resources will be created, no DNS will be changed, no real customers will be migrated, no transactions will be signed, and no mainnet contracts will be deployed. The user authorization code is entered into GitHub and delivered as an independent branch and PR. Main is not directly pushed.

Old members and assets. Only isolation and temporary storage preparation. Complete export/recommendation history/password activation/balance and flow; private transmission. Official community. Confirmed public links for Telegram, 0x55d398326f99059fF775485246999027B3197955. The existence of an address does not equal verification of security or control. Do not send private keys, mnemonic words, verification codes, and do not transfer real customer tables or databases to GitHub.

3 The economic and operating parameters that must be finalized have been confirmed: private placement price of 0.01 unit, starting from 50 USDT, ZC final destruction, 2 times OPOC for one year; LP reward 100 million ZC for three years; historical node every 1,000 USDT one, 1.5 times principal and interest equivalent ZC for three years converted at price; city 5,000/10,000 available OPOC qualifications, total staking of 500,000 USDT for three years There is volume/time day weighting; selling 20% = 10% platform + 10% matching LP. Still

need to be finalized in writing: the true start and end dates of one and three years, whether it is based oncalendar years, day-to-day time zones, and the accuracy of the tail difference; whether the unqualified datewill be deferred or retained; whether the OPOC expires, returns and subscription cancellations, how torestore or cancel the rights.

Still need to be finalized: city service provider area and management scope, whether product uploads still require merchant review; invitation code relationship changes, account recovery, wallet replacement and historical ID mapping approval; processing of scattered node investments less than 1,000 USDT and deductions received. Still need to be finalized: 20% of fees will be deducted in ZC or USDT, when 10% will be exchanged on the platform, automatic pool addition batch threshold, maximum slippage, final ownership/locking/exit of LP certificate, trusted pool list and whether it can be adjusted. Still need to be finalized: price source of nodes and cities, observation window, minimum depth, quotation freshness, deviation threshold, suspension of recovery permissions, replenishment of funds when price drops; fixed dollar rights cannot be covered forever by the initial number of coins. Must calculate the operation: 200 million ZC subscription if all are 0.

4 Formal backend and database development module Must implement Acceptance points Identity and membership Stable unique ID, password hash, nonce signature, session/recovery, old ID mapping Wallet is not equal to verified; cross-account/duplicate registration/recovery attack test Recommendation and qualifications Non-tamperable relationship log, available OPOC time snapshot, role server verification Consumption/refund/release/time zone boundary recalculation, service provider only counts once Goods and orders SKU inventory, cost, trilingual, Review, contract fulfillment, after-sales, merchant settlement, idempotent order placement, concurrent inventory, cross-merchant isolation, bank-level refunds, fund ledger

Minimum unit of integer, double-entry entry, frozen/pending confirmation/settlement, unique event key No front-end self-confirmation, duplication/chain reorganization/compensation full-link reconciliation Subscription and points Payment intention, inventory locking, burn confirmation, points batch and release based on accumulated tail balance Controlled compensation when funds are collected and burned fails, no points are given repeatedly Reward batches Version snapshot, review, accumulated accrual minus received, budget/inventory verification Repeated tasks/replays/missing days/bundling/price expiration tests Backend management MFA, double review, minimum authority, complete audit You cannot approve by yourself, and fund execution is separated from business approval

The USDT balance in the mall is not the wallet balance on the chain.

01 is sold, corresponding to the consumption denomination of 2 million USDT and 4 million OPOC. The upper limit of the subscription amount is 2 million USDT and cannot be mistakenly written as 2 million ZC; product gross profit, point deduction, refund and merchant settlement cannot be equivalent to reserves based on book points. This is a model calculation and does not prove that the fundraising can be carried out legally. If multiple members recharge to the same address, the payment intention or member-specific address must be designed to match; the exchange withdrawal address cannot be regarded as the member's original wallet. After the payment is actually received, you cannot rely solely on the user's click to make the payment. The current approval interface is a memory simulation, the old backend sandbox contains historical models, and the latest economic rules have not yet been made into a formal funding API. The two cannot be simply spliced together and then changed to production=true to go online.

The new model is configured in config/approved-economics.json, and the front-end calculation is only used for review. 5. Prerequisite verification of existing ZC and DEX. Existing contract capabilities are the key path. It is necessary to obtain and compare on-chain running bytecode, verified source code, ABI, compiler and optimization parameters, verify agent type, implementation address, administrator, owner/role, minting, suspension, blacklist, fees, exemptions, upgrade history and total supply. The previously common observation of a single RPC with an empty agent slot does not prove that it is not upgradeable or has no

administrator. The existing upgradable mechanism should be retained, but fund permissions cannot bereleased arbitrarily in order to retain the upgrade.

If the existing ZC cannot be upgraded and does not have the required charging/destruction capabilities, the external mall contract cannot change all its DEX transfer behavior; it needs to separately approve the migration or restricted routing plan, and clearly explain the coverage boundary, and cannot pretend to be a unified tax deduction for the entire network. Don't just check to==pair and conclude it's a sell. Adding liquidity will also transfer coins to the pair; removal, aggregator, lightning swap, inter-pool transfer, etc. must be distinguished. The rules require that ordinary transfers and reward collections are free of charge and must be proven through actual DEX compatibility testing. PancakeSwap officially reminds fee-on-transfer tokens not to add liquidity to V3. Candidates should first verify V2 compatibility paths; this is not a guarantee of compatibility without testing.

V3’s NFT liquidity positions cannot be applied to the V2 homogeneous LP share algorithm. True burn requires actual reduction of totalSupply and reconciliation of events and inventory reduction; transferring to a dead address does not necessarily reduce totalSupply. When existing ZC does not support burn, an acceptable replacement/migration must be determined, and it cannot continue to be advertised as being truly destroyed. This time, we have not obtained verified source code that is sufficient to approve upgrades and tax collection capabilities, and no contracts have been deployed. Contracts cannot be automatically generated by interface generation buttons. Reference: https://docs.pancakeswap.finance/trade/trading-faq/swap-faq; https://docs.openzeppelin.

6 On-chain development modules proposed to be split Module Purpose Key limitations ZC adaptation/selling fee component Implement 20% and fee routing in the token/supported DEX path Prove that it can be changed first, clarify exceptions for pool and LP operations, and no additional issuance Subscription and destruction components USDT arrival, locked inventory, burn, unique subscription event Insufficient/failure compensation, minimum amount and upper limit, re-entry/replay protection LP pledge reward library Valid LP pledge, time accumulation Planning, three-year budget of 100 million, collection/withdrawal, isolation from LP principal, do not treat reward inventory as user LP, historical node release library, verified node rights, received,

USD cumulative limit, ZC conversion, signature/Merkle proof and nonce, double counting of principal is prohibited City reward distribution library Server-side OPOC snapshot and daily weight generation batch, on-chain ZC OPOC is not an on-chain currency; requires trusted batch review, challenge/revocation strategy Fee processing and LP management 10% fee for USDT, matching reserved ZC, recording LP certificate Slippage/period/threshold, inventory limit, LP attribution and lock-in Price adapter Read reliable prices and check timeliness/depth/deviation. The instantaneous current price cannot be directly used as the basis for issuing US dollar liabilities. Governance and security components

Multi-signature, delayed upgrade, pause/resume, role management. Upgrade will not erase what has been claimed/belonged; emergency rights cannot arbitrarily withdraw user funds. These are module suggestions, not the completed deployment this time.

com/contracts/5.x/api/proxy. Mature libraries can be reused, but versions and submissions need to be locked, and the final combination must be independently audited. As non-redeemable mall accounting points, OPOC can be left in the audited server account book first, and there is no need to forcibly upload it to the chain in order to promote decentralization. Historical nodes are released according to dynamic dollar amounts, and a standard linear VestingWallet with a fixed ZC amount cannot be claimed to meet the demand. The OPOC time weight of users across cities every day cannot be determined by the contract based on the mall consumption when there is no credible data source. 7 Price budget and fund security acceptance The price plan needs to select an audited oracle, or a TWAP (time weighted average price) with sufficient liquidity and observation window.

The initial pot is only 10,000 USDT, and the instantaneous price of a single pool is easily affected; an increase in price and a reduction in currency issuance does not mean that the risk of attacks disappears. Flash funding, cross-pool spreads, and stale quotes should be tested. Historical node calculation: Approved investment USDT City Accounting: The total budget is 500,000 USDT, which will be converted according to the weight of the daily qualified OPOC time. The budget version, price source/time, accuracy and unique claim ID must be fixed. Fund isolation: Member USDT reserve funds, orders and merchants to be settled, subscription fund usage, OPOC fulfillment costs, LP matching funds, LP pledge principal, historical nodes and city reward inventory are recorded separately.

Publicly visible addresses do not represent audited reserves, nor do they represent multi-signatures. Test exceptions: Quotation is 0/expired/deviated, insufficient ZC, insufficient USDT, chain rollback, repeated events, malicious callbacks, insufficient fee tokens, insufficient batch Gas, exit during suspension, wallet exchange and account recovery. In case of failure, relevant business should be suspended and compensation can be verified. Failure should not be concealed or repeated payment should be made. Don’t promise to force 20% for unlimited pools across the entire network. The current scope is designated BSC pools, any source ZC; unregistered pools, OTC transfers and other transactions require clear technical boundaries. If the adjustable rate is released in the future, there must be a cap, delay, announcement and version audit, and it cannot be increased silently.

8 Upgrade auditing and test chain work: Selecting auditable UUPS or transparent proxy mechanisms for new business contracts needs to be demonstrated on a case-by-case basis; retain existing upgrade capabilities, lock initializers, administrators and upgrade authorizations, verify storage layout compatibility, and save deployment lists and implementation versions. It is recommended that key roles be controlled by multi-signature and time lock determined by the project party; the number of multi-signers, thresholds and delay times are parameters to be approved. Emergency suspension and upgrade/withdrawal should be decentralized, and the emergency function should not be used as an entrance to arbitrarily misappropriate user reserves. Execution path: unit/attribute/invariant testing □ Specify BSC block height fork integration □ Test chain simulation token end-to-end □ Independent code and economic review □ Management signature and upgrade recovery drill □ Clear amount of small-amount mainnet acceptance.

Test chain funds are not real USDT; users are not required to send test funds to the main network address in the shared preview. It is necessary to accept the 100ZC selling account, no collection for buying, no collection for ordinary transfers, adding/removing LP processing, no tax penalty for reward collection, routing compatibility of 20% handling fee tokens, withdrawal from pledge and repeated collection, accuracy tail difference and maximum budget. Reference: https://docs.openzeppelin.com/contracts/5.x/access-control; https://docs.openzeppelin.com/upgrades-plugins; https://eips.ethereum.

org/EIPS/eip-4361. The audit will not be declared passed until the source code/administrator list and independent report are obtained. 9 Server domain name backup and release process Set direction: retain the old site and prepare a new user-controlled Alibaba Cloud environment; the domain name eni-opo.com will be handed over to Zhongbo. US$30/month is the initial operating budget that users have accepted. It is not the cloud quotation obtained in this round, and does not include contract audit, development, mainnet Gas, RPC, merchant fees or all operating manpower. A full funding system may require an increase in budget. Deployment configuration: isolate the test environment first, then the production environment.

Database persistent disk, HTTPS, strict proxy trust, minimum port, private key file, non-root service, time synchronization, disk capacity, log desensitization and rotation, dependency reproducible construction. You cannot expose SQLite files, debugging interfaces, or backend prototypes as real management backends. Operation and maintenance: encrypted backup, independent recovery key, off-site backup, actual recovery drill, error/asset balance/inventory/price fetch/RPC/task backlog alarm; specify the real recipient and response process. The existing script does not mean that remote uploading and alarm delivery are enabled.

GitHub: main protection, PR, required CI, independent approval, Actions complete SHA, minimum permissions, CODEOWNERS, dependency vulnerability and key push protection; whether it is actually enabled in the warehouse backend needs to be verified. PR authors cannot self-review and must have a second authorized reviewer. Release: Build with reviewed commits Record dependencies/summaries Test environment acceptance Consistency snapshots and migration reconciliation Small traffic Observation Full volume; retain the previous version, database compatibility and contract rollback/pause plan. Upgrade failure cannot be solved by forcing the history or overwriting the customer database.

10 Region-wide Responsibilities and Final Acceptance Checklist Targeting China, Japan and English-speaking regions does not mean that the same token collection, exchange or income promotion can be directly carried out in these regions. Notices from the People's Bank of China and other departments have clear restrictions on virtual currency exchange and related services; the Japan Financial Services Agency has registration requirements for related exchange/intermediary and other businesses. It must be reviewed by professionals in the applicable area based on actual business, and the responsible party and access cannot be replaced by " no business entity, everyone operates". For external business, at least clearly define: parties responsible for contract signing and after-sales, service areas and excluded areas, commodity/taxation/consumer protection, privacy and cross-border data, anti-money laundering applicability, fund custody responsibilities, points terms, and reward disclosures. Area restrictions may not be designed to bypass entrances.

Data priority P0: source code ABI/administrator, wallet and inventory, LP information, full list of nodes and old assets, real products/merchant/responsible party, operating area review and cloud domain name control. P1: Core ledger/order/recharge/qualification interface, contract components, price acquisition, and independent review. P2: Test chain and small-amount main network closed loop, alarm recovery, official switch. For online sign-off, the actual person in charge should separately confirm product rules, financial reconciliations, technical testing, security reviews, operational performance, regional scope and rollback plans. The status must have evidence links and specific commits, and the AI reply "complete" will not be used as a substitute for acceptance. Reference: https://www.pbc.gov.

cn/tiaofasi/144941/3581332/4348658/index.html; https://www.fsa.go.jp/common/shinsei/denanchuukai/index.html. The data verification date is October 19, 2026. The application of regulations requires professional judgment.