English edition

OPO2.0 Operation Manual October 19, 2026 Confirmed Framework Candidate Version | Real Fund Function has not yet been enabled 1 Scope of Use and Economic Model Quick Overview This manual corresponds to the OPO2.0 candidate interface confirmed on October 19, 2026, and is for use by project parties, technology, design and publicity teams. The current public link is a simulation framework, not an official mall that receives real funds. The fact that the interface has been implemented does not mean that the backend, on-chain contracts or business access have been completed. Test link: https://opo-member-demo.guiguowang09.chatgpt.site; the official domain name is the purchased eni-opo.com, which will be switched after handover and acceptance. The DNS will not be modified this time.

The total planned amount is 1 billion ZC. The following table is a usage allocation plan, not a verification of the balance or actual issuance on the chain. Purpose Planning ZC Rules Initial LP 1 million, additional 10,000 USDT, initial ratio 0.01 Private subscription inventory 200 million Locked and eventually destroyed after subscription, no ZC returned Special historical node 100 million temporarily reserved Approved historical investment, 1.5 times principal and interest equivalent ZC for three years Subsequent LP reserve: 549 million ZC. Additional matching funds are required. LP pledge reward 100 million. Effective LP share and time, three years. City reward initial inventory 50 million. Fixed three-year ZC equivalent of 500,000 USDT, converted at price. Total 1 billion. Allocation does not equal additional issuance. Four rights and interests must be distinguished: private placement to OPOC; pledging LP to LP special ZC; historical investment to historical node special ZC; qualified OPOC holders to participate in city special ZC. OPOC cannot be directly exchanged for ZC or USDT. None of the products and assets currently demonstrated are real for sale or have real balances. Announcements can demonstrate the framework and should not claim that formal funding systems are online, audits have been completed, or returns are guaranteed. 2 Registration, login and invitation relationship 1. Select Chinese, Japanese or English from the left.

Switching languages retains the current page's forms, memberships, and demo balances; only the language preference is saved long-term in the browser. 2. Click Member Login and Registration in the upper right corner. The invitation code can be left blank, and the system will use the platform invitation code opo1; you can also fill in the exclusive invitation code of a registered member on the same page. Invalid codes will be rejected. 3. Enter a non-zero BSC public wallet address and at least an 8-digit test password. Available fictitious addresses are 0x1111111111111111111111111111111111111111 1111111. Do not use real passwords, private keys, or mnemonic phrases. 4. A unique member ID is generated after registration, which has nothing to do with the wallet balance. Record the ID and test password; you can log in again on the same page after logging out.

The correct format of the wallet address does not mean that the wallet ownership has been proven. The official version still requires signature authentication. 5. My invitation relationship in the member center displays your invitation code, inviter, number of direct invites, and member ID. The invitee's balance, complete wallet and contact information are not made public; there is currently no new invitation rebate. 6. Want to experience the invitation: Copy the invitation code on this page, exit the current simulated membership, and then register with another fictional wallet and the invitation code. The simulated recharge, points and orders of different members are separated. 7. Refreshing or closing will clear the simulated account, relationships and orders. There is now no cross-device membership sharing or real account recovery. This memory prototype may not be used for official registration collections.

Before formal members go online, they must implement: server-side unique ID, password secure hashing and current limiting, wallet ownership verification, anti-replay session, identity recovery, privacy notification and old ID mapping. Old customers cannot uniformly initialize the same password. 3 USDT recharge and asset inquiry Formal design: The platform recharge wallet serves as a member's USDT reserve fund, and is

reconciled with the entire network's member account balances, recharges to be confirmed, and payments to be settled at the same time. Wallet assets cannot be repeatedly counted as platform income because they are displayed in multiple member accounts. Simulation steps: Log in USDT recharge Enter the amount Create a record (the balance will not increase) Confirm on the simulation chain The current member’s USDT balance will increase once. Repeated confirmations will not result in repeated additions.

The recharge page has not been configured with a real payment address or QR code. Do not transfer money to old platform addresses, unfamiliar addresses in chats, or signaled addresses. The old public payout address provided was not automatically recognized as a reserve address. My assets are divided into mall ledger, BSC wallet and Binance fund account. Actively connecting to the browser wallet can only read the address, USDT, ZC and BNB; no signature, no authorization, no transfer, and the balance on the chain will not be automatically included in the consumable simulated balance. To exchange USDT with one click, show the steps first, and then open Binance official P2P. Users are responsible for completing their applicable identity verification, payment and regional rules. Outbound jumps or returns do not mean that the mall has received the money, and it does not automatically complete the transaction or record the accounts of the mall. Users who don’t know how to use wallets: You can currently use ordinary payment simulation to understand the process.

Official bank cards, local payments, Binance Pay merchants and custodial wallets are not connected; just putting a button cannot replace these business systems. Formal recharge must verify chain 56, USDT contract, source or exclusive recharge address, amount, confirmation number and member mapping, use chain ID + transaction hash + log sequence number to prevent duplication, and deal with chain reorganization, failure, timeout and manual review. Withdrawals from exchanges are usually not members' personal addresses and cannot be automatically attributed to members based on the transaction sending address. 4 Private placement OPOC and product orders Subscription rules: Unit price is 0.01USDT/ZC, starting from 50USDT, planned inventory is 200 million ZC.

After payment is confirmed, ZC will be locked and finally truly destroyed, and ZC will not be returned to the subscriber; it must be accepted based on the actual contract capacity and on-chain events, and page prompts will not be used instead of destruction. Points rules: When subscribing, the equivalent OPOC is fixed at 2 times the payment amount and will be released in one year. 50USDT corresponds to the destruction of 5000ZC and the total equity of 100OPOC. It does not change with the ZC market price and does not get twice as much every day. 1 OPOC uses 1 USDT for consumption accounting, which does not mean that USDT can be redeemed. Points can only be used to purchase products in the mall; they cannot be withdrawn, converted to USDT or directly exchanged for ZC. The current plan allows for a maximum deduction of 50% per item, and the official upper limit, expiration, post-return rights processing and merchant settlement terms should still be finalized in writing.

Test steps: First simulate recharge My points Enter 50USDT and above Simulate subscription Advance 1/30/365 days Check the total rights, released and to be released by batch. Refreshing does not preserve records. Shopping steps: Product classification or advertising industry Select the indicated product Test purchase Check OPOC Check cash and points Confirm simulated payment Order and refund on the right. Supports simulating a full refund, restoring cash and used points, and preventing repeated refunds. The total cost of goods includes procurement, logistics, packaging, taxes, after-sales reserves, operations, payment and customer acquisition amortization, and is priced at 2.5 to 3 times the full cost. The price is 55 when the cost is 20 USDT and the multiplier is 2.75; if it is deducted, it is 27.

5 points, 27.5 USDT is needed. This example does not demonstrate actual profits or the adequacy of settlement reserves. There is currently no actual product catalog, indicating that the product cannot be advertised as in stock. Advertising industry services also require delivery scope, size and material, number of revisions, acceptance, construction period commitment basis and after-sales responsibilities, and supply

cases cannot be fabricated. 5. Special rewards for LP and city qualifications. The LP pledge reward has anindependent budget of 100 million ZC, which will be distributed according to the effective pledged LP shareand holding time in three years. The simulation can be pledged, advanced, and exited; exiting stops futurerewards and retains accumulated examples. 549 million ZC is the subsequent LP matching inventory andcannot be used as the denominator of individual reward weights. City qualifications are found below thesimulated pledge area on the left side of the LP page.

Only available OPOC that have been released and not consumed are included: 5,000 to less than 10,000 are on the city whitelist, and can obtain the qualification to upload products; 10,000 and above are city service providers. If the qualification is below the threshold, the corresponding qualification will be suspended, and the OPOC to be released will not be counted. The specific management scope of the service provider still needs to be determined. The city special project is a three-year total of 500,000 USDT equivalent ZC, not 5 million US dollars, nor is it a fixed issue of 50 million coins. The initial inventory of 50 million ZC was deducted from the original LP inventory of 599 million, leaving 549 million. The LP pledge of 100 million and the historical node special amount of 100 million remain unchanged.

Daily weight = Σ of the qualifying time period (available OPOC × holding hours); individual daily quota = total USD quota on the day × individual weight ÷ overall qualified weight; this time ZC = individual USD quota ÷ approved ZC price. The service provider only counts once, no whitelist weight is added, and OPOC is not consumed. The demonstration is based on 1095 days, and the daily total amount is approximately 456.621005 USDT. When the individual weight accounts for one-third, the daily quota is about 152.207002USDT: when the price is 0.01, it is about 15220.700152ZC; when the price is 0.02, it is about 7610.350076ZC. The dollar amount remains unchanged, but the number of coins changes with the price. Expand the qualification and reward simulation to calculate changeable balances, qualifying hours, other weights, and prices.

Entering does not increase real authority or balance. The initial inventory may be insufficient when prices drop; supplementary sources, prices, actual dates, accuracy, day cut and unqualified day processing must be finalized before going online. 6 Historical nodes, dividends and selling fees The nodes and dividends on the left only correspond to approved early public chain investors and do not accept new investments. Every 1,000 USDT is 1 share of computing power, and the total equity of principal and interest in three years is 1.5 times the USDT equivalent of the original investment in ZC, and no additional principal will be returned. Historical investment in USDT computing power shares Three-year principal and interest equivalent USDT 1000 1 1500 4000 4 6000 10000 10 15000 Each release is converted according to the ZC price approved at that time; the total amount of ZC in three years is not fixed in advance.

The original record, currency, amount, investment time, past receipts, beneficiary and member ID must be reconciled, and computing power cannot be directly awarded with the amount filled in by the user. Scattered investments that are not multiples of 1,000 will not be rounded for the time being. 100 million ZC are temporarily reserved for historical special projects and will be accurately determined after statistics. The remaining can be used as mobile ZC authorized by the platform. The allocated node reserves are separated from the mobility quota; under dynamic conversion, the reserves still need to be continuously checked. Any source of ZC sold to the designated BSC pool will receive 20%: 10% of the platform income, 10% of which will be exchanged for USDT and matched with the ZC reserved by the platform to increase LP. This selling fee is not charged for purchases, ordinary transfers, and reward collection. DEX fees, slippage and Gas are additional. The table above is equity before selling fees.

Note: If the final contract is deducted according to ZC input, when selling 100ZC, 80ZC will be used for exchange, 10ZC platform, and 10ZC will be entered into fee processing; the latter is exchanged for USDT and matched to reserve ZC. The actual USDT transaction is determined by the pool price, depth, and slippage, and is not a fixed exchange rate commitment on the page. The charging currency and execution path must be

confirmed in the contract specifications. The existing ZC source code and upgrade permissions have not yetbeen verified. You cannot just rely on the mall button to force external DEX to collect taxes, nor can you treattransfers to pool addresses as sales and mistakenly charge the handling fee for adding LP. 7. Division of laborbetween merchant backend and team operations. Merchant use: Prepare real products, authorized pictures,complete costs, SKU inventory, supply and after-sales information. After obtaining qualifications, serverauthorization and product review are still required.

The current upload button is only marked for access and will not actually release the product. For administrator use: The stand-alone backend prototype only displays full cost input, 2.5 to 3 times multiples, and post-deduction cash calculations. It is not a protected management system, has no real identity verification, and should not be filled with business secrets. The formal system requires administrator MFA, review and release, operation audit and separation of permissions. Financial usage: approved recharge, reserve, subscription and destruction, node records, daily weight, reward budget and refund. The user mall's USDT reserve fund, merchant pending settlement, OPOC fulfillment costs, LP matching funds, node and city reward inventory are reconciled separately and cannot be mixed. Technical use: Node24.18.1 environment enters opo-2.

0, run npm run preview:model, open 127.0.0.1:3211. npm run test:model verifies the current model. The old npm start is an existing server-side sandbox and cannot be directly regarded as the official funding backend of the new interface. See the delivery operation entry document for details. Publication use: You can share public simulation links to display homepage, members, wallets, points, LP, nodes, FAQ and instructions. Do not use simulated sales volume, income, product inventory, audited, licensed and other unverified commitments; formal fundraising and service areas require special review. Maintenance use: branch submission, PR, CI, manual review and then merge; cannot be self-approved by the same author.

Dependencies and Actions are fixed versions/commits, and keys are not entered into the warehouse. AI can assist in repair and testing. Real funds, contract upgrades and production releases must be reviewed by authorized personnel. There is currently no 24-hour unattended maintenance enabled. 8 Common faults and checks before official activation If the account disappears: first confirm whether the page has been refreshed. The current memory demonstration cannot be restored after it is cleared; the formal system must deploy a persistent database, backup and recovery process. The recharge has not arrived: click Confirm first in simulation; officially, you need to check the chain, contract, amount, hash and confirmation number, enter controlled manual verification, do not replenish the account repeatedly, and do not accept chat screenshots as the only payment voucher. The wallet balance is incorrect: confirm the BSC chain, correct wallet, token accuracy and query block; change accounts to clear old data.

Do not use balance to generate member ID, and do not use Binance balance as on-chain wallet balance. Insufficient points or suspended qualifications: View available, pending and spent OPOC respectively. Downgrading is based on the current available balance. If the service provider drops to above 5,000, it can still retain the whitelist and cannot receive two city weights repeatedly. Price or reward anomalies: The official system should suspend relevant issuance and alert when the quotation expires, the price difference is too large, the depth is insufficient, or the inventory is insufficient, and the settlement should not be silently settled with a 0 price or a manipulative instantaneous price. Audit evidence must be retained for recovery. Problem feedback: public email guiguowang99@gmail.com. Provide operation steps, equipment, language and desensitized screenshots, and do not send passwords, verification codes, private keys or original data of customer funds.

Telegram, X, and DeBox still need to confirm the official group address. Activation sequence: Code review and data completion □ Isolated test environment □ No-fund closed loop □ BSC test chain contract and simulated assets □ Independent security review □ Small-amount mainnet acceptance □ Can be rolled back online. Before the handover of Zhongbo information, domain names and old data is completed, the old site will not

be overwritten or real customer rights will be rewritten. This manual describes the confirmed solutions andcurrent candidate interfaces. It does not prove that the contract has been deployed, 20% is enforceable, thereserves are sufficient, regional access has been completed, or the capital version can be operatedimmediately. For further information and contract list, please see another launch preparation document.