

- [Overview](#)
- [Package](#)
- Class
- [Tree](#)
- [Deprecated](#)
- [Index](#)
- [Help](#)

- [Prev Class](#)
- Next Class

- [Frames](#)
- [No Frames](#)

- [All Classes](#)

- Summary:
- [Nested](#) |
- [Field](#) |
- [Constr](#) |
- [Method](#)

- Detail:
- Field |
- [Constr](#) |
- [Method](#)

com.example.asus.myapplication

# Class StartActivity

- java.lang.Object
    - android.content.Context
      - android.content.ContextWrapper
        - android.view.ContextThemeWrapper
          - android.app.Activity
            - android.support.v4.app.FragmentActivity
              - android.support.v7.app.ActionBarActivity
                - com.example.asus.myapplication.StartActivity
  - All Implemented Interfaces:  
android.content.ComponentCallbacks, android.content.ComponentCallbacks2,  
android.support.v4.app.ActionBarDrawerToggle.DelegateProvider,  
android.support.v4.app.TaskStackBuilder.SupportParentable, android.view.KeyEvent.Callback,  
android.view.LayoutInflater.Factory, android.view.LayoutInflater.Factory2,  
android.view.View.OnCreateContextMenuListener, android.view.Window.Callback,  
android.view.Window.OnWindowDismissedCallback
- 

```
public class StartActivity  
extends android.support.v7.app.ActionBarActivity
```

This Activity will act as the main page of the app, where you can choose to login as user or as guest

- - **Nested Class Summary**
    - **Nested classes/interfaces inherited from class android.app.Activity**

`android.app.Activity.TranslucentConversionListener`

- **Nested classes/interfaces inherited from class `android.content.Context`**

`android.content.Context.BindServiceFlags,`  
`android.content.Context.CreatePackageOptions,` `android.content.Context.ServiceName`

- **Field Summary**

- **Fields inherited from class `android.app.Activity`**

`DEFAULT_KEYS_DIALER,` `DEFAULT_KEYS_DISABLE,` `DEFAULT_KEYS_SEARCH_GLOBAL,`  
`DEFAULT_KEYS_SEARCH_LOCAL,` `DEFAULT_KEYS_SHORTCUT,` `FOCUSED_STATE_SET,`  
`RESULT_CANCELED,` `RESULT_FIRST_USER,` `RESULT_OK`

- **Fields inherited from class `android.content.Context`**

`ACCESSIBILITY_SERVICE,` `ACCOUNT_SERVICE,` `ACTIVITY_SERVICE,` `ALARM_SERVICE,`  
`APP_OPS_SERVICE,` `APPWIDGET_SERVICE,` `AUDIO_SERVICE,` `BACKUP_SERVICE,` `BATTERY_SERVICE,`  
`BIND_ABOVE_CLIENT,` `BIND_ADJUST_WITH_ACTIVITY,` `BIND_ALLOW_OOM_MANAGEMENT,`  
`BIND_AUTO_CREATE,` `BIND_DEBUG_UNBIND,` `BIND_IMPORTANT,` `BIND_NOT_FOREGROUND,`  
`BIND_NOT_VISIBLE,` `BIND_SHOWING_UI,` `BIND_TREAT LIKE ACTIVITY,` `BIND_VISIBLE,`  
`BIND_WAIVE_PRIORITY,` `BLUETOOTH_SERVICE,` `CAMERA_SERVICE,` `CAPTIONING_SERVICE,`  
`CLIPBOARD_SERVICE,` `CONNECTIVITY_SERVICE,` `CONSUMER_IR_SERVICE,`  
`CONTEXT_IGNORE_SECURITY,` `CONTEXT_INCLUDE_CODE,` `CONTEXT_REGISTER_PACKAGE,`  
`CONTEXT_RESTRICTED,` `COUNTRY_DETECTOR,` `DEVICE_POLICY_SERVICE,` `DISPLAY_SERVICE,`  
`DOWNLOAD_SERVICE,` `DROPBOX_SERVICE,` `ETHERNET_SERVICE,` `FINGERPRINT_SERVICE,`  
`HDMI_CONTROL_SERVICE,` `INPUT_METHOD_SERVICE,` `INPUT_SERVICE,` `JOB_SCHEDULER_SERVICE,`  
`KEYGUARD_SERVICE,` `LAUNCHER_APPS_SERVICE,` `LAYOUT_INFLATER_SERVICE,` `LOCATION_SERVICE,`  
`MEDIA_PROJECTION_SERVICE,` `MEDIA_ROUTER_SERVICE,` `MEDIA_SESSION_SERVICE,` `MODE_APPEND,`  
`MODE_ENABLE_WRITE_AHEAD_LOGGING,` `MODE_MULTI_PROCESS,` `MODE_PRIVATE,`  
`MODE_WORLD_READABLE,` `MODE_WORLD_WRITEABLE,` `NETWORK_POLICY_SERVICE,`  
`NETWORK_SCORE_SERVICE,` `NETWORK_STATS_SERVICE,` `NETWORKMANAGEMENT_SERVICE,`  
`NFC_SERVICE,` `NOTIFICATION_SERVICE,` `NSD_SERVICE,` `PERSISTENT_DATA_BLOCK_SERVICE,`

POWER\_SERVICE, PRINT\_SERVICE, RESTRICTIONS\_SERVICE, SEARCH\_SERVICE, SENSOR\_SERVICE, SERIAL\_SERVICE, SIP\_SERVICE, STATUS\_BAR\_SERVICE, STORAGE\_SERVICE, TELECOM\_SERVICE, TELEPHONY\_SERVICE, TEXT\_SERVICES\_MANAGER\_SERVICE, TRUST\_SERVICE, TV\_INPUT\_SERVICE, UI\_MODE\_SERVICE, UPDATE\_LOCK\_SERVICE, USAGE\_STATS\_SERVICE, USB\_SERVICE, USER\_SERVICE, VIBRATOR\_SERVICE, VOICE\_INTERACTION\_MANAGER\_SERVICE, WALLPAPER\_SERVICE, WIFI\_P2P\_SERVICE, WIFI\_PASSPOINT\_SERVICE, WIFI\_RTT\_SERVICE, WIFI\_SCANNING\_SERVICE, WIFI\_SERVICE, WINDOW\_SERVICE

## ■ Fields inherited from interface `android.content.ComponentCallbacks2`

TRIM\_MEMORY\_BACKGROUND, TRIM\_MEMORY\_COMPLETE, TRIM\_MEMORY\_MODERATE, TRIM\_MEMORY\_RUNNING\_CRITICAL, TRIM\_MEMORY\_RUNNING\_LOW, TRIM\_MEMORY\_RUNNING\_MODERATE, TRIM\_MEMORY\_UI\_HIDDEN

## ◦ Constructor Summary

Constructors

### Constructor and Description

[StartActivity\(\)](#)

## ◦ Method Summary

Methods

Modifier and Type	Method and Description
<code>android.support.v4.app.FragmentManager</code>	<a href="#"><u>getSupportFragmentManager()</u></a>
<code>void</code>	<a href="#"><u>loginAsGuest</u></a> ( <code>android.view.View view</code> ) Initiates a new activity once the login as Guest button has been clicked.
<code>protected void</code>	<a href="#"><u>onCreate</u></a> ( <code>android.os.Bundle savedInstanceState</code> ) This constructs an initial activity - the main page of this

	app
boolean	<a href="#"><u>onCreateOptionsMenu</u></a> (android.view.Menu menu) Initialize the contents of the Activity's standard options menu.
boolean	<a href="#"><u>onOptionsItemSelected</u></a> (android.view.MenuItem item) This hook is called whenever an item in your options menu is selected.

## ■ Methods inherited from class **android.support.v7.app.ActionBarActivity**

addContentView, getDrawerToggleDelegate, getMenuInflater, getSupportActionBar, getSupportParentActivityIntent, getV7DrawerToggleDelegate, invalidateOptionsMenu, onBackPressed, onConfigurationChanged, onContentChanged, onCreatePanelMenu, onCreatePanelView, onCreateSupportNavigateUpTaskStack, onCreateView, onDestroy, onKeyDown, onKeyShortcut, onOptionsItemSelected, onMenuOpened, onPanelClosed, onPostResume, onPrepareOptionsMenu, onPreparePanel, onPrepareSupportNavigateUpTaskStack, onStop, onSupportActionModeFinished, onSupportActionModeStarted, onSupportContentChanged, onSupportNavigateUp, onTitleChanged, setContentView, setContentView, setContentView, setSupportActionBar, setSupportProgress, setSupportProgressBarIndeterminate, setSupportProgressBarIndeterminateVisibility, setSupportProgressBarVisibility, startSupportActionMode, supportInvalidateOptionsMenu, supportNavigateUpTo, supportRequestWindowFeature, supportShouldUpRecreateTask

## ■ Methods inherited from class **android.support.v4.app.FragmentActivity**

dump, getLastCustomNonConfigurationInstance, getSupportFragmentManager, getSupportLoaderManager, onActivityResult, onAttachFragment, onLowMemory, onNewIntent, onPause, onResume, onResumeFragments, onRetainCustomNonConfigurationInstance, onRetainNonConfigurationInstance, onSaveInstanceState, onStart, setEnterSharedElementCallback, setExitSharedElementCallback, startActivityForResult, startActivityFromFragment, supportFinishAfterTransition, supportPostponeEnterTransition,

## ■ Methods inherited from class android.app.Activity

closeContextMenu, closeOptionsMenu, convertFromTranslucent, convertToTranslucent, createPendingResult, dismissDialog, dispatchGenericMotionEvent, dispatchKeyEvent, dispatchKeyShortcutEvent, dispatchPopulateAccessibilityEvent, dispatchTouchEvent, dispatchTrackballEvent, findViewById, finish, finishActivity, finishActivityFromChild, finishAffinity, finishAfterTransition, finishAndRemoveTask, finishFromChild, getActionBar, getActivityToken, getApplication, getCallingActivity, getCallingPackage, getChangingConfigurations, getComponentName, getContentScene, getContentTransitionManager, getCurrentFocus, getFragmentManager, getIntent, getLastNonConfigurationInstance, getLayoutInflater, getLoaderManager, getLocalClassName, getMediaController, getParent, getParentActivityIntent, getPreferences, getRequestedOrientation, getSystemService, getTaskId, getTitle, getTitleColor, getVoiceInteractor, getVolumeControlStream, getWindow, getWindowManager, hasWindowFocus, isBackgroundVisibleBehind, isChangingConfigurations, isChild, isDestroyed, isFinishing, isImmersive, isResumed, isTaskRoot, isVoiceInteraction, managedQuery, managedQuery, moveTaskToBack, navigateUpTo, navigateUpToFromChild, onActionModeFinished, onActionModeStarted, onActivityReenter, onApplyThemeResource, onAttachedToWindow, onAttachFragment, onBackgroundVisibleBehindChanged, onChildTitleChanged, onContextItemSelected, onContextMenuClosed, onCreate, onCreateContextMenu, onCreateDescription, onCreateDialog, onCreateDialog, onCreateNavigateUpTaskStack, onCreateThumbnail, onCreateView, onDetachedFromWindow, onEnterAnimationComplete, onGenericMotionEvent, onKeyLongPress, onKeyMultiple, onKeyUp, onNavigateUp, onNavigateUpFromChild, onNewActivityOptions, onOptionsMenuClosed, onPostCreate, onPostCreate, onPrepareDialog, onPrepareDialog, onPrepareNavigateUpTaskStack, onPrepareOptionsMenu, onProvideAssistData, onRestart, onRestoreInstanceState, onRestoreInstanceState, onSaveInstanceState, onSearchRequested, onTouchEvent, onTrackballEvent, onTrimMemory, onUserInteraction, onUserLeaveHint, onVisibleBehindCanceled, onWindowAttributesChanged, onWindowDismissed, onWindowFocusChanged, onWindowStartingActionMode, openContextMenu, openOptionsMenu, overridePendingTransition, postponeEnterTransition, recreate, registerForContextMenu, releaseInstance, removeDialog, reportFullyDrawn, requestVisibleBehind, requestWindowFeature, runOnUiThread, setActionBar, setContentTransitionManager, setDefaultKeyMode, setEnterSharedElementCallback,

setExitSharedElementCallback, setFeatureDrawable, setFeatureDrawableAlpha, setFeatureDrawableResource, setFeatureDrawableUri, setFinishOnTouchOutside, setImmersive, setIntent, setMediaController, setPersistent, setProgress, setProgressBarIndeterminate, setProgressBarIndeterminateVisibility, setProgressBarVisibility, setRequestedOrientation, setResult, setResult, setSecondaryProgress, setTaskDescription, setTitle, setTitle, setTitleColor, setVisible, setVolumeControlStream, shouldUpRecreateTask, showDialog, showDialog, startActionMode, startActivities, startActivities, startActivity, startActivity, startActivityAsCaller, startActivityAsUser, startActivityAsUser, startActivityForResult, startActivityForResultAsUser, startActivityForResultAsUser, startActivityFromChild, startActivityFromChild, startActivityFromFragment, startActivityFromFragment, startActivityIfNeeded, startActivityIfNeeded, startIntentSender, startIntentSender, startIntentSenderForResult, startIntentSenderForResult, startIntentSenderFromChild, startIntentSenderFromChild, startLockTask, startManagingCursor, startNextMatchingActivity, startNextMatchingActivity, startPostponedEnterTransition, startSearch, stopLockTask, stopManagingCursor, takeKeyEvents, triggerSearch, unregisterForContextMenu

## ■ Methods inherited from class `android.view.ContextThemeWrapper`

applyOverrideConfiguration, attachBaseContext, getResources, getTheme, getThemeResId, setTheme

## ■ Methods inherited from class `android.content.ContextWrapper`

bindService, bindServiceAsUser, checkCallingOrSelfPermission, checkCallingOrSelfPermission, checkCallingPermission, checkCallingUriPermission, checkPermission, checkUriPermission, checkUriPermission, clearWallpaper, createApplicationContext, createConfigurationContext, createDisplayContext, createPackageContext, createPackageContextAsUser, databaseList, deleteDatabase, deleteFile, enforceCallingOrSelfPermission, enforceCallingOrSelfPermission, enforceCallingPermission, enforceCallingUriPermission, enforcePermission, enforceUriPermission, enforceUriPermission, fileList, getApplicationContext, getApplicationInfo, getAssets, getBaseContext, getBasePackageName, getCacheDir, getClassLoader, getCodeCacheDir, getContentResolver, getDatabasePath, getDir, getDisplayAdjustments, getExternalCacheDir, getExternalCacheDirs,

getExternalFilesDir, getExternalFilesDirs, getExternalMediaDirs, getFilesDir, getFilePath, getMainLooper, getNoBackupFilesDir, getObbDir, getObbDirs, getOpPackageName, getPackageCodePath, getPackageManager, getPackageName, getPackageResourcePath, getSharedPreferences, getSharedPreferencesFile, getUserId, getWallpaper, getWallpaperDesiredMinimumHeight, getWallpaperDesiredMinimumWidth, grantUriPermission, isRestricted, openFileInput, openFileOutput, openOrCreateDatabase, openOrCreateDatabase, peekWallpaper, registerReceiver, registerReceiver, registerReceiverAsUser, removeStickyBroadcast, removeStickyBroadcastAsUser, revokeUriPermission, sendBroadcast, sendBroadcast, sendBroadcast, sendBroadcastAsUser, sendBroadcastAsUser, sendBroadcastAsUser, sendOrderedBroadcast, sendOrderedBroadcast, sendOrderedBroadcast, sendOrderedBroadcastAsUser, sendOrderedBroadcastAsUser, sendStickyBroadcast, sendStickyBroadcastAsUser, sendStickyOrderedBroadcast, sendStickyOrderedBroadcastAsUser, setWallpaper, setWallpaper, startActivitiesAsUser, startInstrumentation, startService, startServiceAsUser, stopService, stopServiceAsUser, unbindService, unregisterReceiver

## ■ Methods inherited from class android.content.Context

getDrawable, getString, getString, getText, obtainStyledAttributes, obtainStyledAttributes, obtainStyledAttributes, obtainStyledAttributes, registerComponentCallbacks, unregisterComponentCallbacks

## ■ Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

- **Constructor Detail**

- **StartActivity**

```
public StartActivity()
```



## ◦ Method Detail

### ■ onCreate

```
protected void onCreate(android.os.Bundle savedInstanceState)
```

This constructs an initial activity - the main page of this app

#### Overrides:

onCreate in class `android.support.v7.app.ActionBarActivity`

#### Parameters:

`savedInstanceState` - the instance `savedInstanceState` will initially be null

#### See Also:

```
Activity.onStart(), Activity.onSaveInstanceState(android.os.Bundle),  
Activity.onRestoreInstanceState(android.os.Bundle),  
Activity.onCreate(android.os.Bundle)
```

### ■ onCreateOptionsMenu

```
public boolean onCreateOptionsMenu(android.view.Menu menu)
```

#### Description copied from class: `android.app.Activity`

Initialize the contents of the Activity's standard options menu. You should place your menu items in to *menu*.

This is only called once, the first time the options menu is displayed. To update the menu every time it is displayed, see `Activity.onPrepareOptionsMenu(android.view.Menu)`.

The default implementation populates the menu with standard system menu items. These are placed in the `Menu.CATEGORY_SYSTEM` group so that they will be correctly ordered with application-defined menu items. Deriving classes should always call through to the base implementation.

You can safely hold on to *menu* (and any items created from it), making modifications to it as desired, until the next time `onCreateOptionsMenu()` is called.

When you add items to the menu, you can implement the Activity's `Activity.onOptionsItemSelected(android.view.MenuItem)` method to handle them there.

### Overrides:

`onCreateOptionsMenu` in class `android.app.Activity`

### Parameters:

`menu` - The options menu in which you place your items.

### Returns:

You must return true for the menu to be displayed; if you return false it will not be shown.

### See Also:

`Activity.onPrepareOptionsMenu(android.view.Menu),`  
`Activity.onOptionsItemSelected(android.view.MenuItem)`

## ■ onOptionsItemSelected

```
public boolean onOptionsItemSelected(android.view.MenuItem item)
```

### Description copied from class: `android.app.Activity`

This hook is called whenever an item in your options menu is selected. The default implementation simply returns false to have the normal processing happen (calling the item's Runnable or sending a message to its Handler as appropriate). You can use this method for any items for which you would like to do processing without those other facilities.

Derived classes should call through to the base class for it to perform the default menu handling.

### Overrides:

`onOptionsItemSelected` in class `android.app.Activity`

Parameters:

`item` - The menu item that was selected.

Returns:

boolean Return false to allow normal menu processing to proceed, true to consume it here.

See Also:

`Activity.onCreateOptionsMenu(android.view.Menu)`

## ■ **loginAsGuest**

```
public void loginAsGuest(android.view.View view)
```

Initiates a new activity once the login as Guest button has been clicked.

Parameters:

`view` - Handles screen layouts and interaction with the user

## ■ **getSupportFragmentManager**

```
public android.support.v4.app.FragmentManager getSupportFragmentManager()
```

- [Overview](#)
- [Package](#)
- Class
- [Tree](#)
- [Deprecated](#)
- [Index](#)
- [Help](#)
- [Prev Class](#)
- [Next Class](#)

- [Frames](#)
- [No Frames](#)
- [All Classes](#)
- Summary:
  - [Nested](#) |
  - [Field](#) |
  - [Constr](#) |
  - [Method](#)
- Detail:
  - Field |
  - [Constr](#) |
  - [Method](#)