

- [Overview](#)
- [Package](#)
- Class
- [Tree](#)
- [Deprecated](#)
- [Index](#)
- [Help](#)

- [Prev Class](#)
- [Next Class](#)

- [Frames](#)
- [No Frames](#)

- [All Classes](#)

- Summary:
- [Nested](#) |
- [Field](#) |
- [Constr](#) |
- [Method](#)

- Detail:
- Field |
- [Constr](#) |
- [Method](#)

com.example.asus.myapplication

Class MainActivity3

- java.lang.Object
 - - android.content.Context
 - - android.content.ContextWrapper
 - - android.view.ContextThemeWrapper
 - - android.app.Activity
 - - android.support.v4.app.FragmentActivity
 - - android.support.v7.app.ActionBarActivity
 - - com.example.asus.myapplication.MainActivity3
 - All Implemented Interfaces:
android.content.ComponentCallbacks, android.content.ComponentCallbacks2,
android.support.v4.app.ActionBarDrawerToggle.DelegateProvider,
android.support.v4.app.TaskStackBuilder.SupportParentable, android.view.KeyEvent.Callback,
android.view.LayoutInflater.Factory, android.view.LayoutInflater.Factory2,
android.view.View.OnCreateContextMenuListener, android.view.Window.Callback,
android.view.Window.OnWindowDismissedCallback
-

```
public class MainActivity3  
extends android.support.v7.app.ActionBarActivity
```

- - **Nested Class Summary**
 - **Nested classes/interfaces inherited from class android.app.Activity**

```
android.app.Activity.TranslucentConversionListener
```

- **Nested classes/interfaces inherited from class android.content.Context**

`android.content.Context.BindServiceFlags,`
`android.content.Context.CreatePackageOptions,` `android.content.Context.ServiceName`

- **Field Summary**

- **Fields inherited from class android.app.Activity**

`DEFAULT_KEYS_DIALER,` `DEFAULT_KEYS_DISABLE,` `DEFAULT_KEYS_SEARCH_GLOBAL,`
`DEFAULT_KEYS_SEARCH_LOCAL,` `DEFAULT_KEYS_SHORTCUT,` `FOCUSED_STATE_SET,`
`RESULT_CANCELED,` `RESULT_FIRST_USER,` `RESULT_OK`

- **Fields inherited from class android.content.Context**

`ACCESSIBILITY_SERVICE,` `ACCOUNT_SERVICE,` `ACTIVITY_SERVICE,` `ALARM_SERVICE,`
`APP_OPS_SERVICE,` `APPWIDGET_SERVICE,` `AUDIO_SERVICE,` `BACKUP_SERVICE,` `BATTERY_SERVICE,`
`BIND_ABOVE_CLIENT,` `BIND_ADJUST_WITH_ACTIVITY,` `BIND_ALLOW_OOM_MANAGEMENT,`
`BIND_AUTO_CREATE,` `BIND_DEBUG_UNBIND,` `BIND_IMPORTANT,` `BIND_NOT_FOREGROUND,`
`BIND_NOT_VISIBLE,` `BIND_SHOWING_UI,` `BIND_TREAT LIKE_ACTIVITY,` `BIND_VISIBLE,`
`BIND_WAIVE_PRIORITY,` `BLUETOOTH_SERVICE,` `CAMERA_SERVICE,` `CAPTIONING_SERVICE,`
`CLIPBOARD_SERVICE,` `CONNECTIVITY_SERVICE,` `CONSUMER_IR_SERVICE,`
`CONTEXT_IGNORE_SECURITY,` `CONTEXT_INCLUDE_CODE,` `CONTEXT_REGISTER_PACKAGE,`
`CONTEXT_RESTRICTED,` `COUNTRY_DETECTOR,` `DEVICE_POLICY_SERVICE,` `DISPLAY_SERVICE,`
`DOWNLOAD_SERVICE,` `DROPTBOX_SERVICE,` `ETHERNET_SERVICE,` `FINGERPRINT_SERVICE,`
`HDMI_CONTROL_SERVICE,` `INPUT_METHOD_SERVICE,` `INPUT_SERVICE,` `JOB_SCHEDULER_SERVICE,`
`KEYGUARD_SERVICE,` `LAUNCHER_APPS_SERVICE,` `LAYOUT_INFLATER_SERVICE,` `LOCATION_SERVICE,`
`MEDIA_PROJECTION_SERVICE,` `MEDIA_ROUTER_SERVICE,` `MEDIA_SESSION_SERVICE,` `MODE_APPEND,`
`MODE_ENABLE_WRITE_AHEAD_LOGGING,` `MODE_MULTI_PROCESS,` `MODE_PRIVATE,`
`MODE_WORLD_READABLE,` `MODE_WORLD_WRITEABLE,` `NETWORK_POLICY_SERVICE,`
`NETWORK_SCORE_SERVICE,` `NETWORK_STATS_SERVICE,` `NETWORKMANAGEMENT_SERVICE,`
`NFC_SERVICE,` `NOTIFICATION_SERVICE,` `NSD_SERVICE,` `PERSISTENT_DATA_BLOCK_SERVICE,`
`POWER_SERVICE,` `PRINT_SERVICE,` `RESTRICTIONS_SERVICE,` `SEARCH_SERVICE,` `SENSOR_SERVICE,`
`SERIAL_SERVICE,` `SIP_SERVICE,` `STATUS_BAR_SERVICE,` `STORAGE_SERVICE,` `TELECOM_SERVICE,`

TELEPHONY_SERVICE, TEXT_SERVICES_MANAGER_SERVICE, TRUST_SERVICE, TV_INPUT_SERVICE, UI_MODE_SERVICE, UPDATE_LOCK_SERVICE, USAGE_STATS_SERVICE, USB_SERVICE, USER_SERVICE, VIBRATOR_SERVICE, VOICE_INTERACTION_MANAGER_SERVICE, WALLPAPER_SERVICE, WIFI_P2P_SERVICE, WIFI_PASSPOINT_SERVICE, WIFI_RTT_SERVICE, WIFI_SCANNING_SERVICE, WIFI_SERVICE, WINDOW_SERVICE

▪ Fields inherited from interface `android.content.ComponentCallbacks2`

TRIM_MEMORY_BACKGROUND, TRIM_MEMORY_COMPLETE, TRIM_MEMORY_MODERATE, TRIM_MEMORY_RUNNING_CRITICAL, TRIM_MEMORY_RUNNING_LOW, TRIM_MEMORY_RUNNING_MODERATE, TRIM_MEMORY_UI_HIDDEN

◦ Constructor Summary

Constructors

Constructor and Description

[MainActivity3\(\)](#)

◦ Method Summary

Constructors	
Modifier and Type	Method and Description
void	<u>evalMessage</u> (android.view.View view)
java.lang.String	<u>getClassName</u> ()
android.support.v4.app.FragmentManager	<u>getSupportFragmentManager</u> ()
protected void	<u>onCreate</u> (android.os.Bundle savedInstanceState) Perform initialization of all fragments and loaders.

▪ Methods inherited from class `android.support.v7.app.ActionBarActivity`

addContentView, getDrawerToggleDelegate, getMenuInflater, getSupportActionBar, getSupportParentActivityIntent, getV7DrawerToggleDelegate, invalidateOptionsMenu, onBackPressed, onConfigurationChanged, onContentChanged, onCreatePanelMenu, onCreatePanelView, onCreateSupportNavigateUpTaskStack, onCreateView, onDestroy, onKeyDown, onKeyShortcut, onMenuItemSelected, onMenuOpened, onPanelClosed, onPostResume, onPrepareOptionsMenuPanel, onPreparePanel, onPrepareSupportNavigateUpTaskStack, onStop, onSupportActionModeFinished, onSupportActionModeStarted, onSupportContentChanged, onSupportNavigateUp, onTitleChanged, setContentView, setContentView, setContentView, setSupportActionBar, setSupportProgress, setSupportProgressBarIndeterminate, setSupportProgressBarIndeterminateVisibility, setSupportProgressBarVisibility, startSupportActionMode, supportInvalidateOptionsMenu, supportNavigateUpTo, supportRequestWindowFeature, supportShouldUpRecreateTask

■ **Methods inherited from class android.support.v4.app.FragmentActivity**

dump, getLastCustomNonConfigurationInstance, getSupportFragmentManager, getSupportLoaderManager, onActivityResult, onAttachFragment, onLowMemory, onNewIntent, onPause, onResume, onResumeFragments, onRetainCustomNonConfigurationInstance, onRetainNonConfigurationInstance, onSaveInstanceState, onStart, setEnterSharedElementCallback, setExitSharedElementCallback, startActivityForResult, startActivityFromFragment, supportFinishAfterTransition, supportPostponeEnterTransition, supportStartPostponedEnterTransition

■ **Methods inherited from class android.app.Activity**

closeContextMenu, closeOptionsMenu, convertFromTranslucent, convertToTranslucent, createPendingResult, dismissDialog, dispatchGenericMotionEvent, dispatchKeyEvent, dispatchKeyShortcutEvent, dispatchPopulateAccessibilityEvent, dispatchTouchEvent, dispatchTrackballEvent, findViewById, finish, finishActivity, finishActivityFromChild, finishAffinity, finishAfterTransition, finishAndRemoveTask, finishFromChild, getActionBar, getActivityToken, getApplication, getCallingActivity, getCallingPackage, getChangingConfigurations, getComponentName, getContentScene, getContentTransitionManager, getCurrentFocus, getFragmentManager, getIntent,

getLastNonConfigurationInstance, getLayoutInflater, getLoaderManager, getLocalClassName, getMediaController, getParent, getParentActivityIntent, getPreferences, getRequestedOrientation, getSystemService, getTaskId, getTitle, getTitleColor, getVoiceInteractor, getVolumeControlStream, getWindow, getWindowManager, hasWindowFocus, isBackgroundVisibleBehind, isChangingConfigurations, isChild, isDestroyed, isFinishing, isImmersive, isResumed, isTaskRoot, isVoiceInteraction, managedQuery, managedQuery, moveTaskToBack, navigateUpTo, navigateUpToFromChild, onActionModeFinished, onActionModeStarted, onActivityReenter, onApplyThemeResource, onAttachedToWindow, onAttachFragment, onBackgroundVisibleBehindChanged, onChildTitleChanged, onContextItemSelected, onContextMenuClosed, onCreate, onCreateContextMenu, onCreateDescription, onCreateDialog, onCreateDialog, onCreateNavigateUpTaskStack, onCreateOptionsMenu, onCreateThumbnail, onCreateView, onDetachedFromWindow, onEnterAnimationComplete, onGenericMotionEvent, onKeyLongPress, onKeyMultiple, onKeyUp, onNavigateUp, onNavigateUpFromChild, onNewActivityOptions, onOptionsItemSelected, onOptionsMenuClosed, onPostCreate, onPostCreate, onPrepareDialog, onPrepareDialog, onPrepareNavigateUpTaskStack, onPrepareOptionsMenu, onProvideAssistData, onRestart, onRestoreInstanceState, onRestoreInstanceState, onSaveInstanceState, onSearchRequested, onTouchEvent, onTrackballEvent, onTrimMemory, onUserInteraction, onUserLeaveHint, onVisibleBehindCanceled, onWindowAttributesChanged, onWindowDismissed, onWindowFocusChanged, onWindowStartingActionMode, openContextMenu, openOptionsMenu, overridePendingTransition, postponeEnterTransition, recreate, registerForContextMenu, releaseInstance, removeDialog, reportFullyDrawn, requestVisibleBehind, requestWindowFeature, runOnUiThread, setActionBar, setContentTransitionManager, setDefaultKeyMode, setEnterSharedElementCallback, setExitSharedElementCallback, setFeatureDrawable, setFeatureDrawableAlpha, setFeatureDrawableResource, setFeatureDrawableUri, setFinishOnTouchOutside, setImmersive, setIntent, setMediaController, setPersistent, setProgress, setProgressBarIndeterminate, setProgressBarIndeterminateVisibility, setProgressBarVisibility, setRequestedOrientation, setResult, setResult, setSecondaryProgress, setTaskDescription, setTitle, setTitle, setTitleColor, setVisible, setVolumeControlStream, shouldUpRecreateTask, showDialog, showDialog, startActionMode, startActivities, startActivities, startActivity, startActivity, startActivityAsCaller, startActivityAsUser, startActivityAsUser, startActivityForResult, startActivityForResultAsUser, startActivityForResultAsUser, startActivityFromChild, startActivityFromChild, startActivityFromFragment, startActivityFromFragment, startActivityIfNeeded, startActivityIfNeeded, startIntentSender, startIntentSender, startIntentSenderForResult,

startIntentSenderForResult, startIntentSenderFromChild, startIntentSenderFromChild, startLockTask, startManagingCursor, startNextMatchingActivity, startNextMatchingActivity, startPostponedEnterTransition, startSearch, stopLockTask, stopManagingCursor, takeKeyEvents, triggerSearch, unregisterForContextMenu

■ Methods inherited from class android.view.ContextThemeWrapper

applyOverrideConfiguration, attachBaseContext, getResources, getTheme, getThemeResId, setTheme

■ Methods inherited from class android.content.ContextWrapper

bindService, bindServiceAsUser, checkCallingOrSelfPermission, checkCallingOrSelfPermission, checkCallingPermission, checkCallingUriPermission, checkPermission, checkUriPermission, checkUriPermission, clearWallpaper, createApplicationContext, createConfigurationContext, createDisplayContext, createPackageContext, createPackageContextAsUser, databaseList, deleteDatabase, deleteFile, enforceCallingOrSelfPermission, enforceCallingOrSelfPermission, enforceCallingPermission, enforceCallingUriPermission, enforcePermission, enforceUriPermission, enforceUriPermission, fileList, getApplicationContext, getApplicationInfo, getAssets, getBaseContext, getBasePackageName, getCacheDir, getClassLoader, getCodeCacheDir, getContentResolver, getDatabasePath, getDir, getDisplayAdjustments, getExternalCacheDir, getExternalCacheDirs, getExternalFilesDir, getExternalFilesDirs, getExternalMediaDirs, getFilesDir, getFilePath, getMainLooper, getNoBackupFilesDir, getObbDir, getObbDirs, getOpPackageName, getPackageCodePath, getPackageManager, getPackageName, getPackageResourcePath, getSharedPreferences, getSharedPreferencesFile, getUserId, getWallpaper, getWallpaperDesiredMinimumHeight, getWallpaperDesiredMinimumWidth, grantUriPermission, isRestricted, openFileInput, openFileOutput, openOrCreateDatabase, openOrCreateDatabase, peekWallpaper, registerReceiver, registerReceiver, registerReceiverAsUser, removeStickyBroadcast, removeStickyBroadcastAsUser, revokeUriPermission, sendBroadcast, sendBroadcast, sendBroadcast, sendBroadcastAsUser, sendBroadcastAsUser, sendOrderedBroadcast, sendOrderedBroadcast, sendOrderedBroadcast, sendOrderedBroadcastAsUser, sendOrderedBroadcastAsUser, sendStickyBroadcast, sendStickyBroadcastAsUser, sendStickyOrderedBroadcast, sendStickyOrderedBroadcastAsUser, setWallpaper,

```
setWallpaper, startActivitiesAsUser, startInstrumentation, startService,  
startServiceAsUser, stopService, stopServiceAsUser, unbindService,  
unregisterReceiver
```

- **Methods inherited from class android.content.Context**

```
getDrawable, getString, getString, getText, obtainStyledAttributes,  
obtainStyledAttributes, obtainStyledAttributes, obtainStyledAttributes,  
registerComponentCallbacks, unregisterComponentCallbacks
```

- **Methods inherited from class java.lang.Object**

```
clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait,  
wait, wait
```

- ◦ **Constructor Detail**

- **MainActivity3**

```
public MainActivity3()
```

- **Method Detail**

- **onCreate**

```
protected void onCreate(android.os.Bundle savedInstanceState)
```

Description copied from class: android.support.v4.app.FragmentActivity
Perform initialization of all fragments and loaders.

Overrides:

onCreate in class `android.support.v7.app.ActionBarActivity`

Parameters:

`savedInstanceState` - If the activity is being re-initialized after previously being shut down then this Bundle contains the data it most recently supplied in

`Activity.onSaveInstanceState(android.os.Bundle)`. **Note: Otherwise it is null.**

See Also:

`Activity.onStart()`, `Activity.onSaveInstanceState(android.os.Bundle)`,

`Activity.onRestoreInstanceState(android.os.Bundle)`,

`Activity.onCreate(android.os.Bundle)`

■ `getClassName`

```
public java.lang.String getClassName()
```

■ `evalMessage`

```
public void evalMessage(android.view.View view)
```

■ `getSupportFragmentManager`

```
public android.support.v4.app.FragmentManager getSupportFragmentManager()
```

- [Overview](#)
- [Package](#)
- Class
- [Tree](#)
- [Deprecated](#)
- [Index](#)
- [Help](#)

- [Prev Class](#)
- [Next Class](#)

- [Frames](#)
- [No Frames](#)

- [All Classes](#)

- Summary:
- [Nested](#) |
- [Field](#) |
- [Constr](#) |
- [Method](#)

- Detail:
- Field |
- [Constr](#) |
- [Method](#)