






DIN 933 M18P2.5	
規格	L
M18x25 L	24.58-25.42
M18x30 L	29.58-30.42
M18x35 L	34.5-35.5
M18x40 L	39.5-40.5
M18x45 L	44.5-45.5
M18x50 L	49.5-50.5
M18x55 L	54.4-55.6
M18x60 L	59.4-60.6
M18x65 L	64.4-65.6
M18x70 L	69.4-70.6
M18x75 L	74.4-75.6
M18x80 L	79.4-80.6
M18x85 L	84.3-85.7
M18x90 L	89.3-90.7
M18x95 L	94.3-95.7
M18x100 L	99.3-100.7
M18x110 L	109.3-110.7
M18x120 L	119.3-120.7
M18x130 L	129.2-130.8
M18x140 L	139.2-140.8
M18x150 L	149.2-150.8



MARK: TASK 6.8
凸字 0.25 mm

1:1

審查	核准
研發部 2025/06/13 蘇清福	研發部 2025/06/13 蘇清福





線徑:Ø17.7

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)					REMARK		BG24081-P03S01	
OVER	INCL.	TOL.			HARDNESS			
0.5	6	±0.05			MATERIAL		1025	
6	30	±0.10	REV. NO.		DATE		NAME	
30	120	±0.15	OLD		NEW		QUANTITY	
120	300	±0.20	JERN YAO ENTERPRISES CO., LTD.		DATE		MACHINE NAME	
300	1000	±0.25			2024/05/20		JBF-24B-4S	
					SCALE		DESCRIPTION: DIN 933 M18xP2.5x25L-150 L	
					1:1.05		SAMPLE	
							PROJECTION	

DIN 933 M18P2.5			
規格	LQ	L3	L4
M18x 25 L	57.2	24.8	24.58-25.42
M18x 30 L	61.3	29.8	29.58-30.42
M18x 35 L	65.5	34.8	34.5-35.5
M18x 40 L	69.7	39.7	39.5-40.5
M18x 45 L	73.9	44.7	44.5-45.5
M18x 50 L	78	49.7	49.5-50.5
M18x 55 L	82.2	54.7	54.4-55.6
M18x 60 L	86.4	59.7	59.4-60.6
M18x 65 L	90.6	64.7	64.4-65.6
M18x 70 L	94.7	69.7	69.4-70.6
M18x 75 L	98.8	74.7	74.4-75.6
M18x 80 L	103	79.7	79.4-80.6
M18x 85 L	107.2	84.7	84.3-85.7
M18x 90 L	111.4	89.7	89.3-90.7
M18x 95 L	115.5	94.7	94.3-95.7
M18x100 L	119.6	99.7	99.3-100.7
M18x110 L	128.1	109.7	109.3-110.7
M18x120 L	136.4	119.7	119.3-120.7
M18x130 L	144.7	129.7	129.2-130.8
M18x140 L	153.1	139.7	139.2-140.8
M18x150 L	161.5	149.7	149.2-150.8

審查	核准
研發部 2025/06/13 蘇清福	研發部 2025/06/13 蘇清福



DIE= $\phi 16.25$

DIE= $\phi 16.2$

PUNCH= $\phi 23$
DIE= $\phi 23 \times 70^\circ - \phi 19.8 \times 30^\circ$

REMARK	BG24081-P03F01
HARDNESS	
MATERIAL	1025
QUANTITY	

B (1:1.25)

JERN YAO ENTERPRISES CO., LTD.

DATE 2025/05/08
DWG 郭永華



SCALE 1:1.5

MACHINE NAME JBF-24B-4S

DESCRIPTION: DIN 933 M18xP2.5x25-150 L
FORMING PROCESS

PROJECTION

審查	核准
研發部 2025/06/23 蘇清福	研發部 2025/06/23 蘇清福



DIN 933 M18P2.5x 25 L

REMARK	BG24081-P03A0025
HARDNESS	
MATERIAL	1025
QUANTITY	

JERN YAO ENTERPRISES CO., LTD.

DATE
2025/06/23
DWG
郭永華



SCALE
1:3

MACHINE NAME
JBF-24B-4S

DESCRIPTION: DIN 933 M18P2.5x 25 L
ASSEMBLY

PROJECTION

審查	核准
研發部 2025/06/23 蘇清福	研發部 2025/06/23 蘇清福



DIN 933 M18P2.5x 30 L

REMARK	BG24081-P03A0030
HARDNESS	
MATERIAL	1025
QUANTITY	

JERN YAO ENTERPRISES CO., LTD.

DATE
2025/06/23
DWG
郭永華



SCALE
1:3

MACHINE NAME
JBF-24B-4S

DESCRIPTION: DIN 933 M18P2.5x 30 L
ASSEMBLY

PROJECTION

審查	核准
研發部 2025/06/23 蘇清福	研發部 2025/06/23 蘇清福



DIN 933 M18P2.5x 35 L

REMARK	BG24081-P03A0035
HARDNESS	
MATERIAL	1025
QUANTITY	

JERN YAO ENTERPRISES CO., LTD.

DATE
2025/06/23
DWG
郭永華


SCALE
1:3

MACHINE NAME
JBF-24B-4S

DESCRIPTION: DIN 933 M18P2.5x 35 L
ASSEMBLY

PROJECTION

審查	核准
研發部 2025/06/23 蘇清福	研發部 2025/06/23 蘇清福



DIN 933 M18P2.5x 40 L

REMARK	BG24081-P03A0040
HARDNESS	
MATERIAL	1025
QUANTITY	

JERN YAO ENTERPRISES CO., LTD.

DATE
2025/06/23
DWG
郭永華



SCALE
1:3

MACHINE NAME
JBF-24B-4S

DESCRIPTION: DIN 933 M18P2.5x 40 L
ASSEMBLY

PROJECTION

審查	核准
研發部	研發部
2025/06/23	2025/06/23
蘇清福	蘇清福



DIN 933 M18P2.5x 45 L

REMARK	BG24081-P03A0045
HARDNESS	
MATERIAL	1025
QUANTITY	

JERN YAO ENTERPRISES CO., LTD.

DATE
2025/06/23
DWG
郭永華


SCALE
1:3

MACHINE NAME
JBF-24B-4S

DESCRIPTION: DIN 933 M18P2.5x 45 L
ASSEMBLY

PROJECTION

審查	核准
研發部 2025/06/23 蘇清福	研發部 2025/06/23 蘇清福



DIN 933 M18P2.5x 50 L

REMARK	BG24081-P03A0050
HARDNESS	
MATERIAL	1025
QUANTITY	

JERN YAO ENTERPRISES CO., LTD.

DATE
2025/06/23
DWG
郭永華


SCALE
1:3

MACHINE NAME
JBF-24B-4S

DESCRIPTION: DIN 933 M18P2.5x 50 L
ASSEMBLY

PROJECTION

審查	核准
研發部 2025/06/23 蘇清福	研發部 2025/06/23 蘇清福



DIN 933 M18P2.5x 55 L

REMARK	BG24081-P03A0055
HARDNESS	
MATERIAL	1025
QUANTITY	

JERN YAO ENTERPRISES CO., LTD.


DATE
2025/06/23
DWG
郭永華

SCALE
1:3

MACHINE NAME
JBF-24B-4S

DESCRIPTION: DIN 933 M18P2.5x 55 L
ASSEMBLY

PROJECTION





審查	核准
研發部 2025/06/23 蘇清福	研發部 2025/06/23 蘇清福

DIN 933 M18P2.5x 60 L

REMARK	BG24081-P03A0060
HARDNESS	
MATERIAL	1025
QUANTITY	
DESCRIPTION: DIN 933 M18P2.5x 60 L	
ASSEMBLY	
PROJECTION	

JERN YAO ENTERPRISES CO., LTD.		DATE 2025/06/23	SCALE 1:3	MACHINE NAME JBF-24B-4S
		DWG 郭永華		

審查	核准
研發部 2025/06/23 蘇清福	研發部 2025/06/23 蘇清福



DIN 933 M18P2.5x 65 L

REMARK	BG24081-P03A0065
HARDNESS	
MATERIAL	1025
QUANTITY	

JERN YAO ENTERPRISES CO., LTD.

DATE
2025/06/23
DWG
郭永華


SCALE
1:3

MACHINE NAME
JBF-24B-4S

DESCRIPTION: DIN 933 M18P2.5x 65 L
ASSEMBLY

PROJECTION

審查	核准
研發部	研發部
2025/06/23	2025/06/23
蘇清福	蘇清福



DIN 933 M18P2.5x 70 L

REMARK	BG24081-P03A0070
HARDNESS	
MATERIAL	1025
QUANTITY	

JERN YAO ENTERPRISES CO., LTD.

DATE
2025/06/23
DWG
郭永華



SCALE
1:3

MACHINE NAME
JBF-24B-4S

DESCRIPTION: DIN 933 M18P2.5x 70 L
ASSEMBLY

PROJECTION

審查	核准
研發部	研發部
2025/06/23	2025/06/23
蘇清福	蘇清福



DIN 933 M18P2.5x 75 L

REMARK	BG24081-P03A0075
HARDNESS	
MATERIAL	1025
QUANTITY	

JERN YAO ENTERPRISES CO., LTD.


DATE
2025/06/23
DWG
郭永華

SCALE
1:3


MACHINE NAME
JBF-24B-4S

DESCRIPTION: DIN 933 M18P2.5x 75 L
ASSEMBLY

PROJECTION



審查	核准
研發部 2025/06/23 蘇清福	研發部 2025/06/23 蘇清福



DIN 933 M18P2.5x 80 L

REMARK	BG24081-P03A0080
HARDNESS	
MATERIAL	1025
QUANTITY	

JERN YAO ENTERPRISES CO., LTD.


DATE
2025/06/23
DWG
郭永華

SCALE
1:3


MACHINE NAME
JBF-24B-4S

DESCRIPTION: DIN 933 M18P2.5x 80 L
ASSEMBLY

PROJECTION



審查	核准
研發部 2025/06/23 蘇清福	研發部 2025/06/23 蘇清福



DIN 933 M18P2.5x 85 L

REMARK	BG24081-P03A0085
HARDNESS	
MATERIAL	1025
QUANTITY	

JERN YAO ENTERPRISES CO., LTD.

DATE
2025/06/23
DWG
郭永華


SCALE
1:3

MACHINE NAME
JBF-24B-4S

DESCRIPTION: DIN 933 M18P2.5x 85 L
ASSEMBLY

PROJECTION

審查	核准
研發部 2025/06/23 蘇清福	研發部 2025/06/23 蘇清福



REMARK	BG24081-P03A0090
HARDNESS	
MATERIAL	1025
QUANTITY	

JERN YAO ENTERPRISES CO., LTD.

DATE
2025/06/23
DWG
郭永華


SCALE
1:3

MACHINE NAME
JBF-24B-4S

DESCRIPTION: DIN 933 M18P2.5x 90 L
ASSEMBLY

PROJECTION

審查	核准
研發部 2025/06/23 蘇清福	研發部 2025/06/23 蘇清福



DIN 933 M18P2.5x 95 L

REMARK	BG24081-P03A0095
HARDNESS	
MATERIAL	1025
QUANTITY	

JERN YAO ENTERPRISES CO., LTD.

DATE
2025/06/23
DWG
郭永華


SCALE
1:3

MACHINE NAME
JBF-24B-4S

DESCRIPTION: DIN 933 M18P2.5x 95 L
ASSEMBLY

PROJECTION

審查	核准
研發部 2025/06/23 蘇清福	研發部 2025/06/23 蘇清福



DIN 933 M18P2.5x100 L

REMARK	BG24081-P03A0100
HARDNESS	
MATERIAL	1025
QUANTITY	

JERN YAO ENTERPRISES CO., LTD.


DATE
2025/06/23
DWG
郭永華

SCALE
1:3


MACHINE NAME
JBF-24B-4S

DESCRIPTION: DIN 933 M18P2.5x100 L
ASSEMBLY


PROJECTION



審查	核准
研發部	研發部
2025/06/23	2025/06/23
蘇清福	蘇清福



DIN 933 M18P2.5x110 L



審查	核准
研發部 2025/06/23 蘇清福	研發部 2025/06/23 蘇清福

DIN 933 M18P2.5x120 L

REMARK	BG24081-P03A0120
HARDNESS	
MATERIAL	1025
QUANTITY	

JERN YAO ENTERPRISES CO., LTD.


DATE
2025/06/23
DWG
郭永華

SCALE
1:3

MACHINE NAME
JBF-24B-4S

DESCRIPTION: DIN 933 M18P2.5x120 L
ASSEMBLY

PROJECTION




審查	核准
研發部 2025/06/23 蘇清福	研發部 2025/06/23 蘇清福


DIN 933 M18P2.5x130 L

REMARK	BG24081-P03A0130
HARDNESS	
MATERIAL	1025
QUANTITY	

JERN YAO ENTERPRISES CO., LTD.	DATE 2025/06/23	SCALE 1:3	MACHINE NAME JBF-24B-4S	DESCRIPTION: DIN 933 M18P2.5x130 L ASSEMBLY	PROJECTION
	DWG 郭永華				




審查	核准
研發部 2025/06/23 蘇清福	研發部 2025/06/23 蘇清福



DIN 933 M18P2.5x140 L

REMARK	BG24081-P03A0140
HARDNESS	
MATERIAL	1025
QUANTITY	




審查	核准
研發部	研發部
2025/06/23	2025/06/23
蘇清福	蘇清福

DIN 933 M18P2.5x150 L

REMARK	BG24081-P03A0150
HARDNESS	
MATERIAL	1025
QUANTITY	

DIN 933 M18P2.5	
規格	#3 DIE
M18x 25 L	D312,D343,D346,D344
M18x 30 L	D312,D343,D346,D344
M18x 35 L	D312,D343,D346,D344
M18x 40 L	D311,D347,D345,D344
M18x 45 L	D311,D347,D345,D344
M18x 50 L	D311,D347,D345,D344
M18x 55 L	D305,D312,D346,D344
M18x 60 L	D305,D312,D346,D344
M18x 65 L	D305,D312,D346,D344
M18x 70 L	D305,D312,D346,D344
M18x 75 L	D302,D311,D345,D344
M18x 80 L	D302,D311,D345,D344
M18x 85 L	D302,D311,D345,D344
M18x 90 L	D302,D311,D345,D344
M18x 95 L	D302,D311,D345,D344
M18x100 L	D302,D304,D311,D343,D344
M18x110 L	D302,D304,D311,D343,D344
M18x120 L	D302,D304,D311,D343,D344
M18x130 L	D302,D303,D311,D344
M18x140 L	D302,D303,D311,D344
M18x150 L	D302,D303,D311,D344



DIN 933 M18P2.5	
規格	#3 PUNCH (L)
M18x 25 L	P336(5)
M18x 30 L	P335(10)
M18x 35 L	P334(15)
M18x 40 L	P336(5)
M18x 45 L	P335(10)
M18x 50 L	P334(15)
M18x 55 L	P336(5)
M18x 60 L	P335(10)
M18x 65 L	P334(15)
M18x 70 L	P333(20)
M18x 75 L	P336(5)
M18x 80 L	P335(10)
M18x 85 L	P334(15)
M18x 90 L	P333(20)
M18x 95 L	P332(25)
M18x100 L	P335(10)
M18x110 L	P333(20)
M18x120 L	P331(30)
M18x130 L	P335(10)
M18x140 L	P333(20)
M18x150 L	P331(30)



審查	核准
研發部 2025/06/23 蘇清福	研發部 2025/06/23 蘇清福

REMARK	BG24081-P03A02
HARDNESS	
MATERIAL	1025
QUANTITY	

JERN YAO ENTERPRISES CO., LTD.	DATE 2025/05/12	SCALE 1:3	MACHINE NAME JBF-24B-4S	DESCRIPTION: DIN 933 M18P2.5x25-150 L ASSEMBLY	PROJECTION
	DWG 郭永華				



G LP
()
模殼去銳角C0.5

審查	核准
研發部	研發部
2025/06/23	2025/06/23
蘇清福	蘇清福





UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)						REMARK	BG24081-P03C01
OVER	INCL.	TOL.				HARDNESS	HRC 46-48
0.5	6	±0.05				MATERIAL	SKD 61 / WC
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME
30	120	±0.15				QUANTITY	1
120	300	±0.20					
300	1000	±0.25					
			JERN YAO ENTERPRISES CO., LTD.			DATE	2025/06/23
						DWG	郭永華
						SCALE	1:1
						MACHINE NAME	JB-F-24B-4S
						DESCRIPTION:	DIN 933 M18P2.5x25-150 L
						CUT-OFF KNIFE CORE	
						PROJECTION	

審查	核准
研發部	研發部
2025/06/23	2025/06/23
蘇清福	蘇清福




UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG24081-P03C02	
OVER	INCL.	TOL.						HARDNESS	HRC 46-48	
0.5	6	±0.05						MATERIAL	SKD 61 / WC	
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1	
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/23	MACHINE NAME JBF-24B-4S	DESCRIPTION: DIN 933 M18P2.5x25-150 L CUTTING QUILL	PROJECTION 	
120	300	±0.20				DWG 郭永華				SCALE 1:1.1
300	1000	±0.25								

去銳角 C1




UNSPCIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG24081-P03D101	
OVER	INCL.	TOL.						HARDNESS	HRC 46-48	
0.5	6	±0.05						MATERIAL	SKD 61	
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1	
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/23	SCALE 1:1.75	MACHINE NAME JBF-24B-4S	DESCRIPTION: DIN 933 M18P2.5x25-150 L #1 DIE CASE	PROJECTION 
120	300	±0.20				DWG 郭永華				
300	1000	±0.25								

G LP
去銳角 C1





AR (1:1)

AT (1.60 : 1)



碳化錳 HRA 88 以上



UNSPECIFIED LINEAR
TOLERANCE (UNIT:mm)

OVER	INCL.	TOL.
0.5	6	±0.05
6	30	±0.10
30	120	±0.15
120	300	±0.20
300	1000	±0.25

REV. NO.	OLD	NEW	DATE	NAME	REMARK	BG24081-P03D102
			2025/06/23		HARDNESS	HRC 46-48
					MATERIAL	SKD 61 / WC
					QUANTITY	1
JERN YAO ENTERPRISES CO., LTD.				MACHINE NAME	DESCRIPTION: DIN 933 M18P2.5x25-150 L	PROJECTION
			SCALE	JBF-24B-4S	#1 DIE (A)	
			1:1.1			




UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG24081-P03D103	
OVER	INCL.	TOL.						HARDNESS	HRC 46-48	
0.5	6	±0.05						MATERIAL	SKD 61 / WC	
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1	
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/23	SCALE 1:1.1	MACHINE NAME JBF-24B-4S	DESCRIPTION: DIN 933 M18P2.5x25-150 L #1 DIE (B)	PROJECTION 
120	300	±0.20				DWG 郭永華				
300	1000	±0.25								

G LP

去銳角 C1

AP (1.60 : 1)

審查	核准
研發部 2025/06/23 蘇清福	研發部 2025/06/23 蘇清福





AM-AM (1 : 1.1)


UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)					REMARK		BG24081-P03D104	
OVER	INCL.	TOL.			HARDNESS		HRC 46-48	
0.5	6	±0.05			MATERIAL		SKD 61 / WC	
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.		DATE	2025/06/23	SCALE	1:1.1
120	300	±0.20			MACHINE NAME	JBF-24B-4S	DESCRIPTION:	DIN 933 M18P2.5x25-150 L
300	1000	±0.25					#1 DIE (C)	PROJECTION

▽▽▽ (G)

審查	核准
研發部	研發部
2025/06/23	2025/06/23
蘇清福	蘇清福





UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)					REMARK		BG24081-P03D151	
OVER	INCL.	TOL.			HARDNESS		HRC 62-64	
0.5	6	±0.05			MATERIAL		SKH-9	
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.		DATE	MACHINE NAME		DESCRIPTION: DIN 933 M18P2.5x25-150 L
120	300	±0.20			2025/06/23	JBF-24B-4S		#1 DIE K.O.PIN
300	1000	±0.25			郭永華	SCALE 1:1.3		PROJECTION




去銳角 C0.5



審 查	核 准
研發部	研發部
2025/06/23	2025/06/23
蘇清福	蘇清福




UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)						REMARK	BG24081-P03D161
OVER	INCL.	TOL.				HARDNESS	HRC 46-48
0.5	6	±0.05				MATERIAL	SKD 61
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME
30	120	±0.15				QUANTITY	1
120	300	±0.20	JERN YAO ENTERPRISES CO., LTD.			DESCRIPTION: DIN 933 M18P2.5x25-150 L	PROJECTION
300	1000	±0.25				#1 DIE K.O.CAP	
			DATE 2025/06/23 DWG 郭永華	SCALE 1:1	MACHINE NAME JBF-24B-4S		




審查	核准
研發部 2025/06/23 蘇清福	研發部 2025/06/23 蘇清福





UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG24081-P03D201	
OVER	INCL.	TOL.						HARDNESS	HRC 46-48	
0.5	6	±0.05						MATERIAL	SKD 61	
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1	
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/23	SCALE 1:1.75	MACHINE NAME JBF-24B-4S	DESCRIPTION: DIN 933 M18P2.5x25-150 L #2 DIE CASE	PROJECTION 
120	300	±0.20				DWG 郭永華				
300	1000	±0.25								



AR (1:1)



AP (1.60 : 1)



審查	核准
研發部 2025/06/23 蘇清福	研發部 2025/06/23 蘇清福





UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)					REMARK		BG24081-P03D202	
OVER	INCL.	TOL.			HARDNESS		HRC 46-48	
0.5	6	±0.05			MATERIAL		SKD 61 / WC	
6	30	±0.10			QUANTITY		1	
30	120	±0.15	REV. NO.		DATE		DESCRIPTION: DIN 933 M18P2.5x25-150 L	
120	300	±0.20	OLD		NAME		#2 DIE (A)	
300	1000	±0.25	NEW		SCALE		PROJECTION	
JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/23		MACHINE NAME			
			DWG 郭永華		1:1.11		JBF-24B-4S	

G LP
去銳角 C1

AN (1.60 : 1)

AP (1.60 : 1)

審查	核准
研發部 2025/06/23 蘇清福	研發部 2025/06/23 蘇清福



AM-AM (1 : 1.1)




UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)					REMARK		BG24081-P03D203	
OVER	INCL.	TOL.			HARDNESS		HRC 46-48	
0.5	6	±0.05			MATERIAL		SKD 61 / WC	
6	30	±0.10	REV. NO.		DATE	NAME	QUANTITY 1	
30	120	±0.15	OLD		2025/06/23		DESCRIPTION: DIN 933 M18P2.5x25-150 L	
120	300	±0.20	NEW		SCALE	MACHINE NAME	#2 DIE (B)	
300	1000	±0.25	JERN YAO ENTERPRISES CO., LTD.		1 : 1.1	JBF-24B-4S	PROJECTION	
			郭永華					

G LP

去銳角 C1

AP (1.60 : 1)

審查	核准
研發部 2025/06/23 蘇清福	研發部 2025/06/23 蘇清福



AM-AM (1 : 1.1)


UNSPECIFIED LINEAR
TOLERANCE (UNIT:mm)

OVER	INCL.	TOL.
0.5	6	±0.05
6	30	±0.10
30	120	±0.15
120	300	±0.20
300	1000	±0.25


REV. NO.	OLD	NEW	DATE	NAME	REMARK	BG24081-P03D204
			2025/06/23		HARDNESS	HRC 46-48
					MATERIAL	SKD 61 / WC
					QUANTITY	1
JERN YAO ENTERPRISES CO., LTD.			SCALE	MACHINE NAME	DESCRIPTION: DIN 933 M18P2.5x25-150 L	PROJECTION
			1 : 1.1	JB-F-24B-4S	#2 DIE (C)	
			郭永華			

▽▽▽ (▽▽▽) G

審查	核准
研發部 2025/06/23 蘇清福	研發部 2025/06/23 蘇清福




UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG24081-P03D251						
OVER	INCL.	TOL.						HARDNESS	HRC 62-64						
0.5	6	±0.05						MATERIAL	SKH-9						
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	6						
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE	2025/06/23	SCALE	1:1.3	MACHINE NAME	JBF-24B-4S	DESCRIPTION:	DIN 933 M18P2.5x25-150 L	PROJECTION	
120	300	±0.20													
300	1000	±0.25													





去銳角 C0.5

審查	核准
研發部	研發部
2025/06/23	2025/06/23
蘇清福	蘇清福




UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG24081-P03D261								
OVER	INCL.	TOL.						HARDNESS	HRC 46-48								
0.5	6	±0.05						MATERIAL	SKD 61								
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1								
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.				DATE	2025/06/23	SCALE	1:1	MACHINE NAME	JBF-24B-4S	DESCRIPTION:	DIN 933 M18P2.5x25-150 L	PROJECTION		
120	300	±0.20					DWG	郭永華							#2 DIE K.O.CAP		
300	1000	±0.25															

G
去銳角 C1





審查	核准
研發部	研發部
2025/06/23	2025/06/23
蘇清福	蘇清福



UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG24081-P03D301
OVER	INCL.	TOL.						HARDNESS	HRC 46-48
0.5	6	±0.05						MATERIAL	SKD 61
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.				MACHINE NAME	DESCRIPTION: DIN 933 M18P2.5x25-150 L	PROJECTION
120	300	±0.20							
300	1000	±0.25							
					DATE 2025/06/23	SCALE 1:1.75	JBF-24B-4S	#3 DIE CASE	
					DWG 郭永華				

G LP
去銳角 C1



審查	核准
研發部	研發部
2025/06/23	2025/06/23
蘇清福	蘇清福




UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)						REMARK	BG24081-P03D302
OVER	INCL.	TOL.				HARDNESS	HRC 46-48
0.5	6	±0.05				MATERIAL	SKD 61 / WC
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			QUANTITY	1
120	300	±0.20				DESCRIPTION: DIN 933 M18P2.5x25-150 L	PROJECTION
300	1000	±0.25				#3 DIE (A)	
			DATE	2025/06/23	SCALE	1:1.1	MACHINE NAME
			DWG	郭永華	JBF-24B-4S		

G LP
() ()
去銳角 C1



審查	核准
研發部	研發部
2025/06/23	2025/06/23
蘇清福	蘇清福



UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)							REMARK	BG24081-P03D303		
OVER	INCL.	TOL.					HARDNESS	HRC 46-48		
0.5	6	±0.05					MATERIAL	SKD 61 / WC		
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1	
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/23	SCALE 1:1.1	MACHINE NAME JBF-24B-4S	DESCRIPTION: DIN 933 M18P2.5x25-150 L #3 DIE (B)	
120	300	±0.20				OWIG 郭永華				PROJECTION 
300	1000	±0.25								

G LP
去銳角 C1



審查	核准
研發部	研發部
2025/06/23	2025/06/23
蘇清福	蘇清福




UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG24081-P03D304
OVER	INCL.	TOL.						HARDNESS	HRC 46-48
0.5	6	±0.05						MATERIAL	SKD 61 / WC
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.				MACHINE NAME	DESCRIPTION: DIN 933 M18P2.5x25-150 L	PROJECTION
120	300	±0.20							
300	1000	±0.25							
			DATE		SCALE				
			2025/06/23		1:1.1	JBF-24B-4S		#3 DIE (A)	
			DWG						
			郭永華						

G LP
去銳角 C1

審查	核准
研發部	研發部
2025/06/23	2025/06/23
蘇清福	蘇清福





UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)						REMARK	BG24081-P03D305
OVER	INCL.	TOL.				HARDNESS	HRC 46-48
0.5	6	±0.05				MATERIAL	SKD 61 / WC
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME
30	120	±0.15				QUANTITY	1
120	300	±0.20				DESCRIPTION: DIN 933 M18P2.5x25-150 L	
300	1000	±0.25				#3 DIE (A)	PROJECTION
			JERN YAO ENTERPRISES CO., LTD.			MACHINE NAME	
			DATE 2025/06/23			SCALE	
			DWG 郭永華			JBF-24B-4S	



去銳角 C1



審查	核准
研發部	研發部
2025/06/23	2025/06/23
蘇清福	蘇清福



UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)				REMARK		BG24081-P03D311	
OVER	INCL.	TOL.		HARDNESS		HRC 46-48	
0.5	6	±0.05		MATERIAL		SKD 61 / WC	
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.				QUANTITY
120	300	±0.20					1
300	1000	±0.25					
				DATE	SCALE	MACHINE NAME	DESCRIPTION
				2025/06/23	1:1.1	JBFB-24B-4S	DIN 933 M18P2.5x25-150
				DWG			#3 DIE (C)
				郭永華			PROJECTION

G LP
去銳角 C1

審查	核准
研發部	研發部
2025/06/24	2025/06/24
蘇清福	蘇清福





AM-AM (1 : 1.1)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)					REMARK		BG24081-P03D312	
OVER	INCL.	TOL.			HARDNESS		HRC 46-48	
0.5	6	±0.05			MATERIAL		SKD 61 / WC	
6	30	±0.10	REV. NO.		DATE		QUANTITY	
30	120	±0.15	OLD		NEW		1	
120	300	±0.20	JERN YAO ENTERPRISES CO., LTD.		DATE		DESCRIPTION: DIN 933 M18P2.5x25-150	
300	1000	±0.25			DWG		#3 DIE (D)	
					SCALE		PROJECTION	
					1 : 1.1			
					MACHINE NAME			
					JBF-24B-4S			

G
去銳角 C1

審查	核准
研發部	研發部
2025/06/23	2025/06/23
蘇清福	蘇清福





BF-BF (1 : 1.25)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)							REMARK	BG24081-P03D343
OVER	INCL.	TOL.					HARDNESS	HRC 4648
0.5	6	±0.05					MATERIAL	SKD 61
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY
30	120	±0.15						1
120	300	±0.20	JERN YAO ENTERPRISES CO., LTD.			DATE	MACHINE NAME	DESCRIPTION: DIN 933 M18P2.5x25-150 L
300	1000	±0.25				2025/05/10	JB-F-24B-4S	#3 DIE (E)
						SCALE		PROJECTION
						1 : 1.25		

G
去銳角 C1

審查	核准
研發部	研發部
2025/06/23	2025/06/23
蘇清福	蘇清福





BF-BF (1 : 1.25)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)						REMARK	BG24081-P03D344
OVER	INCL.	TOL.				HARDNESS	HRC 4648
0.5	6	±0.05				MATERIAL	SKD 61
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			QUANTITY	
120	300	±0.20				1	
300	1000	±0.25					
			DATE	2025/05/10	SCALE	MACHINE NAME	DESCRIPTION: DIN 933 M18P2.5x25-150 L
			DWG	郭永華	1 : 1.25	JBF-24B-4S	#3 DIE (E)
						PROJECTION	

G
去銳角 C1

審查	核准
研發部	研發部
2025/06/23	2025/06/23
蘇清福	蘇清福





BF-BF (1 : 1.25)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG24081-P03D345		
OVER	INCL.	TOL.						HARDNESS	HRC 4648		
0.5	6	±0.05						MATERIAL	SKD 61		
6	30	±0.10	REV. NO.	OLD		NEW		DATE	NAME	QUANTITY	1
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.				DATE 2025/05/10	SCALE 1 : 1.25	MACHINE NAME JBF-24B-4S	DESCRIPTION: DIN 933 M18P2.5x25-150 L #3 DIE (E)	PROJECTION 
120	300	±0.20					DWG 郭永華				
300	1000	±0.25									

G
去銳角 C1

審查	核准
研發部 2025/06/23 蘇清福	研發部 2025/06/23 蘇清福





BF-BF (1 : 1.25)


UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)						REMARK	BG24081-P03D346
OVER	INCL.	TOL.				HARDNESS	HRC 4648
0.5	6	±0.05				MATERIAL	SKD 61
6	30	±0.10				QUANTITY	1
30	120	±0.15	REV. NO.	OLD	NEW	DATE	NAME
120	300	±0.20	JERN YAO ENTERPRISES CO., LTD.			MACHINE NAME	DESCRIPTION: DIN 933 M18P2.5x25-150 L
300	1000	±0.25				JB-F-24B-4S	#3 DIE (E)
			DATE 2025/05/10 DWG 郭永華	SCALE 1 : 1.25			PROJECTION


G
去銳角 C1

審查	核准
研發部 2025/06/23 蘇清福	研發部 2025/06/23 蘇清福






BF-BF (1 : 1.25)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG24081-P03D347	
OVER	INCL.	TOL.						HARDNESS	HRC 4648	
0.5	6	±0.05						MATERIAL	SKD 61	
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1	
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/05/10	SCALE 1: 1.25	MACHINE NAME JBF-24B-4S	DESCRIPTION: DIN 933 M18P2.5x25-150 L #3 DIE (E)	PROJECTION 
120	300	±0.20				DWG 郭永華				
300	1000	±0.25								




審查	核准
研發部 2025/06/23 蘇清福	研發部 2025/06/23 蘇清福





UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)					REMARK		BG24081-P03D351	
OVER	INCL.	TOL.			HARDNESS		HRC 64-66	
0.5	6	±0.05			MATERIAL		SKH-55	
6	30	±0.10	REV. NO.		DATE		QUANTITY	
30	120	±0.15	OLD		NEW		6	
120	300	±0.20	JERN YAO ENTERPRISES CO., LTD.		DATE	NAME	DESCRIPTION: DIN 933 M18P2.5x25-150 L	
300	1000	±0.25			2025/06/23	郭永華	#3 DIE K.O.PIN	
					SCALE	MACHINE NAME	PROJECTION	
					1:1.3	JBF-24B-4S		

G
▽▽▽ (▽▽▽)
去銳角 C0.5



審 查	核 准
研發部	研發部
2025/06/23	2025/06/23
蘇清福	蘇清福



UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG24081-P03D361							
OVER	INCL.	TOL.						HARDNESS	HRC 46-48							
0.5	6	±0.05						MATERIAL	SKD 61							
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	2							
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.				DATE	2025/06/23	SCALE	1:1	MACHINE NAME	JBF-24B-4S	DESCRIPTION: DIN 933 M18P2.5x25-150 L	PROJECTION		
120	300	±0.20					OWG	郭永華							#3 DIE K.O.CAP	
300	1000	±0.25														





審查	核准
研發部 2025/06/23 蘇清福	研發部 2025/06/23 蘇清福



UNSPECIFIED LINEAR
TOLERANCE (UNIT:mm)

OVER	INCL.	TOL.
0.5	6	± 0.05
6	30	± 0.10
30	120	± 0.15
120	300	± 0.20
300	1000	± 0.25

				REMARK	BG24081-P03D401
				HARDNESS	HRC 46-48
				MATERIAL	SKD 61
REV. NO.	OLD	NEW	DATE	NAME	QUANTITY
JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/20 DWG 郭永華	SCALE 1:1.75	MACHINE NAME JBF-24B-4S
			DESCRIPTION: DIN 933 M18P2.5x25-150 L #4 DIE CASE		PROJECTION 





BG (1:1.1)

審查	核准
研發部 2025/06/23 蘇清福	研發部 2025/06/23 蘇清福

G
去銳角 C0.5

TiN Coating
頭部鏡面拋光鍍鈦
注意六角型方向性





BF-BF (1 : 1.25)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)						REMARK	BG24081-P03D431
OVER	INCL.	TOL.				HARDNESS	HRC 60-62
0.5	6	±0.05				MATERIAL	SKD 11
6	30	±0.10				QUANTITY	2
30	120	±0.15	REV. NO.	OLD	NEW	DATE	NAME
120	300	±0.20	JERN YAO ENTERPRISES CO., LTD.			2025/06/23	MACHINE NAME
300	1000	±0.25				DWG 郭永華	SCALE 1:1.25
						JBF-24B-4S	DESCRIPTION: DIN 933 M18P2.5x25-150 L #4 DIE
						PROJECTION	

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)									REMARK	BG24081-P03D432			
OVER	INCL.	TOL.							HARDNESS	HRC 60-62			
0.5	6	±0.05							MATERIAL	SKD 11			
6	30	±0.10	REV. NO.	OLD			NEW			DATE	NAME	QUANTITY	1
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.					DATE 2025/06/23	SCALE 1 : 1	MACHINE NAME JBF-24B-4S	DESCRIPTION: DIN 933 M18P2.5x25-150 L #4 DIE (B)	PROJECTION 	
120	300	±0.20						DWG 郭永華					
300	1000	±0.25											

▽▽▽ (G)
去銳角 C1

審查	核准
研發部	研發部
2025/06/23	2025/06/23
蘇清福	蘇清福





BF-BF (1 : 1.25)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)						REMARK	BG24081-P03D433
OVER	INCL.	TOL.				HARDNESS	HRC 60-62
0.5	6	±0.05				MATERIAL	SKD 11
6	30	±0.10				QUANTITY	1
30	120	±0.15	REV. NO.	OLD	NEW	DATE	NAME
120	300	±0.20	JERN YAO ENTERPRISES CO., LTD.			2025/06/23	DATE
300	1000	±0.25				DWG	郭永華
						SCALE	1 : 1.25
						MACHINE NAME	JBF-24B-4S
						DESCRIPTION	DIN 933 M18P2.5x25-150 L #4 DIE
						PROJECTION	

審查	核准
研發部	研發部
2025/06/23	2025/06/23
蘇清福	蘇清福

▽▽ (▽▽▽)



UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)							REMARK	BG24081-P03D441
OVER	INCL.	TOL.					HARDNESS	HRC 58-60
0.5	6	±0.05					MATERIAL	SKD 11
6	30	±0.10					QUANTITY	2
30	120	±0.15						
120	300	±0.20						
300	1000	±0.25						
			REV. NO.	OLD	NEW	DATE	NAME	
						2025/06/23	MACHINE NAME	DESCRIPTION: DIN 933 M18P2.5x25-150 L
						DWG	JBF-24B-4S	#4 DIE
						郭永華	1.25:1	PROJECTION

JERN YAO ENTERPRISES CO., LTD.







Diagram illustrating a sequence of triangles: three downward-pointing triangles followed by a group of three downward-pointing triangles enclosed in parentheses, with a 'G' above the group.




UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG24081-P03D451		
OVER	INCL.	TOL.						HARDNESS	HRC 62-64		
0.5	6	±0.05						MATERIAL	SKH-9		
6	30	±0.10	REV. NO.	OLD		NEW		DATE	NAME	QUANTITY	6
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.				DATE 2025/06/23	SCALE 1:1.3	MACHINE NAME JBF-24B-4S	DESCRIPTION: DIN 933 M18P2.5x25-150 L #4 DIE K.O.PIN	PROJECTION 
120	300	±0.20					DWG 郭永華				
300	1000	±0.25									





G
()
去銳角 C1

審查	核准
研發部	研發部
2025/06/23	2025/06/23
蘇清福	蘇清福



UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG24081-P03D461	
OVER	INCL.	TOL.						HARDNESS	HRC 46-48	
0.5	6	±0.05						MATERIAL	SKD 61	
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1	
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/23	SCALE 1:1	MACHINE NAME JBF-24B-4S	DESCRIPTION: DIN 933 M18P2.5x25-150 L #4 DIE K.O.PIN CAP	PROJECTION 
120	300	±0.20				DWG 郭永華				
300	1000	±0.25								

去銳角C1




刻字 : BG24B JS Ø16.5 H 30 L

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG24081-P03G101J									
OVER	INCL.	TOL.						HARDNESS										
0.5	6	±0.05						MATERIAL	S45C									
6	30	±0.10	REV. NO.	OLD		NEW		DATE	NAME	QUANTITY	15							
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.				DATE	2025/05/12	SCALE	1:1	MACHINE NAME	JBF-24B-4S	DESCRIPTION:	DIN 933 M18P2.5	FINGER	PROJECTION		
120	300	±0.20					DWG	郭永華										
300	1000	±0.25																

去銳角 C1

審查	核准
研發部	研發部
2025/06/23	2025/06/23
蘇清福	蘇清福






刻字 : BG24B JS Ø16.5 H 30 L

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)					REMARK		BG24081-P03G102J	
OVER	INCL.	TOL.			HARDNESS			
0.5	6	±0.05			MATERIAL		S45C	
6	30	±0.10	REV. NO.		DATE		QUANTITY	
30	120	±0.15	OLD		NEW		15	
120	300	±0.20	JERN YAO ENTERPRISES CO., LTD.		DATE		DESCRIPTION: DIN 933 M18P2.5	
300	1000	±0.25			SCALE		FINGER	
			DWG		MACHINE NAME		PROJECTION	
			郭永華		JBF-24B-4S		第一角	



審查	核准
研發部	研發部
2025/06/23	2025/06/23
蘇清福	蘇清福

去銳角C1



刻字 : BG24B JS Ø16.5 H 16 L

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)						REMARK	BG24081-P03G201J
OVER	INCL.	TOL.				HARDNESS	
0.5	6	±0.05				MATERIAL	S45C
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			QUANTITY	15
120	300	±0.20				DESCRIPTION: DIN 933 M18P2.5	PROJECTION
300	1000	±0.25				FINGER	
			DATE	2025/05/12	SCALE	MACHINE NAME	
			DWG	郭永華	1:1	JBF-24B-4S	







2-C1x38dp

刻字：BG24B JS Ø16.5 H 16 L

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG24081-P03G202J				
OVER	INCL.	TOL.						HARDNESS					
0.5	6	±0.05						MATERIAL	S45C				
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	15				
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE	2025/04/12	SCALE	1:1	MACHINE NAME	JBF-24B-4S	DESCRIPTION: DIN 933 M18P2.5 FINGER	PROJECTION
120	300	±0.20											
300	1000	±0.25											

去銳角C1

審查	核准
研發部 2025/06/23 蘇清福	研發部 2025/06/23 蘇清福





刻字 : BG24B JS Ø16.5 H 8 L

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)							REMARK	BG24081-P03G301J	
OVER	INCL.	TOL.					HARDNESS		
0.5	6	±0.05					MATERIAL	S45C	
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	15
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE	2025/05/12		PROJECTION
120	300	±0.20				DWG	郭永華		
300	1000	±0.25							
						SCALE	1:1		
						MACHINE NAME		JBF-24B-4S	
						DESCRIPTION:		DIN 933 M18P2.5	
						FINGER			


去銳角 C1

審查	核准
研發部	研發部
2025/06/23	2025/06/23
蘇清福	蘇清福




刻字 : BG24B JS Ø16.5 H 8 L

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)							REMARK	BG24081-P03G302J		
OVER	INCL.	TOL.					HARDNESS			
0.5	6	±0.05					MATERIAL	S45C		
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	15	
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE	MACHINE NAME	DESCRIPTION: DIN 933 M18P2.5 FINGER	PROJECTION	
120	300	±0.20				2025/04/12				SCALE
300	1000	±0.25				DWG				1:1
			郭永華			JBF-24B-4S				



G LP
去銳角 C1



審查	核准
研發部 2025/06/23 蘇清福	研發部 2025/06/23 蘇清福



UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)						REMARK	BG24081-P03P101
OVER	INCL.	TOL.				HARDNESS	HRC 46-48
0.5	6	±0.05				MATERIAL	SKD 61 / WC
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			QUANTITY	1
120	300	±0.20				DESCRIPTION: DIN 933 M18P2.5x25-150 L	
300	1000	±0.25				#1 PUNCH	
			DATE 2025/05/12 DWG 郭永華	SCALE 1:1.4	MACHINE NAME JBF-24B-4S	PROJECTION	

審查	核准
研發部	研發部
2025/06/23	2025/06/23
蘇清福	蘇清福

▽▽ (▽▽▽▽)
去銳角 C1





車削後熱處理即可

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG24081-P03P141	
OVER	INCL.	TOL.						HARDNESS	HRC 58-60	
0.5	6	±0.05						MATERIAL	SKD 11	
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1	
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.				MACHINE NAME	DESCRIPTION: DIN 933 M18P2.5x25-150 L #1 PUNCH SPACER	PROJECTION	
120	300	±0.20								
300	1000	±0.25								
				DATE 2025/05/12	SCALE 1:1					
				DWG 郭永華						

審查	核准
研發部	研發部
2025/06/23	2025/06/23
蘇清福	蘇清福



G
▽▽▽ (▽▽▽)




UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG24081-P03P151		
OVER	INCL.	TOL.						HARDNESS	HRC 62-64		
0.5	6	±0.05						MATERIAL	SKH-9		
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	6		
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.				DATE 2025/05/12	SCALE 1:1	MACHINE NAME JBF-24B-4S	DESCRIPTION: DIN 933 M18P2.5x25-150 L #1 PUNCH K.O	PROJECTION 
120	300	±0.20					DWG 郭永華				
300	1000	±0.25									

G
▽▽▽ (▽▽▽)
去銳角 C1
P201,P231 為配合件

審查	核准
研發部 2025/06/23 蘇清福	研發部 2025/06/23 蘇清福






UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG24081-P03P201		
OVER	INCL.	TOL.						HARDNESS	HRC 46-48		
0.5	6	±0.05						MATERIAL	SKD 61		
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1		
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.				DATE 2025/05/12 DWG 郭永華	SCALE 1:1.5	MACHINE NAME JBF-24B-4S	DESCRIPTION: DIN 933 M18P2.5x25-150 L # 2 PUNCH	PROJECTION 
120	300	±0.20									
300	1000	±0.25									




MARK: TASK 6.8 凹字 0.25mm
(成品為凸字,中仁為凹字)


字體不可有銳角處





審查	核准
研發部 2025/06/23 蘇清福	研發部 2025/06/23 蘇清福




UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG24081-P03P231				
OVER	INCL.	TOL.						HARDNESS	HRC 63-65				
0.5	6	±0.05						MATERIAL	SKH-55				
6	30	±0.10	REV. NO.	OLD		NEW		DATE	NAME	QUANTITY			
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.				DATE	2025/05/12		SCALE			
120	300	±0.20					DWG	郭永華		1:1:1			
300	1000	±0.25							MACHINE NAME	JBF-24B-4S		DESCRIPTION:	DIN 933 M18P2.5x25-150 L
											#2 PUNCH	PROJECTION	




審 查	核 准
研發部 2025/06/23 陳俊宏	研發部 2025/06/23 鄭恭賀






UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG24081-P03P301		
OVER	INCL.	TOL.						HARDNESS	HRC 58-60		
0.5	6	±0.05						MATERIAL	SKD 11		
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1		
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.				DATE 2025/06/23	SCALE 1:1.3	MACHINE NAME JBF-24B-4S	DESCRIPTION: DIN 933 M18P2.5x25-150 L #3 PUNCH	PROJECTION 
120	300	±0.20					DWG 郭永華				
300	1000	±0.25									

審查	核准
研發部 2025/06/23 蘇清福	研發部 2025/06/23 蘇清福




▽▽▽ (G)
去銳角 C1






AP-AP (1:1)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)					REMARK	BG24081-P03P331
OVER	INCL.	TOL.			HARDNESS	HRC 60-62
0.5	6	±0.05			MATERIAL	SKH-9
6	30	±0.10	REV. NO.	OLD	NEW	DATE
30	120	±0.15			NAME	QUANTITY
120	300	±0.20				1
300	1000	±0.25				
			JERN YAO ENTERPRISES CO., LTD.		DATE	2025/06/23
					DWG	郭永華
					SCALE	1:1
					MACHINE NAME	JBF-24B-4S
					DESCRIPTION:	DIN 933 M18P2.5x25-150 L
						#3 PUNCH
					PROJECTION	




去銳角 C1






審查	核准
研發部	研發部
2025/06/23	2025/06/23
蘇清福	蘇清福

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)						REMARK	BG24081-P03P332
OVER	INCL.	TOL.				HARDNESS	HRC 60-62
0.5	6	±0.05				MATERIAL	SKH-9
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME
30	120	±0.15				QUANTITY	1
120	300	±0.20				DESCRIPTION: DIN 933 M18P2.5x25-150 L	
300	1000	±0.25				#3 PUNCH	PROJECTION
			JERN YAO ENTERPRISES CO., LTD.			MACHINE NAME	
			DATE 2025/06/23			SCALE	
			DWG 郭永華			1:1	
						JBF-24B-4S	



$\nabla \nabla \nabla$ ($\nabla \nabla \nabla$)
G
去銳角 C1

審查	核准
研發部	研發部
2025/06/23	2025/06/23
蘇清福	蘇清福





AP-AP (1:1)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)						REMARK	BG24081-P03P334
OVER	INCL.	TOL.				HARDNESS	HRC 60-62
0.5	6	±0.05				MATERIAL	SKH-9
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			QUANTITY	1
120	300	±0.20				DESCRIPTION: DIN 933 M18P2.5x25-150 L	PROJECTION
300	1000	±0.25				#3 PUNCH	
			DATE	2025/06/23	SCALE	1:1	MACHINE NAME
			DWG	郭永華			JB-F-24B-4S

Technical drawing of a rectangular box with a lid. The drawing shows a front view with a lid on top. The lid has a central vertical slot. The box has a central vertical slot and a small rectangular cutout on the right side. Dimensions are given: a width of 0.5 for the cutout and a height of 44 for the box body.



The diagram shows a circular cross-section of a multi-layered cylinder. It consists of several concentric circles. A vertical line passes through the center of the circles. At the top and bottom of this vertical line, there are arrows pointing to the outermost layers, which are labeled 'AP'.



AP-AP (1:1)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)							REMARK	BG24081-P03P335						
OVER	INCL.	TOL.					HARDNESS	HRC 60-62						
0.5	6	±0.05					MATERIAL	SKH-9						
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1					
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE	2025/06/23	SCALE	1:1	MACHINE NAME	JBF-24B-4S	DESCRIPTION: DIN 933 M18P2.5x25-150 L #3 PUNCH	PROJECTION	
120	300	±0.20				DWG								郭永華
300	1000	±0.25												

Technical drawing of a rectangular box with a lid. The drawing shows a front view with a lid on top. The lid has a central vertical slot. The box body has a central vertical slot and a small rectangular cutout at the bottom center. Dimension lines indicate a height of 49 and a width of 0.5 for the central slot.





AP-AP (1:1)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG24081-P03P336		
OVER	INCL.	TOL.						HARDNESS	HRC 60-62		
0.5	6	±0.05						MATERIAL	SKH-9		
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1		
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.				DATE 2025/06/23	SCALE 1:1	MACHINE NAME JBF-24B-4S	DESCRIPTION: DIN 933 M18P2.5x25-150 L #3 PUNCH	PROJECTION 
120	300	±0.20									
300	1000	±0.25									
							DWG 郭永華				


審查	核准
研發部	研發部
2025/06/23	2025/06/23
陳俊宏	鄭恭賀

▽▽ (▽▽▽)
去銳角 C1



外徑車削後熱處理即可

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)							REMARK	BG24081-P03P341			
OVER	INCL.	TOL.					HARDNESS	HRC 58-60			
0.5	6	±0.05					MATERIAL	SKD 11			
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1		
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE	MACHINE NAME	DESCRIPTION:	DIN 933 M18P2.5x25-150 L	PROJECTION	
120	300	±0.20				2025/06/23		SCALE			#3 PUNCH SPACER
300	1000	±0.25				郭永華		1:1			





▽▽▽ (▽▽▽) G

TiN Coating




頭部鏡面拋光鍍鈦
注意固定邊與六角平行度

審查	核准
研發部	研發部
2025/06/23	2025/06/23
蘇清福	蘇清福



AN-AN (1:1.1)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)							REMARK	BG24081-P03P471							
OVER	INCL.	TOL.					HARDNESS								
0.5	6	±0.05					MATERIAL	SKH-55							
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	6						
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.				DATE	2025/05/10	SCALE	1:1.1	MACHINE NAME	JB-F-24B-4S	DESCRIPTION:	DIN 933 M18P2.5x25-150 L	PROJECTION
120	300	±0.20					DWG	郭永華					TRIMMING DIE		
300	1000	±0.25													



審查	核准
研發部 2025/06/23 蘇清福	研發部 2025/06/23 蘇清福

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)					REMARK		BG24081-P0320002A	
OVER	INCL.	TOL.			HARDNESS		HRC 45-50	
0.5	6	±0.05			MATERIAL		S45C	
6	30	±0.10	REV. NO.		QUANTITY		4	
30	120	±0.15	OLD		DATE		NAME	
120	300	±0.20	NEW		2025/05/12		MACHINE NAME	
300	1000	±0.25	JERN YAO ENTERPRISES CO., LTD.		DWG		SCALE	
					郭永華		1:2.75	
					JB-F-24B-4S		DESCRIPTION: DIN 933 M18P2.5	
							FEED ROLLER	
							PROJECTION	

正曜 JBF-24BAS 模具明細表

批號: 1008004

線材: 1025

製程:

線徑: $\phi 17.7$ 規格: DIN 933 M18*P2.5*25-150L

車號: 081 客戶: Taskazan土耳其

★★★☆☆
--試車難易度--
0114年06月27日

序號	件 號	名 稱	DESCRIPTION	數量	備 註
1	P03S01	成品圖	SAMPLE		
2	P03F01	壓造程序圖	FORMING PROCESS		
3	P03A0025	組合圖	ASSEMBLY		
4	P03A0030	組合圖	ASSEMBLY		
5	P03A0035	組合圖	ASSEMBLY		
6	P03A0040	組合圖	ASSEMBLY		
7	P03A0045	組合圖	ASSEMBLY		
8	P03A0050	組合圖	ASSEMBLY		
9	P03A0055	組合圖	ASSEMBLY		
10	P03A0060	組合圖	ASSEMBLY		
11	P03A0065	組合圖	ASSEMBLY		
12	P03A0070	組合圖	ASSEMBLY		
13	P03A0075	組合圖	ASSEMBLY		
14	P03A0080	組合圖	ASSEMBLY		
15	P03A0085	組合圖	ASSEMBLY		
16	P03A0090	組合圖	ASSEMBLY		
17	P03A0095	組合圖	ASSEMBLY		
18	P03A0100	組合圖	ASSEMBLY		
19	P03A0110	組合圖	ASSEMBLY		
20	P03A0120	組合圖	ASSEMBLY		
21	P03A0130	組合圖	ASSEMBLY		
22	P03A0140	組合圖	ASSEMBLY		
23	P03A0150	組合圖	ASSEMBLY		
24	P03A02	組合圖	ASSEMBLY		
25	P03C01	切刀	CUT-OFF KNIFE CORE	1	
26	P03C02	切模	CUT-OFF QUILL	1	
27	P03D101	#1 母模	#1 DIE	1	
28	P03D102	#1 母模	#1 DIE	1	
29	P03D103	#1 母模	#1 DIE	1	
30	P03D104	#1 母模	#1 DIE	1	
31	P03D151	#1 後沖	#1 K.O.PIN	6	
32	P03D161	#1 母模套管	#1 K.O.PIN CAP	1	
33	P03D201	#2 母模	#2 DIE	1	
34	P03D202	#2 母模	#2 DIE	1	
35	P03D203	#2 母模	#2 DIE	1	
36	P03D204	#2 母模	#2 DIE	1	
37	P03D251	#2 後沖	#2 K.O.PIN	6	

核准:

審查:

擬訂: 周佩怡 0114.06.27

正曜 JBF-24BAS 模具明細表

批號: 1008004

線材: 1025

製程:

線徑: $\phi 17.7$

規格: DIN 933 M18*P2.5*25-150L

車號: 081

客戶: Taskazan土耳其

★★★☆☆

--試車難易度--

0114年06月27日

序號	件 號	名	稱	DESCRIPTION	數量	備 註
38	P03D261	#2 母模套管		#2 K.O.PIN CAP	1	
39	P03D301	#3 母模		#3 DIE	1	
40	P03D302	#3 母模		#3 DIE	1	
41	P03D303	#3 母模		#3 DIE	1	
42	P03D304	#3 母模		#3 DIE	1	
43	P03D305	#3 母模		#3 DIE	1	
44	P03D311	#3 母模		#3 DIE	1	
45	P03D312	#3 母模		#3 DIE	1	
46	P03D343	#3 母模墊塊		#3 DIE SPACER	1	
47	P03D344	#3 母模墊塊		#3 DIE SPACER	1	
48	P03D345	#3 母模墊塊		#3 DIE SPACER	1	
49	P03D346	#3 母模墊塊		#3 DIE SPACER	1	
50	P03D347	#3 母模墊塊		#3 DIE SPACER	1	
51	P03D351	#3 後沖		#3 K.O.PIN	6	
52	P03D361	#3 母模套管		#3 K.O.PIN CAP	2	
53	P03D401	#4 母模		#4 DIE	1	
54	P03D431	#4 母模墊塊		#4 DIE SPACER	2	
55	P03D432	#4 母模墊塊		#4 DIE SPACER	1	
56	P03D433	#4 母模墊塊		#4 DIE SPACER	1	
57	P03D441	#4 母模墊塊		#4 DIE SPACER	2	
58	P03D451	#4 後沖		#4 K.O.PIN	6	
59	P03D461	#4 母模套管		#4 K.O.PIN CAP	1	
60	P03G101J	母夾		FINGER	15	
61	P03G102J	母夾		FINGER	15	
62	P03G201J	母夾		FINGER	15	
63	P03G202J	母夾		FINGER	15	
64	P03G301J	母夾		FINGER	15	
65	P03G302J	母夾		FINGER	15	
66	P03P101	#1 公模		#1 PUNCH	1	
67	P03P141	#1 公模墊塊		#1 PUNCH SPACER	1	
68	P03P151	#1 前沖		#1 PUNCH PIN	6	
69	P03P201	#2 公模		#2 PUNCH	1	
70	P03P231	#2 公模墊塊		#2 PUNCH SPACER	3	
71	P03P301	#3 公模		#3 PUNCH	1	
72	P03P331	#3 公模墊塊		#3 PUNCH SPACER	1	
73	P03P332	#3 公模墊塊		#3 PUNCH SPACER	1	
74	P03P333	#3 公模墊塊		#3 PUNCH SPACER	1	

核准:

審查:

擬訂: 周佩怡 0114.06.27

正曜 JBF-24B4S 模具明細表

批號: 1008004

★★★★☆

線材: 1025

線徑: $\varphi 17.7$ 規格: DIN 933 M8*P2.5*25-150L

--試車難易度--

製程:

車號: 081

客戶: Taskazan土耳其

0114年06月27日

序號	件 號	名	稱	DESCRIPTION	數量	備 註
75	P03P334	#3 公模墊塊		#3 PUNCH SPACER	1	
76	P03P335	#3 公模墊塊		#3 PUNCH SPACER	1	
77	P03P336	#3 公模墊塊		#3 PUNCH SPACER	1	
78	P03P341	#3 公模墊塊		#3 PUNCH SPACER	1	
79	P03P471	#4 切邊模		#4 TRIMMING DIE	6	
80	P0320002A	送料滾輪		FEED_ROLLER	4	

核准:

審查:

擬訂: 周佩怡 0114.06.27