






DIN 912 M20P2.5	
規 格	L
M20x40 L	39.5-40.5
M20x45 L	44.5-45.5
M20x50 L	49.5-50.5
M20x55 L	54.4-55.6
M20x60 L	59.4-60.6
M20x65 L	64.4-65.6
M20x70 L	69.4-70.6
M20x80 L	79.4-80.6
M20x90 L	89.3-90.7
M20x100 L	99.3-100.7
M20x110 L	109.3-110.7
M20x120 L	119.3-120.7
M20x130 L	129.2-130.8
M20x140 L	139.2-140.8
M20x150 L	149.2-150.8
M20x160 L	159.2-160.8
M20x180 L	179.2-180.8
M20x200 L	199.1-200.9



T:120



MARK: TASK 8.8
凹字 0.23 mm




B-B (1:1.25)

線徑:Ø19.7

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG30060-P03S02	
OVER	INCL.	TOL.						HARDNESS		
0.5	6	±0.05						MATERIAL	10B21	
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY		
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/06	SCALE 1:1.25	MACHINE NAME JBF-19B-4SL	DESCRIPTION: DIN 912 M20P2.5x40-200 L SAMPLE	
120	300	±0.20				DWG 郭永華				PROJECTION 
300	1000	±0.25								

DIN 912 M20P2.5x40-45 L			
規格	LO	L2	L4
40 L	67.9	39.4	39.5-40.5
45 L	72.2	44.4	44.5-45.5



審查	核准
研發部 2025/06/06 蘇清福	研發部 2025/06/06 蘇清福

DIN 912 M20P2.5x40-45L

REMARK	BG30060-P03F00
HARDNESS	
MATERIAL	10B21
QUANTITY	

PUNCH=Ø29.7
DIE= Ø29.6

JERN YAO ENTERPRISES CO., LTD.	DATE 2025/05/22	SCALE 1:2	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 912 M20P2.5x40-45 L FORMING PROCESS	PROJECTION
	DWG 郭永華				


DIN 912 M20P2.5x50-70 L				
規格	LO	L2	L3	L4
50 L	76.4	49.6	49.4	49.5-50.5
55 L	80.7	54.6	54.4	54.4-55.6
60 L	84.9	59.6	59.4	59.4-60.6
65 L	89.2	64.6	64.4	64.4-65.6
70 L	93.4	69.6	69.4	69.4-70.6

MARK=TASK 8.8


PUNCH=Ø23.7
DIE =Ø23.7

審查	核准
研發部 2025/06/06 蘇清福	研發部 2025/06/06 蘇清福


#3






#2



#1



#4



DIE: 18.20

PUNCH=Ø29.7
DIE= Ø29.6

DIN 912 M20P2.5x50-70L

REMARK	BG30060-P03F01
HARDNESS	
MATERIAL	10B21
QUANTITY	

JERN YAO ENTERPRISES CO., LTD.

DATE
2025/05/22
DWG
郭永華





SCALE
1:2

MACHINE NAME
JBF-30B-4S

DESCRIPTION: DIN 912 M20P2.5x50-70 L
FORMING PROCESS

PROJECTION

DIN 912 M20P2.5x80-200 L				
規格	LO	L2	L3	L4
80 L	105.7	71.2	70.9	79.4-80.6
90 L	115.9	81.2	80.9	89.3-90.7
100 L	126	91.3	90.9	99.3-100.7
110 L	136.2	101.3	100.9	109.3-110.7
120 L	146.3	111.3	110.9	119.3-120.7
130 L	156.5	121.4	120.9	129.3-130.8
140 L	166.7	131.4	130.9	139.2-140.8
150 L	176.8	141.4	140.9	149.2-150.8
160 L	187	150.5	150.9	159.2-160.8
180 L	207.3	171.5	171	179.2-180.5
200 L	227.6	191.5	191	199.1-200.9



DIN 912 M20P2.5x80-200L

REMARK	BG30060-P03F02
HARDNESS	
MATERIAL	10B21
QUANTITY	

JERN YAO ENTERPRISES CO., LTD.

DATE
2025/05/22
DWG
郭永華


SCALE
1:2

MACHINE NAME
JBF-30B-4S

DESCRIPTION: DIN 912 M20P2.5x80-200 L
FORMING PROCESS

PROJECTION

審查	核准
研發部 2025/06/06 蘇清福	研發部 2025/06/06 蘇清福



DIN 912 M20P2.5x40 L - TEST (A)

JERN YAO ENTERPRISES CO., LTD.

DATE 2025/06/05
DWG 郭永華





SCALE
1:3.5

MACHINE NAME
JBF-30B-4S

REMARK	BG30060-P03A040
HARDNESS	
MATERIAL	10B21
QUANTITY	

DESCRIPTION: DIN 912 M20P2.5x40 L
ASSEMBLY

PROJECTION






審查	核准
研發部 2025/06/06 蘇清福	研發部 2025/06/06 蘇清福

DIN 912 M20P2.5x40 L - TEST (B)

REMARK	BG30060-P03A040A
HARDNESS	
MATERIAL	10B21
QUANTITY	

JERN YAO ENTERPRISES CO., LTD.	DATE 2025/06/05	SCALE 1:3.5	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 912 M20P2.5x40 L ASSEMBLY	PROJECTION
	DWG 郭永華				







DIN 912 M20P2.5x45 L - TEST (B)


JERN YAO ENTERPRISES CO., LTD.


DATE
2025/06/05
DWG
郭永華SCALE
1:3.5MACHINE NAME
JBF-30B-4SDESCRIPTION: DIN 912 M20P2.5x45 L
ASSEMBLYPROJECTION







審查	核准
研發部 2025/06/05 蘇清福	研發部 2025/06/05 蘇清福










審查	核准
研發部 2025/06/05 蘇清福	研發部 2025/06/05 蘇清福

REMARK	BG30060-P03A080
HARDNESS	
MATERIAL	10B21
QUANTITY	

JERN YAO ENTERPRISES CO., LTD.				DATE 2025/06/05 DWG 郭永華	SCALE 1:3.5	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 912 M20P2.5x80 L ASSEMBLY	PROJECTION
--------------------------------	--	--	--	----------------------------------	----------------	----------------------------	---	----------------

AR-AR (1:3.5)



審查	核准
研發部 2025/06/05 蘇清福	研發部 2025/06/05 蘇清福

DIN 912 M20P2.5x90 L

REMARK	BG30060-P03A090
HARDNESS	
MATERIAL	10B21
QUANTITY	

JERN YAO ENTERPRISES CO., LTD.

DATE
2025/06/05
DWG
郭永華


SCALE
1:3.5

MACHINE NAME
JBF-30B-4S

DESCRIPTION: DIN 912 M20P2.5x90 L
ASSEMBLY

PROJECTION

AR-AR (1:3.5)



JERN YAO ENTERPRISES CO., LTD.


DIN 912 M20P2.5x100 L

REMARK
HARDNESS
MATERIAL
QUANTITY


DESCRIPTION: DIN 912 M20P2.5x100 L
ASSEMBLY

PROJECTION

AR-AR (1:3.5)



AR-AR (1:3.5)




JERN YAO ENTERPRISES CO., LTD.

DATE
2025/06/05
DWG
郭永華SCALE
1:3.5MACHINE NAME
JBF-30B-4S

REMARK	DIN 912 M20P2.5x120 L
HARDNESS	BG30060-P03A120
MATERIAL	10B21
QUANTITY	
DESCRIPTION: DIN 912 M20P2.5x120 L	PROJECTION
ASSEMBLY	

AR-AR (1:3.5)



審查	核准
研發部 2025/06/05 蘇清福	研發部 2025/06/05 蘇清福

REMARK	BG30060-P03A130
HARDNESS	
MATERIAL	10B21
QUANTITY	

JERN YAO ENTERPRISES CO., LTD.

DATE
2025/06/05
DWG
郭永華


SCALE
1:3.5

MACHINE NAME
JBF-30B-4S

DESCRIPTION: DIN 912 M20P2.5x130 L
ASSEMBLY

PROJECTION

AR-AR (1:3.5)




審查	核准
研發部 2025/06/05 蘇清福	研發部 2025/06/05 蘇清福

REMARK	BG30060-P03A140
HARDNESS	
MATERIAL	10B21
QUANTITY	

JERN YAO ENTERPRISES CO., LTD.	DATE 2025/06/05	SCALE 1:3.5	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 912 M20P2.5x140 L ASSEMBLY	PROJECTION
	DWG 郭永華				

AR-AR (1:3.5)



JERN YAO ENTERPRISES CO., LTD.

DATE
2025/06/05
DWG
郭永華


SCALE
1:3.5

MACHINE NAME
JB-F-30B-4S


DESCRIPTION: DIN 912 M20P2.5x150 L
ASSEMBLY

PROJECTION

AR-AR (1:3.5)



AR-AR (1:3.5)



審查	核准
研發部 2025/06/05 蘇清福	研發部 2025/06/05 蘇清福

DIN 912 M20P2.5x180 L

REMARK	BG30060-P03A180
HARDNESS	
MATERIAL	10B21
QUANTITY	

JERN YAO ENTERPRISES CO., LTD.

DATE
2025/06/05
DWG
郭永華


SCALE
1:3.5

MACHINE NAME
JBF-30B-4S


DESCRIPTION: DIN 912 M20P2.5x180 L
ASSEMBLY

PROJECTION

AR-AR (1:3.5)





審查	核准
研發部 2025/06/04 蘇清福	研發部 2025/06/04 蘇清福



UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)							REMARK	BG30060-P03C01		
OVER	INCL.	TOL.					HARDNESS	HRC 46-48		
0.5	6	±0.05					MATERIAL	SKD 61 / WC		
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY 1		
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/04	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 912 M20P2.5x40-200 L CUT-OFF KNIFE CORE		
120	300	±0.20				DWG 郭永華			SCALE 1:1.2	PROJECTION
300	1000	±0.25								



審查	核准
研發部 2025/06/04 蘇清福	研發部 2025/06/04 蘇清福




AM-AM (1:1.5)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG30060-P03C02
OVER	INCL.	TOL.						HARDNESS	HRC 46-48
0.5	6	±0.05						MATERIAL	SKD 61 / WC
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/04	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 912 M20P2.5x40-200 L CUTTING QUILL	PROJECTION 
120	300	±0.20				SCALE 1:1.5			
300	1000	±0.25				DWG 郭永華			

G
去銳角 C1



審查	核准
研發部 2025/06/04 蘇清福	研發部 2025/06/04 蘇清福



AM-AM (1:2)


UNSPECIFIED LINEAR
TOLERANCE (UNIT:mm)

OVER	INCL.	TOL.
0.5	6	±0.05
6	30	±0.10
30	120	±0.15
120	300	±0.20
300	1000	±0.25


REV. NO.	OLD	NEW	DATE	NAME	REMARK	BG30060-P03D101
			2025/06/04	郭永華	HARDNESS	HRC 46-48
					MATERIAL	SKD 61
					QUANTITY	1
					DESCRIPTION:	DIN 912 M20P2.5x40-200 L
						#1 DIE CASE
						PROJECTION

JERN YAO ENTERPRISES CO., LTD.


MACHINE NAME
JBF-30B-4S



G LP
( )
去銳角 C1





AR (1:1)




審查	核准
研發部 2025/06/04 蘇清福	研發部 2025/06/04 蘇清福

AP (1.5:1)



UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)						REMARK	BG30060-P03D102
OVER	INCL.	TOL.				HARDNESS	HRC 46-48
0.5	6	±0.05				MATERIAL	SKD 61 / WC
6	30	±0.10				QUANTITY	1
30	120	±0.15	REV. NO.	OLD	NEW	DATE	NAME
120	300	±0.20	JERN YAO ENTERPRISES CO., LTD.			DATE	2026/06/04
300	1000	±0.25				SCALE	1:1.25
						MACHINE NAME	JBF-30B-4S
						DESCRIPTION:	DIN 912 M20P2.5x80-200 L
						#1 DIE (A)	PROJECTION






UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG30060-P03D103		
OVER	INCL.	TOL.						HARDNESS	HRC 46-48		
0.5	6	±0.05						MATERIAL	SKD 61 / WC		
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1		
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.				DATE 2025/06/04	SCALE 1:1.25	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 933 M20P2.5x80-200 L #1 DIE (B)	PROJECTION 
120	300	±0.20					DWG 郭永華				
300	1000	±0.25									





去銳角 C1

AP (1.60 : 1)

審查	核准
研發部	研發部
2025/06/04	2025/06/04
蘇清福	蘇清福






UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG30060-P03D104	
OVER	INCL.	TOL.						HARDNESS	HRC 46-48	
0.5	6	±0.05						MATERIAL	SKD 61 / WC	
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1	
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/04	SCALE 1: 1.25	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 912 M20P2.5x80-200 L #1 DIE (C)	PROJECTION 
120	300	±0.20				OWG 郭永華				
300	1000	±0.25								



審查	核准
研發部 2025/06/04 蘇清福	研發部 2025/06/04 蘇清福

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)						REMARK	BG30060-P03D112A
OVER	INCL.	TOL.				HARDNESS	HRC 46-48
0.5	6	±0.05				MATERIAL	SKD 61 / WC
6	30	±0.10				QUANTITY	1
30	120	±0.15	REV. NO.	OLD	NEW	DATE	NAME
120	300	±0.20	JERN YAO ENTERPRISES CO., LTD.			MACHINE NAME	DESCRIPTION: DIN 912 M20P2.5x40-70 L
300	1000	±0.25				DATE	#1 DIE (A)
			DWG 郭永華		SCALE 1:1.4	PROJECTION	
					JBF-30B-4S		

G LP
(
去銳角 C1





審查	核准
研發部 2025/06/04 蘇清福	研發部 2025/06/04 蘇清福

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)					REMARK		BG30060-P03D113A	
OVER	INCL.	TOL.			HARDNESS		HRC 46-48	
0.5	6	±0.05			MATERIAL		SKD 61 / WC	
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY
30	120	±0.15					1	
120	300	±0.20						
300	1000	±0.25						
			JERN YAO ENTERPRISES CO., LTD.		DATE	SCALE	MACHINE NAME	DESCRIPTION
					2025/06/04	1 : 1.25	JBF-30B-4S	DIN 912 M20P2.5x40-70 L
					DWG			#1 DIE (B)
					郭永華			PROJECTION

▽▽▽ (▽▽▽)
去銳角 C1

審查	核准
研發部 2025/06/04 蘇清福	研發部 2025/06/04 蘇清福



AM-AM (1 : 1.25)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)						REMARK		BG30060-P03D115A	
OVER	INCL.	TOL.				HARDNESS		HRC 46-48	
0.5	6	±0.05				MATERIAL		SKD 61 / WC	
6	30	±0.10				QUANTITY		1	
30	120	±0.15				DATE		NAME	
120	300	±0.20				2025/06/04		MACHINE NAME	
300	1000	±0.25				1:1.25		JBF-30B-4S	
						DESCRIPTION: DIN 912 M20P2.5x40-70 L		PROJECTION	
						#1 DIE (C)			

JERN YAO ENTERPRISES CO., LTD.

DATE
2025/06/04
DWG
郭永華



SCALE
1:1.25

MACHINE NAME
JBF-30B-4S

DESCRIPTION: DIN 912 M20P2.5x40-70 L
#1 DIE (C)

PROJECTION
⊕



Diagram illustrating the relationship between a triangle and a group G . On the left is a triangle. On the right is a triangle enclosed in parentheses, with the letter G positioned above it.




UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)							REMARK	BG30060-P03D151				
OVER	INCL.	TOL.					HARDNESS	HRC 64-66				
0.5	6	±0.05					MATERIAL	SKH-55				
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	5			
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/04	SCALE 1:1.3	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 912 M20P2.5x80-200 L	PROJECTION		
120	300	±0.20							#1 DIE K.O.PIN			
300	1000	±0.25										

審查	核准
研發部	研發部
2025/06/04	2025/06/04
蘇清福	蘇清福



G
()




UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)						REMARK	BG30060-P03D152A
OVER	INCL.	TOL.				HARDNESS	HRC 62-64
0.5	6	±0.05				MATERIAL	SKH-9
6	30	±0.10				QUANTITY	5
30	120	±0.15	REV. NO.	OLD	NEW	DATE	NAME
120	300	±0.20	JERN YAO ENTERPRISES CO., LTD.			DESCRIPTION:	DIN 912 M20P2.5x40-70 L
300	1000	±0.25				#1 DIE K.O.PIN	PROJECTION
			DATE	2025/06/04	SCALE	1:1.3	MACHINE NAME
			DWG	郭永華	JBF-30B-4S		


去銳角 C1

審查	核准
研發部	研發部
2025/06/04	2025/06/04
蘇清福	蘇清福





AM-AM (1:1)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG30060-P03D161	
OVER	INCL.	TOL.						HARDNESS	HRC 46-48	
0.5	6	±0.05						MATERIAL	SKD 61	
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1	
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/04	SCALE 1:1	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 912 M20P2.5x80-200 L #1 DIE K.O.PIN CAP	PROJECTION 
120	300	±0.20				DWG 郭永華				
300	1000	±0.25								


G
▽▽▽ (▽▽▽)
去銳角 C1



審 查	核 准
研發部	研發部
2025/06/04	2025/06/04
蘇清福	蘇清福



AM-AM (1:1)


UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)							REMARK	BG30060-P03D162A		
OVER	INCL.	TOL.					HARDNESS	HRC 46-48		
0.5	6	±0.05					MATERIAL	SKD 61		
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1	
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE	MACHINE NAME	DESCRIPTION: DIN 912 M20P2.5x40-70 L	PROJECTION	
120	300	±0.20				2025/06/04				SCALE
300	1000	±0.25				DWG				1:1
						郭永華				JBF-30B-4S



G
()
去銳角 C1



審查	核准
研發部 2025/06/04 蘇清福	研發部 2025/06/04 蘇清福




AM-AM (1:2)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)					REMARK		BG30060-P03D201	
OVER	INCL.	TOL.			HARDNESS		HRC 46-48	
0.5	6	±0.05			MATERIAL		SKD 61	
6	30	±0.10	REV. NO.		DATE		QUANTITY	
30	120	±0.15	OLD		NEW		1	
120	300	±0.20	JERN YAO ENTERPRISES CO., LTD.		DATE		DESCRIPTION: DIN 912 M20P2.5x40-200 L	
300	1000	±0.25			DWG		#2 DIE CASE	
					SCALE		PROJECTION	
					1:2			
					MACHINE NAME			
					JBF-30B-4S			




(G L P)
去銳角 C0.5
注意碳化鎢緊配量

審查	核准
研發部 2025/06/04 蘇清福	研發部 2025/06/04 蘇清福





UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)				REMARK		BG30060-P03D202	
OVER	INCL.	TOL.		HARDNESS		HRC 46-48	
0.5	6	±0.05		MATERIAL		SKD 61 / WC	
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.				QUANTITY
120	300	±0.20					1
300	1000	±0.25					
				DATE 2025/06/04 DWG 郭永華	SCALE 1:1.5	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 912 M20P2.5x40-200 L #2 DIE (A)
						PROJECTION	

G LP
去銳角 C0.5



審查	核准
研發部 2025/06/04 陳俊宏	研發部 2025/06/04 鄭恭賀





AP-AP (1:1.4)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)						REMARK	BG30060-P03D203
OVER	INCL.	TOL.				HARDNESS	HRC 46-48
0.5	6	±0.05				MATERIAL	SKD 61 / WC
6	30	±0.10				QUANTITY	1
30	120	±0.15	REV. NO.	OLD	NEW	DATE	NAME
120	300	±0.20	JERN YAO ENTERPRISES CO., LTD.			2020/04/15	MACHINE NAME
300	1000	±0.25				郭永華	JBF-30B-4S
						SCALE	DESCRIPTION: DIN 912 M20P2.5x80-200 L
						1:1.4	#2 DIE (B)
						PROJECTION	



G LP
去銳角 C1

AN (1.60 : 1)



審查	核准
研發部 2025/06/04 蘇清福	研發部 2025/06/04 蘇清福

AP (1.60 : 1)





AM-AM (1 : 1.25)

UNSPECIFIED LINEAR
TOLERANCE (UNIT:mm)


OVER	INCL.	TOL.
0.5	6	±0.05
6	30	±0.10
30	120	±0.15
120	300	±0.20
300	1000	±0.25

REV. NO.	OLD	NEW	DATE	NAME	REMARK	BG30060-P03D204
					HARDNESS	HRC 46-48
					MATERIAL	SKD 61 / WC
					QUANTITY	1
JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/04 DWG 郭永華	SCALE 1 : 1.25	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 912 M20P2.5x80-200 L #2 DIE (C)
						PROJECTION

G LP
(
去銳角 C1




AP (1.60 : 1)




AM-AM (1 : 1.25)



審查	核准
研發部 2025/06/04 蘇清福	研發部 2025/06/04 蘇清福

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)							REMARK	BG30060-P03D205		
OVER	INCL.	TOL.					HARDNESS	HRC 46-48		
0.5	6	±0.05					MATERIAL	SKD 61 / WC		
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1	
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/04	SCALE 1 : 1.25	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 912 M20P2.5x80-200 L #2 DIE (D)	PROJECTION 
120	300	±0.20				DWG 郭永華				
300	1000	±0.25								

G LP
去銳角 C0.5



審查	核准
研發部 2025/06/04 陳俊宏	研發部 2025/06/04 鄭恭賀



AP-AP (1:1.4)




UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)						REMARK	BG30060-P03D213A
OVER	INCL.	TOL.				HARDNESS	HRC 46-48
0.5	6	±0.05				MATERIAL	SKD 61 / WC
6	30	±0.10				QUANTITY	1
30	120	±0.15	REV. NO.	OLD	NEW	DATE	NAME
120	300	±0.20	JERN YAO ENTERPRISES CO., LTD.			2020/04/15	MACHINE NAME
300	1000	±0.25				郭永華	JBF-30B-4S
						SCALE	DESCRIPTION: DIN 912 M20P2.5x40-70 L
						1:1.4	#2 DIE (B)
						PROJECTION	

G LP
()

去銳角 C1

AR (1.60 : 1)

R0.1



AM-AM (1 : 1.25)

審查	核准
研發部 2025/06/04 陳俊宏	研發部 2025/06/04 鄭恭賀



UNSPECIFIED LINEAR
TOLERANCE (UNIT:mm)

OVER	INCL.	TOL.
0.5	6	±0.05
6	30	±0.10
30	120	±0.15
120	300	±0.20
300	1000	±0.25

REV. NO.	OLD	NEW	DATE	SCALE	MACHINE NAME	REMARK	BG30060-P03D214A
			2023/04/12	1 : 1.25	JBF-30B-4S	HARDNESS	HRC 46-48
						MATERIAL	SKD 61 / WC
						QUANTITY	1
JERN YAO ENTERPRISES CO., LTD.						DESCRIPTION: DIN 912 M20P2.5x40-70 L #2 DIE (C)	PROJECTION

G
去銳角 C1


審查	核准
研發部 2025/06/04 蘇清福	研發部 2025/06/04 蘇清福




AM-AM (1 : 1.25)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)							REMARK	BG30060-P03D215A		
OVER	INCL.	TOL.					HARDNESS	HRC 46-48		
0.5	6	±0.05					MATERIAL	SKD 61 / WC		
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1	
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/04	SCALE 1:1.25	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 912 M20P2.5x40-70 L #2 DIE (D)	PROJECTION
120	300	±0.20				DWG 郭永華				
300	1000	±0.25								

審查	核准
研發部 2025/06/04 蘇清福	研發部 2025/06/04 蘇清福



G
()





UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)							REMARK	BG30060-P03D251		
OVER	INCL.	TOL.					HARDNESS	HRC 64-66		
0.5	6	±0.05					MATERIAL	SKH-55		
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	5	
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/04	SCALE 1:1.3	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 912 M20P2.5x80-200 L	PROJECTION
120	300	±0.20				DWG 郭永華			#2 DIE K.O.PIN	
300	1000	±0.25								

審查	核准
研發部 2025/06/04 蘇清福	研發部 2025/06/04 蘇清福



G
()



UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG30060-P03D252A							
OVER	INCL.	TOL.						HARDNESS	HRC 62-64							
0.5	6	±0.05						MATERIAL	SKH-9							
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	5							
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.				DATE	2025/06/04	SCALE	1:1.3	MACHINE NAME	JBF-30B-4S	DESCRIPTION:	DIN 912 M20P2.5x40-70 L	PROJECTION	
120	300	±0.20					DWG	郭永華								
300	1000	±0.25														


去銳角 C1


審 查	核 准
研發部	研發部
2025/06/04	2025/06/04
蘇清福	蘇清福





AM-AM (1:1)


UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)							REMARK	BG30060-P03D261			
OVER	INCL.	TOL.					HARDNESS	HRC 46-48			
0.5	6	±0.05					MATERIAL	SKD 61			
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1		
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.				MACHINE NAME	DESCRIPTION: DIN 912 M20P2.5x80-200 L	PROJECTION		
120	300	±0.20								DATE	SCALE
300	1000	±0.25								2025/06/04	1:1
										DWG	
							JBF-30B-4S	#2 DIE K.O.PIN CAP			



審查	核准
研發部	研發部
2025/06/04	2025/06/04
蘇清福	蘇清福


 去銳角 C1



AM-AM (1:1)



UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)							REMARK	BG30060-P03D262A					
OVER	INCL.	TOL.					HARDNESS	HRC 46-48					
0.5	6	±0.05					MATERIAL	SKD 61					
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1				
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.				MACHINE NAME		DESCRIPTION: DIN 912 M20P2.5x40-70 L	PROJECTION 			
120	300	±0.20					DATE 2025/06/04		SCALE 1:1		JBF-30B-4S		#2 DIE K.O.PIN CAP
300	1000	±0.25					DWG 郭永華						



審查	核准
研發部 2025/06/04 蘇清福	研發部 2025/06/04 蘇清福




AM-AM (1:2)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG30060-P03D301		
OVER	INCL.	TOL.						HARDNESS	HRC 46-48		
0.5	6	±0.05						MATERIAL	SKD 61		
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1		
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.				DATE	MACHINE NAME	DESCRIPTION: DIN 912 M20P2.5x40-200 L	PROJECTION	
120	300	±0.20					2025/06/04	SCALE	JBF-30B-4S	#3 DIE CASE	
300	1000	±0.25					DWG	1:2			
							郭永華				




G LP
去銳角 C0.5
注意碳化錳緊配量

審查	核准
研發部 2025/06/04 蘇清福	研發部 2025/06/04 蘇清福





UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)						REMARK		BG30060-P03D302	
OVER	INCL.	TOL.				HARDNESS		HRC 46-48	
0.5	6	±0.05				MATERIAL		SKD 61 / WC	
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE	2025/06/04	SCALE	1:1.5
120	300	±0.20				MACHINE NAME	GBF-30B-4S	DESCRIPTION:	DIN 912 M20P2.5x40-200 L
300	1000	±0.25						#3 DIE (A)	PROJECTION

G LP
去銳角 C0.5



審查	核准
研發部 2025/06/04 陳俊宏	研發部 2025/06/04 鄭恭賀





AP-AP (1:1.4)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)						REMARK	BG30060-P03D303
OVER	INCL.	TOL.				HARDNESS	HRC 46-48
0.5	6	±0.05				MATERIAL	SKD 61 / WC
6	30	±0.10				QUANTITY	1
30	120	±0.15	REV. NO.	OLD	NEW	DATE	NAME
120	300	±0.20	JERN YAO ENTERPRISES CO., LTD.			2020/04/15	SCALE 1:1.4
300	1000	±0.25				DATE	NAME
						MACHINE NAME	DESCRIPTION: DIN 912 M20P2.5x80-200 L
						JBF-30B-4S	#3 DIE (B)
						PROJECTION	



審查	核准
研發部 2025/06/04 蘇清福	研發部 2025/06/04 蘇清福

AP (1.60 : 1)



AM-AM (1 : 1.25)




UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)							REMARK	BG30060-P03D304			
OVER	INCL.	TOL.					HARDNESS	HRC 46-48			
0.5	6	±0.05					MATERIAL	SKD 61 / WC			
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1		
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE	MACHINE NAME	DESCRIPTION:	DIN 912 M20P2.5x80-200 L		
120	300	±0.20				DWG	郭永華	SCALE	1:1.25	#3 DIE (C)	PROJECTION
300	1000	±0.25									

G LP
▽▽▽ (▽▽▽▽▽▽▽)

去銳角 C1

AP (1.60 : 1)

審查	核准
研發部	研發部
2025/06/04	2025/06/04
蘇清福	蘇清福




AM-AM (1 : 1.25)

UNSPECIFIED LINEAR
TOLERANCE (UNIT:mm)



OVER	INCL.	TOL.
0.5	6	±0.05
6	30	±0.10
30	120	±0.15
120	300	±0.20
300	1000	±0.25

REV. NO.	OLD	NEW	DATE	NAME	REMARK	BG30060-P03D305
					HARDNESS	HRC 46-48
					MATERIAL	SKD 61 / WC
					QUANTITY	1
JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/04	SCALE 1:1.25	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 912 M20P2.5x80-200 L #3 DIE (D)
			郭永華			PROJECTION

G LP
去銳角 C0.5




審查	核准
研發部 2025/06/04 陳俊宏	研發部 2025/06/04 鄭恭賀



AP-AP (1:1.4)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)				REMARK		BG30060-P03D313A	
OVER	INCL.	TOL.		HARDNESS		HRC 46-48	
0.5	6	±0.05		MATERIAL		SKD 61 / WC	
6	30	±0.10		QUANTITY		1	
30	120	±0.15	REV. NO.	OLD	NEW	DATE	NAME
120	300	±0.20	JERN YAO ENTERPRISES CO., LTD.			2020/04/15	SCALE
300	1000	±0.25				郭永華	1:1.4
				MACHINE NAME		DESCRIPTION: DIN 912 M20P2.5x40-70 L	
				JBF-30B-4S		#3 DIE (B)	
						PROJECTION	





去銳角 C1

R0.1


AR (1.60 : 1)

審查	核准
研發部 2025/06/04 陳俊宏	研發部 2025/06/04 鄭恭賀





AM-AM (1 : 1.25)


UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)						REMARK	BG30060-P03D314A
OVER	INCL.	TOL.				HARDNESS	HRC 46-48
0.5	6	±0.05				MATERIAL	SKD 61 / WC
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME
30	120	±0.15				QUANTITY	1
120	300	±0.20				DESCRIPTION: DIN 912 M20P2.5x40-70 L	PROJECTION
300	1000	±0.25				#3 DIE (C)	
			JERN YAO ENTERPRISES CO., LTD.			MACHINE NAME	
			DATE	2023/04/12	SCALE	1 : 1.25	
			DWG	郭永華	JBF-30B-4S		


去銳角 C1

審查	核准
研發部 2025/06/04 蘇清福	研發部 2025/06/04 蘇清福





AM-AM (1 : 1.25)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)					REMARK		BG30060-P03D315A	
OVER	INCL.	TOL.			HARDNESS		HRC 46-48	
0.5	6	±0.05			MATERIAL		SKD 61 / WC	
6	30	±0.10			QUANTITY		1	
30	120	±0.15	REV. NO.		DATE		NAME	
120	300	±0.20	OLD		NEW		MACHINE NAME	
300	1000	±0.25	JERN YAO ENTERPRISES CO., LTD.		DATE 2025/06/04 DWS 郭永華		SCALE 1 : 1.25	
					JBF-30B-4S		DESCRIPTION: DIN 912 M20P2.5x40-70 L #3 DIE (D)	
							PROJECTION 	

▽▽▽ (G) (▽▽▽)
去銳角 C1

審查	核准
研發部 2025/06/05 蘇清福	研發部 2025/06/05 蘇清福





AM-AM (1 : 1.25)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)							REMARK	BG30060-P03D316B	
OVER	INCL.	TOL.					HARDNESS	HRC 46-48	
0.5	6	±0.05					MATERIAL	SKD 61 / WC	
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/04	SCALE 1: 1.25	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 912 M20P2.5x40-45 L #3 DIE (D)
120	300	±0.20							
300	1000	±0.25							
								PROJECTION	

G LP
去銳角 C0.5

審查	核准
研發部	研發部
2025/06/05	2025/06/05
蘇清福	蘇清福



UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)						REMARK		BG30060-P03D323B	
OVER	INCL.	TOL.				HARDNESS		HRC 46-48	
0.5	6	±0.05				MATERIAL		SKD 61 / WC	
6	30	±0.10				QUANTITY		1	
30	120	±0.15				DATE		NAME	
120	300	±0.20				2025/06/05		SCALE	
300	1000	±0.25				1:1.4		MACHINE NAME	
						JBF-30B-4S		DESCRIPTION: DIN 912 M20P2.5x40 L	
						#3 DIE (B)		PROJECTION	

JERN YAO ENTERPRISES CO., LTD.

DATE
2025/06/05
DWS
郭永華


SCALE
1:1.4


MACHINE NAME
JBF-30B-4S

DESCRIPTION: DIN 912 M20P2.5x40 L
#3 DIE (B)

PROJECTION
⊕

審查	核准
研發部 2025/06/05 蘇清福	研發部 2025/06/05 蘇清福





UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG30060-P03D324B			
OVER	INCL.	TOL.						HARDNESS	HRC 46-48			
0.5	6	±0.05						MATERIAL	SKD 61 / WC			
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1			
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.				DATE	MACHINE NAME	DESCRIPTION: DIN 912 M20P2.5x45 L #3 DIE (B)		PROJECTION 	
120	300	±0.20					2025/06/05					SCALE
300	1000	±0.25					DWG					1:1.4
							郭永華					JBF-30B-4S

審查	核准
研發部	研發部
2025/06/04	2025/06/04
蘇清福	蘇清福


$\nabla \nabla (\nabla \nabla \nabla)$



去銳角 C0.5



UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)							REMARK	BG30060-P03D341A		
OVER	INCL.	TOL.					HARDNESS	HRC 58-60		
0.5	6	±0.05					MATERIAL	SNCM 8		
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	8	
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/04 DWG 郭永華	SCALE 1.25:1	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 912 M20P2.5x40-70 L #2-#3 DIE	PROJECTION 
120	300	±0.20								
300	1000	±0.25								

審查	核准
研發部	研發部
2025/06/04	2025/06/04
蘇清福	蘇清福



G
()





UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)				REMARK		BG30060-P03D351	
OVER	INCL.	TOL.		HARDNESS		HRC 64-66	
0.5	6	± 0.05		MATERIAL		SKH-55	
6	30	± 0.10	REV. NO.	OLD	NEW	DATE	NAME
30	120	± 0.15	JERN YAO ENTERPRISES CO., LTD.				QUANTITY
120	300	± 0.20					5
300	1000	± 0.25					
				DATE	SCALE	MACHINE NAME	DESCRIPTION: DIN 912 M20P2.5x80-200 L
				2025/06/04	1:1.3	JBF-30B-4S	#3 DIE K.O.PIN
				DWG	郭永華		PROJECTION

G
()

審查	核准
研發部 2025/06/04 蘇清福	研發部 2025/06/04 蘇清福





UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)					REMARK		BG30060-P03D352A	
OVER	INCL.	TOL.			HARDNESS		HRC 62-64	
0.5	6	±0.05			MATERIAL		SKH-9	
6	30	±0.10			QUANTITY		5	
30	120	±0.15			DESCRIPTION: DIN 912 M20P2.5x40-70 L		PROJECTION	
120	300	±0.20			#3 DIE K.O.PIN			
300	1000	±0.25						
REV. NO.			OLD		NEW		DATE	
							NAME	
							MACHINE NAME	
							SCALE	
							1:1.3	
							DATE	
							2025/06/04	
							NAME	
							郭永華	
							MACHINE NAME	
							JBF-30B-4S	
							DESCRIPTION: DIN 912 M20P2.5x40-70 L	
							#3 DIE K.O.PIN	
							PROJECTION	
								

JERN YAO ENTERPRISES CO., LTD.

G
▽▽▽ (▽▽▽)
去銳角 C1

審 查	核 准
研發部	研發部
2025/06/04	2025/06/04
蘇清福	蘇清福





AM-AM (1:1)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)							REMARK	BG30060-P03D361		
OVER	INCL.	TOL.					HARDNESS	HRC 46-48		
0.5	6	±0.05					MATERIAL	SKD 61		
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1	
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/04	SCALE 1:1	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 912 M20P2.5x80-200 L #3 DIE K.O.PIN CAP	PROJECTION 
120	300	±0.20				DWG 郭永華				
300	1000	±0.25								

G
▽▽▽ (▽▽▽)
去銳角 C1



審 查	核 准
研發部	研發部
2025/06/04	2025/06/04
蘇清福	蘇清福




AM-AM (1:1)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)					REMARK		BG30060-P03D362A	
OVER	INCL.	TOL.			HARDNESS		HRC 46-48	
0.5	6	±0.05			MATERIAL		SKD 61	
6	30	±0.10			QUANTITY		1	
30	120	±0.15						
120	300	±0.20						
300	1000	±0.25						
			REV. NO.		DATE		NAME	
			OLD		NEW			
					2025/06/04		JBF-30B-4S	
					SCALE		DESCRIPTION: DIN 912 M20P2.5x40-70 L	
					1:1		#3 DIE K.O.PIN CAP	
							PROJECTION	

G
去銳角 C1



審查	核准
研發部 2025/06/04 蘇清福	研發部 2025/06/04 蘇清福



AM-AM (1:2)

UNSPECIFIED LINEAR
TOLERANCE (UNIT:mm)

OVER	INCL.	TOL.
0.5	6	±0.05
6	30	±0.10
30	120	±0.15
120	300	±0.20
300	1000	±0.25

REV. NO.	OLD	NEW	DATE	NAME	REMARK	BG30060-P03D401
			2025/06/04		HARDNESS	HRC 46-48
					MATERIAL	SKD 61
					QUANTITY	1
JERN YAO ENTERPRISES CO., LTD.					DESCRIPTION: DIN 912 M20P2.5x40-200 L	PROJECTION
郭永華					#4 DIE CASE	

G LP
去銳角 C1

DIN 912 M20P2.5x80-200L

審查 核准

規格

L

BG30060-P03D402

90

BG30060-P03D403

30

BG30060-P03D404



40

BG30060-P03D405

60

研發部
2025/06/05
蘇清福

研發部
2025/06/05
蘇清福



UNSPECIFIED LINEAR
TOLERANCE (UNIT:mm)

OVER	INCL.	TOL.
0.5	6	±0.05
6	30	±0.10
30	120	±0.15
120	300	±0.20
300	1000	±0.25

REV. NO.	OLD	NEW	DATE	NAME	REMARK	BG30060-P03D402
					HARDNESS	HRC 46-48
					MATERIAL	SKD 61 / WC
					QUANTITY	1
JERN YAO ENTERPRISES CO., LTD.					DESCRIPTION: DIN 912 M20P2.5x80-200 L	PROJECTION
2025/06/02 郭永華					#4 DIE (A)	
SCALE 1:1.25					MACHINE NAME	JBF-30B-4S

G LP
() ()
去銳角 C1

DIN 912 M20P2.5x80-200L

審查 核准

規格

L

BG30060-P03D402

90

BG30060-P03D403

30

BG30060-P03D404

40

BG30060-P03D405

60

研發部



2025/06/05

蘇清福

研發部

2025/06/05

蘇清福



UNSPECIFIED LINEAR
TOLERANCE (UNIT:mm)

OVER	INCL.	TOL.
0.5	6	±0.05
6	30	±0.10
30	120	±0.15
120	300	±0.20
300	1000	±0.25

REV. NO.	OLD	NEW	DATE	NAME	REMARK	BG30060-P03D403
			2025/06/02		HARDNESS	HRC 46-48
					MATERIAL	SKD 61 / WC
					QUANTITY	1
JERN YAO ENTERPRISES CO., LTD.					DESCRIPTION: DIN 912 M20P2.5x80-200 L	PROJECTION
					#4 DIE (A)	
					SCALE	1:1.25
					MACHINE NAME	JBF-30B-4S
					DATE	2025/06/02
					NAME	郭永華

G LP
去銳角 C1

DIN 912 M20P2.5x80-200L

審查 核准

規格

L

BG30060-P03D402

90

BG30060-P03D403

30

BG30060-P03D404



40

BG30060-P03D405

60

研發部
2025/06/05
蘇清福

研發部
2025/06/05
蘇清福



UNSPECIFIED LINEAR
TOLERANCE (UNIT:mm)

OVER	INCL.	TOL.
0.5	6	±0.05
6	30	±0.10
30	120	±0.15
120	300	±0.20
300	1000	±0.25

REV. NO.	OLD	NEW	DATE	NAME	REMARK	BG30060-P03D404
					HARDNESS	HRC 46-48
					MATERIAL	SKD 61 / WC
					QUANTITY	1
JERN YAO ENTERPRISES CO., LTD.					DESCRIPTION: DIN 912 M20P2.5x80-200 L	PROJECTION
郭永華					#4 DIE (A)	

G LP
(  )
去銳角 C1

DIN 912 M20P2.5x80-200L

審查	核准
研發部 2025/06/05 蘇清福	研發部 2025/06/05 蘇清福

規格

L

BG30060-P03D402

90

BG30060-P03D403



30


BG30060-P03D404


40

BG30060-P03D405

60





UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG30060-P03D405				
OVER	INCL.	TOL.						HARDNESS	HRC 46-48				
0.5	6	±0.05						MATERIAL	SKD 61 / WC				
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1				
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.				DATE	MACHINE NAME	DESCRIPTION: DIN 912 M20P2.5x80-200 L	PROJECTION			
120	300	±0.20					DWG	SCALE				#4 DIE (A)	
300	1000	±0.25						1:1.25	JBF-30B-4S				



去銳角 C1
注意碳化鎢硬度

審查	核准
研發部 2025/06/05 蘇清福	研發部 2025/06/05 蘇清福






UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG30060-P03D407A		
OVER	INCL.	TOL.						HARDNESS	HRC 46-48		
0.5	6	±0.05						MATERIAL	SKD 61 / WC		
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1		
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.				DATE	MACHINE NAME	DESCRIPTION:	DIN 912 M20P2.5x40-70 L	PROJECTION 
120	300	±0.20					2025/06/05	SCALE	JB-F-30B-4S	#4 DIE (A)	
300	1000	±0.25					DWG	1:1.25			
							郭永華				

G LP
(   )

去銳角 C1
注意碳化鎢硬度

AR (1:1)




AM-AM (1 : 1.25)




審查	核准
研發部 2025/06/05 蘇清福	研發部 2025/06/05 蘇清福

UNSPECIFIED LINEAR
TOLERANCE (UNIT:mm)

OVER	INCL.	TOL.
0.5	6	±0.05
6	30	±0.10
30	120	±0.15
120	300	±0.20
300	1000	±0.25

REV. NO.	OLD	NEW	DATE	NAME	REMARK	BG30060-P03D412
			2025/06/05	郭永華	HARDNESS	HRC 46-48
					MATERIAL	SKD 61 / WC
					QUANTITY	1
JERN YAO ENTERPRISES CO., LTD.					DESCRIPTION: DIN 912 M20P2.5x80-200 L	PROJECTION
					#4 DIE (B)	

G LP
去銳角 C1
注意碳化鎢硬度





AM-AM (1 : 1.25)

審查	核准
研發部 2025/06/05 蘇清福	研發部 2025/06/05 蘇清福




UNSPECIFIED LINEAR
TOLERANCE (UNIT:mm)

OVER	INCL.	TOL.
0.5	6	±0.05
6	30	±0.10
30	120	±0.15
120	300	±0.20
300	1000	±0.25

REV. NO.	OLD	NEW	DATE	NAME	REMARK	BG30060-P03D413
			2025/06/05	郭永華	HARDNESS	HRC 46-48
					MATERIAL	SKD 61 / WC
					QUANTITY	1
JERN YAO ENTERPRISES CO., LTD.					DESCRIPTION:	DIN 912 M20P2.5x80-200 L
					#4 DIE (B)	PROJECTION

G LP
() ()

去銳角 C1
注意碳化鎢硬度



審查	核准
研發部	研發部
2025/06/05	2025/06/05
蘇清福	蘇清福

UNSPECIFIED LINEAR
TOLERANCE (UNIT:mm)

OVER	INCL.	TOL.
0.5	6	±0.05
6	30	±0.10
30	120	±0.15
120	300	±0.20
300	1000	±0.25

REV. NO.	OLD	NEW	DATE	NAME	REMARK	BG30060-P03D414
			2025/06/05	郭永華	HARDNESS	HRC 46-48
					MATERIAL	SKD 61 / WC
					QUANTITY	1
					DESCRIPTION:	DIN 912 M20P2.5x80-200 L
						#4 DIE (B)
						PROJECTION

JERN YAO ENTERPRISES CO., LTD.

SCALE
1:1.25




MACHINE NAME
JBF-30B-4S

PROJECTION

G LP
()

去銳角 C1


注意碳化鎢硬度




審查	核准
研發部 2025/06/05 蘇清福	研發部 2025/06/05 蘇清福

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG30060-P03D421		
OVER	INCL.	TOL.						HARDNESS	HRC 46-48		
0.5	6	±0.05						MATERIAL	SKD 61 / WC		
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1		
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.				DATE 2025/06/05 DWG 郭永華	SCALE 1:1.25	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 912 M20P2.5x80-200 L #4 DIE (C)	PROJECTION 
120	300	±0.20									
300	1000	±0.25									


審查	核准
研發部 2025/06/05 蘇清福	研發部 2025/06/05 蘇清福





BF-BF (1 : 1.25)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG30060-P03D442		
OVER	INCL.	TOL.						HARDNESS	HRC 46-48		
0.5	6	±0.05						MATERIAL	SKD 61		
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1		
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.				DATE 2025/06/05 DWG 郭永華	SCALE 1 : 1.25	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 912 M20P2.5x80-200 L #4 DIE (E)	PROJECTION 
120	300	±0.20									
300	1000	±0.25									

審查	核准
研發部	研發部
2025/06/05	2025/06/05
蘇清福	蘇清福

G

 去銳角 C1





BF-BF (1 : 1.25)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG30060-P03D443						
OVER	INCL.	TOL.						HARDNESS	HRC 46-48						
0.5	6	±0.05						MATERIAL	SKD 61						
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1						
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.				DATE	2025/06/05	SCALE	1 : 1.25	MACHINE NAME	JBF-30B-4S	DESCRIPTION:	DIN 912 M20P2.5x80-200 L #4 DIE (E)	PROJECTION
120	300	±0.20					DWG	郭永華							
300	1000	±0.25													

▽▽▽ (▽▽▽)
去銳角 C1

審查	核准
研發部 2025/06/05 蘇清福	研發部 2025/06/05 蘇清福





BF-BF (1 : 1.25)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)						REMARK	BG30060-P03D444
OVER	INCL.	TOL.				HARDNESS	HRC 46-48
0.5	6	±0.05				MATERIAL	SKD 61
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			MACHINE NAME	DESCRIPTION: DIN 912 M20P2.5x80-200 L
120	300	±0.20				SCALE	PROJECTION
300	1000	±0.25				1:1.25	#4 DIE (E)

G
去銳角 C1

審查	核准
研發部 2025/06/05 蘇清福	研發部 2025/06/05 蘇清福





BF-BF (1 : 1.25)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)						REMARK		BG30060-P03D445	
OVER	INCL.	TOL.				HARDNESS		HRC 46-48	
0.5	6	±0.05				MATERIAL		SKD 61	
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			MACHINE NAME		DESCRIPTION: DIN 912 M20P2.5x80-200 L	
120	300	±0.20				SCALE		#4 DIE (E)	
300	1000	±0.25				DATE		PROJECTION	
						DWG			
						2025/06/05			
						郭永華			
						1 : 1.25			
						JBF-30B-4S			

去銳角 C1

審查	核准
研發部	研發部
2025/06/05	2025/06/05
蘇清福	蘇清福





BF-BF (1 : 1.25)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)						REMARK		BG30060-P03D446	
OVER	INCL.	TOL.				HARDNESS		HRC 46-48	
0.5	6	±0.05				MATERIAL		SKD 61	
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			MACHINE NAME		DESCRIPTION: DIN 912 M20P2.5x80-200 L	
120	300	±0.20				SCALE		#4 DIE (E)	
300	1000	±0.25				DATE		PROJECTION	
						DWG			
						2025/06/05			
						郭永華			
						1 : 1.25			
						JBF-30B-4S			

G
去銳角 C1


審查	核准
研發部	研發部
2025/06/05	2025/06/05
蘇清福	蘇清福




BF-BF (1 : 1.25)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)						REMARK	BG30060-P03D447
OVER	INCL.	TOL.				HARDNESS	HRC 46-48
0.5	6	±0.05				MATERIAL	SKD 61
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME
30	120	±0.15				QUANTITY	1
120	300	±0.20				DESCRIPTION: DIN 912 M20P2.5x80-200 L	
300	1000	±0.25				#4 DIE (E)	
			JERN YAO ENTERPRISES CO., LTD.			PROJECTION	
			DATE 2025/06/05			SCALE 1:1.25	
			DWG 郭永華			MACHINE NAME JBF-30B-4S	

審查	核准
研發部 2025/06/05 蘇清福	研發部 2025/06/05 蘇清福





UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)					REMARK		BG30060-P03D451	
OVER	INCL.	TOL.			HARDNESS		HRC 64-66	
0.5	6	±0.05			MATERIAL		SKH-55	
6	30	±0.10			QUANTITY		6	
30	120	±0.15	REV. NO.		DATE		NAME	
120	300	±0.20	JERN YAO ENTERPRISES CO., LTD.		2025/06/05		SCALE	
300	1000	±0.25			DWG		1:1.3	
			NEW		DATE		MACHINE NAME	
			郭永華		JBFB-30B-4S		DESCRIPTION: DIN 912 M20P2.5x80-200 L	
					#4		DIE K.O.PIN	
							PROJECTION	




去銳角 C1

審查	核准
研發部	研發部
2025/06/05	2025/06/05
蘇清福	蘇清福




AM-AM (1:1)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG30060-P03D461						
OVER	INCL.	TOL.						HARDNESS	HRC 46-48						
0.5	6	±0.05						MATERIAL	SKD 61						
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	2						
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.				DATE	2025/06/05	SCALE	1:1	MACHINE NAME	JBF-30B-4S	DESCRIPTION:	DIN 912 M20P2.5x40-200 L #4 DIE K.O.PIN CAP	PROJECTION
120	300	±0.20					DWG		郭永華						
300	1000	±0.25													



AR (1:1)





去銳角 C1


審查	核准
研發部 2025/06/06 蘇清福	研發部 2025/06/06 蘇清福

刻字:BG30 J Ø18-45 L

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)					REMARK		BG30060-P03G101J	
OVER	INCL.	TOL.			HARDNESS			
0.5	6	±0.05			MATERIAL		S45C	
6	30	±0.10			QUANTITY		16	
30	120	±0.15			DESCRIPTION: DIN 912 M20P2.5L		PROJECTION	
120	300	±0.20			FINGER			
300	1000	±0.25						
REV. NO.			OLD		NEW		DATE	
							NAME	
							MACHINE NAME	
							SCALE	
							1:1	
							DATE	
							2025/06/06	
							DWG	
							郭永華	
							JBF-30B-4S	
							JERN YAO ENTERPRISES CO., LTD.	



2-C1x46dp -




刻字:BG30 J Ø18-45 L

審查	核准
研發部 2025/06/06 蘇清福	研發部 2025/06/06 蘇清福



UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG30060-P03G102J		
OVER	INCL.	TOL.						HARDNESS			
0.5	6	±0.05						MATERIAL	S45C		
6	30	±0.10	REV. NO.	OLD		NEW		DATE	NAME	QUANTITY	16
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.				DATE 2025/06/06 DWG 郭永華	SCALE 1 : 1	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 912 M20P2.5 FINGER	PROJECTION 
120	300	±0.20									
300	1000	±0.25									

審查	核准
研發部 2025/06/06 蘇清福	研發部 2025/06/06 蘇清福

去銳角 C1





AR (1:1)




2-C1x46dp

刻字: BG30 J Ø18-15 L

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)							REMARK	BG30060-P03G201J						
OVER	INCL.	TOL.					HARDNESS							
0.5	6	±0.05					MATERIAL	S45C						
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	16					
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE	2025/06/06	SCALE	1:1					
120	300	±0.20				DWG		郭永華		MACHINE NAME	JBF-30B-4S	DESCRIPTION: DIN 912 M20P2.5L	FINGER	PROJECTION
300	1000	±0.25												



AR (1:1)




2-C1x46dp

刻字:BG30 J Ø18-8 L



審查	核准
研發部	研發部
2025/06/06	2025/06/06
蘇清福	蘇清福

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)						REMARK	BG30060-P03G301J
OVER	INCL.	TOL.				HARDNESS	
0.5	6	±0.05				MATERIAL	S45C
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			QUANTITY	
120	300	±0.20				10	
300	1000	±0.25					
			DATE	SCALE	MACHINE NAME	DESCRIPTION: DIN 912 M20P2.5L	
			2025/06/06	1:1	JBF-30B-4S	FINGER	
			DWG	郭永華		PROJECTION	



審查	核准
研發部 2025/06/06 蘇清福	研發部 2025/06/06 蘇清福



UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)							REMARK	BG30060-P03G302J		
OVER	INCL.	TOL.					HARDNESS			
0.5	6	±0.05					MATERIAL	S45C		
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	10	
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/06	SCALE 1 : 1	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 912 M20P2.5 FINGER	
120	300	±0.20				DWG 郭永華				PROJECTION 
300	1000	±0.25								





審查	核准
研發部 2025/06/04 蘇清福	研發部 2025/06/04 蘇清福





UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)		
OVER	INCL.	TOL.
0.5	6	±0.05
6	30	±0.10
30	120	±0.15
120	300	±0.20
300	1000	±0.25

REV. NO.		OLD	NEW	DATE	NAME	REMARK	BG30060-P03P101
JERN YAO ENTERPRISES CO., LTD.				2025/06/04	郭永華	HARDNESS	HRC 46-48
				SCALE	1:1.75	MATERIAL	SKD 61 / WC
				MACHINE NAME	JB-F-30B-4S	QUANTITY	1
				DESCRIPTION: DIN 912 M20P2.5x80-200 L		PROJECTION	
				#1 PUNCH			






審查	核准
研發部 2025/06/04 蘇清福	研發部 2025/06/04 蘇清福



UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)			REMARK		BG30060-P03P111A	
OVER	INCL.	TOL.	HARDNESS		HRC 46-48	
0.5	6	±0.05	MATERIAL		SKD 61 / WC	
6	30	±0.10	QUANTITY		1	
30	120	±0.15	REV. NO.	OLD	NEW	DATE
120	300	±0.20	JERN YAO ENTERPRISES CO., LTD.		DATE	NAME
300	1000	±0.25			DATE	NAME
			DATE	SCALE	MACHINE NAME	DESCRIPTION: DIN 912 M20P2.5x40-70 L
			2025/06/04	1:1.75	JB-F-30B-4S	#1 PUNCH
			DWG	郭永華		PROJECTION


審 查	核 准
研發部	研發部
2025/06/04	2025/06/04
蘇清福	蘇清福




 去銳角 C1




UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG30060-P03P141					
OVER	INCL.	TOL.						HARDNESS	HRC 58-60					
0.5	6	±0.05						MATERIAL	SKD 11					
6	30	±0.10	REV. NO.	OLD		NEW		DATE	NAME	QUANTITY	1			
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.				DATE	2025/06/04	SCALE	1:1	MACHINE NAME	JBF-30B-4S	DESCRIPTION: DIN 912 M20P2.5x80-200 L	PROJECTION
120	300	±0.20					DWG	郭永華						
300	1000	±0.25												

審 查	核 准
研發部	研發部
2025/06/04	2025/06/04
蘇清福	蘇清福




 去銳角 C1



UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG30060-P03P142A	
OVER	INCL.	TOL.						HARDNESS	HRC 58-60	
0.5	6	±0.05						MATERIAL	SKD 11	
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1	
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/04 DWG 郭永華	SCALE 1:1	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 912 M20P2.5x40-70 L #1 PUNCH SPACER	PROJECTION 
120	300	±0.20								
300	1000	±0.25								


G
▽▽▽ (▽▽▽)

審查	核准
研發部	研發部
2025/06/04	2025/06/04
蘇清福	蘇清福




UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)							REMARK	BG30060-P03P151		
OVER	INCL.	TOL.					HARDNESS	HRC 62-64		
0.5	6	±0.05					MATERIAL	SKH-9		
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	5	
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/04	SCALE 1:1	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 912 M20P2.5x40-200 L #1 PUNCH K.O	
120	300	±0.20				DWG 郭永華				PROJECTION 
300	1000	±0.25								


審查	核准
研發部 2025/06/04 蘇清福	研發部 2025/06/04 蘇清福






UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG30060-P03P201		
OVER	INCL.	TOL.						HARDNESS	HRC 56-58		
0.5	6	±0.05						MATERIAL	SKD 11		
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1		
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.				DATE 2025/06/04	SCALE 1:1.75	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 912 M20P2.5x40-200 L #2 PUNCH	PROJECTION 
120	300	±0.20					DWG 郭永華				
300	1000	±0.25									



MARK: TASK 8.8 凸字 0.23mm
(成品為凹字,中仁為凸字)




審查	核准
研發部 2025/06/04 蘇清福	研發部 2025/06/04 蘇清福



AP-AP (1 : 1.2)





UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)				REMARK		BG30060-P03P231	
OVER	INCL.	TOL.		HARDNESS		HRC 63-65	
0.5	6	±0.05		MATERIAL		SKH-55	
6	30	±0.10		QUANTITY		2	
30	120	±0.15	REV. NO.	OLD	NEW	DATE	NAME
120	300	±0.20	JERN YAO ENTERPRISES CO., LTD.				DESCRIPTION: DIN 912 M20P2.5x40-200 L
300	1000	±0.25	DATE	2025/06/04	SCALE	1 : 1.2	MACHINE NAME
			DWG	郭永華			JB-F-30B-4S
							#2 PUNCH
							PROJECTION

G
()

去銳角 C1

注意固定孔垂直度

審查	核准
研發部 2025/06/04 蘇清福	研發部 2025/06/04 蘇清福



UNSPECIFIED LINEAR
TOLERANCE (UNIT:mm)

OVER	INCL.	TOL.
0.5	6	±0.05
6	30	±0.10
30	120	±0.15
120	300	±0.20
300	1000	±0.25

REV. NO.

OLD

NEW

DATE


NAME


JERN YAO ENTERPRISES CO., LTD.

DATE
2025/06/04
DVG
郭永華

SCALE
1:1.5



MACHINE NAME
JBF-30B-4S

REMARK	BG30060-P03P301
HARDNESS	HRC 58-60
MATERIAL	SKD 11
QUANTITY	1
DESCRIPTION: DIN 912 M20P2.5x40-200 L	PROJECTION
#3 PUNCH	





▽▽ (▽▽▽)
去銳角 C1

審查	核准
研發部 2025/06/04 蘇清福	研發部 2025/06/04 蘇清福





UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG30060-P03P302	
OVER	INCL.	TOL.						HARDNESS	HRC 58-60	
0.5	6	±0.05						MATERIAL	SKD 11	
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1	
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/04	SCALE 1:1.4	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 912 M20P2.5x40-200 L #3 PUNCH	
120	300	±0.20				DWG 郭永華				
300	1000	±0.25								



去銳角 C1

注意P301,P303 兩孔配合度



審查	核准
研發部 2025/06/04 蘇清福	研發部 2025/06/04 蘇清福



UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)					REMARK		BG30060-P03P303
OVER	INCL.	TOL.			HARDNESS		HRC 58-60
0.5	6	± 0.05			MATERIAL		SKD 11
6	30	± 0.10			QUANTITY		1
30	120	± 0.15	REV. NO.	OLD	NEW	DATE	NAME
120	300	± 0.20	JERN YAO ENTERPRISES CO., LTD.		DATE	2025/06/04	SCALE
300	1000	± 0.25			DWG	郭永華	1:1
					MACHINE NAME		JBF-30B-4S
					DESCRIPTION: DIN 912 M20P2.5x40-200 L		PROJECTION
					#3 PUNCH		

▽▽ (▽▽▽)
去銳角 C1

審查	核准
研發部	研發部
2025/06/04	2025/06/04
蘇清福	蘇清福




UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)						REMARK		BG30060-P03P341	
OVER	INCL.	TOL.				HARDNESS		HRC 58-60	
0.5	6	±0.05				MATERIAL		SKD 11	
6	30	±0.10				QUANTITY		1	
30	120	±0.15	REV. NO.	OLD	NEW	DATE	NAME	DESCRIPTION: DIN 912 M20P2.5x40-200 L	
120	300	±0.20	JERN YAO ENTERPRISES CO., LTD.			DATE	MACHINE NAME	# 3 PUNCH	
300	1000	±0.25				2025/06/04	JBF-30B-4S		
			DWG 郭永華			SCALE 1.25:1		PROJECTION	

審查	核准
研發部	研發部
2025/06/04	2025/06/04
蘇清福	蘇清福

▽▽ (▽▽▽)




去銳角 C1



UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)					REMARK		BG30060-P03P342	
OVER	INCL.	TOL.			HARDNESS		HRC 58-60	
0.5	6	± 0.05			MATERIAL		SKD 11	
6	30	± 0.10	REV. NO.		DATE		QUANTITY	
30	120	± 0.15	OLD		NEW		1	
120	300	± 0.20	JERN YAO ENTERPRISES CO., LTD.		DATE		DESCRIPTION: DIN 912 M20P2.5x40-200 L	
300	1000	± 0.25			DWG		# 3 PUNCH	
			2025/06/04		SCALE		PROJECTION	
			郭永華		1:1			
					MACHINE NAME			
					JBF-30B-4S			

G
去銳角 C0.5



審查	核准
研發部	研發部
2025/06/04	2025/06/04
蘇清福	蘇清福



UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)						REMARK		BG30060-P03P355	
OVER	INCL.	TOL.				HARDNESS		HRC 61-63	
0.5	6	±0.05				MATERIAL		SKH 9	
6	30	±0.10				QUANTITY		2	
30	120	±0.15	REV. NO.	OLD	NEW	DATE	NAME	DESCRIPTION: DIN 912 M20P2.5x40-200 L	
120	300	±0.20	JERN YAO ENTERPRISES CO., LTD.			2025/06/04	SCALE 1:1	MACHINE NAME JBF-30B-4S	
300	1000	±0.25				郭永華			PROJECTION

審查	核准
研發部	研發部
2025/06/04	2025/06/04
蘇清福	蘇清福

G
▽▽▽ (▽▽▽)








AP-AP (1:1)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)					REMARK		BG30060-P03P361	
OVER	INCL.	TOL.			HARDNESS		HRC 61-63	
0.5	6	±0.05			MATERIAL		SKH-9	
6	30	±0.10			QUANTITY		2	
30	120	±0.15			DATE		NAME	
120	300	±0.20			MACHINE NAME		DESCRIPTION: DIN 912 M20P2.5x40-200 L	
300	1000	±0.25			JBF-30B-4S		#3 PUNCH	
REV. NO.			OLD		NEW		DATE	
							2025/06/04	
							SCALE	
							1:1	
							DWG	
							郭永華	
							PROJECTION	

JERN YAO ENTERPRISES CO., LTD.


審查	核准
研發部 2025/06/04 蘇清福	研發部 2025/06/04 蘇清福





去銳角 C1

審查	核准
研發部 2025/06/04 蘇清福	研發部 2025/06/04 蘇清福







UNSPECIFIED LINEAR
TOLERANCE (UNIT:mm)

OVER	INCL.	TOL.
0.5	6	±0.05
6	30	±0.10
30	120	±0.15
120	300	±0.20
300	1000	±0.25


REV. NO.	OLD	NEW	DATE	SCALE	MACHINE NAME	REMARK	BG30060-P03P431
			2025/06/04	1:1.25	JBF-30B-4S	HARDNESS	HRC 60-62
			郭永華			MATERIAL	SKH-9
						QUANTITY	1
						DESCRIPTION: DIN 912 M20P2.5x40-200 L	PROJECTION
						#4 PUNCH	

JERN YAO ENTERPRISES CO., LTD.



去銳角 C1

審查	核准
研發部	研發部
2025/06/04	2025/06/04
蘇清福	蘇清福




UNSPECIFIED LINEAR
TOLERANCE (UNIT:mm)

OVER	INCL.	TOL.
0.5	6	±0.05
6	30	±0.10
30	120	±0.15
120	300	±0.20
300	1000	±0.25



REV. NO.	OLD	NEW	DATE	SCALE	MACHINE NAME	REMARK	BG30060-P03P432
			2025/06/04	1:1.25	JBF-30B-4S	HARDNESS	HRC 60-62
			郭永華			MATERIAL	SKH-9
						QUANTITY	1
						DESCRIPTION: DIN 912 M20P2.5x40-200 L	PROJECTION
						#4 PUNCH	

JERN YAO ENTERPRISES CO., LTD.

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)							REMARK	BG30060-P03P433			
OVER	INCL.	TOL.					HARDNESS	HRC 60-62			
0.5	6	±0.05					MATERIAL	SKH-9			
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1		
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/04	SCALE 1:1.25	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 912 M20P2.5x40-200 L	PROJECTION	
120	300	±0.20				OWG 郭永華				#4 PUNCH	
300	1000	±0.25									

審 查	核 准
研發部 2025/06/04 蘇清福	研發部 2025/06/04 蘇清福



 (
)
 去銳角 C1




外徑車削後熱處理即可

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)							REMARK	BG30060-P03P441		
OVER	INCL.	TOL.					HARDNESS	HRC 58-60		
0.5	6	±0.05					MATERIAL	SKD 11		
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1	
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/04	SCALE 1:1	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 912 M20P2.5x40-200 L #4 PUNCH	
120	300	±0.20				DWG 郭永華				PROJECTION
300	1000	±0.25								



審查	核准
研發部	研發部
2025/06/04	2025/06/04
蘇清福	蘇清福




市購:D16 xd12 x Ø2 x20 Nx105 L-4PC

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)							REMARK	BG30060-P03Z16105		
OVER	INCL.	TOL.					HARDNESS			
0.5	6	±0.05					MATERIAL			
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	4	
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/04	SCALE 1:1	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 912 M20P2.5x40-200 L #3 PUNCH	
120	300	±0.20				DWG 郭永華				PROJECTION 
300	1000	±0.25								

審 查	核 准
研發部	研發部
2025/06/04	2025/06/04
蘇清福	蘇清福



市購品 TM 10x20L-8PC

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)							REMARK	BG30060-P03ZTM10020		
OVER	INCL.	TOL.					HARDNESS			
0.5	6	±0.05					MATERIAL			
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	8	
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/04	SCALE 1:1	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 912 M20P2.5x4070 L 2-#3 DIE SPRING	PROJECTION 
120	300	±0.20				DWG 郭永華				
300	1000	±0.25								

正曜 JBF-30BAS 模具明細表

★★★☆☆

批號: 1302002

線材: 10B21

線徑: ϕ 19.7 規格: DIN 912 M20P2.5*40-45L

--試車難易度--

製程:

車號: 060

客戶: Taskazan土耳其

0114年06月19日

序號	件 號	名 稱	DESCRIPTION	數量	備 註
1	P03S01	成品圖	SAMPLE		
2	P03F00	壓造程序圖	FORMING PROCESS		
3	P03F01	壓造程序圖	FORMING PROCESS		
4	P03F02	壓造程序圖	FORMING PROCESS		
5	P03A040	組合圖	ASSEMBLY		
6	P03A040A	組合圖	ASSEMBLY		
7	P03A045	組合圖	ASSEMBLY		
8	P03A045A	組合圖	ASSEMBLY		
9	P03A050	組合圖	ASSEMBLY		
10	P03A055	組合圖	ASSEMBLY		
11	P03A060	組合圖	ASSEMBLY		
12	P03A065	組合圖	ASSEMBLY		
13	P03A070	組合圖	ASSEMBLY		
14	P03A080	組合圖	ASSEMBLY		
15	P03A090	組合圖	ASSEMBLY		
16	P03A100	組合圖	ASSEMBLY		
17	P03A110	組合圖	ASSEMBLY		
18	P03A120	組合圖	ASSEMBLY		
19	P03A130	組合圖	ASSEMBLY		
20	P03A140	組合圖	ASSEMBLY		
21	P03A150	組合圖	ASSEMBLY		
22	P03A160	組合圖	ASSEMBLY		
23	P03A180	組合圖	ASSEMBLY		
24	P03A200	組合圖	ASSEMBLY		
25	P03C01	切刀	CUT-OFF KNIFE CORE	1	
26	P03C02	切模	CUT-OFF QUIL	1	
27	P03D101	#1 母模	#1 DIE	1	
28	P03D102	#1 母模	#1 DIE	1	
29	P03D103	#1 母模	#1 DIE	1	
30	P03D104	#1 母模	#1 DIE	1	
31	P03D112A	#1 母模	#1 DIE	1	
32	P03D113A	#1 母模	#1 DIE	1	
33	P03D115A	#1 母模	#1 DIE	1	
34	P03D151	#1 後沖	#1 K.O.PIN	5	
35	P03D152A	#1 後沖	#1 K.O.PIN	5	
36	P03D161	#1 母模套管	#1 K.O.PIN CAP	1	
37	P03D162A	#1 母模套管	#1 K.O.PIN CAP	1	

核准:

審查:

擬訂: 周佩怡 0114.06.19

正曜 JBF-30B4S 模具明細表

★★★☆☆

批號: 1302002

線材: 10B21

製程:

線徑: $\phi 19.7$ 規格: DIN 912 M20P2.5*40-45L
車號: 060 客戶: Taskazan土耳其

--試車難易度--
0114年06月19日

序號	件 號	名 稱	DESCRIPTION	數量	備 註
38	P03D201	#2 母模	#2 DIE	1	
39	P03D202	#2 母模	#2 DIE	1	
40	P03D203	#2 母模	#2 DIE	1	
41	P03D204	#2 母模	#2 DIE	1	
42	P03D205	#2 母模	#2 DIE	1	
43	P03D213A	#2 母模	#2 DIE	1	
44	P03D214A	#2 母模	#2 DIE	1	
45	P03D215A	#2 母模	#2 DIE	1	
46	P03D251	#2 後沖	#2 K.O.PIN	5	
47	P03D252A	#2 後沖	#2 K.O.PIN	5	
48	P03D261	#2 母模套管	#2 K.O.PIN CAP	1	
49	P03D262A	#2 母模套管	#2 K.O.PIN CAP	1	
50	P03D301	#3 母模	#3 DIE	1	
51	P03D302	#3 母模	#3 DIE	1	
52	P03D303	#3 母模	#3 DIE	1	
53	P03D304	#3 母模	#3 DIE	1	
54	P03D305	#3 母模	#3 DIE	1	
55	P03D313A	#3 母模	#3 DIE	1	
56	P03D314A	#3 母模	#3 DIE	1	
57	P03D315A	#3 母模	#3 DIE	1	
58	P03D316B	#3 母模	#3 DIE	1	
59	P03D323B	#3 母模	#3 DIE	1	
60	P03D324B	#3 母模	#3 DIE	1	
61	P03D341A	#3 母模墊塊	#3 DIE SPACER	8	
62	P03D351	#3 後沖	#3 K.O.PIN	5	
63	P03D352A	#3 後沖	#3 K.O.PIN	5	
64	P03D361	#3 母模套管	#3 K.O.PIN CAP	1	
65	P03D362A	#3 母模套管	#3 K.O.PIN CAP	1	
66	P03D401	#4 母模	#4 DIE	1	
67	P03D402	#4 母模	#4 DIE	1	
68	P03D403	#4 母模	#4 DIE	1	
69	P03D404	#4 母模	#4 DIE	1	
70	P03D405	#4 母模	#4 DIE	1	
71	P03D407A	#4 母模	#4 DIE	1	
72	P03D408A	#4 母模	#4 DIE	1	
73	P03D409A	#4 母模	#4 DIE	1	
74	P03D411	#4 母模	#4 DIE	1	

核准:

審查:

擬訂: 周佩怡 0114.06.19

正曜 JBF-30B4S 模具明細表

批號: 1302002

線材: 10B21

製程:

線徑: $\phi 19.7$ 規格: DIN 912 M20P2.5*40-45L

車號: 060 客戶: Taskazan土耳其

★★★☆☆

--試車難易度--

0114年06月19日

序號	件 號	名	稱	DESCRIPTION	數量	備 註
75	P03D412	#4 母模		#4 DIE	1	
76	P03D413	#4 母模		#4 DIE	1	
77	P03D414	#4 母模		#4 DIE	1	
78	P03D421	#4 母模		#4 DIE	1	
79	P03D442	#4 母模墊塊		#4 DIE SPACER	1	
80	P03D443	#4 母模墊塊		#4 DIE SPACER	1	
81	P03D444	#4 母模墊塊		#4 DIE SPACER	1	
82	P03D445	#4 母模墊塊		#4 DIE SPACER	1	
83	P03D446	#4 母模墊塊		#4 DIE SPACER	1	
84	P03D447	#4 母模墊塊		#4 DIE SPACER	1	
85	P03D451	#4 後沖		#4 K.O.PIN	6	
86	P03D461	#4 母模套管		#4 K.O.PIN CAP	2	
87	P03G101J	母夾		FINGER	16	
88	P03G102J	母夾		FINGER	16	
89	P03G201J	母夾		FINGER	16	
90	P03G202J	母夾		FINGER	16	
91	P03G301J	母夾		FINGER	10	
92	P03G302J	母夾		FINGER	10	
93	P03P101	#1 公模		#1 PUNCH	1	
94	P03P111A	#1 公模		#1 PUNCH	1	
95	P03P141	#1 公模墊塊		#1 PUNCH SPACER	1	
96	P03P142A	#1 公模墊塊		#1 PUNCH SPACER	1	
97	P03P151	#1 前沖		#1 PUNCH PIN	5	
98	P03P201	#2 公模		#2 PUNCH	1	
99	P03P231	#2 公模墊塊		#2 PUNCH SPACER	2	
100	P03P301	#3 公模		#3 PUNCH	1	
101	P03P302	#3 公模		#3 PUNCH	1	
102	P03P303	#3 公模		#3 PUNCH	1	
103	P03P341	#3 公模墊塊		#3 PUNCH SPACER	1	
104	P03P342	#3 公模墊塊		#3 PUNCH SPACER	1	
105	P03P351	#3 前沖		#3 PUNCH PIN	8	
106	P03P355	#3 前沖		#3 PUNCH PIN	2	
107	P03P361	#3 公模套管		#3 PUNCH	2	
108	P03P401	#4 公模		#4 PUNCH	1	
109	P03P431	#4 公模墊塊		#4 PUNCH SPACER	1	
110	P03P432	#4 公模墊塊		#4 PUNCH SPACER	1	
111	P03P433	#4 公模墊塊		#4 PUNCH SPACER	1	

核准:

審查:

擬訂: 周佩怡 0114.06.19

正曜 JBF-30B4S 模具明細表

批號: 1302002

線材: 10B21

製程:

線徑: ϕ 19.7 規格: DIN 912 M20P2.5*40-45L

車號: 060 客戶: Taskazan土耳其

★★★☆☆

--試車難易度--

0114年06月19日

序號	件 號	名 稱	DESCRIPTION	數量	備 註
112	P03P441	#4 公模墊塊	#4 PUNCH SPACER	1	
113	P03Z16105	彈簧	SPRING	4	
114	P03ZTM10020	彈簧	SPRING	8	

核准:

審查:

擬訂: 周佩怡 0114.06.19