


DIN 933 M22P2.5	
規格	L
M22x40 L	39.5-40.5
M22x45 L	44.5-45.5
M22x50 L	49.5-50.5
M22x55 L	54.4-55.6
M22x60 L	59.4-60.6
M22x65 L	64.4-65.6
M22x70 L	69.4-70.6
M22x75 L	74.4-75.6
M22x80 L	79.4-80.6
M22x85 L	84.3-85.7
M22x90 L	89.3-90.7
M22x95 L	94.3-95.7
M22x100 L	99.3-100.7
M22x110 L	109.3-110.7
M22x120 L	119.3-120.7
M22x130 L	129.2-130.8
M22x140 L	139.2-140.8
M22x150 L	149.2-150.8
M22x160 L	159.2-160.8
M22x170 L	169.2-170.8
M22x180 L	179.2-180.8
M22x190 L	189.08-190.92
M22x200 L	199.08-200.92




審查	核准
研發部 2025/06/11 蘇清福	研發部 2025/06/11 蘇清福

線徑:Ø21.7


UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)					REMARK		BG30060-P05S01
OVER	INCL.	TOL.			HARDNESS		
0.5	6	±0.05			MATERIAL		1025
6	30	±0.10			QUANTITY		
30	120	±0.15			DESCRIPTION: DIN 933 M22xP2.5x40-200 L		PROJECTION
120	300	±0.20			SAMPLE		
300	1000	±0.25					
REV. NO.			OLD		NEW		
JERN YAO ENTERPRISES CO., LTD.			DATE		SCALE		
			2025/05/06		1:1.5		
			DWG		MACHINE NAME		
			郭永華		JBF-30B-4S		

DIN 933 M22P2.5				
規格	LO	L1	L3	L4
M22x160 L	178.5	78.5	159.5	159.2-160.8
M22x170 L	187	88.5	169.5	169.2-170.8
M22x180 L	195.7	98.5	179.5	179.2-180.8
M22x190 L	204.3	108.5	189.5	189.08-190.92
M22x200 L	213	118.5	199.5	199.08-200.92








審查	核准
研發部 2025/06/11 蘇清福	研發部 2025/06/11 蘇清福



MARK: TASK 6.8
凸0.25mm



B (1:1.25)



DIE: Ø20.26

PUNCH=Ø28.2

DIE=Ø28.2x70°-Ø23.5x30°

REMARK	BG30060-P05F01
HARDNESS	
MATERIAL	1025
QUANTITY	

JERN YAO ENTERPRISES CO., LTD.

DATE
2025/06/15
DWG
郭永華

SCALE
1:2





MACHINE NAME
JBF-30B-4S

DESCRIPTION: DIN 933 M22xP2.5x160-200 L
FORMING PROCESS





PROJECTION
第一角法

DIN 933 M22P2.5			
規格	L0	L3	L4
M22x 40 L	74.8	39.7	39.5-40.5
M22x 45 L	79.2	44.7	44.5-45.5
M22x 50 L	83.5	49.7	49.5-50.5
M22x 55 L	87.8	54.7	54.4-55.6
M22x 60 L	92.1	59.7	59.4-60.6
M22x 65 L	96.5	64.7	64.4-65.6
M22x 70 L	100.8	69.7	69.4-70.6
M22x 75 L	105.1	74.7	74.4-75.6
M22x 80 L	109.4	79.7	79.4-80.6
M22x 85 L	113.7	84.7	84.3-85.7
M22x 90 L	118.1	89.7	89.3-90.7
M22x 95 L	122.4	94.7	94.3-95.7
M22x100 L	126.7	99.7	99.3-100.7
M22x110 L	135.3	109.7	109.3-110.7
M22x120 L	144	119.7	119.3-120.7
M22x130 L	152.5	129.7	129.2-130.8
M22x140 L	161.1	139.7	139.2-140.8
M22x150 L	169.7	149.7	149.2-150.8


審查	核准
研發部 2025/06/11 蘇清福	研發部 2025/06/11 蘇清福




DIE: Ø20.26



PUNCH=Ø28.2
DIE=Ø28.2x70°-Ø23.5x30°



C (1:1.25)



MARK: TASK 6.8
凸0.25mm

REMARK	BG30060-P05F02
HARDNESS	
MATERIAL	1025
QUANTITY	

JERN YAO ENTERPRISES CO., LTD.

DATE
2025/06/15
DVG
郭永華


SCALE
1:1.75

MACHINE NAME
JBF-30B-4S

DESCRIPTION: DIN 933 M22xP2.5x40-150 L
FORMING PROCESS

PROJECTION

審查	核准
研發部	研發部
2025/06/24	2025/06/24
蘇清福	蘇清福



DIN 933 M22P2.5x 40 L

REMARK	BG30060-P05A0040
HARDNESS	
MATERIAL	1025
QUANTITY	

JERN YAO ENTERPRISES CO., LTD.

DATE
2024/05/22
DWG
郭永華


SCALE
1:3.8

MACHINE NAME
JBF-30B-4S

DESCRIPTION: DIN 933 M22P2.5x 40 L
ASSEMBLY

PROJECTION

審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福



DIN 933 M22P2.5x 45 L

REMARK	BG30060-P05A0045
HARDNESS	
MATERIAL	1025
QUANTITY	

JERN YAO ENTERPRISES CO., LTD.

DATE
2024/05/22
DWG
郭永華


SCALE
1:3.8

MACHINE NAME
JBF-30B-4S

DESCRIPTION: DIN 933 M22P2.5x 45 L
ASSEMBLY

PROJECTION

審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福



DIN 933 M22P2.5x 50 L

REMARK	BG30060-P05A0050
HARDNESS	
MATERIAL	1025
QUANTITY	

JERN YAO ENTERPRISES CO., LTD.

DATE
2024/05/22
DWG
郭永華


SCALE
1:3.8

MACHINE NAME
JBF-30B-4S

DESCRIPTION: DIN 933 M22P2.5x 50 L
ASSEMBLY

PROJECTION

審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福



DIN 933 M22P2.5x 55 L

REMARK	BG30060-P05A0055
HARDNESS	
MATERIAL	1025
QUANTITY	

JERN YAO ENTERPRISES CO., LTD.

DATE
2024/05/22
DWG
郭永華


SCALE
1:3.8

MACHINE NAME
JBF-30B-4S

DESCRIPTION: DIN 933 M22P2.5x 55 L
ASSEMBLY

PROJECTION

審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福



DIN 933 M22P2.5x 60 L

REMARK	BG30060-P05A0060
HARDNESS	
MATERIAL	1025
QUANTITY	

JERN YAO ENTERPRISES CO., LTD.

DATE
2024/05/22
DWG
郭永華


SCALE
1:3.8

MACHINE NAME
JBF-30B-4S

DESCRIPTION: DIN 933 M22P2.5x 60 L
ASSEMBLY

PROJECTION

審查	核准
研發部	研發部
2025/06/24	2025/06/24
蘇清福	蘇清福



DIN 933 M22P2.5x 65 L

REMARK	BG30060-P05A0065
HARDNESS	
MATERIAL	1025
QUANTITY	

JERN YAO ENTERPRISES CO., LTD.

DATE
2024/05/22
DWG
郭永華


SCALE
1:3.8

MACHINE NAME
JBF-30B-4S

DESCRIPTION: DIN 933 M22P2.5x 65 L
ASSEMBLY

PROJECTION

審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福



DIN 933 M22P2.5x 70 L

REMARK	BG30060-P05A0070
HARDNESS	
MATERIAL	1025
QUANTITY	

JERN YAO ENTERPRISES CO., LTD.

DATE
2024/05/22
DWG
郭永華


SCALE
1:3.8

MACHINE NAME
JBF-30B-4S

DESCRIPTION: DIN 933 M22P2.5x 70 L
ASSEMBLY

PROJECTION

審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福



DIN 933 M22P2.5x 75 L

REMARK	BG30060-P05A0075
HARDNESS	
MATERIAL	1025
QUANTITY	

JERN YAO ENTERPRISES CO., LTD.

DATE
2024/05/22
DWG
郭永華


SCALE
1:3.8

MACHINE NAME
JB-F-30B-4S

DESCRIPTION: DIN 933 M22P2.5x 75 L
ASSEMBLY

PROJECTION

審查	核准
研發部	研發部
2025/06/24	2025/06/24
蘇清福	蘇清福



DIN 933 M22P2.5x 80 L

REMARK	BG30060-P05A0080
HARDNESS	
MATERIAL	1025
QUANTITY	

JERN YAO ENTERPRISES CO., LTD.

DATE
2024/05/22
DWG
郭永華


SCALE
1:3.8

MACHINE NAME
JBF-30B-4S

DESCRIPTION: DIN 933 M22P2.5x 80 L
ASSEMBLY

PROJECTION

審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福



DIN 933 M22P2.5x 85 L

REMARK	BG30060-P05A0085
HARDNESS	
MATERIAL	1025
QUANTITY	

JERN YAO ENTERPRISES CO., LTD.

DATE
2024/05/22
DWG
郭永華


SCALE
1:3.8

MACHINE NAME
JBK-30B-4S

DESCRIPTION: DIN 933 M22P2.5x 85 L
ASSEMBLY

PROJECTION

審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福



DIN 933 M22P2.5x 90 L

REMARK	BG30060-P05A0090
HARDNESS	
MATERIAL	1025
QUANTITY	

JERN YAO ENTERPRISES CO., LTD.

DATE
2024/05/22
DWG
郭永華


SCALE
1:3.8

MACHINE NAME
JB-F-30B-4S

DESCRIPTION: DIN 933 M22P2.5x 90 L
ASSEMBLY

PROJECTION

審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福



DIN 933 M22P2.5x 95 L

REMARK	BG30060-P05A0095
HARDNESS	
MATERIAL	1025
QUANTITY	

JERN YAO ENTERPRISES CO., LTD.

DATE
2024/05/22
DWG
郭永華


SCALE
1:3.8

MACHINE NAME
JB-F-30B-4S

DESCRIPTION: DIN 933 M22P2.5x 95 L
ASSEMBLY

PROJECTION


審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福



DIN 933 M22P2.5x100 L	
REMARK	BG30060-P05A0100
HARDNESS	
MATERIAL	1025
QUANTITY	

JERN YAO ENTERPRISES CO., LTD.	DATE 2024/05/22	SCALE 1:3.8	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 933 M22P2.5x100 L ASSEMBLY	PROJECTION
	DWG 郭永華				

審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福



DIN 933 M22P2.5x110 L

REMARK	BG30060-P05A0110
HARDNESS	
MATERIAL	1025
QUANTITY	

JERN YAO ENTERPRISES CO., LTD.

DATE
2024/05/22
DWG
郭永華


SCALE
1:3.8

MACHINE NAME
JBF-30B-4S

DESCRIPTION: DIN 933 M22P2.5x110 L
ASSEMBLY

PROJECTION

審查	核准
研發部	研發部
2025/06/24	2025/06/24
蘇清福	蘇清福



DIN 933 M22P2.5x120 L

REMARK	BG30060-P05A0120
HARDNESS	
MATERIAL	1025
QUANTITY	

JERN YAO ENTERPRISES CO., LTD.


DATE
2024/05/22
DWG
郭永華

SCALE
1:3.8


MACHINE NAME
JB-F-30B-4S

DESCRIPTION: DIN 933 M22P2.5x120 L
ASSEMBLY

PROJECTION



審查	核准
研發部	研發部
2025/06/24	2025/06/24
蘇清福	蘇清福



JERN YAO ENTERPRISES CO., LTD.

DATE
2024/05/22
DWG
郭永華


SCALE
1:3.8

MACHINE NAME
JBF-30B-4S

DESCRIPTION: DIN 933 M22P2.5x140 L
ASSEMBLY

PROJECTION

審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福



The drawing shows four cross-sectional views of a mechanical assembly, likely a shaft and housing assembly. The views are labeled with dimensions and part numbers.

Dimensions:

- Overall length: 240
- Section 1 (Left): (200.5), (160.15), (160)
- Section 2 (Second from Left): (168.6)
- Section 3 (Third from Left): (152.3)

Part Numbers:

- Section 1: P471, D431, D401, D441, D432, D432, D433, D451, D461
- Section 2: P331, P301, D301, D302, D315, D321, D344, D351, D361
- Section 3: P241, P251, P201, D201, D202, D203, D204, D251, D261
- Section 4 (Right): P141, P151, P101, D101, D102, D103, D104, D151, D161

Assembly Details:

- Section 4 shows a detail of a component with part numbers C01 and C02.
- Section 4 is labeled with the part number D161.

Title Block:


JERN YAO ENTERPRISES CO., LTD.		DATE 2024/05/22 DWG 郭永華	SCALE 1:3.8	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 933 M22P2.5x160 L ASSEMBLY	PROJECTION 第一角法
--------------------------------	--	----------------------------------	----------------	----------------------------	--	--------------------


DATE	2024/05/22
DV/G	郭永華


MACHINE NAME
JBF-30B-4S

DESCRIPTION: DIN 933 M22P2.5x160 L
ASSEMBLY


PROJECTION	
------------	---







審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福



DIN 933 M22P2.5x200 L

REMARK	BG30060-P05A0200
HARDNESS	
MATERIAL	1025
QUANTITY	

JERN YAO ENTERPRISES CO., LTD.

DATE
2024/05/22
DWG
郭永華

SCALE
1:3.8



MACHINE NAME
JBF-30B-4S

DESCRIPTION: DIN 933 M22P2.5x200 L
ASSEMBLY

PROJECTION

G LP
模殼去銳角C0.5

審查	核准
研發部	研發部
2025/06/24	2025/06/24
蘇清福	蘇清福






AN-AN (1:1.2)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)						REMARK	BG30060-P05C01
OVER	INCL.	TOL.				HARDNESS	HRC 46-48
0.5	6	±0.05				MATERIAL	SKD 61 / WC
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			QUANTITY	1
120	300	±0.20				DESCRIPTION: DIN 933 M22P2.5	PROJECTION
300	1000	±0.25				CUT-OFF KNIFE CORE	
			DATE	2025/06/09	SCALE	1:1.2	MACHINE NAME
			DWG	郭永華			JBF-30B-4S

G LP
模殼去銳角C1



審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福



AM-AM (1:1.5)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)							REMARK	BG30060-P05C02		
OVER	INCL.	TOL.					HARDNESS	HRC 46-48		
0.5	6	±0.05					MATERIAL	SKD 61 / WC		
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1	
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/09	SCALE 1:1.5	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 933 M22P2.5 CUTTING QUILL	PROJECTION 
120	300	±0.20								
300	1000	±0.25								

G
去銳角 C1




審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福


AM-AM (1:2)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)						REMARK	BG30060-P05D101
OVER	INCL.	TOL.				HARDNESS	HRC 46-48
0.5	6	±0.05				MATERIAL	SKD 61
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			QUANTITY	1
120	300	±0.20				DESCRIPTION:	DIN 933 M22P2.5x40-200 L
300	1000	±0.25				#1 DIE CASE	PROJECTION
			DATE 2025/06/20 DWG 郭永華	SCALE 1:2	MACHINE NAME JBF-30B-4S		

G LP
去銳角 C1





AR (1:1)



審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福

AP (1.60 : 1)



UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)							REMARK	BG30060-P05D102		
OVER	INCL.	TOL.					HARDNESS	HRC 46-48		
0.5	6	±0.05					MATERIAL	SKD 61 / WC		
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1	
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/20	SCALE 1:1.25	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 933 M22P2.5x160-200 L #1 DIE (A)	PROJECTION 
120	300	±0.20				DWG 郭永華				
300	1000	±0.25								

G LP






去銳角 C1
碳化錳 HRA 90以上

AR (1:1)

AN (1.60 : 1)

AP (1.60 : 1)


審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福



UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG30060-P05D103										
OVER	INCL.	TOL.						HARDNESS	HRC 46-48										
0.5	6	±0.05						MATERIAL	SKD 61 / WC										
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1										
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.				DATE	2024/06/20	SCALE	1 : 1.25	MACHINE NAME	JBF-30B-4S	DESCRIPTION:	DIN 933 M22P2.5x160-200 L #1 DIE (B)	PROJECTION				
120	300	±0.20					DWG	郭永華											
300	1000	±0.25																	

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)										REMARK		BG30060-P05D104					
OVER	INCL.	TOL.									HARDNESS		HRC 46-48				
0.5	6	±0.05									MATERIAL		SKD 61 / WC				
6	30	±0.10	REV. NO.	OLD		NEW		DATE		NAME		QUANTITY		1			
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.						DATE	2025/06/20	SCALE	1:1.25	MACHINE NAME	JBF-30B-4S	DESCRIPTION:	DIN 933 M22P2.5x160-200 L	PROJECTION
120	300	±0.20							DWG	郭永華	MACHINE NAME		JBF-30B-4S		DESCRIPTION:	#1 DIE (C)	PROJECTION
300	1000	±0.25															





UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG30060-P05D105A	
OVER	INCL.	TOL.						HARDNESS	HRC 46-48	
0.5	6	±0.05						MATERIAL	SKD 61 / WC	
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1	
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/20	SCALE 1 : 1.25	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 933 M22P2.5x160-200 #1 DIE (A)	PROJECTION 
120	300	±0.20				DWG 郭永華				
300	1000	±0.25								

G LP
去銳角 C1

AN (1.60 : 1)

審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福

AP (1.60 : 1)



AM-AM (1 : 1.25)

D203 COMMON



UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)							REMARK	BG30060-P05D106A		
OVER	INCL.	TOL.					HARDNESS	HRC 46-48		
0.5	6	±0.05					MATERIAL	SKD 61 / WC		
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1	
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/20	SCALE 1 : 1.25	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 933 M22P2.5x160-200 L #1 DIE (B)	PROJECTION 
120	300	±0.20				DWG 郭永華				
300	1000	±0.25								

去銳角 C1

R0.1

研發部
2025/06/2
蘇清福

研發部	2025/06/24	蘇清福
-----	------------	-----



REMARK	BG30060-P05D107A
--------	------------------

HARDNESS	HRC 46-48
----------	-----------


MATERIAL	SKD 61 / WC
----------	-------------

QUANTITY	1
----------	---

DESCRIPTION:	DIN 933 M22P2.5x160-200 L
--------------	---------------------------

#1 DIE (C)

PROJECTION

UNSPECIFIED LINEAR
TOLERANCE (UNIT:mm)

OVER	INCL.	TOL.
0.5	6	± 0.05
6	30	± 0.10
30	120	± 0.15
120	300	± 0.20
300	1000	± 0.25

REV. NO.

OLD

NEW

DATE 2025/06/20

DWG 鄧永華

SCALE



1 : 1.25

MACHINE NAME


JB-F-30B-4S

JERN YAO ENTERPRISES CO., LTD.



審 查	核 准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福



UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG30060-P05D151							
OVER	INCL.	TOL.						HARDNESS	HRC 64-66							
0.5	6	±0.05						MATERIAL	SKH-55							
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	5							
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.				DATE	2025/06/20	SCALE	1:1.3	MACHINE NAME	JBF-30B-4S	DESCRIPTION:	DIN 933 M22P2.5x40-200 L	PROJECTION	
120	300	±0.20					OWG	郭永華								
300	1000	±0.25														

G
()
去銳角 C1



審查	核准
研發部	研發部
2025/06/24	2025/06/24
蘇清福	蘇清福




AM-AM (1:1)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)							REMARK	BG30060-P05D161		
OVER	INCL.	TOL.					HARDNESS	HRC 46-48		
0.5	6	±0.05					MATERIAL	SKD 61		
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1	
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/20	SCALE 1:1	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 933 M22P2.5x200 L #1 DIE K.O.PIN CAP	PROJECTION 
120	300	±0.20				DWG 郭永華				
300	1000	±0.25								

G
去銳角 C1



審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福





AM-AM (1:2)

UNSPECIFIED LINEAR
TOLERANCE (UNIT:mm)

OVER	INCL.	TOL.
0.5	6	±0.05
6	30	±0.10
30	120	±0.15
120	300	±0.20
300	1000	±0.25

REV. NO.	OLD	NEW	DATE	NAME	REMARK	BG30060-P05D201
					HARDNESS	HRC 46-48
					MATERIAL	SKD 61
					QUANTITY	1
JERN YAO ENTERPRISES CO., LTD.					DESCRIPTION: DIN 933 M22P2.5x40-200	PROJECTION
2025/06/20 郭永華					#2 DIE CASE	
SCALE 1:2					MACHINE NAME	JBF-30B-4S



G LP
去銳角 C1



審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福

AP (1.60 : 1)

碳化鎢 HRA 88 以上





D105A COMMON

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)						REMARK		BG30060-P05D202	
OVER	INCL.	TOL.				HARDNESS		HRC 46-48	
0.5	6	±0.05				MATERIAL		SKD 61 / WC	
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			MACHINE NAME		DESCRIPTION: DIN 933 M22P2.5x160-200	
120	300	±0.20				SCALE		#2 DIE (A)	
300	1000	±0.25				DATE		PROJECTION	
						DWG			
						2025/06/20			
						郭永華			
						1 : 1.25			
						JBF-30B-4S			



G LP
去銳角 C1

AN (1.60 : 1)



審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福

AP (1.60 : 1)



AM-AM (1 : 1.25)

D106A COMMON

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)						REMARK		BG30060-P05D203	
OVER	INCL.	TOL.				HARDNESS		HRC 46-48	
0.5	6	±0.05				MATERIAL		SKD 61 / WC	
6	30	±0.10				QUANTITY		1	
30	120	±0.15				DATE		NAME	
120	300	±0.20				2025/06/20		SCALE	
300	1000	±0.25				DWG		1 : 1.25	
						MACHINE NAME		DESCRIPTION: DIN 933 M22P2.5x160-200 L	
						JBF-30B-4S		#2 DIE (B)	
								PROJECTION	

JERN YAO ENTERPRISES CO., LTD.

DATE
2025/06/20
DWG
郭永華

SCALE
1 : 1.25

MACHINE NAME
JBF-30B-4S




DESCRIPTION: DIN 933 M22P2.5x160-200 L
#2 DIE (B)

PROJECTION

G LP
去銳角 C1

AP (1.60 : 1)


審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福




D107A COMMON

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)				REMARK		BG30060-P05D204	
OVER	INCL.	TOL.		HARDNESS		HRC 46-48	
0.5	6	±0.05		MATERIAL		SKD 61 / WC	
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.				QUANTITY
120	300	±0.20					1
300	1000	±0.25					
				DATE	SCALE	MACHINE NAME	DESCRIPTION: DIN 933 M22P2.5x160-200 L
				2025/06/20	1 : 1.25	JBF-30B-4S	#2 DIE (C)
				郭永華			PROJECTION

G LP
去銳角 C1





AR (1:1)




審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福

AP (1.60 : 1)



D302 COMMON

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)							REMARK	BG30060-P05D205A			
OVER	INCL.	TOL.					HARDNESS	HRC 46-48			
0.5	6	±0.05					MATERIAL	SKD 61 / WC			
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1		
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/20	SCALE 1 : 1.25	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 933 M22P2.5x40-150 L #2 DIE (A)	PROJECTION	
120	300	±0.20				DWG 郭永華					
300	1000	±0.25									

G LP
去銳角 C1



AN (1.60 : 1)

R0.1

R0.1


AP (1.60 : 1)

審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福




AM-AM (1 : 1.25)

D311 COMMON

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)							REMARK	BG30060-P05D206A			
OVER	INCL.	TOL.					HARDNESS	HRC 46-48			
0.5	6	±0.05					MATERIAL	SKD 61 / WC			
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1		
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/20	SCALE 1 : 1.25	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 933 M22P2.5x40-150 L #2 DIE (B)	PROJECTION 	
120	300	±0.20				DWG 郭永華					
300	1000	±0.25									



G LP
(

去銳角 C1



AP (1.60 : 1)

審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福





AM-AM (1 : 1.25)


UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)							REMARK	BG30060-P05D207A			
OVER	INCL.	TOL.					HARDNESS	HRC 46-48			
0.5	6	±0.05					MATERIAL	SKD 61 / WC			
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1		
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE	MACHINE NAME	DESCRIPTION: DIN 933 M22P2.5x40-150 L	PROJECTION		
120	300	±0.20				2025/06/20				SCALE	JBF-30B-4S
300	1000	±0.25				DWG				1 : 1.25	
						郭永華		#2 DIE (C)			

G
()

審查	核准
研發部	研發部
2025/06/24	2025/06/24
蘇清福	蘇清福





UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)							REMARK	BG30060-P05D251			
OVER	INCL.	TOL.					HARDNESS	HRC 64-66			
0.5	6	±0.05					MATERIAL	SKH-55			
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	5		
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/20	SCALE 1:1.3	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 933 M22P2.5x40-200 L #2 DIE K.O.PIN	PROJECTION	
120	300	±0.20				DWG 郭永華					
300	1000	±0.25									



去銳角 C1



審查	核准
研發部	研發部
2025/06/24	2025/06/24
蘇清福	蘇清福



AM-AM (1:1)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)							REMARK	BG30060-P05D261		
OVER	INCL.	TOL.					HARDNESS	HRC 46-48		
0.5	6	±0.05					MATERIAL	SKD 61		
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1	
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/20	SCALE 1:1	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 933 M22P2.5x200 L #2 DIE K.O.PIN CAP	PROJECTION 
120	300	±0.20				DWG 郭永華				
300	1000	±0.25								

▽▽▽ (▽▽▽)
去銳角 C1




審查	核准
研發部	研發部
2025/06/24	2025/06/24
蘇清福	蘇清福


AM-AM (1:2)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG30060-P05D301	
OVER	INCL.	TOL.						HARDNESS	HRC 46-48	
0.5	6	±0.05						MATERIAL	SKD 61	
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1	
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/20	SCALE 1:2	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 933 M22P2.5x40-200 L #3 DIE CASE	PROJECTION 
120	300	±0.20				DWG 郭永華				
300	1000	±0.25								

G LP
去銳角 C1





AR (1:1)




審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福

AP (1.60 : 1)






D205A COMMON

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG30060-P05D302	
OVER	INCL.	TOL.						HARDNESS	HRC 46-48	
0.5	6	±0.05						MATERIAL	SKD 61 / WC	
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1	
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/20	SCALE 1 : 1.25	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 933 M22P2.5x160-200 L #3 DIE (A)	PROJECTION 
120	300	±0.20				DWG 郭永華				
300	1000	±0.25								

G LP
(  )
去銳角 C1

審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福



UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG30060-P05D305A		
OVER	INCL.	TOL.						HARDNESS	HRC 46-48		
0.5	6	±0.05						MATERIAL	SKD 61 / WC		
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1		
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.				DATE 2025/06/20	SCALE 1:1.25	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 933 M22P2.5x40-150 L #3 DIE (A)	PROJECTION 
120	300	±0.20					DWG 郭永華				
300	1000	±0.25									

G LP
去銳角 C1





AN (1.60 : 1)

R0.1

R0.1


AP (1.60 : 1)

審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福



AM-AM (1 : 1.25)

D206A COMMON

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG30060-P05D311			
OVER	INCL.	TOL.						HARDNESS	HRC 46-48			
0.5	6	±0.05						MATERIAL	SKD 61 / WC			
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1			
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE	2025/06/20	SCALE	1 : 1.25	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 933 M22P2.5x160-200 L #3 DIE (B)	PROJECTION 
120	300	±0.20				DWG	郭永華					
300	1000	±0.25										

G LP
()
去銳角 C1



AN (1.60 : 1)

R0.1

R0.1

AP (1.60 : 1)

審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福



AM-AM (1 : 1.25)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)						REMARK	BG30060-P05D312
OVER	INCL.	TOL.				HARDNESS	HRC 46-48
0.5	6	±0.05				MATERIAL	SKD 61 / WC
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME
30	120	±0.15				QUANTITY	1
120	300	±0.20				DESCRIPTION: DIN 933 M22P2.5x160-200 L	
300	1000	±0.25				#3 DIE (B)	
			JERN YAO ENTERPRISES CO., LTD.			PROJECTION	
			DATE 2025/06/20 DWG 郭永華			SCALE 1 : 1.25	
						MACHINE NAME JBF-30B-4S	

G LP
去銳角 C1



AN (1.60 : 1)

R0.1

R0.1

AP (1.60 : 1)

審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福



AM-AM (1 : 1.25)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)						REMARK		BG30060-P05D313	
OVER	INCL.	TOL.				HARDNESS		HRC 46-48	
0.5	6	±0.05				MATERIAL		SKD 61 / WC	
6	30	±0.10				QUANTITY		1	
30	120	±0.15				DATE		NAME	
120	300	±0.20				2025/06/20		SCALE	
300	1000	±0.25				DWG		1 : 1.25	
						MACHINE NAME		DESCRIPTION: DIN 933 M22P2.5x160-200 L	
						JBF-30B-4S		#3 DIE (B)	
								PROJECTION	

JERN YAO ENTERPRISES CO., LTD.


DATE
2025/06/20
DWG
郭永華

SCALE
1 : 1.25

MACHINE NAME
JBF-30B-4S


DESCRIPTION: DIN 933 M22P2.5x160-200 L
#3 DIE (B)



G LP
()
去銳角 C1


AN (1.60 : 1)

R0.1





R0.1

AP (1.60 : 1)




審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福




AM-AM (1 : 1.25)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG30060-P05D314							
OVER	INCL.	TOL.						HARDNESS	HRC 46-48							
0.5	6	±0.05						MATERIAL	SKD 61 / WC							
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1							
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.				DATE	2025/06/20	SCALE	1 : 1.25	MACHINE NAME	JBF-30B-4S	DESCRIPTION:	DIN 933 M22P2.5x160-200 L	PROJECTION	
120	300	±0.20					DWG	郭永華								
300	1000	±0.25														

G LP
()
去銳角 C1


AN (1.60 : 1)

R0.1





R0.1

AP (1.60 : 1)



審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福



AM-AM (1 : 1.25)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)						REMARK		BG30060-P05D315	
OVER	INCL.	TOL.				HARDNESS		HRC 46-48	
0.5	6	±0.05				MATERIAL		SKD 61 / WC	
6	30	±0.10				QUANTITY		1	
30	120	±0.15				DATE		NAME	
120	300	±0.20				2025/06/20		JBF-30B-4S	
300	1000	±0.25				SCALE		1 : 1.25	
						MACHINE NAME		DESCRIPTION: DIN 933 M22P2.5x160-200 L	
								#3 DIE (B)	
								PROJECTION	

JERN YAO ENTERPRISES CO., LTD.

DATE
2025/06/20
DWG
郭永華


SCALE
1 : 1.25


MACHINE NAME
JBF-30B-4S

DESCRIPTION: DIN 933 M22P2.5x160-200 L
#3 DIE (B)



審 查	核 准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福





UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG30060-P05D316A		
OVER	INCL.	TOL.						HARDNESS	HRC 46-48		
0.5	6	±0.05						MATERIAL	SKD 61 / WC		
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1		
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.				DATE 2025/06/20	SCALE 1:1.25	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 933 M22P2.5x40-150 L	PROJECTION
120	300	±0.20					DWG 郭永華				
300	1000	±0.25									

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG30060-P05D321			
OVER	INCL.	TOL.						HARDNESS	HRC 46-48			
0.5	6	±0.05						MATERIAL	SKD 61 / WC			
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1			
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.				DATE	2025/06/20	SCALE	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 933 M22P2.5x160-200 L #3 DIE (C)	PROJECTION 
120	300	±0.20					DWG	郭永華	1 : 1.25			
300	1000	±0.25										

去銳角 C1
注意碳化鎢硬度

審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福





AM-AM (1 : 1.25)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG30060-P05D325A	
OVER	INCL.	TOL.						HARDNESS	HRC 46-48	
0.5	6	±0.05						MATERIAL	SKD 61 / WC	
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1	
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/20	SCALE 1 : 1.25	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 933 M22P2.5x40-150 L #3 DIE (C)	PROJECTION 
120	300	±0.20				DWG 郭永華				
300	1000	±0.25								

去銳角 C1
注意碳化鎢硬度

審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福





AM-AM (1 : 1.25)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG30060-P05D326A	
OVER	INCL.	TOL.						HARDNESS	HRC 46-48	
0.5	6	±0.05						MATERIAL	SKD 61 / WC	
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1	
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/20	SCALE 1 : 1.25	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 933 M22P2.5x40-150 L #3 DIE (C)	PROJECTION 
120	300	±0.20				DWG 郭永華				
300	1000	±0.25								

G
去銳角 C1

審查	核准
研發部	研發部
2025/06/24	2025/06/24
蘇清福	蘇清福





BF-BF (1 : 1.25)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)						REMARK		BG30060-P05D341	
OVER	INCL.	TOL.				HARDNESS		HRC 46-48	
0.5	6	±0.05				MATERIAL		SKD 61	
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			2025/06/20	SCALE	MACHINE NAME	DESCRIPTION: DIN 933 M22P2.5x40-200 L
120	300	±0.20							
300	1000	±0.25							
						DATE	NAME	QUANTITY	1
						2025/06/20	SCALE	JBF-30B-4S	
						DWG	郭永華	#3 DIE (E)	
									PROJECTION
									⊕

G
去銳角 C1

審查	核准
研發部	研發部
2025/06/24	2025/06/24
蘇清福	蘇清福





BF-BF (1 : 1.25)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)						REMARK		BG30060-P05D342	
OVER	INCL.	TOL.				HARDNESS		HRC 46-48	
0.5	6	±0.05				MATERIAL		SKD 61	
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			2025/06/20	SCALE	MACHINE NAME	DESCRIPTION: DIN 933 M22P2.5x40-200 L
120	300	±0.20							
300	1000	±0.25							
						DATE	NAME	QUANTITY	1
						2025/06/20	SCALE	JBF-30B-4S	
						DWG	郭永華	#3 DIE (E)	
									PROJECTION
									⊕

G
去銳角 C1

審查	核准
研發部	研發部
2025/06/24	2025/06/24
蘇清福	蘇清福





BF-BF (1 : 1.25)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG30060-P05D343	
OVER	INCL.	TOL.						HARDNESS	HRC 46-48	
0.5	6	±0.05						MATERIAL	SKD 61	
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1	
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/20	SCALE 1:1.25	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 933 M22P2.5x40-200 L	PROJECTION
120	300	±0.20				DWG 郭永華		#3 DIE (E)		
300	1000	±0.25								

▽▽▽ (▽▽▽)
去銳角 C1

審查	核准
研發部	研發部
2025/06/24	2025/06/24
蘇清福	蘇清福





BF-BF (1 : 1.25)


UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG30060-P05D344	
OVER	INCL.	TOL.						HARDNESS	HRC 46-48	
0.5	6	±0.05						MATERIAL	SKD 61	
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1	
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE	MACHINE NAME	DESCRIPTION:	DIN 933 M22P2.5x40-200 L	PROJECTION
120	300	±0.20				DWG	SCALE	JBF-30B-4S	#3 DIE (E)	
300	1000	±0.25					1 : 1.25			
			郭永華							

G
去銳角 C1

審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福





BF-BF (1 : 1.25)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG30060-P05D345							
OVER	INCL.	TOL.						HARDNESS	HRC 46-48							
0.5	6	±0.05						MATERIAL	SKD 61							
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1							
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.				DATE	2025/06/20	SCALE	1 : 1.25	MACHINE NAME	JBF-30B-4S	DESCRIPTION:	DIN 933 M22P2.5x40-200 L	PROJECTION	
120	300	±0.20					DWG	郭永華								
300	1000	±0.25														



G
去銳角 C1


審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福



BF-BF (1 : 1.25)



UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)						REMARK	BG30060-P05D346
OVER	INCL.	TOL.				HARDNESS	HRC 46-48
0.5	6	±0.05				MATERIAL	SKD 61
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			QUANTITY	1
120	300	±0.20				DESCRIPTION:	DIN 933 M22P2.5x40-200 L
300	1000	±0.25				#3 DIE (E)	PROJECTION
			DATE	2025/06/20	SCALE	MACHINE NAME	
			DWG	郭永華	1 : 1.25	JBF-30B-4S	



UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)							REMARK	BG30060-P05D351		
OVER	INCL.	TOL.					HARDNESS	HRC 64-66		
0.5	6	±0.05					MATERIAL	SKH-55		
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	6	
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/20	SCALE 1:1.3	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 933 M22P2.5x40-200 L #3 DIE K.O.PIN	PROJECTION 
120	300	±0.20				DWG 郭永華				
300	1000	±0.25								


G
▽▽▽ (▽▽▽)
去銳角 C1

審 查	核 准
研發部	研發部
2025/06/24	2025/06/24
蘇清福	蘇清福





AM-AM (1:1)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)							REMARK	BG30060-P05D361
OVER	INCL.	TOL.					HARDNESS	HRC 46-48
0.5	6	±0.05					MATERIAL	SKD 61
6	30	±0.10					QUANTITY	2
30	120	±0.15						
120	300	±0.20						
300	1000	±0.25						
			REV. NO.	OLD	NEW	DATE	NAME	
						2025/06/09		
						SCALE	MACHINE NAME	DESCRIPTION: DIN 933 M22P2.5x40-200 L
						1:1	JBF-30B-4S	#3 DIE K.O.PIN CAP
								PROJECTION





去銳角 C1

注意固定孔垂直度





審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福




AM-AM (1:2)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)						REMARK		BG30060-P05D401	
OVER	INCL.	TOL.				HARDNESS		HRC 46-48	
0.5	6	±0.05				MATERIAL		SKD 61	
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			SCALE 1:2	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 933 M22P2.5x40-200 L	
120	300	±0.20						#4 DIE CASE	
300	1000	±0.25						PROJECTION	



BG (1:1.25)

審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福





去銳角 C0.5

TiN Coating

頭部鏡面拋光鍍鈦

注意六角型方向性






BF-BF (1 : 1.25)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)						REMARK	BG30060-P05D431
OVER	INCL.	TOL.				HARDNESS	HRC 60-62
0.5	6	±0.05				MATERIAL	SKD 11
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			QUANTITY	2
120	300	±0.20				DESCRIPTION:	DIN 933 M22P2.5x40-200 L
300	1000	±0.25				#4 DIE	PROJECTION
			DATE 2025/06/20 DWG 郭永華	SCALE 1:1.25	MACHINE NAME JBF-30B-4S		

G
去銳角 C1

BG (1.60 : 1)





BF-BF (1 : 1)

審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG30060-P05D432		
OVER	INCL.	TOL.						HARDNESS	HRC 60-62		
0.5	6	±0.05						MATERIAL	SKD 11		
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	2		
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.				DATE 2025/06/20	SCALE 1 : 1	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 933 M22P2.5x40-200 L #4 DIE	PROJECTION 
120	300	±0.20					DWG 郭永華				
300	1000	±0.25									

▽▽▽ (▽▽▽)
去銳角 C1

審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福




BF-BF (1 : 1.25)


UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)						REMARK	BG30060-P05D433
OVER	INCL.	TOL.				HARDNESS	HRC 60-62
0.5	6	±0.05				MATERIAL	SKD 11
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			QUANTITY	1
120	300	±0.20				DESCRIPTION:	DIN 933 M22P2.5x40-200 L
300	1000	±0.25				#4 DIE	PROJECTION
			DATE	2025/06/20	SCALE	MACHINE NAME	
			DWG	郭永華	1 : 1.25	JBF-30B-4S	

審查	核准
研發部	研發部
2025/06/24	2025/06/24
蘇清福	蘇清福

$\nabla \nabla$ ($\nabla \nabla \nabla$)
去銳角 C0.5






UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)							REMARK	BG30060-P05D441
OVER	INCL.	TOL.					HARDNESS	HRC 58-60
0.5	6	±0.05					MATERIAL	SKD 11
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY
30	120	±0.15						2
120	300	±0.20	JERN YAO ENTERPRISES CO., LTD.			SCALE	MACHINE NAME	DESCRIPTION: DIN 933 M22P2.5x40-200 L
300	1000	±0.25				1.25:1	GBF-30B-4S	#4 DIE
						DATE	NAME	PROJECTION
						2025/06/20		
						DWG	郭永華	




UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK		BG30060-P05D451	
OVER	INCL.	TOL.						HARDNESS		HRC 62-64	
0.5	6	±0.05						MATERIAL		SKH-9	
6	30	±0.10	REV. NO.	OLD		NEW		DATE	NAME	QUANTITY	5
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE	2025/06/20	SCALE	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 933 M22P2.5x40-200 L #4 DIE K.O.PIN	PROJECTION 
120	300	±0.20				DWG	郭永華	1:1.3			
300	1000	±0.25									

審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福



 去銳角 C1



UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)							REMARK	BG30060-P05D461			
OVER	INCL.	TOL.					HARDNESS	HRC 46-48			
0.5	6	±0.05					MATERIAL	SKD 61			
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1		
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/20	SCALE 1:1	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 933 M22P2.5x40-200 L #4 DIE K.O.PIN CAP	PROJECTION	
120	300	±0.20				DWG 郭永華					
300	1000	±0.25									



AR (1:1)






去銳角 C1

審查	核准
研發部	研發部
2025/06/24	2025/06/24
蘇清福	蘇清福

刻字:BG30 J Ø20-45 L

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)					REMARK		BG30060-P05G101J	
OVER	INCL.	TOL.			HARDNESS			
0.5	6	±0.05			MATERIAL		S45C	
6	30	±0.10	REV. NO.		QUANTITY		16	
30	120	±0.15	OLD		DATE		NAME	
120	300	±0.20	NEW		2025/06/10		SCALE	
300	1000	±0.25	JERN YAO ENTERPRISES CO., LTD.		DWG		1:1	
					MACHINE NAME		DESCRIPTION: DIN 933 M22P2.5L	
					JBF-30B-4S		FINGER	
							PROJECTION	

去銳角 C1




刻字:BG30 J Ø20-45 L

審查	核准
研發部	研發部
2025/06/24	2025/06/24
蘇清福	蘇清福



UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)							REMARK	BG30060-P05G102J		
OVER	INCL.	TOL.					HARDNESS			
0.5	6	±0.05					MATERIAL	S45C		
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	16	
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/10	SCALE 1 : 1	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 933 M22P2.5	PROJECTION
120	300	±0.20				DWG 郭永華		FINGER		
300	1000	±0.25								

去銳角 C1

審查	核准
研發部	研發部
2025/06/24	2025/06/24
蘇清福	蘇清福



AR (1:1)



2-C1x46dp



刻字:BG30 J Ø20-15 L

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)						REMARK	BG30060-P05G201J
OVER	INCL.	TOL.				HARDNESS	
0.5	6	±0.05				MATERIAL	S45C
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE	NAME
120	300	±0.20				DATE	NAME
300	1000	±0.25				DATE	NAME
			DATE	2025/06/06	SCALE	1:1	MACHINE NAME
			DWG	郭永華			JBF-30B-4S
						DESCRIPTION:	DIN 933 M22P2.5L
						FINGER	PROJECTION





去銳角 C1

審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福





刻字:BG30 J Ø20-15 L

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)							REMARK	BG30060-P05G202J		
OVER	INCL.	TOL.					HARDNESS			
0.5	6	±0.05					MATERIAL	S45C		
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	16	
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/06	SCALE 1:1	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 933 M22P2.5 FINGER	PROJECTION 
120	300	±0.20				DWG 郭永華				
300	1000	±0.25								



G LP
去銳角 C1

審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福



UNSPECIFIED LINEAR
TOLERANCE (UNIT:mm)

OVER	INCL.	TOL.
0.5	6	±0.05
6	30	±0.10
30	120	±0.15
120	300	±0.20
300	1000	±0.25

REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	REMARK	BG30060-P05P101
			2025/06/09		1	HARDNESS	HRC 46-48
						MATERIAL	SKD 61 / WC
						DESCRIPTION:	DIN 933 M22P2.5x40-200 L
							#1 PUNCH
						PROJECTION	

JERN YAO ENTERPRISES CO., LTD.

DATE
2025/06/09
DWG
郭永華


SCALE
1:1.75

MACHINE NAME
JBF-30B-4S



審 查	核 准
研發部	研發部
2025/06/24	2025/06/24
蘇清福	蘇清福



▽▽ (▽▽▽)
去銳角 C1



UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG30060-P05P141												
OVER	INCL.	TOL.						HARDNESS	HRC 58-60												
0.5	6	±0.05						MATERIAL	SKD 11												
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1												
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.				DATE	2025/06/09	SCALE	1:1	MACHINE NAME	JBF-30B-4S	DESCRIPTION:	DIN 933 M22P2.5x160-200 L #1 PUNCH SPACER	PROJECTION						
120	300	±0.20					DWG	郭永華													
300	1000	±0.25																			

審查	核准
研發部	研發部
2025/06/24	2025/06/24
蘇清福	蘇清福

▽▽ (▽▽▽)
去銳角 C1





P241 COMMON


UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)							REMARK	BG30060-P05P145A				
OVER	INCL.	TOL.					HARDNESS	HRC 58-60				
0.5	6	±0.05					MATERIAL	SKD 11				
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1			
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE	MACHINE NAME	DESCRIPTION: DIN 933 M22P2.5x40-150 L	PROJECTION			
120	300	±0.20				2025/06/09				SCALE	JBF-30B-4S	#1 PUNCH SPACER
300	1000	±0.25				DWG				1:1		
						郭永華						

審查	核准
研發部	研發部
2025/06/24	2025/06/24
蘇清福	蘇清福


G
▽▽▽ (▽▽▽)




UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)						REMARK	BG30060-P05P151	
OVER	INCL.	TOL.				HARDNESS	HRC 62-64	
0.5	6	±0.05				MATERIAL	SKH-9	
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY
30	120	±0.15						5
120	300	±0.20	JERN YAO ENTERPRISES CO., LTD.			DATE	MACHINE NAME	DESCRIPTION: DIN 933 M22P2.5x40-150 L
300	1000	±0.25				2025/06/09	GBF-30B-4S	#1 PUNCH K.O
						SCALE		PROJECTION
						1:1		




審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福




UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)							REMARK	BG30060-P05P201	
OVER	INCL.	TOL.					HARDNESS	HRC 46-48	
0.5	6	±0.05					MATERIAL	SKD 61 / WC	
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/09	SCALE 1:1.75	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 933 M22P2.5x160-200 L #2 PUNCH
120	300	±0.20				DWG 郭永華			
300	1000	±0.25							
								PROJECTION	



審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福



M10x1.5-4PC




P301 COMMON

UNSPECIFIED LINEAR
TOLERANCE (UNIT:mm)



OVER	INCL.	TOL.
0.5	6	± 0.05
6	30	± 0.10
30	120	± 0.15
120	300	± 0.20
300	1000	± 0.25

				REMARK	BG30060-P05P205A		
				HARDNESS	HRC 56-58		
				MATERIAL	SKD 11		
REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1	
JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/20	SCALE	MACHINE NAME	DESCRIPTION: DIN 933 M22P2.5x40-200 L	PROJECTION
			DWG 郭永華	1:1.75	JBF-30B-4S	#2 PUNCH	






MARK: TASK 6.8 凹字 0.25mm
(成品為凸字,中仁為凹字)

字體不可有銳角處



審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福






AP-AP (1 : 1.2)

P331 COMMON


UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)							REMARK	BG30060-P05P235A		
OVER	INCL.	TOL.					HARDNESS	HRC 63-65		
0.5	6	±0.05					MATERIAL	SKH-55		
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	2	
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/09	SCALE 1:1.2	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 933 M22P2.5x200 L #2 PUNCH	PROJECTION 
120	300	±0.20								
300	1000	±0.25								

審查	核准
研發部	研發部
2025/06/24	2025/06/24
蘇清福	蘇清福


 去銳角 C1





P145A COMMON

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG30060-P05P241		
OVER	INCL.	TOL.						HARDNESS	HRC 58-60		
0.5	6	±0.05						MATERIAL	SKD 11		
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1		
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE	MACHINE NAME	DESCRIPTION: DIN 933 M22P2.5x160-200 L		PROJECTION	
120	300	±0.20				2025/06/09					SCALE
300	1000	±0.25				郭永華					
						JBF-30B-4S		#2 PUNCH SPACER			

G
▽▽▽ (▽▽▽)

審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福





UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG30060-P05P251			
OVER	INCL.	TOL.						HARDNESS	HRC 62-64			
0.5	6	±0.05						MATERIAL	SKH-9			
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	5			
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.				DATE	MACHINE NAME	DESCRIPTION: DIN 933 M22P2.5x160-200 L	PROJECTION		
120	300	±0.20					DWG	2025/06/09	1:1	JBF-30B-4S	#2 PUNCH K.O	
300	1000	±0.25					郭永華					




UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG30060-P05P301	
OVER	INCL.	TOL.						HARDNESS	HRC 56-58	
0.5	6	±0.05						MATERIAL	SKD 11	
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1	
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/20	SCALE 1:1.75	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 933 M22P2.5x40-200 L #3 PUNCH	PROJECTION 
120	300	±0.20				DWG 郭永華				
300	1000	±0.25								

▽▽▽ (▽▽▽)^G
去銳角 C1

審查	核准
研發部	研發部
2025/06/24	2025/06/24
蘇清福	蘇清福





UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)						REMARK	BG30060-P05P302A
OVER	INCL.	TOL.				HARDNESS	HRC 58-60
0.5	6	±0.05				MATERIAL	SKD 11
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			QUANTITY	1
120	300	±0.20				DESCRIPTION: DIN 933 M22P2.5x40-150 L	PROJECTION
300	1000	±0.25				#3 PUNCH	
			DATE	2025/06/20	SCALE	1:1.5	MACHINE NAME
			DWG	郭永華			JBF-30B-4S






MARK: TASK 6.8 凹字 0.25mm
(成品為凸字,中仁為凹字)

字體不可有銳角處





審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福



AP-AP (1 : 1.2)


P235A COMMON

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)						REMARK	BG30060-P05P331
OVER	INCL.	TOL.				HARDNESS	HRC 63-65
0.5	6	±0.05				MATERIAL	SKH-55
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME
30	120	±0.15				QUANTITY	2
120	300	±0.20				DESCRIPTION: DIN 933 M22P2.5x200 L	
300	1000	±0.25				#3 PUNCH	
			JERN YAO ENTERPRISES CO., LTD.			DATE	PROJECTION
						2025/06/09	
						SCALE	
						1:1.2	
						MACHINE NAME	
						JBF-30B-4S	






$\nabla \nabla \nabla \nabla$ (G)
去銳角 C1


審查	核准
研發部	研發部
2025/06/24	2025/06/24
蘇清福	蘇清福



UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG30060-P05P332A		
OVER	INCL.	TOL.						HARDNESS	HRC 60-62		
0.5	6	±0.05						MATERIAL	SKH-9		
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1		
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/09	SCALE 1:1.1	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 933 M22P2.5x40-150 #3 PUNCH	PROJECTION	
120	300	±0.20				DWG 郭永華					
300	1000	±0.25									




去銳角 C1




審查	核准
研發部	研發部
2025/06/24	2025/06/24
蘇清福	蘇清福

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)				REMARK		BG30060-P05P333A	
OVER	INCL.	TOL.		HARDNESS		HRC 60-62	
0.5	6	±0.05		MATERIAL		SKH-9	
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.		DATE	2025/06/09	SCALE
120	300	±0.20			DWG	郭永華	1:1.1
300	1000	±0.25			MACHINE NAME	JBF-30B-4S	
				DESCRIPTION: DIN 933 M22P2.5x40-150		QUANTITY	
				#3 PUNCH		1	
						PROJECTION	





審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)						REMARK	BG30060-P05P334A
OVER	INCL.	TOL.				HARDNESS	HRC 60-62
0.5	6	±0.05				MATERIAL	SKH-9
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			QUANTITY	1
120	300	±0.20				DESCRIPTION: DIN 933 M22P2.5x40-150	PROJECTION
300	1000	±0.25				#3 PUNCH	
						MACHINE NAME	
						JBF-30B-4S	
						SCALE	
						1:1.1	
						DATE	
						2025/06/09	
						DWG	
						郭永華	




審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福





AP-AP (1:1.1)

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG30060-P05P335A				
OVER	INCL.	TOL.						HARDNESS	HRC 60-62				
0.5	6	±0.05						MATERIAL	SKH-9				
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1				
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE	MACHINE NAME	DESCRIPTION:	DIN 933 M22P2.5x40-150	PROJECTION			
120	300	±0.20				2025/06/09					SCALE	JBF-30B-4S	#3 PUNCH
300	1000	±0.25				DWG					1:1.1		
			郭永華										

審 查	核 准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福






 去銳角 C1



外徑車削後熱處理即可

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)							REMARK	BG30060-P05P342A		
OVER	INCL.	TOL.					HARDNESS	HRC 58-60		
0.5	6	±0.05					MATERIAL	SKD 11		
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	1	
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/09	SCALE 1:1	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 933 M22P2.5x40-150 L #3 PUNCH SPACER	PROJECTION 
120	300	±0.20				DWG 郭永華				
300	1000	±0.25								








去銳角 C1

TiN Coating


頭部鏡面拋光鍍鈦

注意固定邊與六角平行度


審查	核准
研發部 2025/06/24 蘇清福	研發部 2025/06/24 蘇清福



市購品 M22

UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)								REMARK	BG30060-P05P471	
OVER	INCL.	TOL.						HARDNESS		
0.5	.6	±0.05						MATERIAL	SKH-55	
6	30	±0.10	REV. NO.	OLD	NEW	DATE	NAME	QUANTITY	4	
30	120	±0.15	JERN YAO ENTERPRISES CO., LTD.			DATE 2025/06/20	SCALE 1:1.25	MACHINE NAME JBF-30B-4S	DESCRIPTION: DIN 933 M22P2.5 #4 PUNCH TRIMMING DIE	PROJECTION 
120	300	±0.20				DWG 郭永華				
300	1000	±0.25								

審查	核准
研發部	研發部
2025/06/24	2025/06/24
蘇清福	蘇清福



UNSPECIFIED LINEAR TOLERANCE (UNIT:mm)					REMARK		BG30060-P0520002A	
OVER	INCL.	TOL.			HARDNESS		HRC 46-50	
0.5	6	±0.05			MATERIAL		S45C	
6	30	±0.10			QUANTITY		4	
30	120	±0.15	REV. NO.		DATE		NAME	
120	300	±0.20	OLD		NEW		MACHINE NAME	
300	1000	±0.25	JERN YAO ENTERPRISES CO., LTD.		DATE 2025/06/20		SCALE 1:3.25	
			郭永華		JBF-30B-4S		DESCRIPTION: DIN 933 M22P2.5x40-200 L	
							FEED ROLLER	
							PROJECTION	

正曜 JBF-30B4S 模具明細表

批號: 1302002

線材: 1025

製程:

線徑: $\varnothing 21.7$ 規格: DIN 933 M20*P2.5*65-200L

車號: 060 客戶: Taskazan土耳其

★★★☆☆

--試車難易度--

0114年06月27日

序號	件 號	名 稱	DESCRIPTION	數量	備 註
1	P05S01	成品圖	SAMPLE		
2	P05F01	壓造程序圖	FORMING PROCESS		
3	P05F02	壓造程序圖	FORMING PROCESS		
4	P05A0040	組合圖	ASSEMBLY		
5	P05A0045	組合圖	ASSEMBLY		
6	P05A0050	組合圖	ASSEMBLY		
7	P05A0055	組合圖	ASSEMBLY		
8	P05A0060	組合圖	ASSEMBLY		
9	P05A0065	組合圖	ASSEMBLY		
10	P05A0070	組合圖	ASSEMBLY		
11	P05A0075	組合圖	ASSEMBLY		
12	P05A0080	組合圖	ASSEMBLY		
13	P05A0085	組合圖	ASSEMBLY		
14	P05A0090	組合圖	ASSEMBLY		
15	P05A0095	組合圖	ASSEMBLY		
16	P05A0100	組合圖	ASSEMBLY		
17	P05A0110	組合圖	ASSEMBLY		
18	P05A0120	組合圖	ASSEMBLY		
19	P05A0130	組合圖	ASSEMBLY		
20	P05A0140	組合圖	ASSEMBLY		
21	P05A0150	組合圖	ASSEMBLY		
22	P05A0160	組合圖	ASSEMBLY		
23	P05A0170	組合圖	ASSEMBLY		
24	P05A0180	組合圖	ASSEMBLY		
25	P05A0190	組合圖	ASSEMBLY		
26	P05A0200	組合圖	ASSEMBLY		
27	P05C01	切刀	CUT-OFF KNIFE CORE	1	
28	P05C02	切模	CUT-OFF QUILL	1	
29	P05D101	#1 母模	#1 DIE	1	
30	P05D102	#1 母模	#1 DIE	1	
31	P05D103	#1 母模	#1 DIE	1	
32	P05D104	#1 母模	#1 DIE	1	
33	P05D105A	#1 母模	#1 DIE	1	
34	P05D106A	#1 母模	#1 DIE	1	
35	P05D107A	#1 母模	#1 DIE	1	
36	P05D151	#1 後沖	#1 K.O.PIN	5	
37	P05D161	#1 母模套管	#1 K.O.PIN CAP	1	

核准:

審查:

擬訂: 周佩怡 0114.06.27

正曜 JBF-30B4S 模具明細表

批號:1302002

線材:1025

製程:

線徑: ϕ21.7 規格: DIN 933 M20*P2.5*65-200L
車號: 060 客戶: Taskazan土耳其

★★★☆☆
--試車難易度--
0114年06月27日

序號	件 號	名 稱	DESCRIPTION	數量	備 註
38	P0SD201	#2 母模	#2 DIE	1	
39	P0SD202	#2 母模	#2 DIE	1	
40	P0SD203	#2 母模	#2 DIE	1	
41	P0SD204	#2 母模	#2 DIE	1	
42	P0SD205A	#2 母模	#2 DIE	1	
43	P0SD206A	#2 母模	#2 DIE	1	
44	P0SD207A	#2 母模	#2 DIE	1	
45	P0SD251	#2 後沖	#2 K.O.PIN	5	
46	P0SD261	#2 母模套管	#2 K.O.PIN CAP	1	
47	P0SD301	#3 母模	#3 DIE	1	
48	P0SD302	#3 母模	#3 DIE	1	
49	P0SD305A	#3 母模	#3 DIE	1	
50	P0SD311	#3 母模	#3 DIE	1	
51	P0SD312	#3 母模	#3 DIE	1	
52	P0SD313	#3 母模	#3 DIE	1	
53	P0SD314	#3 母模	#3 DIE	1	
54	P0SD315	#3 母模	#3 DIE	1	
55	P0SD316A	#3 母模	#3 DIE	1	
56	P0SD321	#3 母模	#3 DIE	1	
57	P0SD325A	#3 母模	#3 DIE	1	
58	P0SD326A	#3 母模	#3 DIE	1	
59	P0SD341	#3 母模墊塊	#3 DIE SPACER	1	
60	P0SD342	#3 母模墊塊	#3 DIE SPACER	1	
61	P0SD343	#3 母模墊塊	#3 DIE SPACER	1	
62	P0SD344	#3 母模墊塊	#3 DIE SPACER	1	
63	P0SD345	#3 母模墊塊	#3 DIE SPACER	1	
64	P0SD346	#3 母模墊塊	#3 DIE SPACER	1	
65	P0SD351	#3 後沖	#3 K.O.PIN	6	
66	P0SD361	#3 母模套管	#3 K.O.PIN CAP	2	
67	P0SD401	#4 母模	#4 DIE	1	
68	P0SD431	#4 母模墊塊	#4 DIE SPACER	2	
69	P0SD432	#4 母模墊塊	#4 DIE SPACER	2	
70	P0SD433	#4 母模墊塊	#4 DIE SPACER	1	
71	P0SD441	#4 母模墊塊	#4 DIE SPACER	2	
72	P0SD451	#4 後沖	#4 K.O.PIN	5	
73	P0SD461	#4 母模套管	#4 K.O.PIN CAP	1	
74	P0SG101J	母夾	FINGER	16	

核准:

審查:

擬訂: 周佩怡 0114.06.27

正曜 JBF-30B4S 模具明細表

★★★★☆

批號: 1302002

線材: 1025

線徑: $\phi 21.7$ 規格: DIN 933 M20*P2.5*65-200L

--試車難易度--

製程:

車號: 060

客戶: Taskazan土耳其

0114年06月27日

序號	件 號	名	稱	DESCRIPTION	數量	備 註
75	P05G102J	母夾		FINGER	16	
76	P05G201J	母夾		FINGER	16	
77	P05G202J	母夾		FINGER	16	
78	P05P101	#1 公模		#1 PUNCH	1	
79	P05P141	#1 公模墊塊		#1 PUNCH SPACER	1	
80	P05P145A	#1 公模墊塊		#1 PUNCH SPACER	1	
81	P05P151	#1 前沖		#1 PUNCH PIN	5	
82	P05P201	#2 公模		#2 PUNCH	1	
83	P05P205A	#2 公模		#2 PUNCH	1	
84	P05P235A	#2 公模墊塊		#2 PUNCH SPACER	2	
85	P05P241	#2 公模墊塊		#2 PUNCH SPACER	1	
86	P05P251	#2 前沖		#2 PUNCH PIN	5	
87	P05P301	#3 公模		#3 PUNCH	1	
88	P05P302A	#3 公模		#3 PUNCH	1	
89	P05P331	#3 公模墊塊		#3 PUNCH SPACER	2	
90	P05P332A	#3 公模墊塊		#3 PUNCH SPACER	1	
91	P05P333A	#3 公模墊塊		#3 PUNCH SPACER	1	
92	P05P334A	#3 公模墊塊		#3 PUNCH SPACER	1	
93	P05P335A	#3 公模墊塊		#3 PUNCH SPACER	1	
94	P05P342A	#3 公模墊塊		#3 PUNCH SPACER	1	
95	P05P471	#4 切邊模		#4 TRIMMING DIE	4	
96	P0520002A	送料滾輪		FEED_ROLLER	4	

核准:

審查:

擬訂: 周佩怡 0114.06.27