Replit Proof of Use - Sudahsampai


Team 200 OK FOUND, SDC Hackathon 2026, Domain 2 (Orbyte Smart SME Challenge).

How we used Replit:
- Imported the GitHub repository github.com/zhukunliang/Sudahsampai into a Replit App and pulled every new commit through the Replit Git pane.
- Ran and checked the app in the Replit workspace (Run / Preview and the Replit Shell).
- Deployed the live prototype as a Replit Reserved VM: https://sudahsampai.replit.app
- Stored SECRET_KEY and the AI_* settings (including the DeepSeek API key) in Replit Secrets and Deployment secrets, never in the code.
- Replit Core was redeemed with the SDC voucher.

The following pages are unedited screenshots taken by the team during development (23 Oct 2026). No keys are visible.

1. Replit workspace: Git pane and publish history

The Replit App 'Sudahsampai' is connected to the GitHub repository zhukunliang/Sudahsampai (Git pane, right). The left panel lists the 'Published your app' deployments.
The red error banner shows one publish that failed on 23 Oct; we fixed it by changing the build command in .replit and published again.



2. Replit Shell: workspace on the latest GitHub commit

git status and git log inside the Replit workspace (~/workspace): the branch is up to date with origin/main.

```
~/workspace$ git status && git log --oneline -3
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean
4c905c1 (HEAD -> main, origin/main, origin/HEAD) Redact personal data before sending supplier replies to the AI: drop sup
plier name and order number, mask phones, emails and titled names, log redacted sends
d96d3b8 Document RunPod GLM-5.3 comparison test and why DeepSeek was chosen
8cebd88 Merge branch 'main' of https://github.com/zhukunliang/Sudahsampai
~/workspace$ ^[[200~pkill -f python; python src/app.py~
pkill -f python; python src/app.py~bash: pkill: command not found
python: can't open file '/home/runner/workspace/src/app.py~': [Errno 2] No such file or directory
~/workspace$
```

3. Replit Shell: the Flask app running in the workspace

The app started inside Replit with the project's virtual environment and serves on port 5000 (mapped to the public URL).

```
 * Serving Flask app 'app'
 * Debug mode: off
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
 * Running on all addresses (0.0.0.0)
 * Running on http://127.0.0.1:5000
 * Running on http://172.24.0.2:5000
Press CTRL+C to quit
```