Sudahsampai Technology & Tools Declaration

1. Team and Project

Field	Answer
Team Name	200 OK FOUND
Project / Solution Name	Sudahsampai
Name (Leader)	Zhu Kunliang
Email	EEE2609083@xmu.edu.my
University Affiliation(s)	Xiamen University Malaysia
Live Prototype URL	https://sudahsampai.replit.app
Code Repository URL	https://github.com/zhukunliang/Sudahsampai (made public before submission)

2. Architecture & Technology Stack

2.1 System Architecture Overview

The owner or staff use a browser to open a Flask web app hosted on a Replit Reserved VM. src/app.py handles all pages and actions and checks roles on the server with an owner_required decorator. Orders, logs and the simulated date are stored in a local SQLite file through src/db.py. When a supplier reply is pasted in, src/ai_parser.py redacts personal details and sends it to the DeepSeek API (deepseek-chat, OpenAI-compatible) and receives a fixed JSON result, which the server validates; low-confidence or failed results go to a human, and timeouts fall back to an offline keyword-and-regex rule mode. All platform functions (current user and role, supplier contacts, messaging, approvals, credit wallet, audit log) go through src/orbyte_adapter.py, which is simulated today and is the only file to change when connecting to the real Orbyte platform. Every action is written to an activity log.

2.2 Languages, Frameworks & Libraries

Name & Version	Purpose in Project	License
Python 3.12	Main language	PSF License
Flask 3.x (with Jinja2 and Werkzeug)	Web framework, HTML templates	BSD-3-Clause
SQLite (Python built-in sqlite3)	Local database	Public domain
openai Python library ≥ 1.40	Client for the OpenAI-compatible DeepSeek API	Apache-2.0
Lucide icons 0.469.0 (loaded from unpkg CDN)	Interface icons	ISC
Plus Jakarta Sans (loaded from Google Fonts)	Heading font	SIL Open Font License 1.1
Python unittest (standard library)	Automated tests (75 tests)	PSF License

3. APIs & Cloud Services

3.1 External APIs

API and Provider	Purpose in Project	Access Tier
DeepSeek API (deepseek-chat), DeepSeek	Reads supplier replies into structured JSON (intent, new date, quantity, unit price, confidence) and drafts reply and restock messages in the live demo	Paid (team's own account)
RunPod Public Endpoint, GLM-5.3 (Z.ai model), RunPod	Comparison test against DeepSeek on 6 synthetic supplier replies; not used in the live demo	Sponsor-provided (RunPod credits)

API and Provider	Purpose in Project	Access Tier
unpkg CDN	Serves the Lucide icon script	Free
Google Fonts	Serves the heading font	Free

3.2 Cloud Platforms & Deployment

Service & Provider	Purpose in Project	Plan / Region
Replit	Hosts the live prototype; secrets stored in Replit Secrets	Replit Core (competition credits); Reserved VM deployment [0.5 vCPU / 2 GiB RAM]; region managed by Replit (not user-selectable)
GitHub	Source code repository and version history	Free
RunPod	Hosted the GLM-5.3 endpoint used for the comparison test	Public endpoint (GLM-5.3), competition credits; used only for offline model comparison, not by the live app

4. AI Tools, Models & Datasets

4.1 AI Models Used in the Solution

Model & Version	Source / Provider	Usage	License / Terms
deepseek-chat	DeepSeek, via DeepSeek API	Pre-trained, called through API (live demo)	DeepSeek API terms of service
GLM-5.3	Z.ai, via RunPod Public Endpoint	Pre-trained, used only for internal benchmark testing; not integrated into the final demo system	RunPod and Z.ai terms of service

No model was trained or fine-tuned. The offline fallback is a keyword-and-regex rule engine written by the team, not an AI model.

4.2 Datasets

Dataset Name	Source / URL	Type	Personal Data?	License
data/seed_orders.json (7 supplier orders)	Created by the team, in the repository	Synthetic	No (fictional suppliers, placeholder phone numbers)	Created by the team; Apache-2.0 (same as repository)
data/sample_replies.json (supplier replies, mixed Malay / Chinese / English)	Created by the team, in the repository	Synthetic	No	Created by the team; Apache-2.0 (same as repository)

4.3 AI-Assisted Development Tools

Did your team use any generative-AI tool? Yes

Tool & Version	Used For	Extent of Use
Claude Code (Anthropic)	Writing and refactoring application code, tests and README under the team leader's step-by-step instructions	Major
Claude (Anthropic, chat)	Reviewing the team's ideas against the rubric, planning steps, writing prompts for Claude Code, reviewing drafts of the proposal and video	Moderate
Doubao (ByteDance)	Translation and polishing of text; correcting typos	Minor
ChatGPT (OpenAI)	Organising the slide structure, helping draft and revise English content, creating and adjusting slide background images	Moderate
ImageGen	Background images for the pitch deck	Moderate

How the team reviewed AI output

The problem, the product idea and every design decision came from our team; AI tools were used as assistants. The team leader directed code changes one step at a time, read and ran each change locally before committing, and kept a step-by-step Git history. The repository has 75 automated tests covering validation, receiving checks, permissions, overdue chasing, redaction, automatic updates and undo, message drafts, the feedback form and the AI fallback. We checked AI-parsed supplier replies against the original text, and every team member walked through the full flow so each of us can explain any part.

5. Sponsor-Provided Resources

Did your project use any official SDC sponsor-provided resource? Yes

Sponsor	Resource	How It Was Used in the Project
Replit	Development, hosting platform and Replit Core plan	Imported the GitHub repository, ran and checked the app, and deployed the live prototype as a Reserved VM; API keys stored in Replit Secrets
RunPod	US$25 competition credits, GLM-5.3 Public Endpoint	Ran a comparison test of GLM-5.3 against DeepSeek on 6 synthetic supplier replies
KrackedDevs (mentor Fadli Khalid)	Online mentoring session, 23 Oct 2026	Reviewed our live prototype; we then added a "How it works" banner, simplified the dashboard and redacted personal data before AI calls
Alpha Red Solutions	Workshop 1: Agentic Development (recording)	Background on Orbyte and Domain 2 expectations

Was the sponsor resource essential, or could it be replaced?

Replit is essential to how judges reach our prototype: the live demo runs on a Replit Reserved VM. The app itself is a standard Flask project, so it could be moved to another host without code changes. RunPod was not essential: we used it only to compare GLM-5.3 with DeepSeek, and chose DeepSeek for the live demo because it was more accurate on our test and faster. Switching to RunPod needs only three environment variables changed.

6. Security, Privacy & Responsible Use

6.1 Data Handling & Privacy

The prototype uses only synthetic data created by our team: fictional suppliers, placeholder phone numbers and invented supplier replies; the only real input is an anonymous feedback form with no name or contact fields. Data is stored in a SQLite file on the Replit server, not committed to GitHub, and reset with "Reset demo data". Before a reply goes to the DeepSeek API (servers outside Malaysia), the supplier's name, phone number and order number are left out, and phone numbers, emails and titled names in the text are replaced with [REDACTED]; only the reply and basic order details are sent. API keys are kept in Replit Secrets, never in code. In a real deployment we would follow Malaysia's PDPA: tell suppliers what is stored and why, restrict access by role, keep the audit log, delete data no longer needed, and keep redacting text or use a locally hosted model.

6.2 Known Limitations & Risks

The AI can misread a supplier reply or produce a wrong field (hallucination). Mitigation: the server validates every field; results below 0.6 confidence or with an unclear intent go to a human; only low-risk updates (a confirmation, or a 1–2 day delay with confidence of at least 0.8) apply automatically, and the owner can turn this off or undo it; all other updates need the owner. The live demo depends on one provider (DeepSeek). Mitigation: after a 15-second timeout or an error, the app switches to an offline rule mode, and the model can be switched through environment variables. The rule mode covers common Malay, Chinese and English phrases only, and redaction is pattern-based, so names without a title or in Chinese are missed. Our model comparison was small (6 replies). Login, roles, WhatsApp sending and the Orbyte platform are simulated, and time is simulated with a "fast-forward" control.

7. Compliance & Readiness

- ☑ All APIs, cloud services, AI tools, models and datasets are declared
- ☑ Third-party code, datasets and models are used according to their licenses

- ☑ No API keys, passwords or credentials in the repository, prototype or this document
- ☑ Generative-AI use for development is disclosed and reviewed
- ☑ Sponsor resources are declared in Section 5
- ☑ The prototype is reachable from the links in Section 1
- ☑ All fields are within the word limits

8. Declaration

By submitting this document, the team leader confirms that the information provided is complete and accurate to the best of the team's knowledge, and that every API, cloud service, AI tool, dataset, model and sponsor resource used in the project has been declared.

25/10/26