

Figure S22. Social network of F2010. The subjects had 0−18 adult female kin groupmates.



Figure S23. Social network of F2011. The subjects had 0−16 adult female kin groupmates.



Figure S24. Social network of F2012. The subjects had 0−15 adult female kin groupmates.



Figure S25. Social network of F2013. The subjects had 0−14 adult female kin groupmates.



Figure S26. Social network of F2014. The subjects had 0−16 adult female kin groupmates.



Figure S27. Social network of F2015. The subjects had 0−16 adult female kin groupmates.



Figure S28. Social network of F2016. The subjects had 0−16 adult female kin groupmates.



Figure S29. Social network of F2017. The subjects had 0−15 adult female kin groupmates.



Figure S30. Social network of HH2014. The subjects had 0−9 adult female kin groupmates.



Figure S31. Social network of HH2016. The subjects had 1−11 adult female kin groupmates.



Figure S32. Social network of KK2013. The subjects had 0−7 adult female kin groupmates.



Figure S33. Social network of KK2015. The subjects had 1−12 adult female kin groupmates.



Figure S34. Social network of KK2017. The subjects had 0−12 adult female kin groupmates.



Figure S35. Social network of R2015. The subjects had 0−14 adult female kin groupmates.



Figure S36. Social network of R2016. The subjects had 0−17 adult female kin groupmates.



Figure S37. Social network of S2011. The subjects had 0−4 adult female kin groupmates.



Figure S38. Social network of V2015. The subjects had 0−12 adult female kin groupmates.



Figure S39. Social network of V2016. The subjects had 0−12 adult female kin groupmates.



Figure S40. Social network of V2017. The subjects had 0−13 adult female kin groupmates.