


SAC + BC


- Best agents
- cube-single-play-singletask-task1-v0

Setting: $a = 300$




- antsoccer-arena-navigate-singletask-task1-v0

Setting: $a = 3$



Cube-single alpha parameter:


a = 100, 300, 1000



IQL

- Best agents
- cube-single-play-singletask-task1-v0

Setting: $a = 30$



- antsoccer-arena-navigate-singletask-task1-v0

Setting: $a = 10$



eval/success_rate

_20260418_224926_iql_ant soccer-arena-navigate-singletask-task1-v0_a10.0_e0.!




Cube-single alpha parameter:

$\alpha = 1, 3, 10$

eval/success_rate

— sd0_20260418_222419_iql_cube-single-play-singletask-task1-v0_a10.0_e0.9_a3.0
- - sd0_20260418_222419_iql_cube-single-play-singletask-task1-v0_a10.0_e0.9_a10.0
... sd0_20260418_222419_iql_cube-single-play-singletask-task1-v0_a10.0_e0.9_a1.0




A short discussion (1–2 sentences) that compares SAC+BC and IQL in terms of (1) the best performance and (2) sensitivity to α .

SAC+BC peak performance is better on the cube-single, but IQL peak performance is better on the antsoccer task. In terms of sensitivity to α , SAC_BC is much more sensitive than IQL.

FQL

- Best agents
- cube-single-play-singletask-task1-v0

Setting: $\alpha = 100$



- antsoccer-arena-navigate-singletask-task1-v0

Setting: a = 10

