

telnet

使用SMTP协议手工发送邮件

```
C:\Windows\system32\cmd.e  ×  +  ∨  拖拽上传  -  □  ×

Microsoft Windows [Version 10.0.22621.2283]
(c) Microsoft Corporation. All rights reserved.

C:\Users\ZhuoLI Ding>telnet smtp.qq.com 25|
```

```
mail from: <455493650@qq.com>
250 OK
rcpt to: <2236789374@qq.com>
250 OK
data
354 End data with <CR><LF>.<CR><LF>.
from:<455493650@qq.com>
to:<2236789374@qq.com>
Subject:Weather

Taday's weather is very fine!


.
250 OK: queued as.
```

使用pop3协议接受邮件


```
C:\Windows\system32\cmd.e  ×  +  ∨  
Microsoft Windows [Version 10.0.22621.2283]  
(c) Microsoft Corporation. All rights reserved.  
  
C:\Users\ZhuoLI Ding>telnet pop.qq.com 110|
```

```
Telnet pop.qq.com  ×  +  ∨  
+OK XMail POP3 Server v1.0 Service Ready(XMail v1.0)  
user 455493650  
+OK  
pass rxfpmdnufwjtbbhic  
+OK  
stat  
+OK 3 19137
```

通过HTTP协议获取网页内容



```
C:\Windows\system32\cmd.e  X + v  
Microsoft Windows [Version 10.0.22621.2283]  
(c) Microsoft Corporation. All rights reserved.  
C:\Users\ZhuoLI Ding>telnet 162.105.17.143 6580|
```



```
Telnet 162.105.17.143  X + v  
GET / HTTP/1.0|
```

```
C:\Windows\system32\cmd.e  X  +  v  -  □  X
dprint/</a></td><td align="right">2016-03-24 22:27  </td><td align="right">
- </td><td>&nbsp;</td></tr>
      <tr><td valign="top"></td><td><a href="dmath/">dmath/</a></td><td align="right">2
016-07-04 23:11  </td><td align="right"> - </td><td>&nbsp;</td></tr>
      <tr><td
      valign="top"></td><td><a href="e
hc/">ehc/</a></td><td align="right">2016-09-19 16:29  </td><td align="right"
> - </td><td>&nbsp;</td></tr>
      <tr><td valign="top"></td><td><a href="foss4g/">foss4g/</a></td><td align="righ
t">2016-02-29 11:50  </td><td align="right"> - </td><td>&nbsp;</td></tr>
      <tr>
><td valign="top"></td><td><a hre
f="library/">library/</a></td><td align="right">2017-6  </td><td a
lign="right"> - </td><td>&nbsp;</td></tr>
      <tr><td valign="top"></td><td><a href="movie/">movie/</a></td><td a
lign="right">2019-08-11 18:04  </td><td align="right"> - </td><td>&nbsp;</t
d></tr>
      <tr><td valign="top"></td>
<td><a href="sessdsa/">sessdsa/</a></td><td align="right">2018-06-03 20:08
</td><td align="right"> - </td><td>&nbsp;</td></tr>
      <tr><td valign="top"></td><td><a href="software/">softwar
e/</a></td><td align="right">2019-08-11 17:41  </td><td align="right"> - </
td><td>&nbsp;</td></tr>
      <tr><td valign="top"></td><td><a href="solar_system/">solar_system/</a></td><td align=
"right">2020-09-09 17:56  </td><td align="right"> - </td><td>&nbsp;</td></tr>
      <tr><td valign="top"></td><td><a href="vrlib/">vrlib/</a></td><td align="right">2017-08-30 01:34  </td><td
align="right"> - </td><td>&nbsp;</td></tr>
      <tr><td valign="top"></td><td><a href="index.html.bak">index.html
.bak</a></td><td align="right">2015-01-20 14:50  </td><td align="right"> 11K
</td><td>&nbsp;</td></tr>
      <tr><th colspan="5"><hr /></th></tr>
      </table>
      <add
ress>Apache/2.4.18 (Ubuntu) Server at 127.0.1.1 Port 80</address>
      </body></ht
ml>
```

参考文献： 1、 [telnet登录并使用SMTP和POP收发邮件\(QQ邮箱\)_服务器_春风浅作序-华为云开发者联盟 \(csdn.net\)](#)

2、 [Telnet建立http连接获取网页内容_SHENGLI_509的博客-CSDN博客](#)