

**Client:** TfNSW  
**Project:** Picton Road Upgrade  
**Location:** Picton Road Southbound south of Macarthur Drive

**Project No:** 60739890  
**Logged by:** KA  
**Start Date:** 23/11/25

Checked by: PW  
End Date: 23/11/25  
Location Meth.: DGPS

|                                   |                              |
|-----------------------------------|------------------------------|
| <b>Driller:</b> Durkin            | <b>Hole Diameter:</b> 300 mm |
| <b>Drill Rig:</b> Utilicor MPX-SS | <b>Inclination:</b> 90°      |
| <b>Total Depth:</b> 0.41 m        | <b>Bearing:</b> N/A          |

**Easting:** 289511.20  
**Northing:** 6205436.00  
**Hor. Datum:** MGA2020-56

RL: 302 m  
Ver. Datum: AHD  
Surface: Concrete

| METHOD | SUPPORT | DCP (BLOWS PER 100 mm) | GROUND WATER    | SAMPLES & FIELD TESTS | RL (m AHD) | DEPTH (m) | GRAPHIC LOG | CLASSIFICATION SYMBOL                                          | MATERIAL DESCRIPTION<br>(plasticity/particle characteristics, colour, secondary and other minor components, structure) | MOISTURE CONDITION | CONSISTENCY / RELATIVE DENSITY | ADDITIONAL OBSERVATIONS<br>(Geological Origin) |
|--------|---------|------------------------|-----------------|-----------------------|------------|-----------|-------------|----------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|--------------------|--------------------------------|------------------------------------------------|
| DT     | U       |                        | Not Encountered | C: 0.00-0.25 m        | -302.0     | 0.0       |             |                                                                | CONCRETE: grey, aggregates up to 20 mm, 250 mm thick, cracked.                                                         |                    |                                | BASECOURSE                                     |
|        |         |                        |                 | C: 0.25-0.41 m        |            |           |             | Lean Mix CONCRETE: grey, aggregates up to 15 mm, 160 mm thick. | SUBBASE COURSE                                                                                                         |                    |                                |                                                |
|        |         |                        |                 |                       |            |           |             |                                                                | Terminated at 0.41 m. Target depth.                                                                                    |                    |                                |                                                |

**Engineering log should be read in conjunction with AECOM soil and rock logging description sheets.**

# PAVEMENT DIP PHOTO REPORT

PAVEMENT DIP NO. PRUP\_CC01

PROJECT : Picton Road Upgrade

PROJECT NO. : 60739890

LOCATION : Picton Road Southbound south of Macarthur Drive

Sheet 1 of 1

# AECOM

Client: TfNSW

Project: Picton Rd Upgrade

Project Number: 60739890

Borehole ID: PRUP\_CC01

Location: Picton Rd

Box: -

Depth: 0.00 - 0.41 m

Date: 23/11/25



0.00 to 0.41 m

# AECOM

Client: TfNSW

Project: Picton Road Upgrade

Location: Picton Road Northbound north of Macarthur Drive

Project No: 60739890

Logged by: KA

Start Date: 23/11/25

Checked by: PW

End Date: 23/11/25

Location Meth.: DGPS

Eastings: 289552.10

Northings: 6206292.50

Hor. Datum: MGA2020-56

RL: 280.8 m

Ver. Datum: AHD

Surface: Concrete

Driller: Durkin

Drill Rig: Utilicor MPX-SS

Total Depth: 0.38 m

Hole Diameter: 300 mm

Inclination: 90°

Bearing: N/A

| METHOD | SUPPORT | DCP (BLOWS PER 100 mm) | GROUND WATER    | SAMPLES & FIELD TESTS | RL (m AHD) | DEPTH (m) | GRAPHIC LOG                                                                       | CLASSIFICATION SYMBOL | MATERIAL DESCRIPTION<br>(plasticity/particle characteristics, colour, secondary and other minor components, structure) | MOISTURE CONDITION | CONSISTENCY / RELATIVE DENSITY | ADDITIONAL OBSERVATIONS<br>(Geological Origin) |
|--------|---------|------------------------|-----------------|-----------------------|------------|-----------|-----------------------------------------------------------------------------------|-----------------------|------------------------------------------------------------------------------------------------------------------------|--------------------|--------------------------------|------------------------------------------------|
| DT     | U       |                        | Not Encountered | C: 0.00-0.25 m        |            | 0.0       |  |                       | CONCRETE: grey, aggregates up to 20 mm, 250 mm thick, cracked.                                                         |                    |                                | BASECOURSE                                     |
|        |         |                        |                 | C: 0.25-0.38 m        |            |           |                                                                                   |                       | Lean Mix CONCRETE: grey, aggregates up to 15 mm, 130 mm thick.                                                         |                    |                                | SUBBASE COURSE                                 |
|        |         |                        |                 |                       |            |           |                                                                                   |                       | Terminated at 0.38 m. Target depth.                                                                                    |                    |                                |                                                |
|        |         |                        |                 |                       |            | 280.0     |                                                                                   |                       |                                                                                                                        |                    |                                |                                                |
|        |         |                        |                 |                       |            | 1.0       |                                                                                   |                       |                                                                                                                        |                    |                                |                                                |
|        |         |                        |                 |                       |            | 279.0     |                                                                                   |                       |                                                                                                                        |                    |                                |                                                |
|        |         |                        |                 |                       |            | 2.0       |                                                                                   |                       |                                                                                                                        |                    |                                |                                                |
|        |         |                        |                 |                       |            | 278.0     |                                                                                   |                       |                                                                                                                        |                    |                                |                                                |
|        |         |                        |                 |                       |            | 3.0       |                                                                                   |                       |                                                                                                                        |                    |                                |                                                |



# PAVEMENT DIP PHOTO REPORT

PAVEMENT DIP NO. PRUP\_CC02

PROJECT : Picton Road Upgrade

PROJECT NO. : 60739890

LOCATION : Picton Road Northbound north of Macarthur Drive

Sheet 1 of 1

## AECOM

Client: TfNSW

Project: Picton Rd Upgrade

Project Number: 60739890

Borehole ID: PRUP\_CC02

Location: Picton Rd

Box: -

Depth: 0.00 - 0.38m

Date: 23/11/25



0.00 to 0.38 m


## AECOM



**Client:** TfNSW  
**Project:** Picton Road Upgrade  
**Location:** Picton Road Southbound north of Macarthur Drive

**Project No:** 60739890  
**Logged by:** KA  
**Start Date:** 23/11/25  
**Checked by:** PW  
**End Date:** 23/11/25  
**Location Meth.:** DGPS  
**RL:** 249.3 m  
**Ver. Datum:** AHD  
**Surface:** Concrete

**Driller:** Durkin  
**Drill Rig:** Utilicor MPX-SS  
**Total Depth:** 0.39 m  
**Hole Diameter:** 300 mm  
**Inclination:** 90°  
**Bearing:** N/A

| METHOD | SUPPORT | DCP (BLOWS PER 100 mm) | GROUND WATER    | SAMPLES & FIELD TESTS | RL (m AHD) | DEPTH (m) | GRAPHIC LOG                                                                       | CLASSIFICATION SYMBOL | MATERIAL DESCRIPTION<br>(plasticity/particle characteristics, colour, secondary and other minor components, structure) | MOISTURE CONDITION | CONSISTENCY / RELATIVE DENSITY | ADDITIONAL OBSERVATIONS<br>(Geological Origin) |
|--------|---------|------------------------|-----------------|-----------------------|------------|-----------|-----------------------------------------------------------------------------------|-----------------------|------------------------------------------------------------------------------------------------------------------------|--------------------|--------------------------------|------------------------------------------------|
| DT     | U       |                        | Not Encountered | C. 0.00-0.24 m        |            | 0.0       |  |                       | CONCRETE: grey, aggregates up to 30 mm, 240 mm thick, cracked.                                                         |                    |                                | BASECOURSE                                     |
|        |         |                        |                 | C. 0.24-0.39 m        |            | 249.0     |                                                                                   |                       | Lean Mix CONCRETE: grey, aggregates up to 25 mm, 150 mm thick.                                                         |                    |                                | SUBBASE COURSE                                 |
|        |         |                        |                 |                       |            |           |                                                                                   |                       | Terminated at 0.39 m. Target depth.                                                                                    |                    |                                |                                                |
|        |         |                        |                 |                       |            | 1.0       |                                                                                   |                       |                                                                                                                        |                    |                                |                                                |
|        |         |                        |                 |                       |            | 248.0     |                                                                                   |                       |                                                                                                                        |                    |                                |                                                |
|        |         |                        |                 |                       |            | 2.0       |                                                                                   |                       |                                                                                                                        |                    |                                |                                                |
|        |         |                        |                 |                       |            | 247.0     |                                                                                   |                       |                                                                                                                        |                    |                                |                                                |
|        |         |                        |                 |                       |            | 3.0       |                                                                                   |                       |                                                                                                                        |                    |                                |                                                |

# PAVEMENT DIP PHOTO REPORT

PAVEMENT DIP NO. PRUP\_CC03

PROJECT : Picton Road Upgrade

PROJECT NO. : 60739890

LOCATION : Picton Road Southbound north of Macarthur Drive

Sheet 1 of 1

# AECOM

Client: TfNSW

Project: Picton Rd Upgrade

Project Number: 60739890

Borehole ID: PRUP\_CC03

Location: Picton Rd

Box: -

Depth: 0.00 - 0.39m

Date: 23/11/25



0.00 to 0.39 m

# AECOM



**Client:** TfNSW  
**Project:** Picton Road Upgrade  
**Location:** Picton Road Northbound west of Macarthur Drive

**Project No:** 60739890  
**Logged by:** KA  
**Start Date:** 23/11/25  
**Checked by:** PW  
**End Date:** 23/11/25  
**Location Meth.:** DGPS  
**RL:** 293.4 m  
**Ver. Datum:** AHD  
**Surface:** Concrete

**Driller:** Durkin  
**Drill Rig:** Utilicor MPX-SS  
**Total Depth:** 0.38 m  
**Hole Diameter:** 300 mm  
**Inclination:** 90°  
**Bearing:** N/A

**Easting:** 289570.40  
**Northing:** 6205871.50  
**Hor. Datum:** MGA2020-56

| METHOD | SUPPORT | DCP (BLOWS PER 100 mm) | GROUND WATER    | SAMPLES & FIELD TESTS | RL (m AHD) | DEPTH (m) | GRAPHIC LOG                                                                       | CLASSIFICATION SYMBOL | MATERIAL DESCRIPTION<br>(plasticity/particle characteristics, colour, secondary and other minor components, structure) | MOISTURE CONDITION | CONSISTENCY / RELATIVE DENSITY | ADDITIONAL OBSERVATIONS<br>(Geological Origin) |
|--------|---------|------------------------|-----------------|-----------------------|------------|-----------|-----------------------------------------------------------------------------------|-----------------------|------------------------------------------------------------------------------------------------------------------------|--------------------|--------------------------------|------------------------------------------------|
| DT     | U       |                        | Not Encountered | C: 0.00-0.24 m        |            | 0.0       |  |                       | CONCRETE: grey, aggregates up to 20 mm, 240 mm thick, cracked.                                                         |                    |                                | BASECOURSE                                     |
|        |         |                        |                 | C: 0.24-0.38 m        |            |           |                                                                                   |                       | Lean Mix CONCRETE: grey, aggregates up to 10 mm, 140mm thick cracked.                                                  |                    |                                | SUBBASE COURSE                                 |
|        |         |                        |                 |                       |            | 293.0     |                                                                                   |                       | Terminated at 0.38 m. Target depth.                                                                                    |                    |                                |                                                |
|        |         |                        |                 |                       |            |           |                                                                                   |                       |                                                                                                                        |                    |                                |                                                |
|        |         |                        |                 |                       |            | 1.0       |                                                                                   |                       |                                                                                                                        |                    |                                |                                                |
|        |         |                        |                 |                       |            |           |                                                                                   |                       |                                                                                                                        |                    |                                |                                                |
|        |         |                        |                 |                       |            | 292.0     |                                                                                   |                       |                                                                                                                        |                    |                                |                                                |
|        |         |                        |                 |                       |            |           |                                                                                   |                       |                                                                                                                        |                    |                                |                                                |
|        |         |                        |                 |                       |            | 2.0       |                                                                                   |                       |                                                                                                                        |                    |                                |                                                |
|        |         |                        |                 |                       |            |           |                                                                                   |                       |                                                                                                                        |                    |                                |                                                |
|        |         |                        |                 |                       |            | 291.0     |                                                                                   |                       |                                                                                                                        |                    |                                |                                                |
|        |         |                        |                 |                       |            |           |                                                                                   |                       |                                                                                                                        |                    |                                |                                                |
|        |         |                        |                 |                       |            | 3.0       |                                                                                   |                       |                                                                                                                        |                    |                                |                                                |

# PAVEMENT DIP PHOTO REPORT

PAVEMENT DIP NO. PRUP\_CC04

PROJECT : Picton Road Upgrade

PROJECT NO. : 60739890

LOCATION : Picton Road Northbound west of Macarthur Drive

Sheet 1 of 1

# AECOM

Client: TfNSW

Project: Picton Rd Upgrade

Project Number: 60739890

Borehole ID: PRUP\_CC03

Location: Picton Rd

Box: -

Depth: 0.00 - 0.39m

Date: 23/11/25



0.00 to 0.38 m

# AECOM