

MITx: 6.00.1x Introduction to Computer Science and Programming Using Python

zhushun0008 (/dashboard

Courseware (/courses/MITx/6.00.1_3x/2T2014/courseware)

Updates & News (/courses/MITx/6.00.1_3x/2T2014/info)

 $Calendar \ (/courses/MITx/6.00.1_3x/2T2014/89309559b0414f6d8cbef9e48ca19f4b/)$

Wiki (/courses/MITx/6.00.1_3x/2T2014/course_wiki)

Help

iscussion (/courses/MITx/6.00.1_3x/2T2014/discussion/forum) Progress (/courses/MITx/6.00.1_3x/2T2014/progress)

L4 PROBLEM 10 (5 points possible)

Define a function <code>isVowel(char)</code> that returns True if <code>char</code> is a vowel ('a', 'e', 'i', 'o', or 'u'), and False otherwise. You can assume that <code>char</code> is a single letter of any case (ie, 'A' and 'a' are both valid).

Do not use the keyword in. Your function should take in a single string and return a boolean.

```
def isVowel(char):

'''

char: a single letter of any case

returns: True if char is a vowel and False otherwise.

'''

Your code here
```

Unanswered

Hint: A good operation to use

Check

Show Discussion









(https://twitter.com/edXOnline)

 \mathfrak{A}^{+}

(https://plus.google.com/108235383044095082

(http://youtube.com/user/edxonline) © 2014 edX, some rights reserved.

Terms of Service and Honor Code - Privacy Policy (https://www.edx.org/edx-privacy-policy)