LaTeX codes

LaTeX Template

Author: Zhutao Sheng

Date: 2022

Victory won't come to us unless we go to it.

Contents

Chapter 1 ElegantLaTeX Templates

ElegantLaTeX codes

1.1 title

The corresponding code is:

```
\title{\LaTeX{} codes}
\maketitle
```

1.2 references

The corresponding code is:

```
\addbibresource{references.bib}
\cite{bibid}
\printbibliography
```

1.3 Character

And symbol Z & S

1.4 Figure



Figure 1.1: Matplotlib: Scatter Plot Example

The corresponding code is:

```
\begin{figure}[htbp]
  \centering
  \includegraphics[width=0.6\textwidth]{figure/scatter.jpg}
```

```
  \caption{Matplotlib: Scatter Plot Example\label{fig:scatter}}
\end{figure}
```



Figure 1.2: South American coati



Figure 1.3: Brown bear

The double image in one row /side-by-side corresponding code is:

```
\begin{figure}[ht]
  \begin{minipage}[b]{0.45\linewidth}
    \centering
    \includegraphics[width=\textwidth]{figure/scatter.jpg}
    \caption{figure 1}
    \label{fig:nasua}
  \end{minipage}
  \hspace{0.5cm}
  \begin{minipage}[b]{0.45\linewidth}
    \centering
    \includegraphics[width=\textwidth]{figure/scatter.jpg}
    \caption{figure 2}
    \label{fig:Ursus-arctos}
  \end{minipage}
\end{figure}
```

1.5 Table

Table The corresponding code is:

Table 1.1: Theorem Class Environments

Environment	Label text	Prefix	Cross-reference
definition	label	def	\ref{def:label}

```
\begin{table}[htbp]
  \centering
  \caption{Theorem Class Environments}
  \begin{tabular}{llll}
    \toprule
    Environment & Label text & Prefix & Cross-reference \\
```

```
    \midrule
    definition & label & def & \lstinline|\ref{def:label}| \\
    \bottomrule
  \end{tabular}%
  \label{tab:theorem-class}%
\end{table}%
```

Table 1.2: Common methods for measuring respiration rate

Method	Timescale of measurement	Spatial resolution	Time series possible?	Examples
Sealed-chamber respirometry	minutes	none	yes	mouse embryos [**houghton1996**]; tissue culture cells [**ferrick2008**]; isolated mitochondria [**gnaiger2000**]
Open-chamber respirometry	hours	none	yes	bovine oocytes [**lopez2005**]
Fluorescence lifetime imaging microscopy (FLIM)	seconds	yes	yes	mouse oocytes and tissue culture cells [**Yang2021elife**]

The corresponding code is:

```
\begin{table}[h]
  \tabcolsep7.5pt
  \caption{Common methods for measuring respiration rate}
  \label{tab:respiration}
  \begin{center}
    \begin{tabular}{|m{0.30\textwidth}|m{0.18\textwidth}|m{0.07\textwidth}|m{0.08\textwidth
        }|m{0.27\textwidth}|}
      \hline
      Method & Timescale of measurement & Spatial resolution & Time series possible? &
          Examples \\ \hline
      Sealed-chamber respirometry & minutes & none & yes & mouse embryos \cite{houghton
          1996}; tissue culture cells \cite{ferrick2008}; isolated mitochondria \cite{
          gnaiger2000} \\ \hline
      Open-chamber respirometry & hours & none & yes & bovine oocytes \cite{lopez2005} \\
          \hline
      Fluorescence lifetime imaging microscopy (FLIM) & seconds & yes & yes & mouse oocytes
          and tissue culture cells \cite{Yang2021elife} \\ \hline
    \end{tabular}
  \end{center}
\end{table}
```

1.6 url, itemize, enumerate

URL usage: text

You can use lstlisting to list the code: The corresponding code is:

```
begin{lstlisting}
end{lstlisting}
```

itemize list The corresponding code is:

```
\begin{itemize}
  \item Italian translation \href{https://github.com/VincentMVV}{VincentMVV}
\end{itemize}
```

enumerate list

1. first item of nesti;
2. second item of nesti;

```
The corresponding code is:
\begin{enumerate}
  \item first item of nesti;
  \item second item of nesti;
\end{enumerate}
```

1.7 math formulas

formulas equation $a^2 + b^2 = c^2$

```
$a^2+b^2=c^2$
```

equation:

$$\int_{R^q} f(x,y)dy.off \tag{1.1}$$

The corresponding code is:

```
\begin{equation}
  \int_{R^q} f(x,y) dy.\emph{of\kern0pt f}
\end{equation}
```

equation:

$$a^2 + b^2 = c_{2_i}(1,2)[1,23] \tag{1.2}$$

The corresponding code is:

```
\begin{equation}
  a^2+b^2=c_{2_{i}} (1,2) [1,23]
\end{equation}
```

equation **Summation Operator**. If $\{x_i : i = 1, 2, \ldots, n\}$ is a sequence of n numbers, the summation of the n numbers is:

$$\sum_{i=1}^{n} x_i \equiv x_1 + x_2 + \cdots + x_n \tag{1.3}$$

The corresponding code is:

```
\begin{equation}
  \sum_{i=1}^n x_i \equiv x_1 + x_2 +\cdots + x_n
\end{equation}
```

box equation

$$\boxed{m\frac{dv}{dt} = -mg + \iiint_{\text{tore-en-mouvement}} (\vec{j} \times \vec{B}) \cdot \vec{e_z} d\tau} \tag{1.4}$$

The corresponding code is:

```
\begin{equation}
  \boxed{
    m \frac{dv}{dt} = -mg + \iiint_{
      \textrm{tore-en-mouvement}} (\vec{j} \times \vec{B}) \cdot \vec{e_z
    }d\tau
  }
  \label{m}
\end{equation}
```

fraction equation $ab \cdot x^5 + x^2 + 2 \cdot x + 123 + \dfrac{xyz}{\cos \alpha}$ is double fraction

The corresponding code is:

```
\item $\dfrac{ab \cdot x^5 + x^2 + 2 \cdot x + 123 + \dfrac{xyz}{\cos \alpha}}{t}$ is double
    fraction
```

$$\dot{Q}_{\text{ss}} = \sum_{\text{species } i} h_i J_{i,\text{import}} - \sum_{\text{species } i} h_i J_{i,\text{export}} = \sum_{\text{rxns } k} \Delta h_{\cdot,k} J_{\cdot,k} \tag{1.5}$$

The corresponding code is:

```
\begin{align}
  \dot{Q}_\text{ss} &= \sum_{\text{species } i} h_i J_{i,\text{import}} - \sum_{\text{
      species } i} h_i J_{i,\text{export}} = \sum_{\text{rxns } k} \Delta h_{\cdot,k} J_{
      \cdot,k}
  \label{eq:firstlaw7}
\end{align}
```