

(Object)

pen Chinese character →



choosed 7
Proj. file
Locals storage
Attribute
Attributte
Folklores of Zhejiang
Li:
Zhentian's folk
lore.

lip / UT for

priz 2

maybe file

priz 3:

Indicates

choosed file

Indicates choosed file

choosed file or red

Indicates

choosed file

Limited

Search

Surf through

under - Localstorage

Refuse

one from

my motherland and me

Want AT my
member
members?

target Container

Indolescence
(dfl - under a
government)
heart keep

representatives

Show results

< Mission domain >

Very two

! BLOB

"filename" parked PROB

button

JS

W.e.j.s. →

memory

button JS

i.e.

if

letting

index: while → num
member

No import

DOM

button 30, 15, 5, 1, 1)

member

1/ button

FS

TT

local store

button views

two file name


selected

to cat's print



local store

DOM →
AC

Proj & 3
css style cmr



list.




ST/SPT CSS

main.css
wall.css
vt.css. Toggle

button/
(pri2)

Taglavor
net



Prog Act: 5

Tag canvas

Font load performance issues

So I think

1. pre load.

2. -

Vue life cycle

Tag canvas

jQuery

zepto.js

Table Design

HTML → script → Vue

func();

Mounted



running

SYS_overhead

START

Font load

Roo, A C, J

ENCAPSULATIONS:

(zepto⁹)

UPDATE P

~~Font~~ UPDATE TABLE

~~1000~~ 1000

id: -tableBody

Initial
ctrl
id: 1000
Imitation
ctrl

UNDO
SEQUENCE

PROBLEMS & DEMANDS

is necessary.)


~~Assign HOTKEY~~

Document Client Listener ('key press') →

~~Event-Lifecycles~~

~~down loader~~

MERGING ~~to result~~
in fact surveys
incl. index. ~~etc.~~



Proj ACP
ISSUE: TOGGLE with the last selection.

ISSUE: TOGGLE with the last selection.
TOGGLE ISSUE

OUTPUT-CSV
Node.js
file[localCSV]

ISSUE: Vmix Single TOGGLE ISSUE

ISSUE*: FONT LOAD in `(ggCanvas)`.

UPDATE TABLE (" ", "undo")

TEST MODE



PHOTO-DB

html Create ToggleJumpScare.
Node.js
Display style

Create ToggleJumpScare.
Node.js
Display style

PROG MODE

before 12/30
localhost.

install
python: getCell()

http://
localhost:
getCell()

Proj A & 10



- Top Banner, move up!.

- Debug mode.

- TABLE SCROLL TO BOTTOM WHEN OVERFLOW
- Latch except destroy jumps and

- ZZ of HOTKEYS

Proj A C 11 display - Jquery - LocalStorage - Issues

RET → processData() LogPartial! update Local Storage


LocalStorage —

addRow();
TableDisplay

deleteRow();
updateTable();

clearTable();

Export → CSV
• quote issue.



Proj AC 12

Execution process

mounted

stack.

LAST, storage before RESET



CANVAS INIT
createHTML();
pushDOM

artist.js
member.js
turing.js
parameters

running
c-priz

within Table

? once

Up date Display

Global
VmEnv

! CSS

! once

Up date Display

Global
VmEnv

initialize Button. id='listplay'. pure-button

event

document assignHotkey eventListener

MNAPL keycode

TABLE eventListener->click

initialize TableScroll → (Vanilla) → #id → scroll → Destroyed.

'defing button('scroll')

window

initializePenMode. → (Vanilla) → #id → click. → ...ToggleVisiblity...()

! portTogleVisiblity(**PenMode**)

After mounted



methods:

reset

onclick.

clear ls

clearing

cleaning

clearblur

running

? n

Judge.

undo

stop


setCanvasSpeed.



! others



! others



proj AC: 14

[REF-T]


and data Exchange
processData()

addRow()

ret: '1234567890 Ming Zi'
 4799(ABC DEPT) /

? ↓

['1234567890 Ming Zi', '4799(ABC DEPT)'] host



Proj A C 15

N-mix SYSTEM OVERHEAD
(50 videos)

LOTTERY GAME

✓

proj 2020. 1. 8 抽獎

16

1. 楊某抽不參加.

2. 畢曉瀟文件夾未歸回.

3. Don 不參加

4. 人數上限設置

129) 2018. 1.7 抽奖.

姓名	Name	部门
		1

1. 抽奖前三十名，店铺
2. 三行框不滚动
3. 拼高分
4. 每次翻滚一个格高分
5. 未抽到的名字颜色浅一些
6. 大方框下拉一点
7. 部门简写
8. 字体加粗变大 \rightarrow 简单
9. 抽奖名单 \rightarrow CSV
10. 公司名称 \rightarrow 内容更改
11. Luckboss 不限人数
12. 竞逐量 1个