
AI-Guided Huawei Cloud Scenario

Snowflake to DataArts

AI-guided POC workflow for adapting Snowflake workloads toward Huawei Cloud DataArts ecosystem

PARTIAL · MEDIUM RISK · DataArts MCP



Scenario Flow at a Glance

The scenario README orchestrates the skill, approval gates, evidence and completion criteria.

1

Analyze

inventory SQL, jobs, objects

2

Adapt

map syntax and execution model

3

Demo

confirmed demo_start / demo_run

4

Validate

equivalence and report

Primary mechanism
DataArts MCP

Scenario maturity
PARTIAL
Risk: MEDIUM RISK

Control model
Discover before create. Verify after every step. No write without explicit approval.

Status
PARTIAL

Risk
MEDIUM RISK

Core
DataArts MCP

Control
approval

How to Use AI Safely for Snowflake DataArts

1 What AI Does

Plans, analyzes, prepares runbooks, checks dependencies and explains risks. It does not replace expert review.

2 What to Provide

Use anonymized inventories and approved metadata. Never provide real credentials, keys or customer secrets.

3 How to Authorize

Approve each write, cutover, restore, failover or service-impacting action explicitly.

4 When to Stop

Stop on ambiguity, unsupported region/service, unknown state, missing rollback or unclear owner.

AI accelerates planning and evidence collection; it does not remove the need for security review, rollback planning, and human approval.

Your Snowflake DataArts Scenario

Your Starting Point and Goal

AI must understand the business objective, not just execute isolated commands.

Your Starting Point
Snowflake workloads, SQL patterns and orchestration logic need evaluation for Huawei Cloud DataArts migration feasibility.

Your Goal
Run a controlled demo/POC adaptation and produce evidence. This scenario does not claim full production migration.

Why AI-Assisted
AI accelerates inventory, SQL adaptation analysis, risk classification and validation evidence.


Status
PARTIAL

Risk
MEDIUM RISK

Mechanism
DataArts MCP

Finish
evidence

Snowflake to DataArts POC Architecture



Result: proceed only after prerequisites, approvals, and verification evidence are present.


Step 1: Ask AI to Discover and Prove Readiness

Discovery Before Adaptation

Example prompt
"Analyze Snowflake workloads and classify SQL, objects, schedules, data dependencies, and expected validation outputs."

AI should know
How to separate supported patterns, unknowns, manual conversions, credentials, and demo scope boundaries.

Verify
No secrets. Workload list matches source metadata. Unsupported features are documented as gaps, not silently converted.



Stop conditions: missing target, ambiguous resource, unsupported state, missing owner, or unclear rollback.

Step 2: Ask AI to Prepare the Controlled Plan

Prepare the POC Adaptation

Inputs

Plan

Approval

Readiness evidence the agent must produce

- ✓ POC scope approved
- ✓ Credentials handled securely
- ✓ Unsupported SQL classified
- ✓ Validation criteria agreed

Plan elements

Scope control

Define demo objects, SQL subset, data volume, and success criteria.

Compatibility map

Identify syntax changes, service mapping and unsupported features.

Execution guard

demo_start and demo_run require explicit confirmation; no production claim.

Every plan must identify approval owner, verification evidence, and rollback or recovery behavior.

Step 3: Ask AI to Execute One Controlled Phase at a Time

Execution: Controlled Two-Phase Process

Phase 1: Adapt and Stage

Parse Snowflake inputs
Generate adaptation plan
Prepare DataArts demo flow
Keep unsupported items visible

Ready

Phase 2: Confirmed Demo Run

Run only with confirm=true
Capture logs and outputs
Validate samples and equivalence
Record partial limitations



On failure: preserve IDs/logs/evidence → classify root cause → resume only from verified checkpoint.

Step 4: Ask AI to Handle Errors and Edge Cases

POC Error Handling and Gap Control

U	**Unsupported SQL**	Mark as manual/adaptation gap; do not fabricate compatible syntax.
M	**Missing fixtures**	Accepted warning. Do not invent golden outputs.
C	**Credential issue**	Stop and request secure runtime configuration.
D	**Data mismatch**	Preserve evidence, sample inputs/outputs, and transformation decision.
P	**Production request**	Stop: current skill is PARTIAL / POC only.


Verify and prevent hallucinations: when AI says “fixed”, require concrete evidence — logs, status, checks, and owner validation.

Step 5: Ask AI to Validate Before Closure

Validation Is Bounded by POC Scope

Do not accept generic “looks good”. Require proof before closure.

- ✓ Demo run executed only after confirmation
- ✓ Source-to-target sample checks documented
- ✓ Unsupported features listed with owner decision
- ✓ Logs and report generated
- ✓ No production migration claim made



Equip Your AI Assistant

What the AI Needs to Execute the Scenario

Start from scenario README; load only the required skill for the current phase.

Scenario README

Scenario README restricts scope to demo/POC and prevents production-readiness overclaim.

Operational Skill

Operational skill uses dataarts-deploy-agent MCP with confirmation gates and evidence capture.

Shared Components

Optional pricing/ticket/Playwright help planning and exploration, not core production execution.

Rule of thumb: do not load every skill; identify the current phase, load the relevant SKILL.md, execute one controlled step, verify, then return to the scenario README.

Pilot to Production Journey

Recommended Snowflake to DataArts POC Journey

This scenario is complete only when its objective-specific validation criteria are met and closure is approved.

