

中华人民共和国国家标准

GB/T 24463.3—2009



交互式电子技术手册 第3部分：公共源数据库要求

Interactive electronic technical manuals—
Part 3: Common source database requirement

2009-10-15 发布

2009-12-01 实施

中华人民共和国国家质量监督检验检疫总局
中国国家标准化管理委员会 发布

目 次

前言 III

引言 IV

1 范围 1

2 规范性引用文件 1

3 术语、定义和缩略语 1

3.1 术语和定义 1

3.2 缩略语 2

4 通用要求 2

4.1 概述 2

4.2 数据交换要求 2

4.3 数据模块结构和数据元素命名要求 2

4.4 数据的可维护性 2

5 公共源数据库 2

5.1 概述 2

5.2 数据模块 2

5.3 插图 7

5.4 数据模块需求列表 7

5.5 出版物模块 7

6 数据管理 7

6.1 数据模块代码 7

6.2 插图及插图代码 9

6.3 数据模块需求列表标识码 9

6.4 出版物模块代码 10

附录 A（规范性附录） 元素名称字典 11

附录 B（规范性附录） 数据模块的 DTD 23

参考文献 221

前 言

GB/T 24463—2009《交互式电子技术手册》分为以下三个部分：

- 第1部分：互操作性体系结构；
- 第2部分：用户界面与功能要求；
- 第3部分：公共源数据库要求。

本部分为 GB/T 24463—2009 的第3部分。

本部分的附录 A、附录 B 是规范性附录。

本部分由中国标准化研究院提出并归口。

本部分起草单位：装甲兵工程学院、中国标准化研究院、天健志行科技有限公司。

本部分主要起草人：徐宗昌、李文武、安钊、张文俊、张颖、郭红芬、雷育生、周健、解洪成、曹冒君、胡梁勇、王晓静、张卫国、何平、姜巍巍、洪岩。



引 言

随着科学技术的发展,出现了许多大型复杂的高技术装备。为了解决这些装备使用纸质技术手册所存在的费用高、体积与重量大、交付与传递的及时差、易污染、使用不方便等诸多弊端而不能适应装备使用与维修要求的问题,自 20 世纪 80 年代中期以来,美国及世界各发达国家在推行 CALS(目前, CALS 称持续采办与寿命周期保障)信息化策略时,就将交互式电子技术手册(IETM)列为一项重要的关键技术加以推广。随着 IETM 技术的发展与广泛应用,已愈来愈显示出它在提高装备使用、维修、故障诊断和人员培训的效率与效益方面的巨大优越性,因此,目前 IETM 已成为包括我国在内的世界各国的军用与民用装备制造业信息化的一项大力推广的技术,其应用前景十分广阔。

本部分规定了交互式电子技术手册源数据采用公共源数据库的方式进行存储与管理。在公共源数据库方式下,本部分对数据模块,数据模块需求列表模块和出版物模块等内容进行了规范,明确了数据模块代码,插图代码,出版物代码的代码结构和各类数据模块的 DTD 进行数据模块管理等内容。



交互式电子技术手册

第3部分：公共源数据库要求

1 范围

GB/T 24463 的本部分规定了构建交互式电子技术手册公共源数据库的要求，提出了数据模块存储和管理的方式。

本部分适用于交互式电子技术手册技术信息的数据模块化处理。

本部分包含下述内容：

- 数据模块；
- 数据模块需求列表；
- 插图；
- 出版物模块；
- 数据模块代码编制要求；
- 插图代码编制要求；
- 出版物模块代码编制要求。

2 规范性引用文件

下列文件中的条款通过 GB/T 24463 的本部分的引用而成为本部分的条款。凡是注日期的引用文件，其随后所有的修改单（不包括勘误的内容）或修订版均不适用于本部分，然而，鼓励根据本部分达成协议的各方研究是否可使用这些文件的最新版本。凡是不注日期的引用文件，其最新版本适用于本部分。

GB/T 15121.3 信息技术 计算机图形 存储和传送图片描述信息的元文卷 第三部分：二进制代码(GB/T 15121.3—1996, idt ISO/IEC 8632-3:1992)

GB/T 18793 信息技术 可扩展置标语言(XML)1.0

3 术语、定义和缩略语

3.1 术语和定义

下列术语和定义适用于 GB/T 24463 的本部分。

3.1.1

公共源数据库 common source database; CSDB

交互式电子技术手册的所有信息对象的存储与管理方式。

3.1.2

数据模块 data module

技术手册中最小的、独立的信息单元。数据模块包括文本、图表及其他类型的数据，并且具有通用的结构。

3.1.3

数据模块代码 data module code

数据模块的标准化和结构化的定义，是数据模块的唯一标识。

3.1.4

数据模块需求列表 data module requirement list

标识一个项目所需要的数据模块的工具,支持项目的计划、报告、生产和配置控制。

3.1.5

出版物模块 publication module

满足出版需求的数据模块的集合,是对数据模块对象进行组织的数据单元。

3.2 缩略语

下列缩略语适用于 GB/T 24463 的本部分。

DTD document type definition 文档类型定义

DMC data module code 数据模块代码

DMRL data module requirement list 数据模块需求列表

EIAC end item acronym code 成品缩写码

PM publication module 出版物模块

UOC usable on code 最终产品使用码

4 通用要求

4.1 概述

交互式电子技术手册的数据存储在公共源数据库(CSDB)中,CSDB 的中心内容是数据模块。数据模块(DM)是交互式电子技术手册中最小的、独立的信息单元。数据模块包含文本、表格和其他可解析的数据,插图以及其他格式的数据不直接包含在数据模块中,而通过引用机制进行调用。数据模块的唯一标识是数据模块代码和出版号。

4.2 数据交换要求

按照本部分规定提交的交互式电子技术手册的公共源数据库应按照第 5 章的内容进行构建和标记,并且应符合 GB/T 18793 的规定。

4.3 数据模块结构和数据元素命名要求

数据模块应按附录 A 和附录 B 中描述的数据字典和 DTD 进行构建和标记。除非有另外说明,数据模块的类型应与本部分 5.2.2 保持一致。当编辑实例时,创作者应选择适当的 DTD 中的元素名称。

4.4 数据的可维护性

数据模块的更新可以在数据模块内进行并标记。交互式电子技术手册的更新是根据项目要求而改变,更新内容应在交互式电子技术手册的前言中进行说明。

5 公共源数据库

5.1 概述

公共源数据库中的数据可以独立存在,也可以采用数据库结构进行管理。通过数据库管理系统产生的数据必须与本部分的要求相一致。描述产品的信息以离散的形式生成并存储在公共源数据库里。公共源数据库包含数据模块、与数据模块相关的插图、模块需求列表和出版物模块等内容。

5.2 数据模块

数据模块的结构分为两个部分:一是标识和状态部分,二是内容部分。在本部分,(M)表示元素为强制使用,(O)表示元素为可选使用,未标记的元素可根据项目选用。

5.2.1 标识和状态部分

标识和状态部分的标记元素为<idstatus>(M)。

5.2.1.1 标识

标识部分是强制性的,标记元素是<dmaddres>(M),包括数据模块代码<dmc>(M)、数据模块标题

<dmtitle>(M)、发布号<issno>(M)和发布日期<issdate>(M)。

5.2.1.1.1 数据模块代码

数据模块代码是数据模块标识的一部分,标记元素是<dmc>,所有数据模块都分配一个数据模块代码。具体的代码结构见 6.1。

5.2.1.1.2 数据模块标题

数据模块标题是数据模块代码中产品名称部分。标记元素是<dmtitle>。标题分为技术名称和信息名称。

5.2.1.1.2.1 技术名称

技术名称是产品系统、子系统名称的术语描述。标记元素是<techname>(M)。

5.2.1.1.2.2 信息名称

信息名称是对产品执行某项保障活动的术语描述。标记元素是<infoname>(O)。

5.2.1.1.3 发布号

发布号的标记元素是<issno>。发布号有以下 3 个属性:

- a) 发布号。每个得到发布认可的数据模块须分配一个有连续性的发布号。发布号也是数据模块唯一标识的一部分。一般情况下,初始发布号为“001”,数据模块再发布一次,数值便增加一个数值。
- b) 发布类型。发布类型由属性 type 表示,有 4 个值,分别为:
 - “new”表示数据模块初始发布号应总是“001”,并发布类型值为“new”值。
 - “deleted”表示数据模块的删除并非在公共源数据库中删除,只是通过把发布类型值设置为“deleted”来表示数据模块已删除。
 - “changed”数据模块进行了部分的更改,而且进行了标记,则将发布类型的属性设置为 changed。
 - “revised”数据模块进行了全部的更改,在数据模块中也没有标记更改,则把发布类型值设为“revised”。
- c) 工作编号。没有发布的数据模块处理于编辑状态时的编号。它可以在草案中使用。工作编号的初值应设为“01”,数据模块每更改一次便增加一个数值。

5.2.1.1.4 发布日期

数据模块的每次发布,无论是最初的编写、修订或是更新,都应以 YYYY-MM-DD 的格式,作为日期的属性分配给发布日期的标记元素<issdate>。

5.2.1.2 状态部分

数据模块的状态部分提供了与数据模块状态相关的信息。状态部分的标记元素是<status>(M)。它包含:

- 密级<security>(M);
- 数据模块约束<datarest>;
- 解释单位<rpc>(M);
- 编写单位<orig>(M);
- 适用性<applic>(M);
- 质量保证<qa>(M);
- 更新原因<rfu>(O)。

5.2.1.2.1 密级

数据模块和插图的密级的标记元素是<security>。采用属性值来表示其等级,等级分为绝密、机密、秘密和公开,其属性值由工程项目进行定义。

5.2.1.2.2 数据约束

数据约束是数据模块使用时的相关说明。数据模块约束的标记元素是<datarest>。数据约束的子元素有：

- 指南<instruct>(M)；
- 版权<copyright>(O)。

5.2.1.2.2.1 指南

指南主要包括项目中所使用数据模块如何处理密级、解除密级以及使用数据模块的一些限制性要求。

5.2.1.2.2.2 版权

版权的标记元素是<copyright>。<holder>是版权持有人的名字,<firstyear>是版权生效年,<last-year>是版权终止年。<registeredwith>是注册版权机构的名称,<govtlicense>是版权证号,是使用版权的法律许可信息。

5.2.1.2.3 解释单位

解释单位是能够对数据模块内容负责的单位或机构。解释单位的标记元素为<rpc>。

5.2.1.2.4 编写单位

编写单位是数据模块的编写或创作单位。编写单位的标记元素为<orig>。

5.2.1.2.5 适用性

适用性的标记元素为<applic>。适用性是对一个数据模块所适用产品的基本描述。数据模块的适用性由编写人员指定,或在数据模块的编写和更新期间由创作系统生成。

适用性元素包括下列子元素：

- 产品类型<type>(O)用于描述产品的类型；
- 产品型号<model>(M)用于描述产品的型号。

产品型号<model>包括下列元素：

- 型别<version>(O)用于描述产品的型别；
- 制造商<mfc>(O)用于描述制造商的名字；
- 维修级别<level>用于描述数据模块使用的维修级别；

配置<config>(O)用于描述数据模块的配置信息。它包含产品修改状态的信息和任何服务公告信息。

配置<config>包括下列元素：

- 修改<mod>(O)用于描述产品是否处于修改状态。
- 修改标题<modtitle>(O)用于描述修改的内容。

服务通告<sb>(O)包括被修订的数据模块或 IETM/技术出版物的信息,更改的数据模块包括数据模块中的<avee>、发布号<issno>、数据模块标题<dmttitle>。更改的出版物包括出版物代码<pubcode>、出版物标题<pubtitle>、出版物日期<pubdate>等元素。

5.2.1.2.6 质量保证

质量保证的标记元素为<qa>。用于详细说明项目中数据模块的质量保证进程。数据模块分为未经确认的或已确认的质量保证状态。

“未确认的”指编辑的数据模块还没有得到相关单位的审核。元素<unverif>用于描述未确认的状态。

“确认”指数据模块得到相关单位的审核。元素<firstver>和<secver>,分别表示数据模块进行了首次或第二次审核确认。

5.2.1.2.7 更新原因

更新原因元素<rfu>是对数据模块更新原因的简要说明。可用在技术手册的发布或研制阶段。

5.2.2 数据模块内容部分

5.2.2.1 数据模块内容部分的通用部分

大部分数据模块中包含着以下同样的元素。下列元素在数据模块内容部分的位置参照 DTD 结构。

5.2.2.1.1 适用性

整个数据模块的适用性<applic>信息放在识别和状态部分<idstatus>中。但常常有必要指出数据模块内容部分的差别,因此在内容的部分需要进一步的描述细节,而采用本元素。

5.2.2.1.2 引用

两种引用在标准中是有效的:

- 引用<refs>外部引用(如链接到其他数据模块);
- 交叉引用<xref>内部引用(如与数据模块的其他位置)。

5.2.2.1.3 警告、注意和说明

警告<warning>、注意<caution>和说明<note>适用于所有的数据模块。警告和注意直接置于相关段落的前面。说明即可以放在相关的段落前面,也可以放在之后。

- 警告<warning>用于提示能引起人员伤亡或死亡的危险信息;
- 注意<caution>用于提示会引起产品损害的危险信息;
- 说明<note>用于提示附加的信息,该信息对用户是非常有用的。

5.2.2.1.4 插图

插图包括图本身和图标记线。插图<figure>有强制属性 boardno。对属性 boardno 进行赋值,其值取自插图代码 ICN,来定位插图。插图<figure>包括子元素<graphic>,在子元素图<graphic>中包含热点<hotspot>。

插图代码(ICN)用于图和插图的生成。ICN 的代码的编制代码规则见 6.2。

5.2.2.1.5 准备工作

准备工作元素<prelreqs>用于包含实施活动时的所有初步要求。包括以下元素:产品管理数据<pmd>、所需条件<reqconds>、所需人员<reqpers>、保障设备<supequip>、供应品<supplies>、备品集合<spares>、安全要求<safecond>。

5.2.2.2 数据模块内容部分的专用部分

5.2.2.2.1 描述信息

描述信息是使维修人员进一步理解产品系统、子系统和单元的结构、功能、操作和控制的技术数据。它应包括相关系统的标识、位置以及重要零部件的综述。描述信息还应包括产品或电路图的示意图。示意图应用尽量详细地描述来补充故障隔离和维修人员对系统操作的理解。

描述信息的 DTD 见附录 B 中的 descript. dtd 文档。描述信息<descript>的元素标记见附录 A 数据字典。

5.2.2.2.2 程序信息

程序信息是使维修人员对产品及安装在上面的部件进行维修时所需要的技术信息,它常包括但不限于下列信息:

- 连接/断开测试设备和动力源;
- 使用任何专用工具和保障设备;
- 维修和保养产品及其系统/组件;
- 维修活动规程的执行;
- 排除故障;
- 在最短的时间内拆卸和安装相应的系统/组件。

程序信息的 DTD 见附录 B 中的 procedural. dtd 文档。程序信息<proced>的元素标记见附录 A 数

据字典。

5.2.2.2.3 故障信息

故障信息是进行故障隔离时所需要技术信息的描述。故障隔离信息应包括下列信息：

- 隔离的、查明的和观察到的故障清单；
- 故障隔离程序、文本和图表；
- 故障隔离任务的保障数据；
- 故障代码索引(从信息中获取)；
- 维修信息索引(从信息中获取)；
- 检查、核对或测试；
- 修复行为；
- 故障隔离程序。

故障信息来源于：

- 产品监视系统；
- 使用和维修人员；
- 任务完成后检查的结果。

故障信息的 DTD 见附录 B 中的 fault.dtd 文档。故障信息<fault>的元素标记见附录 A 数据字典。

5.2.2.2.4 维修计划信息

维修计划信息是保证技工进行产品的维修,特别是关于预防性检查和维修(包括计划和非计划)时的必要要求。维修计划信息将包括下面的内容：

- 时限；
- 维修/检测任务清单；
- 计划和非计划检查；
- 验收和功能性检测。

维修计划信息的 DTD 见附录 B 中的 maintenance plane.dtd 文档。维修计划信息<schedule>的元素标记见附录 A 数据字典。

5.2.2.2.5 人员信息

人员信息是描述操作/维修人员为完成在其岗位要求而进行的各种活动所需要的技术信息。

人员信息的 DTD 见附录 B 中的 crew.dtd 文档。人员信息<crew>的元素标记见附录 A 数据字典。

5.2.2.2.6 零部件信息

零部件信息是用来获取和描述零部件列表和有插图零部件的技术数据。

零部件信息的 DTD 见附录 B 中的 part.dtd 文档。零部件信息<part>的元素标记见附录 A 数据字典。

5.2.2.2.7 接线信息

接线信息是指由熟练工人使用的描述电子路线的图表,通过标准的电路图能完成电子系统的故障隔离和维修。

接线信息 DTD 的使用不是强制性的。它也可能以表格的形式来准备接线出版物和通过描述性的 DTD 来准备接线的线路图。

接线信息的 DTD 见附录 B 中的 wrngdata.dtd 文档。接线信息的元素标记见附录 A 数据字典。

5.2.2.2.8 过程数据模块

过程数据模块是对数据模块间逻辑关系的描述。它包括按顺序和以 if-then-else 分支或循环的方式在数据模块之间进行切换。顺序结构用于不要求变更数据模块自身的数据模块,而且这些数据模块可以在许多顺序模块中进行重用。过程数据模块在静态变量的基础上对数据模块进行过滤,它可以按用户或其他资源的要求抽出状态信息进行分支或过滤。

5.3 插图

插图必须简单、明了,并以适用的格式或样式显示给用户,插图必须能够准确提供意欲完成工作的技术信息。插图必须根据文字和数据模块的其他信息一起进行显示,以使用户接受到最大量的信息,本部分插图在计算机中存储的数据格式应符合 GB/T 15121.3 的规定。

5.4 数据模块需求列表

数据模块需求列表(DMRL)是一个明确工程项目中所需要数据模块的工具。在工作共享环境中,实施 DMRL 是为了实现技术手册生产的计划、报告、生产和配置控制等管理。

一个 DMRL 包括如下的元素:DMRL 标识码、DMRL 状态、DMRL 条目。

5.4.1 数据模块需求状态

数据模块需求状态包括以下元素:

- 发布号<issno>;
- 发布日期<issdate>;
- 密级<security>;
- 数据模块约束<datarest>;
- 数据模块引用<dmlref>;
- 注释<remarks>。

5.4.2 数据模块需求条目

每个数据模块需求条目有属性“new”、“changed”“deleted”,并包括下列元素:

- 数据模块地址<addresdm>,其包括的子元素见数据模块 DM;
- 密级<security>;
- 解释单位<rpc>;
- 注释<Remarks>。

5.5 出版物模块

出版物模块包括下列内容的一个或多个引用:

- 数据模块;
- 图表数据模块;
- 出版物模块。

6 数据管理

6.1 数据模块代码

数据模块代码(DMC)是一个数据模块的标准化和结构化的定义。它包括在数据模块的标识内。DMC 是数据模块唯一标识的一部分,用于 CSDB 中对数据模块的管理和在电子条件下对数据模块的寻址或转换。

6.1.1 数据模块代码结构

DMC 由两部分组成,分别是硬件标记部分和信息类型部分。硬件部分主要描述产品的特性内容的代码,信息类型主要是产品使用的技术信息的代码。在一个 CSDB 中,数据模块代码的长度应当保持固定,如图 1。




图 1 数据模块代码结构

本部分采用的数据模块代码采用 17~37 位数字表示。代码可以根据项目的情况改变长度,但需要符合本部分给出的细目结构。以 17 位数字为例进行代码编制代码的说明,如图 2。




图 2 数据模块代码编制说明

代码中“Y”字符范围:“0”…“9”,“A”…“Z”(“O”和“I”应避免使用)。
“硬件标识”和“信息类型”两个 DMC 部分划分的细目分别在表 1 和表 2 中给出。

表 1 硬件标识

组成部分	长 度
产品类型(MI)	3~14 位字符
标准编码系统(SNS)	6~13 位字符
分解码(DC)	2 位数字字符
分解码变量(DCV)	1 或 3 位数字字符

表 2 信息类型

组成部分	长 度
信息码(IC)	3 位数字字符
信息码变量(ICV)	1 位数字字符
部件位置码(ILC)	1 位数字字符

6.1.2 产品类型

产品类型(MI)是对产品的名称、型号的描述。当 MI 与后勤保障分析记录保持一致时,MI 是最终产品缩写码(EIAC)和最终产品使用码(UOC)的叠加。标记元素:〈avee〉。

产品类型(MI)代码在 DMC 中的位置如式中带下划线黑体所示:

YY **Y-YYYYYY-YYY-YYYY-Y**

6.1.3 标准编号系统

标准编码系统(SNS)是不仅限于描述产品系统的功能,也可以对产品的物理项目进行分类描述。对于产品的维修任务也可以采用 SNS 进行描述。标记元素:〈system〉。

标准编码系统(SNS)在 DMC 中的位置如式中带下划线黑体所示:

YY **Y-YYYYYY-YYY-YYYY-Y**

6.1.4 分解代码及分解码变量

分解代码(DC)是组件在产品进行维修活动中的分解层次,是产品维修活动中连续分解的编号。根据维修活动的先后,对数据模块中编有号码的组件进行次序分配而产生的代码。标记元素:〈discode〉。

分解码变量(DCV)是同一产品的替代操作过程的标记。标记元素为〈discodev〉。

分解代码(DC)和分解码变量(DCV)在 DMC 中的位置如式中带下划线黑体所示:

YY Y-YYYYYY-**YYY**-YYYY-Y

6.1.5 信息码及信息码变量

信息码(IC)用于指定在一个数据模块中的信息类型。标记元素:〈incode〉。

信息码变量(ICV)是指信息类型中的其他信息,标记元素:〈incdev〉。
在 DMC 中信息码(IC)和信息码变量(ICV) 在 DMC 中的位置如式中带下划线黑体所示:
YY Y-YYYYYY-YYY-**YYYY-Y**

6.1.6 位置码

位置码(ILC)是识别产品的维修活动在哪里进行或信息在哪里应用的代码。标记元素:〈itemloc〉。
一般情况下,位置码的取值为 A、B、C、D、T,其意义为:
——A 在产品上完成;
——B 在产品拆除部件上完成;
——C 在车间完成;
——D 与 A、B、C 三种情况都相关的信息;
——T 与训练数据相关的信息。

产品位置码(ILC)在 DMC 中的位置如式中带下划线黑体字符所示:
YY-Y-YY-YY-YY-YYY-**YYYY-Y**

6.2 插图及插图代码

插图用来增强文本的表达,插图应与相关文字一起表达技术信息的含意。插图不放置在数据模块中,但是可以被数据模块引用。每个插图应该用一个插图代码(ICN)进行标识。在 CSDB 中,ICN 是唯一的标识,通过 ICN 可以建立一个或多个数据模块的关联。

ICN 由 9 个元素组成,结构如图 3。




图 3 插图代码说明

图中 ICN 为插图代码的特有的前缀,其他代码名称的解释见本部分的相关章条。

6.3 数据模块需求列表标识码

根据本部分生成的数据模块需求列表应给出一个 DMRL 标识码(DMLC)。其标记元素为〈dmlc〉。
代码方式如下式所示:
YYY-YYYYYY-A-XXXX-NNN
标识码元素如表 3。

表 3 DMRL 需求列表

DMLC 元素	长 度
产品类型	3~14 位字符
生产厂商	5 位字符
DMRL 类型	1 位英文字母

表 3 (续)

DMLC 元素	长 度
发布年限	4 位字符
每年的序列号	3 位有序字符

6.4 出版物模块代码

出版物模块代码(PMC)是一个 IETM/出版物模块或一个最终发布出版物/IETM 的标准和结构标识。它是出版物模块的状态标记元素。PMC 是出版物模块的唯一标识部分。PMC 用于管理 CSDB 中的出版物模块/IETM,用于在一个 IETM 环境中获取它们。PMC 作为一个应用出版物列表的条目及出版物引用。

代码方式如下式所示:

YY-YYYYY-XXXXX-NN。

PMC 由 14 位字母数字字符组成,其构成如表 4。标记元素:<pmc>。

表 4 出版物模块代码

PMC 分解	长 度
模块标识码	2~14 位字符
发布单位	5 位数字字符
出版物号	5 位数字字符
卷号	2 位数字字符

附 录 A
(规范性附录)
元素名称字典

元素名称字典是对元素的解释,表 A.1 列出了公共源数据库可能用到的元素的中英文名称及其描述。

表 A.1 元素名称字典

英文名称	英文描述	中文名称	说 明
abbrev	LRU short designation	LRU 的简写	外场可更换单元的简写名称
accpnl	Access Panel	通道面板	接触到部件的途径说明的面板
acrodef	acronym definition	缩写词解释	对首字母缩写词的全文解释
acronym	Acronym Term and Definition	缩写词	缩写词包括缩写词解释和简写词两元素
acroterm	Acronym Term	简写词	
acrw	All Crew Content	人员信息	
action	Action to be performed	动作	完成某一种维修活动的动作
add		和运算	表达式中的和运算
afi	All Fault Isolation	故障隔离	
afiref	All Fault Isolation Reference	故障隔离引用	
afr	All Fault Reporting	故障报告	
age	Aircraft Ground Equipment	地面设备	飞机的地面保障设备
airpwr	indicate the status of any air supplies	气动力	气动力的情况
and	and	与运算	
answer	answer	答案	
applic	Applicability	适用性	适用条件的描述
asp	Attaching, Storage or shipping Part	连接,存储或者运输	连接,存储或者运输的描述
asrequir	As Required	要求	asrequir 是为了在界面上产生一个“要求”的提示图标
assertion	assertion	声明	
avee	Air Vehicle, Engines, Equipment	飞机机载设备	
avehcfg	All Vehicle Required Conditions	要求条件	是 PMD 中的一个元素, PMD 用来包括计划或任务准备的基本的必要的信息。AVEHCFG 表示产品要求的条件
boolean	boolean	布尔函数	表达式中的布尔运算
can	Change Authority Number	改变授权号	改变授权号
capbody	Caption Group Body	标示体	指示牌的全部称呼
capentry	Caption Group Entry	标示牌条目	条目(作为多个标签的容器)
capgrp	Caption Group	标示组	由多个标签组成的表盘
capline	Caption line of text	标示	标示盘内标示的具体内容(常用缩略词)

表 A.1 (续)

英文名称	英文描述	中文名称	说 明
caprow	Row of Captions	标示行	标示盘中行的参数
captext	Caption Text [not within a caption box]	标示文本	不包括外框的标题文本(常用在标示组里,有更改属性)
caption	caption	单一标示	表盘上的标示(是多种具体内容的容器,有自身的属性,指的是警报器上的一些指示符号,caption 指的是一行)
case	case	事例	
cat	Category	种类	零部件的类别
caution	caution	注意	一种警告的方式
cbs		零部件位置数据	
challeng	challenge	询问	
challrsp	challenge and response	询问和回答	
change	Change Marker	更改标记	
chapnum		系统代码	SNS 代码中的第一组码
choice	Choice in a Selection List	选择	
cide		组件标识码	AGE 中的 SNS 的第三组码
closetxt	Close Text	结束	程序中的结束文字
closeup	Close up procedures	停止程序	
cmk	Calibration MarKer	刻度标记	
colspec	Column Specification	列定义	列的各种参数设定
concat	concatenate	字符串加运算	字符串加运算
condit	If,Elseif & Case Condition	条件	If,Elseif & Case 等条件
config	Configuration	配置	包括两种状态:一是修改状态,二是使用状态
content	Content Structure	模块内容	
copyright	copyright	版权	
crew	identify the crew/operator responsible for carrying out an action. It contains occurrences of the element <crewmem> to identify individual crew/operator member	工作队	负责执行某一任务时的各种职责
crewmem	individual crew/operator member	成员	某一固定人员的职责
csn	Catalog Sequence Number	目录序列号	
csnref	Reference to CSN	引用产品分类号	引用产品分类号
ctl	Category 1 conTainer Location	种类 1 容器地址	
data	Range Of Data To Be Set For Testing	数据	检测设置的数据范围
datacond	Specific Conditions	模块密级变化条件	当不同密级的模块相组合使用时,要采用较高级别的密级

表 A.1 (续)

英文名称	英文描述	中文名称	说 明
datarest	Data Restrictions	模块约束	处理数据模块时要满足的条件(如发行、解密、销毁、版权等活动的条件)
def	Definition	定义	在列表中对术语的解释
defined	'True' if variable exists in State Information and does not have a NIL value	界定运算	一元运算中的假设条件
definspec	Inspection Definition	定义检测	
deflist	Definition List	词汇列表	对模块中专用词汇的解释
deftask	Task Definition	任务定义	
descacrw	describe all crew	人员描述信息	
describe	Fault description	描述	有关检测方式、故障等的描述
descript	Descriptive Content	描述信息	
detect	Fault detection	故障检测	
dfault	Detected Fault	检测到的故障	
dfi	Description Of Location	地址描述	
dfp	Description Of Part	零部件描述	
diagnost	Fault Diagnostic	故障诊断	
dialog	Dialog Element	对话框	
dialog-alt	Dialog Alternatives	备选对话框	
disclose	Intended Use or Disclosure	解密要求	模块解密的要求
discode	Disassembly Code	分解码	组件的分解
discodev	Disassembly Code Variant	分解码变量	零部件分解有微小的变化。可使用后勤保障分析中的备用后勤控制码(ALC)
disjoint	disjoint	不相交运算	两个集合不相交的运算
disolate	Fault Location	故障定位	
distrib	Distribution Requirements	发行要求	
divide		除运算	
dmaddres	Data Module Address	模块标识	模块地址包含数据模块的代号、名称等内容
dmc	Data Module Code	模块代码	
dm-else-seq	Else Branch DM Sequence	else 分支	else 分支,采用这个标记是来说明条件在否的结果时采用的逻辑结果
dm-if	If-Then-Else DM Nodes	if 节点	if 节点
dm-loop	Loop Data Module Nodes	loop 节点	loop 节点
dm-node	Data Module Node	模块节点	模块节点
dm-node-alt	DM Node Alternatives	模块可替换节点	模块可替换节点
dmodule	Data Module	数据模块	

表 A.1 (续)

英文名称	英文描述	中文名称	说 明
dm-seq	Data Module Sequence	模块序列	
dm-then-seq	Then Branch DM Sequence	then 分支下的模块序列	then 分支下的模块序列
dmtitle	Data Module Title	数据模块标题	模块的技术名称和信息名称
double-bound	Low and High Number Range	上下界	填充框里可接受值的上下界
drill	Flight Drill	训练信息	有关的飞行训练信息
ecscs	Equipment Category & Sub-Category Code	设备种类码	地面设备的种类码
efy	EFfectivitY	效用	
eidc	Equipment Identification Code	设备标识码	
elecplr	electrical power	电动力	采用电为源动力
elseif	Else If Condition	Else If 条件	
emphasis	Phrase Emphasis	强调显示	文本中需要强调的内容
empty	empty	空集	
endmattr	Drill End Matter	训练总结	训练结束后的一些事情
entfield	Entry out field	输出区域	给用户提问 输入的区域
entry	Table Entry	表项	表单元的各种参数
eq	equal	等运算	相等时进行的运算
equip	Equipment	设备	装备及产品
esttime	Estimated Time Spent	工作时间	
exmod	Excluded Modifications	拒绝修订	模块在某技术状态编写时被拒绝修订
exponent	exponent	指数运算	指数运算
Expression	Expression Definition	表达式	定义表达式
FALSE	FALSE	假	假
fault	fault	故障	故障
fcontext	Context For Isolate Proc Determination	故障环境	故障观测到时的环境情况
fcposn	the required status of any controls	控制的要求状态	任何控制的要求状态
fdesc	Fault Description	故障描述	
figure	figure	插图	
fillin	Fill-In-The-Blank Dialog	填充对话框	
firstver	first verification	第一次验证	
firstyear	First Year the Copyright was claimed	版权生效年限	
float	float	浮点运算	
foldout	Foldout	折页	多页图或表
frc	Flight/Operator Reference Cards	飞行操作卡	记录飞行时应进行各种操作的文件
from	Limrange from	起始点	

表 A.1 (续)

英文名称	英文描述	中文名称	说 明
ftc	FiTment Code	设备码	
fuel	fuel	油料	进行程序前准备的油料要求
ge		大于等于	
govtlicense	Government License	版权证号	
graphic	Graphic / Image	图	
gt	great than	大于	
handling	Data Handling Requirements	处理要求	数据密级的处理要求,包括存储、模块分类
high-bound	High bound	上界	
holder	Holder	版权持有人	
hotspot	Graphical Hotspot	热点	
hydpwr	hydraulic	液动力	进行程序前液动力的准备要求
icy	Interchangeability	互换性	
identno	Identification Number	标识号	通常指制造商的标识信息,有 mfc 和 pnr
idivide	integer divide	整除	
idstatus	Identification and Status Information	标识和状态	
if	if	条件判别	
ifault	Isolated fault	隔离的故障	
ils	Integrated Logistic Support number	综合后勤保障码	
incode	information code	信息码	产品活动的描述,短描述是信息码里的内容
incodcv	Information Code Variant	信息码变量	有略微改动情况下信息的描述
index	The index operator supports one or two index-values	幂指数运算	幂指数运算的表达式
index-value		幂值	
indxflag	Index Flag	索引标记	
infoname	information name	信息名称	模块的信息名称
inform	Additional Information	模块约束信息	模块状态中的约束信息,如版权、政策
initialize	Initialize a Variable Value	初值	变量的初值
inspection	inspection	检查	
instruct	Specific Instructions	指南	模块发行的指令性文件
integer	integer	整数	
intersect	Intersection	交集	
ipc	Illustrated Parts Catalog	有插图的零部件目录	
ipp	Initial Provisioning Project	初始供应方案	
ippref	Reference to IPP	初始供应方案引用	
isn	Item Sequence Number	项目序列号	项目序列号

表 A.1 (续)

英文名称	英文描述	中文名称	说 明
isoend	Final Step of Isolation Procedure	结束步骤	程序中的结束步骤
isolate	Observe Fault Location	故障定位	
isolatep	Isolation Procedure Core	隔离程序步骤信息	
isoproc	Isolation Procedure	隔离程序	
isostep	Step of Isolation Procedure	隔离程序步骤	
issdate	Issue Date	发布日期	模块或出版物的发布时间
issno	Issue Number	发布号	模块或出版物的发布号
item	List Item	列项	段落中的列项
itemloc	Item Location Code	单元位置码	
jacked	indicate whether the product is to be raised	起重准备	用来说明产品是否需要千斤顶顶起
lastyear	Last Year the Copyright was claimed	版权终止年	
le	less equal	小于等于	
legend	legend	图例	
level	Maintenance level	维修级别	
limit	Time Limit	时间限制	
limittype	Limit Type	限制类型	
limrange	Limit Range	限制范围	
locandrep	LRU location and repair procedure	LRU 定位和修理	LRU 定位和修理
low-bound	low-bound	下界值	
lru	On Line Replaceable Unit	外场可更换单元	
lruitem	Line Replaceable Unit Item	外场可更换单元项	
lt	less than	小于	
mainfunc	Maintenance Function	维修活动	维修活动包含维修中的那些步骤
member	member	成员	
Menu	Menu Choice Dialog	菜单选择框	
Menuchoice	Menu Dialog Choice	菜单选择器	
mfc	Manufacturer	制造商	
mfm	select or Manufacture From range	选择或制造的范围	
minus	minus	减运算	
mod	Modification Order	修改	
model	model	产品型号	
modelic	Model identical code	模块标识符	
modtitle	Modification Title	修改题目	产品所对应的数据模块进行修改的题目
modulus	modulus	绝对值运算	

表 A.1 (续)

英文名称	英文描述	中文名称	说 明
mov	Model Version	产品的版本	
ne	negative	负	
neg	negative	否	
nil	Not Illustrated	无插图	
no	no	否	
noassertions	No Assertions	无声明	在菜单选择中没有声明
noclose	No Close Up procedures	程序结束时无活动	程序结束时无活动
noconds	No Required Conditions	没有必要条件	
nomen	Nomenclature	术语	
norefs	No References	无引用	
nosafety	No Safety Conditions	无安全条件	
nospares	No Spares	无零部件	
nosupeq	No Support Equipment	无保障设备	
nosupply	No Supplies	无保障物资	
not	not	非	
note	note	说明	
novalue	no value	无值	表达式或集合中没有数值
num-range	Fill in Dialog Number Range	数值范围	对话框的数值范围
ofault	Observed Fault	观察到的故障	
opndurn	Operation Duration	工序时间	操作过程的总时间
or	or	或运算	表达式中的或运算
orig	Originator	编写单位	
p-  c	Simple Paragraph	简单段落	
para	Paragraph	段落	文档的以段落为基础的节
part		零部件	
para0	used to contain descriptive information as detailed	节	训练或人员的描述性信息
perscat	Personnel Category	技术工种	
perskill	Personnel Skill Level	人员技术等级	人员技术等级
person	Personnel	人员	有特殊技能要求的人员
plus	plus	加运算	表达式中的加运算
pmc	Publication Module Code	出版物模块代码	代码
pmd	Production Management Data	生产管理数据	进行修理生产时需要管理的一些数据
pmissuer	5-character NCAGE Code of Issuing Authority	出版物发行者	

表 A.1 (续)

英文名称	英文描述	中文名称	说 明
pmnumber	5-digit Publication Module Number starting at 00001	出版物编号	
pmvolume	2-digit sequential Publication Volume Number (NN), default is 00 for a single B137volume publication	出版物卷号	
polref	Security Policy Document Reference	引用法规	规定模块密级的引用文件
postset	postset	后置条件	
precond	Precondition	前提条件	
prelreqs	Preliminary Requirements	预备要求	在完成工作之前要进行各项必需的准备活动
preset	Preset a Variable Value	预置条件	对运行节点进行的设置条件
procd	identify a crew/operator procedure	程序	明确一个操作人员的操作程序
proced	Procedural Information	程序信息	
process	Maintenance Process Flow	过程模块	
prompt	Dialog Prompt	提示	
pubcode	Publication code	出版物代码	
pubdate	Publication date	出版日期	
pubtitle	Publication title	出版物标题	
qa	Quality Assurance Status	质量保证	
qna	Quantity per Next higher Assembly	上级组件数量	
qty	Quantity	数量	
question	question	提问	
qui	Quantity per Unit of Issue	发布单元数量	
randlist	Random List	无序列表	没有顺序的列表
rdandrt	Reference Data Modules And Technical Publications	引用模块和出版物	
real	real	实数	
reason	Cause of Failure	原因	故障的原因
refdm	Reference Data Module	引用模块	引用模块
refdms	Reference Data Modules	多个模块引用	
refinspec	Inspection Reference	检测引用	
refs	References	引用	
reftp	Reference Technical Publication	引用技术出版物	
registeredwith	Names the Agencies with which the Copyright has been registered	版权注册机构	
remarks	Remarks	注释	

表 A.1 (续)

英文名称	英文描述	中文名称	说 明
remove	remove		
repair	Action To Be Performed For Repair	修理活动	
reqcond	Required Condition	必要条件	
reqcondm	Required Condition Data Modules	必要条件模块	当条件在一个单独的模块里描述时,使用该元素
reqconds	Required Conditions	必要条件信息	
reqcontp	Required Condition Technical Publications	必要条件出版物	当条件在一个单独的出版物里描述时,使用该元素
reqdm	Required Data Module	必要的模块	
reqpers	Required Persons	必要的人员	
reqtp	Required Technical Publication	必要的出版物	
response	response	回答	
rfa	Reason For Amendment	修订原因	
rfd	ReFeRence Designator	引用目标	
rfs	Reason for Selection	选择原因	
rfu	Reason For Update	更新原因	
row	Row Of Table	行	
rpc	Responsible Partner Company	解释单位	
rtx	Refer To	参考	
safecond	Safety Condition	安全要求	
safedev	the state of any safety devices	安全设施准备	
safety	Safety Conditions	安全要求信息	
sampling	sampling	样本	
sb	Service Bulletin	服务通告	对产品技术信息情况的通告,如技术资料哪些进行了修订,实行的期限,因产品上组件的改动应采用哪些技术文档
schedule	Schedule Information	维修计划	
sdc	system difference code	系统区分码	
section		子系统码	
security	Security Marking	密级	
seever	second verification	第二次验证	
sel-list	Selection List Answer	选择列表	
seqlist	Sequential List	顺序列表	
set		集合	
set-diff	Make a new set which is the difference of the two sets	差集	

表 A.1 (续)

英文名称	英文描述	中文名称	说 明
sheet	Figure Sheet	图 页	插图页
sizeof	Number of characters in the string or set	字符数	集合或字符串中的字符数
skill	Skill Level	技术等级	数据模块使用人员的技术等级,分三类:基本的、中级、高级。还可以包括工程给定的级别
smf	Select or Manufacture From	选择或制造	
smr	Source Maintenance and Recoverability	资源维护 & 恢复	
spanspec	Span Column Specification	列定义	表中列的一系列规定
spare	Spare Item	备件单品	
spares	spares	备件集合	
sparesli	Spare List	零部件清单	
sru	On Shop Replaceable Unit	内场可更换单元	
sruitem	Shop Replaceable Unit Item	内场可更换单元项	
srv	Service	服务	
status	Status Section	状态部分	数据模块的状态描述
step	Drill or Procedural Step	步骤	训练或程序中的步骤
step1	Procedural Step Level 1	程序步骤 1	
step2	Procedural Step Level 2	程序步骤 2	
step3	Procedural Step Level 3	程序步骤 3	
step4	Procedural Step Level 4	程序步骤 4	
step5	Procedural Step Level 5	程序步骤 5	
str	Special sToRage(storage)	特殊存储	
string	string	字符串	
subdrill	Sub Flight Drill	训练子科目	
subject	subject	单元码	SNS 中的第二部分,若在存在的情况下,是对子系统的进一步划分
subpara1	Sub paragraph1	子段落 1	
subpara2	Sub paragraph2	子段落 2	
subpara3	Sub paragraph3	子段落 3	
subpara4	Sub paragraph4	子段落 4	
subscript	Sub scription	下标	字母的下标格式
subsect	sub-section	子子系统码	SNS 中的第二部分,若在存在的情况下,是对子系统的进一步划分
subset	subset	子集	表达式中的子集运算

表 A.1 (续)

英文名称	英文描述	中文名称	说 明
substring	substring	子字符串	子字符串
supeqli	Support Equipment List	保障设备清单	
supequi	Support Equipment Item	保障设备项	
supequip	Support Equipment	保障设备	
supeqvc	Support equipment v code	保障设备变量码	地面设备中 DMC 中的代码
supervis	Supervisor	监督级别	
supplies	supplies	供应品	在维修保障活动中消耗的物品
supply	Supply Item	保障物资项	
supplyli	Supply List	保障物资清单	
supscript	sup script	上标	
symbol	symbol	图标	在警告、更改、强调、段落中的图标
table	table	表	表元素的总体要求
tabtitle	contain thumb tab text for the drill	表题目	
task	Short Task Description	任务	
taskitem	Task Item	任务项	
tasklist	Task List	任务列表	
tbody	Table Body	表格体	
techname	technical standard	技术名称	数据模块标题中的物理技术名称
techpub	Technical Publication	技术出版物	
term	Term	术语	数据列表中的术语或词汇
test	test	测试	
testdesc	Test Description	测试描述	
testnomen	Test Designation	测试指定	
testproc	Test Procedure	测试程序	
text	text	文本	在提示、对话框中的文本元素
tfoot	Table Footer	表尾	
tgroup	Table Group	表格组	一组或多组表格
thead	Table Header	表头	
thi	Threshold Interval	临界区间	到达临界值的时间
threshold	Threshold Inspection	临界检查值	
time	time	时间	
timelimit	Time Limit	时间限制	
title	title	标题	列表、图、表的标题
to	Limrange to	限制	
tolerance	Tolerance Value	公差值	

表 A.1 (续)

英文名称	英文描述	中文名称	说 明
trade	Personnel Trade Code	人员从业代码	
trigger	trigger	触发	
TRUE	TRUE	真	布尔函数的真值
trunc	truncate	取整	表达式中的取整运算
type	type	产品类型	
uca	Usable on Code Assembly	组件使用码	
uce	Usable on Code Equipment	设备使用码	
union	union	并集	
unverif	Unverified	未验证	没有进行质量保证验证
uoi	Unit Of Issue	发行单元	
value	value	值	
variable	variable	变量	
variable-de- clarations	Variable declarations	变量声明	
variable-ref	Variable reference	引用变量	
version	version	版本信息(产品型别)	
versrank	Version Rank	版本范围	
warning	warning	警告	
water		水的准备	
xor	Identical and different	异或	
xref	Cross Reference	交叉引用	数据模块中的交叉引用。双向链接
yes	yes	是	
yesno	Yes or No Answer	是与否	
zone	zone	分区信息	

附 录 B

(规范性附录)

数据模块的 DTD

本附录描述的是各类数据模块的 DTD。依据 GB/T 24463 的本部分产生的数据应按照本附录和附录 A 的规定。

B.1 人员信息 DTD

本文件包含了人员内容 DTD。它标识了所有与人员有关的元素和它们之间的关系。

```
<? xml version="1.0" encoding="UTF-8"?>
<! ELEMENT dmodule (rdf:Description?,idstatus,content)>
<! ATTLIST dmodule
    id ID #IMPLIED
    %RDFCATT;>
<! ELEMENT idstatus (dmaddres,srcdmaddres?,status)>
<! ELEMENT dmaddres (dmceextension?,dmc,dmttitle,issno,issdate)>
<! ELEMENT dmceextension (dmeproducer,dmececode)>
<! ELEMENT dmeproducer (#PCDATA)>
<! ELEMENT dmececode (#PCDATA)>
<! ELEMENT dmc (age | avee)>
<! ELEMENT age (modelic,supeqvc,ecscs,eidc,cidc,discode,discodev,incodex,incodex,itemloc)>
<! ELEMENT modelic (#PCDATA)>
<! ELEMENT supeqvc (#PCDATA)>
<! ELEMENT ecscs (#PCDATA)>
<! ELEMENT eidc (#PCDATA)>
<! ELEMENT cidc (#PCDATA)>
<! ELEMENT discode (#PCDATA)>
<! ELEMENT discodev (#PCDATA)>
<! ELEMENT incodex (#PCDATA)>
<! ELEMENT incodex (#PCDATA)>
<! ELEMENT itemloc (#PCDATA)>
<! ELEMENT avee (modelic,sdc,chapnum,section,subsect,subject,discode,discodev,incodex,incodex,itemloc)>
<! ELEMENT sdc (#PCDATA)>
<! ELEMENT chapnum (#PCDATA)>
<! ELEMENT section (#PCDATA)>
<! ELEMENT subsect (#PCDATA)>
<! ELEMENT subject (#PCDATA)>
<! ELEMENT dmttitle (techname,infoname?)>
<! ELEMENT techname (#PCDATA)>
<! ELEMENT infoname (#PCDATA)>
<! ELEMENT issno EMPTY>
<! ATTLIST issno
    issno NMTOKEN #REQUIRED
    inwork NMTOKEN #IMPLIED
    type (new | changed | deleted | revised | status | rinstatex-changed | rinstatex-revised |
rinstatex-status) "new"
>
<! ELEMENT issdate EMPTY>
<! ATTLIST issdate
    year NMTOKEN #REQUIRED
    month NMTOKEN #REQUIRED
    day NMTOKEN #REQUIRED
>
<! ELEMENT srcdmaddres (dmceextension?,dmc,dmttitle,issno,issdate)>
```

```

<! ELEMENT status (security,datarest *,rpc,orig,applic,inlineapplics?,brexref,qa+,(ein)*),rfu*,
remarks*)>
<! ATTLIST status
    id      ID      # IMPLIED
>
<! ELEMENT security EMPTY>
<! ATTLIST security
    class    (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)    # REQUIRED

    commcls   (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)    # IMPLIED

    caveat    (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)    # IMPLIED
>
<! ELEMENT datarest (applic?,instruct,inform?)>
<! ATTLIST datarest
    refapplic  IDREF      # IMPLIED
    id         ID         # IMPLIED
    level      NMTOKEN     # IMPLIED
    mark       NMTOKEN     # IMPLIED
    change     (add | delete | modify)    # IMPLIED
    rfc        CDATA      # IMPLIED
>
<! ELEMENT applic (type?,model*)>
<! ATTLIST applic
    applicconf (allowed | built | designed | installed | manufactured | supported)
    # IMPLIED
    id         ID         # IMPLIED
    level      NMTOKEN     # IMPLIED
    mark       NMTOKEN     # IMPLIED
    change     (add | delete | modify)    # IMPLIED
    rfc        CDATA      # IMPLIED
>
<! ELEMENT type (#PCDATA)>
<! ELEMENT model (version*,((csnref | (mfc))*),maintlevel?,techconds*,opconds*)>
<! ATTLIST model
    model      CDATA      # REQUIRED
>
<! ELEMENT version (versrank*)>
<! ATTLIST version
    version    CDATA      # REQUIRED
    id         ID         # IMPLIED
>

```

```

<! ELEMENT versrank ((single | range) +))
<! ATTLIST versrank
    verstatus CDATA # IMPLIED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
>
<! ELEMENT single (#PCDATA)>
<! ELEMENT range EMPTY>
<! ATTLIST range
    from CDATA # REQUIRED
    to CDATA # REQUIRED
>
<! ELEMENT csnref EMPTY>
<! ATTLIST csnref
    refcsn CDATA # REQUIRED
    refisn CDATA # IMPLIED
    refipp CDATA # IMPLIED
    refrpc CDATA # IMPLIED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
    %XLINKATT2;
>
<! ELEMENT mfc (#PCDATA)>
<! ATTLIST mfc
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
>
<! ELEMENT pnr (#PCDATA)>
<! ATTLIST pnr
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
>
<! ELEMENT serialno ((single | range) +))
<! ELEMENT maintlevel (mntlvl +))
<! ELEMENT mntlvl EMPTY>
<! ATTLIST mntlvl
    mntlvl (m101 | m102 | m103 | m104 | m105 | m106 | m107 | m108 | m109 | m110 | m111 | m112
| m113 | m114 | m115 | m116 | m117 | m118 | m119 | m120 | m121 | m122 | m123 | m124 | m125 | m126
| m127 | m128 | m129 | m130 | m131 | m132 | m133 | m134 | m135 | m136 | m137 | m138 | m139 | m140
| m141 | m142 | m143 | m144 | m145 | m146 | m147 | m148 | m149 | m150 | m151 | m152 | m153 | m154
| m155 | m156 | m157 | m158 | m159 | m160 | m161 | m162 | m163 | m164 | m165 | m166 | m167 | m168
| m169 | m170 | m171 | m172 | m173 | m174 | m175 | m176 | m177 | m178 | m179 | m180 | m181 | m182
| m183 | m184 | m185 | m186 | m187 | m188 | m189 | m190 | m191 | m192 | m193 | m194 | m195 | m196
| m197 | m198 | m199) # REQUIRED
>
<! ELEMENT techconds (textual-desc?, techcond*)>
<! ATTLIST techconds
    id ID # IMPLIED

```

```

    level  NMTOKEN      # IMPLIED
    mark   NMTOKEN      # IMPLIED
    change (add | delete | modify)  # IMPLIED
    rfc     CDATA       # IMPLIED
  >
<! ELEMENT textual-desc (#PCDATA)>
<! ATTLIST textual-desc
  id      ID          # IMPLIED
  level   NMTOKEN      # IMPLIED
  mark    NMTOKEN      # IMPLIED
  change  (add | delete | modify)  # IMPLIED
  rfc     CDATA       # IMPLIED
>
<! ELEMENT techcond (((((age | avee), issno?, dmtitle?) | (pubcode, pubtitle?, pubdate?) |
condtitle?)),scheduled?,embodied?))
<! ATTLIST techcond
  tccode   (tc01 | tc02 | tc03 | tc04 | tc05 | tc06 | tc07 | tc08 | tc09 | tc10 | tc11 | tc12
| tc13 | tc14 | tc15 | tc16 | tc17 | tc18 | tc19 | tc20 | tc21 | tc22 | tc23 | tc24 | tc25 | tc26
| tc27 | tc28 | tc29 | tc30 | tc31 | tc32 | tc33 | tc34 | tc35 | tc36 | tc37 | tc38 | tc39 | tc40
| tc41 | tc42 | tc43 | tc44 | tc45 | tc46 | tc47 | tc48 | tc49 | tc50 | tc51 | tc52 | tc53 | tc54
| tc55 | tc56 | tc57 | tc58 | tc59 | tc60 | tc61 | tc62 | tc63 | tc64 | tc65 | tc66 | tc67 | tc68
| tc69 | tc70 | tc71 | tc72 | tc73 | tc74 | tc75 | tc76 | tc77 | tc78 | tc79 | tc80 | tc81 | tc82
| tc83 | tc84 | tc85 | tc86 | tc87 | tc88 | tc89 | tc90 | tc91 | tc92 | tc93 | tc94 | tc95 | tc96
| tc97 | tc98 | tc99)  # REQUIRED
  tcno     CDATA       # IMPLIED
  tctype   (pre | post | preandpo)  # REQUIRED
  mfc      CDATA       # IMPLIED
  id       ID          # IMPLIED
  level    NMTOKEN      # IMPLIED
  mark     NMTOKEN      # IMPLIED
  change   (add | delete | modify)  # IMPLIED
  rfc      CDATA       # IMPLIED
>
<! ELEMENT pubcode (#PCDATA | pmc) * >
<! ATTLIST pubcode
  pubcodsy CDATA       # IMPLIED
>
<! ELEMENT pmc (modelic,pmissuer,pmnumber,pmvolume)>
<! ELEMENT pmissuer (#PCDATA)>
<! ELEMENT pmnumber (#PCDATA)>
<! ELEMENT pmvolume (#PCDATA)>
<! ELEMENT pubtitle (#PCDATA)>
<! ELEMENT pubdate EMPTY>
<! ATTLIST pubdate
  year     NMTOKEN      # REQUIRED
  month    NMTOKEN      # REQUIRED
  day      NMTOKEN      # REQUIRED
>
<! ELEMENT condtitle (#PCDATA)>
<! ATTLIST condtitle
  id      ID          # IMPLIED
  level   NMTOKEN      # IMPLIED
  mark    NMTOKEN      # IMPLIED
  change  (add | delete | modify)  # IMPLIED
  rfc     CDATA       # IMPLIED
>
<! ELEMENT scheduled ((single | range) +)>
<! ATTLIST scheduled
  id      ID          # IMPLIED
  level   NMTOKEN      # IMPLIED

```



```

    mark    NMTOKEN    # IMPLIED
    change  (add | delete | modify)    # IMPLIED
    rfc     CDATA      # IMPLIED
  >
<! ELEMENT embodied ((single | range) + )>
<! ATTLIST embodied
    id      ID        # IMPLIED
    level   NMTOKEN    # IMPLIED
    mark    NMTOKEN    # IMPLIED
    change  (add | delete | modify)    # IMPLIED
    rfc     CDATA      # IMPLIED
  >
<! ELEMENT opconds (textual-desc?,opcond * )>
<! ATTLIST opconds
    id      ID        # IMPLIED
    level   NMTOKEN    # IMPLIED
    mark    NMTOKEN    # IMPLIED
    change  (add | delete | modify)    # IMPLIED
    rfc     CDATA      # IMPLIED
  >
<! ELEMENT opcond (#PCDATA)>
<! ATTLIST opcond
    opcno    NMTOKEN    # IMPLIED
    opccode  CDATA      # IMPLIED
    confirmed NMTOKEN    # IMPLIED
    id       ID        # IMPLIED
    level    NMTOKEN    # IMPLIED
    mark     NMTOKEN    # IMPLIED
    change   (add | delete | modify)    # IMPLIED
    rfc      CDATA      # IMPLIED
  >
<! ELEMENT instruct (distrib,handling?)>
<! ATTLIST instruct
    id      ID        # IMPLIED
    level   NMTOKEN    # IMPLIED
    mark    NMTOKEN    # IMPLIED
    change  (add | delete | modify)    # IMPLIED
    rfc     CDATA      # IMPLIED
  >
<! ELEMENT distrib (#PCDATA)>
<! ATTLIST distrib
    id      ID        # IMPLIED
    level   NMTOKEN    # IMPLIED
    mark    NMTOKEN    # IMPLIED
    change  (add | delete | modify)    # IMPLIED
    rfc     CDATA      # IMPLIED
  >
<! ELEMENT handling (#PCDATA)>
<! ATTLIST handling
    id      ID        # IMPLIED
    level   NMTOKEN    # IMPLIED
    mark    NMTOKEN    # IMPLIED
    change  (add | delete | modify)    # IMPLIED
    rfc     CDATA      # IMPLIED
  >
<! ELEMENT inform (copyright)>
<! ATTLIST inform
    id      ID        # IMPLIED
    level   NMTOKEN    # IMPLIED
    mark    NMTOKEN    # IMPLIED

```

```

    change      (add | delete | modify)      # IMPLIED
    rfc          CDATA      # IMPLIED
  >
<! ELEMENT copyright (para +)>
<! ATTLIST copyright
  id      ID      # IMPLIED
  level   NMTOKEN  # IMPLIED
  mark    NMTOKEN  # IMPLIED
  change  (add | delete | modify)      # IMPLIED
  rfc      CDATA   # IMPLIED
>
<! ELEMENT para (#PCDATA | applic | ein | cb | parasigdata | quantity | xref | indxflag | change
| emphasis | symbol | subscript | supscript | refdm | reftp | ftnote | ftnref | acronym | acroterm
| capgrp | caption | seqlist | randlist | deflist)*>
<! ATTLIST para
  refapplic  IDREF      # IMPLIED
  id         ID         # IMPLIED
  level      NMTOKEN    # IMPLIED
  mark       NMTOKEN    # IMPLIED
  change     (add | delete | modify)      # IMPLIED
  rfc        CDATA      # IMPLIED
  class      (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)      # IMPLIED
  commcls    (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)      # IMPLIED
  caveat     (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)      # IMPLIED
>
<! ELEMENT ein (nomen?,refs?)>
<! ATTLIST ein
  einnbr      CDATA      # REQUIRED
  eintype     (exact | family)      # IMPLIED
  mfc         CDATA      # IMPLIED
  id          ID         # IMPLIED
  level       NMTOKEN    # IMPLIED
  mark        NMTOKEN    # IMPLIED
  change      (add | delete | modify)      # IMPLIED
  rfc         CDATA      # IMPLIED
>
<! ELEMENT nomen (#PCDATA)>
<! ATTLIST nomen
  level       NMTOKEN    # IMPLIED
  mark        NMTOKEN    # IMPLIED
  change      (add | delete | modify)      # IMPLIED

```

```

    rfc      CDATA      # IMPLIED
  >
<! ELEMENT refs ((refdm+,reftp*) | reftp+)>
<! ELEMENT refdm ((applic?,dmceextension?,(age | avee),issno?,dmtitle?) | ((% XLINKEXT;)*))>
<! ATTLIST refdm
  target    CDATA      # IMPLIED
  refapplic  IDREF      # IMPLIED
  id        ID         # IMPLIED
  level     NMTOKEN     # IMPLIED
  mark      NMTOKEN     # IMPLIED
  change    (add | delete | modify)  # IMPLIED
  rfc       CDATA      # IMPLIED
  % XLINKATT;
>
<! ELEMENT reftp (#PCDATA | applic | xref | indxflag | symbol | subscript | superscript | ftnref |
acronym | acroterm | capgrp | caption | pubcode | pubtitle | pubdate | % XLINKEXT;)*>
<! ATTLIST reftp
  refapplic  IDREF      # IMPLIED
  id        ID         # IMPLIED
  level     NMTOKEN     # IMPLIED
  mark      NMTOKEN     # IMPLIED
  change    (add | delete | modify)  # IMPLIED
  rfc       CDATA      # IMPLIED
  % XLINKATT4;
>
<! ELEMENT xref (#PCDATA | applic | subscript | superscript)*>
<! ATTLIST xref
  xrefid     IDREF      # IMPLIED
  xidtype    (figure | table | multimedia | supply | supequip | spares | para | step | sheet |
multimediaobject | hotspot | param | other)  # IMPLIED
  target     CDATA      # IMPLIED
  destitle   CDATA      # IMPLIED
  pretext    CDATA      # IMPLIED
  posttext   CDATA      # IMPLIED
  refapplic  IDREF      # IMPLIED
  % XLINKATT3;
>
<! ELEMENT subscript (#PCDATA)>
<! ELEMENT superscript (#PCDATA)>
<! ELEMENT indxflag EMPTY>
<! ATTLIST indxflag
  ref1      CDATA      # IMPLIED
  ref2      CDATA      # IMPLIED
  ref3      CDATA      # IMPLIED
  ref4      CDATA      # IMPLIED
>
<! ELEMENT symbol (applic?)>
<! ATTLIST symbol
  boardno    ENTITY     # REQUIRED
  id         ID         # IMPLIED
  reprovaid  CDATA      # IMPLIED
  reprohgt   CDATA      # IMPLIED
  reprosc1   CDATA      # IMPLIED
  refapplic  IDREF      # IMPLIED
  % XLINKATT1;
>
<! ELEMENT ftnref EMPTY>
<! ATTLIST ftnref
  xrefid     IDREF      # IMPLIED
>

```

```

<! ELEMENT acronym (acroterm,acrodef)>
<! ATTLIST acronym
    acrotype      (at01 | at02 | at03 | at04 | at05 | at06 | at07 | at08 | at09 | at10 | at11 | at12
| at13 | at14 | at15 | at16 | at17 | at18 | at19 | at20 | at21 | at22 | at23 | at24 | at25 | at26
| at27 | at28 | at29 | at30 | at31 | at32 | at33 | at34 | at35 | at36 | at37 | at38 | at39 | at40
| at41 | at42 | at43 | at44 | at45 | at46 | at47 | at48 | at49 | at50 | at51 | at52 | at53 | at54
| at55 | at56 | at57 | at58 | at59 | at60 | at61 | at62 | at63 | at64 | at65 | at66 | at67 | at68
| at69 | at70 | at71 | at72 | at73 | at74 | at75 | at76 | at77 | at78 | at79 | at80 | at81 | at82
| at83 | at84 | at85 | at86 | at87 | at88 | at89 | at90 | at91 | at92 | at93 | at94 | at95 | at96
| at97 | at98 | at99)      "at01"
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark    NMTOKEN  # IMPLIED
    change  (add | delete | modify)      # IMPLIED
    rfc     CDATA    # IMPLIED
>
<! ELEMENT acroterm (#PCDATA | subscript | supscript)*>
<! ATTLIST acroterm
    xrefid   IDREF      # IMPLIED
>
<! ELEMENT acrodef (#PCDATA | subscript | supscript)*>
<! ATTLIST acrodef
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark    NMTOKEN  # IMPLIED
    change  (add | delete | modify)      # IMPLIED
    rfc     CDATA    # IMPLIED
>
<! ELEMENT capgrp (applic?,colspec*,spanspec*,capbody)>
<! ATTLIST capgrp
    cols     NMTOKEN      # REQUIRED
    align    (left | right | center)      "left"
    toctype  (none | redtoc | comdtoc | ambertoc | greentoc | yellowtoc)      "none"
    colsep   NMTOKEN      # IMPLIED
    rowsep   NMTOKEN      # IMPLIED
    refapplic IDREF      # IMPLIED
    id      ID      # IMPLIED
    level   NMTOKEN      # IMPLIED
    mark    NMTOKEN      # IMPLIED
    change  (add | delete | modify)      # IMPLIED
    rfc     CDATA    # IMPLIED
>
<! ELEMENT colspec EMPTY>
<! ATTLIST colspec
    colnum    NMTOKEN      # IMPLIED
    colname   NMTOKEN      # IMPLIED
    align     (left | right | center | justify | char)      # IMPLIED
    charoff   CDATA      # IMPLIED
    char      CDATA      # IMPLIED
    colwidth  CDATA      # IMPLIED
    colsep    NMTOKEN      # IMPLIED
    rowsep    NMTOKEN      # IMPLIED
>
<! ELEMENT spanspec EMPTY>
<! ATTLIST spanspec
    namest     NMTOKEN      # REQUIRED
    nameend    NMTOKEN      # REQUIRED
    spanname    NMTOKEN      # REQUIRED
    align      (left | right | center | justify | char)      "center"
    charoff    CDATA      # IMPLIED

```

```

char      CDATA      # IMPLIED
colsep    NMTOKEN    # IMPLIED
rowsep    NMTOKEN    # IMPLIED
>
<! ELEMENT capbody (applic?,caprow + )>
<! ATTLIST capbody
    valign      (top | bottom | middle)  "top"
    refapplic   IDREF      # IMPLIED
>
<! ELEMENT caprow ((applic?,capentry) + )>
<! ATTLIST caprow
    rowsep      NMTOKEN      # IMPLIED
    refapplic   IDREF      # IMPLIED
    id          ID          # IMPLIED
    level       NMTOKEN      # IMPLIED
    mark        NMTOKEN      # IMPLIED
    change      (add | delete | modify)   # IMPLIED
    rfc         CDATA      # IMPLIED
>
<! ELEMENT capentry (applic?,((caption | captext)?))>
<! ATTLIST capentry
    colname      NMTOKEN      # IMPLIED
    namest       NMTOKEN      # IMPLIED
    nameend      NMTOKEN      # IMPLIED
    spanname     NMTOKEN      # IMPLIED
    morerows     NMTOKEN      "0"
    colsep       NMTOKEN      # IMPLIED
    rowsep       NMTOKEN      # IMPLIED
    valign       (top | bottom | middle)  "top"
    align        (left | right | center | justify)  # IMPLIED
    refapplic    IDREF      # IMPLIED
>
<! ELEMENT caption (applic?,capline + )>
<! ATTLIST caption
    colour      (co00 | co01 | co02 | co03 | co04 | co05 | co06 | co07 | co08 | co09 | co10 | co11
| co12 | co13 | co14 | co15 | co16 | co17 | co18 | co19 | co20 | co21 | co22 | co23 | co24 | co25
| co26 | co27 | co28 | co29 | co30 | co31 | co32 | co33 | co34 | co35 | co36 | co37 | co38 | co39
| co40 | co41 | co42 | co43 | co44 | co45 | co46 | co47 | co48 | co49 | co50 | co51 | co52 | co53
| co54 | co55 | co56 | co57 | co58 | co59 | co60 | co61 | co62 | co63 | co64 | co65 | co66 | co67
| co68 | co69 | co70 | co71 | co72 | co73 | co74 | co75 | co76 | co77 | co78 | co79 | co80 | co81
| co82 | co83 | co84 | co85 | co86 | co87 | co88 | co89 | co90 | co91 | co92 | co93 | co94 | co95
| co96 | co97 | co98 | co99)  "co09"
    width       CDATA      # IMPLIED
    height      CDATA      # IMPLIED
    sysid       CDATA      # IMPLIED
    align       (left | right | center | justify)  "center"
    toctype     (none | redtoc | comdtoc | ambertoc | greentoc | yellowtoc)  "none"
    type        (primary | secondary)  "primary"
    refapplic   IDREF      # IMPLIED
    id          ID          # IMPLIED
    level       NMTOKEN      # IMPLIED
    mark        NMTOKEN      # IMPLIED
    change      (add | delete | modify)   # IMPLIED
    rfc         CDATA      # IMPLIED
>
<! ELEMENT capline (#PCDATA | acroterm) * >
<! ELEMENT captext (#PCDATA | xref | indxflag | change | emphasis | subscript | superscript | refdm |
reftp | acronym | acroterm) * >
<! ATTLIST captext
    level       NMTOKEN      # IMPLIED

```

```

    mark    NMTOKEN    # IMPLIED
    change  (add | delete | modify)    # IMPLIED
    rfc     CDATA      # IMPLIED
  >
< ! ELEMENT change ( # PCDATA | ein | cb | parasigdata | quantity | xref | indxflag | change |
emphasis | symbol | subscript | superscript | refdm | reftp | ftnote | ftnref | acronym | acroterm |
capgrp | caption) * >
< ! ATTLIST change
  id      ID      # IMPLIED
  level   NMTOKEN  # IMPLIED
  mark    NMTOKEN  # IMPLIED
  change  (add | delete | modify)    # IMPLIED
  rfc     CDATA    # IMPLIED
>
< ! ELEMENT emphasis ( # PCDATA | ein | cb | parasigdata | quantity | xref | indxflag | change |
emphasis | symbol | subscript | superscript | refdm | reftp | ftnote | ftnref | acronym | acroterm |
capgrp | caption) * >
< ! ATTLIST emphasis
  emph(em01 | em02 | em03 | em04 | em05 | em06 | em07 | em08 | em09 | em10 | em11 | em12 | em13
| em14 | em15 | em16 | em17 | em18 | em19 | em20 | em21 | em22 | em23 | em24 | em25 | em26 | em27
| em28 | em29 | em30 | em31 | em32 | em33 | em34 | em35 | em36 | em37 | em38 | em39 | em40 | em41
| em42 | em43 | em44 | em45 | em46 | em47 | em48 | em49 | em50 | em51 | em52 | em53 | em54 | em55
| em56 | em57 | em58 | em59 | em60 | em61 | em62 | em63 | em64 | em65 | em66 | em67 | em68 | em69
| em70 | em71 | em72 | em73 | em74 | em75 | em76 | em77 | em78 | em79 | em80 | em81 | em82 | em83
| em84 | em85 | em86 | em87 | em88 | em89 | em90 | em91 | em92 | em93 | em94 | em95 | em96 | em97
| em98 | em99)    "em01"
>
< ! ELEMENT cb (nomen?,refs?)>
< ! ATTLIST cb
  cbnbr    CDATA      # REQUIRED
  cbtype   (eltro | elmec | clip)    # IMPLIED
  cbaction (open | close | verif-open | verif-close)    # IMPLIED
  checksum CDATA      # IMPLIED
  id       ID         # IMPLIED
  level    NMTOKEN     # IMPLIED
  mark     NMTOKEN     # IMPLIED
  change   (add | delete | modify)    # IMPLIED
  rfc      CDATA       # IMPLIED
>
< ! ELEMENT parasigdata ( # PCDATA)>
< ! ATTLIST parasigdata
  psdtype (psd01 | psd02 | psd03 | psd04 | psd05 | psd06 | psd07 | psd08 | psd09 | psd10 | psd11
| psd12 | psd13 | psd14 | psd15 | psd16 | psd17 | psd18 | psd19 | psd20 | psd21 | psd22 | psd23
| psd24 | psd25 | psd26 | psd27 | psd28 | psd29 | psd30 | psd31 | psd32 | psd33 | psd34 | psd35
| psd36 | psd37 | psd38 | psd39 | psd40 | psd41 | psd42 | psd43 | psd44 | psd45 | psd46 | psd47
| psd48 | psd49 | psd50 | psd51 | psd52 | psd53 | psd54 | psd55 | psd56 | psd57 | psd58 | psd59
| psd60 | psd61 | psd62 | psd63 | psd64 | psd65 | psd66 | psd67 | psd68 | psd69 | psd70 | psd71
| psd72 | psd73 | psd74 | psd75 | psd76 | psd77 | psd78 | psd79 | psd80 | psd81 | psd82 | psd83
| psd84 | psd85 | psd86 | psd87 | psd88 | psd89 | psd90 | psd91 | psd92 | psd93 | psd94 | psd95
| psd96 | psd97 | psd98 | psd99)    # REQUIRED
>
< ! ELEMENT quantity ( # PCDATA | qtygrp) * >
< ! ATTLIST quantity
  qtytype (qty01 | qty02 | qty03 | qty04 | qty05 | qty06 | qty07 | qty08 | qty09 | qty10 | qty11
| qty12 | qty13 | qty14 | qty15 | qty16 | qty17 | qty18 | qty19 | qty20 | qty21 | qty22 | qty23
| qty24 | qty25 | qty26 | qty27 | qty28 | qty29 | qty30 | qty31 | qty32 | qty33 | qty34 | qty35
| qty36 | qty37 | qty38 | qty39 | qty40 | qty41 | qty42 | qty43 | qty44 | qty45 | qty46 | qty47
| qty48 | qty49 | qty50 | qty51 | qty52 | qty53 | qty54 | qty55 | qty56 | qty57 | qty58 | qty59
| qty60 | qty61 | qty62 | qty63 | qty64 | qty65 | qty66 | qty67 | qty68 | qty69 | qty70 | qty71
| qty72 | qty73 | qty74 | qty75 | qty76 | qty77 | qty78 | qty79 | qty80 | qty81 | qty82 | qty83

```

```

| qty84 | qty85 | qty86 | qty87 | qty88 | qty89 | qty90 | qty91 | qty92 | qty93 | qty94 | qty95
| qty96 | qty97 | qty98 | qty99)      # IMPLIED
>
<! ELEMENT qtygrp ((qtyvalue + ,qtytolerance * ) | (qtytolerance + ))>
<! ATTLIST qtygrp
    qtygrptype      (nominal | minimum | maximum)      "nominal"
    qtyuom   CDATA      # IMPLIED
>
<! ELEMENT qtyvalue (#PCDATA)>
<! ATTLIST qtyvalue
    qtyuom   CDATA      # IMPLIED
>
<! ELEMENT qtytolerance (#PCDATA)>
<! ATTLIST qtytolerance
    qtytoltype      (plus | minus | plusorminus)      "plusorminus"
    qtyuom   CDATA      # IMPLIED
>
<! ELEMENT ftnote (applic?,para + )>
<! ATTLIST ftnote
    ftmark      (num | sym | alpha)      "num"
    refapplic   IDREF      # IMPLIED
    id    ID      # IMPLIED
    level  NMTOKEN      # IMPLIED
    mark   NMTOKEN      # IMPLIED
    change (add | delete | modify)      # IMPLIED
    rfc    CDATA      # IMPLIED
    class  (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)      # IMPLIED
    commcls      (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)      # IMPLIED
    caveat      (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)      # IMPLIED
>
<! ELEMENT seqlist (applic?,title?,item + )>
<! ATTLIST seqlist
    refapplic   IDREF      # IMPLIED
    id    ID      # IMPLIED
    level  NMTOKEN      # IMPLIED
    mark   NMTOKEN      # IMPLIED
    change (add | delete | modify)      # IMPLIED
    rfc    CDATA      # IMPLIED
    class  (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56

```

```

| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95 |
| 96 | 97 | 98 | 99) # IMPLIED
    commcls (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99) # IMPLIED
    caveat (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99) # IMPLIED
>
<! ELEMENT title (#PCDATA | ein | cb | parasigdata | quantity | xref | indxflag | change | emphasis
| symbol | subscript | supscript | refdm | reftp | ftntnote | ftntref | acronym | acroterm | capgrp |
caption) * >
<! ATTLIST title
    class (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99) # IMPLIED
    commcls (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99) # IMPLIED
    caveat (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99) # IMPLIED
>
<! ELEMENT item (#PCDATA | applic | note | para | ein | cb | parasigdata | quantity | xref | indxflag
| change | emphasis | symbol | subscript | supscript | refdm | reftp | ftntnote | ftntref | acronym |
acroterm | capgrp | caption | seqlist | randlist | deflist) * >
<! ATTLIST item
    refapplic IDREF # IMPLIED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
>
<! ELEMENT note (applic?,((symbol | para | (seqlist | randlist | deflist))+))>
<! ATTLIST note

```



```

type      CDATA      # IMPLIED
refapplic IDREF      # IMPLIED
xrefid    IDREF      # IMPLIED
id        ID         # IMPLIED
level     NMTOKEN    # IMPLIED
mark      NMTOKEN    # IMPLIED
change    (add | delete | modify) # IMPLIED
rfc       CDATA      # IMPLIED
>
<! ELEMENT randlist (applic?,title?,item+)>
<! ATTLIST randlist
    prefix      (pf01 | pf02 | pf03 | pf04 | pf05 | pf06 | pf07 | pf08 | pf09 | pf10 | pf11 | pf12
| pf13 | pf14 | pf15 | pf16 | pf17 | pf18 | pf19 | pf20 | pf21 | pf22 | pf23 | pf24 | pf25 | pf26
| pf27 | pf28 | pf29 | pf30 | pf31 | pf32 | pf33 | pf34 | pf35 | pf36 | pf37 | pf38 | pf39 | pf40
| pf41 | pf42 | pf43 | pf44 | pf45 | pf46 | pf47 | pf48 | pf49 | pf50 | pf51 | pf52 | pf53 | pf54
| pf55 | pf56 | pf57 | pf58 | pf59 | pf60 | pf61 | pf62 | pf63 | pf64 | pf65 | pf66 | pf67 | pf68
| pf69 | pf70 | pf71 | pf72 | pf73 | pf74 | pf75 | pf76 | pf77 | pf78 | pf79 | pf80 | pf81 | pf82
| pf83 | pf84 | pf85 | pf86 | pf87 | pf88 | pf89 | pf90 | pf91 | pf92 | pf93 | pf94 | pf95 | pf96
| pf97 | pf98 | pf99)    "pf02"
    refapplic   IDREF      # IMPLIED
    id          ID         # IMPLIED
    level       NMTOKEN    # IMPLIED
    mark        NMTOKEN    # IMPLIED
    change      (add | delete | modify) # IMPLIED
    rfc         CDATA      # IMPLIED
    class       (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)    # IMPLIED
    commcls     (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)    # IMPLIED
    caveat      (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)    # IMPLIED
>
<! ELEMENT deflist (applic?,title?,((term,def)+))>
<! ATTLIST deflist
    refapplic   IDREF      # IMPLIED
    id          ID         # IMPLIED
    level       NMTOKEN    # IMPLIED
    mark        NMTOKEN    # IMPLIED
    change      (add | delete | modify) # IMPLIED
    rfc         CDATA      # IMPLIED
    class       (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |

```

```

76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)      # IMPLIED
      commcls      (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)      # IMPLIED
      caveat      (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)      # IMPLIED
>
<! ELEMENT term (#PCDATA | applic | ein | cb | parasigdata | quantity | xref | indxflag | change |
emphasis | symbol | subscript | superscript | refdm | reftp | ftnote | ftnref | acronym | acroterm |
capgrp | caption) * >
<! ATTLIST term
  refapplic      IDREF      # IMPLIED
  id      ID      # IMPLIED
  level      NMTOKEN      # IMPLIED
  mark      NMTOKEN      # IMPLIED
  change      (add | delete | modify)      # IMPLIED
  rfc      CDATA      # IMPLIED
>
<! ELEMENT def (#PCDATA | applic | para | ein | cb | parasigdata | quantity | xref | indxflag |
change | emphasis | symbol | subscript | superscript | refdm | reftp | ftnote | ftnref | acronym |
acroterm | capgrp | caption | seqlist | randlist | deflist) * >
<! ATTLIST def
  refapplic      IDREF      # IMPLIED
  id      ID      # IMPLIED
  level      NMTOKEN      # IMPLIED
  mark      NMTOKEN      # IMPLIED
  change      (add | delete | modify)      # IMPLIED
  rfc      CDATA      # IMPLIED
>
<! ELEMENT rpc (#PCDATA)>
<! ATTLIST rpc
  rpcname CDATA      # IMPLIED
  id      ID      # IMPLIED
>
<! ELEMENT orig (#PCDATA)>
<! ATTLIST orig
  origname CDATA      # IMPLIED
  id      ID      # IMPLIED
>
<! ELEMENT inlineapplics (applic+)>
<! ELEMENT brexref (refdm)>
<! ELEMENT qa (applic?,(unverif | (firstver,secver?)))>
<! ATTLIST qa
  refapplic      IDREF      # IMPLIED
>
<! ELEMENT unverif EMPTY>
<! ELEMENT firstver EMPTY>
<! ATTLIST firstver

```

```

    type      (tabtop | onobject | ttandoo)      # REQUIRED
  >
<! ELEMENT secver EMPTY>
<! ATTLIST secver
    type      (tabtop | onobject | ttandoo)      # REQUIRED
  >
<! ELEMENT rfu (#PCDATA | applic | p)* >
<! ATTLIST rfu
    refapplic  IDREF      # IMPLIED
  >
<! ELEMENT p (#PCDATA | subscript | superscript)* >
<! ATTLIST p
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark    NMTOKEN  # IMPLIED
    change  (add | delete | modify)      # IMPLIED
    rfc     CDATA    # IMPLIED
  >
<! ELEMENT remarks (#PCDATA | applic | p)* >
<! ATTLIST remarks
    refapplic  IDREF      # IMPLIED
  >
<! ELEMENT content (refs?,acrw)>
<! ATTLIST content
    id      ID      # IMPLIED
  >
<! ELEMENT acrw (frc | descacrw)>
<! ATTLIST acrw
    id      ID      # IMPLIED
    class   (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)      # IMPLIED
    commcls (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)      # IMPLIED
    caveat  (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)      # IMPLIED
  >
<! ELEMENT frc (((title?,(((warning*,caution*),note*))?),para*,drill+) | ((figure | multimedia
| foldout | table)?)) +)>
<! ATTLIST frc
    class   (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95

```

```

| 96 | 97 | 98 | 99)      # IMPLIED
| commcls | (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)      # IMPLIED
| caveat | (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)      # IMPLIED
>
<! ELEMENT warning (applic?,((symbol | para | (seqlist | randlist | deflist))+)))
<! ATTLIST warning
  type      CDATA      # IMPLIED
  xrefid     IDREF      # IMPLIED
  vital      NMTOKEN     # IMPLIED
  refapplic  IDREF      # IMPLIED
  id         ID         # IMPLIED
  level      NMTOKEN     # IMPLIED
  mark       NMTOKEN     # IMPLIED
  change     (add | delete | modify)  # IMPLIED
  rfc        CDATA      # IMPLIED
>
<! ELEMENT caution (applic?,((symbol | para | (seqlist | randlist | deflist))+)))
<! ATTLIST caution
  type      CDATA      # IMPLIED
  xrefid     IDREF      # IMPLIED
  refapplic  IDREF      # IMPLIED
  id         ID         # IMPLIED
  level      NMTOKEN     # IMPLIED
  mark       NMTOKEN     # IMPLIED
  change     (add | delete | modify)  # IMPLIED
  rfc        CDATA      # IMPLIED
>
<! ELEMENT drill (((applic?,title?),tabtitle?,((warning *,caution *),note *),crew *,((para
(figure | multimedia | foldout | table)) *)),(((step | ((if,elseif * ) | case)) | subdrill) * ),
endmattr?))
<! ATTLIST drill
  drilltyp  (dt00 | dt01 | dt02 | dt03 | dt04 | dt05 | dt06 | dt07 | dt08 | dt09 | dt10 | dt11
| dt12 | dt13 | dt14 | dt15 | dt16 | dt17 | dt18 | dt19 | dt20 | dt21 | dt22 | dt23 | dt24 | dt25
| dt26 | dt27 | dt28 | dt29 | dt30 | dt31 | dt32 | dt33 | dt34 | dt35 | dt36 | dt37 | dt38 | dt39
| dt40 | dt41 | dt42 | dt43 | dt44 | dt45 | dt46 | dt47 | dt48 | dt49 | dt50 | dt51 | dt52 | dt53
| dt54 | dt55 | dt56 | dt57 | dt58 | dt59 | dt60 | dt61 | dt62 | dt63 | dt64 | dt65 | dt66 | dt67
| dt68 | dt69 | dt70 | dt71 | dt72 | dt73 | dt74 | dt75 | dt76 | dt77 | dt78 | dt79 | dt80 | dt81
| dt82 | dt83 | dt84 | dt85 | dt86 | dt87 | dt88 | dt89 | dt90 | dt91 | dt92 | dt93 | dt94 | dt95
| dt96 | dt97 | dt98 | dt99)      "dt00"
  ordered   (on | off)      "on"
  refapplic IDREF          # IMPLIED
  id        ID            # IMPLIED
  level     NMTOKEN        # IMPLIED
  mark      NMTOKEN        # IMPLIED
  change    (add | delete | modify)  # IMPLIED
  rfc       CDATA          # IMPLIED

```

```

class      (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)    # IMPLIED
commcls    (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)    # IMPLIED
caveat     (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)    # IMPLIED
check      CDATA      # IMPLIED
skill      (sk01 | sk02 | sk03 | sk04 | sk05 | sk06 | sk07 | sk08 | sk09 | sk10 | sk11 | sk12
| sk13 | sk14 | sk15 | sk16 | sk17 | sk18 | sk19 | sk20 | sk21 | sk22 | sk23 | sk24 | sk25 | sk26
| sk27 | sk28 | sk29 | sk30 | sk31 | sk32 | sk33 | sk34 | sk35 | sk36 | sk37 | sk38 | sk39 | sk40
| sk41 | sk42 | sk43 | sk44 | sk45 | sk46 | sk47 | sk48 | sk49 | sk50 | sk51 | sk52 | sk53 | sk54
| sk55 | sk56 | sk57 | sk58 | sk59 | sk60 | sk61 | sk62 | sk63 | sk64 | sk65 | sk66 | sk67 | sk68
| sk69 | sk70 | sk71 | sk72 | sk73 | sk74 | sk75 | sk76 | sk77 | sk78 | sk79 | sk80 | sk81 | sk82
| sk83 | sk84 | sk85 | sk86 | sk87 | sk88 | sk89 | sk90 | sk91 | sk92 | sk93 | sk94 | sk95 | sk96
| sk97 | sk98 | sk99)    # IMPLIED
>
<! ELEMENT tabtitle ( #PCDATA | xref | indxflag | symbol | subscript | superscript | ftnref | acronym
| acroterm | capgrp | caption) * )
<! ATTLIST tabtitle
  level      NMTOKEN      # IMPLIED
  mark       NMTOKEN      # IMPLIED
  change     (add | delete | modify)    # IMPLIED
  rfc        CDATA        # IMPLIED
>
<! ELEMENT crew (applic?,crewmem + )>
<! ATTLIST crew
  response   (all | any)   "all"
  refapplic  IDREF         # IMPLIED
>
<! ELEMENT crewmem (applic?)>
<! ATTLIST crewmem
  crewmem    (cm01 | cm02 | cm03 | cm04 | cm05 | cm06 | cm07 | cm08 | cm09 | cm10 | cm11 | cm12
| cm13 | cm14 | cm15 | cm16 | cm17 | cm18 | cm19 | cm20 | cm21 | cm22 | cm23 | cm24 | cm25 | cm26
| cm27 | cm28 | cm29 | cm30 | cm31 | cm32 | cm33 | cm34 | cm35 | cm36 | cm37 | cm38 | cm39 | cm40
| cm41 | cm42 | cm43 | cm44 | cm45 | cm46 | cm47 | cm48 | cm49 | cm50 | cm51 | cm52 | cm53 | cm54
| cm55 | cm56 | cm57 | cm58 | cm59 | cm60 | cm61 | cm62 | cm63 | cm64 | cm65 | cm66 | cm67 | cm68
| cm69 | cm70 | cm71 | cm72 | cm73 | cm74 | cm75 | cm76 | cm77 | cm78 | cm79 | cm80 | cm81 | cm82
| cm83 | cm84 | cm85 | cm86 | cm87 | cm88 | cm89 | cm90 | cm91 | cm92 | cm93 | cm94 | cm95 | cm96
| cm97 | cm98 | cm99)    # REQUIRED
  refapplic  IDREF         # IMPLIED
>
<! ELEMENT figure ((applic?,title),((graphic,rfa * ) | ((applic?,sheet,graphic,rfa * ) + )),legend?)>
<! ATTLIST figure
  refapplic  IDREF         # IMPLIED

```

```

id      ID      # IMPLIED
level   NMTOKEN # IMPLIED
mark    NMTOKEN # IMPLIED
change  (add | delete | modify) # IMPLIED
rfc      CDATA  # IMPLIED
class   (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99) # IMPLIED
commcls (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99) # IMPLIED
caveat  (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99) # IMPLIED
>
<! ELEMENT graphic (hotspot * )>
<! ATTLIST graphic
  boardno ENTITY # REQUIRED
  id ID # IMPLIED
  repropid CDATA # IMPLIED
  reprohgt CDATA # IMPLIED
  reproscl CDATA # IMPLIED
  % XLINKATT0;
>
<! ELEMENT hotspot (applic?,((hotspot | xref | refdm | csntref) * ))>
<! ATTLIST hotspot
  id ID # IMPLIED
  apsid CDATA # IMPLIED
  apsname CDATA # IMPLIED
  type CDATA # IMPLIED
  title CDATA # IMPLIED
  descript CDATA # IMPLIED
  coords CDATA # IMPLIED
  visibility (visible | hidden) "visible"
  refapplic IDREF # IMPLIED
>
<! ELEMENT rfa (#PCDATA | applic | ein | cb | parasigdata | quantity | xref | indxflag | change |
emphasis | symbol | subscript | superscript | refdm | reftp | ftntnote | ftntref | acronym | acroterm |
capgrp | caption) * >
<! ATTLIST rfa
  refapplic IDREF # IMPLIED
>
<! ELEMENT sheet EMPTY>
<! ATTLIST sheet
  sheetno NMTOKEN # REQUIRED
  total NMTOKEN # REQUIRED
  id ID # IMPLIED

```

```

level    NMTOKEN    # IMPLIED
mark     NMTOKEN    # IMPLIED
change   (add | delete | modify)    # IMPLIED
rfc      CDATA      # IMPLIED
refapplic IDREF      # IMPLIED
>
<! ELEMENT legend (deflist)>
<! ATTLIST legend
  id     ID      # IMPLIED
  level  NMTOKEN  # IMPLIED
  mark   NMTOKEN  # IMPLIED
  change (add | delete | modify)    # IMPLIED
  rfc    CDATA    # IMPLIED
>
<! ELEMENT multimedia (((applic?,title?),rfa*,multimediaobject+))>
<! ATTLIST multimedia
  refapplic IDREF      # IMPLIED
  id       ID      # IMPLIED
  level    NMTOKEN    # IMPLIED
  mark     NMTOKEN    # IMPLIED
  change   (add | delete | modify)    # IMPLIED
  rfc      CDATA      # IMPLIED
  class    (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)    # IMPLIED
  commcls  (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)    # IMPLIED
  caveat   (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)    # IMPLIED
>
<! ELEMENT multimediaobject ((param)*)>
<! ATTLIST multimediaobject
  id     ID      # IMPLIED
  autoplay NMTOKEN  # IMPLIED
  fullscrn NMTOKEN  # IMPLIED
  boardno  ENTITY   # REQUIRED
  multimediaclass (3D | audio | video | other)    # REQUIRED
  controls  (hide | show)    # IMPLIED
  duration  NMTOKEN  # IMPLIED
  width     CDATA      # IMPLIED
  height    CDATA      # IMPLIED
  % XLINKATT0;
>
<! ELEMENT param EMPTY>
<! ATTLIST param

```

```

    id      ID      # REQUIRED
    paramid  CDATA    # IMPLIED
    paramvalue CDATA  # IMPLIED
    paramname CDATA   # IMPLIED
  >
< ! ELEMENT foldout (figure | table)>
< ! ELEMENT table (applic?,title?,(tgroup+ | graphic+))>
< ! ATTLIST table
  tabstyle      NMTOKEN      # IMPLIED
  tocentry      NMTOKEN      "1"
  frame         (top | bottom | topbot | all | sides | none)      # IMPLIED
  colsep        NMTOKEN      # IMPLIED
  rowsep        NMTOKEN      # IMPLIED
  orient        (port | land)  # IMPLIED
  pgwide        NMTOKEN      # IMPLIED
  refapplic     IDREF        # IMPLIED
  id            ID          # IMPLIED
  level         NMTOKEN      # IMPLIED
  mark          NMTOKEN      # IMPLIED
  change        (add | delete | modify)      # IMPLIED
  rfc           CDATA        # IMPLIED
  class         (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 |
57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95 |
96 | 97 | 98 | 99)      # IMPLIED
  commcls       (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)      # IMPLIED
  caveat        (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)      # IMPLIED
  >
< ! ELEMENT tgroup (applic?,colspec * ,spanspec * ,thead?,tfoot?,tbody)>
< ! ATTLIST tgroup
  refapplic     IDREF        # IMPLIED
  cols          NMTOKEN      # REQUIRED
  tgstyle       NMTOKEN      # IMPLIED
  colsep        NMTOKEN      # IMPLIED
  rowsep        NMTOKEN      # IMPLIED
  align         (left | right | center | justify | char)      "left"
  charoff       CDATA        # IMPLIED
  char          CDATA        # IMPLIED
  >
< ! ELEMENT thead (colspec * ,row+)>
< ! ATTLIST thead
  valign        (top | bottom | middle)      "bottom"
  >
< ! ELEMENT row (applic?,((entry)+))>

```



```

<! ATTLIST row
  refapplic IDREF # IMPLIED
  rowsep NMTOKEN # IMPLIED
  id ID # IMPLIED
  level NMTOKEN # IMPLIED
  mark NMTOKEN # IMPLIED
  change (add | delete | modify) # IMPLIED
  rfc CDATA # IMPLIED
>

<! ELEMENT entry (#PCDATA | applic | para | warning | caution | note | legend | ein | cb | parasigdata |
quantity | xref | indxflag | change | emphasis | symbol | subscript | supscript | refdm | reftp |
ftnote | ftnref | acronym | acroterm | capgrp | caption | seqlist | randlist | deflist)* >
<! ATTLIST entry
  refapplic IDREF # IMPLIED
  colname NMTOKEN # IMPLIED
  namest NMTOKEN # IMPLIED
  nameend NMTOKEN # IMPLIED
  spanname NMTOKEN # IMPLIED
  morerows NMTOKEN "0"
  colsep NMTOKEN # IMPLIED
  rowsep NMTOKEN # IMPLIED
  rotate NMTOKEN "0"
  valign (top | bottom | middle) "top"
  align (left | right | center | justify | char) # IMPLIED
  charoff CDATA # IMPLIED
  char CDATA # IMPLIED
  id ID # IMPLIED
>

<! ELEMENT tfoot (colspec *,row+)>
<! ATTLIST tfoot
  valign (top | bottom | middle) "top"
>

<! ELEMENT tbody (row+)>
<! ATTLIST tbody
  valign (top | bottom | middle) "top"
>

<! ELEMENT step (((applic?,title?),(warning*,caution*),( (((note | para) | (figure | multimedia
| foldout | table)) * ) | (crew*,procd) | challrsp * )),((step | ((if,elseif * ) | case)) * )))
<! ATTLIST step
  label CDATA # IMPLIED
  memorize (yes | no) "no"
  dotline (dot | line | none) "dot"
  ordered (on | off) "on"
  refapplic IDREF # IMPLIED
  check CDATA # IMPLIED
  skill (sk01 | sk02 | sk03 | sk04 | sk05 | sk06 | sk07 | sk08 | sk09 | sk10 | sk11 | sk12
| sk13 | sk14 | sk15 | sk16 | sk17 | sk18 | sk19 | sk20 | sk21 | sk22 | sk23 | sk24 | sk25 | sk26
| sk27 | sk28 | sk29 | sk30 | sk31 | sk32 | sk33 | sk34 | sk35 | sk36 | sk37 | sk38 | sk39 | sk40
| sk41 | sk42 | sk43 | sk44 | sk45 | sk46 | sk47 | sk48 | sk49 | sk50 | sk51 | sk52 | sk53 | sk54
| sk55 | sk56 | sk57 | sk58 | sk59 | sk60 | sk61 | sk62 | sk63 | sk64 | sk65 | sk66 | sk67 | sk68
| sk69 | sk70 | sk71 | sk72 | sk73 | sk74 | sk75 | sk76 | sk77 | sk78 | sk79 | sk80 | sk81 | sk82
| sk83 | sk84 | sk85 | sk86 | sk87 | sk88 | sk89 | sk90 | sk91 | sk92 | sk93 | sk94 | sk95 | sk96
| sk97 | sk98 | sk99) # IMPLIED
  id ID # IMPLIED
  level NMTOKEN # IMPLIED
  mark NMTOKEN # IMPLIED
  change (add | delete | modify) # IMPLIED
  rfc CDATA # IMPLIED
  class (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |

```

```

37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99) # IMPLIED
    commcls (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99) # IMPLIED
    caveat (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99) # IMPLIED
>
<! ELEMENT procd (applic?,((para | (figure | multimedia | foldout | table))+))
<! ATTLIST procd
    refapplic IDREF # IMPLIED
>
<! ELEMENT challrsp (challeng,((crew *,response)+))
<! ELEMENT challeng (applic?,((para | (figure | multimedia | foldout | table))+))
<! ATTLIST challeng
    refapplic IDREF # IMPLIED
>
<! ELEMENT response (applic?,((para | (figure | multimedia | foldout | table))+))
<! ATTLIST response
    refapplic IDREF # IMPLIED
>
<! ELEMENT if (applic?,condit,((step | ((if,elseif *) | case))+))
<! ATTLIST if
    refapplic IDREF # IMPLIED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
>
<! ELEMENT condit (#PCDATA | ein | cb | parasigdata | quantity | xref | indxflag | change | emphasis |
symbol | subscript | supscpt | refdm | reftp | ftnote | ftnref | acronym | acroterm | capgrp |
caption) * >
<! ATTLIST condit
    class (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99) # IMPLIED
    commcls (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96

```

```

| cc97 | cc98 | cc99)      # IMPLIED
| caveat (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)      # IMPLIED
>
<! ELEMENT elseif (applic?,condit,((step | ((if,elseif * ) | case)) + )))
<! ATTLIST elseif
  refapplic IDREF      # IMPLIED
  id ID      # IMPLIED
  level NMTOKEN      # IMPLIED
  mark NMTOKEN      # IMPLIED
  change (add | delete | modify)      # IMPLIED
  rfc CDATA      # IMPLIED
>
<! ELEMENT case (applic?,condit,((step | ((if,elseif * ) | case)) + )))
<! ATTLIST case
  refapplic IDREF      # IMPLIED
  id ID      # IMPLIED
  level NMTOKEN      # IMPLIED
  mark NMTOKEN      # IMPLIED
  change (add | delete | modify)      # IMPLIED
  rfc CDATA      # IMPLIED
>
<! ELEMENT subdrill (((applic?,title?),tabtitle?,((warning * ,caution * ),note * ),crew * ,((para
| (figure | multimedia | foldout | table)) * )),((step | ((if,elseif * ) | case)) * )))
<! ATTLIST subdrill
  ordered (on | off)      "on"
  refapplic IDREF      # IMPLIED
  id ID      # IMPLIED
  level NMTOKEN      # IMPLIED
  mark NMTOKEN      # IMPLIED
  change (add | delete | modify)      # IMPLIED
  rfc CDATA      # IMPLIED
  class (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)      # IMPLIED
  commcls (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)      # IMPLIED
  caveat (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)      # IMPLIED

```

```

    check    CDATA    # IMPLIED
    skill    (sk01 | sk02 | sk03 | sk04 | sk05 | sk06 | sk07 | sk08 | sk09 | sk10 | sk11 | sk12
| sk13 | sk14 | sk15 | sk16 | sk17 | sk18 | sk19 | sk20 | sk21 | sk22 | sk23 | sk24 | sk25 | sk26
| sk27 | sk28 | sk29 | sk30 | sk31 | sk32 | sk33 | sk34 | sk35 | sk36 | sk37 | sk38 | sk39 | sk40
| sk41 | sk42 | sk43 | sk44 | sk45 | sk46 | sk47 | sk48 | sk49 | sk50 | sk51 | sk52 | sk53 | sk54
| sk55 | sk56 | sk57 | sk58 | sk59 | sk60 | sk61 | sk62 | sk63 | sk64 | sk65 | sk66 | sk67 | sk68
| sk69 | sk70 | sk71 | sk72 | sk73 | sk74 | sk75 | sk76 | sk77 | sk78 | sk79 | sk80 | sk81 | sk82
| sk83 | sk84 | sk85 | sk86 | sk87 | sk88 | sk89 | sk90 | sk91 | sk92 | sk93 | sk94 | sk95 | sk96
| sk97 | sk98 | sk99)    # IMPLIED
>
<! ELEMENT endmattr (applic?,((para | (figure | multimedia | foldout | table))+))>
<! ATTLIST endmattr
    refapplic    IDREF    # IMPLIED
>
<! ELEMENT descacrw (((((warning *,caution *),note *),para0 * ) | (figure | multimedia | foldout |
table)) * ))
<! ATTLIST descacrw
    class    (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)    # IMPLIED
    commcls    (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)    # IMPLIED
    caveat    (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)    # IMPLIED
>
<! ELEMENT para0 ((((((applic?,title?)))?),(((warning *,caution *),(((note | para) | (figure |
multimedia | foldout | table)) * ),drill?)))?),subpara1 * ))
<! ATTLIST para0
    refapplic    IDREF    # IMPLIED
    id    ID    # IMPLIED
    level    NMTOKEN    # IMPLIED
    mark    NMTOKEN    # IMPLIED
    change    (add | delete | modify)    # IMPLIED
    rfc    CDATA    # IMPLIED
    class    (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)    # IMPLIED
    commcls    (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68

```

```

| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99) # IMPLIED
    caveat (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99) # IMPLIED
>
<! ELEMENT subpara1 ((((((applic?,title?)))?),(((warning *,caution *),(((note | para) | (figure |
multimedia | foldout | table)) *),drill?))))),subpara2 *))
<! ATTLIST subpara1
    refapplic IDREF # IMPLIED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
    class (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99) # IMPLIED
    commcls (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99) # IMPLIED
    caveat (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99) # IMPLIED
>
<! ELEMENT subpara2 ((((((applic?,title?)))?),(((warning *,caution *),(((note | para) | (figure |
multimedia | foldout | table)) *),drill?))))),subpara3 *))
<! ATTLIST subpara2
    refapplic IDREF # IMPLIED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
    class (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99) # IMPLIED
    commcls (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12

```

```

| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99) # IMPLIED
  caveat (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99) # IMPLIED
>
<! ELEMENT subpara3 ((((((applic?,title?)))?)),(((warning *,caution *),(((note | para) | (figure |
multimedia | foldout | table)) *),drill?)))?)),subpara4 * ))
<! ATTLIST subpara3
  refapplic IDREF # IMPLIED
  id ID # IMPLIED
  level NMTOKEN # IMPLIED
  mark NMTOKEN # IMPLIED
  change (add | delete | modify) # IMPLIED
  rfc CDATA # IMPLIED
  class (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99) # IMPLIED
  commcls (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99) # IMPLIED
  caveat (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99) # IMPLIED
>
<! ELEMENT subpara4 ((((((applic?,title?)))?)),(((warning *,caution *),(((note | para) | (figure |
multimedia | foldout | table)) *),drill?)))?)),subpara5 * ))
<! ATTLIST subpara4
  refapplic IDREF # IMPLIED
  id ID # IMPLIED
  level NMTOKEN # IMPLIED
  mark NMTOKEN # IMPLIED
  change (add | delete | modify) # IMPLIED
  rfc CDATA # IMPLIED
  class (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56

```

```

| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95 |
| 96 | 97 | 98 | 99) # IMPLIED
    commcls (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99) # IMPLIED
    caveat (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99) # IMPLIED
>
<! ELEMENT subpara5 (((((applic?,title?)))?),(warning *,caution *),(((note | para) | (figure |
multimedia | foldout | table)) * ),drill?)))?,subpara6 * )>
<! ATTLIST subpara5
    refapplic IDREF # IMPLIED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
    class (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99) # IMPLIED
    commcls (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99) # IMPLIED
    caveat (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99) # IMPLIED
>
<! ELEMENT subpara6 (((((applic?,title?)))?),(warning *,caution *),(((note | para) | (figure |
multimedia | foldout | table)) * ),drill?)))?,subpara7 * )>
<! ATTLIST subpara6
    refapplic IDREF # IMPLIED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED

```

```

    rfc      CDATA      # IMPLIED
    class    (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99) # IMPLIED
    commcls  (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99) # IMPLIED
    caveat   (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99) # IMPLIED
  >
< ! ELEMENT subpara7 (((((applic?,title?)))?),(((warning *,caution *),(((note | para) | (figure |
multimedia | foldout | table)) * ),drill?)))?)>
< ! ATTLIST subpara7
    refapplic IDREF      # IMPLIED
    id ID      # IMPLIED
    level NMTOKEN      # IMPLIED
    mark NMTOKEN      # IMPLIED
    change (add | delete | modify)      # IMPLIED
    rfc      CDATA      # IMPLIED
    class    (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99) # IMPLIED
    commcls  (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99) # IMPLIED
    caveat   (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99) # IMPLIED
  >

```

B.2 描述信息 DTD

本文件包含了描述内容 DTD。它标识了所有与描述信息有关的元素和它们之间的关系。


```

<? xml version = "1.0" encoding = "UTF-8"?>
<! ELEMENT dmodule (rdf:Description?,idstatus,content)>
<! ATTLIST dmodule
    id      ID      # IMPLIED
    %RDFDCATT;
>
<! ELEMENT idstatus (dmaddres,srcdmaddres?,status)>
<! ELEMENT dmaddres (dmceextension?,dmc,dmttitle,issno,issdate)>
<! ELEMENT dmceextension (dmeproducer,dmcecode)>
<! ELEMENT dmeproducer (#PCDATA)>
<! ELEMENT dmcecode (#PCDATA)>
<! ELEMENT dmc (age | avee)>
<! ELEMENT age (modelic,supeqvc,ecscs,eidc,cidc,discode,discodev,incode,incodev,itemloc)>
<! ELEMENT modelic (#PCDATA)>
<! ELEMENT supeqvc (#PCDATA)>
<! ELEMENT ecscs (#PCDATA)>
<! ELEMENT eidc (#PCDATA)>
<! ELEMENT cidc (#PCDATA)>
<! ELEMENT discode (#PCDATA)>
<! ELEMENT discodev (#PCDATA)>
<! ELEMENT incode (#PCDATA)>
<! ELEMENT incodev (#PCDATA)>
<! ELEMENT itemloc (#PCDATA)>
<! ELEMENT avee (modelic,sdc,chapnum,section,subsect,subject,discode,discodev,incode,incodev,
itemloc)>
<! ELEMENT sdc (#PCDATA)>
<! ELEMENT chapnum (#PCDATA)>
<! ELEMENT section (#PCDATA)>
<! ELEMENT subsect (#PCDATA)>
<! ELEMENT subject (#PCDATA)>
<! ELEMENT dmttitle (techname,infoname?)>
<! ELEMENT techname (#PCDATA)>
<! ELEMENT infoname (#PCDATA)>
<! ELEMENT issno EMPTY>
<! ATTLIST issno
    issno      NMTOKEN      # REQUIRED
    inwork      NMTOKEN      # IMPLIED
    type        (new | changed | deleted | revised | status | rinstat-changed | rinstat-revised |
rinstat-status)      "new"
>
<! ELEMENT issdate EMPTY>
<! ATTLIST issdate
    year      NMTOKEN      # REQUIRED
    month      NMTOKEN      # REQUIRED
    day      NMTOKEN      # REQUIRED
>
<! ELEMENT srcdmaddres (dmceextension?,dmc,dmttitle,issno,issdate)>
<! ELEMENT status (security,datarest *,rpc,orig,applic,inlineapplics?,brexref,qa + ,((ein) * ),rfu *,
remarks * )>
<! ATTLIST status
    id      ID      # IMPLIED
>
<! ELEMENT security EMPTY>
<! ATTLIST security
    class      (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)      # REQUIRED

```

```

    commcls      (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)      # IMPLIED
    caveat      (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)      # IMPLIED
>
<! ELEMENT datarest (applic?,instruct,inform?)>
<! ATTLIST datarest
    refapplic    IDREF      # IMPLIED
    id           ID         # IMPLIED
    level        NMTOKEN     # IMPLIED
    mark         NMTOKEN     # IMPLIED
    change       (add | delete | modify)    # IMPLIED
    rfc          CDATA       # IMPLIED
>
<! ELEMENT applic (type?,model*)>
<! ATTLIST applic
    applicconf    (allowed | built | designed | installed | manufactured | supported)
    # IMPLIED
    id           ID         # IMPLIED
    level        NMTOKEN     # IMPLIED
    mark         NMTOKEN     # IMPLIED
    change       (add | delete | modify)    # IMPLIED
    rfc          CDATA       # IMPLIED
>
<! ELEMENT type (#PCDATA)>
<! ELEMENT model (version* ,((csnref | (mfc) * ),maintlevel?,techconds* ,opconds* ))>
<! ATTLIST model
    model        CDATA       # REQUIRED
>
<! ELEMENT version (versrank*)>
<! ATTLIST version
    version      CDATA       # REQUIRED
    id           ID         # IMPLIED
>
<! ELEMENT versrank ((single | range) +)>
<! ATTLIST versrank
    verstatus    CDATA       # IMPLIED
    id           ID         # IMPLIED
    level        NMTOKEN     # IMPLIED
    mark         NMTOKEN     # IMPLIED
    change       (add | delete | modify)    # IMPLIED
    rfc          CDATA       # IMPLIED
>
<! ELEMENT single (#PCDATA)>
<! ELEMENT range EMPTY>
<! ATTLIST range
    from         CDATA       # REQUIRED
    to           CDATA       # REQUIRED

```

```

>
<! ELEMENT csnref EMPTY>
<! ATTLIST csnref
    refcsn CDATA #REQUIRED
    refisn CDATA #IMPLIED
    refipp CDATA #IMPLIED
    refrpc CDATA #IMPLIED
    id ID #IMPLIED
    level NMTOKEN #IMPLIED
    mark NMTOKEN #IMPLIED
    change (add | delete | modify) #IMPLIED
    rfc CDATA #IMPLIED
    %XLINKATT2;
>
<! ELEMENT mfc (#PCDATA)>
<! ATTLIST mfc
    id ID #IMPLIED
    level NMTOKEN #IMPLIED
    mark NMTOKEN #IMPLIED
    change (add | delete | modify) #IMPLIED
    rfc CDATA #IMPLIED
>
<! ELEMENT maintlevel (mntlvl+)>
<! ELEMENT mntlvl EMPTY>
<! ATTLIST mntlvl
    mntlvl (m101 | m102 | m103 | m104 | m105 | m106 | m107 | m108 | m109 | m110 | m111 | m112
| m113 | m114 | m115 | m116 | m117 | m118 | m119 | m120 | m121 | m122 | m123 | m124 | m125 | m126
| m127 | m128 | m129 | m130 | m131 | m132 | m133 | m134 | m135 | m136 | m137 | m138 | m139 | m140
| m141 | m142 | m143 | m144 | m145 | m146 | m147 | m148 | m149 | m150 | m151 | m152 | m153 | m154
| m155 | m156 | m157 | m158 | m159 | m160 | m161 | m162 | m163 | m164 | m165 | m166 | m167 | m168
| m169 | m170 | m171 | m172 | m173 | m174 | m175 | m176 | m177 | m178 | m179 | m180 | m181 | m182
| m183 | m184 | m185 | m186 | m187 | m188 | m189 | m190 | m191 | m192 | m193 | m194 | m195 | m196
| m197 | m198 | m199) #REQUIRED
>
<! ELEMENT techconds (textual-desc?,techcond*)>
<! ATTLIST techconds
    id ID #IMPLIED
    level NMTOKEN #IMPLIED
    mark NMTOKEN #IMPLIED
    change (add | delete | modify) #IMPLIED
    rfc CDATA #IMPLIED
>
<! ELEMENT textual-desc (#PCDATA)>
<! ATTLIST textual-desc
    id ID #IMPLIED
    level NMTOKEN #IMPLIED
    mark NMTOKEN #IMPLIED
    change (add | delete | modify) #IMPLIED
    rfc CDATA #IMPLIED
>
<! ELEMENT techcond (((((age | avee), issno?, dmtitle?) | (pubcode, pubtitle?, pubdate?) |
condtitle?),scheduled?,embodied?))>
<! ATTLIST techcond
    tccode (tc01 | tc02 | tc03 | tc04 | tc05 | tc06 | tc07 | tc08 | tc09 | tc10 | tc11 | tc12
| tc13 | tc14 | tc15 | tc16 | tc17 | tc18 | tc19 | tc20 | tc21 | tc22 | tc23 | tc24 | tc25 | tc26
| tc27 | tc28 | tc29 | tc30 | tc31 | tc32 | tc33 | tc34 | tc35 | tc36 | tc37 | tc38 | tc39 | tc40
| tc41 | tc42 | tc43 | tc44 | tc45 | tc46 | tc47 | tc48 | tc49 | tc50 | tc51 | tc52 | tc53 | tc54
| tc55 | tc56 | tc57 | tc58 | tc59 | tc60 | tc61 | tc62 | tc63 | tc64 | tc65 | tc66 | tc67 | tc68
| tc69 | tc70 | tc71 | tc72 | tc73 | tc74 | tc75 | tc76 | tc77 | tc78 | tc79 | tc80 | tc81 | tc82
| tc83 | tc84 | tc85 | tc86 | tc87 | tc88 | tc89 | tc90 | tc91 | tc92 | tc93 | tc94 | tc95 | tc96

```



```

| tc97 | tc98 | tc99)      # REQUIRED
    tcno    CDATA      # IMPLIED
    tctype  (pre | post | preandpo)  # REQUIRED
    mfc     CDATA      # IMPLIED
    id      ID         # IMPLIED
    level   NMTOKEN    # IMPLIED
    mark    NMTOKEN    # IMPLIED
    change  (add | delete | modify)  # IMPLIED
    rfc     CDATA      # IMPLIED
>
<! ELEMENT pubcode ( #PCDATA | pmc ) * >
<! ATTLIST pubcode
    pubcodsy CDATA      # IMPLIED
>
<! ELEMENT pmc (modelic,pmissuer,pmnumber,pmvolume)>
<! ELEMENT pmissuer ( #PCDATA)>
<! ELEMENT pmnumber ( #PCDATA)>
<! ELEMENT pmvolume ( #PCDATA)>
<! ELEMENT pubtitle ( #PCDATA)>
<! ELEMENT pubdate EMPTY>
<! ATTLIST pubdate
    year    NMTOKEN    # REQUIRED
    month   NMTOKEN    # REQUIRED
    day     NMTOKEN    # REQUIRED
>
<! ELEMENT condtitle ( #PCDATA)>
<! ATTLIST condtitle
    id      ID         # IMPLIED
    level   NMTOKEN    # IMPLIED
    mark    NMTOKEN    # IMPLIED
    change  (add | delete | modify)  # IMPLIED
    rfc     CDATA      # IMPLIED
>
<! ELEMENT scheduled ((single | range) + )>
<! ATTLIST scheduled
    id      ID         # IMPLIED
    level   NMTOKEN    # IMPLIED
    mark    NMTOKEN    # IMPLIED
    change  (add | delete | modify)  # IMPLIED
    rfc     CDATA      # IMPLIED
>
<! ELEMENT embodied ((single | range) + )>
<! ATTLIST embodied
    id      ID         # IMPLIED
    level   NMTOKEN    # IMPLIED
    mark    NMTOKEN    # IMPLIED
    change  (add | delete | modify)  # IMPLIED
    rfc     CDATA      # IMPLIED
>
<! ELEMENT opconds (textual-desc?,opcond * )>
<! ATTLIST opconds
    id      ID         # IMPLIED
    level   NMTOKEN    # IMPLIED
    mark    NMTOKEN    # IMPLIED
    change  (add | delete | modify)  # IMPLIED
    rfc     CDATA      # IMPLIED
>
<! ELEMENT opcond ( #PCDATA)>
<! ATTLIST opcond
    opcno   NMTOKEN    # IMPLIED

```

```

opccode   CDATA      # IMPLIED
confirmed NMTOKEN    # IMPLIED
id        ID         # IMPLIED
level     NMTOKEN    # IMPLIED
mark      NMTOKEN    # IMPLIED
change    (add | delete | modify) # IMPLIED
rfc       CDATA      # IMPLIED
>
<! ELEMENT instruct (distrib, handling?)>
<! ATTLIST instruct
  id        ID         # IMPLIED
  level     NMTOKEN    # IMPLIED
  mark      NMTOKEN    # IMPLIED
  change    (add | delete | modify) # IMPLIED
  rfc       CDATA      # IMPLIED
>
<! ELEMENT distrib (#PCDATA)>
<! ATTLIST distrib
  id        ID         # IMPLIED
  level     NMTOKEN    # IMPLIED
  mark      NMTOKEN    # IMPLIED
  change    (add | delete | modify) # IMPLIED
  rfc       CDATA      # IMPLIED
>
<! ELEMENT handling (#PCDATA)>
<! ATTLIST handling
  id        ID         # IMPLIED
  level     NMTOKEN    # IMPLIED
  mark      NMTOKEN    # IMPLIED
  change    (add | delete | modify) # IMPLIED
  rfc       CDATA      # IMPLIED
>
<! ELEMENT inform (copyright,polref?,datacond?)>
<! ATTLIST inform
  id        ID         # IMPLIED
  level     NMTOKEN    # IMPLIED
  mark      NMTOKEN    # IMPLIED
  change    (add | delete | modify) # IMPLIED
  rfc       CDATA      # IMPLIED
>
<! ELEMENT copyright (para +)>
<! ATTLIST copyright
  id        ID         # IMPLIED
  level     NMTOKEN    # IMPLIED
  mark      NMTOKEN    # IMPLIED
  change    (add | delete | modify) # IMPLIED
  rfc       CDATA      # IMPLIED
>
<! ELEMENT para (#PCDATA | applic | ein | cb | parasigdata | quantity | zone | accpnl | identno |
xref | indxflag | change | emphasis | symbol | subscript | superscript | refdm | reftyp | ftnote | ftnref
| acronym | acroterm | capgrp | caption | verbatim | seqlist | randlist | deflist)*>
<! ATTLIST para
  refapplic IDREF      # IMPLIED
  id        ID         # IMPLIED
  level     NMTOKEN    # IMPLIED
  mark      NMTOKEN    # IMPLIED
  change    (add | delete | modify) # IMPLIED
  rfc       CDATA      # IMPLIED
  class     (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |

```

```

37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)    # IMPLIED
    commcls    (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)    # IMPLIED
    caveat    (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)    # IMPLIED
>
<! ELEMENT ein (nomen?,refs?)>
<! ATTLIST ein
    einnbr    CDATA        # REQUIRED
    eintype    (exact | family)    # IMPLIED
    mfc        CDATA        # IMPLIED
    id         ID           # IMPLIED
    level      NMTOKEN      # IMPLIED
    mark       NMTOKEN      # IMPLIED
    change     (add | delete | modify)    # IMPLIED
    rfc        CDATA        # IMPLIED
>
<! ELEMENT nomen (#PCDATA)>
<! ATTLIST nomen
    level      NMTOKEN      # IMPLIED
    mark       NMTOKEN      # IMPLIED
    change     (add | delete | modify)    # IMPLIED
    rfc        CDATA        # IMPLIED
>
<! ELEMENT refs ((refdm+,reftp*) | reftp+)>
<! ELEMENT refdm ((applic?,dmceextension?,(age | avee),issno?,dmttitle?) | ((%XLINKEXT;)*))>
<! ATTLIST refdm
    target     CDATA        # IMPLIED
    refapplic   IDREF        # IMPLIED
    id         ID           # IMPLIED
    level      NMTOKEN      # IMPLIED
    mark       NMTOKEN      # IMPLIED
    change     (add | delete | modify)    # IMPLIED
    rfc        CDATA        # IMPLIED
    %XLINKATT;
>
<! ELEMENT reftp (#PCDATA | applic | xref | indxflag | symbol | subscript | superscript | ftnref |
acronym | acroterm | caption | pubcode | pubtitle | pubdate | %XLINKEXT;)*>
<! ATTLIST reftp
    refapplic   IDREF        # IMPLIED
    id         ID           # IMPLIED
    level      NMTOKEN      # IMPLIED
    mark       NMTOKEN      # IMPLIED
    change     (add | delete | modify)    # IMPLIED
    rfc        CDATA        # IMPLIED

```

```

    % XLINKATT4;
>
<! ELEMENT xref ( #PCDATA | applic | subscript | superscript) * >
<! ATTLIST xref
    xrefid      IDREF      # IMPLIED
    xidtype      (figure | table | multimedia | supply | supequip | spares | para | step | sheet |
multimediaobject | hotspot | param | other)      # IMPLIED
    target      CDATA      # IMPLIED
    destitle     CDATA      # IMPLIED
    pretext      CDATA      # IMPLIED
    posttext     CDATA      # IMPLIED
    refapplic    IDREF      # IMPLIED
    % XLINKATT3;
>
<! ELEMENT subscript ( #PCDATA)>
<! ELEMENT superscript ( #PCDATA)>
<! ELEMENT indxflag EMPTY>
<! ATTLIST indxflag
    ref1      CDATA      # IMPLIED
    ref2      CDATA      # IMPLIED
    ref3      CDATA      # IMPLIED
    ref4      CDATA      # IMPLIED
>
<! ELEMENT symbol (applic?)>
<! ATTLIST symbol
    boardno     ENTITY      # REQUIRED
    id          ID          # IMPLIED
    repropwid    CDATA      # IMPLIED
    reprohgt     CDATA      # IMPLIED
    reprosc1     CDATA      # IMPLIED
    refapplic    IDREF      # IMPLIED
    % XLINKATT1;
>
<! ELEMENT ftnref EMPTY>
<! ATTLIST ftnref
    xrefid      IDREF      # IMPLIED
>
<! ELEMENT acronym (acroterm,acrodef)>
<! ATTLIST acronym
    acrotype     (at01 | at02 | at03 | at04 | at05 | at06 | at07 | at08 | at09 | at10 | at11 | at12
| at13 | at14 | at15 | at16 | at17 | at18 | at19 | at20 | at21 | at22 | at23 | at24 | at25 | at26
| at27 | at28 | at29 | at30 | at31 | at32 | at33 | at34 | at35 | at36 | at37 | at38 | at39 | at40
| at41 | at42 | at43 | at44 | at45 | at46 | at47 | at48 | at49 | at50 | at51 | at52 | at53 | at54
| at55 | at56 | at57 | at58 | at59 | at60 | at61 | at62 | at63 | at64 | at65 | at66 | at67 | at68
| at69 | at70 | at71 | at72 | at73 | at74 | at75 | at76 | at77 | at78 | at79 | at80 | at81 | at82
| at83 | at84 | at85 | at86 | at87 | at88 | at89 | at90 | at91 | at92 | at93 | at94 | at95 | at96
| at97 | at98 | at99)      "at01"
    id          ID          # IMPLIED
    level       NMTOKEN      # IMPLIED
    mark        NMTOKEN      # IMPLIED
    change      (add | delete | modify)      # IMPLIED
    rfc         CDATA      # IMPLIED
>
<! ELEMENT acroterm ( #PCDATA | subscript | superscript) * >
<! ATTLIST acroterm
    xrefid      IDREF      # IMPLIED
>
<! ELEMENT acrodef ( #PCDATA | subscript | superscript) * >
<! ATTLIST acrodef
    id          ID          # IMPLIED

```

```

    level  NMTOKEN      # IMPLIED
    mark   NMTOKEN      # IMPLIED
    change (add | delete | modify)  # IMPLIED
    rfc     CDATA       # IMPLIED
  >
<! ELEMENT caption (applic?,capline+)>
<! ATTLIST caption
    colour (co00 | co01 | co02 | co03 | co04 | co05 | co06 | co07 | co08 | co09 | co10 | co11
| co12 | co13 | co14 | co15 | co16 | co17 | co18 | co19 | co20 | co21 | co22 | co23 | co24 | co25
| co26 | co27 | co28 | co29 | co30 | co31 | co32 | co33 | co34 | co35 | co36 | co37 | co38 | co39
| co40 | co41 | co42 | co43 | co44 | co45 | co46 | co47 | co48 | co49 | co50 | co51 | co52 | co53
| co54 | co55 | co56 | co57 | co58 | co59 | co60 | co61 | co62 | co63 | co64 | co65 | co66 | co67
| co68 | co69 | co70 | co71 | co72 | co73 | co74 | co75 | co76 | co77 | co78 | co79 | co80 | co81
| co82 | co83 | co84 | co85 | co86 | co87 | co88 | co89 | co90 | co91 | co92 | co93 | co94 | co95
| co96 | co97 | co98 | co99) "co09"
    width  CDATA       # IMPLIED
    height CDATA       # IMPLIED
    sysid  CDATA       # IMPLIED
    align  (left | right | center | justify) "center"
    toctype (none | redtoc | comdtoc | ambertoc | greentoc | yellowtoc) "none"
    type    (primary | secondary) "primary"
    refapplic IDREF     # IMPLIED
    id       ID         # IMPLIED
    level    NMTOKEN     # IMPLIED
    mark     NMTOKEN     # IMPLIED
    change   (add | delete | modify)  # IMPLIED
    rfc      CDATA       # IMPLIED
  >
<! ELEMENT capline (#PCDATA | acroterm)*>
<! ELEMENT cb (nomen?,refs?)>
<! ATTLIST cb
    cbnbr  CDATA       # REQUIRED
    cbtype (eltro | elmec | clip) # IMPLIED
    cbaction (open | close | verif-open | verif-close) # IMPLIED
    checksum CDATA     # IMPLIED
    id       ID         # IMPLIED
    level    NMTOKEN     # IMPLIED
    mark     NMTOKEN     # IMPLIED
    change   (add | delete | modify)  # IMPLIED
    rfc      CDATA       # IMPLIED
  >
<! ELEMENT parasigdata (#PCDATA)>
<! ATTLIST parasigdata
    psdtype (psd01 | psd02 | psd03 | psd04 | psd05 | psd06 | psd07 | psd08 | psd09 | psd10 | psd11
| psd12 | psd13 | psd14 | psd15 | psd16 | psd17 | psd18 | psd19 | psd20 | psd21 | psd22 | psd23
| psd24 | psd25 | psd26 | psd27 | psd28 | psd29 | psd30 | psd31 | psd32 | psd33 | psd34 | psd35
| psd36 | psd37 | psd38 | psd39 | psd40 | psd41 | psd42 | psd43 | psd44 | psd45 | psd46 | psd47
| psd48 | psd49 | psd50 | psd51 | psd52 | psd53 | psd54 | psd55 | psd56 | psd57 | psd58 | psd59
| psd60 | psd61 | psd62 | psd63 | psd64 | psd65 | psd66 | psd67 | psd68 | psd69 | psd70 | psd71
| psd72 | psd73 | psd74 | psd75 | psd76 | psd77 | psd78 | psd79 | psd80 | psd81 | psd82 | psd83
| psd84 | psd85 | psd86 | psd87 | psd88 | psd89 | psd90 | psd91 | psd92 | psd93 | psd94 | psd95
| psd96 | psd97 | psd98 | psd99) # REQUIRED
  >
<! ELEMENT quantity (#PCDATA | qtygrp)*>
<! ATTLIST quantity
    qtytype (qty01 | qty02 | qty03 | qty04 | qty05 | qty06 | qty07 | qty08 | qty09 | qty10 | qty11
| qty12 | qty13 | qty14 | qty15 | qty16 | qty17 | qty18 | qty19 | qty20 | qty21 | qty22 | qty23
| qty24 | qty25 | qty26 | qty27 | qty28 | qty29 | qty30 | qty31 | qty32 | qty33 | qty34 | qty35
| qty36 | qty37 | qty38 | qty39 | qty40 | qty41 | qty42 | qty43 | qty44 | qty45 | qty46 | qty47
| qty48 | qty49 | qty50 | qty51 | qty52 | qty53 | qty54 | qty55 | qty56 | qty57 | qty58 | qty59

```



```

| qty60 | qty61 | qty62 | qty63 | qty64 | qty65 | qty66 | qty67 | qty68 | qty69 | qty70 | qty71
| qty72 | qty73 | qty74 | qty75 | qty76 | qty77 | qty78 | qty79 | qty80 | qty81 | qty82 | qty83
| qty84 | qty85 | qty86 | qty87 | qty88 | qty89 | qty90 | qty91 | qty92 | qty93 | qty94 | qty95
| qty96 | qty97 | qty98 | qty99)      # IMPLIED
>
<! ELEMENT qtygrp ((qtyvalue + ,qtytolerance * ) | (qtytolerance + ))>
<! ATTLIST qtygrp
  qtygrptype      (nominal | minimum | maximum)      "nominal"
  qtyuom CDATA      # IMPLIED
>
<! ELEMENT qtyvalue (#PCDATA)>
<! ATTLIST qtyvalue
  qtyuom CDATA      # IMPLIED
>
<! ELEMENT qtytolerance (#PCDATA)>
<! ATTLIST qtytolerance
  qtytoltype      (plus | minus | plusorminus)      "plusorminus"
  qtyuom CDATA      # IMPLIED
>
<! ELEMENT zone (nomen?,refs?)>
<! ATTLIST zone
  zonenbr CDATA      # IMPLIED
  id ID      # IMPLIED
  level NMTOKEN      # IMPLIED
  mark NMTOKEN      # IMPLIED
  change (add | delete | modify)      # IMPLIED
  rfc CDATA      # IMPLIED
>
<! ELEMENT accpnl (nomen?,refs?)>
<! ATTLIST accpnl
  accpnlnbr CDATA      # IMPLIED
  accpnltype      (accpnl01 | accpnl02 | accpnl03 | accpnl04 | accpnl05 | accpnl06 | accpnl07 |
accpnl08 | accpnl09 | accpnl10 | accpnl11 | accpnl12 | accpnl13 | accpnl14 | accpnl15 | accpnl16
| accpnl17 | accpnl18 | accpnl19 | accpnl20 | accpnl21 | accpnl22 | accpnl23 | accpnl24 | accpnl25
| accpnl26 | accpnl27 | accpnl28 | accpnl29 | accpnl30 | accpnl31 | accpnl32 | accpnl33 | accpnl34
| accpnl35 | accpnl36 | accpnl37 | accpnl38 | accpnl39 | accpnl40 | accpnl41 | accpnl42 | accpnl43
| accpnl44 | accpnl45 | accpnl46 | accpnl47 | accpnl48 | accpnl49 | accpnl50 | accpnl51 | accpnl52
| accpnl53 | accpnl54 | accpnl55 | accpnl56 | accpnl57 | accpnl58 | accpnl59 | accpnl60 | accpnl61
| accpnl62 | accpnl63 | accpnl64 | accpnl65 | accpnl66 | accpnl67 | accpnl68 | accpnl69 | accpnl70
| accpnl71 | accpnl72 | accpnl73 | accpnl74 | accpnl75 | accpnl76 | accpnl77 | accpnl78 | accpnl79
| accpnl80 | accpnl81 | accpnl82 | accpnl83 | accpnl84 | accpnl85 | accpnl86 | accpnl87 | accpnl88
| accpnl89 | accpnl90 | accpnl91 | accpnl92 | accpnl93 | accpnl94 | accpnl95 | accpnl96 | accpnl97
| accpnl98 | accpnl99)      # IMPLIED
  id ID      # IMPLIED
  level NMTOKEN      # IMPLIED
  mark NMTOKEN      # IMPLIED
  change (add | delete | modify)      # IMPLIED
  rfc CDATA      # IMPLIED
>
<! ELEMENT identno (mfc,((pnr,serialno * ) * ))>
<! ATTLIST identno
  level NMTOKEN      # IMPLIED
  mark NMTOKEN      # IMPLIED
  change (add | delete | modify)      # IMPLIED
  rfc CDATA      # IMPLIED
>
<! ELEMENT change (#PCDATA | ein | cb | parasigdata | quantity | zone | accpnl | identno | xref |
indxflag | change | emphasis | symbol | subscript | supscript | refdm | reftp | ftnote | ftnref |
acronym | acroterm | capgrp | caption | verbatim) * >
<! ATTLIST change

```

```

id      ID      # IMPLIED
level   NMTOKEN # IMPLIED
mark    NMTOKEN # IMPLIED
change  (add | delete | modify) # IMPLIED
rfc     CDATA   # IMPLIED
>
<! ELEMENT emphasis (#PCDATA | ein | cb | parasigdata | quantity | zone | accpnl | identno | xref |
indxflag | change | emphasis | symbol | subscript | supscript | refdm | reftp | ftnote | ftnref |
acronym | acroterm | capgrp | caption | verbatim) * >
<! ATTLIST emphasis
    emph (em01 | em02 | em03 | em04 | em05 | em06 | em07 | em08 | em09 | em10 | em11 | em12 | em13
| em14 | em15 | em16 | em17 | em18 | em19 | em20 | em21 | em22 | em23 | em24 | em25 | em26 | em27
| em28 | em29 | em30 | em31 | em32 | em33 | em34 | em35 | em36 | em37 | em38 | em39 | em40 | em41
| em42 | em43 | em44 | em45 | em46 | em47 | em48 | em49 | em50 | em51 | em52 | em53 | em54 | em55
| em56 | em57 | em58 | em59 | em60 | em61 | em62 | em63 | em64 | em65 | em66 | em67 | em68 | em69
| em70 | em71 | em72 | em73 | em74 | em75 | em76 | em77 | em78 | em79 | em80 | em81 | em82 | em83
| em84 | em85 | em86 | em87 | em88 | em89 | em90 | em91 | em92 | em93 | em94 | em95 | em96 | em97
| em98 | em99) "em01"
>
<! ELEMENT ftnote (applic?,para+)>
<! ATTLIST ftnote
    ftnmark (num | sym | alpha) "num"
    refapplic IDREF # IMPLIED
    id      ID      # IMPLIED
    level   NMTOKEN # IMPLIED
    mark    NMTOKEN # IMPLIED
    change  (add | delete | modify) # IMPLIED
    rfc     CDATA   # IMPLIED
    class   (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99) # IMPLIED
    commcls (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99) # IMPLIED
    caveat (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99) # IMPLIED
>
<! ELEMENT capgrp (applic?,colspec *,spanspec *,capbody)>
<! ATTLIST capgrp
    cols      NMTOKEN # REQUIRED
    align     (left | right | center) "left"
    toctype   (none | redtoc | comdtoc | ambertoc | greentoc | yellowtoc) "none"
    colsep    NMTOKEN # IMPLIED
    rowsep    NMTOKEN # IMPLIED
    refapplic IDREF # IMPLIED
    id      ID      # IMPLIED

```

```

    level    NMTOKEN    # IMPLIED
    mark     NMTOKEN    # IMPLIED
    change   (add | delete | modify)    # IMPLIED
    rfc      CDATA      # IMPLIED
  >
<! ELEMENT colspec EMPTY>
<! ATTLIST colspec
  colnum    NMTOKEN    # IMPLIED
  colname   NMTOKEN    # IMPLIED
  align     (left | right | center | justify | char)    # IMPLIED
  charoff   CDATA      # IMPLIED
  char      CDATA      # IMPLIED
  colwidth  CDATA      # IMPLIED
  colsep    NMTOKEN    # IMPLIED
  rowsep    NMTOKEN    # IMPLIED
>
<! ELEMENT spanspec EMPTY>
<! ATTLIST spanspec
  namest    NMTOKEN    # REQUIRED
  nameend   NMTOKEN    # REQUIRED
  spanname  NMTOKEN    # REQUIRED
  align     (left | right | center | justify | char)    "center"
  charoff   CDATA      # IMPLIED
  char      CDATA      # IMPLIED
  colsep    NMTOKEN    # IMPLIED
  rowsep    NMTOKEN    # IMPLIED
>
<! ELEMENT capbody (applic?,caprow+)>
<! ATTLIST capbody
  valign    (top | bottom | middle)    "top"
  refapplic IDREF    # IMPLIED
>
<! ELEMENT caprow ((applic?,capentry)+)>
<! ATTLIST caprow
  rowsep    NMTOKEN    # IMPLIED
  refapplic IDREF    # IMPLIED
  id        ID        # IMPLIED
  level     NMTOKEN    # IMPLIED
  mark      NMTOKEN    # IMPLIED
  change    (add | delete | modify)    # IMPLIED
  rfc       CDATA      # IMPLIED
>
<! ELEMENT capentry (applic?,((caption | captext)?))>
<! ATTLIST capentry
  colname   NMTOKEN    # IMPLIED
  namest    NMTOKEN    # IMPLIED
  nameend   NMTOKEN    # IMPLIED
  spanname  NMTOKEN    # IMPLIED
  morerows  NMTOKEN    "0"
  colsep    NMTOKEN    # IMPLIED
  rowsep    NMTOKEN    # IMPLIED
  valign    (top | bottom | middle)    "top"
  align     (left | right | center | justify)    # IMPLIED
  refapplic IDREF    # IMPLIED
>
<! ELEMENT captext (#PCDATA | xref | indxflag | change | emphasis | subscript | superscript | refdm |
reftp | acronym | acroterm)*>
<! ATTLIST captext
  level     NMTOKEN    # IMPLIED
  mark      NMTOKEN    # IMPLIED

```

```

    change      (add | delete | modify)      # IMPLIED
    rfc          CDATA      # IMPLIED
  >
< ! ELEMENT verbatim ( #PCDATA ) >
< ! ATTLIST verbatim
    vstyle      (vs01 | vs02 | vs03 | vs04 | vs05 | vs06 | vs07 | vs08 | vs09 | vs10 | vs11 | vs12
| vs13 | vs14 | vs15 | vs16 | vs17 | vs18 | vs19 | vs20 | vs21 | vs22 | vs23 | vs24 | vs25 | vs26
| vs27 | vs28 | vs29 | vs30 | vs31 | vs32 | vs33 | vs34 | vs35 | vs36 | vs37 | vs38 | vs39 | vs40
| vs41 | vs42 | vs43 | vs44 | vs45 | vs46 | vs47 | vs48 | vs49 | vs50 | vs51 | vs52 | vs53 | vs54
| vs55 | vs56 | vs57 | vs58 | vs59 | vs60 | vs61 | vs62 | vs63 | vs64 | vs65 | vs66 | vs67 | vs68
| vs69 | vs70 | vs71 | vs72 | vs73 | vs74 | vs75 | vs76 | vs77 | vs78 | vs79 | vs80 | vs81 | vs82
| vs83 | vs84 | vs85 | vs86 | vs87 | vs88 | vs89 | vs90 | vs91 | vs92 | vs93 | vs94 | vs95 | vs96
| vs97 | vs98 | vs99)      # IMPLIED
    id          ID          # IMPLIED
    level       NMTOKEN      # IMPLIED
    mark        NMTOKEN      # IMPLIED
    change      (add | delete | modify)      # IMPLIED
    rfc          CDATA      # IMPLIED
  >
< ! ELEMENT seqlist (applic?,title?,item+ ) >
< ! ATTLIST seqlist
    refapplic    IDREF      # IMPLIED
    id          ID          # IMPLIED
    level       NMTOKEN      # IMPLIED
    mark        NMTOKEN      # IMPLIED
    change      (add | delete | modify)      # IMPLIED
    rfc          CDATA      # IMPLIED
    class       (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)      # IMPLIED
    commcls      (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)      # IMPLIED
    caveat      (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)      # IMPLIED
  >
< ! ELEMENT title ( #PCDATA | ein | cb | parasigdata | quantity | zone | accpnl | identno | xref |
indxflag | change | emphasis | symbol | subscript | superscript | refdm | reftp | ftnote | ftnref |
acronym | acroterm | capgrp | caption | verbatim ) * >
< ! ATTLIST title
    class       (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)      # IMPLIED

```

```

    commcls      (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)    # IMPLIED
    caveat      (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)    # IMPLIED
>
<! ELEMENT item (#PCDATA | applic | note | para | ein | cb | parasigdata | quantity | zone | accpnl
| identno | xref | indxflag | change | emphasis | symbol | subscript | supscript | refdm | reftp |
ftnote | ftntref | acronym | acroterm | capgrp | caption | verbatim | seqlist | randlist | deflist)* >
<! ATTLIST item
    refapplic    IDREF      # IMPLIED
    id           ID         # IMPLIED
    level        NMTOKEN    # IMPLIED
    mark         NMTOKEN    # IMPLIED
    change       (add | delete | modify)    # IMPLIED
    rfc          CDATA      # IMPLIED
>
<! ELEMENT note (applic?,((symbol | para | (seqlist | randlist | deflist))+))>
<! ATTLIST note
    type         CDATA      # IMPLIED
    refapplic    IDREF      # IMPLIED
    xrefid       IDREF      # IMPLIED
    id           ID         # IMPLIED
    level        NMTOKEN    # IMPLIED
    mark         NMTOKEN    # IMPLIED
    change       (add | delete | modify)    # IMPLIED
    rfc          CDATA      # IMPLIED
>
<! ELEMENT randlist (applic?,title?,item+)>
<! ATTLIST randlist
    prefix       (pf01 | pf02 | pf03 | pf04 | pf05 | pf06 | pf07 | pf08 | pf09 | pf10 | pf11 | pf12
| pf13 | pf14 | pf15 | pf16 | pf17 | pf18 | pf19 | pf20 | pf21 | pf22 | pf23 | pf24 | pf25 | pf26
| pf27 | pf28 | pf29 | pf30 | pf31 | pf32 | pf33 | pf34 | pf35 | pf36 | pf37 | pf38 | pf39 | pf40
| pf41 | pf42 | pf43 | pf44 | pf45 | pf46 | pf47 | pf48 | pf49 | pf50 | pf51 | pf52 | pf53 | pf54
| pf55 | pf56 | pf57 | pf58 | pf59 | pf60 | pf61 | pf62 | pf63 | pf64 | pf65 | pf66 | pf67 | pf68
| pf69 | pf70 | pf71 | pf72 | pf73 | pf74 | pf75 | pf76 | pf77 | pf78 | pf79 | pf80 | pf81 | pf82
| pf83 | pf84 | pf85 | pf86 | pf87 | pf88 | pf89 | pf90 | pf91 | pf92 | pf93 | pf94 | pf95 | pf96
| pf97 | pf98 | pf99)    "pf02"
    refapplic    IDREF      # IMPLIED
    id           ID         # IMPLIED
    level        NMTOKEN    # IMPLIED
    mark         NMTOKEN    # IMPLIED
    change       (add | delete | modify)    # IMPLIED
    rfc          CDATA      # IMPLIED
    class        (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95

```

```

| 96 | 97 | 98 | 99)      # IMPLIED
    commcls    (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)      # IMPLIED
    caveat     (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)      # IMPLIED
>
<! ELEMENT deflist (applic?,title?,((term,def) + ))>
<! ATTLIST deflist
    refapplic    IDREF      # IMPLIED
    id           ID         # IMPLIED
    level        NMTOKEN    # IMPLIED
    mark         NMTOKEN    # IMPLIED
    change       (add | delete | modify)    # IMPLIED
    rfc          CDATA      # IMPLIED
    class        (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)      # IMPLIED
    commcls      (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)      # IMPLIED
    caveat       (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)      # IMPLIED
>
<! ELEMENT term (#PCDATA | applic | ein | cb | parasigdata | quantity | zone | accpnl | identno |
xref | indxflag | change | emphasis | symbol | subscript | superscript | refdm | reftp | ftnote | ftnref
| acronym | acroterm | capgrp | caption | verbatim) * >
<! ATTLIST term
    refapplic    IDREF      # IMPLIED
    id           ID         # IMPLIED
    level        NMTOKEN    # IMPLIED
    mark         NMTOKEN    # IMPLIED
    change       (add | delete | modify)    # IMPLIED
    rfc          CDATA      # IMPLIED
>

```

```

<! ELEMENT def ( #PCDATA | applic | para | ein | cb | parasigdata | quantity | zone | accpnl |
identno | xref | indxflag | change | emphasis | symbol | subscript | supscprt | refdm | reftp |
ftnote | ftnref | acronym | acroterm | capgrp | caption | verbatim | seqlist | randlist | deflist)* >
<! ATTLIST def
    refapplic      IDREF      # IMPLIED
    id             ID         # IMPLIED
    level          NMTOKEN     # IMPLIED
    mark           NMTOKEN     # IMPLIED
    change         (add | delete | modify)    # IMPLIED
    rfc            CDATA      # IMPLIED
>
<! ELEMENT polref ( #PCDATA)>
<! ATTLIST polref
    id             ID         # IMPLIED
    level          NMTOKEN     # IMPLIED
    mark           NMTOKEN     # IMPLIED
    change         (add | delete | modify)    # IMPLIED
    rfc            CDATA      # IMPLIED
>
<! ELEMENT datacond ( #PCDATA)>
<! ATTLIST datacond
    id             ID         # IMPLIED
    level          NMTOKEN     # IMPLIED
    mark           NMTOKEN     # IMPLIED
    change         (add | delete | modify)    # IMPLIED
    rfc            CDATA      # IMPLIED
>
<! ELEMENT rpc ( #PCDATA)>
<! ATTLIST rpc
    rpcname        CDATA      # IMPLIED
    id             ID         # IMPLIED
>
<! ELEMENT orig ( #PCDATA)>
<! ATTLIST orig
    origname       CDATA      # IMPLIED
    id             ID         # IMPLIED
>
<! ELEMENT inlineapplics (applic +)>
<! ELEMENT brexref (refdm)>
<! ELEMENT qa (applic?,(unverif | (firstver,sever?)))>
<! ATTLIST qa
    refapplic      IDREF      # IMPLIED
>
<! ELEMENT unverif EMPTY>
<! ELEMENT firstver EMPTY>
<! ATTLIST firstver
    type          (tabtop | onobject | ttandoo)    # REQUIRED
>
<! ELEMENT sever EMPTY>
<! ATTLIST sever
    type          (tabtop | onobject | ttandoo)    # REQUIRED
>
<! ELEMENT rfu ( #PCDATA | applic | p)* >
<! ATTLIST rfu
    refapplic      IDREF      # IMPLIED
>
<! ELEMENT p ( #PCDATA | subscript | supscprt)* >
<! ATTLIST p
    id             ID         # IMPLIED
    level          NMTOKEN     # IMPLIED

```



```

    mark    NMTOKEN    # IMPLIED
    change  (add | delete | modify)    # IMPLIED
    rfc      CDATA      # IMPLIED
  >
<! ELEMENT remarks (#PCDATA | applic | p)* >
<! ATTLIST remarks
    refapplic IDREF      # IMPLIED
  >
<! ELEMENT content (refs?.descript)>
<! ATTLIST content
    id ID      # IMPLIED
  >
<! ELEMENT descript (((para * ,((warning * ,caution * ),note * ),para0 * ) | ((figure | multimedia |
foldout | table) | caption))* >
<! ELEMENT warning (applic?,((symbol | para | (seqlist | randlist | deflist))+))>
<! ATTLIST warning
    type CDATA      # IMPLIED
    xrefid IDREF      # IMPLIED
    vital NMTOKEN      # IMPLIED
    refapplic IDREF      # IMPLIED
    id ID      # IMPLIED
    level NMTOKEN      # IMPLIED
    mark NMTOKEN      # IMPLIED
    change (add | delete | modify)    # IMPLIED
    rfc CDATA      # IMPLIED
  >
<! ELEMENT caution (applic?,((symbol | para | (seqlist | randlist | deflist))+))>
<! ATTLIST caution
    type CDATA      # IMPLIED
    xrefid IDREF      # IMPLIED
    refapplic IDREF      # IMPLIED
    id ID      # IMPLIED
    level NMTOKEN      # IMPLIED
    mark NMTOKEN      # IMPLIED
    change (add | delete | modify)    # IMPLIED
    rfc CDATA      # IMPLIED
  >
<! ELEMENT para0 ((((((applic?,title?),capgrp?)),((warning * ,caution * ),((note | cblst | para)
| (figure | multimedia | foldout | table) | caption)*)))?),subparal * >
<! ATTLIST para0
    refapplic IDREF      # IMPLIED
    id ID      # IMPLIED
    level NMTOKEN      # IMPLIED
    mark NMTOKEN      # IMPLIED
    change (add | delete | modify)    # IMPLIED
    rfc CDATA      # IMPLIED
    class (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)    # IMPLIED
    commcls (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)    # IMPLIED

```



```

    caveat      (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)      # IMPLIED
>
<! ELEMENT cblst (applic?,((cbsublst + ) + ))>
<! ATTLIST cblst
    refapplic    IDREF      # IMPLIED
    cbaction     (open | close | verif-open | verif-close)      # IMPLIED
    checksum     CDATA      # IMPLIED
    id           ID         # IMPLIED
    level        NMTOKEN     # IMPLIED
    mark         NMTOKEN     # IMPLIED
    change       (add | delete | modify)      # IMPLIED
    rfc          CDATA      # IMPLIED
>
<! ELEMENT cbsublst (applic?,ein*,(cbdata + ))>
<! ATTLIST cbsublst
    cbaction     (open | close | verif-open | verif-close)      # IMPLIED
    checksum     CDATA      # IMPLIED
    refapplic    IDREF      # IMPLIED
    id           ID         # IMPLIED
    level        NMTOKEN     # IMPLIED
    mark         NMTOKEN     # IMPLIED
    change       (add | delete | modify)      # IMPLIED
    rfc          CDATA      # IMPLIED
>
<! ELEMENT cbdata (applic?,cb,nomen,((xref | accpnl)?),cbloc?)>
<! ATTLIST cbdata
    refapplic    IDREF      # IMPLIED
    id           ID         # IMPLIED
    level        NMTOKEN     # IMPLIED
    mark         NMTOKEN     # IMPLIED
    change       (add | delete | modify)      # IMPLIED
    rfc          CDATA      # IMPLIED
>
<! ELEMENT cbloc (#PCDATA)>
<! ATTLIST cbloc
    id           ID         # IMPLIED
    level        NMTOKEN     # IMPLIED
    mark         NMTOKEN     # IMPLIED
    change       (add | delete | modify)      # IMPLIED
    rfc          CDATA      # IMPLIED
>
<! ELEMENT figure ((applic?,title),((graphic,rfa*) | ((applic?,sheet,graphic,rfa*) + )),legend?)>
<! ATTLIST figure
    refapplic    IDREF      # IMPLIED
    id           ID         # IMPLIED
    level        NMTOKEN     # IMPLIED
    mark         NMTOKEN     # IMPLIED
    change       (add | delete | modify)      # IMPLIED
    rfc          CDATA      # IMPLIED
    class        (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |

```

```

76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)    # IMPLIED
    commcls    (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)    # IMPLIED
    caveat    (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)    # IMPLIED
>
<! ELEMENT graphic (hotspot * )>
<! ATTLIST graphic
    boardno    ENTITY    # REQUIRED
    id    ID    # IMPLIED
    reprowid    CDATA    # IMPLIED
    reprohgt    CDATA    # IMPLIED
    reproscl    CDATA    # IMPLIED
    % XLINKATT0;
>
<! ELEMENT hotspot (applic?,((hotspot | xref | refdm | csnref) * ))>
<! ATTLIST hotspot
    id    ID    # IMPLIED
    apsid    CDATA    # IMPLIED
    apsname    CDATA    # IMPLIED
    type    CDATA    # IMPLIED
    title    CDATA    # IMPLIED
    descript    CDATA    # IMPLIED
    coords    CDATA    # IMPLIED
    visibility    (visible | hidden)    "visible"
    refapplic    IDREF    # IMPLIED
>
<! ELEMENT rfa (#PCDATA | applic | ein | cb | parasigdata | quantity | zone | accpnl | identno |
xref | indxflag | change | emphasis | symbol | subscript | superscript | refdm | reftp | ftnote | ftnref
| acronym | acroterm | capgrp | caption | verbatim) * >
<! ATTLIST rfa
    refapplic    IDREF    # IMPLIED
>
<! ELEMENT sheet EMPTY>
<! ATTLIST sheet
    sheetno    NMTOKEN    # REQUIRED
    total    NMTOKEN    # REQUIRED
    id    ID    # IMPLIED
    level    NMTOKEN    # IMPLIED
    mark    NMTOKEN    # IMPLIED
    change    (add | delete | modify)    # IMPLIED
    rfc    CDATA    # IMPLIED
    refapplic    IDREF    # IMPLIED
>
<! ELEMENT legend (deflist)>
<! ATTLIST legend
    id    ID    # IMPLIED

```

```

    level    NMTOKEN    # IMPLIED
    mark     NMTOKEN    # IMPLIED
    change   (add | delete | modify)    # IMPLIED
    rfc      CDATA      # IMPLIED
  >
<! ELEMENT multimedia (((applic?,title?),rfa*,multimediaobject+))
<! ATTLIST multimedia
  refapplic  IDREF      # IMPLIED
  id         ID         # IMPLIED
  level     NMTOKEN    # IMPLIED
  mark      NMTOKEN    # IMPLIED
  change    (add | delete | modify)    # IMPLIED
  rfc       CDATA      # IMPLIED
  class     (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)    # IMPLIED
  commcls   (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)    # IMPLIED
  caveat    (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)    # IMPLIED
  >
<! ELEMENT multimediaobject ((param)* )
<! ATTLIST multimediaobject
  id         ID         # IMPLIED
  autoplay   NMTOKEN    # IMPLIED
  fullscrn   NMTOKEN    # IMPLIED
  boardno    ENTITY     # REQUIRED
  multimediaclass (3D | audio | video | other)    # REQUIRED
  controls   (hide | show)    # IMPLIED
  duration   NMTOKEN    # IMPLIED
  width      CDATA      # IMPLIED
  height     CDATA      # IMPLIED
  %XLINKATT0;
  >
<! ELEMENT param EMPTY>
<! ATTLIST param
  id         ID         # REQUIRED
  paramid    CDATA      # IMPLIED
  paramvalue CDATA      # IMPLIED
  paramname  CDATA      # IMPLIED
  >
<! ELEMENT foldout (figure | table)>
<! ELEMENT table (applic?,title?,(tgroup+ | graphic+))>
<! ATTLIST table
  tabstyle   NMTOKEN    # IMPLIED

```

```

tocentry  NMTOKEN      "1"
frame     (top | bottom | topbot | all | sides | none)      # IMPLIED
colsep    NMTOKEN      # IMPLIED
rowsep    NMTOKEN      # IMPLIED
orient    (port | land)      # IMPLIED
pgwide    NMTOKEN      # IMPLIED
refapplic IDREF        # IMPLIED
id        ID           # IMPLIED
level     NMTOKEN      # IMPLIED
mark      NMTOKEN      # IMPLIED
change    (add | delete | modify)      # IMPLIED
rfc       CDATA        # IMPLIED
class     (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)      # IMPLIED
commcls   (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)      # IMPLIED
caveat    (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)      # IMPLIED
>
<!-- ELEMENT tgroup (applic?,colspec *,spanspec *,thead?,tfoot?,tbody)>
<!-- ATTLIST tgroup
  refapplic IDREF        # IMPLIED
  cols      NMTOKEN      # REQUIRED
  tgstyle   NMTOKEN      # IMPLIED
  colsep    NMTOKEN      # IMPLIED
  rowsep    NMTOKEN      # IMPLIED
  align     (left | right | center | justify | char)      "left"
  charoff   CDATA        # IMPLIED
  char      CDATA        # IMPLIED
>
<!-- ELEMENT thead (colspec *,row +)>
<!-- ATTLIST thead
  valign    (top | bottom | middle)      "bottom"
>
<!-- ELEMENT row (applic?,((entry) +))>
<!-- ATTLIST row
  refapplic IDREF        # IMPLIED
  rowsep    NMTOKEN      # IMPLIED
  id        ID           # IMPLIED
  level     NMTOKEN      # IMPLIED
  mark      NMTOKEN      # IMPLIED
  change    (add | delete | modify)      # IMPLIED
  rfc       CDATA        # IMPLIED
>

```

```

<! ELEMENT entry (#PCDATA | applic | para | warning | caution | note | legend | ein | cb | parasigdata |
quantity | zone | accpnl | identno | xref | indxflag | change | emphasis | symbol | subscript |
supscprt | refdm | reftp | ftnote | ftnref | acronym | acroterm | capgrp | caption | verbatim |
seqlist | randlist | deflist) * >
<! ATTLIST entry
  refapplic IDREF # IMPLIED
  colname NMTOKEN # IMPLIED
  namest NMTOKEN # IMPLIED
  nameend NMTOKEN # IMPLIED
  spanname NMTOKEN # IMPLIED
  morerows NMTOKEN "0"
  colsep NMTOKEN # IMPLIED
  rowsep NMTOKEN # IMPLIED
  rotate NMTOKEN "0"
  valign (top | bottom | middle) "top"
  align (left | right | center | justify | char) # IMPLIED
  charoff CDATA # IMPLIED
  char CDATA # IMPLIED
  id ID # IMPLIED
>
<! ELEMENT tfoot (colspec *, row+)>
<! ATTLIST tfoot
  valign (top | bottom | middle) "top"
>
<! ELEMENT tbody (row+)>
<! ATTLIST tbody
  valign (top | bottom | middle) "top"
>
<! ELEMENT subpara1 ((((((applic?, title?), capgrp?))), (((warning *, caution *), (((note | cblst |
para) | (figure | multimedia | foldout | table) | caption) * )?))?), subpara2 * )>
<! ATTLIST subpara1
  refapplic IDREF # IMPLIED
  id ID # IMPLIED
  level NMTOKEN # IMPLIED
  mark NMTOKEN # IMPLIED
  change (add | delete | modify) # IMPLIED
  rfc CDATA # IMPLIED
  class (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99) # IMPLIED
  commcls (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99) # IMPLIED
  caveat (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99) # IMPLIED
>

```

```
<! ELEMENT subpara2 ((((((applic?,title?),capgrp?))),(((warning *,caution *),(((note | cblst |
para) | (figure | multimedia | foldout | table) | caption) * ))?))),subpara3 * ))
```

```
<! ATTLIST subpara2
```

```
  refapplic IDREF # IMPLIED
  id ID # IMPLIED
  level NMTOKEN # IMPLIED
  mark NMTOKEN # IMPLIED
  change (add | delete | modify) # IMPLIED
  rfc CDATA # IMPLIED
  class (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99) # IMPLIED
  commcls (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99) # IMPLIED
  caveat (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99) # IMPLIED
>
```

```
<! ELEMENT subpara3 ((((((applic?,title?),capgrp?))),(((warning *,caution *),(((note | cblst |
para) | (figure | multimedia | foldout | table) | caption) * ))?))),subpara4 * ))
```

```
<! ATTLIST subpara3
```

```
  refapplic IDREF # IMPLIED
  id ID # IMPLIED
  level NMTOKEN # IMPLIED
  mark NMTOKEN # IMPLIED
  change (add | delete | modify) # IMPLIED
  rfc CDATA # IMPLIED
  class (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99) # IMPLIED
  commcls (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99) # IMPLIED
  caveat (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
```

```

| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)      # IMPLIED
>
<! ELEMENT subpara4 ((((((applic?,title?),capgrp?))),(((warning *,caution *),(((note | cblst |
para) | (figure | multimedia | foldout | table) | caption) * ))?))),subpara5 * ))
<! ATTLIST subpara4
  refapplic IDREF # IMPLIED
  id ID # IMPLIED
  level NMTOKEN # IMPLIED
  mark NMTOKEN # IMPLIED
  change (add | delete | modify) # IMPLIED
  rfc CDATA # IMPLIED
  class (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)      # IMPLIED
  commcls (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)      # IMPLIED
  caveat (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)      # IMPLIED
>
<! ELEMENT subpara5 ((((((applic?,title?),capgrp?))),(((warning *,caution *),(((note | cblst |
para) | (figure | multimedia | foldout | table) | caption) * ))?))),subpara6 * ))
<! ATTLIST subpara5
  refapplic IDREF # IMPLIED
  id ID # IMPLIED
  level NMTOKEN # IMPLIED
  mark NMTOKEN # IMPLIED
  change (add | delete | modify) # IMPLIED
  rfc CDATA # IMPLIED
  class (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)      # IMPLIED
  commcls (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)      # IMPLIED
  caveat (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12

```

```

| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99) # IMPLIED
>
<! ELEMENT subpara6 ((((((applic?,title?),capgrp?))),(((warning *,caution *),(((note | cblst |
para) | (figure | multimedia | foldout | table) | caption)*))))),subpara7*))
<! ATTLIST subpara6
  refapplic IDREF # IMPLIED
  id ID # IMPLIED
  level NMTOKEN # IMPLIED
  mark NMTOKEN # IMPLIED
  change (add | delete | modify) # IMPLIED
  rfc CDATA # IMPLIED
  class (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99) # IMPLIED
  commcls (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99) # IMPLIED
  caveat (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99) # IMPLIED
>
<! ELEMENT subpara7 ((((((applic?,title?),capgrp?))),(((warning *,caution *),(((note | cblst |
para) | (figure | multimedia | foldout | table) | caption)*))))),subpara7*))
<! ATTLIST subpara7
  refapplic IDREF # IMPLIED
  id ID # IMPLIED
  level NMTOKEN # IMPLIED
  mark NMTOKEN # IMPLIED
  change (add | delete | modify) # IMPLIED
  rfc CDATA # IMPLIED
  class (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99) # IMPLIED
  commcls (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68

```


cc69	cc70	cc71	cc72	cc73	cc74	cc75	cc76	cc77	cc78	cc79	cc80	cc81	cc82
cc83	cc84	cc85	cc86	cc87	cc88	cc89	cc90	cc91	cc92	cc93	cc94	cc95	cc96
cc97	cc98	cc99)	# IMPLIED										
caveat		(cv01	cv02	cv03	cv04	cv05	cv06	cv07	cv08	cv09	cv10	cv11	cv12
cv13	cv14	cv15	cv16	cv17	cv18	cv19	cv20	cv21	cv22	cv23	cv24	cv25	cv26
cv27	cv28	cv29	cv30	cv31	cv32	cv33	cv34	cv35	cv36	cv37	cv38	cv39	cv40
cv41	cv42	cv43	cv44	cv45	cv46	cv47	cv48	cv49	cv50	cv51	cv52	cv53	cv54
cv55	cv56	cv57	cv58	cv59	cv60	cv61	cv62	cv63	cv64	cv65	cv66	cv67	cv68
cv69	cv70	cv71	cv72	cv73	cv74	cv75	cv76	cv77	cv78	cv79	cv80	cv81	cv82
cv83	cv84	cv85	cv86	cv87	cv88	cv89	cv90	cv91	cv92	cv93	cv94	cv95	cv96
cv97	cv98	cv99)	# IMPLIED										

B.3 故障信息 DTD

本文件包含了故障内容 DTD。它标识了所有与故障有关的元素和它们之间的关系。

```
<? xml version = "1.0" encoding = "UTF-8"?>
<! ELEMENT dmodule (rdf:Description?,idstatus,content)>
<! ATTLIST dmodule
    id      ID      # IMPLIED
    % RDFDCATT;
>
<! ELEMENT idstatus (dmaddres,srcdmaddres?,status)>
<! ELEMENT dmaddres (dmcextension?,dmc,dmtitle,issno,issdate)>
<! ELEMENT dmcextension (dmeproducer,dmcode)>
<! ELEMENT dmeproducer (# PCDATA)>
<! ELEMENT dmcode (# PCDATA)>
<! ELEMENT dmc (age | avee)>
<! ELEMENT age (modelic,supeqvc,ecscs,eidc,cidc,discode,discodev,incode,incodev,itemloc)>
<! ELEMENT modelic (# PCDATA)>
<! ELEMENT supeqvc (# PCDATA)>
<! ELEMENT ecscs (# PCDATA)>
<! ELEMENT eidc (# PCDATA)>
<! ELEMENT cidc (# PCDATA)>
<! ELEMENT discode (# PCDATA)>
<! ELEMENT discodev (# PCDATA)>
<! ELEMENT incode (# PCDATA)>
<! ELEMENT incodev (# PCDATA)>
<! ELEMENT itemloc (# PCDATA)>
<! ELEMENT avee (modelic,sdc,chapnum,section,subsect,subject,discode,discodev,incode,incodev,
itemloc)>
<! ELEMENT sdc (# PCDATA)>
<! ELEMENT chapnum (# PCDATA)>
<! ELEMENT section (# PCDATA)>
<! ELEMENT subsect (# PCDATA)>
<! ELEMENT subject (# PCDATA)>
<! ELEMENT dmtitle (techname,infoname?)>
<! ELEMENT techname (# PCDATA)>
<! ELEMENT infoname (# PCDATA)>
<! ELEMENT issno EMPTY>
<! ATTLIST issno
    issno      NMTOKEN      # REQUIRED
    inwork      NMTOKEN      # IMPLIED
    type      (new | changed | deleted | revised | status | rinstat-changed | rinstat-revised |
rinstat-status)      "new"
>
<! ELEMENT issdate EMPTY>
<! ATTLIST issdate
    year      NMTOKEN      # REQUIRED
```

```

    month    NMTOKEN    # REQUIRED
    day      NMTOKEN    # REQUIRED
  >
<! ELEMENT srcdmaddress (dmcextension?,dmc,dmtitle,issno,issdate)>
<! ELEMENT status (security,datarest *,dmsize?,rpc,orig,applic,inlineapplics?,techstd?,brexref,
qa+ ,((sbc | fic | ein) * ), rfu *,remarks * )>
<! ATTLIST status
    id      ID      # IMPLIED
  >
<! ELEMENT security EMPTY>
<! ATTLIST security
    class    (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)    # REQUIRED

    commcls    (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)    # IMPLIED

    caveat    (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)    # IMPLIED
  >
<! ELEMENT datarest (applic?,instruct,inform?)>
<! ATTLIST datarest
    refapplic    IDREF    # IMPLIED
    id      ID      # IMPLIED
    level    NMTOKEN    # IMPLIED
    mark      NMTOKEN    # IMPLIED
    change    (add | delete | modify)    # IMPLIED
    rfc      CDATA    # IMPLIED
  >
<! ELEMENT applic (type?,model * )>
<! ATTLIST applic
    applicconf    (allowed | built | designed | installed | manufactured | supported)    # IMPLIED
    id      ID      # IMPLIED
    level    NMTOKEN    # IMPLIED
    mark      NMTOKEN    # IMPLIED
    change    (add | delete | modify)    # IMPLIED
    rfc      CDATA    # IMPLIED
  >
<! ELEMENT type (#PCDATA)>
<! ELEMENT model (version *,((csnref |(mfc,((pnr,serialno * ) * ))) * ),maintlevel?,techconds *,op-
conds * )>
<! ATTLIST model
    model      CDATA    # REQUIRED
  >
<! ELEMENT version (versrank * )>

```

```

<! ATTLIST version
  version CDATA      # REQUIRED
  id      ID        # IMPLIED
>
<! ELEMENT versrank ((single | range) + )>
<! ATTLIST versrank
  verstatus CDATA      # IMPLIED
  id      ID        # IMPLIED
  level   NMTOKEN      # IMPLIED
  mark    NMTOKEN      # IMPLIED
  change  (add | delete | modify)  # IMPLIED
  rfc     CDATA      # IMPLIED
>
<! ELEMENT single (#PCDATA)>
<! ELEMENT range EMPTY>
<! ATTLIST range
  from    CDATA      # REQUIRED
  to      CDATA      # REQUIRED
>
<! ELEMENT csnsref EMPTY>
<! ATTLIST csnsref
  refcsn  CDATA      # REQUIRED
  refisn  CDATA      # IMPLIED
  refipp  CDATA      # IMPLIED
  refrpc  CDATA      # IMPLIED
  id      ID        # IMPLIED
  level   NMTOKEN      # IMPLIED
  mark    NMTOKEN      # IMPLIED
  change  (add | delete | modify)  # IMPLIED
  rfc     CDATA      # IMPLIED
  % XLINKATT2;
>
<! ELEMENT mfc (#PCDATA)>
<! ATTLIST mfc
  id      ID        # IMPLIED
  level   NMTOKEN      # IMPLIED
  mark    NMTOKEN      # IMPLIED
  change  (add | delete | modify)  # IMPLIED
  rfc     CDATA      # IMPLIED
>
<! ELEMENT pnr (#PCDATA)>
<! ATTLIST pnr
  id      ID        # IMPLIED
  level   NMTOKEN      # IMPLIED
  mark    NMTOKEN      # IMPLIED
  change  (add | delete | modify)  # IMPLIED
  rfc     CDATA      # IMPLIED
>
<! ELEMENT serialno ((single | range) + )>
<! ELEMENT maintlevel (mntlvl + )>
<! ELEMENT mntlvl EMPTY>
<! ATTLIST mntlvl
  mntlvl  (m101 | m102 | m103 | m104 | m105 | m106 | m107 | m108 | m109 | m110 | m111 | m112
| m113 | m114 | m115 | m116 | m117 | m118 | m119 | m120 | m121 | m122 | m123 | m124 | m125 | m126
| m127 | m128 | m129 | m130 | m131 | m132 | m133 | m134 | m135 | m136 | m137 | m138 | m139 | m140
| m141 | m142 | m143 | m144 | m145 | m146 | m147 | m148 | m149 | m150 | m151 | m152 | m153 | m154
| m155 | m156 | m157 | m158 | m159 | m160 | m161 | m162 | m163 | m164 | m165 | m166 | m167 | m168
| m169 | m170 | m171 | m172 | m173 | m174 | m175 | m176 | m177 | m178 | m179 | m180 | m181 | m182
| m183 | m184 | m185 | m186 | m187 | m188 | m189 | m190 | m191 | m192 | m193 | m194 | m195 | m196
| m197 | m198 | m199)  # REQUIRED

```

```

>
<! ELEMENT techconds (textual-desc?,techcond * )>
<! ATTLIST techconds
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark    NMTOKEN  # IMPLIED
    change  (add | delete | modify)  # IMPLIED
    rfc     CDATA    # IMPLIED
>
<! ELEMENT textual-desc (#PCDATA)>
<! ATTLIST textual-desc
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark    NMTOKEN  # IMPLIED
    change  (add | delete | modify)  # IMPLIED
    rfc     CDATA    # IMPLIED
>
<! ELEMENT techcond (((((age | avee),issno?,dmtitle?) | (pubcode,pubtitle?,pubdate?) | condtitle?)),
scheduled?,embodied?))
<! ATTLIST techcond
    tccode   (tc01 | tc02 | tc03 | tc04 | tc05 | tc06 | tc07 | tc08 | tc09 | tc10 | tc11 | tc12
| tc13 | tc14 | tc15 | tc16 | tc17 | tc18 | tc19 | tc20 | tc21 | tc22 | tc23 | tc24 | tc25 | tc26
| tc27 | tc28 | tc29 | tc30 | tc31 | tc32 | tc33 | tc34 | tc35 | tc36 | tc37 | tc38 | tc39 | tc40
| tc41 | tc42 | tc43 | tc44 | tc45 | tc46 | tc47 | tc48 | tc49 | tc50 | tc51 | tc52 | tc53 | tc54
| tc55 | tc56 | tc57 | tc58 | tc59 | tc60 | tc61 | tc62 | tc63 | tc64 | tc65 | tc66 | tc67 | tc68
| tc69 | tc70 | tc71 | tc72 | tc73 | tc74 | tc75 | tc76 | tc77 | tc78 | tc79 | tc80 | tc81 | tc82
| tc83 | tc84 | tc85 | tc86 | tc87 | tc88 | tc89 | tc90 | tc91 | tc92 | tc93 | tc94 | tc95 | tc96
| tc97 | tc98 | tc99)  # REQUIRED
    tcno     CDATA    # IMPLIED
    tctype   (pre | post | preandpo)  # REQUIRED
    mfc      CDATA    # IMPLIED
    id       ID       # IMPLIED
    level    NMTOKEN  # IMPLIED
    mark     NMTOKEN  # IMPLIED
    change   (add | delete | modify)  # IMPLIED
    rfc      CDATA    # IMPLIED
>
<! ELEMENT pubcode (#PCDATA | pmc) * >
<! ATTLIST pubcode
    pubcodsy CDATA    # IMPLIED
>
<! ELEMENT pmc (modelic,pmissuer,pmnumber,pmvolume)>
<! ELEMENT pmissuer (#PCDATA)>
<! ELEMENT pmnumber (#PCDATA)>
<! ELEMENT pmvolume (#PCDATA)>
<! ELEMENT pubtitle (#PCDATA)>
<! ELEMENT pubdate EMPTY>
<! ATTLIST pubdate
    year     NMTOKEN  # REQUIRED
    month    NMTOKEN  # REQUIRED
    day      NMTOKEN  # REQUIRED
>
<! ELEMENT condtitle (#PCDATA)>
<! ATTLIST condtitle
    id       ID       # IMPLIED
    level    NMTOKEN  # IMPLIED
    mark     NMTOKEN  # IMPLIED
    change   (add | delete | modify)  # IMPLIED
    rfc      CDATA    # IMPLIED
>

```

```

<! ELEMENT scheduled ((single | range) + )>
<! ATTLIST scheduled
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark    NMTOKEN  # IMPLIED
    change  (add | delete | modify)  # IMPLIED
    rfc     CDATA    # IMPLIED
>
<! ELEMENT embodied ((single | range) + )>
<! ATTLIST embodied
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark    NMTOKEN  # IMPLIED
    change  (add | delete | modify)  # IMPLIED
    rfc     CDATA    # IMPLIED
>
<! ELEMENT opconds (textual-desc?,opcond * )>
<! ATTLIST opconds
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark    NMTOKEN  # IMPLIED
    change  (add | delete | modify)  # IMPLIED
    rfc     CDATA    # IMPLIED
>
<! ELEMENT opcond (#PCDATA)>
<! ATTLIST opcond
    opcno   NMTOKEN  # IMPLIED
    opccode CDATA     # IMPLIED
    confirmed NMTOKEN # IMPLIED
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark    NMTOKEN  # IMPLIED
    change  (add | delete | modify)  # IMPLIED
    rfc     CDATA    # IMPLIED
>
<! ELEMENT instruct (distrib,handling?)>
<! ATTLIST instruct
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark    NMTOKEN  # IMPLIED
    change  (add | delete | modify)  # IMPLIED
    rfc     CDATA    # IMPLIED
>
<! ELEMENT distrib (#PCDATA)>
<! ATTLIST distrib
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark    NMTOKEN  # IMPLIED
    change  (add | delete | modify)  # IMPLIED
    rfc     CDATA    # IMPLIED
>
<! ELEMENT handling (#PCDATA)>
<! ATTLIST handling
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark    NMTOKEN  # IMPLIED
    change  (add | delete | modify)  # IMPLIED
    rfc     CDATA    # IMPLIED
>
<! ELEMENT inform (copyright)>

```

```

<! ATTLIST inform
  id      ID      # IMPLIED
  level   NMTOKEN  # IMPLIED
  mark    NMTOKEN  # IMPLIED
  change  (add | delete | modify)  # IMPLIED
  rfc     CDATA    # IMPLIED
>
<! ELEMENT copyright (para +)>
<! ATTLIST copyright
  id      ID      # IMPLIED
  level   NMTOKEN  # IMPLIED
  mark    NMTOKEN  # IMPLIED
  change  (add | delete | modify)  # IMPLIED
  rfc     CDATA    # IMPLIED
>
<! ELEMENT para ( #PCDATA | applic | ein | cb | parasigdata | quantity | xref | indxflag | change |
emphasis | symbol | subscript | supscrpt | refdm | reftp | ftnote | ftnref | acronym | acroterm |
seqlist | randlist | deflist)*>
<! ATTLIST para
  refapplic  IDREF      # IMPLIED
  id      ID      # IMPLIED
  level   NMTOKEN  # IMPLIED
  mark    NMTOKEN  # IMPLIED
  change  (add | delete | modify)  # IMPLIED
  rfc     CDATA    # IMPLIED
  class   (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)  # IMPLIED
  commcls   (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)  # IMPLIED
  caveat    (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)  # IMPLIED
>
<! ELEMENT ein (nomen?,refs?)>
<! ATTLIST ein
  einnbr  CDATA      # REQUIRED
  eintype  (exact | family)  # IMPLIED
  mfc     CDATA      # IMPLIED
  id      ID      # IMPLIED
  level   NMTOKEN  # IMPLIED
  mark    NMTOKEN  # IMPLIED
  change  (add | delete | modify)  # IMPLIED
  rfc     CDATA    # IMPLIED
>
<! ELEMENT nomen ( #PCDATA)>

```

```

<! ATTLIST nomen
  level  NMTOKEN      # IMPLIED
  mark   NMTOKEN      # IMPLIED
  change (add | delete | modify)  # IMPLIED
  rfc    CDATA        # IMPLIED
>
<! ELEMENT refs ((refdm+,reftp*) | reftp+)>
<! ELEMENT refdm ((applic?,dmextension?,(age | avee),issno?,dmtitle?) | ((%XLINKEXT;)*))>
<! ATTLIST refdm
  target  CDATA        # IMPLIED
  refapplic  IDREF      # IMPLIED
  id       ID          # IMPLIED
  level    NMTOKEN      # IMPLIED
  mark     NMTOKEN      # IMPLIED
  change   (add | delete | modify)  # IMPLIED
  rfc      CDATA        # IMPLIED
  %XLINKATT;
>
<! ELEMENT reftp (#PCDATA | applic | xref | indxflag | symbol | subscript | supscript | ftnref |
acronym | acroterm | pubcode | pubtitle | pubdate | %XLINKEXT;)*>
<! ATTLIST reftp
  refapplic  IDREF      # IMPLIED
  id         ID          # IMPLIED
  level      NMTOKEN      # IMPLIED
  mark       NMTOKEN      # IMPLIED
  change     (add | delete | modify)  # IMPLIED
  rfc        CDATA        # IMPLIED
  %XLINKATT4;
>
<! ELEMENT xref (#PCDATA | applic | subscript | supscript)*>
<! ATTLIST xref
  xrefid  IDREF      # IMPLIED
  xidtype (figure | table | multimedia | supply | supequip | spares | para | step | sheet |
multimediaobject | hotspot | param | other)  # IMPLIED
  target  CDATA        # IMPLIED
  destitle CDATA        # IMPLIED
  pretext CDATA        # IMPLIED
  posttext CDATA        # IMPLIED
  refapplic IDREF      # IMPLIED
  %XLINKATT3;
>
<! ELEMENT subscript (#PCDATA)>
<! ELEMENT supscript (#PCDATA)>
<! ELEMENT indxflag EMPTY>
<! ATTLIST indxflag
  ref1  CDATA        # IMPLIED
  ref2  CDATA        # IMPLIED
  ref3  CDATA        # IMPLIED
  ref4  CDATA        # IMPLIED
>
<! ELEMENT symbol (applic?)>
<! ATTLIST symbol
  boardno  ENTITY      # REQUIRED
  id       ID          # IMPLIED
  reprowid CDATA        # IMPLIED
  reprohgt CDATA        # IMPLIED
  reprosc1 CDATA        # IMPLIED
  refapplic IDREF      # IMPLIED
  %XLINKATT1;
>

```

```

<! ELEMENT ftnref EMPTY>
<! ATTLIST ftnref
    xrefid      IDREF      # IMPLIED
>
<! ELEMENT acronym (acroterm,acrodef)>
<! ATTLIST acronym
    acrotype    (at01 | at02 | at03 | at04 | at05 | at06 | at07 | at08 | at09 | at10 | at11 | at12
| at13 | at14 | at15 | at16 | at17 | at18 | at19 | at20 | at21 | at22 | at23 | at24 | at25 | at26
| at27 | at28 | at29 | at30 | at31 | at32 | at33 | at34 | at35 | at36 | at37 | at38 | at39 | at40
| at41 | at42 | at43 | at44 | at45 | at46 | at47 | at48 | at49 | at50 | at51 | at52 | at53 | at54
| at55 | at56 | at57 | at58 | at59 | at60 | at61 | at62 | at63 | at64 | at65 | at66 | at67 | at68
| at69 | at70 | at71 | at72 | at73 | at74 | at75 | at76 | at77 | at78 | at79 | at80 | at81 | at82
| at83 | at84 | at85 | at86 | at87 | at88 | at89 | at90 | at91 | at92 | at93 | at94 | at95 | at96
| at97 | at98 | at99)    "at01"
    id          ID          # IMPLIED
    level       NMTOKEN     # IMPLIED
    mark        NMTOKEN     # IMPLIED
    change      (add | delete | modify)    # IMPLIED
    rfc         CDATA       # IMPLIED
>
<! ELEMENT acroterm (#PCDATA | subscript | superscript)*>
<! ATTLIST acroterm
    xrefid      IDREF      # IMPLIED
>
<! ELEMENT acrodef (#PCDATA | subscript | superscript)*>
<! ATTLIST acrodef
    id          ID          # IMPLIED
    level       NMTOKEN     # IMPLIED
    mark        NMTOKEN     # IMPLIED
    change      (add | delete | modify)    # IMPLIED
    rfc         CDATA       # IMPLIED
>
<! ELEMENT cb (nomen?,refs?)>
<! ATTLIST cb
    cbnbr       CDATA       # REQUIRED
    cbtype      (eltro | elmec | clip)    # IMPLIED
    cbaction    (open | close | verif-open | verif-close)    # IMPLIED
    checksum    CDATA       # IMPLIED
    id          ID          # IMPLIED
    level       NMTOKEN     # IMPLIED
    mark        NMTOKEN     # IMPLIED
    change      (add | delete | modify)    # IMPLIED
    rfc         CDATA       # IMPLIED
>
<! ELEMENT parasigdata (#PCDATA)>
<! ATTLIST parasigdata
    psdtype    (psd01 | psd02 | psd03 | psd04 | psd05 | psd06 | psd07 | psd08 | psd09 | psd10 | psd11
| psd12 | psd13 | psd14 | psd15 | psd16 | psd17 | psd18 | psd19 | psd20 | psd21 | psd22 | psd23
| psd24 | psd25 | psd26 | psd27 | psd28 | psd29 | psd30 | psd31 | psd32 | psd33 | psd34 | psd35
| psd36 | psd37 | psd38 | psd39 | psd40 | psd41 | psd42 | psd43 | psd44 | psd45 | psd46 | psd47
| psd48 | psd49 | psd50 | psd51 | psd52 | psd53 | psd54 | psd55 | psd56 | psd57 | psd58 | psd59
| psd60 | psd61 | psd62 | psd63 | psd64 | psd65 | psd66 | psd67 | psd68 | psd69 | psd70 | psd71
| psd72 | psd73 | psd74 | psd75 | psd76 | psd77 | psd78 | psd79 | psd80 | psd81 | psd82 | psd83
| psd84 | psd85 | psd86 | psd87 | psd88 | psd89 | psd90 | psd91 | psd92 | psd93 | psd94 | psd95
| psd96 | psd97 | psd98 | psd99)    # REQUIRED
>
<! ELEMENT quantity (#PCDATA | qtygrp)*>
<! ATTLIST quantity
    qtytype    (qty01 | qty02 | qty03 | qty04 | qty05 | qty06 | qty07 | qty08 | qty09 | qty10 | qty11
| qty12 | qty13 | qty14 | qty15 | qty16 | qty17 | qty18 | qty19 | qty20 | qty21 | qty22 | qty23

```



```

| qty24 | qty25 | qty26 | qty27 | qty28 | qty29 | qty30 | qty31 | qty32 | qty33 | qty34 | qty35
| qty36 | qty37 | qty38 | qty39 | qty40 | qty41 | qty42 | qty43 | qty44 | qty45 | qty46 | qty47
| qty48 | qty49 | qty50 | qty51 | qty52 | qty53 | qty54 | qty55 | qty56 | qty57 | qty58 | qty59
| qty60 | qty61 | qty62 | qty63 | qty64 | qty65 | qty66 | qty67 | qty68 | qty69 | qty70 | qty71
| qty72 | qty73 | qty74 | qty75 | qty76 | qty77 | qty78 | qty79 | qty80 | qty81 | qty82 | qty83
| qty84 | qty85 | qty86 | qty87 | qty88 | qty89 | qty90 | qty91 | qty92 | qty93 | qty94 | qty95
| qty96 | qty97 | qty98 | qty99)      # IMPLIED
>
<! ELEMENT qtygrp ((qtyvalue + ,qtytolerance * ) | (qtytolerance + ))>
<! ATTLIST qtygrp
    qtygrptype      (nominal | minimum | maximum)      "nominal"
    qtyuom          CDATA          # IMPLIED
>
<! ELEMENT qtyvalue (#PCDATA)>
<! ATTLIST qtyvalue
    qtyuom          CDATA          # IMPLIED
>
<! ELEMENT qtytolerance (#PCDATA)>
<! ATTLIST qtytolerance
    qtytoltype      (plus | minus | plusorminus)        "plusorminus"
    qtyuom          CDATA          # IMPLIED
>
<! ELEMENT change (#PCDATA | ein | cb | parasigdata | quantity | xref | indxflag | change |
emphasis | symbol | subscript | superscript | refdm | reftp | ftnote | ftnref | acronym | acroterm) * >
<! ATTLIST change
    id             ID             # IMPLIED
    level          NMTOKEN        # IMPLIED
    mark           NMTOKEN        # IMPLIED
    change         (add | delete | modify)              # IMPLIED
    rfc            CDATA          # IMPLIED
>
<! ELEMENT emphasis (#PCDATA | ein | cb | parasigdata | quantity | xref | indxflag | change |
emphasis | symbol | subscript | superscript | refdm | reftp | ftnote | ftnref | acronym | acroterm) * >
<! ATTLIST emphasis
    emph (em01 | em02 | em03 | em04 | em05 | em06 | em07 | em08 | em09 | em10 | em11 | em12 | em13
| em14 | em15 | em16 | em17 | em18 | em19 | em20 | em21 | em22 | em23 | em24 | em25 | em26 | em27
| em28 | em29 | em30 | em31 | em32 | em33 | em34 | em35 | em36 | em37 | em38 | em39 | em40 | em41
| em42 | em43 | em44 | em45 | em46 | em47 | em48 | em49 | em50 | em51 | em52 | em53 | em54 | em55
| em56 | em57 | em58 | em59 | em60 | em61 | em62 | em63 | em64 | em65 | em66 | em67 | em68 | em69
| em70 | em71 | em72 | em73 | em74 | em75 | em76 | em77 | em78 | em79 | em80 | em81 | em82 | em83
| em84 | em85 | em86 | em87 | em88 | em89 | em90 | em91 | em92 | em93 | em94 | em95 | em96 | em97
| em98 | em99)      "em01"
>
<! ELEMENT ftnote (applic?,para +)>
<! ATTLIST ftnote
    ftnmark        (num | sym | alpha)      "num"
    refapplic      IDREF                    # IMPLIED
    id             ID                       # IMPLIED
    level          NMTOKEN                  # IMPLIED
    mark           NMTOKEN                  # IMPLIED
    change         (add | delete | modify)  # IMPLIED
    rfc            CDATA                    # IMPLIED
    class          (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)      # IMPLIED
    commcls        (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26

```

```

| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99) # IMPLIED
    caveat (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99) # IMPLIED
>
<! ELEMENT seqlist (applic?,title?,item + )>
<! ATTLIST seqlist
    refapplic IDREF # IMPLIED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
    class (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99) # IMPLIED
    commcls (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99) # IMPLIED
    caveat (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99) # IMPLIED
>
<! ELEMENT title (#PCDATA | ein | cb | parasigdata | quantity | xref | indxflag | change | emphasis
| symbol | subscript | superscript | refdm | reftyp | ftnote | ftnref | acronym | acroterm)* >
<! ATTLIST title
    class (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99) # IMPLIED
    commcls (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68

```

```

| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99) # IMPLIED
    caveat (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99) # IMPLIED
>
<! ELEMENT item (# PCDATA | applic | note | para | ein | cb | parasigdata | quantity | xref |
indxflag | change | emphasis | symbol | subscript | superscript | refdm | reftp | ftnote | ftref |
acronym | acroterm | seqlist | randlist | deflist) * >
<! ATTLIST item
    refapplic IDREF # IMPLIED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
>
<! ELEMENT note (applic?,((symbol | para | (seqlist | randlist | deflist))+))>
<! ATTLIST note
    type CDATA # IMPLIED
    refapplic IDREF # IMPLIED
    xrefid IDREF # IMPLIED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
>
<! ELEMENT randlist (applic?,title?,item+)>
<! ATTLIST randlist
    prefix (pf01 | pf02 | pf03 | pf04 | pf05 | pf06 | pf07 | pf08 | pf09 | pf10 | pf11 | pf12
| pf13 | pf14 | pf15 | pf16 | pf17 | pf18 | pf19 | pf20 | pf21 | pf22 | pf23 | pf24 | pf25 | pf26
| pf27 | pf28 | pf29 | pf30 | pf31 | pf32 | pf33 | pf34 | pf35 | pf36 | pf37 | pf38 | pf39 | pf40
| pf41 | pf42 | pf43 | pf44 | pf45 | pf46 | pf47 | pf48 | pf49 | pf50 | pf51 | pf52 | pf53 | pf54
| pf55 | pf56 | pf57 | pf58 | pf59 | pf60 | pf61 | pf62 | pf63 | pf64 | pf65 | pf66 | pf67 | pf68
| pf69 | pf70 | pf71 | pf72 | pf73 | pf74 | pf75 | pf76 | pf77 | pf78 | pf79 | pf80 | pf81 | pf82
| pf83 | pf84 | pf85 | pf86 | pf87 | pf88 | pf89 | pf90 | pf91 | pf92 | pf93 | pf94 | pf95 | pf96
| pf97 | pf98 | pf99) "pf02"
    refapplic IDREF # IMPLIED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
    class (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99) # IMPLIED
    commcls (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54

```

```

| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99) # IMPLIED
    caveat (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99) # IMPLIED
>
<! ELEMENT deflist (applic?,title?,((term,def) + ))>
<! ATTLIST deflist
    refapplic IDREF # IMPLIED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
    class (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99) # IMPLIED
    commcls (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99) # IMPLIED
    caveat (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99) # IMPLIED
>
<! ELEMENT term (#PCDATA | applic | ein | cb | parasigdata | quantity | xref | indxflag | change |
emphasis | symbol | subscript | superscript | refdm | reftp | ftnote | ftnref | acronym | acroterm)*>
<! ATTLIST term
    refapplic IDREF # IMPLIED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
>
<! ELEMENT def (#PCDATA | applic | para | ein | cb | parasigdata | quantity | xref | indxflag |
change | emphasis | symbol | subscript | superscript | refdm | reftp | ftnote | ftnref | acronym |
acroterm | seqlist | randlist | deflist)*>
<! ATTLIST def
    refapplic IDREF # IMPLIED
    id ID # IMPLIED

```

```

    level  NMTOKEN      # IMPLIED
    mark   NMTOKEN      # IMPLIED
    change (add | delete | modify)  # IMPLIED
    rfc     CDATA       # IMPLIED
  >
<! ELEMENT rpc (#PCDATA)>
<! ATTLIST rpc
  rpcname CDATA      # IMPLIED
  id      ID        # IMPLIED
>
<! ELEMENT orig (#PCDATA)>
<! ATTLIST orig
  origname CDATA      # IMPLIED
  id       ID         # IMPLIED
>
<! ELEMENT inlineapplics (applic + )>
<! ELEMENT brexref (refdm)>
<! ELEMENT qa (applic?,(unverif | (firstver,secver?)))>
<! ATTLIST qa
  refapplic IDREF      # IMPLIED
>
<! ELEMENT unverif EMPTY>
<! ELEMENT firstver EMPTY>
<! ATTLIST firstver
  type      (tabtop | onobject | ttandoo)  # REQUIRED
>
<! ELEMENT secver EMPTY>
<! ATTLIST secver
  type      (tabtop | onobject | ttandoo)  # REQUIRED
>
<! ELEMENT rfu (#PCDATA | applic | p) * >
<! ATTLIST rfu
  refapplic IDREF      # IMPLIED
>
<! ELEMENT p (#PCDATA | subscript | superscript) * >
<! ATTLIST p
  id      ID        # IMPLIED
  level   NMTOKEN    # IMPLIED
  mark    NMTOKEN    # IMPLIED
  change  (add | delete | modify)  # IMPLIED
  rfc     CDATA      # IMPLIED
>
<! ELEMENT remarks (#PCDATA | applic | p) * >
<! ATTLIST remarks
  refapplic IDREF      # IMPLIED
>
<! ELEMENT content (refs?,(afr | afi))>
<! ATTLIST content
  id      ID        # IMPLIED
>
<! ELEMENT afr (ifault+ | dfault+ | ofault+ | cfault+)>
<! ELEMENT ifault (applic?,describe,detect?,locandrep,remarks?)>
<! ATTLIST ifault
  id      ID        # REQUIRED
  fcode   CDATA      # REQUIRED
  refapplic IDREF    # IMPLIED
  level   NMTOKEN    # IMPLIED
  mark    NMTOKEN    # IMPLIED
  change  (add | delete | modify)  # IMPLIED
  rfc     CDATA      # IMPLIED

```



```

>
<! ELEMENT describe (fdesc?,detail-fdesc?,refs?)>
<! ATTLIST describe
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark     NMTOKEN  # IMPLIED
    change  (add | delete | modify)  # IMPLIED
    rfc     CDATA    # IMPLIED
>
<! ELEMENT fdesc (#PCDATA)>
<! ELEMENT detail-fdesc (page-loc?, sys-loc?, sys-name, subsys-name?, sys-ident?, sys-pos?, fequipment?,
findication?,fbasicdesc,fcondition?)>
<! ATTLIST detail-fdesc
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark     NMTOKEN  # IMPLIED
    change  (add | delete | modify)  # IMPLIED
    rfc     CDATA    # IMPLIED
>
<! ELEMENT page-loc (#PCDATA)>
<! ATTLIST page-loc
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark     NMTOKEN  # IMPLIED
    change  (add | delete | modify)  # IMPLIED
    rfc     CDATA    # IMPLIED
>
<! ELEMENT sys-loc (#PCDATA)>
<! ATTLIST sys-loc
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark     NMTOKEN  # IMPLIED
    change  (add | delete | modify)  # IMPLIED
    rfc     CDATA    # IMPLIED
>
<! ELEMENT sys-name (#PCDATA)>
<! ATTLIST sys-name
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark     NMTOKEN  # IMPLIED
    change  (add | delete | modify)  # IMPLIED
    rfc     CDATA    # IMPLIED
>
<! ELEMENT subsys-name (#PCDATA)>
<! ATTLIST subsys-name
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark     NMTOKEN  # IMPLIED
    change  (add | delete | modify)  # IMPLIED
    rfc     CDATA    # IMPLIED
>
<! ELEMENT sys-ident (#PCDATA)>
<! ATTLIST sys-ident
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark     NMTOKEN  # IMPLIED
    change  (add | delete | modify)  # IMPLIED
    rfc     CDATA    # IMPLIED
>
<! ELEMENT sys-pos (#PCDATA)>

```

```

<! ATTLIST sys-pos
  id      ID      # IMPLIED
  level   NMTOKEN  # IMPLIED
  mark     NMTOKEN  # IMPLIED
  change   (add | delete | modify)  # IMPLIED
  rfc      CDATA    # IMPLIED
>
<! ELEMENT fequipment (#PCDATA)>
<! ATTLIST fequipment
  id      ID      # IMPLIED
  level   NMTOKEN  # IMPLIED
  mark     NMTOKEN  # IMPLIED
  change   (add | delete | modify)  # IMPLIED
  rfc      CDATA    # IMPLIED
>
<! ELEMENT findication (#PCDATA)>
<! ATTLIST findication
  id      ID      # IMPLIED
  level   NMTOKEN  # IMPLIED
  mark     NMTOKEN  # IMPLIED
  change   (add | delete | modify)  # IMPLIED
  rfc      CDATA    # IMPLIED
>
<! ELEMENT fbasicdesc (#PCDATA | ein)*>
<! ATTLIST fbasicdesc
  id      ID      # IMPLIED
  level   NMTOKEN  # IMPLIED
  mark     NMTOKEN  # IMPLIED
  change   (add | delete | modify)  # IMPLIED
  rfc      CDATA    # IMPLIED
>
<! ELEMENT fcondition (#PCDATA)>
<! ATTLIST fcondition
  id      ID      # IMPLIED
  level   NMTOKEN  # IMPLIED
  mark     NMTOKEN  # IMPLIED
  change   (add | delete | modify)  # IMPLIED
  rfc      CDATA    # IMPLIED
>
<! ELEMENT detect (delruitem)>
<! ATTLIST detect
  type     CDATA      # IMPLIED
  level     NMTOKEN    # IMPLIED
  mark       NMTOKEN    # IMPLIED
  change     (add | delete | modify)  # IMPLIED
  rfc        CDATA      # IMPLIED
>
<! ELEMENT delruitem (lru,remarks?,desruitem?)>
<! ATTLIST delruitem
  probfac   CDATA      # IMPLIED
  id        ID        # IMPLIED
  level     NMTOKEN    # IMPLIED
  mark       NMTOKEN    # IMPLIED
  change     (add | delete | modify)  # IMPLIED
  rfc        CDATA      # IMPLIED
>
<! ELEMENT lru (nomen?, ((identno | csnref | ein)*),abbrev?)>
<! ATTLIST lru
  id        ID        # IMPLIED
  level     NMTOKEN    # IMPLIED

```

```

    mark    NMTOKEN    # IMPLIED
    change  (add | delete | modify)    # IMPLIED
    rfc     CDATA      # IMPLIED
  >
<! ELEMENT identno (mfc,((pnr,serialno* ) * ) )>
<! ATTLIST identno
    level    NMTOKEN    # IMPLIED
    mark     NMTOKEN    # IMPLIED
    change   (add | delete | modify)    # IMPLIED
    rfc      CDATA      # IMPLIED
  >
<! ELEMENT abbrev (#PCDATA)>
<! ATTLIST abbrev
    id       ID         # IMPLIED
    level    NMTOKEN    # IMPLIED
    mark     NMTOKEN    # IMPLIED
    change   (add | delete | modify)    # IMPLIED
    rfc      CDATA      # IMPLIED
  >
<! ELEMENT desruiitem (sru,remarks?)>
<! ATTLIST desruiitem
    probfac  CDATA      # IMPLIED
    id       ID         # IMPLIED
    level    NMTOKEN    # IMPLIED
    mark     NMTOKEN    # IMPLIED
    change   (add | delete | modify)    # IMPLIED
    rfc      CDATA      # IMPLIED
  >
<! ELEMENT sru (nomen?,((identno | csntref | ein) * ),abbrev?)>
<! ATTLIST sru
    id       ID         # IMPLIED
    level    NMTOKEN    # IMPLIED
    mark     NMTOKEN    # IMPLIED
    change   (add | delete | modify)    # IMPLIED
    rfc      CDATA      # IMPLIED
  >
<! ELEMENT locandrep (lrlruiitem)>
<! ELEMENT lrlruiitem (lru,repair?,remarks?,lrsruiitem?)>
<! ATTLIST lrlruiitem
    probfac  CDATA      # IMPLIED
    id       ID         # IMPLIED
    level    NMTOKEN    # IMPLIED
    mark     NMTOKEN    # IMPLIED
    change   (add | delete | modify)    # IMPLIED
    rfc      CDATA      # IMPLIED
  >
<! ELEMENT repair (refs)>
<! ELEMENT lrsruiitem (sru,repair?,remarks?)>
<! ATTLIST lrsruiitem
    probfac  CDATA      # IMPLIED
    id       ID         # IMPLIED
    level    NMTOKEN    # IMPLIED
    mark     NMTOKEN    # IMPLIED
    change   (add | delete | modify)    # IMPLIED
    rfc      CDATA      # IMPLIED
  >
<! ELEMENT dfault (applic?,describe,detect?,disolate?,remarks?)>
<! ATTLIST dfault
    id       ID         # REQUIRED
    fcode    CDATA      # REQUIRED

```



```

level    NMTOKEN    # IMPLIED
mark     NMTOKEN    # IMPLIED
change   (add | delete | modify)    # IMPLIED
rfc      CDATA      # IMPLIED
refapplic IDREF      # IMPLIED
>
<! ELEMENT disolate (afiref | lruitem+)>
<! ELEMENT afiref (refs)>
<! ELEMENT lruitem (lru,test *,repair?,remarks?,sruitem?)>
<! ATTLIST lruitem
  probfac CDATA      # IMPLIED
  id      ID         # IMPLIED
  level   NMTOKEN     # IMPLIED
  mark    NMTOKEN     # IMPLIED
  change  (add | delete | modify)    # IMPLIED
  rfc     CDATA       # IMPLIED
>
<! ELEMENT test (testdesc?,data *,testproc?)>
<! ATTLIST test
  type    CDATA      # REQUIRED
  code    CDATA      # REQUIRED
  id      ID         # IMPLIED
  level   NMTOKEN     # IMPLIED
  mark    NMTOKEN     # IMPLIED
  change  (add | delete | modify)    # IMPLIED
  rfc     CDATA       # IMPLIED
>
<! ELEMENT testdesc (testnomen,refs?)>
<! ELEMENT testnomen (#PCDATA)>
<! ELEMENT data EMPTY>
<! ATTLIST data
  from    CDATA      # IMPLIED
  to      CDATA      # IMPLIED
  uom     CDATA      # IMPLIED
  level   NMTOKEN     # IMPLIED
  mark    NMTOKEN     # IMPLIED
  change  (add | delete | modify)    # IMPLIED
  rfc     CDATA       # IMPLIED
>
<! ELEMENT testproc (refs)>
<! ELEMENT sruitem ((sru,test *,repair?,remarks?)+)>
<! ATTLIST sruitem
  probfac CDATA      # IMPLIED
  id      ID         # IMPLIED
  level   NMTOKEN     # IMPLIED
  mark    NMTOKEN     # IMPLIED
  change  (add | delete | modify)    # IMPLIED
  rfc     CDATA       # IMPLIED
>
<! ELEMENT ofault (applic?,describe,((fcontext?,isolate)+),remarks?)>
<! ATTLIST ofault
  id      ID         # REQUIRED
  fcode   CDATA      # IMPLIED
  ftype   CDATA      # IMPLIED
  refapplic IDREF      # IMPLIED
  level   NMTOKEN     # IMPLIED
  mark    NMTOKEN     # IMPLIED
  change  (add | delete | modify)    # IMPLIED
  rfc     CDATA       # IMPLIED
>

```



```

<! ELEMENT fcontext ( #PCDATA)>
<! ELEMENT isolate (afiref | diagnost | lruitem+)>
<! ELEMENT diagnost ((reason,repair) | lrlruitem)>
<! ELEMENT reason ( #PCDATA)>
<! ELEMENT cfault (applic?,msg-wmlf-desc,disolate,remarks?)>
<! ATTLIST cfault
    refapplic    IDREF    # IMPLIED
    id           ID       # IMPLIED
    level        NMTOKEN   # IMPLIED
    mark         NMTOKEN   # IMPLIED
    change       (add | delete | modify)    # IMPLIED
    rfc          CDATA     # IMPLIED
>
<! ELEMENT msg-wmlf-desc (((wmlfdesc * ,wmlf2desc * ) * ),msgdesc * )>
<! ATTLIST msg-wmlf-desc
    id           ID       # IMPLIED
    level        NMTOKEN   # IMPLIED
    mark         NMTOKEN   # IMPLIED
    change       (add | delete | modify)    # IMPLIED
    rfc          CDATA     # IMPLIED
>
<! ELEMENT wmlfdesc (applic?,fault,((refdm?,describe?,detect?)?))>
<! ATTLIST wmlfdesc
    categ        CDATA     # IMPLIED
    subcateg      CDATA     # IMPLIED
    refapplic     IDREF     # IMPLIED
    id           ID       # IMPLIED
    level        NMTOKEN   # IMPLIED
    mark         NMTOKEN   # IMPLIED
    change       (add | delete | modify)    # IMPLIED
    rfc          CDATA     # IMPLIED
>
<! ELEMENT fault EMPTY>
<! ATTLIST fault
    fcode        CDATA     # REQUIRED
>
<! ELEMENT wmlf2desc (applic?,fault,((refdm?,describe?,detect?)?))>
<! ATTLIST wmlf2desc
    categ        CDATA     # IMPLIED
    subcateg      CDATA     # IMPLIED
    refapplic     IDREF     # IMPLIED
    id           ID       # IMPLIED
    level        NMTOKEN   # IMPLIED
    mark         NMTOKEN   # IMPLIED
    change       (add | delete | modify)    # IMPLIED
    rfc          CDATA     # IMPLIED
>
<! ELEMENT msgdesc (applic?,fault,((refdm?,describe?,detect?)?))>
<! ATTLIST msgdesc
    categ        CDATA     # IMPLIED
    subcateg      CDATA     # IMPLIED
    refapplic     IDREF     # IMPLIED
    id           ID       # IMPLIED
    level        NMTOKEN   # IMPLIED
    mark         NMTOKEN   # IMPLIED
    change       (add | delete | modify)    # IMPLIED
    rfc          CDATA     # IMPLIED
>
<! ELEMENT afi ((afi-proc) +)>
<! ATTLIST afi

```

```

id      ID      # IMPLIED
level   NMTOKEN # IMPLIED
mark    NMTOKEN # IMPLIED
change  (add | delete | modify) # IMPLIED
rfc     CDATA   # IMPLIED
>
<! ELEMENT afi-proc (applic?,((fault,describe)?),isoproc)>
<! ATTLIST afi-proc
  refapplic IDREF # IMPLIED
  id      ID      # IMPLIED
  level   NMTOKEN # IMPLIED
  mark    NMTOKEN # IMPLIED
  change  (add | delete | modify) # IMPLIED
  rfc     CDATA   # IMPLIED
>
<! ELEMENT isoproc (prelreqs,isolatep,closetxt?)>
<! ATTLIST isoproc
  id      ID      # IMPLIED
  level   NMTOKEN # IMPLIED
  mark    NMTOKEN # IMPLIED
  change  (add | delete | modify) # IMPLIED
  rfc     CDATA   # IMPLIED
  check   CDATA   # IMPLIED
  skill   (sk01 | sk02 | sk03 | sk04 | sk05 | sk06 | sk07 | sk08 | sk09 | sk10 | sk11 | sk12
| sk13 | sk14 | sk15 | sk16 | sk17 | sk18 | sk19 | sk20 | sk21 | sk22 | sk23 | sk24 | sk25 | sk26
| sk27 | sk28 | sk29 | sk30 | sk31 | sk32 | sk33 | sk34 | sk35 | sk36 | sk37 | sk38 | sk39 | sk40
| sk41 | sk42 | sk43 | sk44 | sk45 | sk46 | sk47 | sk48 | sk49 | sk50 | sk51 | sk52 | sk53 | sk54
| sk55 | sk56 | sk57 | sk58 | sk59 | sk60 | sk61 | sk62 | sk63 | sk64 | sk65 | sk66 | sk67 | sk68
| sk69 | sk70 | sk71 | sk72 | sk73 | sk74 | sk75 | sk76 | sk77 | sk78 | sk79 | sk80 | sk81 | sk82
| sk83 | sk84 | sk85 | sk86 | sk87 | sk88 | sk89 | sk90 | sk91 | sk92 | sk93 | sk94 | sk95 | sk96
| sk97 | sk98 | sk99) # IMPLIED
>
<! ELEMENT prelreqs (pmd * ,reqconds,reqpers * ,supequip,supplies,spares,safety)>
<! ELEMENT pmd (applic?,thi * ,zone * ,accpnl * ,avehcfg?,opndurn?)>
<! ATTLIST pmd
  refapplic IDREF # IMPLIED
>
<! ELEMENT thi (#PCDATA)>
<! ATTLIST thi
  uom (th01 | th02 | th03 | th04 | th05 | th06 | th07 | th08 | th09 | th10 | th11 | th12 | th13
| th14 | th15 | th16 | th17 | th18 | th19 | th20 | th21 | th22 | th23 | th24 | th25 | th26 | th27
| th28 | th29 | th30 | th31 | th32 | th33 | th34 | th35 | th36 | th37 | th38 | th39 | th40 | th41
| th42 | th43 | th44 | th45 | th46 | th47 | th48 | th49 | th50 | th51 | th52 | th53 | th54 | th55
| th56 | th57 | th58 | th59 | th60 | th61 | th62 | th63 | th64 | th65 | th66 | th67 | th68 | th69
| th70 | th71 | th72 | th73 | th74 | th75 | th76 | th77 | th78 | th79 | th80 | th81 | th82 | th83
| th84 | th85 | th86 | th87 | th88 | th89 | th90 | th91 | th92 | th93 | th94 | th95 | th96 | th97
| th98 | th99) # REQUIRED
>
<! ELEMENT zone (nomen?,refs?)>
<! ATTLIST zone
  zonenbr CDATA # IMPLIED
  id      ID      # IMPLIED
  level   NMTOKEN # IMPLIED
  mark    NMTOKEN # IMPLIED
  change  (add | delete | modify) # IMPLIED
  rfc     CDATA   # IMPLIED
>
<! ELEMENT accpnl (nomen?,refs?)>
<! ATTLIST accpnl
  accpnlnbr CDATA # IMPLIED

```

```

    accpn1type (accpn101 | accpn102 | accpn103 | accpn104 | accpn105 | accpn106 | accpn107 |
accpn108 | accpn109 | accpn110 | accpn111 | accpn112 | accpn113 | accpn114 | accpn115 | accpn116
| accpn117 | accpn118 | accpn119 | accpn120 | accpn121 | accpn122 | accpn123 | accpn124 | accpn125
| accpn126 | accpn127 | accpn128 | accpn129 | accpn130 | accpn131 | accpn132 | accpn133 | accpn134
| accpn135 | accpn136 | accpn137 | accpn138 | accpn139 | accpn140 | accpn141 | accpn142 | accpn143
| accpn144 | accpn145 | accpn146 | accpn147 | accpn148 | accpn149 | accpn150 | accpn151 | accpn152
| accpn153 | accpn154 | accpn155 | accpn156 | accpn157 | accpn158 | accpn159 | accpn160 | accpn161
| accpn162 | accpn163 | accpn164 | accpn165 | accpn166 | accpn167 | accpn168 | accpn169 | accpn170
| accpn171 | accpn172 | accpn173 | accpn174 | accpn175 | accpn176 | accpn177 | accpn178 | accpn179
| accpn180 | accpn181 | accpn182 | accpn183 | accpn184 | accpn185 | accpn186 | accpn187 | accpn188
| accpn189 | accpn190 | accpn191 | accpn192 | accpn193 | accpn194 | accpn195 | accpn196 | accpn197
| accpn198 | accpn199) # IMPLIED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
>
<! ELEMENT avehcfg (jacked,safedev,elecprw,hydpwr,airpwr,fuel,water,fcposn)>
<! ELEMENT jacked EMPTY>
<! ATTLIST jacked
    status (yes | no | indiffer | na) # REQUIRED
    power (engine | apu | external | internal | indifferent | notapplic) # REQUIRED
>
<! ELEMENT safedev EMPTY>
<! ATTLIST safedev
    status (yes | no | indiffer | na) # REQUIRED
    power (engine | apu | external | internal | indifferent | notapplic) # REQUIRED
>
<! ELEMENT elecprw EMPTY>
<! ATTLIST elecprw
    status (yes | no | indiffer | na) # REQUIRED
    power (engine | apu | external | internal | indifferent | notapplic) # REQUIRED
>
<! ELEMENT hydpwr EMPTY>
<! ATTLIST hydpwr
    status (yes | no | indiffer | na) # REQUIRED
    power (engine | apu | external | internal | indifferent | notapplic) # REQUIRED
>
<! ELEMENT airpwr EMPTY>
<! ATTLIST airpwr
    status (yes | no | indiffer | na) # REQUIRED
    power (engine | apu | external | internal | indifferent | notapplic) # REQUIRED
>
<! ELEMENT fuel EMPTY>
<! ATTLIST fuel
    status (yes | no | indiffer | na) # REQUIRED
    power (engine | apu | external | internal | indifferent | notapplic) # REQUIRED
>
<! ELEMENT water EMPTY>
<! ATTLIST water
    status (yes | no | indiffer | na) # REQUIRED
    power (engine | apu | external | internal | indifferent | notapplic) # REQUIRED
>
<! ELEMENT fcposn EMPTY>
<! ATTLIST fcposn
    status (yes | no | indiffer | na) # REQUIRED
    power (engine | apu | external | internal | indifferent | notapplic) # REQUIRED
>
<! ELEMENT opndurn EMPTY>

```

```

<! ATTLIST opndurn
  prelreqs CDATA #REQUIRED
  proced CDATA #REQUIRED
  closeup CDATA #REQUIRED
  id ID #IMPLIED
>
<! ELEMENT reqconds (noconds | ((reqcond | reqcondm | reqcblst | reqcontp) + ))>
<! ELEMENT noconds EMPTY>
<! ELEMENT reqcond (#PCDATA | applic | xref | indxflag | symbol | subscript | superscript | ftnref |
acronym | acroterm) * >
<! ATTLIST reqcond
  refapplic IDREF #IMPLIED
>
<! ELEMENT reqcondm (applic?,((reqcond,refdm) + ))>
<! ATTLIST reqcondm
  refapplic IDREF #IMPLIED
>
<! ELEMENT reqcblst (applic?,(reqcond,cblst))>
<! ATTLIST reqcblst
  refapplic IDREF #IMPLIED
  id ID #IMPLIED
  level NMTOKEN #IMPLIED
  mark NMTOKEN #IMPLIED
  change (add | delete | modify) #IMPLIED
  rfc CDATA #IMPLIED
>
<! ELEMENT cblst (applic?,((cbsublst + ) + ))>
<! ATTLIST cblst
  refapplic IDREF #IMPLIED
  cbaction (open | close | verif-open | verif-close) #IMPLIED
  checksum CDATA #IMPLIED
  id ID #IMPLIED
  level NMTOKEN #IMPLIED
  mark NMTOKEN #IMPLIED
  change (add | delete | modify) #IMPLIED
  rfc CDATA #IMPLIED
>
<! ELEMENT cbsublst (applic?,ein *,(cbdata + ))>
<! ATTLIST cbsublst
  cbaction (open | close | verif-open | verif-close) #IMPLIED
  checksum CDATA #IMPLIED
  refapplic IDREF #IMPLIED
  id ID #IMPLIED
  level NMTOKEN #IMPLIED
  mark NMTOKEN #IMPLIED
  change (add | delete | modify) #IMPLIED
  rfc CDATA #IMPLIED
>
<! ELEMENT cbdata (applic?,cb,nomen,((xref | accpnl)?),cbloc?)>
<! ATTLIST cbdata
  refapplic IDREF #IMPLIED
  id ID #IMPLIED
  level NMTOKEN #IMPLIED
  mark NMTOKEN #IMPLIED
  change (add | delete | modify) #IMPLIED
  rfc CDATA #IMPLIED
>
<! ELEMENT cbloc (#PCDATA)>
<! ATTLIST cbloc
  id ID #IMPLIED

```

```

    level    NMTOKEN    # IMPLIED
    mark     NMTOKEN    # IMPLIED
    change   (add | delete | modify)    # IMPLIED
    rfc      CDATA      # IMPLIED
  >
<! ELEMENT reqcontp (applic?,((reqcond,reftp) + ))>
<! ATTLIST reqcontp
  refapplic  IDREF      # IMPLIED
>
<! ELEMENT reqpers (applic?,(((asrequir | person),((perscat,perskill?,trade?,esttime?))) + )))>
<! ATTLIST reqpers
  refapplic  IDREF      # IMPLIED
  id         ID         # IMPLIED
  level      NMTOKEN    # IMPLIED
  mark       NMTOKEN    # IMPLIED
  change     (add | delete | modify)    # IMPLIED
  rfc        CDATA      # IMPLIED
>
<! ELEMENT asrequir EMPTY>
<! ELEMENT person EMPTY>
<! ATTLIST person
  man        NMTOKEN    # REQUIRED
  id         ID         # IMPLIED
  level      NMTOKEN    # IMPLIED
  mark       NMTOKEN    # IMPLIED
  change     (add | delete | modify)    # IMPLIED
  rfc        CDATA      # IMPLIED
>
<! ELEMENT perscat EMPTY>
<! ATTLIST perscat
  category   CDATA      # REQUIRED
  id         ID         # IMPLIED
  level      NMTOKEN    # IMPLIED
  mark       NMTOKEN    # IMPLIED
  change     (add | delete | modify)    # IMPLIED
  rfc        CDATA      # IMPLIED
>
<! ELEMENT perskill EMPTY>
<! ATTLIST perskill
  skill      (sk01 | sk02 | sk03 | sk04 | sk05 | sk06 | sk07 | sk08 | sk09 | sk10 | sk11 | sk12
| sk13 | sk14 | sk15 | sk16 | sk17 | sk18 | sk19 | sk20 | sk21 | sk22 | sk23 | sk24 | sk25 | sk26
| sk27 | sk28 | sk29 | sk30 | sk31 | sk32 | sk33 | sk34 | sk35 | sk36 | sk37 | sk38 | sk39 | sk40
| sk41 | sk42 | sk43 | sk44 | sk45 | sk46 | sk47 | sk48 | sk49 | sk50 | sk51 | sk52 | sk53 | sk54
| sk55 | sk56 | sk57 | sk58 | sk59 | sk60 | sk61 | sk62 | sk63 | sk64 | sk65 | sk66 | sk67 | sk68
| sk69 | sk70 | sk71 | sk72 | sk73 | sk74 | sk75 | sk76 | sk77 | sk78 | sk79 | sk80 | sk81 | sk82
| sk83 | sk84 | sk85 | sk86 | sk87 | sk88 | sk89 | sk90 | sk91 | sk92 | sk93 | sk94 | sk95 | sk96
| sk97 | sk98 | sk99)    # REQUIRED
  id         ID         # IMPLIED
  level      NMTOKEN    # IMPLIED
  mark       NMTOKEN    # IMPLIED
  change     (add | delete | modify)    # IMPLIED
  rfc        CDATA      # IMPLIED
>
<! ELEMENT trade (#PCDATA)>
<! ATTLIST trade
  id         ID         # IMPLIED
  level      NMTOKEN    # IMPLIED
  mark       NMTOKEN    # IMPLIED
  change     (add | delete | modify)    # IMPLIED
  rfc        CDATA      # IMPLIED

```

```

>
<! ELEMENT esttime (#PCDATA)>
<! ATTLIST esttime
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark    NMTOKEN  # IMPLIED
    change  (add | delete | modify)  # IMPLIED
    rfc     CDATA    # IMPLIED
>
<! ELEMENT supequip (nosupeq | supeqli)>
<! ELEMENT nosupeq EMPTY>
<! ELEMENT supeqli (supequi +)>
<! ELEMENT supequi (applic?,nomen?,(((csnref | identno | tool),refs?)+),qty,remarks?)>
<! ATTLIST supequi
    refapplic IDREF      # IMPLIED
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark    NMTOKEN  # IMPLIED
    change  (add | delete | modify)  # IMPLIED
    rfc     CDATA    # IMPLIED
>
<! ELEMENT tool (refs?)>
<! ATTLIST tool
    toolnbr CDATA      # REQUIRED
    mfc     CDATA      # IMPLIED
    specific NMTOKEN    "1"
    alternate NMTOKEN    "0"
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark    NMTOKEN  # IMPLIED
    change  (add | delete | modify)  # IMPLIED
    rfc     CDATA    # IMPLIED
>
<! ELEMENT qty (#PCDATA)>
<! ATTLIST qty
    uom     CDATA      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark    NMTOKEN  # IMPLIED
    change  (add | delete | modify)  # IMPLIED
    rfc     CDATA      # IMPLIED
>
<! ELEMENT supplies (nosupply | supplyli)>
<! ELEMENT nosupply EMPTY>
<! ELEMENT supplyli (supply +)>
<! ELEMENT supply (applic?,nomen?,(((csnref | identno | con),refs?)+),qty,remarks?)>
<! ATTLIST supply
    refapplic IDREF      # IMPLIED
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark    NMTOKEN  # IMPLIED
    change  (add | delete | modify)  # IMPLIED
    rfc     CDATA    # IMPLIED
>
<! ELEMENT con (refs?)>
<! ATTLIST con
    connbr  CDATA      # REQUIRED
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark    NMTOKEN  # IMPLIED
    change  (add | delete | modify)  # IMPLIED

```

```

    rfc      CDATA      # IMPLIED
  >
<! ELEMENT spares (nospare | sparesli)>
<! ELEMENT nospare EMPTY>
<! ELEMENT sparesli (spare+)>
<! ELEMENT spare (applic?,nomen?,(((csnref | identno | ein),refs?)+),qty,remarks?)>
<! ATTLIST spare
  refapplic  IDREF      # IMPLIED
  id         ID         # IMPLIED
  level      NMTOKEN     # IMPLIED
  mark       NMTOKEN     # IMPLIED
  change     (add | delete | modify)  # IMPLIED
  rfc        CDATA      # IMPLIED
>
<! ELEMENT safety (nosafety | safecond)>
<! ELEMENT nosafety EMPTY>
<! ELEMENT safecond ((warning * ,caution * ),note * )>
<! ATTLIST safecond
  id         ID         # IMPLIED
>
<! ELEMENT warning (applic?,((symbol | para | (seqlist | randlist | deflist))+))>
<! ATTLIST warning
  type       CDATA      # IMPLIED
  xrefid     IDREF      # IMPLIED
  vital      NMTOKEN     # IMPLIED
  refapplic  IDREF      # IMPLIED
  id         ID         # IMPLIED
  level      NMTOKEN     # IMPLIED
  mark       NMTOKEN     # IMPLIED
  change     (add | delete | modify)  # IMPLIED
  rfc        CDATA      # IMPLIED
>
<! ELEMENT caution (applic?,((symbol | para | (seqlist | randlist | deflist))+))>
<! ATTLIST caution
  type       CDATA      # IMPLIED
  xrefid     IDREF      # IMPLIED
  refapplic  IDREF      # IMPLIED
  id         ID         # IMPLIED
  level      NMTOKEN     # IMPLIED
  mark       NMTOKEN     # IMPLIED
  change     (add | delete | modify)  # IMPLIED
  rfc        CDATA      # IMPLIED
>
<! ELEMENT isolatep (((isostep | isoend | (figure | multimedia | foldout | table))+))>
<! ELEMENT isostep (((applic?,title?), (warning * ,caution * )), (((note | action | (figure | multimedia | foldout | table)) * ),question,answer?))>
<! ATTLIST isostep
  refapplic  IDREF      # IMPLIED
  id         ID         # REQUIRED
  check      CDATA      # IMPLIED
  skill      (sk01 | sk02 | sk03 | sk04 | sk05 | sk06 | sk07 | sk08 | sk09 | sk10 | sk11 | sk12
| sk13 | sk14 | sk15 | sk16 | sk17 | sk18 | sk19 | sk20 | sk21 | sk22 | sk23 | sk24 | sk25 | sk26
| sk27 | sk28 | sk29 | sk30 | sk31 | sk32 | sk33 | sk34 | sk35 | sk36 | sk37 | sk38 | sk39 | sk40
| sk41 | sk42 | sk43 | sk44 | sk45 | sk46 | sk47 | sk48 | sk49 | sk50 | sk51 | sk52 | sk53 | sk54
| sk55 | sk56 | sk57 | sk58 | sk59 | sk60 | sk61 | sk62 | sk63 | sk64 | sk65 | sk66 | sk67 | sk68
| sk69 | sk70 | sk71 | sk72 | sk73 | sk74 | sk75 | sk76 | sk77 | sk78 | sk79 | sk80 | sk81 | sk82
| sk83 | sk84 | sk85 | sk86 | sk87 | sk88 | sk89 | sk90 | sk91 | sk92 | sk93 | sk94 | sk95 | sk96
| sk97 | sk98 | sk99)  # IMPLIED
>
<! ELEMENT action (#PCDATA | ein | cb | parasigdata | quantity | xref | indxflag | change | emphasis |

```



```

symbol | subscript | superscript | refdm | reftp | ftntoe | ftntref | acronym | acroterm) * >
<! ATTLIST action
  id      ID      # IMPLIED
  level   NMTOKEN  # IMPLIED
  mark    NMTOKEN  # IMPLIED
  change  (add | delete | modify)  # IMPLIED
  rfc     CDATA    # IMPLIED
>
<! ELEMENT figure ((applic?,title),((graphic,rfa * ) | ((applic?,sheet,graphic,rfa * ) + )),legend?))
<! ATTLIST figure
  refapplic  IDREF      # IMPLIED
  id      ID      # IMPLIED
  level   NMTOKEN  # IMPLIED
  mark    NMTOKEN  # IMPLIED
  change  (add | delete | modify)  # IMPLIED
  rfc     CDATA    # IMPLIED
  class   (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)  # IMPLIED
  commcls  (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)  # IMPLIED
  caveat  (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)  # IMPLIED
>
<! ELEMENT graphic (hotspot * )>
<! ATTLIST graphic
  boardno  ENTITY      # REQUIRED
  id      ID      # IMPLIED
  reprovld CDATA      # IMPLIED
  reprohgt CDATA      # IMPLIED
  reproscl CDATA      # IMPLIED
  % XLINKATT0;
>
<! ELEMENT hotspot (applic?,((hotspot | xref | refdm | csntref) * ))>
<! ATTLIST hotspot
  id      ID      # IMPLIED
  apsid   CDATA      # IMPLIED
  apsname CDATA      # IMPLIED
  type    CDATA      # IMPLIED
  title   CDATA      # IMPLIED
  descript CDATA      # IMPLIED
  coords  CDATA      # IMPLIED
  visibility (visible | hidden)  "visible"
  refapplic IDREF      # IMPLIED
>

```

```

<! ELEMENT rfa ( #PCDATA | applic | ein | cb | parasigdata | quantity | xref | indxflag | change |
emphasis | symbol | subscript | superscript | refdm | reftyp | ftnote | ftnref | acronym | acroterm) * >
<! ATTLIST rfa
    refapplic IDREF # IMPLIED
>
<! ELEMENT sheet EMPTY>
<! ATTLIST sheet
    sheetno NMTOKEN # REQUIRED
    total NMTOKEN # REQUIRED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
    refapplic IDREF # IMPLIED
>
<! ELEMENT legend (deflist)>
<! ATTLIST legend
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
>
<! ELEMENT multimedia (((applic?,title?),rfa *,multimediaobject + ))>
<! ATTLIST multimedia
    refapplic IDREF # IMPLIED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
    class (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99) # IMPLIED
    commcls (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99) # IMPLIED
    caveat (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99) # IMPLIED
>
<! ELEMENT multimediaobject ((param) * )>
<! ATTLIST multimediaobject
    id ID # IMPLIED
    autoplay NMTOKEN # IMPLIED
    fullscrn NMTOKEN # IMPLIED

```

```

boardno    ENTITY    # REQUIRED
multimediaclass (3D | audio | video | other)    # REQUIRED
controls    (hide | show)    # IMPLIED
duration    NMTOKEN    # IMPLIED
width       CDATA       # IMPLIED
height      CDATA       # IMPLIED
% XLINKATT0;
>
<! ELEMENT param EMPTY>
<! ATTLIST param
  id      ID      # REQUIRED
  paramid CDATA    # IMPLIED
  paramvalue CDATA # IMPLIED
  paramname CDATA  # IMPLIED
>
<! ELEMENT foldout (figure | table)>
<! ELEMENT table (applic?,title?,(tgroup+ | graphic+))>
<! ATTLIST table
  tabstyle NMTOKEN    # IMPLIED
  tocentry NMTOKEN    "1"
  frame     (top | bottom | topbot | all | sides | none)    # IMPLIED
  colsep     NMTOKEN    # IMPLIED
  rowsep     NMTOKEN    # IMPLIED
  orient     (port | land)    # IMPLIED
  pgwide     NMTOKEN    # IMPLIED
  refapplic  IDREF      # IMPLIED
  id         ID         # IMPLIED
  level      NMTOKEN    # IMPLIED
  mark       NMTOKEN    # IMPLIED
  change     (add | delete | modify)    # IMPLIED
  rfc        CDATA      # IMPLIED
  class      (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)    # IMPLIED
  commcls    (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)    # IMPLIED
  caveat     (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)    # IMPLIED
>
<! ELEMENT tgroup (applic?,colspec *,spanspec *,thead?,tfoot?,tbody)>
<! ATTLIST tgroup
  refapplic  IDREF      # IMPLIED
  cols       NMTOKEN    # REQUIRED
  tgstyle    NMTOKEN    # IMPLIED
  colsep     NMTOKEN    # IMPLIED

```

```

    rowsep      NMTOKEN      # IMPLIED
    align       (left | right | center | justify | char)    "left"
    charoff     CDATA        # IMPLIED
    char        CDATA        # IMPLIED
>
<! ELEMENT colspec EMPTY>
<! ATTLIST colspec
    colnum      NMTOKEN      # IMPLIED
    colname     NMTOKEN      # IMPLIED
    align       (left | right | center | justify | char)    # IMPLIED
    charoff     CDATA        # IMPLIED
    char        CDATA        # IMPLIED
    colwidth    CDATA        # IMPLIED
    colsep      NMTOKEN      # IMPLIED
    rowsep      NMTOKEN      # IMPLIED
>
<! ELEMENT spanspec EMPTY>
<! ATTLIST spanspec
    namest      NMTOKEN      # REQUIRED
    nameend     NMTOKEN      # REQUIRED
    spanname    NMTOKEN      # REQUIRED
    align       (left | right | center | justify | char)    "center"
    charoff     CDATA        # IMPLIED
    char        CDATA        # IMPLIED
    colsep      NMTOKEN      # IMPLIED
    rowsep      NMTOKEN      # IMPLIED
>
<! ELEMENT thead (colspec *,row+)>
<! ATTLIST thead
    valign      (top | bottom | middle)    "bottom"
>
<! ELEMENT row (applic?,((entry)+))>
<! ATTLIST row
    refapplic   IDREF        # IMPLIED
    rowsep      NMTOKEN      # IMPLIED
    id          ID           # IMPLIED
    level       NMTOKEN      # IMPLIED
    mark        NMTOKEN      # IMPLIED
    change      (add | delete | modify)    # IMPLIED
    rfc         CDATA        # IMPLIED
>
<! ELEMENT entry (#PCDATA | applic | para | warning | caution | note | legend | ein | cb | parasig-
data | quantity | xref | indxflag | change | emphasis | symbol | subscript | supscpt | refdm | reftp
| ftnote | ftnref | acronym | acroterm | seqlist | randlist | deflist)*>
<! ATTLIST entry
    refapplic   IDREF        # IMPLIED
    colname     NMTOKEN      # IMPLIED
    namest      NMTOKEN      # IMPLIED
    nameend     NMTOKEN      # IMPLIED
    spanname    NMTOKEN      # IMPLIED
    morerows    NMTOKEN      "0"
    colsep      NMTOKEN      # IMPLIED
    rowsep      NMTOKEN      # IMPLIED
    rotate      NMTOKEN      "0"
    valign      (top | bottom | middle)    "top"
    align       (left | right | center | justify | char)    # IMPLIED
    charoff     CDATA        # IMPLIED
    char        CDATA        # IMPLIED
    id          ID           # IMPLIED
>

```

```

<! ELEMENT tfoot (colspec * ,row+ )>
<! ATTLIST tfoot
    valign      (top | bottom | middle)      "top"
>
<! ELEMENT tbody (row+ )>
<! ATTLIST tbody
    valign      (top | bottom | middle)      "top"
>
<! ELEMENT question (#PCDATA)>
<! ELEMENT answer (yesno | sel-list | entfield)>
<! ATTLIST answer
    id          ID      # IMPLIED
    level       NMTOKEN # IMPLIED
    mark        NMTOKEN # IMPLIED
    change      (add | delete | modify)      # IMPLIED
    rfc         CDATA   # IMPLIED
>
<! ELEMENT yesno (yes,no)>
<! ELEMENT yes EMPTY>
<! ATTLIST yes
    refid       IDREF   # REQUIRED
>
<! ELEMENT no EMPTY>
<! ATTLIST no
    refid       IDREF   # REQUIRED
>
<! ELEMENT sel-list (choice+ )>
<! ELEMENT choice (#PCDATA)>
<! ATTLIST choice
    refid       IDREF   # REQUIRED
>
<! ELEMENT entfield EMPTY>
<! ATTLIST entfield
    refid       IDREF   # REQUIRED
>
<! ELEMENT isoend (((applic?,title?), (warning* ,caution* )), ((note | action | (figure | multimedia
| foldout | table)) *)))
<! ATTLIST isoend
    refapplic   IDREF   # IMPLIED
    id          ID      # REQUIRED
    check       CDATA   # IMPLIED
    skill       (sk01 | sk02 | sk03 | sk04 | sk05 | sk06 | sk07 | sk08 | sk09 | sk10 | sk11 | sk12
| sk13 | sk14 | sk15 | sk16 | sk17 | sk18 | sk19 | sk20 | sk21 | sk22 | sk23 | sk24 | sk25 | sk26
| sk27 | sk28 | sk29 | sk30 | sk31 | sk32 | sk33 | sk34 | sk35 | sk36 | sk37 | sk38 | sk39 | sk40
| sk41 | sk42 | sk43 | sk44 | sk45 | sk46 | sk47 | sk48 | sk49 | sk50 | sk51 | sk52 | sk53 | sk54
| sk55 | sk56 | sk57 | sk58 | sk59 | sk60 | sk61 | sk62 | sk63 | sk64 | sk65 | sk66 | sk67 | sk68
| sk69 | sk70 | sk71 | sk72 | sk73 | sk74 | sk75 | sk76 | sk77 | sk78 | sk79 | sk80 | sk81 | sk82
| sk83 | sk84 | sk85 | sk86 | sk87 | sk88 | sk89 | sk90 | sk91 | sk92 | sk93 | sk94 | sk95 | sk96
| sk97 | sk98 | sk99) # IMPLIED
>
<! ELEMENT closetxt (#PCDATA | ein | cb | parasigdata | quantity | xref | indxflag | change | emphasis
| symbol | subscript | superscript | refdm | reftp | ftnote | ftnref | acronym | acroterm | para) * >

```

B.4 零部件信息 DTD

本文件包含了零部件内容 DTD。它标识了所有与零部件有关的元素和它们之间的关系。

```

<? xml version="1.0" encoding="UTF-8"?>
<! ELEMENT dmodule (rdf:Description?,idstatus,content)>
<! ATTLIST dmodule

```

```

    id      ID      # IMPLIED
    % RDFCATT;
>
<! ELEMENT idstatus (dmaddres,srcdmaddres?,status)>
<! ELEMENT dmaddres (dmceextension?,dmc,dmttitle,issno,issdate)>
<! ELEMENT dmceextension (dmeproducer,dmcecode)>
<! ELEMENT dmeproducer (# PCDATA)>
<! ELEMENT dmcecode (# PCDATA)>
<! ELEMENT dmc (age | avee)>
<! ELEMENT age (modelic,supeqvc,ecscs,eidc,cidc,discode,discodev,incodex,incodex,itemloc)>
<! ELEMENT modelic (# PCDATA)>
<! ELEMENT supeqvc (# PCDATA)>
<! ELEMENT ecscs (# PCDATA)>
<! ELEMENT eidc (# PCDATA)>
<! ELEMENT cidc (# PCDATA)>
<! ELEMENT discode (# PCDATA)>
<! ELEMENT discodev (# PCDATA)>
<! ELEMENT incodex (# PCDATA)>
<! ELEMENT incodex (# PCDATA)>
<! ELEMENT itemloc (# PCDATA)>
<! ELEMENT avee (modelic,sdc,chapnum,section,subsect,subject,discode,discodev,incodex,incodex,itemloc)>
<! ELEMENT sdc (# PCDATA)>
<! ELEMENT chapnum (# PCDATA)>
<! ELEMENT section (# PCDATA)>
<! ELEMENT subsect (# PCDATA)>
<! ELEMENT subject (# PCDATA)>
<! ELEMENT dmttitle (techname,infoname?)>
<! ELEMENT techname (# PCDATA)>
<! ELEMENT infoname (# PCDATA)>
<! ELEMENT issno EMPTY>
<! ATTLIST issno
    issno      NMTOKEN      # REQUIRED
    inwork     NMTOKEN      # IMPLIED
    type       (new | changed | deleted | revised | status | rinstatexchanged | rinstatexrevised |
rinstatexstatus)      "new"
>
<! ELEMENT issdate EMPTY>
<! ATTLIST issdate
    year      NMTOKEN      # REQUIRED
    month     NMTOKEN      # REQUIRED
    day       NMTOKEN      # REQUIRED
>
<! ELEMENT srcdmaddres (dmceextension?,dmc,dmttitle,issno,issdate)>
<! ELEMENT status (security,datarest*,rpc,orig,applic,inlineapplics?, brexref,qa+ ,(( ein) * ),
rfu* ,remarks* )>
<! ATTLIST status
    id      ID      # IMPLIED
>
<! ELEMENT security EMPTY>
<! ATTLIST security
    class     (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)      # REQUIRED
    commcls   (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26

```

```

| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99) # IMPLIED
    caveat (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99) # IMPLIED
>
<! ELEMENT datarest (applic?,instruct,inform?)>
<! ATTLIST datarest
    refapplic IDREF # IMPLIED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
>
<! ELEMENT applic (type?,model*)>
<! ATTLIST applic
    applicconf (allowed | built | designed | installed | manufactured | supported) # IMPLIED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
>
<! ELEMENT type (#PCDATA)>
<! ELEMENT model (version* ,((csnref | (mfc))*),maintlevel?,techconds* ,opconds*)>
<! ATTLIST model
    model CDATA # REQUIRED
>
<! ELEMENT version (versrank*)>
<! ATTLIST version
    version CDATA # REQUIRED
    id ID # IMPLIED
>
<! ELEMENT versrank ((single | range)+)>
<! ATTLIST versrank
    verstatus CDATA # IMPLIED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
>
<! ELEMENT single (#PCDATA)>
<! ELEMENT range EMPTY>
<! ATTLIST range
    from CDATA # REQUIRED
    to CDATA # REQUIRED
>
<! ELEMENT csnref EMPTY>
<! ATTLIST csnref

```



```

refcsn  CDATA      # REQUIRED
refisn  CDATA      # IMPLIED
refipp  CDATA      # IMPLIED
refrpc  CDATA      # IMPLIED
id       ID        # IMPLIED
level   NMTOKEN    # IMPLIED
mark    NMTOKEN    # IMPLIED
change  (add | delete | modify)  # IMPLIED
rfc     CDATA      # IMPLIED
% XLINKATT2;
>
<! ELEMENT mfc (#PCDATA)>
<! ATTLIST mfc
  id       ID        # IMPLIED
  level   NMTOKEN    # IMPLIED
  mark    NMTOKEN    # IMPLIED
  change  (add | delete | modify)  # IMPLIED
  rfc     CDATA      # IMPLIED
>
<! ELEMENT maintlevel (mntlvl +)>
<! ELEMENT mntlvl EMPTY>
<! ATTLIST mntlvl
  mntlvl  (m101 | m102 | m103 | m104 | m105 | m106 | m107 | m108 | m109 | m110 | m111 | m112
| m113 | m114 | m115 | m116 | m117 | m118 | m119 | m120 | m121 | m122 | m123 | m124 | m125 | m126
| m127 | m128 | m129 | m130 | m131 | m132 | m133 | m134 | m135 | m136 | m137 | m138 | m139 | m140
| m141 | m142 | m143 | m144 | m145 | m146 | m147 | m148 | m149 | m150 | m151 | m152 | m153 | m154
| m155 | m156 | m157 | m158 | m159 | m160 | m161 | m162 | m163 | m164 | m165 | m166 | m167 | m168
| m169 | m170 | m171 | m172 | m173 | m174 | m175 | m176 | m177 | m178 | m179 | m180 | m181 | m182
| m183 | m184 | m185 | m186 | m187 | m188 | m189 | m190 | m191 | m192 | m193 | m194 | m195 | m196
| m197 | m198 | m199)  # REQUIRED
>
<! ELEMENT techconds (textual-desc?,techcond*)>
<! ATTLIST techconds
  id       ID        # IMPLIED
  level   NMTOKEN    # IMPLIED
  mark    NMTOKEN    # IMPLIED
  change  (add | delete | modify)  # IMPLIED
  rfc     CDATA      # IMPLIED
>
<! ELEMENT textual-desc (#PCDATA)>
<! ATTLIST textual-desc
  id       ID        # IMPLIED
  level   NMTOKEN    # IMPLIED
  mark    NMTOKEN    # IMPLIED
  change  (add | delete | modify)  # IMPLIED
  rfc     CDATA      # IMPLIED
>
<! ELEMENT techcond (((((age | avee), issno?, dmtitle?) | (pubcode, pubtitle?, pubdate?) | condtitle?)),
scheduled?, embodied?))
<! ATTLIST techcond
  tccode   (tc01 | tc02 | tc03 | tc04 | tc05 | tc06 | tc07 | tc08 | tc09 | tc10 | tc11 | tc12
| tc13 | tc14 | tc15 | tc16 | tc17 | tc18 | tc19 | tc20 | tc21 | tc22 | tc23 | tc24 | tc25 | tc26
| tc27 | tc28 | tc29 | tc30 | tc31 | tc32 | tc33 | tc34 | tc35 | tc36 | tc37 | tc38 | tc39 | tc40
| tc41 | tc42 | tc43 | tc44 | tc45 | tc46 | tc47 | tc48 | tc49 | tc50 | tc51 | tc52 | tc53 | tc54
| tc55 | tc56 | tc57 | tc58 | tc59 | tc60 | tc61 | tc62 | tc63 | tc64 | tc65 | tc66 | tc67 | tc68
| tc69 | tc70 | tc71 | tc72 | tc73 | tc74 | tc75 | tc76 | tc77 | tc78 | tc79 | tc80 | tc81 | tc82
| tc83 | tc84 | tc85 | tc86 | tc87 | tc88 | tc89 | tc90 | tc91 | tc92 | tc93 | tc94 | tc95 | tc96
| tc97 | tc98 | tc99)  # REQUIRED
  tcno     CDATA      # IMPLIED
  tctype   (pre | post | preandpo)  # REQUIRED

```



```

mfc      CDATA      # IMPLIED
id       ID         # IMPLIED
level    NMTOKEN    # IMPLIED
mark     NMTOKEN    # IMPLIED
change   (add | delete | modify)  # IMPLIED
rfc      CDATA      # IMPLIED
>
<! ELEMENT pubcode ( #PCDATA | pmc ) * >
<! ATTLIST pubcode
  pubcodsy CDATA      # IMPLIED
>
<! ELEMENT pmc (modelic,pmissuer,pmnumber,pmvolume)>
<! ELEMENT pmissuer ( #PCDATA)>
<! ELEMENT pmnumber ( #PCDATA)>
<! ELEMENT pmvolume ( #PCDATA)>
<! ELEMENT pubtitle ( #PCDATA)>
<! ELEMENT pubdate EMPTY>
<! ATTLIST pubdate
  year     NMTOKEN    # REQUIRED
  month    NMTOKEN    # REQUIRED
  day      NMTOKEN    # REQUIRED
>
<! ELEMENT condtitle ( #PCDATA)>
<! ATTLIST condtitle
  id       ID         # IMPLIED
  level    NMTOKEN    # IMPLIED
  mark     NMTOKEN    # IMPLIED
  change   (add | delete | modify)  # IMPLIED
  rfc      CDATA      # IMPLIED
>
<! ELEMENT scheduled ((single | range) +)>
<! ATTLIST scheduled
  id       ID         # IMPLIED
  level    NMTOKEN    # IMPLIED
  mark     NMTOKEN    # IMPLIED
  change   (add | delete | modify)  # IMPLIED
  rfc      CDATA      # IMPLIED
>
<! ELEMENT embodied ((single | range) +)>
<! ATTLIST embodied
  id       ID         # IMPLIED
  level    NMTOKEN    # IMPLIED
  mark     NMTOKEN    # IMPLIED
  change   (add | delete | modify)  # IMPLIED
  rfc      CDATA      # IMPLIED
>
<! ELEMENT opconds (textual-desc?,opcond * )>
<! ATTLIST opconds
  id       ID         # IMPLIED
  level    NMTOKEN    # IMPLIED
  mark     NMTOKEN    # IMPLIED
  change   (add | delete | modify)  # IMPLIED
  rfc      CDATA      # IMPLIED
>
<! ELEMENT opcond ( #PCDATA)>
<! ATTLIST opcond
  opcno     NMTOKEN    # IMPLIED
  opccode    CDATA      # IMPLIED
  confirmed  NMTOKEN    # IMPLIED
  id        ID         # IMPLIED

```

```

    level    NMTOKEN    # IMPLIED
    mark     NMTOKEN    # IMPLIED
    change   (add | delete | modify)    # IMPLIED
    rfc      CDATA      # IMPLIED
  >
< ! ELEMENT instruct (distrib, handling?) >
< ! ATTLIST instruct
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark    NMTOKEN  # IMPLIED
    change  (add | delete | modify)    # IMPLIED
    rfc     CDATA    # IMPLIED
  >
< ! ELEMENT distrib (#PCDATA) >
< ! ATTLIST distrib
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark    NMTOKEN  # IMPLIED
    change  (add | delete | modify)    # IMPLIED
    rfc     CDATA    # IMPLIED
  >
< ! ELEMENT handling (#PCDATA) >
< ! ATTLIST handling
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark    NMTOKEN  # IMPLIED
    change  (add | delete | modify)    # IMPLIED
    rfc     CDATA    # IMPLIED
  >
< ! ELEMENT inform (copyright) >
< ! ATTLIST inform
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark    NMTOKEN  # IMPLIED
    change  (add | delete | modify)    # IMPLIED
    rfc     CDATA    # IMPLIED
  >
< ! ELEMENT copyright (para + ) >
< ! ATTLIST copyright
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark    NMTOKEN  # IMPLIED
    change  (add | delete | modify)    # IMPLIED
    rfc     CDATA    # IMPLIED
  >
< ! ELEMENT para (#PCDATA | applic | ein | cb | parasigdata | quantity | xref | indxflag | change |
emphasis | symbol | subscpt | supscpt | refdm | reftp | ftnote | ftnref | acronym | acroterm |
seqlist | randlist | deflist) * >
< ! ATTLIST para
    refapplic IDREF    # IMPLIED
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark    NMTOKEN  # IMPLIED
    change  (add | delete | modify)    # IMPLIED
    rfc     CDATA    # IMPLIED
    class   (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95

```

```

| 96 | 97 | 98 | 99)    # IMPLIED
| commcls | (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)    # IMPLIED
| caveat | (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)    # IMPLIED
>
<! ELEMENT ein (nomen?,refs?)>
<! ATTLIST ein
  einnbr CDATA # REQUIRED
  eintype (exact | family) # IMPLIED
  mfc CDATA # IMPLIED
  id ID # IMPLIED
  level NMTOKEN # IMPLIED
  mark NMTOKEN # IMPLIED
  change (add | delete | modify) # IMPLIED
  rfc CDATA # IMPLIED
>
<! ELEMENT nomen (#PCDATA)>
<! ATTLIST nomen
  level NMTOKEN # IMPLIED
  mark NMTOKEN # IMPLIED
  change (add | delete | modify) # IMPLIED
  rfc CDATA # IMPLIED
>
<! ELEMENT refs ((refdm+,reftp*) | reftp+)>
<! ELEMENT refdm ((applic?,dmceextension?,(age | avee),issno?,dmttitle?) | ((%XLINKEXT;)*))>
<! ATTLIST refdm
  target CDATA # IMPLIED
  refapplic IDREF # IMPLIED
  id ID # IMPLIED
  level NMTOKEN # IMPLIED
  mark NMTOKEN # IMPLIED
  change (add | delete | modify) # IMPLIED
  rfc CDATA # IMPLIED
  %XLINKATT;
>
<! ELEMENT reftp (#PCDATA | applic | xref | indxflag | symbol | subscript | superscript | ftnref |
acronym | acroterm | capgrp | caption | pubcode | pubtitle | pubdate | %XLINKEXT;)*>
<! ATTLIST reftp
  refapplic IDREF # IMPLIED
  id ID # IMPLIED
  level NMTOKEN # IMPLIED
  mark NMTOKEN # IMPLIED
  change (add | delete | modify) # IMPLIED
  rfc CDATA # IMPLIED
  %XLINKATT4;
>
<! ELEMENT xref (#PCDATA | applic | subscript | superscript)*>

```

```

<! ATTLIST xref
  xrefid      IDREF      # IMPLIED
  xidtype     (figure | table | multimedia | supply | supequip | spares | para | step | sheet |
multimediaobject | hotspot | param | other)      # IMPLIED
  target      CDATA      # IMPLIED
  destitle    CDATA      # IMPLIED
  pretext     CDATA      # IMPLIED
  posttext    CDATA      # IMPLIED
  refapplic   IDREF      # IMPLIED
  % XLINKATT3;
>
<! ELEMENT subscript (# PCDATA)>
<! ELEMENT superscript (# PCDATA)>
<! ELEMENT indxflag EMPTY>
<! ATTLIST indxflag
  ref1      CDATA      # IMPLIED
  ref2      CDATA      # IMPLIED
  ref3      CDATA      # IMPLIED
  ref4      CDATA      # IMPLIED
>
<! ELEMENT symbol (applic?)>
<! ATTLIST symbol
  boardno    ENTITY      # REQUIRED
  id         ID          # IMPLIED
  reprowid   CDATA      # IMPLIED
  reprohgt   CDATA      # IMPLIED
  reprosc1   CDATA      # IMPLIED
  refapplic   IDREF      # IMPLIED
  % XLINKATT1;
>
<! ELEMENT ftnref EMPTY>
<! ATTLIST ftnref
  xrefid     IDREF      # IMPLIED
>
<! ELEMENT acronym (acroterm,acrodef)>
<! ATTLIST acronym
  acrotype   (at01 | at02 | at03 | at04 | at05 | at06 | at07 | at08 | at09 | at10 | at11 | at12
| at13 | at14 | at15 | at16 | at17 | at18 | at19 | at20 | at21 | at22 | at23 | at24 | at25 | at26
| at27 | at28 | at29 | at30 | at31 | at32 | at33 | at34 | at35 | at36 | at37 | at38 | at39 | at40
| at41 | at42 | at43 | at44 | at45 | at46 | at47 | at48 | at49 | at50 | at51 | at52 | at53 | at54
| at55 | at56 | at57 | at58 | at59 | at60 | at61 | at62 | at63 | at64 | at65 | at66 | at67 | at68
| at69 | at70 | at71 | at72 | at73 | at74 | at75 | at76 | at77 | at78 | at79 | at80 | at81 | at82
| at83 | at84 | at85 | at86 | at87 | at88 | at89 | at90 | at91 | at92 | at93 | at94 | at95 | at96
| at97 | at98 | at99)    "at01"
  id         ID          # IMPLIED
  level      NMTOKEN     # IMPLIED
  mark       NMTOKEN     # IMPLIED
  change     (add | delete | modify)      # IMPLIED
  rfc        CDATA      # IMPLIED
>
<! ELEMENT acroterm (# PCDATA | subscript | superscript)*>
<! ATTLIST acroterm
  xrefid     IDREF      # IMPLIED
>
<! ELEMENT acrodef (# PCDATA | subscript | superscript)*>
<! ATTLIST acrodef
  id         ID          # IMPLIED
  level      NMTOKEN     # IMPLIED
  mark       NMTOKEN     # IMPLIED
  change     (add | delete | modify)      # IMPLIED

```

```

    rfc      CDATA      # IMPLIED
  >
< ! ELEMENT capgrp (applic?, colspec *, spanspec *, capbody)>
< ! ATTLIST capgrp
  cols      NMTOKEN      # REQUIRED
  align      (left | right | center)      "left"
  toctype     (none | redtoc | comdtoc | ambertoc | greentoc | yellowtoc)      "none"
  colsep      NMTOKEN      # IMPLIED
  rowsep      NMTOKEN      # IMPLIED
  refapplic    IDREF      # IMPLIED
  id      ID      # IMPLIED
  level      NMTOKEN      # IMPLIED
  mark      NMTOKEN      # IMPLIED
  change      (add | delete | modify)      # IMPLIED
  rfc      CDATA      # IMPLIED
>
< ! ELEMENT colspec EMPTY>
< ! ATTLIST colspec
  colnum      NMTOKEN      # IMPLIED
  colname      NMTOKEN      # IMPLIED
  align      (left | right | center | justify | char)      # IMPLIED
  charoff      CDATA      # IMPLIED
  char      CDATA      # IMPLIED
  colwidth      CDATA      # IMPLIED
  colsep      NMTOKEN      # IMPLIED
  rowsep      NMTOKEN      # IMPLIED
>
< ! ELEMENT spanspec EMPTY>
< ! ATTLIST spanspec
  namest      NMTOKEN      # REQUIRED
  nameend      NMTOKEN      # REQUIRED
  spanname      NMTOKEN      # REQUIRED
  align      (left | right | center | justify | char)      "center"
  charoff      CDATA      # IMPLIED
  char      CDATA      # IMPLIED
  colsep      NMTOKEN      # IMPLIED
  rowsep      NMTOKEN      # IMPLIED
>
< ! ELEMENT capbody (applic?, caprow +)>
< ! ATTLIST capbody
  valign      (top | bottom | middle)      "top"
  refapplic    IDREF      # IMPLIED
>
< ! ELEMENT caprow ((applic?, capentry) +)>
< ! ATTLIST caprow
  rowsep      NMTOKEN      # IMPLIED
  refapplic    IDREF      # IMPLIED
  id      ID      # IMPLIED
  level      NMTOKEN      # IMPLIED
  mark      NMTOKEN      # IMPLIED
  change      (add | delete | modify)      # IMPLIED
  rfc      CDATA      # IMPLIED
>
< ! ELEMENT capentry (applic?, ((caption | captext)?))>
< ! ATTLIST capentry
  colname      NMTOKEN      # IMPLIED
  namest      NMTOKEN      # IMPLIED
  nameend      NMTOKEN      # IMPLIED
  spanname      NMTOKEN      # IMPLIED
  morerows      NMTOKEN      "0"

```



```

colsep    NMTOKEN    # IMPLIED
rowsep    NMTOKEN    # IMPLIED
valign    (top | bottom | middle) "top"
align     (left | right | center | justify)    # IMPLIED
refapplic IDREF      # IMPLIED
>
<! ELEMENT caption (applic?.capline+)>
<! ATTLIST caption
  colour    (co00 | co01 | co02 | co03 | co04 | co05 | co06 | co07 | co08 | co09 | co10 | co11
| co12 | co13 | co14 | co15 | co16 | co17 | co18 | co19 | co20 | co21 | co22 | co23 | co24 | co25
| co26 | co27 | co28 | co29 | co30 | co31 | co32 | co33 | co34 | co35 | co36 | co37 | co38 | co39
| co40 | co41 | co42 | co43 | co44 | co45 | co46 | co47 | co48 | co49 | co50 | co51 | co52 | co53
| co54 | co55 | co56 | co57 | co58 | co59 | co60 | co61 | co62 | co63 | co64 | co65 | co66 | co67
| co68 | co69 | co70 | co71 | co72 | co73 | co74 | co75 | co76 | co77 | co78 | co79 | co80 | co81
| co82 | co83 | co84 | co85 | co86 | co87 | co88 | co89 | co90 | co91 | co92 | co93 | co94 | co95
| co96 | co97 | co98 | co99)    "co09"
  width     CDATA      # IMPLIED
  height    CDATA      # IMPLIED
  sysid     CDATA      # IMPLIED
  align     (left | right | center | justify)    "center"
  toctype   (none | redtoc | comdtoc | ambertoc | greentoc | yelowtoc)    "none"
  type      (primary | secondary)    "primary"
  refapplic IDREF      # IMPLIED
  id        ID         # IMPLIED
  level     NMTOKEN    # IMPLIED
  mark      NMTOKEN    # IMPLIED
  change    (add | delete | modify)    # IMPLIED
  rfc       CDATA      # IMPLIED
>
<! ELEMENT capline (#PCDATA | acroterm)*>
<! ELEMENT captext (#PCDATA | xref | indxflag | change | emphasis | subscript | superscript | refdm |
reftp | acronym | acroterm)*>
<! ATTLIST captext
  level     NMTOKEN    # IMPLIED
  mark      NMTOKEN    # IMPLIED
  change    (add | delete | modify)    # IMPLIED
  rfc       CDATA      # IMPLIED
>
<! ELEMENT change (#PCDATA | ein | cb | parasigdata | quantity | xref | indxflag | change | emphasis |
symbol | subscript | superscript | refdm | reftp | ftnote | ftnref | acronym | acroterm)*>
<! ATTLIST change
  id        ID         # IMPLIED
  level     NMTOKEN    # IMPLIED
  mark      NMTOKEN    # IMPLIED
  change    (add | delete | modify)    # IMPLIED
  rfc       CDATA      # IMPLIED
>
<! ELEMENT emphasis (#PCDATA | ein | cb | parasigdata | quantity | xref | indxflag | change |
emphasis | symbol | subscript | superscript | refdm | reftp | ftnote | ftnref | acronym | acroterm)*>
<! ATTLIST emphasis
  emph (em01 | em02 | em03 | em04 | em05 | em06 | em07 | em08 | em09 | em10 | em11 | em12 | em13
| em14 | em15 | em16 | em17 | em18 | em19 | em20 | em21 | em22 | em23 | em24 | em25 | em26 | em27
| em28 | em29 | em30 | em31 | em32 | em33 | em34 | em35 | em36 | em37 | em38 | em39 | em40 | em41
| em42 | em43 | em44 | em45 | em46 | em47 | em48 | em49 | em50 | em51 | em52 | em53 | em54 | em55
| em56 | em57 | em58 | em59 | em60 | em61 | em62 | em63 | em64 | em65 | em66 | em67 | em68 | em69
| em70 | em71 | em72 | em73 | em74 | em75 | em76 | em77 | em78 | em79 | em80 | em81 | em82 | em83
| em84 | em85 | em86 | em87 | em88 | em89 | em90 | em91 | em92 | em93 | em94 | em95 | em96 | em97
| em98 | em99)    "em01"
>
<! ELEMENT cb (nomen?.refs?)>

```

```

<! ATTLIST cb
  cbnbr      CDATA      # REQUIRED
  cbtype     (eltro | elmec | clip)    # IMPLIED
  cbaction   (open | close | verif-open | verif-close)    # IMPLIED
  checksum   CDATA      # IMPLIED
  id         ID         # IMPLIED
  level      NMTOKEN    # IMPLIED
  mark       NMTOKEN    # IMPLIED
  change     (add | delete | modify)   # IMPLIED
  rfc        CDATA      # IMPLIED
>
<! ELEMENT parasigdata (# PCDATA)>
<! ATTLIST parasigdata
  psdtype (psd01 | psd02 | psd03 | psd04 | psd05 | psd06 | psd07 | psd08 | psd09 | psd10 | psd11
| psd12 | psd13 | psd14 | psd15 | psd16 | psd17 | psd18 | psd19 | psd20 | psd21 | psd22 | psd23
| psd24 | psd25 | psd26 | psd27 | psd28 | psd29 | psd30 | psd31 | psd32 | psd33 | psd34 | psd35
| psd36 | psd37 | psd38 | psd39 | psd40 | psd41 | psd42 | psd43 | psd44 | psd45 | psd46 | psd47
| psd48 | psd49 | psd50 | psd51 | psd52 | psd53 | psd54 | psd55 | psd56 | psd57 | psd58 | psd59
| psd60 | psd61 | psd62 | psd63 | psd64 | psd65 | psd66 | psd67 | psd68 | psd69 | psd70 | psd71
| psd72 | psd73 | psd74 | psd75 | psd76 | psd77 | psd78 | psd79 | psd80 | psd81 | psd82 | psd83
| psd84 | psd85 | psd86 | psd87 | psd88 | psd89 | psd90 | psd91 | psd92 | psd93 | psd94 | psd95
| psd96 | psd97 | psd98 | psd99)    # REQUIRED
>
<! ELEMENT quantity (# PCDATA | qtygrp) * >
<! ATTLIST quantity
  qtytype (qty01 | qty02 | qty03 | qty04 | qty05 | qty06 | qty07 | qty08 | qty09 | qty10 | qty11
| qty12 | qty13 | qty14 | qty15 | qty16 | qty17 | qty18 | qty19 | qty20 | qty21 | qty22 | qty23
| qty24 | qty25 | qty26 | qty27 | qty28 | qty29 | qty30 | qty31 | qty32 | qty33 | qty34 | qty35
| qty36 | qty37 | qty38 | qty39 | qty40 | qty41 | qty42 | qty43 | qty44 | qty45 | qty46 | qty47
| qty48 | qty49 | qty50 | qty51 | qty52 | qty53 | qty54 | qty55 | qty56 | qty57 | qty58 | qty59
| qty60 | qty61 | qty62 | qty63 | qty64 | qty65 | qty66 | qty67 | qty68 | qty69 | qty70 | qty71
| qty72 | qty73 | qty74 | qty75 | qty76 | qty77 | qty78 | qty79 | qty80 | qty81 | qty82 | qty83
| qty84 | qty85 | qty86 | qty87 | qty88 | qty89 | qty90 | qty91 | qty92 | qty93 | qty94 | qty95
| qty96 | qty97 | qty98 | qty99)    # IMPLIED
>
<! ELEMENT qtygrp ((qtyvalue + ,qtytolerance * ) | (qtytolerance + ))>
<! ATTLIST qtygrp
  qtygrptype (nominal | minimum | maximum)    "nominal"
  qtyuom     CDATA      # IMPLIED
>
<! ELEMENT qtyvalue (# PCDATA)>
<! ATTLIST qtyvalue
  qtyuom     CDATA      # IMPLIED
>
<! ELEMENT qtytolerance (# PCDATA)>
<! ATTLIST qtytolerance
  qtytoltype (plus | minus | plusorminus)    "plusorminus"
  qtyuom     CDATA      # IMPLIED
>
<! ELEMENT ftnote (applic?,para +)>
<! ATTLIST ftnote
  ftmark     (num | sym | alpha)    "num"
  refapplic  IDREF      # IMPLIED
  id         ID         # IMPLIED
  level      NMTOKEN    # IMPLIED
  mark       NMTOKEN    # IMPLIED
  change     (add | delete | modify)   # IMPLIED
  rfc        CDATA      # IMPLIED
  class      (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |

```

```

37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99) # IMPLIED
commcls (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99) # IMPLIED
caveat (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99) # IMPLIED
>
<! ELEMENT seqlist (applic?,title?,item+)>
<! ATTLIST seqlist
  refapplic IDREF # IMPLIED
  id ID # IMPLIED
  level NMTOKEN # IMPLIED
  mark NMTOKEN # IMPLIED
  change (add | delete | modify) # IMPLIED
  rfc CDATA # IMPLIED
  class (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99) # IMPLIED
commcls (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99) # IMPLIED
caveat (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99) # IMPLIED
>
<! ELEMENT title (#PCDATA | ein | cb | parasigdata | quantity | xref | indxflag | change | emphasis
| symbol | subscript | superscript | refdm | reftp | ftnote | ftnref | acronym | acroterm)*>
<! ATTLIST title
  class (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95

```



```

| 96 | 97 | 98 | 99)      # IMPLIED
| commcls | (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)      # IMPLIED
| caveat | (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)      # IMPLIED
>
<! ELEMENT item (#PCDATA | applic | note | para | ein | cb | parasigdata | quantity | xref | indxflag |
change | emphasis | symbol | subscript | superscript | refdm | reftp | ftnote | ftntref | acronym |
acroterm | seqlist | randlist | deflist) * >
<! ATTLIST item
  refapplic IDREF # IMPLIED
  id ID # IMPLIED
  level NMTOKEN # IMPLIED
  mark NMTOKEN # IMPLIED
  change (add | delete | modify) # IMPLIED
  rfc CDATA # IMPLIED
>
<! ELEMENT note (applic?,((symbol | para | (seqlist | randlist | deflist)) +)) >
<! ATTLIST note
  type CDATA # IMPLIED
  refapplic IDREF # IMPLIED
  xrefid IDREF # IMPLIED
  id ID # IMPLIED
  level NMTOKEN # IMPLIED
  mark NMTOKEN # IMPLIED
  change (add | delete | modify) # IMPLIED
  rfc CDATA # IMPLIED
>
<! ELEMENT randlist (applic?,title?,item +) >
<! ATTLIST randlist
  prefix (pf01 | pf02 | pf03 | pf04 | pf05 | pf06 | pf07 | pf08 | pf09 | pf10 | pf11 | pf12
| pf13 | pf14 | pf15 | pf16 | pf17 | pf18 | pf19 | pf20 | pf21 | pf22 | pf23 | pf24 | pf25 | pf26
| pf27 | pf28 | pf29 | pf30 | pf31 | pf32 | pf33 | pf34 | pf35 | pf36 | pf37 | pf38 | pf39 | pf40
| pf41 | pf42 | pf43 | pf44 | pf45 | pf46 | pf47 | pf48 | pf49 | pf50 | pf51 | pf52 | pf53 | pf54
| pf55 | pf56 | pf57 | pf58 | pf59 | pf60 | pf61 | pf62 | pf63 | pf64 | pf65 | pf66 | pf67 | pf68
| pf69 | pf70 | pf71 | pf72 | pf73 | pf74 | pf75 | pf76 | pf77 | pf78 | pf79 | pf80 | pf81 | pf82
| pf83 | pf84 | pf85 | pf86 | pf87 | pf88 | pf89 | pf90 | pf91 | pf92 | pf93 | pf94 | pf95 | pf96
| pf97 | pf98 | pf99) "pf02"
  refapplic IDREF # IMPLIED
  id ID # IMPLIED
  level NMTOKEN # IMPLIED
  mark NMTOKEN # IMPLIED
  change (add | delete | modify) # IMPLIED
  rfc CDATA # IMPLIED
  class (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |

```

```

76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)    # IMPLIED
    commcls    (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)    # IMPLIED
    caveat    (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)    # IMPLIED
>
<! ELEMENT deflist (applic?,title?,((term,def)+))>
<! ATTLIST deflist
    refapplic    IDREF    # IMPLIED
    id    ID    # IMPLIED
    level    NMTOKEN    # IMPLIED
    mark    NMTOKEN    # IMPLIED
    change    (add | delete | modify)    # IMPLIED
    rfc    CDATA    # IMPLIED
    class    (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)    # IMPLIED
    commcls    (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)    # IMPLIED
    caveat    (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)    # IMPLIED
>
<! ELEMENT term (#PCDATA | applic | ein | cb | parasigdata | quantity | xref | indxflag | change |
emphasis | symbol | subscript | superscript | refdm | reftyp | ftntnote | ftntref | acronym | acroterm)* >
<! ATTLIST term
    refapplic    IDREF    # IMPLIED
    id    ID    # IMPLIED
    level    NMTOKEN    # IMPLIED
    mark    NMTOKEN    # IMPLIED
    change    (add | delete | modify)    # IMPLIED
    rfc    CDATA    # IMPLIED
>

```

```

<! ELEMENT def (#PCDATA | applic | para | ein | cb | parasigdata | quantity | xref | indxflag |
change | emphasis | symbol | subscript | supscript | refdm | reftp | ftnote | ftnref | acronym |
acroterm | seqlist | randlist | deflist)* >
<! ATTLIST def
    refapplic      IDREF      # IMPLIED
    id             ID         # IMPLIED
    level          NMTOKEN    # IMPLIED
    mark           NMTOKEN    # IMPLIED
    change         (add | delete | modify)    # IMPLIED
    rfc            CDATA      # IMPLIED
>
<! ELEMENT rpc (#PCDATA)>
<! ATTLIST rpc
    rpcname        CDATA      # IMPLIED
    id             ID         # IMPLIED
>
<! ELEMENT orig (#PCDATA)>
<! ATTLIST orig
    origname        CDATA      # IMPLIED
    id             ID         # IMPLIED
>
<! ELEMENT inlineapplics (applic+)>
<! ELEMENT brexref (refdm)>
<! ELEMENT qa (applic?,(unverif | (firstver,sever?)))>
<! ATTLIST qa
    refapplic      IDREF      # IMPLIED
>
<! ELEMENT unverif EMPTY>
<! ELEMENT firstver EMPTY>
<! ATTLIST firstver
    type          (tabtop | onobject | ttandoo)    # REQUIRED
>
<! ELEMENT sever EMPTY>
<! ATTLIST sever
    type          (tabtop | onobject | ttandoo)    # REQUIRED
>
<! ELEMENT rfu (#PCDATA | applic | p)* >
<! ATTLIST rfu
    refapplic      IDREF      # IMPLIED
>
<! ELEMENT p (#PCDATA | subscript | supscript)* >
<! ATTLIST p
    id             ID         # IMPLIED
    level          NMTOKEN    # IMPLIED
    mark           NMTOKEN    # IMPLIED
    change         (add | delete | modify)    # IMPLIED
    rfc            CDATA      # IMPLIED
>
<! ELEMENT remarks (#PCDATA | applic | p)* >
<! ATTLIST remarks
    refapplic      IDREF      # IMPLIED
>
<! ELEMENT content (refs?,ipc)>
<! ATTLIST content
    id             ID         # IMPLIED
>
<! ELEMENT ipc (figure?,multimedia?,ipp?,zones?,csn+)>
<! ELEMENT figure ((applic?,title),((graphic,rfa*) | ((applic?,sheet,graphic,rfa*)+)),legend?)>
<! ATTLIST figure
    refapplic      IDREF      # IMPLIED

```

```

    id    ID    # IMPLIED
    level  NMTOKEN # IMPLIED
    mark   NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc     CDATA  # IMPLIED
    class   (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99) # IMPLIED
    commcls (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99) # IMPLIED
    caveat (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99) # IMPLIED
>
<! ELEMENT graphic (hotspot * )>
<! ATTLIST graphic
    boardno ENTITY # REQUIRED
    id ID # IMPLIED
    repropid CDATA # IMPLIED
    reprohgt CDATA # IMPLIED
    reproscl CDATA # IMPLIED
    % XLINKATT0;
>
<! ELEMENT hotspot (applic?,((hotspot | xref | refdm | csref) * ))>
<! ATTLIST hotspot
    id ID # IMPLIED
    apsid CDATA # IMPLIED
    apsname CDATA # IMPLIED
    type CDATA # IMPLIED
    title CDATA # IMPLIED
    descript CDATA # IMPLIED
    coords CDATA # IMPLIED
    visibility (visible | hidden) "visible"
    refapplic IDREF # IMPLIED
>
<! ELEMENT rfa (#PCDATA | applic | ein | cb | parasigdata | quantity | xref | indxflag | change |
emphasis | symbol | subscript | superscript | refdm | reftyp | ftnote | ftnref | acronym | acroterm) * >
<! ATTLIST rfa
    refapplic IDREF # IMPLIED
>
<! ELEMENT sheet EMPTY>
<! ATTLIST sheet
    sheetno NMTOKEN # REQUIRED
    total NMTOKEN # REQUIRED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED

```

```

mark      NMTOKEN      # IMPLIED
change    (add | delete | modify)    # IMPLIED
rfc       CDATA        # IMPLIED
refapplic IDREF        # IMPLIED
>
<! ELEMENT legend (deflist)>
<! ATTLIST legend
  id      ID      # IMPLIED
  level   NMTOKEN  # IMPLIED
  mark    NMTOKEN  # IMPLIED
  change  (add | delete | modify)    # IMPLIED
  rfc     CDATA    # IMPLIED
>
<! ELEMENT multimedia (((applic?,title)?),rfa *,multimediaobject +))
<! ATTLIST multimedia
  refapplic IDREF      # IMPLIED
  id      ID      # IMPLIED
  level   NMTOKEN  # IMPLIED
  mark    NMTOKEN  # IMPLIED
  change  (add | delete | modify)    # IMPLIED
  rfc     CDATA    # IMPLIED
  class   (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)    # IMPLIED
  commcls (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)    # IMPLIED
  caveat  (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)    # IMPLIED
>
<! ELEMENT multimediaobject ((param) * )>
<! ATTLIST multimediaobject
  id      ID      # IMPLIED
  autoplay NMTOKEN  # IMPLIED
  fullscrn NMTOKEN  # IMPLIED
  boardno  ENTITY   # REQUIRED
  multimediaclass (3D | audio | video | other)    # REQUIRED
  controls  (hide | show)    # IMPLIED
  duration  NMTOKEN  # IMPLIED
  width     CDATA    # IMPLIED
  height    CDATA    # IMPLIED
  %XLINKATTO;
>
<! ELEMENT param EMPTY>
<! ATTLIST param
  id      ID      # REQUIRED

```

```

    paramid    CDATA    # IMPLIED
    paramvalue CDATA    # IMPLIED
    paramname  CDATA    # IMPLIED
  >
<! ELEMENT ipp (vas * )>
<! ATTLIST ipp
    ippn      CDATA      # REQUIRED
    ips       CDATA      # REQUIRED
    fid       (s | t)    # IMPLIED
    lge       CDATA      # IMPLIED
    id        ID         # IMPLIED
    level     NMTOKEN     # IMPLIED
    mark      NMTOKEN     # IMPLIED
    change    (add | delete | modify) # IMPLIED
    rfc       CDATA      # IMPLIED
  >
<! ELEMENT vas (sid)>
<! ELEMENT sid (mfc,pnr)>
<! ELEMENT zones (#PCDATA | zone) * >
<! ELEMENT zone (nomen?,refs?)>
<! ATTLIST zone
    zonenbr   CDATA      # IMPLIED
    id        ID         # IMPLIED
    level     NMTOKEN     # IMPLIED
    mark      NMTOKEN     # IMPLIED
    change    (add | delete | modify) # IMPLIED
    rfc       CDATA      # IMPLIED
  >
<! ELEMENT csn (((ein+ | accpn1+)?),isn+)>
<! ATTLIST csn
    csn       CDATA      # IMPLIED
    ind       NMTOKEN     # REQUIRED
    item      CDATA      # IMPLIED
    id        ID         # IMPLIED
    level     NMTOKEN     # IMPLIED
    mark      NMTOKEN     # IMPLIED
    change    (add | delete | modify) # IMPLIED
    rfc       CDATA      # IMPLIED
  >
<! ELEMENT accpn1 (nomen?,refs?)>
<! ATTLIST accpn1
    accpn1nbr CDATA      # IMPLIED
    accpn1type (accpn101 | accpn102 | accpn103 | accpn104 | accpn105 | accpn106 | accpn107 |
accpn108 | accpn109 | accpn110 | accpn111 | accpn112 | accpn113 | accpn114 | accpn115 | accpn116
| accpn117 | accpn118 | accpn119 | accpn120 | accpn121 | accpn122 | accpn123 | accpn124 | accpn125
| accpn126 | accpn127 | accpn128 | accpn129 | accpn130 | accpn131 | accpn132 | accpn133 | accpn134
| accpn135 | accpn136 | accpn137 | accpn138 | accpn139 | accpn140 | accpn141 | accpn142 | accpn143
| accpn144 | accpn145 | accpn146 | accpn147 | accpn148 | accpn149 | accpn150 | accpn151 | accpn152
| accpn153 | accpn154 | accpn155 | accpn156 | accpn157 | accpn158 | accpn159 | accpn160 | accpn161
| accpn162 | accpn163 | accpn164 | accpn165 | accpn166 | accpn167 | accpn168 | accpn169 | accpn170
| accpn171 | accpn172 | accpn173 | accpn174 | accpn175 | accpn176 | accpn177 | accpn178 | accpn179
| accpn180 | accpn181 | accpn182 | accpn183 | accpn184 | accpn185 | accpn186 | accpn187 | accpn188
| accpn189 | accpn190 | accpn191 | accpn192 | accpn193 | accpn194 | accpn195 | accpn196 | accpn197
| accpn198 | accpn199) # IMPLIED
    id        ID         # IMPLIED
    level     NMTOKEN     # IMPLIED
    mark      NMTOKEN     # IMPLIED
    change    (add | delete | modify) # IMPLIED
    rfc       CDATA      # IMPLIED
  >

```

```

<! ELEMENT isn (rfs?,qna,mfc,pnr,pas* , cbs?,ccs?,ctl?,(applics | ces+ ),rfd* ,ils* ,can* ,n2d?))
<! ATTLIST isn
    isn          CDATA          # REQUIRED
    refapplics   IDREFS         # IMPLIED
    id           ID             # IMPLIED
    level        NMTOKEN        # IMPLIED
    mark         NMTOKEN        # IMPLIED
    change       (add | delete | modify)  # IMPLIED
    rfc          CDATA          # IMPLIED
>
<! ELEMENT rfs EMPTY>
<! ATTLIST rfs
    value       (0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9)  # REQUIRED
    id          ID             # IMPLIED
    level        NMTOKEN        # IMPLIED
    mark         NMTOKEN        # IMPLIED
    change       (add | delete | modify)  # IMPLIED
    rfc          CDATA          # IMPLIED
>
<! ELEMENT qna (#PCDATA)>
<! ATTLIST qna
    level        NMTOKEN        # IMPLIED
    mark         NMTOKEN        # IMPLIED
    change       (add | delete | modify)  # IMPLIED
    rfc          CDATA          # IMPLIED
>
<! ELEMENT pas (dfp,ui?,pcs?,str?,ftc?,psc?,cmk?)>
<! ELEMENT dfp (#PCDATA)>
<! ATTLIST dfp
    level        NMTOKEN        # IMPLIED
    mark         NMTOKEN        # IMPLIED
    change       (add | delete | modify)  # IMPLIED
    rfc          CDATA          # IMPLIED
>
<! ELEMENT uoi (#PCDATA)>
<! ATTLIST uoi
    level        NMTOKEN        # IMPLIED
    mark         NMTOKEN        # IMPLIED
    change       (add | delete | modify)  # IMPLIED
    rfc          CDATA          # IMPLIED
>
<! ELEMENT pcs (qui?)>
<! ATTLIST pcs
    uom          CDATA          # REQUIRED
    level        NMTOKEN        # IMPLIED
    mark         NMTOKEN        # IMPLIED
    change       (add | delete | modify)  # IMPLIED
    rfc          CDATA          # IMPLIED
>
<! ELEMENT qui (#PCDATA)>
<! ELEMENT str (#PCDATA)>
<! ATTLIST str
    level        NMTOKEN        # IMPLIED
    mark         NMTOKEN        # IMPLIED
    change       (add | delete | modify)  # IMPLIED
    rfc          CDATA          # IMPLIED
>
<! ELEMENT ftc EMPTY>
<! ATTLIST ftc
    value       (1 | m)        # REQUIRED

```

```

    level    NMTOKEN    # IMPLIED
    mark      NMTOKEN    # IMPLIED
    change    (add | delete | modify)    # IMPLIED
    rfc       CDATA      # IMPLIED
  >
<! ELEMENT psc (#PCDATA)>
<! ATTLIST psc
  level    NMTOKEN    # IMPLIED
  mark      NMTOKEN    # IMPLIED
  change    (add | delete | modify)    # IMPLIED
  rfc       CDATA      # IMPLIED
>
<! ELEMENT cmk (#PCDATA)>
<! ATTLIST cmk
  level    NMTOKEN    # IMPLIED
  mark      NMTOKEN    # IMPLIED
  change    (add | delete | modify)    # IMPLIED
  rfc       CDATA      # IMPLIED
>
<! ELEMENT cbs (asp?,nil?,rtx* ,smf?,dfl?)>
<! ELEMENT asp EMPTY>
<! ATTLIST asp
  asp      (1 | 2 | 3)    # REQUIRED
  id       ID            # IMPLIED
  level    NMTOKEN    # IMPLIED
  mark      NMTOKEN    # IMPLIED
  change    (add | delete | modify)    # IMPLIED
  rfc       CDATA      # IMPLIED
>
<! ELEMENT nil (#PCDATA)>
<! ATTLIST nil
  level    NMTOKEN    # IMPLIED
  mark      NMTOKEN    # IMPLIED
  change    (add | delete | modify)    # IMPLIED
  rfc       CDATA      # IMPLIED
>
<! ELEMENT rtx (ippref+ | csoref+)>
<! ATTLIST rtx
  reftype   (nha | det)    # IMPLIED
  id        ID            # IMPLIED
  level     NMTOKEN    # IMPLIED
  mark      NMTOKEN    # IMPLIED
  change     (add | delete | modify)    # IMPLIED
  rfc       CDATA      # IMPLIED
>
<! ELEMENT ippref EMPTY>
<! ATTLIST ippref
  refipp    CDATA      # REQUIRED
  id        ID            # IMPLIED
  level     NMTOKEN    # IMPLIED
  mark      NMTOKEN    # IMPLIED
  change     (add | delete | modify)    # IMPLIED
  rfc       CDATA      # IMPLIED
>
<! ELEMENT smf (mf?)>
<! ATTLIST smf
  value     (f | t | m | r | p)    # REQUIRED
  id        ID            # IMPLIED
  level     NMTOKEN    # IMPLIED
  mark      NMTOKEN    # IMPLIED

```



```

    change    (add | delete | modify)    # IMPLIED
    rfc       CDATA      # IMPLIED
  >
< ! ELEMENT mfm ( #PCDATA ) >
< ! ATTLIST mfm
    level     NMTOKEN    # IMPLIED
    mark      NMTOKEN    # IMPLIED
    change    (add | delete | modify)    # IMPLIED
    rfc       CDATA      # IMPLIED
  >
< ! ELEMENT dfl ( #PCDATA ) >
< ! ATTLIST dfl
    level     NMTOKEN    # IMPLIED
    mark      NMTOKEN    # IMPLIED
    change    (add | delete | modify)    # IMPLIED
    rfc       CDATA      # IMPLIED
  >
< ! ELEMENT ccs (uce?,uca?,icy?) >
< ! ELEMENT uce ( #PCDATA ) >
< ! ATTLIST uce
    id        ID        # IMPLIED
    level     NMTOKEN    # IMPLIED
    mark      NMTOKEN    # IMPLIED
    change    (add | delete | modify)    # IMPLIED
    rfc       CDATA      # IMPLIED
  >
< ! ELEMENT uca ( #PCDATA ) >
< ! ATTLIST uca
    id        ID        # IMPLIED
    level     NMTOKEN    # IMPLIED
    mark      NMTOKEN    # IMPLIED
    change    (add | delete | modify)    # IMPLIED
    rfc       CDATA      # IMPLIED
  >
< ! ELEMENT icy ( #PCDATA ) >
< ! ATTLIST icy
    id        ID        # IMPLIED
    level     NMTOKEN    # IMPLIED
    mark      NMTOKEN    # IMPLIED
    change    (add | delete | modify)    # IMPLIED
    rfc       CDATA      # IMPLIED
  >
< ! ELEMENT ctl EMPTY >
< ! ATTLIST ctl
    refcsn    CDATA      # REQUIRED
    refisn    CDATA      # IMPLIED
    id        ID        # IMPLIED
    level     NMTOKEN    # IMPLIED
    mark      NMTOKEN    # IMPLIED
    change    (add | delete | modify)    # IMPLIED
    rfc       CDATA      # IMPLIED
  >
< ! ELEMENT applics (applic + ) >
< ! ELEMENT ces ((srv,smr,mov * ) + ) >
< ! ELEMENT srv ( #PCDATA ) >
< ! ATTLIST srv
    id        ID        # IMPLIED
    level     NMTOKEN    # IMPLIED
    mark      NMTOKEN    # IMPLIED
    change    (add | delete | modify)    # IMPLIED

```

```

    rfc      CDATA      # IMPLIED
  >
< ! ELEMENT smr ( # PCDATA ) >
< ! ATTLIST smr
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark    NMTOKEN  # IMPLIED
    change  (add | delete | modify)  # IMPLIED
    rfc     CDATA    # IMPLIED
  >
< ! ELEMENT mov (efy * ) >
< ! ATTLIST mov
    mov     CDATA      # REQUIRED
    level   NMTOKEN    # IMPLIED
    mark    NMTOKEN    # IMPLIED
    change  (add | delete | modify)  # IMPLIED
    rfc     CDATA      # IMPLIED
  >
< ! ELEMENT efy ( # PCDATA ) >
< ! ATTLIST efy
    level   NMTOKEN    # IMPLIED
    mark    NMTOKEN    # IMPLIED
    change  (add | delete | modify)  # IMPLIED
    rfc     CDATA      # IMPLIED
  >
< ! ELEMENT rfd ( # PCDATA ) >
< ! ATTLIST rfd
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark    NMTOKEN  # IMPLIED
    change  (add | delete | modify)  # IMPLIED
    rfc     CDATA    # IMPLIED
    contextidCDATA # IMPLIED
    mfc     CDATA    # IMPLIED
    originator (orig01 | orig02 | orig03 | orig04 | orig05 | orig06 | orig07 | orig08 | orig09
| orig10 | orig11 | orig12 | orig13 | orig14 | orig15 | orig16 | orig17 | orig18 | orig19 | orig20
| orig21 | orig22 | orig23 | orig24 | orig25 | orig26 | orig27 | orig28 | orig29 | orig30 | orig31
| orig32 | orig33 | orig34 | orig35 | orig36 | orig37 | orig38 | orig39 | orig40 | orig41 | orig42
| orig43 | orig44 | orig45 | orig46 | orig47 | orig48 | orig49 | orig50 | orig51 | orig52 | orig53
| orig54 | orig55 | orig56 | orig57 | orig58 | orig59 | orig60 | orig61 | orig62 | orig63 | orig64
| orig65 | orig66 | orig67 | orig68 | orig69 | orig70 | orig71 | orig72 | orig73 | orig74 | orig75
| orig76 | orig77 | orig78 | orig79 | orig80 | orig81 | orig82 | orig83 | orig84 | orig85 | orig86
| orig87 | orig88 | orig89 | orig90 | orig91 | orig92 | orig93 | orig94 | orig95 | orig96 | orig97
| orig98 | orig99)  # IMPLIED
  >
< ! ELEMENT ils ( # PCDATA ) >
< ! ATTLIST ils
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark    NMTOKEN  # IMPLIED
    change  (add | delete | modify)  # IMPLIED
    rfc     CDATA    # IMPLIED
  >
< ! ELEMENT can ( # PCDATA ) >
< ! ATTLIST can
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark    NMTOKEN  # IMPLIED
    change  (add | delete | modify)  # IMPLIED
    rfc     CDATA    # IMPLIED
  >

```

```

>
<! ELEMENT n2d (n2ddata +)>
<! ELEMENT n2ddata (n2dvalue)>
<! ATTLIST n2ddata
    n2did    CDATA    #REQUIRED
>
<! ELEMENT n2dvalue (#PCDATA)>

```

B.5 程序信息 DTD

本文件包含了程序内容 DTD。它标识了所有与程序有关的元素和它们之间的关系。

```

<? xml version = "1.0" encoding = "UTF-8"?>
<! ELEMENT dmodule (rdf:Description?, idstatus, content)>
<! ATTLIST dmodule
    id      ID      #IMPLIED
    %RDFCATT;
>
<! ELEMENT idstatus (dmaddres, srcdmaddres?, status)>
<! ELEMENT dmaddres (dmcextension?, dmc, dmttitle, issno, issdate)>
<! ELEMENT dmcextension (dmeproducer, dmecode)>
<! ELEMENT dmeproducer (#PCDATA)>
<! ELEMENT dmecode (#PCDATA)>
<! ELEMENT dmc (age | avee)>
<! ELEMENT age (modelic, supeqvc, ecscs, eidc, cidc, discode, discodev, incode, incodev, itemloc)>
<! ELEMENT modelic (#PCDATA)>
<! ELEMENT supeqvc (#PCDATA)>
<! ELEMENT ecscs (#PCDATA)>
<! ELEMENT eidc (#PCDATA)>
<! ELEMENT cidc (#PCDATA)>
<! ELEMENT discode (#PCDATA)>
<! ELEMENT discodev (#PCDATA)>
<! ELEMENT incode (#PCDATA)>
<! ELEMENT incodev (#PCDATA)>
<! ELEMENT itemloc (#PCDATA)>
<! ELEMENT avee (modelic, sdc, chapnum, section, subsect, subject, discode, discodev, incode, incodev, item-
loc)>
<! ELEMENT sdc (#PCDATA)>
<! ELEMENT chapnum (#PCDATA)>
<! ELEMENT section (#PCDATA)>
<! ELEMENT subsect (#PCDATA)>
<! ELEMENT subject (#PCDATA)>
<! ELEMENT dmttitle (techname, infoname?)>
<! ELEMENT techname (#PCDATA)>
<! ELEMENT infoname (#PCDATA)>
<! ELEMENT issno EMPTY>
<! ATTLIST issno
    issno    NMTOKEN    #REQUIRED
    inwork    NMTOKEN    #IMPLIED
    type      (new | changed | deleted | revised | status | rinstat-changed | rinstat-revised |
rinstat-status)    "new"
>
<! ELEMENT issdate EMPTY>
<! ATTLIST issdate
    year      NMTOKEN    #REQUIRED
    month     NMTOKEN    #REQUIRED
    day       NMTOKEN    #REQUIRED
>
>
<! ELEMENT srcdmaddres (dmcextension?, dmc, dmttitle, issno, issdate)>

```

```

<! ELEMENT status (security,datarest * ,rpc,orig,applic,inlineapplics?,brexref,qa + ,rfu * ,remarks * )>
<! ATTLIST status
    id      ID      # IMPLIED
>
<! ELEMENT security EMPTY>
<! ATTLIST security
    class    (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)    # REQUIRED

    commcls  (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)    # IMPLIED

    caveat   (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)    # IMPLIED
>
<! ELEMENT datarest (applic?,instruct,inform?)>
<! ATTLIST datarest
    refapplic  IDREF      # IMPLIED
    id      ID      # IMPLIED
    level    NMTOKEN      # IMPLIED
    mark      NMTOKEN      # IMPLIED
    change    (add | delete | modify)    # IMPLIED
    rfc        CDATA      # IMPLIED
>
<! ELEMENT applic (type?,model * )>
<! ATTLIST applic
    applicconf  (allowed | built | designed | installed | manufactured | supported)    # IMPLIED
    id      ID      # IMPLIED
    level    NMTOKEN      # IMPLIED
    mark      NMTOKEN      # IMPLIED
    change    (add | delete | modify)    # IMPLIED
    rfc        CDATA      # IMPLIED
>
<! ELEMENT type (#PCDATA)>
<! ELEMENT model (version * ,((csnref | (mfc) * ),maintlevel?,techconds * ,opconds * )>
<! ATTLIST model
    model      CDATA      # REQUIRED
>
<! ELEMENT version (versrank * )>
<! ATTLIST version
    version    CDATA      # REQUIRED
    id      ID      # IMPLIED
>
<! ELEMENT versrank ((single | range) + )>
<! ATTLIST versrank

```

```

    verstatusCDATA      # IMPLIED
    id    ID      # IMPLIED
    level  NMTOKEN    # IMPLIED
    mark   NMTOKEN    # IMPLIED
    change (add | delete | modify)  # IMPLIED
    rfc     CDATA      # IMPLIED
  >
<! ELEMENT single (#PCDATA)>
<! ELEMENT range EMPTY>
<! ATTLIST range
    from    CDATA      # REQUIRED
    to      CDATA      # REQUIRED
>
<! ELEMENT csnref EMPTY>
<! ATTLIST csnref
    refcsn  CDATA      # REQUIRED
    refisn  CDATA      # IMPLIED
    refipp  CDATA      # IMPLIED
    refrpc  CDATA      # IMPLIED
    id      ID      # IMPLIED
    level   NMTOKEN    # IMPLIED
    mark    NMTOKEN    # IMPLIED
    change  (add | delete | modify)  # IMPLIED
    rfc     CDATA      # IMPLIED
    %XLINKATT2;
>
<! ELEMENT mfc (#PCDATA)>
<! ATTLIST mfc
    id      ID      # IMPLIED
    level   NMTOKEN    # IMPLIED
    mark    NMTOKEN    # IMPLIED
    change  (add | delete | modify)  # IMPLIED
    rfc     CDATA      # IMPLIED
>
<! ELEMENT pnr (#PCDATA)>
<! ELEMENT maintlevel (mntlvl + )>
<! ELEMENT mntlvl EMPTY>
<! ATTLIST mntlvl
    mntlvl (m101 | m102 | m103 | m104 | m105 | m106 | m107 | m108 | m109 | m110 | m111 | m112
| m113 | m114 | m115 | m116 | m117 | m118 | m119 | m120 | m121 | m122 | m123 | m124 | m125 | m126
| m127 | m128 | m129 | m130 | m131 | m132 | m133 | m134 | m135 | m136 | m137 | m138 | m139 | m140
| m141 | m142 | m143 | m144 | m145 | m146 | m147 | m148 | m149 | m150 | m151 | m152 | m153 | m154
| m155 | m156 | m157 | m158 | m159 | m160 | m161 | m162 | m163 | m164 | m165 | m166 | m167 | m168
| m169 | m170 | m171 | m172 | m173 | m174 | m175 | m176 | m177 | m178 | m179 | m180 | m181 | m182
| m183 | m184 | m185 | m186 | m187 | m188 | m189 | m190 | m191 | m192 | m193 | m194 | m195 | m196
| m197 | m198 | m199)  # REQUIRED
>
<! ELEMENT techconds (textual-desc?,techcond * )>
<! ATTLIST techconds
    id      ID      # IMPLIED
    level   NMTOKEN    # IMPLIED
    mark    NMTOKEN    # IMPLIED
    change  (add | delete | modify)  # IMPLIED
    rfc     CDATA      # IMPLIED
>
<! ELEMENT textual-desc (#PCDATA)>
<! ATTLIST textual-desc
    id      ID      # IMPLIED
    level   NMTOKEN    # IMPLIED
    mark    NMTOKEN    # IMPLIED

```

```

    change      (add | delete | modify)      # IMPLIED
    rfc          CDATA          # IMPLIED
  >
< ! ELEMENT techcond (((age | avee), issno?, dmtitle?) | (pubcode, pubtitle?, pubdate?) | condtitle?),
scheduled?, embodied?)>
< ! ATTLIST techcond
    tccode      (tc01 | tc02 | tc03 | tc04 | tc05 | tc06 | tc07 | tc08 | tc09 | tc10 | tc11 | tc12
| tc13 | tc14 | tc15 | tc16 | tc17 | tc18 | tc19 | tc20 | tc21 | tc22 | tc23 | tc24 | tc25 | tc26
| tc27 | tc28 | tc29 | tc30 | tc31 | tc32 | tc33 | tc34 | tc35 | tc36 | tc37 | tc38 | tc39 | tc40
| tc41 | tc42 | tc43 | tc44 | tc45 | tc46 | tc47 | tc48 | tc49 | tc50 | tc51 | tc52 | tc53 | tc54
| tc55 | tc56 | tc57 | tc58 | tc59 | tc60 | tc61 | tc62 | tc63 | tc64 | tc65 | tc66 | tc67 | tc68
| tc69 | tc70 | tc71 | tc72 | tc73 | tc74 | tc75 | tc76 | tc77 | tc78 | tc79 | tc80 | tc81 | tc82
| tc83 | tc84 | tc85 | tc86 | tc87 | tc88 | tc89 | tc90 | tc91 | tc92 | tc93 | tc94 | tc95 | tc96
| tc97 | tc98 | tc99)      # REQUIRED
    tcno        CDATA          # IMPLIED
    tctype      (pre | post | preandpo)      # REQUIRED
    mfc          CDATA          # IMPLIED
    id           ID            # IMPLIED
    level        NMTOKEN        # IMPLIED
    mark         NMTOKEN        # IMPLIED
    change      (add | delete | modify)      # IMPLIED
    rfc          CDATA          # IMPLIED
  >
< ! ELEMENT pubcode (#PCDATA | pmc) * >
< ! ATTLIST pubcode
    pubcodsy    CDATA          # IMPLIED
  >
< ! ELEMENT pmc (modelic, pmissuer, pmnumber, pmvolume)>
< ! ELEMENT pmissuer (#PCDATA)>
< ! ELEMENT pmnumber (#PCDATA)>
< ! ELEMENT pmvolume (#PCDATA)>
< ! ELEMENT pubtitle (#PCDATA)>
< ! ELEMENT pubdate EMPTY>
< ! ATTLIST pubdate
    year        NMTOKEN        # REQUIRED
    month       NMTOKEN        # REQUIRED
    day         NMTOKEN        # REQUIRED
  >
< ! ELEMENT condtitle (#PCDATA)>
< ! ATTLIST condtitle
    id          ID            # IMPLIED
    level       NMTOKEN        # IMPLIED
    mark        NMTOKEN        # IMPLIED
    change      (add | delete | modify)      # IMPLIED
    rfc         CDATA          # IMPLIED
  >
< ! ELEMENT scheduled ((single | range) +)>
< ! ATTLIST scheduled
    id          ID            # IMPLIED
    level       NMTOKEN        # IMPLIED
    mark        NMTOKEN        # IMPLIED
    change      (add | delete | modify)      # IMPLIED
    rfc         CDATA          # IMPLIED
  >
< ! ELEMENT embodied ((single | range) +)>
< ! ATTLIST embodied
    id          ID            # IMPLIED
    level       NMTOKEN        # IMPLIED
    mark        NMTOKEN        # IMPLIED
    change      (add | delete | modify)      # IMPLIED

```

```

    rfc      CDATA      # IMPLIED
  >
<! ELEMENT opconds (textual-desc?,opcond * )>
<! ATTLIST opconds
  id      ID      # IMPLIED
  level   NMTOKEN  # IMPLIED
  mark    NMTOKEN  # IMPLIED
  change  (add | delete | modify)  # IMPLIED
  rfc     CDATA    # IMPLIED
>
<! ELEMENT opcond ( #PCDATA)>
<! ATTLIST opcond
  opcno    NMTOKEN  # IMPLIED
  opccode  CDATA    # IMPLIED
  confirmed NMTOKEN  # IMPLIED
  id      ID      # IMPLIED
  level   NMTOKEN  # IMPLIED
  mark    NMTOKEN  # IMPLIED
  change  (add | delete | modify)  # IMPLIED
  rfc     CDATA    # IMPLIED
>
<! ELEMENT instruct (distrib,handling?)>
<! ATTLIST instruct
  id      ID      # IMPLIED
  level   NMTOKEN  # IMPLIED
  mark    NMTOKEN  # IMPLIED
  change  (add | delete | modify)  # IMPLIED
  rfc     CDATA    # IMPLIED
>
<! ELEMENT distrib ( #PCDATA)>
<! ATTLIST distrib
  id      ID      # IMPLIED
  level   NMTOKEN  # IMPLIED
  mark    NMTOKEN  # IMPLIED
  change  (add | delete | modify)  # IMPLIED
  rfc     CDATA    # IMPLIED
>
<! ELEMENT handling ( #PCDATA)>
<! ATTLIST handling
  id      ID      # IMPLIED
  level   NMTOKEN  # IMPLIED
  mark    NMTOKEN  # IMPLIED
  change  (add | delete | modify)  # IMPLIED
  rfc     CDATA    # IMPLIED
>
<! ELEMENT inform (copyright)>
<! ATTLIST inform
  id      ID      # IMPLIED
  level   NMTOKEN  # IMPLIED
  mark    NMTOKEN  # IMPLIED
  change  (add | delete | modify)  # IMPLIED
  rfc     CDATA    # IMPLIED
>
<! ELEMENT copyright (para + )>
<! ATTLIST copyright
  id      ID      # IMPLIED
  level   NMTOKEN  # IMPLIED
  mark    NMTOKEN  # IMPLIED
  change  (add | delete | modify)  # IMPLIED
  rfc     CDATA    # IMPLIED

```

```

>
<! ELEMENT para ( #PCDATA | applic | ein | cb | parasigdata | quantity | xref | indxflag | change |
emphasis | symbol | subscript | superscript | refdm | reftp | ftnote | ftnref | acronym | acroterm |
capgrp | seqlist | randlist | deflist) * >
<! ATTLIST para
  refapplic      IDREF      # IMPLIED
  id            ID          # IMPLIED
  level         NMTOKEN     # IMPLIED
  mark          NMTOKEN     # IMPLIED
  change        (add | delete | modify)    # IMPLIED
  rfc           CDATA       # IMPLIED
  class         (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)      # IMPLIED
  commcls       (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)      # IMPLIED
  caveat        (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)      # IMPLIED
>
<! ELEMENT ein (nomen?,refs?)>
<! ATTLIST ein
  einnbr        CDATA       # REQUIRED
  eintype        (exact | family)    # IMPLIED
  mfc           CDATA       # IMPLIED
  id            ID          # IMPLIED
  level         NMTOKEN     # IMPLIED
  mark          NMTOKEN     # IMPLIED
  change        (add | delete | modify)    # IMPLIED
  rfc           CDATA       # IMPLIED
>
<! ELEMENT nomen ( #PCDATA)>
<! ATTLIST nomen
  level         NMTOKEN     # IMPLIED
  mark          NMTOKEN     # IMPLIED
  change        (add | delete | modify)    # IMPLIED
  rfc           CDATA       # IMPLIED
>
<! ELEMENT refs ((refdm+,reftp*) | reftp+)>
<! ELEMENT refdm ((applic?,dmceextension?,(age | avee),issno?,dmttitle?,) | ((% XLINKEXT;)* ))>
<! ATTLIST refdm
  target        CDATA       # IMPLIED
  refapplic      IDREF      # IMPLIED
  id            ID          # IMPLIED
  level         NMTOKEN     # IMPLIED
  mark          NMTOKEN     # IMPLIED

```



```

change      (add | delete | modify)      # IMPLIED
rfc         CDATA                        # IMPLIED
% XLINKATT;
>
<! ELEMENT reftp (#PCDATA | applic | xref | indxflag | symbol | subscript | supscript | ftnref |
acronym | acroterm | pubcode | pubtitle | pubdate | %XLINKEXT;)* >
<! ATTLIST reftp
  refapplic  IDREF      # IMPLIED
  id         ID        # IMPLIED
  level      NMTOKEN    # IMPLIED
  mark       NMTOKEN    # IMPLIED
  change     (add | delete | modify)      # IMPLIED
  rfc        CDATA      # IMPLIED
  % XLINKATT4;
>
<! ELEMENT xref (#PCDATA | applic | subscript | supscript)* >
<! ATTLIST xref
  xrefid     IDREF      # IMPLIED
  xidtype    (figure | table | multimedia | supply | supequip | spares | para | step | sheet |
multimediaobject | hotspot | param | other) # IMPLIED
  target     CDATA      # IMPLIED
  destitle   CDATA      # IMPLIED
  pretext    CDATA      # IMPLIED
  posttext   CDATA      # IMPLIED
  refapplic  IDREF      # IMPLIED
  % XLINKATT3;
>
<! ELEMENT subscript (#PCDATA)>
<! ELEMENT supscript (#PCDATA)>
<! ELEMENT indxflag EMPTY>
<! ATTLIST indxflag
  ref1       CDATA      # IMPLIED
  ref2       CDATA      # IMPLIED
  ref3       CDATA      # IMPLIED
  ref4       CDATA      # IMPLIED
>
<! ELEMENT symbol (applic?)>
<! ATTLIST symbol
  boardno    ENTITY     # REQUIRED
  id         ID         # IMPLIED
  reprowid   CDATA      # IMPLIED
  reprohgt   CDATA      # IMPLIED
  reproscl   CDATA      # IMPLIED
  refapplic  IDREF      # IMPLIED
  % XLINKATT1;
>
<! ELEMENT ftnref EMPTY>
<! ATTLIST ftnref
  xrefid     IDREF      # IMPLIED
>
<! ELEMENT acronym (acroterm,acrodef)>
<! ATTLIST acronym
  acrotype   (at01 | at02 | at03 | at04 | at05 | at06 | at07 | at08 | at09 | at10 | at11 | at12
| at13 | at14 | at15 | at16 | at17 | at18 | at19 | at20 | at21 | at22 | at23 | at24 | at25 | at26
| at27 | at28 | at29 | at30 | at31 | at32 | at33 | at34 | at35 | at36 | at37 | at38 | at39 | at40
| at41 | at42 | at43 | at44 | at45 | at46 | at47 | at48 | at49 | at50 | at51 | at52 | at53 | at54
| at55 | at56 | at57 | at58 | at59 | at60 | at61 | at62 | at63 | at64 | at65 | at66 | at67 | at68
| at69 | at70 | at71 | at72 | at73 | at74 | at75 | at76 | at77 | at78 | at79 | at80 | at81 | at82
| at83 | at84 | at85 | at86 | at87 | at88 | at89 | at90 | at91 | at92 | at93 | at94 | at95 | at96
| at97 | at98 | at99)    "at01"

```

```

    id    ID    # IMPLIED
    level  NMTOKEN # IMPLIED
    mark   NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc     CDATA    # IMPLIED
>
<! ELEMENT acroterm (# PCDATA | subscript | superscript) * >
<! ATTLIST acroterm
    xrefid    IDREF    # IMPLIED
>
<! ELEMENT acrodef (# PCDATA | subscript | superscript) * >
<! ATTLIST acrodef
    id    ID    # IMPLIED
    level  NMTOKEN # IMPLIED
    mark   NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc     CDATA    # IMPLIED
>
<! ELEMENT cb (nomen?,refs?)>
<! ATTLIST cb
    cbnbr    CDATA    # REQUIRED
    cbtype    (eltro | elmec | clip) # IMPLIED
    cbaction    (open | close | verif-open | verif-close) # IMPLIED
    checksum CDATA    # IMPLIED
    id    ID    # IMPLIED
    level  NMTOKEN # IMPLIED
    mark   NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc     CDATA    # IMPLIED
>
<! ELEMENT parasigdata (# PCDATA)>
<! ATTLIST parasigdata
    psdtype (psd01 | psd02 | psd03 | psd04 | psd05 | psd06 | psd07 | psd08 | psd09 | psd10 | psd11
| psd12 | psd13 | psd14 | psd15 | psd16 | psd17 | psd18 | psd19 | psd20 | psd21 | psd22 | psd23
| psd24 | psd25 | psd26 | psd27 | psd28 | psd29 | psd30 | psd31 | psd32 | psd33 | psd34 | psd35
| psd36 | psd37 | psd38 | psd39 | psd40 | psd41 | psd42 | psd43 | psd44 | psd45 | psd46 | psd47
| psd48 | psd49 | psd50 | psd51 | psd52 | psd53 | psd54 | psd55 | psd56 | psd57 | psd58 | psd59
| psd60 | psd61 | psd62 | psd63 | psd64 | psd65 | psd66 | psd67 | psd68 | psd69 | psd70 | psd71
| psd72 | psd73 | psd74 | psd75 | psd76 | psd77 | psd78 | psd79 | psd80 | psd81 | psd82 | psd83
| psd84 | psd85 | psd86 | psd87 | psd88 | psd89 | psd90 | psd91 | psd92 | psd93 | psd94 | psd95
| psd96 | psd97 | psd98 | psd99) # REQUIRED
>
<! ELEMENT quantity (# PCDATA | qtygrp) * >
<! ATTLIST quantity
    qtytype (qty01 | qty02 | qty03 | qty04 | qty05 | qty06 | qty07 | qty08 | qty09 | qty10 | qty11
| qty12 | qty13 | qty14 | qty15 | qty16 | qty17 | qty18 | qty19 | qty20 | qty21 | qty22 | qty23
| qty24 | qty25 | qty26 | qty27 | qty28 | qty29 | qty30 | qty31 | qty32 | qty33 | qty34 | qty35
| qty36 | qty37 | qty38 | qty39 | qty40 | qty41 | qty42 | qty43 | qty44 | qty45 | qty46 | qty47
| qty48 | qty49 | qty50 | qty51 | qty52 | qty53 | qty54 | qty55 | qty56 | qty57 | qty58 | qty59
| qty60 | qty61 | qty62 | qty63 | qty64 | qty65 | qty66 | qty67 | qty68 | qty69 | qty70 | qty71
| qty72 | qty73 | qty74 | qty75 | qty76 | qty77 | qty78 | qty79 | qty80 | qty81 | qty82 | qty83
| qty84 | qty85 | qty86 | qty87 | qty88 | qty89 | qty90 | qty91 | qty92 | qty93 | qty94 | qty95
| qty96 | qty97 | qty98 | qty99) # IMPLIED
>
<! ELEMENT qtygrp ((qtyvalue + ,qtytolerance * ) | (qtytolerance + ))>
<! ATTLIST qtygrp
    qtygrptype (nominal | minimum | maximum) "nominal"
    qtyuom    CDATA    # IMPLIED
>
<! ELEMENT qtyvalue (# PCDATA)>

```

```

<! ATTLIST qtyvalue
  qtyuom CDATA # IMPLIED
>
<! ELEMENT qtytolerance (#PCDATA)>
<! ATTLIST qtytolerance
  qtytoltype (plus | minus | plusorminus) "plusorminus"
  qtyuom CDATA # IMPLIED
>
<! ELEMENT change (#PCDATA | ein | cb | parasigdata | quantity | xref | indxflag | change | emphasis |
symbol | subscript | superscript | refdm | reftp | ftnote | ftnref | acronym | acroterm | capgrp) * >
<! ATTLIST change
  id ID # IMPLIED
  level NMTOKEN # IMPLIED
  mark NMTOKEN # IMPLIED
  change (add | delete | modify) # IMPLIED
  rfc CDATA # IMPLIED
>
<! ELEMENT emphasis (#PCDATA | ein | cb | parasigdata | quantity | xref | indxflag | change |
emphasis | symbol | subscript | superscript | refdm | reftp | ftnote | ftnref | acronym | acroterm |
capgrp) * >
<! ATTLIST emphasis
  emph (em01 | em02 | em03 | em04 | em05 | em06 | em07 | em08 | em09 | em10 | em11 | em12 | em13
| em14 | em15 | em16 | em17 | em18 | em19 | em20 | em21 | em22 | em23 | em24 | em25 | em26 | em27
| em28 | em29 | em30 | em31 | em32 | em33 | em34 | em35 | em36 | em37 | em38 | em39 | em40 | em41
| em42 | em43 | em44 | em45 | em46 | em47 | em48 | em49 | em50 | em51 | em52 | em53 | em54 | em55
| em56 | em57 | em58 | em59 | em60 | em61 | em62 | em63 | em64 | em65 | em66 | em67 | em68 | em69
| em70 | em71 | em72 | em73 | em74 | em75 | em76 | em77 | em78 | em79 | em80 | em81 | em82 | em83
| em84 | em85 | em86 | em87 | em88 | em89 | em90 | em91 | em92 | em93 | em94 | em95 | em96 | em97
| em98 | em99) "em01"
>
<! ELEMENT ftnote (applic?,para +)>
<! ATTLIST ftnote
  ftnmark (num | sym | alpha) "num"
  refapplic IDREF # IMPLIED
  id ID # IMPLIED
  level NMTOKEN # IMPLIED
  mark NMTOKEN # IMPLIED
  change (add | delete | modify) # IMPLIED
  rfc CDATA # IMPLIED
  class (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99) # IMPLIED
  commcls (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99) # IMPLIED
  caveat (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96

```

```

| cv97 | cv98 | cv99)    # IMPLIED
>
<! ELEMENT capgrp (applic?,colspec *,spanspec *,capbody)>
<! ATTLIST capgrp
  cols      NMTOKEN      # REQUIRED
  align     (left | right | center)    "left"
  toctype   (none | redtoc | comdtoc | ambertoc | greentoc | yellowtoc)    "none"
  colsep    NMTOKEN      # IMPLIED
  rowsep    NMTOKEN      # IMPLIED
  refapplic IDREF        # IMPLIED
  id        ID           # IMPLIED
  level     NMTOKEN      # IMPLIED
  mark      NMTOKEN      # IMPLIED
  change    (add | delete | modify)    # IMPLIED
  rfc       CDATA        # IMPLIED
>
<! ELEMENT colspec EMPTY>
<! ATTLIST colspec
  colnum    NMTOKEN      # IMPLIED
  colname   NMTOKEN      # IMPLIED
  align     (left | right | center | justify | char)    # IMPLIED
  charoff   CDATA        # IMPLIED
  char      CDATA        # IMPLIED
  colwidth  CDATA        # IMPLIED
  colsep    NMTOKEN      # IMPLIED
  rowsep    NMTOKEN      # IMPLIED
>
<! ELEMENT spanspec EMPTY>
<! ATTLIST spanspec
  namest    NMTOKEN      # REQUIRED
  nameend   NMTOKEN      # REQUIRED
  spanname  NMTOKEN      # REQUIRED
  align     (left | right | center | justify | char)    "center"
  charoff   CDATA        # IMPLIED
  char      CDATA        # IMPLIED
  colsep    NMTOKEN      # IMPLIED
  rowsep    NMTOKEN      # IMPLIED
>
<! ELEMENT capbody (applic?,caprow +)>
<! ATTLIST capbody
  valign    (top | bottom | middle)    "top"
  refapplic IDREF        # IMPLIED
>
<! ELEMENT caprow ((applic?,capentry) +)>
<! ATTLIST caprow
  rowsep    NMTOKEN      # IMPLIED
  refapplic IDREF        # IMPLIED
  id        ID           # IMPLIED
  level     NMTOKEN      # IMPLIED
  mark      NMTOKEN      # IMPLIED
  change    (add | delete | modify)    # IMPLIED
  rfc       CDATA        # IMPLIED
>
<! ELEMENT capentry (applic?,((caption | captext)?))>
<! ATTLIST capentry
  colname   NMTOKEN      # IMPLIED
  namest    NMTOKEN      # IMPLIED
  nameend   NMTOKEN      # IMPLIED
  spanname  NMTOKEN      # IMPLIED
  morerows  NMTOKEN      "0"

```

```

colsep    NMTOKEN    # IMPLIED
rowsep    NMTOKEN    # IMPLIED
valign    (top | bottom | middle)    "top"
align     (left | right | center | justify)    # IMPLIED
refapplic IDREF      # IMPLIED
>
<! ELEMENT caption (applic?.capline+)>
<! ATTLIST caption
    colour    (co00 | co01 | co02 | co03 | co04 | co05 | co06 | co07 | co08 | co09 | co10 | co11
| co12 | co13 | co14 | co15 | co16 | co17 | co18 | co19 | co20 | co21 | co22 | co23 | co24 | co25
| co26 | co27 | co28 | co29 | co30 | co31 | co32 | co33 | co34 | co35 | co36 | co37 | co38 | co39
| co40 | co41 | co42 | co43 | co44 | co45 | co46 | co47 | co48 | co49 | co50 | co51 | co52 | co53
| co54 | co55 | co56 | co57 | co58 | co59 | co60 | co61 | co62 | co63 | co64 | co65 | co66 | co67
| co68 | co69 | co70 | co71 | co72 | co73 | co74 | co75 | co76 | co77 | co78 | co79 | co80 | co81
| co82 | co83 | co84 | co85 | co86 | co87 | co88 | co89 | co90 | co91 | co92 | co93 | co94 | co95
| co96 | co97 | co98 | co99)    "co09"
    width     CDATA      # IMPLIED
    height    CDATA      # IMPLIED
    sysid     CDATA      # IMPLIED
    align     (left | right | center | justify)    "center"
    toctype   (none | redtoc | comdtoc | ambertoc | greentoc | yellowtoc)    "none"
    type      (primary | secondary)    "primary"
    refapplic IDREF      # IMPLIED
    id        ID         # IMPLIED
    level     NMTOKEN    # IMPLIED
    mark      NMTOKEN    # IMPLIED
    change    (add | delete | modify)    # IMPLIED
    rfc       CDATA      # IMPLIED
>
<! ELEMENT capline (#PCDATA | acroterm)*>
<! ELEMENT captext (#PCDATA | xref | indxflag | change | emphasis | subscript | superscript | refdm |
reftp | acronym | acroterm)*>
<! ATTLIST captext
    level     NMTOKEN    # IMPLIED
    mark      NMTOKEN    # IMPLIED
    change    (add | delete | modify)    # IMPLIED
    rfc       CDATA      # IMPLIED
>
<! ELEMENT seqlist (applic?,title?,item+)>
<! ATTLIST seqlist
    refapplic IDREF      # IMPLIED
    id        ID         # IMPLIED
    level     NMTOKEN    # IMPLIED
    mark      NMTOKEN    # IMPLIED
    change    (add | delete | modify)    # IMPLIED
    rfc       CDATA      # IMPLIED
    class     (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)    # IMPLIED
    commcls   (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)    # IMPLIED

```

```

    caveat      (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)    # IMPLIED
>
<! ELEMENT title (#PCDATA | ein | cb | parasigdata | quantity | xref | indxflag | change | emphasis
| symbol | subscript | superscript | refdm | reftp | ftnote | ftnref | acronym | acroterm | capgrp)*>
<! ATTLIST title
    class      (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)    # IMPLIED
    commcls    (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)    # IMPLIED
    caveat      (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)    # IMPLIED
>
<! ELEMENT item (#PCDATA | applic | note | para | ein | cb | parasigdata | quantity | xref |
indxflag | change | emphasis | symbol | subscript | superscript | refdm | reftp | ftnote | ftnref |
acronym | acroterm | capgrp | seqlist | randlist | deflist)*>
<! ATTLIST item
    refapplic    IDREF      # IMPLIED
    id          ID          # IMPLIED
    level        NMTOKEN    # IMPLIED
    mark         NMTOKEN    # IMPLIED
    change       (add | delete | modify)    # IMPLIED
    rfc          CDATA      # IMPLIED
>
<! ELEMENT note (applic?,((symbol | para | (seqlist | randlist | deflist))+))>
<! ATTLIST note
    type         CDATA      # IMPLIED
    refapplic    IDREF      # IMPLIED
    xrefid       IDREF      # IMPLIED
    id          ID          # IMPLIED
    level        NMTOKEN    # IMPLIED
    mark         NMTOKEN    # IMPLIED
    change       (add | delete | modify)    # IMPLIED
    rfc          CDATA      # IMPLIED
>
<! ELEMENT randlist (applic?,title?,item+)>
<! ATTLIST randlist
    prefix       (pf01 | pf02 | pf03 | pf04 | pf05 | pf06 | pf07 | pf08 | pf09 | pf10 | pf11 | pf12

```

```

| pf13 | pf14 | pf15 | pf16 | pf17 | pf18 | pf19 | pf20 | pf21 | pf22 | pf23 | pf24 | pf25 | pf26
| pf27 | pf28 | pf29 | pf30 | pf31 | pf32 | pf33 | pf34 | pf35 | pf36 | pf37 | pf38 | pf39 | pf40
| pf41 | pf42 | pf43 | pf44 | pf45 | pf46 | pf47 | pf48 | pf49 | pf50 | pf51 | pf52 | pf53 | pf54
| pf55 | pf56 | pf57 | pf58 | pf59 | pf60 | pf61 | pf62 | pf63 | pf64 | pf65 | pf66 | pf67 | pf68
| pf69 | pf70 | pf71 | pf72 | pf73 | pf74 | pf75 | pf76 | pf77 | pf78 | pf79 | pf80 | pf81 | pf82
| pf83 | pf84 | pf85 | pf86 | pf87 | pf88 | pf89 | pf90 | pf91 | pf92 | pf93 | pf94 | pf95 | pf96
| pf97 | pf98 | pf99)    "pf02"
  refapplic    IDREF    # IMPLIED
  id    ID    # IMPLIED
  level    NMTOKEN    # IMPLIED
  mark    NMTOKEN    # IMPLIED
  change    (add | delete | modify)    # IMPLIED
  rfc    CDATA    # IMPLIED
  class    (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)    # IMPLIED
    commcls    (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)    # IMPLIED
    caveat    (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)    # IMPLIED
)
<! ELEMENT deflist (applic?,title?,((term,def) + ))>
<! ATTLIST deflist
  refapplic    IDREF    # IMPLIED
  id    ID    # IMPLIED
  level    NMTOKEN    # IMPLIED
  mark    NMTOKEN    # IMPLIED
  change    (add | delete | modify)    # IMPLIED
  rfc    CDATA    # IMPLIED
  class    (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)    # IMPLIED
    commcls    (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)    # IMPLIED
    caveat    (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26

```

```

| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)      # IMPLIED
>
<! ELEMENT term (#PCDATA | applic | ein | cb | parasigdata | quantity | xref | indxflag | change |
emphasis | symbol | subscript | supscript | refdm | reftp | ftnote | ftnref | acronym | acroterm |
capgrp) * >
<! ATTLIST term
  refapplic IDREF # IMPLIED
  id ID # IMPLIED
  level NMTOKEN # IMPLIED
  mark NMTOKEN # IMPLIED
  change (add | delete | modify) # IMPLIED
  rfc CDATA # IMPLIED
>
<! ELEMENT def (#PCDATA | applic | para | ein | cb | parasigdata | quantity | xref | indxflag |
change | emphasis | symbol | subscript | supscript | refdm | reftp | ftnote | ftnref | acronym |
acroterm | capgrp | seqlist | randlist | deflist) * >
<! ATTLIST def
  refapplic IDREF # IMPLIED
  id ID # IMPLIED
  level NMTOKEN # IMPLIED
  mark NMTOKEN # IMPLIED
  change (add | delete | modify) # IMPLIED
  rfc CDATA # IMPLIED
>
<! ELEMENT orig (#PCDATA)>
<! ATTLIST orig
  origname CDATA # IMPLIED
  id ID # IMPLIED
>
<! ELEMENT inlineapplics (applic +)>
<! ELEMENT autandtp (authblk,tpbase)>
<! ELEMENT authblk (#PCDATA)>
<! ELEMENT tpbase (#PCDATA)>
<! ELEMENT authex (inline?,retrofit?)>
<! ELEMENT inline (exmod*,addmod*)>
<! ELEMENT exmod (#PCDATA)>
<! ELEMENT addmod (#PCDATA)>
<! ELEMENT retrofit (mod+)>
<! ELEMENT mod (modtitle?)>
<! ATTLIST mod
  authno NMTOKEN # REQUIRED
  modtype (pre | post | prandpo) # REQUIRED
  id ID # IMPLIED
  level NMTOKEN # IMPLIED
  mark NMTOKEN # IMPLIED
  change (add | delete | modify) # IMPLIED
  rfc CDATA # IMPLIED
>
<! ELEMENT modtitle (#PCDATA)>
<! ELEMENT notes (#PCDATA)>
<! ELEMENT brexref (refdm)>
<! ELEMENT qa (applic?,(unverif | (firstver,sever?)))>
<! ATTLIST qa
  refapplic IDREF # IMPLIED
>

```



```

<! ELEMENT unverif EMPTY>
<! ELEMENT firstver EMPTY>
<! ATTLIST firstver
    type      (tabtop | onobject | ttandoo)      # REQUIRED
>
<! ELEMENT secver EMPTY>
<! ATTLIST secver
    type      (tabtop | onobject | ttandoo)      # REQUIRED
>
<! ELEMENT rfu (#PCDATA | applic | p)*>
<! ATTLIST rfu
    refapplic  IDREF      # IMPLIED
>
<! ELEMENT p (#PCDATA | subscript | superscript)*>
<! ATTLIST p
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark    NMTOKEN  # IMPLIED
    change  (add | delete | modify)      # IMPLIED
    rfc     CDATA    # IMPLIED
>
<! ELEMENT remarks (#PCDATA | applic | p)*>
<! ATTLIST remarks
    refapplic  IDREF      # IMPLIED
>
<! ELEMENT content (refs?,proced)>
<! ATTLIST content
    id      ID      # IMPLIED
>
<! ELEMENT proced (prelreqs,mainfunc,closereqs)>
<! ELEMENT prelreqs (pmd*,reqconds,reqpers*,supequip,supplies,spares,safety)>
<! ELEMENT pmd (applic?,thi*,zone*,accpn1*,avehcfg?,opndurn?)>
<! ATTLIST pmd
    refapplic  IDREF      # IMPLIED
>
<! ELEMENT thi (#PCDATA)>
<! ATTLIST thi
    uom (th01 | th02 | th03 | th04 | th05 | th06 | th07 | th08 | th09 | th10 | th11 | th12 | th13
    | th14 | th15 | th16 | th17 | th18 | th19 | th20 | th21 | th22 | th23 | th24 | th25 | th26 | th27
    | th28 | th29 | th30 | th31 | th32 | th33 | th34 | th35 | th36 | th37 | th38 | th39 | th40 | th41
    | th42 | th43 | th44 | th45 | th46 | th47 | th48 | th49 | th50 | th51 | th52 | th53 | th54 | th55
    | th56 | th57 | th58 | th59 | th60 | th61 | th62 | th63 | th64 | th65 | th66 | th67 | th68 | th69
    | th70 | th71 | th72 | th73 | th74 | th75 | th76 | th77 | th78 | th79 | th80 | th81 | th82 | th83
    | th84 | th85 | th86 | th87 | th88 | th89 | th90 | th91 | th92 | th93 | th94 | th95 | th96 | th97
    | th98 | th99)      # REQUIRED
>
<! ELEMENT zone (nomen?,refs?)>
<! ATTLIST zone
    zonenbr  CDATA      # IMPLIED
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark    NMTOKEN  # IMPLIED
    change  (add | delete | modify)      # IMPLIED
    rfc     CDATA    # IMPLIED
>
<! ELEMENT accpn1 (nomen?,refs?)>
<! ATTLIST accpn1
    accpn1nbr  CDATA      # IMPLIED
    accpn1type (accpn101 | accpn102 | accpn103 | accpn104 | accpn105 | accpn106 | accpn107 |
    accpn108 | accpn109 | accpn110 | accpn111 | accpn112 | accpn113 | accpn114 | accpn115 | accpn116

```



```

| accpn117 | accpn118 | accpn119 | accpn120 | accpn121 | accpn122 | accpn123 | accpn124 | accpn125
| accpn126 | accpn127 | accpn128 | accpn129 | accpn130 | accpn131 | accpn132 | accpn133 | accpn134
| accpn135 | accpn136 | accpn137 | accpn138 | accpn139 | accpn140 | accpn141 | accpn142 | accpn143
| accpn144 | accpn145 | accpn146 | accpn147 | accpn148 | accpn149 | accpn150 | accpn151 | accpn152
| accpn153 | accpn154 | accpn155 | accpn156 | accpn157 | accpn158 | accpn159 | accpn160 | accpn161
| accpn162 | accpn163 | accpn164 | accpn165 | accpn166 | accpn167 | accpn168 | accpn169 | accpn170
| accpn171 | accpn172 | accpn173 | accpn174 | accpn175 | accpn176 | accpn177 | accpn178 | accpn179
| accpn180 | accpn181 | accpn182 | accpn183 | accpn184 | accpn185 | accpn186 | accpn187 | accpn188
| accpn189 | accpn190 | accpn191 | accpn192 | accpn193 | accpn194 | accpn195 | accpn196 | accpn197
| accpn198 | accpn199) # IMPLIED
  id ID # IMPLIED
  level NMTOKEN # IMPLIED
  mark NMTOKEN # IMPLIED
  change (add | delete | modify) # IMPLIED
  rfc CDATA # IMPLIED
>
<! ELEMENT avehcfg (jacked,safedev,elecprw,hydpwr,airpwr,fuel,water,fcposn)>
<! ELEMENT jacked EMPTY>
<! ATTLIST jacked
  status (yes | no | indiffer | na) # REQUIRED
  power (engine | apu | external | internal | indifferent | notapplic) # REQUIRED
>
<! ELEMENT safedev EMPTY>
<! ATTLIST safedev
  status (yes | no | indiffer | na) # REQUIRED
  power (engine | apu | external | internal | indifferent | notapplic) # REQUIRED
>
<! ELEMENT elecprw EMPTY>
<! ATTLIST elecprw
  status (yes | no | indiffer | na) # REQUIRED
  power (engine | apu | external | internal | indifferent | notapplic) # REQUIRED
>
<! ELEMENT hydpwr EMPTY>
<! ATTLIST hydpwr
  status (yes | no | indiffer | na) # REQUIRED
  power (engine | apu | external | internal | indifferent | notapplic) # REQUIRED
>
<! ELEMENT airpwr EMPTY>
<! ATTLIST airpwr
  status (yes | no | indiffer | na) # REQUIRED
  power (engine | apu | external | internal | indifferent | notapplic) # REQUIRED
>
<! ELEMENT fuel EMPTY>
<! ATTLIST fuel
  status (yes | no | indiffer | na) # REQUIRED
  power (engine | apu | external | internal | indifferent | notapplic) # REQUIRED
>
<! ELEMENT water EMPTY>
<! ATTLIST water
  status (yes | no | indiffer | na) # REQUIRED
  power (engine | apu | external | internal | indifferent | notapplic) # REQUIRED
>
<! ELEMENT fcposn EMPTY>
<! ATTLIST fcposn
  status (yes | no | indiffer | na) # REQUIRED
  power (engine | apu | external | internal | indifferent | notapplic) # REQUIRED
>
<! ELEMENT opndurn EMPTY>
<! ATTLIST opndurn
  prelreqs CDATA # REQUIRED

```

```

    proced CDATA # REQUIRED
    closeup CDATA # REQUIRED
    id ID # IMPLIED
  >
<! ELEMENT reqconds (noconds | ((reqcond | reqcondm | reqcblst | reqcontp) +)))
<! ELEMENT noconds EMPTY>
<! ELEMENT reqcond (#PCDATA | applic | xref | indxflag | symbol | subscript | supscript | ftnref |
acronym | acroterm) * >
<! ATTLIST reqcond
    refapplic IDREF # IMPLIED
  >
<! ELEMENT reqcondm (applic?,((reqcond,refdm) +)))
<! ATTLIST reqcondm
    refapplic IDREF # IMPLIED
  >
<! ELEMENT reqcblst (applic?,(reqcond,cblst))>
<! ATTLIST reqcblst
    refapplic IDREF # IMPLIED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
  >
<! ELEMENT cblst (applic?,((cbsublst +) +)))
<! ATTLIST cblst
    refapplic IDREF # IMPLIED
    cbaction (open | close | verif-open | verif-close) # IMPLIED
    checksum CDATA # IMPLIED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
  >
<! ELEMENT cbsublst (applic?,ein*,(cbdata +)))
<! ATTLIST cbsublst
    cbaction (open | close | verif-open | verif-close) # IMPLIED
    checksum CDATA # IMPLIED
    refapplic IDREF # IMPLIED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
  >
<! ELEMENT cbdata (applic?,cb,nomen,((xref | accpnl)?),cbloc?)>
<! ATTLIST cbdata
    refapplic IDREF # IMPLIED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
  >
<! ELEMENT cbloc (#PCDATA)>
<! ATTLIST cbloc
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED

```



```

    change      (add | delete | modify)      # IMPLIED
    rfc          CDATA                        # IMPLIED
  >
<! ELEMENT reqcontp (applic?,((reqcond,reftp) + ))>
<! ATTLIST reqcontp
  refapplic     IDREF      # IMPLIED
>
<! ELEMENT reqpers (applic?,(((asrequir | person),((perscat,perskill?,trade?,esttime?))) + )))>
<! ATTLIST reqpers
  refapplic     IDREF      # IMPLIED
  id            ID        # IMPLIED
  level         NMTOKEN    # IMPLIED
  mark          NMTOKEN    # IMPLIED
  change        (add | delete | modify)      # IMPLIED
  rfc           CDATA      # IMPLIED
>
<! ELEMENT asrequir EMPTY>
<! ELEMENT person EMPTY>
<! ATTLIST person
  man           NMTOKEN    # REQUIRED
  id            ID        # IMPLIED
  level         NMTOKEN    # IMPLIED
  mark          NMTOKEN    # IMPLIED
  change        (add | delete | modify)      # IMPLIED
  rfc           CDATA      # IMPLIED
>
<! ELEMENT perscat EMPTY>
<! ATTLIST perscat
  category      CDATA      # REQUIRED
  id            ID        # IMPLIED
  level         NMTOKEN    # IMPLIED
  mark          NMTOKEN    # IMPLIED
  change        (add | delete | modify)      # IMPLIED
  rfc           CDATA      # IMPLIED
>
<! ELEMENT perskill EMPTY>
<! ATTLIST perskill
  skill         (sk01 | sk02 | sk03 | sk04 | sk05 | sk06 | sk07 | sk08 | sk09 | sk10 | sk11 | sk12
| sk13 | sk14 | sk15 | sk16 | sk17 | sk18 | sk19 | sk20 | sk21 | sk22 | sk23 | sk24 | sk25 | sk26
| sk27 | sk28 | sk29 | sk30 | sk31 | sk32 | sk33 | sk34 | sk35 | sk36 | sk37 | sk38 | sk39 | sk40
| sk41 | sk42 | sk43 | sk44 | sk45 | sk46 | sk47 | sk48 | sk49 | sk50 | sk51 | sk52 | sk53 | sk54
| sk55 | sk56 | sk57 | sk58 | sk59 | sk60 | sk61 | sk62 | sk63 | sk64 | sk65 | sk66 | sk67 | sk68
| sk69 | sk70 | sk71 | sk72 | sk73 | sk74 | sk75 | sk76 | sk77 | sk78 | sk79 | sk80 | sk81 | sk82
| sk83 | sk84 | sk85 | sk86 | sk87 | sk88 | sk89 | sk90 | sk91 | sk92 | sk93 | sk94 | sk95 | sk96
| sk97 | sk98 | sk99)      # REQUIRED
  id            ID        # IMPLIED
  level         NMTOKEN    # IMPLIED
  mark          NMTOKEN    # IMPLIED
  change        (add | delete | modify)      # IMPLIED
  rfc           CDATA      # IMPLIED
>
<! ELEMENT trade (#PCDATA)>
<! ATTLIST trade
  id            ID        # IMPLIED
  level         NMTOKEN    # IMPLIED
  mark          NMTOKEN    # IMPLIED
  change        (add | delete | modify)      # IMPLIED
  rfc           CDATA      # IMPLIED
>
<! ELEMENT esttime (#PCDATA)>

```

```

<! ATTLIST esttime
    id      ID      # IMPLIED
    level   NMTOKEN # IMPLIED
    mark     NMTOKEN # IMPLIED
    change   (add | delete | modify) # IMPLIED
    rfc      CDATA   # IMPLIED
>
<! ELEMENT supequip (nosupeq | supeqli)>
<! ELEMENT nosupeq EMPTY>
<! ELEMENT supeqli (supequi +)>
<! ELEMENT supequi (applic?,nomen?,(((csnref | identno | tool),refs?)+),qty,remarks?)>
<! ATTLIST supequi
    refapplic IDREF # IMPLIED
    id      ID      # IMPLIED
    level   NMTOKEN # IMPLIED
    mark     NMTOKEN # IMPLIED
    change   (add | delete | modify) # IMPLIED
    rfc      CDATA   # IMPLIED
>
<! ELEMENT identno (mfc)>
<! ATTLIST identno
    level   NMTOKEN # IMPLIED
    mark     NMTOKEN # IMPLIED
    change   (add | delete | modify) # IMPLIED
    rfc      CDATA   # IMPLIED
>
<! ELEMENT tool (refs?)>
<! ATTLIST tool
    toolnbr  CDATA   # REQUIRED
    mfc      CDATA   # IMPLIED
    specific NMTOKEN "1"
    alternate NMTOKEN "0"
    id      ID      # IMPLIED
    level   NMTOKEN # IMPLIED
    mark     NMTOKEN # IMPLIED
    change   (add | delete | modify) # IMPLIED
    rfc      CDATA   # IMPLIED
>
<! ELEMENT qty (#PCDATA)>
<! ATTLIST qty
    uom      CDATA   # IMPLIED
    level   NMTOKEN # IMPLIED
    mark     NMTOKEN # IMPLIED
    change   (add | delete | modify) # IMPLIED
    rfc      CDATA   # IMPLIED
>
<! ELEMENT supplies (nosupply | supplyli)>
<! ELEMENT nosupply EMPTY>
<! ELEMENT supplyli (supply +)>
<! ELEMENT supply (applic?,nomen?,(((csnref | identno | con),refs?)+),qty,remarks?)>
<! ATTLIST supply
    refapplic IDREF # IMPLIED
    id      ID      # IMPLIED
    level   NMTOKEN # IMPLIED
    mark     NMTOKEN # IMPLIED
    change   (add | delete | modify) # IMPLIED
    rfc      CDATA   # IMPLIED
>
<! ELEMENT con (refs?)>
<! ATTLIST con

```

```

connbr  CDATA      # REQUIRED
id      ID        # IMPLIED
level   NMTOKEN    # IMPLIED
mark    NMTOKEN    # IMPLIED
change  (add | delete | modify) # IMPLIED
rfc     CDATA      # IMPLIED
>
<! ELEMENT spares (nospares | sparesli)>
<! ELEMENT nospares EMPTY>
<! ELEMENT sparesli (spare+)>
<! ELEMENT spare (applic?,nomen?,(((csnref | identno | ein),refs?)+),qty,remarks?)>
<! ATTLIST spare
  refapplic IDREF # IMPLIED
  id ID # IMPLIED
  level NMTOKEN # IMPLIED
  mark NMTOKEN # IMPLIED
  change (add | delete | modify) # IMPLIED
  rfc CDATA # IMPLIED
>
<! ELEMENT safety (nosafety | safecond)>
<! ELEMENT nosafety EMPTY>
<! ELEMENT safecond ((warning* ,caution* ),note* )>
<! ATTLIST safecond
  id ID # IMPLIED
>
<! ELEMENT warning (applic?,((symbol | para | (seqlist | randlist | deflist))+))>
<! ATTLIST warning
  type CDATA # IMPLIED
  xrefid IDREF # IMPLIED
  vital NMTOKEN # IMPLIED
  refapplic IDREF # IMPLIED
  id ID # IMPLIED
  level NMTOKEN # IMPLIED
  mark NMTOKEN # IMPLIED
  change (add | delete | modify) # IMPLIED
  rfc CDATA # IMPLIED
>
<! ELEMENT caution (applic?,((symbol | para | (seqlist | randlist | deflist))+))>
<! ATTLIST caution
  type CDATA # IMPLIED
  xrefid IDREF # IMPLIED
  refapplic IDREF # IMPLIED
  id ID # IMPLIED
  level NMTOKEN # IMPLIED
  mark NMTOKEN # IMPLIED
  change (add | delete | modify) # IMPLIED
  rfc CDATA # IMPLIED
>
<! ELEMENT mainfunc ((step1 | (figure | multimedia | foldout | table))+)>
<! ATTLIST mainfunc
  id ID # IMPLIED
  level NMTOKEN # IMPLIED
  mark NMTOKEN # IMPLIED
  change (add | delete | modify) # IMPLIED
  rfc CDATA # IMPLIED
  check CDATA # IMPLIED
  skill (sk01 | sk02 | sk03 | sk04 | sk05 | sk06 | sk07 | sk08 | sk09 | sk10 | sk11 | sk12
| sk13 | sk14 | sk15 | sk16 | sk17 | sk18 | sk19 | sk20 | sk21 | sk22 | sk23 | sk24 | sk25 | sk26
| sk27 | sk28 | sk29 | sk30 | sk31 | sk32 | sk33 | sk34 | sk35 | sk36 | sk37 | sk38 | sk39 | sk40
| sk41 | sk42 | sk43 | sk44 | sk45 | sk46 | sk47 | sk48 | sk49 | sk50 | sk51 | sk52 | sk53 | sk54

```

```

| sk55 | sk56 | sk57 | sk58 | sk59 | sk60 | sk61 | sk62 | sk63 | sk64 | sk65 | sk66 | sk67 | sk68
| sk69 | sk70 | sk71 | sk72 | sk73 | sk74 | sk75 | sk76 | sk77 | sk78 | sk79 | sk80 | sk81 | sk82
| sk83 | sk84 | sk85 | sk86 | sk87 | sk88 | sk89 | sk90 | sk91 | sk92 | sk93 | sk94 | sk95 | sk96
| sk97 | sk98 | sk99)    # IMPLIED
>
<! ELEMENT step1 (((applic?,title?),(warning *,caution * ),(((note | cblst | para) | (figure |
multimedia | foldout | table)) * )),((step2) * )))
<! ATTLIST step1
  refapplic IDREF # IMPLIED
  check CDATA # IMPLIED
  skill (sk01 | sk02 | sk03 | sk04 | sk05 | sk06 | sk07 | sk08 | sk09 | sk10 | sk11 | sk12
| sk13 | sk14 | sk15 | sk16 | sk17 | sk18 | sk19 | sk20 | sk21 | sk22 | sk23 | sk24 | sk25 | sk26
| sk27 | sk28 | sk29 | sk30 | sk31 | sk32 | sk33 | sk34 | sk35 | sk36 | sk37 | sk38 | sk39 | sk40
| sk41 | sk42 | sk43 | sk44 | sk45 | sk46 | sk47 | sk48 | sk49 | sk50 | sk51 | sk52 | sk53 | sk54
| sk55 | sk56 | sk57 | sk58 | sk59 | sk60 | sk61 | sk62 | sk63 | sk64 | sk65 | sk66 | sk67 | sk68
| sk69 | sk70 | sk71 | sk72 | sk73 | sk74 | sk75 | sk76 | sk77 | sk78 | sk79 | sk80 | sk81 | sk82
| sk83 | sk84 | sk85 | sk86 | sk87 | sk88 | sk89 | sk90 | sk91 | sk92 | sk93 | sk94 | sk95 | sk96
| sk97 | sk98 | sk99)    # IMPLIED
  id ID # IMPLIED
  level NMTOKEN # IMPLIED
  mark NMTOKEN # IMPLIED
  change (add | delete | modify) # IMPLIED
  rfc CDATA # IMPLIED
>
<! ELEMENT figure ((applic?,title?),(graphic,rfa * ) | ((applic?,sheet,graphic,rfa * ) + )),legend?))
<! ATTLIST figure
  refapplic IDREF # IMPLIED
  id ID # IMPLIED
  level NMTOKEN # IMPLIED
  mark NMTOKEN # IMPLIED
  change (add | delete | modify) # IMPLIED
  rfc CDATA # IMPLIED
  class (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)    # IMPLIED
  commcls (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)    # IMPLIED
  caveat (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)    # IMPLIED
>
<! ELEMENT graphic (hotspot * ))
<! ATTLIST graphic
  boardno ENTITY # REQUIRED
  id ID # IMPLIED
  reprov ID CDATA # IMPLIED

```

```

    reprohgt    CDATA      # IMPLIED
    reproscl    CDATA      # IMPLIED
    %XLINKATT0;
>
<! ELEMENT hotspot (applic?,((hotspot | xref | refdm | csnref) *)))
<! ATTLIST hotspot
    id          ID          # IMPLIED
    apsid        CDATA      # IMPLIED
    apsname      CDATA      # IMPLIED
    type         CDATA      # IMPLIED
    title        CDATA      # IMPLIED
    descript     CDATA      # IMPLIED
    coords       CDATA      # IMPLIED
    visibility    (visible | hidden)  "visible"
    refapplic    IDREF      # IMPLIED
>
<! ELEMENT rfa (#PCDATA | applic | ein | cb | parasigdata | quantity | xref | indxflag | change |
emphasis | symbol | subscript | superscript | refdm | reftp | ftnote | ftnref | acronym | acroterm |
capgrp) * >
<! ATTLIST rfa
    refapplic    IDREF      # IMPLIED
>
<! ELEMENT sheet EMPTY>
<! ATTLIST sheet
    sheetno      NMTOKEN    # REQUIRED
    total        NMTOKEN    # REQUIRED
    id          ID          # IMPLIED
    level        NMTOKEN    # IMPLIED
    mark         NMTOKEN    # IMPLIED
    change       (add | delete | modify)  # IMPLIED
    rfc          CDATA      # IMPLIED
    refapplic    IDREF      # IMPLIED
>
<! ELEMENT legend (deflist)>
<! ATTLIST legend
    id          ID          # IMPLIED
    level        NMTOKEN    # IMPLIED
    mark         NMTOKEN    # IMPLIED
    change       (add | delete | modify)  # IMPLIED
    rfc          CDATA      # IMPLIED
>
<! ELEMENT multimedia (((applic?,title)?),rfa *,multimediaobject +))
<! ATTLIST multimedia
    refapplic    IDREF      # IMPLIED
    id          ID          # IMPLIED
    level        NMTOKEN    # IMPLIED
    mark         NMTOKEN    # IMPLIED
    change       (add | delete | modify)  # IMPLIED
    rfc          CDATA      # IMPLIED
    class        (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)  # IMPLIED
    commcls      (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68

```



```

| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99) # IMPLIED
    caveat (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99) # IMPLIED
>
<! ELEMENT multimediaobject ((param) * )>
<! ATTLIST multimediaobject
    id ID # IMPLIED
    autoplay NMTOKEN # IMPLIED
    fullscrn NMTOKEN # IMPLIED
    boardno ENTITY # REQUIRED
    multimediaclass (3D | audio | video | other) # REQUIRED
    controls (hide | show) # IMPLIED
    duration NMTOKEN # IMPLIED
    width CDATA # IMPLIED
    height CDATA # IMPLIED
    %XLINKATT0;
>
<! ELEMENT param EMPTY>
<! ATTLIST param
    id ID # REQUIRED
    paramid CDATA # IMPLIED
    paramvalue CDATA # IMPLIED
    paramname CDATA # IMPLIED
>
<! ELEMENT foldout (figure | table)>
<! ELEMENT table (applic?,title?,(tgroup+ | graphic+))>
<! ATTLIST table
    tabstyle NMTOKEN # IMPLIED
    tocentry NMTOKEN "1"
    frame (top | bottom | topbot | all | sides | none) # IMPLIED
    colsep NMTOKEN # IMPLIED
    rowsep NMTOKEN # IMPLIED
    orient (port | land) # IMPLIED
    pgwide NMTOKEN # IMPLIED
    refapplic IDREF # IMPLIED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
    class (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99) # IMPLIED
    commcls (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82

```

```

| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99) # IMPLIED
    caveat (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99) # IMPLIED
>
<! ELEMENT tgroup (applic?,colspec *,spanspec *,thead?,tfoot?,tbody)>
<! ATTLIST tgroup
    refapplic IDREF # IMPLIED
    cols NMTOKEN # REQUIRED
    tgstyle NMTOKEN # IMPLIED
    colsep NMTOKEN # IMPLIED
    rowsep NMTOKEN # IMPLIED
    align (left | right | center | justify | char) "left"
    charoff CDATA # IMPLIED
    char CDATA # IMPLIED
>
<! ELEMENT thead (colspec *,row +)>
<! ATTLIST thead
    valign (top | bottom | middle) "bottom"
>
<! ELEMENT row (applic?,((entry) +))>
<! ATTLIST row
    refapplic IDREF # IMPLIED
    rowsep NMTOKEN # IMPLIED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
>
<! ELEMENT entry (#PCDATA | applic | para | warning | caution | note | legend | ein | cb | parasigdata |
quantity | xref | indxflag | change | emphasis | symbol | subscript | superscript | refdm | reftp |
ftnote | ftnref | acronym | acroterm | capgrp | seqlist | randlist | deflist)*>
<! ATTLIST entry
    refapplic IDREF # IMPLIED
    colname NMTOKEN # IMPLIED
    namest NMTOKEN # IMPLIED
    nameend NMTOKEN # IMPLIED
    spanname NMTOKEN # IMPLIED
    morerows NMTOKEN "0"
    colsep NMTOKEN # IMPLIED
    rowsep NMTOKEN # IMPLIED
    rotate NMTOKEN "0"
    valign (top | bottom | middle) "top"
    align (left | right | center | justify | char) # IMPLIED
    charoff CDATA # IMPLIED
    char CDATA # IMPLIED
    id ID # IMPLIED
>
<! ELEMENT tfoot (colspec *,row +)>
<! ATTLIST tfoot
    valign (top | bottom | middle) "top"
>
<! ELEMENT tbody (row +)>

```

```

<! ATTLIST tbody
    valign      (top | bottom | middle)      "top"
>
<! ELEMENT step2 (((applic?,title?),(warning *,caution *),(((note | cblst | para) | (figure |
multimedia | foldout | table))*)),((step3)*)))
<! ATTLIST step2
    refapplic    IDREF      # IMPLIED
    check        CDATA      # IMPLIED
    skill        (sk01 | sk02 | sk03 | sk04 | sk05 | sk06 | sk07 | sk08 | sk09 | sk10 | sk11 | sk12
| sk13 | sk14 | sk15 | sk16 | sk17 | sk18 | sk19 | sk20 | sk21 | sk22 | sk23 | sk24 | sk25 | sk26
| sk27 | sk28 | sk29 | sk30 | sk31 | sk32 | sk33 | sk34 | sk35 | sk36 | sk37 | sk38 | sk39 | sk40
| sk41 | sk42 | sk43 | sk44 | sk45 | sk46 | sk47 | sk48 | sk49 | sk50 | sk51 | sk52 | sk53 | sk54
| sk55 | sk56 | sk57 | sk58 | sk59 | sk60 | sk61 | sk62 | sk63 | sk64 | sk65 | sk66 | sk67 | sk68
| sk69 | sk70 | sk71 | sk72 | sk73 | sk74 | sk75 | sk76 | sk77 | sk78 | sk79 | sk80 | sk81 | sk82
| sk83 | sk84 | sk85 | sk86 | sk87 | sk88 | sk89 | sk90 | sk91 | sk92 | sk93 | sk94 | sk95 | sk96
| sk97 | sk98 | sk99)      # IMPLIED
    id           ID         # IMPLIED
    level        NMTOKEN    # IMPLIED
    mark         NMTOKEN    # IMPLIED
    change       (add | delete | modify)      # IMPLIED
    rfc          CDATA      # IMPLIED
>
<! ELEMENT step3 (((applic?,title?),(warning *,caution *),(((note | cblst | para) | (figure |
multimedia | foldout | table))*)),((step4)*)))
<! ATTLIST step3
    refapplic    IDREF      # IMPLIED
    check        CDATA      # IMPLIED
    skill        (sk01 | sk02 | sk03 | sk04 | sk05 | sk06 | sk07 | sk08 | sk09 | sk10 | sk11 | sk12
| sk13 | sk14 | sk15 | sk16 | sk17 | sk18 | sk19 | sk20 | sk21 | sk22 | sk23 | sk24 | sk25 | sk26
| sk27 | sk28 | sk29 | sk30 | sk31 | sk32 | sk33 | sk34 | sk35 | sk36 | sk37 | sk38 | sk39 | sk40
| sk41 | sk42 | sk43 | sk44 | sk45 | sk46 | sk47 | sk48 | sk49 | sk50 | sk51 | sk52 | sk53 | sk54
| sk55 | sk56 | sk57 | sk58 | sk59 | sk60 | sk61 | sk62 | sk63 | sk64 | sk65 | sk66 | sk67 | sk68
| sk69 | sk70 | sk71 | sk72 | sk73 | sk74 | sk75 | sk76 | sk77 | sk78 | sk79 | sk80 | sk81 | sk82
| sk83 | sk84 | sk85 | sk86 | sk87 | sk88 | sk89 | sk90 | sk91 | sk92 | sk93 | sk94 | sk95 | sk96
| sk97 | sk98 | sk99)      # IMPLIED
    id           ID         # IMPLIED
    level        NMTOKEN    # IMPLIED
    mark         NMTOKEN    # IMPLIED
    change       (add | delete | modify)      # IMPLIED
    rfc          CDATA      # IMPLIED
>
<! ELEMENT step4 (((applic?,title?),(warning *,caution *),(((note | cblst | para) | (figure |
multimedia | foldout | table))*)),((step5)*)))
<! ATTLIST step4
    refapplic    IDREF      # IMPLIED
    check        CDATA      # IMPLIED
    skill        (sk01 | sk02 | sk03 | sk04 | sk05 | sk06 | sk07 | sk08 | sk09 | sk10 | sk11 | sk12
| sk13 | sk14 | sk15 | sk16 | sk17 | sk18 | sk19 | sk20 | sk21 | sk22 | sk23 | sk24 | sk25 | sk26
| sk27 | sk28 | sk29 | sk30 | sk31 | sk32 | sk33 | sk34 | sk35 | sk36 | sk37 | sk38 | sk39 | sk40
| sk41 | sk42 | sk43 | sk44 | sk45 | sk46 | sk47 | sk48 | sk49 | sk50 | sk51 | sk52 | sk53 | sk54
| sk55 | sk56 | sk57 | sk58 | sk59 | sk60 | sk61 | sk62 | sk63 | sk64 | sk65 | sk66 | sk67 | sk68
| sk69 | sk70 | sk71 | sk72 | sk73 | sk74 | sk75 | sk76 | sk77 | sk78 | sk79 | sk80 | sk81 | sk82
| sk83 | sk84 | sk85 | sk86 | sk87 | sk88 | sk89 | sk90 | sk91 | sk92 | sk93 | sk94 | sk95 | sk96
| sk97 | sk98 | sk99)      # IMPLIED
    id           ID         # IMPLIED
    level        NMTOKEN    # IMPLIED
    mark         NMTOKEN    # IMPLIED
    change       (add | delete | modify)      # IMPLIED
    rfc          CDATA      # IMPLIED
>

```

```

<! ELEMENT step5 (((applic?,title?),(warning *,caution *),(((note | cblst | para) | (figure |
multimedia | foldout | table))*)),((step6)*)))
<! ATTLIST step5
    refapplic IDREF # IMPLIED
    check CDATA # IMPLIED
    skill (sk01 | sk02 | sk03 | sk04 | sk05 | sk06 | sk07 | sk08 | sk09 | sk10 | sk11 | sk12
| sk13 | sk14 | sk15 | sk16 | sk17 | sk18 | sk19 | sk20 | sk21 | sk22 | sk23 | sk24 | sk25 | sk26
| sk27 | sk28 | sk29 | sk30 | sk31 | sk32 | sk33 | sk34 | sk35 | sk36 | sk37 | sk38 | sk39 | sk40
| sk41 | sk42 | sk43 | sk44 | sk45 | sk46 | sk47 | sk48 | sk49 | sk50 | sk51 | sk52 | sk53 | sk54
| sk55 | sk56 | sk57 | sk58 | sk59 | sk60 | sk61 | sk62 | sk63 | sk64 | sk65 | sk66 | sk67 | sk68
| sk69 | sk70 | sk71 | sk72 | sk73 | sk74 | sk75 | sk76 | sk77 | sk78 | sk79 | sk80 | sk81 | sk82
| sk83 | sk84 | sk85 | sk86 | sk87 | sk88 | sk89 | sk90 | sk91 | sk92 | sk93 | sk94 | sk95 | sk96
| sk97 | sk98 | sk99) # IMPLIED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
>

<! ELEMENT step6 (((applic?,title?),(warning *,caution *),(((note | cblst | para) | (figure |
multimedia | foldout | table))*)),((step7)*)))
<! ATTLIST step6
    refapplic IDREF # IMPLIED
    check CDATA # IMPLIED
    skill (sk01 | sk02 | sk03 | sk04 | sk05 | sk06 | sk07 | sk08 | sk09 | sk10 | sk11 | sk12
| sk13 | sk14 | sk15 | sk16 | sk17 | sk18 | sk19 | sk20 | sk21 | sk22 | sk23 | sk24 | sk25 | sk26
| sk27 | sk28 | sk29 | sk30 | sk31 | sk32 | sk33 | sk34 | sk35 | sk36 | sk37 | sk38 | sk39 | sk40
| sk41 | sk42 | sk43 | sk44 | sk45 | sk46 | sk47 | sk48 | sk49 | sk50 | sk51 | sk52 | sk53 | sk54
| sk55 | sk56 | sk57 | sk58 | sk59 | sk60 | sk61 | sk62 | sk63 | sk64 | sk65 | sk66 | sk67 | sk68
| sk69 | sk70 | sk71 | sk72 | sk73 | sk74 | sk75 | sk76 | sk77 | sk78 | sk79 | sk80 | sk81 | sk82
| sk83 | sk84 | sk85 | sk86 | sk87 | sk88 | sk89 | sk90 | sk91 | sk92 | sk93 | sk94 | sk95 | sk96
| sk97 | sk98 | sk99) # IMPLIED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
>

<! ELEMENT step7 (((applic?,title?),(warning *,caution *),(((note | cblst | para) | (figure |
multimedia | foldout | table))*)),((step8)*)))
<! ATTLIST step7
    refapplic IDREF # IMPLIED
    check CDATA # IMPLIED
    skill (sk01 | sk02 | sk03 | sk04 | sk05 | sk06 | sk07 | sk08 | sk09 | sk10 | sk11 | sk12
| sk13 | sk14 | sk15 | sk16 | sk17 | sk18 | sk19 | sk20 | sk21 | sk22 | sk23 | sk24 | sk25 | sk26
| sk27 | sk28 | sk29 | sk30 | sk31 | sk32 | sk33 | sk34 | sk35 | sk36 | sk37 | sk38 | sk39 | sk40
| sk41 | sk42 | sk43 | sk44 | sk45 | sk46 | sk47 | sk48 | sk49 | sk50 | sk51 | sk52 | sk53 | sk54
| sk55 | sk56 | sk57 | sk58 | sk59 | sk60 | sk61 | sk62 | sk63 | sk64 | sk65 | sk66 | sk67 | sk68
| sk69 | sk70 | sk71 | sk72 | sk73 | sk74 | sk75 | sk76 | sk77 | sk78 | sk79 | sk80 | sk81 | sk82
| sk83 | sk84 | sk85 | sk86 | sk87 | sk88 | sk89 | sk90 | sk91 | sk92 | sk93 | sk94 | sk95 | sk96
| sk97 | sk98 | sk99) # IMPLIED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
>

<! ELEMENT step8 ((applic?,title?),(warning *,caution *),(((note | cblst | para) | (figure |
multimedia | foldout | table))*)))
<! ATTLIST step8

```

```

    refapplic      IDREF      # IMPLIED
    check          CDATA      # IMPLIED
    skill          (sk01 | sk02 | sk03 | sk04 | sk05 | sk06 | sk07 | sk08 | sk09 | sk10 | sk11 | sk12
| sk13 | sk14 | sk15 | sk16 | sk17 | sk18 | sk19 | sk20 | sk21 | sk22 | sk23 | sk24 | sk25 | sk26
| sk27 | sk28 | sk29 | sk30 | sk31 | sk32 | sk33 | sk34 | sk35 | sk36 | sk37 | sk38 | sk39 | sk40
| sk41 | sk42 | sk43 | sk44 | sk45 | sk46 | sk47 | sk48 | sk49 | sk50 | sk51 | sk52 | sk53 | sk54
| sk55 | sk56 | sk57 | sk58 | sk59 | sk60 | sk61 | sk62 | sk63 | sk64 | sk65 | sk66 | sk67 | sk68
| sk69 | sk70 | sk71 | sk72 | sk73 | sk74 | sk75 | sk76 | sk77 | sk78 | sk79 | sk80 | sk81 | sk82
| sk83 | sk84 | sk85 | sk86 | sk87 | sk88 | sk89 | sk90 | sk91 | sk92 | sk93 | sk94 | sk95 | sk96
| sk97 | sk98 | sk99)      # IMPLIED
    id            ID          # IMPLIED
    level         NMTOKEN     # IMPLIED
    mark          NMTOKEN     # IMPLIED
    change        (add | delete | modify)      # IMPLIED
    rfc           CDATA      # IMPLIED
  >
<!-- ELEMENT closereqs (reqconds) -->
<!-- ATTLIST closereqs
    id            ID          # IMPLIED
    level         NMTOKEN     # IMPLIED
    mark          NMTOKEN     # IMPLIED
    change        (add | delete | modify)      # IMPLIED
    rfc           CDATA      # IMPLIED
-->

```



B.6 过程信息 DTD

本文件包含了过程内容 DTD。它标识了所有与过程有关的元素和它们之间的关系。

```

<? xml version="1.0" encoding="UTF-8"?>
<!-- ELEMENT dmodule (rdf:Description?, idstatus, content) -->
<!-- ATTLIST dmodule
    id            ID          # IMPLIED
    % RDFDCATT;
-->
<!-- ELEMENT idstatus (dmaddres, srcdmaddres?, status) -->
<!-- ELEMENT dmaddres (dmcextension?, dmc, dmtitle, issno, issdate) -->
<!-- ELEMENT dmcextension (dmeproducer, dmecode) -->
<!-- ELEMENT dmeproducer (# PCDATA) -->
<!-- ELEMENT dmecode (# PCDATA) -->
<!-- ELEMENT dmc (age | avee) -->
<!-- ELEMENT age (modelic, supeqvc, ecscs, eids, cidc, discode, discodev, incode, incodev, itemloc) -->
<!-- ELEMENT modelic (# PCDATA) -->
<!-- ELEMENT supeqvc (# PCDATA) -->
<!-- ELEMENT ecscs (# PCDATA) -->
<!-- ELEMENT eids (# PCDATA) -->
<!-- ELEMENT cidc (# PCDATA) -->
<!-- ELEMENT discode (# PCDATA) -->
<!-- ELEMENT discodev (# PCDATA) -->
<!-- ELEMENT incode (# PCDATA) -->
<!-- ELEMENT incodev (# PCDATA) -->
<!-- ELEMENT itemloc (# PCDATA) -->
<!-- ELEMENT avee (modelic, sdc, chapnum, section, subsect, subject, discode, discodev, incode, incodev,
itemloc) -->
<!-- ELEMENT sdc (# PCDATA) -->
<!-- ELEMENT chapnum (# PCDATA) -->
<!-- ELEMENT section (# PCDATA) -->
<!-- ELEMENT subsect (# PCDATA) -->
<!-- ELEMENT subject (# PCDATA) -->
<!-- ELEMENT dmtitle (techname, infoname?) -->

```

```

<! ELEMENT techname (# PCDATA)>
<! ELEMENT infoname (# PCDATA)>
<! ELEMENT issno EMPTY>
<! ATTLIST issno
    issno      NMTOKEN      # REQUIRED
    inwork     NMTOKEN      # IMPLIED
    type       (new | changed | deleted | revised | status | rinstat-changed | rinstat-revised |
rinstat-status)    "new"
>
<! ELEMENT issdate EMPTY>
<! ATTLIST issdate
    year       NMTOKEN      # REQUIRED
    month      NMTOKEN      # REQUIRED
    day        NMTOKEN      # REQUIRED
>
>
<! ELEMENT srcdmaddres (dmextension?,dmc,dmtitle,issno,issdate)>
<! ELEMENT status (security,datarest *,rpc,orig,applic,inlineapplics?,brexref,qa + ,rfu *,remarks
*)>
<! ATTLIST status
    id        ID          # IMPLIED
>
<! ELEMENT security EMPTY>
<! ATTLIST security
    class      (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)    # REQUIRED
    commcls    (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)    # IMPLIED
    caveat     (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)    # IMPLIED
>
<! ELEMENT datarest (applic?,instruct,inform?)>
<! ATTLIST datarest
    refapplic   IDREF      # IMPLIED
    id          ID          # IMPLIED
    level       NMTOKEN      # IMPLIED
    mark        NMTOKEN      # IMPLIED
    change      (add | delete | modify)    # IMPLIED
    rfc         CDATA        # IMPLIED
>
<! ELEMENT applic (type?,model*)>
<! ATTLIST applic
    applicconf   (allowed | built | designed | installed | manufactured | supported)    # IMPLIED

```

```

id      ID      # IMPLIED
level   NMTOKEN  # IMPLIED
mark    NMTOKEN  # IMPLIED
change  (add | delete | modify)  # IMPLIED
rfc      CDATA    # IMPLIED
>
<! ELEMENT type (#PCDATA)>
<! ELEMENT model (version * ,((csnref | (mfc) * ),maintlevel?,techconds * ,opconds * ))>
<! ATTLIST model
  model      CDATA      # REQUIRED
>
<! ELEMENT version (versrank * )>
<! ATTLIST version
  version    CDATA      # REQUIRED
  id         ID         # IMPLIED
>
<! ELEMENT versrank ((single | range) + )>
<! ATTLIST versrank
  verstatus  CDATA      # IMPLIED
  id         ID         # IMPLIED
  level      NMTOKEN    # IMPLIED
  mark       NMTOKEN    # IMPLIED
  change     (add | delete | modify)  # IMPLIED
  rfc        CDATA      # IMPLIED
>
<! ELEMENT single (#PCDATA)>
<! ELEMENT range EMPTY>
<! ATTLIST range
  from       CDATA      # REQUIRED
  to         CDATA      # REQUIRED
>
<! ELEMENT csnref EMPTY>
<! ATTLIST csnref
  refcsn     CDATA      # REQUIRED
  refisn     CDATA      # IMPLIED
  refipp     CDATA      # IMPLIED
  refrpc     CDATA      # IMPLIED
  id         ID         # IMPLIED
  level      NMTOKEN    # IMPLIED
  mark       NMTOKEN    # IMPLIED
  change     (add | delete | modify)  # IMPLIED
  rfc        CDATA      # IMPLIED
  % XLINKATT2;
>
<! ELEMENT mfc (#PCDATA)>
<! ATTLIST mfc
  id         ID         # IMPLIED
  level      NMTOKEN    # IMPLIED
  mark       NMTOKEN    # IMPLIED
  change     (add | delete | modify)  # IMPLIED
  rfc        CDATA      # IMPLIED
>
<! ELEMENT pnr (#PCDATA)>
<! ELEMENT maintlevel (mntlvl + )>
<! ELEMENT mntlvl EMPTY>
<! ATTLIST mntlvl
  mntlvl     (m101 | m102 | m103 | m104 | m105 | m106 | m107 | m108 | m109 | m110 | m111 | m112
| m113 | m114 | m115 | m116 | m117 | m118 | m119 | m120 | m121 | m122 | m123 | m124 | m125 | m126
| m127 | m128 | m129 | m130 | m131 | m132 | m133 | m134 | m135 | m136 | m137 | m138 | m139 | m140
| m141 | m142 | m143 | m144 | m145 | m146 | m147 | m148 | m149 | m150 | m151 | m152 | m153 | m154

```

```

| m155 | m156 | m157 | m158 | m159 | m160 | m161 | m162 | m163 | m164 | m165 | m166 | m167 | m168
| m169 | m170 | m171 | m172 | m173 | m174 | m175 | m176 | m177 | m178 | m179 | m180 | m181 | m182
| m183 | m184 | m185 | m186 | m187 | m188 | m189 | m190 | m191 | m192 | m193 | m194 | m195 | m196
| m197 | m198 | m199)      # REQUIRED
>
<! ELEMENT techconds (textual-desc?,techcond * )>
<! ATTLIST techconds
  id      ID      # IMPLIED
  level    NMTOKEN # IMPLIED
  mark     NMTOKEN # IMPLIED
  change   (add | delete | modify) # IMPLIED
  rfc      CDATA   # IMPLIED
>
<! ELEMENT textual-desc (#PCDATA)>
<! ATTLIST textual-desc
  id      ID      # IMPLIED
  level    NMTOKEN # IMPLIED
  mark     NMTOKEN # IMPLIED
  change   (add | delete | modify) # IMPLIED
  rfc      CDATA   # IMPLIED
>
<! ELEMENT techcond (((((age | avee), issno?, dmtitle?) | (pubcode, pubtitle?, pubdate?) | condtitle? ),
scheduled?, embodied?))
<! ATTLIST techcond
  tccode   (tc01 | tc02 | tc03 | tc04 | tc05 | tc06 | tc07 | tc08 | tc09 | tc10 | tc11 | tc12
| tc13 | tc14 | tc15 | tc16 | tc17 | tc18 | tc19 | tc20 | tc21 | tc22 | tc23 | tc24 | tc25 | tc26
| tc27 | tc28 | tc29 | tc30 | tc31 | tc32 | tc33 | tc34 | tc35 | tc36 | tc37 | tc38 | tc39 | tc40
| tc41 | tc42 | tc43 | tc44 | tc45 | tc46 | tc47 | tc48 | tc49 | tc50 | tc51 | tc52 | tc53 | tc54
| tc55 | tc56 | tc57 | tc58 | tc59 | tc60 | tc61 | tc62 | tc63 | tc64 | tc65 | tc66 | tc67 | tc68
| tc69 | tc70 | tc71 | tc72 | tc73 | tc74 | tc75 | tc76 | tc77 | tc78 | tc79 | tc80 | tc81 | tc82
| tc83 | tc84 | tc85 | tc86 | tc87 | tc88 | tc89 | tc90 | tc91 | tc92 | tc93 | tc94 | tc95 | tc96
| tc97 | tc98 | tc99)      # REQUIRED
  tcno     CDATA   # IMPLIED
  tcstype  (pre | post | preandpo) # REQUIRED
  mfc      CDATA   # IMPLIED
  id      ID      # IMPLIED
  level    NMTOKEN # IMPLIED
  mark     NMTOKEN # IMPLIED
  change   (add | delete | modify) # IMPLIED
  rfc      CDATA   # IMPLIED
>
<! ELEMENT pubcode (#PCDATA | pmc) * >
<! ATTLIST pubcode
  pubcodsy CDATA   # IMPLIED
>
<! ELEMENT pmc (modelic,pmissuer,pmnumber,pmvolume)>
<! ELEMENT pmissuer (#PCDATA)>
<! ELEMENT pmnumber (#PCDATA)>
<! ELEMENT pmvolume (#PCDATA)>
<! ELEMENT pubtitle (#PCDATA)>
<! ELEMENT pubdate EMPTY>
<! ATTLIST pubdate
  year     NMTOKEN # REQUIRED
  month    NMTOKEN # REQUIRED
  day      NMTOKEN # REQUIRED
>
<! ELEMENT condtitle (#PCDATA)>
<! ATTLIST condtitle
  id      ID      # IMPLIED
  level    NMTOKEN # IMPLIED

```



```

    mark      NMTOKEN      # IMPLIED
    change    (add | delete | modify)    # IMPLIED
    rfc       CDATA        # IMPLIED
  >
<! ELEMENT scheduled ((single | range) + )>
<! ATTLIST scheduled
  id      ID      # IMPLIED
  level   NMTOKEN  # IMPLIED
  mark     NMTOKEN  # IMPLIED
  change  (add | delete | modify)    # IMPLIED
  rfc     CDATA    # IMPLIED
>
<! ELEMENT embodied ((single | range) + )>
<! ATTLIST embodied
  id      ID      # IMPLIED
  level   NMTOKEN  # IMPLIED
  mark     NMTOKEN  # IMPLIED
  change  (add | delete | modify)    # IMPLIED
  rfc     CDATA    # IMPLIED
>
<! ELEMENT opconds (textual-desc?, opcond * )>
<! ATTLIST opconds
  id      ID      # IMPLIED
  level   NMTOKEN  # IMPLIED
  mark     NMTOKEN  # IMPLIED
  change  (add | delete | modify)    # IMPLIED
  rfc     CDATA    # IMPLIED
>
<! ELEMENT opcond ( #PCDATA)>
<! ATTLIST opcond
  opcno     NMTOKEN      # IMPLIED
  opccode    CDATA        # IMPLIED
  confirmed  NMTOKEN      # IMPLIED
  id      ID      # IMPLIED
  level   NMTOKEN  # IMPLIED
  mark     NMTOKEN  # IMPLIED
  change  (add | delete | modify)    # IMPLIED
  rfc     CDATA    # IMPLIED
>
<! ELEMENT instruct (distrib, handling?)>
<! ATTLIST instruct
  id      ID      # IMPLIED
  level   NMTOKEN  # IMPLIED
  mark     NMTOKEN  # IMPLIED
  change  (add | delete | modify)    # IMPLIED
  rfc     CDATA    # IMPLIED
>
<! ELEMENT distrib ( #PCDATA)>
<! ATTLIST distrib
  id      ID      # IMPLIED
  level   NMTOKEN  # IMPLIED
  mark     NMTOKEN  # IMPLIED
  change  (add | delete | modify)    # IMPLIED
  rfc     CDATA    # IMPLIED
>
<! ELEMENT handling ( #PCDATA)>
<! ATTLIST handling
  id      ID      # IMPLIED
  level   NMTOKEN  # IMPLIED
  mark     NMTOKEN  # IMPLIED

```

```

    change      (add | delete | modify)      # IMPLIED
    rfc          CDATA                        # IMPLIED
  >
< ! ELEMENT inform (copyright)>
< ! ATTLIST inform
  id      ID      # IMPLIED
  level    NMTOKEN # IMPLIED
  mark     NMTOKEN # IMPLIED
  change   (add | delete | modify)          # IMPLIED
  rfc      CDATA  # IMPLIED
>
< ! ELEMENT copyright (para +)>
< ! ATTLIST copyright
  id      ID      # IMPLIED
  level    NMTOKEN # IMPLIED
  mark     NMTOKEN # IMPLIED
  change   (add | delete | modify)          # IMPLIED
  rfc      CDATA  # IMPLIED
>
< ! ELEMENT para (#PCDATA | applic | ein | cb | parasigdata | quantity | xref | indxflag | change |
emphasis | symbol | subscript | superscript | refdm | reftp | ftnote | ftnref | acronym | acroterm |
capgrp | seqlist | randlist | deflist)*>
< ! ATTLIST para
  refapplic  IDREF      # IMPLIED
  id      ID      # IMPLIED
  level    NMTOKEN # IMPLIED
  mark     NMTOKEN # IMPLIED
  change   (add | delete | modify)          # IMPLIED
  rfc      CDATA  # IMPLIED
  class    (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99) # IMPLIED
  commcls   (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99) # IMPLIED
  caveat    (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99) # IMPLIED
>
< ! ELEMENT ein (nomen?,refs?)>
< ! ATTLIST ein
  einnbr  CDATA      # REQUIRED
  eintype  (exact | family) # IMPLIED
  mfc      CDATA      # IMPLIED
  id      ID      # IMPLIED
  level    NMTOKEN # IMPLIED
  mark     NMTOKEN # IMPLIED

```

```

    change      (add | delete | modify)      # IMPLIED
    rfc          CDATA          # IMPLIED
  >
< ! ELEMENT nomen ( #PCDATA ) >
< ! ATTLIST nomen
  level      NMTOKEN      # IMPLIED
  mark       NMTOKEN      # IMPLIED
  change     (add | delete | modify)      # IMPLIED
  rfc        CDATA        # IMPLIED
>
< ! ELEMENT refs ((refdm+ ,reftp* ) | reftp+ ) >
< ! ELEMENT refdm ((applic?,dmcextension?,(age | avee),issno?,dmtitle?,) | (( % XLINKEXT; ) * ) ) >
< ! ATTLIST refdm
  target      CDATA          # IMPLIED
  refapplic    IDREF          # IMPLIED
  id          ID             # IMPLIED
  level      NMTOKEN      # IMPLIED
  mark       NMTOKEN      # IMPLIED
  change     (add | delete | modify)      # IMPLIED
  rfc        CDATA        # IMPLIED
  % XLINKATT;
>
< ! ELEMENT reftp ( #PCDATA | applic | xref | indxflag | symbol | subscript | superscript | ftnref |
acronym | acroterm | pubcode | pubtitle | pubdate | % XLINKEXT; ) * >
< ! ATTLIST reftp
  refapplic    IDREF          # IMPLIED
  id          ID             # IMPLIED
  level      NMTOKEN      # IMPLIED
  mark       NMTOKEN      # IMPLIED
  change     (add | delete | modify)      # IMPLIED
  rfc        CDATA        # IMPLIED
  % XLINKATT4;
>
< ! ELEMENT xref ( #PCDATA | applic | subscript | superscript ) * >
< ! ATTLIST xref
  xrefid      IDREF          # IMPLIED
  xidtype     (figure | table | multimedia | supply | supequip | spares | para | step | sheet |
multimediaobject | hotspot | param | other)      # IMPLIED
  target      CDATA          # IMPLIED
  destitle    CDATA          # IMPLIED
  pretext     CDATA          # IMPLIED
  posttext    CDATA          # IMPLIED
  refapplic    IDREF          # IMPLIED
  % XLINKATT3;
>
< ! ELEMENT subscript ( #PCDATA ) >
< ! ELEMENT superscript ( #PCDATA ) >
< ! ELEMENT indxflag EMPTY >
< ! ATTLIST indxflag
  ref1      CDATA          # IMPLIED
  ref2      CDATA          # IMPLIED
  ref3      CDATA          # IMPLIED
  ref4      CDATA          # IMPLIED
>
< ! ELEMENT symbol (applic? ) >
< ! ATTLIST symbol
  boardno     ENTITY          # REQUIRED
  id          ID             # IMPLIED
  reprowid    CDATA          # IMPLIED
  reprohgt    CDATA          # IMPLIED

```

```

    reprosc1    CDATA      # IMPLIED
    refapplic   IDREF      # IMPLIED
    %XLINKATT1;
>
<! ELEMENT ftnref EMPTY>
<! ATTLIST ftnref
    xrefid      IDREF      # IMPLIED
>
<! ELEMENT acronym (acroterm,acrodef)>
<! ATTLIST acronym
    acrotype    (at01 | at02 | at03 | at04 | at05 | at06 | at07 | at08 | at09 | at10 | at11 | at12
| at13 | at14 | at15 | at16 | at17 | at18 | at19 | at20 | at21 | at22 | at23 | at24 | at25 | at26
| at27 | at28 | at29 | at30 | at31 | at32 | at33 | at34 | at35 | at36 | at37 | at38 | at39 | at40
| at41 | at42 | at43 | at44 | at45 | at46 | at47 | at48 | at49 | at50 | at51 | at52 | at53 | at54
| at55 | at56 | at57 | at58 | at59 | at60 | at61 | at62 | at63 | at64 | at65 | at66 | at67 | at68
| at69 | at70 | at71 | at72 | at73 | at74 | at75 | at76 | at77 | at78 | at79 | at80 | at81 | at82
| at83 | at84 | at85 | at86 | at87 | at88 | at89 | at90 | at91 | at92 | at93 | at94 | at95 | at96
| at97 | at98 | at99)    "at01"
    id          ID        # IMPLIED
    level       NMTOKEN   # IMPLIED
    mark        NMTOKEN   # IMPLIED
    change      (add | delete | modify)    # IMPLIED
    rfc         CDATA     # IMPLIED
>
<! ELEMENT acroterm (#PCDATA | subscript | superscript)*>
<! ATTLIST acroterm
    xrefid      IDREF      # IMPLIED
>
<! ELEMENT acrodef (#PCDATA | subscript | superscript)*>
<! ATTLIST acrodef
    id          ID        # IMPLIED
    level       NMTOKEN   # IMPLIED
    mark        NMTOKEN   # IMPLIED
    change      (add | delete | modify)    # IMPLIED
    rfc         CDATA     # IMPLIED
>
<! ELEMENT cb (nomen?,refs?)>
<! ATTLIST cb
    cbnbr       CDATA     # REQUIRED
    cbtype      (eltro | elmec | clip)      # IMPLIED
    cbaction    (open | close | verif-open | verif-close)    # IMPLIED
    checksum    CDATA     # IMPLIED
    id          ID        # IMPLIED
    level       NMTOKEN   # IMPLIED
    mark        NMTOKEN   # IMPLIED
    change      (add | delete | modify)    # IMPLIED
    rfc         CDATA     # IMPLIED
>
<! ELEMENT parasigdata (#PCDATA)>
<! ATTLIST parasigdata
    psdtype    (psd01 | psd02 | psd03 | psd04 | psd05 | psd06 | psd07 | psd08 | psd09 | psd10 | psd11
| psd12 | psd13 | psd14 | psd15 | psd16 | psd17 | psd18 | psd19 | psd20 | psd21 | psd22 | psd23
| psd24 | psd25 | psd26 | psd27 | psd28 | psd29 | psd30 | psd31 | psd32 | psd33 | psd34 | psd35
| psd36 | psd37 | psd38 | psd39 | psd40 | psd41 | psd42 | psd43 | psd44 | psd45 | psd46 | psd47
| psd48 | psd49 | psd50 | psd51 | psd52 | psd53 | psd54 | psd55 | psd56 | psd57 | psd58 | psd59
| psd60 | psd61 | psd62 | psd63 | psd64 | psd65 | psd66 | psd67 | psd68 | psd69 | psd70 | psd71
| psd72 | psd73 | psd74 | psd75 | psd76 | psd77 | psd78 | psd79 | psd80 | psd81 | psd82 | psd83
| psd84 | psd85 | psd86 | psd87 | psd88 | psd89 | psd90 | psd91 | psd92 | psd93 | psd94 | psd95
| psd96 | psd97 | psd98 | psd99)    # REQUIRED
>

```

```

<! ELEMENT quantity ( # PCDATA | qtygrp ) * >
<! ATTLIST quantity
    qtytype (qty01 | qty02 | qty03 | qty04 | qty05 | qty06 | qty07 | qty08 | qty09 | qty10 | qty11
| qty12 | qty13 | qty14 | qty15 | qty16 | qty17 | qty18 | qty19 | qty20 | qty21 | qty22 | qty23
| qty24 | qty25 | qty26 | qty27 | qty28 | qty29 | qty30 | qty31 | qty32 | qty33 | qty34 | qty35
| qty36 | qty37 | qty38 | qty39 | qty40 | qty41 | qty42 | qty43 | qty44 | qty45 | qty46 | qty47
| qty48 | qty49 | qty50 | qty51 | qty52 | qty53 | qty54 | qty55 | qty56 | qty57 | qty58 | qty59
| qty60 | qty61 | qty62 | qty63 | qty64 | qty65 | qty66 | qty67 | qty68 | qty69 | qty70 | qty71
| qty72 | qty73 | qty74 | qty75 | qty76 | qty77 | qty78 | qty79 | qty80 | qty81 | qty82 | qty83
| qty84 | qty85 | qty86 | qty87 | qty88 | qty89 | qty90 | qty91 | qty92 | qty93 | qty94 | qty95
| qty96 | qty97 | qty98 | qty99) # IMPLIED
>
<! ELEMENT qtygrp ((qtyvalue + ,qtytolerance * ) | (qtytolerance + ))>
<! ATTLIST qtygrp
    qtygrptype (nominal | minimum | maximum) "nominal"
    qtyuom CDATA # IMPLIED
>
<! ELEMENT qtyvalue ( # PCDATA )>
<! ATTLIST qtyvalue
    qtyuom CDATA # IMPLIED
>
<! ELEMENT qtytolerance ( # PCDATA )>
<! ATTLIST qtytolerance
    qtytoltype (plus | minus | plusorminus) "plusorminus"
    qtyuom CDATA # IMPLIED
>
<! ELEMENT change ( # PCDATA | ein | cb | parasigdata | quantity | xref | indxflag | change | emphasis |
symbol | subscript | superscript | refdm | reftp | ftntnote | ftntref | acronym | acroterm | capgrp ) * >
<! ATTLIST change
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
>
<! ELEMENT emphasis ( # PCDATA | ein | cb | parasigdata | quantity | xref | indxflag | change | em-
phasis | symbol | subscript | superscript | refdm | reftp | ftntnote | ftntref | acronym | acroterm |
capgrp ) * >
<! ATTLIST emphasis
    emph (em01 | em02 | em03 | em04 | em05 | em06 | em07 | em08 | em09 | em10 | em11 | em12 | em13
| em14 | em15 | em16 | em17 | em18 | em19 | em20 | em21 | em22 | em23 | em24 | em25 | em26 | em27
| em28 | em29 | em30 | em31 | em32 | em33 | em34 | em35 | em36 | em37 | em38 | em39 | em40 | em41
| em42 | em43 | em44 | em45 | em46 | em47 | em48 | em49 | em50 | em51 | em52 | em53 | em54 | em55
| em56 | em57 | em58 | em59 | em60 | em61 | em62 | em63 | em64 | em65 | em66 | em67 | em68 | em69
| em70 | em71 | em72 | em73 | em74 | em75 | em76 | em77 | em78 | em79 | em80 | em81 | em82 | em83
| em84 | em85 | em86 | em87 | em88 | em89 | em90 | em91 | em92 | em93 | em94 | em95 | em96 | em97
| em98 | em99) "em01"
>
<! ELEMENT ftntnote (applic?,para + )>
<! ATTLIST ftntnote
    ftntmark (num | sym | alpha) "num"
    refapplic IDREF # IMPLIED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
    class (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56

```

```

| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95 |
| 96 | 97 | 98 | 99)    # IMPLIED
    commcls    (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)    # IMPLIED
    caveat     (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)    # IMPLIED
>
< ! ELEMENT capgrp (applic?, colspec *, spanspec *, capbody) >
< ! ATTLIST capgrp
  cols      NMTOKEN      # REQUIRED
  align     (left | right | center)    "left"
  toctype   (none | redtoc | comdtoc | ambertoc | greentoc | yellowtoc)    "none"
  colsep    NMTOKEN      # IMPLIED
  rowsep    NMTOKEN      # IMPLIED
  refapplic IDREF        # IMPLIED
  id        ID           # IMPLIED
  level     NMTOKEN      # IMPLIED
  mark      NMTOKEN      # IMPLIED
  change    (add | delete | modify)    # IMPLIED
  rfc       CDATA        # IMPLIED
>
< ! ELEMENT colspec EMPTY >
< ! ATTLIST colspec
  colnum    NMTOKEN      # IMPLIED
  colname   NMTOKEN      # IMPLIED
  align     (left | right | center | justify | char)    # IMPLIED
  charoff   CDATA        # IMPLIED
  char      CDATA        # IMPLIED
  colwidth  CDATA        # IMPLIED
  colsep    NMTOKEN      # IMPLIED
  rowsep    NMTOKEN      # IMPLIED
>
< ! ELEMENT spanspec EMPTY >
< ! ATTLIST spanspec
  namest    NMTOKEN      # REQUIRED
  nameend   NMTOKEN      # REQUIRED
  spanname  NMTOKEN      # REQUIRED
  align     (left | right | center | justify | char)    "center"
  charoff   CDATA        # IMPLIED
  char      CDATA        # IMPLIED
  colsep    NMTOKEN      # IMPLIED
  rowsep    NMTOKEN      # IMPLIED
>
< ! ELEMENT capbody (applic?, caprow +) >
< ! ATTLIST capbody
  valign    (top | bottom | middle)    "top"
  refapplic IDREF        # IMPLIED

```

```

>
<! ELEMENT caprow ((applic?,capentry) + )>
<! ATTLIST caprow
    rowsep    NMTOKEN    # IMPLIED
    refapplic  IDREF      # IMPLIED
    id        ID         # IMPLIED
    level     NMTOKEN    # IMPLIED
    mark      NMTOKEN    # IMPLIED
    change    (add | delete | modify)    # IMPLIED
    rfc       CDATA      # IMPLIED
>
<! ELEMENT capentry (applic?,((caption | captext)?))>
<! ATTLIST capentry
    colname   NMTOKEN    # IMPLIED
    namest    NMTOKEN    # IMPLIED
    nameend   NMTOKEN    # IMPLIED
    spanname  NMTOKEN    # IMPLIED
    morerows  NMTOKEN    "0"
    colsep    NMTOKEN    # IMPLIED
    rowsep    NMTOKEN    # IMPLIED
    valign    (top | bottom | middle)    "top"
    align     (left | right | center | justify)    # IMPLIED
    refapplic  IDREF      # IMPLIED
>
<! ELEMENT caption (applic?,capline + )>
<! ATTLIST caption
    colour    (co00 | co01 | co02 | co03 | co04 | co05 | co06 | co07 | co08 | co09 | co10 | co11
| co12 | co13 | co14 | co15 | co16 | co17 | co18 | co19 | co20 | co21 | co22 | co23 | co24 | co25
| co26 | co27 | co28 | co29 | co30 | co31 | co32 | co33 | co34 | co35 | co36 | co37 | co38 | co39
| co40 | co41 | co42 | co43 | co44 | co45 | co46 | co47 | co48 | co49 | co50 | co51 | co52 | co53
| co54 | co55 | co56 | co57 | co58 | co59 | co60 | co61 | co62 | co63 | co64 | co65 | co66 | co67
| co68 | co69 | co70 | co71 | co72 | co73 | co74 | co75 | co76 | co77 | co78 | co79 | co80 | co81
| co82 | co83 | co84 | co85 | co86 | co87 | co88 | co89 | co90 | co91 | co92 | co93 | co94 | co95
| co96 | co97 | co98 | co99)    "co09"
    width     CDATA      # IMPLIED
    height    CDATA      # IMPLIED
    sysid     CDATA      # IMPLIED
    align     (left | right | center | justify)    "center"
    toctype   (none | redtoc | comdtoc | ambertoc | greentoc | yellowtoc)    "none"
    type      (primary | secondary)    "primary"
    refapplic  IDREF      # IMPLIED
    id        ID         # IMPLIED
    level     NMTOKEN    # IMPLIED
    mark      NMTOKEN    # IMPLIED
    change    (add | delete | modify)    # IMPLIED
    rfc       CDATA      # IMPLIED
>
<! ELEMENT capline (#PCDATA | acroterm) * >
<! ELEMENT captext (#PCDATA | xref | indxflag | change | emphasis | subscript | superscript | refdm |
reftp | acronym | acroterm) * >
<! ATTLIST captext
    level     NMTOKEN    # IMPLIED
    mark      NMTOKEN    # IMPLIED
    change    (add | delete | modify)    # IMPLIED
    rfc       CDATA      # IMPLIED
>
<! ELEMENT seqlist (applic?,title?,item + )>
<! ATTLIST seqlist
    refapplic  IDREF      # IMPLIED
    id        ID         # IMPLIED

```

```

level      NMTOKEN      # IMPLIED
mark       NMTOKEN      # IMPLIED
change     (add | delete | modify)      # IMPLIED
rfc        CDATA        # IMPLIED
class      (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)      # IMPLIED
commcls    (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)      # IMPLIED
caveat     (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)      # IMPLIED
>
<! ELEMENT title ( #PCDATA | ein | cb | parasigdata | quantity | xref | indxflag | change | emphasis
| symbol | subscript | supscript | refdm | reftp | ftnote | ftnref | acronym | acroterm | capgrp ) * >
<! ATTLIST title
class      (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)      # IMPLIED
commcls    (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)      # IMPLIED
caveat     (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)      # IMPLIED
>
<! ELEMENT item ( #PCDATA | applic | note | para | ein | cb | parasigdata | quantity | xref | indxflag |
change | emphasis | symbol | subscript | supscript | refdm | reftp | ftnote | ftnref | acronym |
acroterm | capgrp | seqlist | randlist | deflist ) * >
<! ATTLIST item
refapplic  IDREF      # IMPLIED
id         ID         # IMPLIED
level      NMTOKEN      # IMPLIED

```



```

mark      NMTOKEN      # IMPLIED
change    (add | delete | modify)    # IMPLIED
rfc       CDATA        # IMPLIED
>
<! ELEMENT note (applic?,((symbol | para | (seqlist | randlist | deflist))+))>
<! ATTLIST note
  type      CDATA      # IMPLIED
  refapplic IDREF      # IMPLIED
  xrefid    IDREF      # IMPLIED
  id        ID         # IMPLIED
  level     NMTOKEN    # IMPLIED
  mark      NMTOKEN    # IMPLIED
  change    (add | delete | modify)    # IMPLIED
  rfc       CDATA      # IMPLIED
>
<! ELEMENT randlist (applic?,title?,item+)>
<! ATTLIST randlist
  prefix    (pf01 | pf02 | pf03 | pf04 | pf05 | pf06 | pf07 | pf08 | pf09 | pf10 | pf11 | pf12
| pf13 | pf14 | pf15 | pf16 | pf17 | pf18 | pf19 | pf20 | pf21 | pf22 | pf23 | pf24 | pf25 | pf26
| pf27 | pf28 | pf29 | pf30 | pf31 | pf32 | pf33 | pf34 | pf35 | pf36 | pf37 | pf38 | pf39 | pf40
| pf41 | pf42 | pf43 | pf44 | pf45 | pf46 | pf47 | pf48 | pf49 | pf50 | pf51 | pf52 | pf53 | pf54
| pf55 | pf56 | pf57 | pf58 | pf59 | pf60 | pf61 | pf62 | pf63 | pf64 | pf65 | pf66 | pf67 | pf68
| pf69 | pf70 | pf71 | pf72 | pf73 | pf74 | pf75 | pf76 | pf77 | pf78 | pf79 | pf80 | pf81 | pf82
| pf83 | pf84 | pf85 | pf86 | pf87 | pf88 | pf89 | pf90 | pf91 | pf92 | pf93 | pf94 | pf95 | pf96
| pf97 | pf98 | pf99)    "pf02"
  refapplic IDREF      # IMPLIED
  id        ID         # IMPLIED
  level     NMTOKEN    # IMPLIED
  mark      NMTOKEN    # IMPLIED
  change    (add | delete | modify)    # IMPLIED
  rfc       CDATA      # IMPLIED
  class     (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)    # IMPLIED
  commcls   (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)    # IMPLIED
  caveat    (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)    # IMPLIED
>
<! ELEMENT deflist (applic?,title?,((term,def)+))>
<! ATTLIST deflist
  refapplic IDREF      # IMPLIED
  id        ID         # IMPLIED
  level     NMTOKEN    # IMPLIED
  mark      NMTOKEN    # IMPLIED

```

```

    change      (add | delete | modify)      # IMPLIED
    rfc          CDATA          # IMPLIED
    class        (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)          # IMPLIED
    commcls      (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)          # IMPLIED
    caveat        (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)          # IMPLIED
>
<! ELEMENT term (#PCDATA | applic | ein | cb | parasigdata | quantity | xref | indxflag | change |
emphasis | symbol | subscript | superscript | refdm | reftp | ftntnote | ftnref | acronym | acroterm |
capgrp) * >
<! ATTLIST term
    refapplic      IDREF      # IMPLIED
    id             ID         # IMPLIED
    level          NMTOKEN     # IMPLIED
    mark           NMTOKEN     # IMPLIED
    change         (add | delete | modify)      # IMPLIED
    rfc            CDATA       # IMPLIED
>
<! ELEMENT def (#PCDATA | applic | para | ein | cb | parasigdata | quantity | xref | indxflag |
change | emphasis | symbol | subscript | superscript | refdm | reftp | ftntnote | ftnref | acronym |
acroterm | capgrp | seqlist | randlist | deflist) * >
<! ATTLIST def
    refapplic      IDREF      # IMPLIED
    id             ID         # IMPLIED
    level          NMTOKEN     # IMPLIED
    mark           NMTOKEN     # IMPLIED
    change         (add | delete | modify)      # IMPLIED
    rfc            CDATA       # IMPLIED
>
<! ELEMENT orig (#PCDATA)>
<! ATTLIST orig
    origname CDATA          # IMPLIED
    id       ID            # IMPLIED
>
<! ELEMENT inlineapplics (applic +)>
<! ELEMENT autandtp (authblk,tpbase)>
<! ELEMENT authblk (#PCDATA)>
<! ELEMENT tpbase (#PCDATA)>
<! ELEMENT authex (inline?,retrofit?)>
<! ELEMENT inline (exmod*,addmod*)>
<! ELEMENT exmod (#PCDATA)>
<! ELEMENT addmod (#PCDATA)>

```

```

<! ELEMENT retrofit (mod+)>
<! ELEMENT mod (modtitle?)>
<! ATTLIST mod
  authno    NMTOKEN    # REQUIRED
  modtype    (pre | post | prandpo)    # REQUIRED
  id        ID        # IMPLIED
  level      NMTOKEN    # IMPLIED
  mark       NMTOKEN    # IMPLIED
  change     (add | delete | modify)    # IMPLIED
  rfc        CDATA      # IMPLIED
>
<! ELEMENT modtitle (#PCDATA)>
<! ELEMENT notes (#PCDATA)>
<! ELEMENT brexref (refdm)>
<! ELEMENT qa (applic?,(unverif | (firstver,secver?)))>
<! ATTLIST qa
  refapplic  IDREF      # IMPLIED
>
<! ELEMENT unverif EMPTY>
<! ELEMENT firstver EMPTY>
<! ATTLIST firstver
  type      (tabtop | onobject | ttandoo)    # REQUIRED
>
<! ELEMENT secver EMPTY>
<! ATTLIST secver
  type      (tabtop | onobject | ttandoo)    # REQUIRED
>
<! ELEMENT rfu (#PCDATA | applic | p)*>
<! ATTLIST rfu
  refapplic  IDREF      # IMPLIED
>
<! ELEMENT p (#PCDATA | subscript | superscript)*>
<! ATTLIST p
  id        ID        # IMPLIED
  level      NMTOKEN    # IMPLIED
  mark       NMTOKEN    # IMPLIED
  change     (add | delete | modify)    # IMPLIED
  rfc        CDATA      # IMPLIED
>
<! ELEMENT remarks (#PCDATA | applic | p)*>
<! ATTLIST remarks
  refapplic  IDREF      # IMPLIED
>
<! ELEMENT content (refs?,proced)>
<! ATTLIST content
  id        ID        # IMPLIED
>
<! ELEMENT proced (prelreqs,mainfunc,closereqs)>
<! ELEMENT prelreqs (pmd*,reqconds,reqpers*,supequip,supplies,spares,safety)>
<! ELEMENT pmd (applic?,thi*,zone*,accpnl*,avehcfg?,opndurn?)>
<! ATTLIST pmd
  refapplic  IDREF      # IMPLIED
>
<! ELEMENT thi (#PCDATA)>
<! ATTLIST thi
  uom (th01 | th02 | th03 | th04 | th05 | th06 | th07 | th08 | th09 | th10 | th11 | th12 | th13
| th14 | th15 | th16 | th17 | th18 | th19 | th20 | th21 | th22 | th23 | th24 | th25 | th26 | th27
| th28 | th29 | th30 | th31 | th32 | th33 | th34 | th35 | th36 | th37 | th38 | th39 | th40 | th41
| th42 | th43 | th44 | th45 | th46 | th47 | th48 | th49 | th50 | th51 | th52 | th53 | th54 | th55
| th56 | th57 | th58 | th59 | th60 | th61 | th62 | th63 | th64 | th65 | th66 | th67 | th68 | th69

```

```

| th70 | th71 | th72 | th73 | th74 | th75 | th76 | th77 | th78 | th79 | th80 | th81 | th82 | th83
| th84 | th85 | th86 | th87 | th88 | th89 | th90 | th91 | th92 | th93 | th94 | th95 | th96 | th97
| th98 | th99)      # REQUIRED
>
<! ELEMENT zone (nomen?,refs?)>
<! ATTLIST zone
  zonenbr CDATA      # IMPLIED
  id      ID         # IMPLIED
  level   NMTOKEN    # IMPLIED
  mark    NMTOKEN    # IMPLIED
  change  (add | delete | modify) # IMPLIED
  rfc     CDATA      # IMPLIED
>
<! ELEMENT accpnl (nomen?,refs?)>
<! ATTLIST accpnl
  accpnlnbr CDATA      # IMPLIED
  accpnltype (accpnl01 | accpnl02 | accpnl03 | accpnl04 | accpnl05 | accpnl06 | accpnl07 |
accpnl08 | accpnl09 | accpnl10 | accpnl11 | accpnl12 | accpnl13 | accpnl14 | accpnl15 | accpnl16 |
accpnl17 | accpnl18 | accpnl19 | accpnl20 | accpnl21 | accpnl22 | accpnl23 | accpnl24 | accpnl25 |
accpnl26 | accpnl27 | accpnl28 | accpnl29 | accpnl30 | accpnl31 | accpnl32 | accpnl33 | accpnl34 |
accpnl35 | accpnl36 | accpnl37 | accpnl38 | accpnl39 | accpnl40 | accpnl41 | accpnl42 | accpnl43 |
accpnl44 | accpnl45 | accpnl46 | accpnl47 | accpnl48 | accpnl49 | accpnl50 | accpnl51 | accpnl52 |
accpnl53 | accpnl54 | accpnl55 | accpnl56 | accpnl57 | accpnl58 | accpnl59 | accpnl60 | accpnl61 |
accpnl62 | accpnl63 | accpnl64 | accpnl65 | accpnl66 | accpnl67 | accpnl68 | accpnl69 | accpnl70 |
accpnl71 | accpnl72 | accpnl73 | accpnl74 | accpnl75 | accpnl76 | accpnl77 | accpnl78 | accpnl79 |
accpnl80 | accpnl81 | accpnl82 | accpnl83 | accpnl84 | accpnl85 | accpnl86 | accpnl87 | accpnl88 |
accpnl89 | accpnl90 | accpnl91 | accpnl92 | accpnl93 | accpnl94 | accpnl95 | accpnl96 | accpnl97 |
accpnl98 | accpnl99) # IMPLIED
  id      ID         # IMPLIED
  level   NMTOKEN    # IMPLIED
  mark    NMTOKEN    # IMPLIED
  change  (add | delete | modify) # IMPLIED
  rfc     CDATA      # IMPLIED
>
<! ELEMENT avehcfg (jacked,safedev,elecpr,hydpwr,airpwr,fuel,water,fcpos)>
<! ELEMENT jacked EMPTY>
<! ATTLIST jacked
  status (yes | no | indiffer | na) # REQUIRED
  power  (engine | apu | external | internal | indifferent | notapplic) # REQUIRED
>
<! ELEMENT safedev EMPTY>
<! ATTLIST safedev
  status (yes | no | indiffer | na) # REQUIRED
  power  (engine | apu | external | internal | indifferent | notapplic) # REQUIRED
>
<! ELEMENT elecpr EMPTY>
<! ATTLIST elecpr
  status (yes | no | indiffer | na) # REQUIRED
  power  (engine | apu | external | internal | indifferent | notapplic) # REQUIRED
>
<! ELEMENT hydpwr EMPTY>
<! ATTLIST hydpwr
  status (yes | no | indiffer | na) # REQUIRED
  power  (engine | apu | external | internal | indifferent | notapplic) # REQUIRED
>
<! ELEMENT airpwr EMPTY>
<! ATTLIST airpwr
  status (yes | no | indiffer | na) # REQUIRED
  power  (engine | apu | external | internal | indifferent | notapplic) # REQUIRED
>

```

```

<! ELEMENT fuel EMPTY>
<! ATTLIST fuel
  status      (yes | no | indiffer | na)      # REQUIRED
  power       (engine | apu | external | internal | indifferent | notapplic)    # REQUIRED
>
<! ELEMENT water EMPTY>
<! ATTLIST water
  status      (yes | no | indiffer | na)      # REQUIRED
  power       (engine | apu | external | internal | indifferent | notapplic)    # REQUIRED
>
<! ELEMENT fcposn EMPTY>
<! ATTLIST fcposn
  status      (yes | no | indiffer | na)      # REQUIRED
  power       (engine | apu | external | internal | indifferent | notapplic)    # REQUIRED
>
<! ELEMENT opndurn EMPTY>
<! ATTLIST opndurn
  prelreqs    CDATA      # REQUIRED
  proced      CDATA      # REQUIRED
  closeup     CDATA      # REQUIRED
  id          ID         # IMPLIED
>
<! ELEMENT reqconds (noconds | ((reqcond | reqcondm | reqcblst | reqcontp) + ))>
<! ELEMENT noconds EMPTY>
<! ELEMENT reqcond (#PCDATA | applic | xref | indxflag | symbol | subscript | superscript | ftnref |
acronym | acroterm) * >
<! ATTLIST reqcond
  refapplic   IDREF      # IMPLIED
>
<! ELEMENT reqcondm (applic?,((reqcond,refdm) + ))>
<! ATTLIST reqcondm
  refapplic   IDREF      # IMPLIED
>
<! ELEMENT reqcblst (applic?,(reqcond,cblst))>
<! ATTLIST reqcblst
  refapplic   IDREF      # IMPLIED
  id          ID         # IMPLIED
  level       NMTOKEN    # IMPLIED
  mark        NMTOKEN    # IMPLIED
  change      (add | delete | modify)      # IMPLIED
  rfc         CDATA      # IMPLIED
>
<! ELEMENT cblst (applic?,((cbsublst + ) + ))>
<! ATTLIST cblst
  refapplic   IDREF      # IMPLIED
  cbaction    (open | close | verif-open | verif-close)    # IMPLIED
  checksum    CDATA      # IMPLIED
  id          ID         # IMPLIED
  level       NMTOKEN    # IMPLIED
  mark        NMTOKEN    # IMPLIED
  change      (add | delete | modify)      # IMPLIED
  rfc         CDATA      # IMPLIED
>
<! ELEMENT cbsublst (applic?,ein * ,(cbdata + ))>
<! ATTLIST cbsublst
  cbaction    (open | close | verif-open | verif-close)    # IMPLIED
  checksum    CDATA      # IMPLIED
  refapplic   IDREF      # IMPLIED
  id          ID         # IMPLIED
  level       NMTOKEN    # IMPLIED

```



```

    mark      NMTOKEN      # IMPLIED
    change    (add | delete | modify)    # IMPLIED
    rfc       CDATA        # IMPLIED
  >
<! ELEMENT cbdata (applic?,cb,nomen,((xref | accpnl)?),cbloc?)>
<! ATTLIST cbdata
    refapplic IDREF      # IMPLIED
    id       ID         # IMPLIED
    level    NMTOKEN     # IMPLIED
    mark     NMTOKEN     # IMPLIED
    change   (add | delete | modify)    # IMPLIED
    rfc      CDATA      # IMPLIED
  >
<! ELEMENT cbloc ( #PCDATA)>
<! ATTLIST cbloc
    id       ID         # IMPLIED
    level    NMTOKEN     # IMPLIED
    mark     NMTOKEN     # IMPLIED
    change   (add | delete | modify)    # IMPLIED
    rfc      CDATA      # IMPLIED
  >
<! ELEMENT reqcontp (applic?,((reqcond,reftp) + ))>
<! ATTLIST reqcontp
    refapplic IDREF      # IMPLIED
  >
<! ELEMENT reqpers (applic?,((asrequir | person),((perscat,perskill?,trade?,esttime?)) + ))>
<! ATTLIST reqpers
    refapplic IDREF      # IMPLIED
    id       ID         # IMPLIED
    level    NMTOKEN     # IMPLIED
    mark     NMTOKEN     # IMPLIED
    change   (add | delete | modify)    # IMPLIED
    rfc      CDATA      # IMPLIED
  >
<! ELEMENT asrequir EMPTY>
<! ELEMENT person EMPTY>
<! ATTLIST person
    man      NMTOKEN     # REQUIRED
    id       ID         # IMPLIED
    level    NMTOKEN     # IMPLIED
    mark     NMTOKEN     # IMPLIED
    change   (add | delete | modify)    # IMPLIED
    rfc      CDATA      # IMPLIED
  >
<! ELEMENT perscat EMPTY>
<! ATTLIST perscat
    category CDATA      # REQUIRED
    id       ID         # IMPLIED
    level    NMTOKEN     # IMPLIED
    mark     NMTOKEN     # IMPLIED
    change   (add | delete | modify)    # IMPLIED
    rfc      CDATA      # IMPLIED
  >
<! ELEMENT perskill EMPTY>
<! ATTLIST perskill
    skill    (sk01 | sk02 | sk03 | sk04 | sk05 | sk06 | sk07 | sk08 | sk09 | sk10 | sk11 | sk12
| sk13 | sk14 | sk15 | sk16 | sk17 | sk18 | sk19 | sk20 | sk21 | sk22 | sk23 | sk24 | sk25 | sk26
| sk27 | sk28 | sk29 | sk30 | sk31 | sk32 | sk33 | sk34 | sk35 | sk36 | sk37 | sk38 | sk39 | sk40
| sk41 | sk42 | sk43 | sk44 | sk45 | sk46 | sk47 | sk48 | sk49 | sk50 | sk51 | sk52 | sk53 | sk54
| sk55 | sk56 | sk57 | sk58 | sk59 | sk60 | sk61 | sk62 | sk63 | sk64 | sk65 | sk66 | sk67 | sk68

```

```

| sk69 | sk70 | sk71 | sk72 | sk73 | sk74 | sk75 | sk76 | sk77 | sk78 | sk79 | sk80 | sk81 | sk82
| sk83 | sk84 | sk85 | sk86 | sk87 | sk88 | sk89 | sk90 | sk91 | sk92 | sk93 | sk94 | sk95 | sk96
| sk97 | sk98 | sk99) # REQUIRED
    id    ID    # IMPLIED
    level  NMTOKEN # IMPLIED
    mark   NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc    CDATA   # IMPLIED
>
<! ELEMENT trade (#PCDATA)>
<! ATTLIST trade
    id    ID    # IMPLIED
    level  NMTOKEN # IMPLIED
    mark   NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc    CDATA   # IMPLIED
>
<! ELEMENT esttime (#PCDATA)>
<! ATTLIST esttime
    id    ID    # IMPLIED
    level  NMTOKEN # IMPLIED
    mark   NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc    CDATA   # IMPLIED
>
<! ELEMENT supequip (nosupeq | supeqli)>
<! ELEMENT nosupeq EMPTY>
<! ELEMENT supeqli (supequi +)>
<! ELEMENT supequi (applic?,nomen?,(((csnref | identno | tool),refs?)+),qty,remarks?)>
<! ATTLIST supequi
    refapplic IDREF # IMPLIED
    id    ID    # IMPLIED
    level  NMTOKEN # IMPLIED
    mark   NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc    CDATA   # IMPLIED
>
<! ELEMENT identno (mfc)>
<! ATTLIST identno
    level  NMTOKEN # IMPLIED
    mark   NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc    CDATA   # IMPLIED
>
<! ELEMENT tool (refs?)>
<! ATTLIST tool
    toolnbr CDATA # REQUIRED
    mfc     CDATA # IMPLIED
    specific NMTOKEN "1"
    alternate NMTOKEN "0"
    id    ID    # IMPLIED
    level  NMTOKEN # IMPLIED
    mark   NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc    CDATA   # IMPLIED
>
<! ELEMENT qty (#PCDATA)>
<! ATTLIST qty
    uom     CDATA # IMPLIED
    level  NMTOKEN # IMPLIED

```

```

    mark      NMTOKEN      # IMPLIED
    change    (add | delete | modify)    # IMPLIED
    rfc        CDATA        # IMPLIED
  >
<! ELEMENT supplies (nosupply | supplyli)>
<! ELEMENT nosupply EMPTY>
<! ELEMENT supplyli (supply+)>
<! ELEMENT supply (applic?,nomen?,(((csnref | identno | con),refs?)+),qty,remarks?)>
<! ATTLIST supply
  refapplic   IDREF      # IMPLIED
  id          ID         # IMPLIED
  level       NMTOKEN    # IMPLIED
  mark        NMTOKEN    # IMPLIED
  change      (add | delete | modify)    # IMPLIED
  rfc         CDATA      # IMPLIED
>
<! ELEMENT con (refs?)>
<! ATTLIST con
  connbr      CDATA      # REQUIRED
  id          ID         # IMPLIED
  level       NMTOKEN    # IMPLIED
  mark        NMTOKEN    # IMPLIED
  change      (add | delete | modify)    # IMPLIED
  rfc         CDATA      # IMPLIED
>
<! ELEMENT spares (nospare | sparesli)>
<! ELEMENT nospare EMPTY>
<! ELEMENT sparesli (spare+)>
<! ELEMENT spare (applic?,nomen?,(((csnref | identno | ein),refs?)+),qty,remarks?)>
<! ATTLIST spare
  refapplic   IDREF      # IMPLIED
  id          ID         # IMPLIED
  level       NMTOKEN    # IMPLIED
  mark        NMTOKEN    # IMPLIED
  change      (add | delete | modify)    # IMPLIED
  rfc         CDATA      # IMPLIED
>
<! ELEMENT safety (nosafety | safecond)>
<! ELEMENT nosafety EMPTY>
<! ELEMENT safecond ((warning * ,caution * ),note * )>
<! ATTLIST safecond
  id          ID         # IMPLIED
>
<! ELEMENT warning (applic?,((symbol | para | (seqlist | randlist | deflist))+))>
<! ATTLIST warning
  type        CDATA      # IMPLIED
  xrefid      IDREF      # IMPLIED
  vital       NMTOKEN    # IMPLIED
  refapplic   IDREF      # IMPLIED
  id          ID         # IMPLIED
  level       NMTOKEN    # IMPLIED
  mark        NMTOKEN    # IMPLIED
  change      (add | delete | modify)    # IMPLIED
  rfc         CDATA      # IMPLIED
>
<! ELEMENT caution (applic?,((symbol | para | (seqlist | randlist | deflist))+))>
<! ATTLIST caution
  type        CDATA      # IMPLIED
  xrefid      IDREF      # IMPLIED
  refapplic   IDREF      # IMPLIED

```



```

id      ID      # IMPLIED
level   NMTOKEN # IMPLIED
mark    NMTOKEN # IMPLIED
change  (add | delete | modify) # IMPLIED
rfc     CDATA   # IMPLIED
>
<! ELEMENT mainfunc ((step1 | (figure | multimedia | foldout | table))+)>
<! ATTLIST mainfunc
  id      ID      # IMPLIED
  level   NMTOKEN # IMPLIED
  mark    NMTOKEN # IMPLIED
  change  (add | delete | modify) # IMPLIED
  rfc     CDATA   # IMPLIED
  check   CDATA   # IMPLIED
  skill   (sk01 | sk02 | sk03 | sk04 | sk05 | sk06 | sk07 | sk08 | sk09 | sk10 | sk11 | sk12
| sk13 | sk14 | sk15 | sk16 | sk17 | sk18 | sk19 | sk20 | sk21 | sk22 | sk23 | sk24 | sk25 | sk26
| sk27 | sk28 | sk29 | sk30 | sk31 | sk32 | sk33 | sk34 | sk35 | sk36 | sk37 | sk38 | sk39 | sk40
| sk41 | sk42 | sk43 | sk44 | sk45 | sk46 | sk47 | sk48 | sk49 | sk50 | sk51 | sk52 | sk53 | sk54
| sk55 | sk56 | sk57 | sk58 | sk59 | sk60 | sk61 | sk62 | sk63 | sk64 | sk65 | sk66 | sk67 | sk68
| sk69 | sk70 | sk71 | sk72 | sk73 | sk74 | sk75 | sk76 | sk77 | sk78 | sk79 | sk80 | sk81 | sk82
| sk83 | sk84 | sk85 | sk86 | sk87 | sk88 | sk89 | sk90 | sk91 | sk92 | sk93 | sk94 | sk95 | sk96
| sk97 | sk98 | sk99) # IMPLIED
>
<! ELEMENT step1 (((applic?,title?),(warning *,caution *),(((note | cblst | para) | (figure |
multimedia | foldout | table))*)),((step2) * ))>
<! ATTLIST step1
  refapplic IDREF # IMPLIED
  check     CDATA # IMPLIED
  skill     (sk01 | sk02 | sk03 | sk04 | sk05 | sk06 | sk07 | sk08 | sk09 | sk10 | sk11 | sk12
| sk13 | sk14 | sk15 | sk16 | sk17 | sk18 | sk19 | sk20 | sk21 | sk22 | sk23 | sk24 | sk25 | sk26
| sk27 | sk28 | sk29 | sk30 | sk31 | sk32 | sk33 | sk34 | sk35 | sk36 | sk37 | sk38 | sk39 | sk40
| sk41 | sk42 | sk43 | sk44 | sk45 | sk46 | sk47 | sk48 | sk49 | sk50 | sk51 | sk52 | sk53 | sk54
| sk55 | sk56 | sk57 | sk58 | sk59 | sk60 | sk61 | sk62 | sk63 | sk64 | sk65 | sk66 | sk67 | sk68
| sk69 | sk70 | sk71 | sk72 | sk73 | sk74 | sk75 | sk76 | sk77 | sk78 | sk79 | sk80 | sk81 | sk82
| sk83 | sk84 | sk85 | sk86 | sk87 | sk88 | sk89 | sk90 | sk91 | sk92 | sk93 | sk94 | sk95 | sk96
| sk97 | sk98 | sk99) # IMPLIED
  id      ID      # IMPLIED
  level   NMTOKEN # IMPLIED
  mark    NMTOKEN # IMPLIED
  change  (add | delete | modify) # IMPLIED
  rfc     CDATA   # IMPLIED
>
<! ELEMENT figure ((applic?,title),((graphic,rfa * ) | ((applic?,sheet,graphic,rfa * ) + )),legend?)>
<! ATTLIST figure
  refapplic IDREF # IMPLIED
  id      ID      # IMPLIED
  level   NMTOKEN # IMPLIED
  mark    NMTOKEN # IMPLIED
  change  (add | delete | modify) # IMPLIED
  rfc     CDATA   # IMPLIED
  class   (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99) # IMPLIED
  commcls (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54

```

```

| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99) # IMPLIED
    caveat (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99) # IMPLIED
>
<! ELEMENT graphic (hotspot * )>
<! ATTLIST graphic
    boardno ENTITY # REQUIRED
    id ID # IMPLIED
    reprowid CDATA # IMPLIED
    reprohgt CDATA # IMPLIED
    reproscl CDATA # IMPLIED
    % XLINKATT0;
>
<! ELEMENT hotspot (applic?,((hotspot | xref | refdm | csoref) * ))>
<! ATTLIST hotspot
    id ID # IMPLIED
    apsid CDATA # IMPLIED
    apsname CDATA # IMPLIED
    type CDATA # IMPLIED
    title CDATA # IMPLIED
    descript CDATA # IMPLIED
    coords CDATA # IMPLIED
    visibility (visible | hidden) "visible"
    refapplic IDREF # IMPLIED
>
<! ELEMENT rfa (#PCDATA | applic | ein | cb | parasigdata | quantity | xref | indxflag | change |
emphasis | symbol | subscript | superscript | refdm | reftp | ftntnote | ftntref | acronym | acroterm |
capgrp) * >
<! ATTLIST rfa
    refapplic IDREF # IMPLIED
>
<! ELEMENT sheet EMPTY>
<! ATTLIST sheet
    sheetno NMTOKEN # REQUIRED
    total NMTOKEN # REQUIRED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
    refapplic IDREF # IMPLIED
>
<! ELEMENT legend (deflist)>
<! ATTLIST legend
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
>
<! ELEMENT multimedia (((applic?,title)?),rfa * ,multimediaobject + )>

```

```

<! ATTLIST multimedia
  refapplic IDREF # IMPLIED
  id ID # IMPLIED
  level NMTOKEN # IMPLIED
  mark NMTOKEN # IMPLIED
  change (add | delete | modify) # IMPLIED
  rfc CDATA # IMPLIED
  class (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99) # IMPLIED
  commcls (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99) # IMPLIED
  caveat (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99) # IMPLIED
)
<! ELEMENT multimediaobject ((param) * )>
<! ATTLIST multimediaobject
  id ID # IMPLIED
  autoplay NMTOKEN # IMPLIED
  fullscrn NMTOKEN # IMPLIED
  boardno ENTITY # REQUIRED
  multimediaclass (3D | audio | video | other) # REQUIRED
  controls (hide | show) # IMPLIED
  duration NMTOKEN # IMPLIED
  width CDATA # IMPLIED
  height CDATA # IMPLIED
  %XLINKATT0;
)
<! ELEMENT param EMPTY>
<! ATTLIST param
  id ID # REQUIRED
  paramid CDATA # IMPLIED
  paramvalue CDATA # IMPLIED
  paramname CDATA # IMPLIED
)
<! ELEMENT foldout (figure | table)>
<! ELEMENT table (applic?,title?,(tgroup+ | graphic+))>
<! ATTLIST table
  tabstyle NMTOKEN # IMPLIED
  tocentry NMTOKEN "1"
  frame (top | bottom | topbot | all | sides | none) # IMPLIED
  colsep NMTOKEN # IMPLIED
  rowsep NMTOKEN # IMPLIED
  orient (port | land) # IMPLIED
  pgwide NMTOKEN # IMPLIED

```

```

    refapplic    IDREF    # IMPLIED
    id          ID      # IMPLIED
    level       NMTOKEN   # IMPLIED
    mark        NMTOKEN   # IMPLIED
    change      (add | delete | modify)    # IMPLIED
    rfc         CDATA     # IMPLIED
    class       (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)    # IMPLIED
    commcls     (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)    # IMPLIED
    caveat      (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)    # IMPLIED
  >
< ! ELEMENT tgroup (applic?, colspec *, spanspec *, thead?, tfoot?, tbody)>
< ! ATTLIST tgroup
    refapplic    IDREF    # IMPLIED
    cols         NMTOKEN   # REQUIRED
    tgstyle      NMTOKEN   # IMPLIED
    colsep       NMTOKEN   # IMPLIED
    rowsep       NMTOKEN   # IMPLIED
    align        (left | right | center | justify | char)    "left"
    charoff      CDATA     # IMPLIED
    char         CDATA     # IMPLIED
  >
< ! ELEMENT thead (colspec *, row +)>
< ! ATTLIST thead
    valign       (top | bottom | middle)    "bottom"
  >
< ! ELEMENT row (applic?, ((entry) + ))>
< ! ATTLIST row
    refapplic    IDREF    # IMPLIED
    rowsep       NMTOKEN   # IMPLIED
    id          ID      # IMPLIED
    level       NMTOKEN   # IMPLIED
    mark        NMTOKEN   # IMPLIED
    change      (add | delete | modify)    # IMPLIED
    rfc         CDATA     # IMPLIED
  >
< ! ELEMENT entry (#PCDATA | applic | para | warning | caution | note | legend | ein | cb | parasigdata |
quantity | xref | indxflag | change | emphasis | symbol | subscript | superscript | refdm | reftp |
ftnote | ftnref | acronym | acroterm | capgrp | seqlist | randlist | deflist)*>
< ! ATTLIST entry
    refapplic    IDREF    # IMPLIED
    colname      NMTOKEN   # IMPLIED

```

```

namest  NMTOKEN  # IMPLIED
nameend  NMTOKEN  # IMPLIED
spanname NMTOKEN  # IMPLIED
morerows NMTOKEN  "0"
colsep   NMTOKEN  # IMPLIED
rowsep   NMTOKEN  # IMPLIED
rotate   NMTOKEN  "0"
valign   (top | bottom | middle)  "top"
align    (left | right | center | justify | char)  # IMPLIED
charoff  CDATA    # IMPLIED
char     CDATA    # IMPLIED
id       ID       # IMPLIED
>
<!-- ELEMENT tfoot (colspec * ,row + )>
<!-- ATTLIST tfoot
    valign (top | bottom | middle)  "top"
>
<!-- ELEMENT tbody (row + )>
<!-- ATTLIST tbody
    valign (top | bottom | middle)  "top"
>
<!-- ELEMENT step2 (((applic?,title?),(warning * ,caution * ),(((note | cblst | para) | (figure |
multimedia | foldout | table)) * )),((step3) * )))
<!-- ATTLIST step2
    refapplic  IDREF  # IMPLIED
    check      CDATA  # IMPLIED
    skill      (sk01 | sk02 | sk03 | sk04 | sk05 | sk06 | sk07 | sk08 | sk09 | sk10 | sk11 | sk12
| sk13 | sk14 | sk15 | sk16 | sk17 | sk18 | sk19 | sk20 | sk21 | sk22 | sk23 | sk24 | sk25 | sk26
| sk27 | sk28 | sk29 | sk30 | sk31 | sk32 | sk33 | sk34 | sk35 | sk36 | sk37 | sk38 | sk39 | sk40
| sk41 | sk42 | sk43 | sk44 | sk45 | sk46 | sk47 | sk48 | sk49 | sk50 | sk51 | sk52 | sk53 | sk54
| sk55 | sk56 | sk57 | sk58 | sk59 | sk60 | sk61 | sk62 | sk63 | sk64 | sk65 | sk66 | sk67 | sk68
| sk69 | sk70 | sk71 | sk72 | sk73 | sk74 | sk75 | sk76 | sk77 | sk78 | sk79 | sk80 | sk81 | sk82
| sk83 | sk84 | sk85 | sk86 | sk87 | sk88 | sk89 | sk90 | sk91 | sk92 | sk93 | sk94 | sk95 | sk96
| sk97 | sk98 | sk99)  # IMPLIED
    id        ID      # IMPLIED
    level     NMTOKEN  # IMPLIED
    mark      NMTOKEN  # IMPLIED
    change    (add | delete | modify)  # IMPLIED
    rfc       CDATA    # IMPLIED
>
<!-- ELEMENT step3 (((applic?,title?),(warning * ,caution * ),(((note | cblst | para) | (figure | mul-
timedia | foldout | table)) * )),((step4) * )))
<!-- ATTLIST step3
    refapplic  IDREF  # IMPLIED
    check      CDATA  # IMPLIED
    skill      (sk01 | sk02 | sk03 | sk04 | sk05 | sk06 | sk07 | sk08 | sk09 | sk10 | sk11 | sk12
| sk13 | sk14 | sk15 | sk16 | sk17 | sk18 | sk19 | sk20 | sk21 | sk22 | sk23 | sk24 | sk25 | sk26
| sk27 | sk28 | sk29 | sk30 | sk31 | sk32 | sk33 | sk34 | sk35 | sk36 | sk37 | sk38 | sk39 | sk40
| sk41 | sk42 | sk43 | sk44 | sk45 | sk46 | sk47 | sk48 | sk49 | sk50 | sk51 | sk52 | sk53 | sk54
| sk55 | sk56 | sk57 | sk58 | sk59 | sk60 | sk61 | sk62 | sk63 | sk64 | sk65 | sk66 | sk67 | sk68
| sk69 | sk70 | sk71 | sk72 | sk73 | sk74 | sk75 | sk76 | sk77 | sk78 | sk79 | sk80 | sk81 | sk82
| sk83 | sk84 | sk85 | sk86 | sk87 | sk88 | sk89 | sk90 | sk91 | sk92 | sk93 | sk94 | sk95 | sk96
| sk97 | sk98 | sk99)  # IMPLIED
    id        ID      # IMPLIED
    level     NMTOKEN  # IMPLIED
    mark      NMTOKEN  # IMPLIED
    change    (add | delete | modify)  # IMPLIED
    rfc       CDATA    # IMPLIED
>
<!-- ELEMENT step4 (((applic?,title?),(warning * ,caution * ),(((note | cblst | para) | (figure |

```

```

multimedia | foldout | table)) * )) , ((step5) * )) >
<! ATTLIST step4
  refapplic IDREF # IMPLIED
  check CDATA # IMPLIED
  skill (sk01 | sk02 | sk03 | sk04 | sk05 | sk06 | sk07 | sk08 | sk09 | sk10 | sk11 | sk12
| sk13 | sk14 | sk15 | sk16 | sk17 | sk18 | sk19 | sk20 | sk21 | sk22 | sk23 | sk24 | sk25 | sk26
| sk27 | sk28 | sk29 | sk30 | sk31 | sk32 | sk33 | sk34 | sk35 | sk36 | sk37 | sk38 | sk39 | sk40
| sk41 | sk42 | sk43 | sk44 | sk45 | sk46 | sk47 | sk48 | sk49 | sk50 | sk51 | sk52 | sk53 | sk54
| sk55 | sk56 | sk57 | sk58 | sk59 | sk60 | sk61 | sk62 | sk63 | sk64 | sk65 | sk66 | sk67 | sk68
| sk69 | sk70 | sk71 | sk72 | sk73 | sk74 | sk75 | sk76 | sk77 | sk78 | sk79 | sk80 | sk81 | sk82
| sk83 | sk84 | sk85 | sk86 | sk87 | sk88 | sk89 | sk90 | sk91 | sk92 | sk93 | sk94 | sk95 | sk96
| sk97 | sk98 | sk99) # IMPLIED
  id ID # IMPLIED
  level NMTOKEN # IMPLIED
  mark NMTOKEN # IMPLIED
  change (add | delete | modify) # IMPLIED
  rfc CDATA # IMPLIED
>
<! ELEMENT step5 (((applic?,title?),(warning *,caution *),(((note | cblst | para) | (figure |
multimedia | foldout | table)) * )) , ((step6) * )) >
<! ATTLIST step5
  refapplic IDREF # IMPLIED
  check CDATA # IMPLIED
  skill (sk01 | sk02 | sk03 | sk04 | sk05 | sk06 | sk07 | sk08 | sk09 | sk10 | sk11 | sk12
| sk13 | sk14 | sk15 | sk16 | sk17 | sk18 | sk19 | sk20 | sk21 | sk22 | sk23 | sk24 | sk25 | sk26
| sk27 | sk28 | sk29 | sk30 | sk31 | sk32 | sk33 | sk34 | sk35 | sk36 | sk37 | sk38 | sk39 | sk40
| sk41 | sk42 | sk43 | sk44 | sk45 | sk46 | sk47 | sk48 | sk49 | sk50 | sk51 | sk52 | sk53 | sk54
| sk55 | sk56 | sk57 | sk58 | sk59 | sk60 | sk61 | sk62 | sk63 | sk64 | sk65 | sk66 | sk67 | sk68
| sk69 | sk70 | sk71 | sk72 | sk73 | sk74 | sk75 | sk76 | sk77 | sk78 | sk79 | sk80 | sk81 | sk82
| sk83 | sk84 | sk85 | sk86 | sk87 | sk88 | sk89 | sk90 | sk91 | sk92 | sk93 | sk94 | sk95 | sk96
| sk97 | sk98 | sk99) # IMPLIED
  id ID # IMPLIED
  level NMTOKEN # IMPLIED
  mark NMTOKEN # IMPLIED
  change (add | delete | modify) # IMPLIED
  rfc CDATA # IMPLIED
>
<! ELEMENT step6 (((applic?,title?),(warning *,caution *),(((note | cblst | para) | (figure |
multimedia | foldout | table)) * )) , ((step7) * )) >
<! ATTLIST step6
  refapplic IDREF # IMPLIED
  check CDATA # IMPLIED
  skill (sk01 | sk02 | sk03 | sk04 | sk05 | sk06 | sk07 | sk08 | sk09 | sk10 | sk11 | sk12
| sk13 | sk14 | sk15 | sk16 | sk17 | sk18 | sk19 | sk20 | sk21 | sk22 | sk23 | sk24 | sk25 | sk26
| sk27 | sk28 | sk29 | sk30 | sk31 | sk32 | sk33 | sk34 | sk35 | sk36 | sk37 | sk38 | sk39 | sk40
| sk41 | sk42 | sk43 | sk44 | sk45 | sk46 | sk47 | sk48 | sk49 | sk50 | sk51 | sk52 | sk53 | sk54
| sk55 | sk56 | sk57 | sk58 | sk59 | sk60 | sk61 | sk62 | sk63 | sk64 | sk65 | sk66 | sk67 | sk68
| sk69 | sk70 | sk71 | sk72 | sk73 | sk74 | sk75 | sk76 | sk77 | sk78 | sk79 | sk80 | sk81 | sk82
| sk83 | sk84 | sk85 | sk86 | sk87 | sk88 | sk89 | sk90 | sk91 | sk92 | sk93 | sk94 | sk95 | sk96
| sk97 | sk98 | sk99) # IMPLIED
  id ID # IMPLIED
  level NMTOKEN # IMPLIED
  mark NMTOKEN # IMPLIED
  change (add | delete | modify) # IMPLIED
  rfc CDATA # IMPLIED
>
<! ELEMENT step7 (((applic?,title?),(warning *,caution *),(((note | cblst | para) | (figure |
multimedia | foldout | table)) * )) , ((step8) * )) >
<! ATTLIST step7
  refapplic IDREF # IMPLIED

```

```

    check      CDATA      # IMPLIED
    skill      (sk01 | sk02 | sk03 | sk04 | sk05 | sk06 | sk07 | sk08 | sk09 | sk10 | sk11 | sk12
| sk13 | sk14 | sk15 | sk16 | sk17 | sk18 | sk19 | sk20 | sk21 | sk22 | sk23 | sk24 | sk25 | sk26
| sk27 | sk28 | sk29 | sk30 | sk31 | sk32 | sk33 | sk34 | sk35 | sk36 | sk37 | sk38 | sk39 | sk40
| sk41 | sk42 | sk43 | sk44 | sk45 | sk46 | sk47 | sk48 | sk49 | sk50 | sk51 | sk52 | sk53 | sk54
| sk55 | sk56 | sk57 | sk58 | sk59 | sk60 | sk61 | sk62 | sk63 | sk64 | sk65 | sk66 | sk67 | sk68
| sk69 | sk70 | sk71 | sk72 | sk73 | sk74 | sk75 | sk76 | sk77 | sk78 | sk79 | sk80 | sk81 | sk82
| sk83 | sk84 | sk85 | sk86 | sk87 | sk88 | sk89 | sk90 | sk91 | sk92 | sk93 | sk94 | sk95 | sk96
| sk97 | sk98 | sk99)    # IMPLIED
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark    NMTOKEN  # IMPLIED
    change  (add | delete | modify)    # IMPLIED
    rfc     CDATA    # IMPLIED
  >
< ! ELEMENT step8 ((applic?,title?),(warning *,caution *),(((note | cblst | para) | (figure |
multimedia | foldout | table))*)))
< ! ATTLIST step8
    refapplic IDREF      # IMPLIED
    check      CDATA      # IMPLIED
    skill      (sk01 | sk02 | sk03 | sk04 | sk05 | sk06 | sk07 | sk08 | sk09 | sk10 | sk11 | sk12
| sk13 | sk14 | sk15 | sk16 | sk17 | sk18 | sk19 | sk20 | sk21 | sk22 | sk23 | sk24 | sk25 | sk26
| sk27 | sk28 | sk29 | sk30 | sk31 | sk32 | sk33 | sk34 | sk35 | sk36 | sk37 | sk38 | sk39 | sk40
| sk41 | sk42 | sk43 | sk44 | sk45 | sk46 | sk47 | sk48 | sk49 | sk50 | sk51 | sk52 | sk53 | sk54
| sk55 | sk56 | sk57 | sk58 | sk59 | sk60 | sk61 | sk62 | sk63 | sk64 | sk65 | sk66 | sk67 | sk68
| sk69 | sk70 | sk71 | sk72 | sk73 | sk74 | sk75 | sk76 | sk77 | sk78 | sk79 | sk80 | sk81 | sk82
| sk83 | sk84 | sk85 | sk86 | sk87 | sk88 | sk89 | sk90 | sk91 | sk92 | sk93 | sk94 | sk95 | sk96
| sk97 | sk98 | sk99)    # IMPLIED
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark    NMTOKEN  # IMPLIED
    change  (add | delete | modify)    # IMPLIED
    rfc     CDATA    # IMPLIED
  >
< ! ELEMENT closereqs (reqconds)
< ! ATTLIST closereqs
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark    NMTOKEN  # IMPLIED
    change  (add | delete | modify)    # IMPLIED
    rfc     CDATA    # IMPLIED
  >

```

B.7 维修计划信息 DTD

本文件包含了维修计划内容 DTD。它标识了所有与维修计划有关的元素和它们之间的关系。

```

< ? xml version = "1.0" encoding = "UTF-8" ? >
< ! ELEMENT dmodule (rdf:Description?,idstatus,content)
< ! ATTLIST dmodule
    id      ID      # IMPLIED
    % RDFCATT;
  >
< ! ELEMENT idstatus (dmaddres,srcdmaddres?,status)
< ! ELEMENT dmaddres (dmcextension?,dmc,dmttitle,issno,issdate)
< ! ELEMENT dmcextension (dmeproducer,dmecode)
< ! ELEMENT dmeproducer ( # PCDATA)
< ! ELEMENT dmecode ( # PCDATA)
< ! ELEMENT dmc (age | avee)
< ! ELEMENT age (modelic,supeqvc,ecscs,eidc,cidc,discode,discodev,incode,incodev,itemloc)

```

```

<! ELEMENT modelic (#PCDATA)>
<! ELEMENT supegvc (#PCDATA)>
<! ELEMENT ecscs (#PCDATA)>
<! ELEMENT eidc (#PCDATA)>
<! ELEMENT cidc (#PCDATA)>
<! ELEMENT discode (#PCDATA)>
<! ELEMENT discodev (#PCDATA)>
<! ELEMENT incode (#PCDATA)>
<! ELEMENT incodev (#PCDATA)>
<! ELEMENT itemloc (#PCDATA)>
<! ELEMENT avee (modelic, sdc, chapnum, section, subsect, subject, discode, discodev, incode, incodev,
itemloc)>
<! ELEMENT sdc (#PCDATA)>
<! ELEMENT chapnum (#PCDATA)>
<! ELEMENT section (#PCDATA)>
<! ELEMENT subsect (#PCDATA)>
<! ELEMENT subject (#PCDATA)>
<! ELEMENT dmtitle (techname, infoname?)>
<! ELEMENT techname (#PCDATA)>
<! ELEMENT infoname (#PCDATA)>
<! ELEMENT issno EMPTY>
<! ATTLIST issno
    issno    NMTOKEN    #REQUIRED
    inwork   NMTOKEN    #IMPLIED
    type     (new | changed | deleted | revised | status | rinstat-changed | rinstat-revised |
rinstat-status)      "new"
>
<! ELEMENT issdate EMPTY>
<! ATTLIST issdate
    year     NMTOKEN    #REQUIRED
    month    NMTOKEN    #REQUIRED
    day      NMTOKEN    #REQUIRED
>
<! ELEMENT srcdmaddres (dmceextension?, dmc, dmtitle, issno, issdate)>
<! ELEMENT status (security, datarest *, dmsize?, rpc, orig, applic, inlineapplics?, brexref, qa + , ((ein
* ), rfu *, remarks *))>
<! ATTLIST status
    id      ID      #IMPLIED
>
<! ELEMENT security EMPTY>
<! ATTLIST security
    class    (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)    #REQUIRED
    commcls  (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)    #IMPLIED
    caveat  (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54

```



```

| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)      # IMPLIED
>
<! ELEMENT datarest (applic?,instruct,inform?)>
<! ATTLIST datarest
  refapplic IDREF      # IMPLIED
  id ID      # IMPLIED
  level NMTOKEN      # IMPLIED
  mark NMTOKEN      # IMPLIED
  change (add | delete | modify)      # IMPLIED
  rfc CDATA      # IMPLIED
>
<! ELEMENT applic (type?,model * )>
<! ATTLIST applic
  applicconf (allowed | built | designed | installed | manufactured | supported)      # IMPLIED
  id ID      # IMPLIED
  level NMTOKEN      # IMPLIED
  mark NMTOKEN      # IMPLIED
  change (add | delete | modify)      # IMPLIED
  rfc CDATA      # IMPLIED
>
<! ELEMENT type ( #PCDATA)>
<! ELEMENT model (version * ,((csnref | (mfc) * ),maintlevel?,techconds * ,opconds * )>
<! ATTLIST model
  model CDATA      # REQUIRED
>
<! ELEMENT version (versrank * )>
<! ATTLIST version
  version CDATA      # REQUIRED
  id ID      # IMPLIED
>
<! ELEMENT versrank ((single | range) + )>
<! ATTLIST versrank
  verstatus CDATA      # IMPLIED
  id ID      # IMPLIED
  level NMTOKEN      # IMPLIED
  mark NMTOKEN      # IMPLIED
  change (add | delete | modify)      # IMPLIED
  rfc CDATA      # IMPLIED
>
<! ELEMENT single ( #PCDATA)>
<! ELEMENT range EMPTY>
<! ATTLIST range
  from CDATA      # REQUIRED
  to CDATA      # REQUIRED
>
<! ELEMENT csnref EMPTY>
<! ATTLIST csnref
  refcsn CDATA      # REQUIRED
  refisn CDATA      # IMPLIED
  refipp CDATA      # IMPLIED
  refrpc CDATA      # IMPLIED
  id ID      # IMPLIED
  level NMTOKEN      # IMPLIED
  mark NMTOKEN      # IMPLIED
  change (add | delete | modify)      # IMPLIED
  rfc CDATA      # IMPLIED
  % XLINKATT2;

```

```

>
<! ELEMENT mfc (#PCDATA)>
<! ATTLIST mfc
    id      ID      # IMPLIED
    level    NMTOKEN # IMPLIED
    mark     NMTOKEN # IMPLIED
    change   (add | delete | modify) # IMPLIED
    rfc      CDATA   # IMPLIED
>
<! ELEMENT maintlevel (mntlvl+)>
<! ELEMENT mntlvl EMPTY>
<! ATTLIST mntlvl
    mntlvl (ml01 | ml02 | ml03 | ml04 | ml05 | ml06 | ml07 | ml08 | ml09 | ml10 | ml11 | ml12
| ml13 | ml14 | ml15 | ml16 | ml17 | ml18 | ml19 | ml20 | ml21 | ml22 | ml23 | ml24 | ml25 | ml26
| ml27 | ml28 | ml29 | ml30 | ml31 | ml32 | ml33 | ml34 | ml35 | ml36 | ml37 | ml38 | ml39 | ml40
| ml41 | ml42 | ml43 | ml44 | ml45 | ml46 | ml47 | ml48 | ml49 | ml50 | ml51 | ml52 | ml53 | ml54
| ml55 | ml56 | ml57 | ml58 | ml59 | ml60 | ml61 | ml62 | ml63 | ml64 | ml65 | ml66 | ml67 | ml68
| ml69 | ml70 | ml71 | ml72 | ml73 | ml74 | ml75 | ml76 | ml77 | ml78 | ml79 | ml80 | ml81 | ml82
| ml83 | ml84 | ml85 | ml86 | ml87 | ml88 | ml89 | ml90 | ml91 | ml92 | ml93 | ml94 | ml95 | ml96
| ml97 | ml98 | ml99) # REQUIRED
>
<! ELEMENT techconds (textual-desc?,techcond*)>
<! ATTLIST techconds
    id      ID      # IMPLIED
    level    NMTOKEN # IMPLIED
    mark     NMTOKEN # IMPLIED
    change   (add | delete | modify) # IMPLIED
    rfc      CDATA   # IMPLIED
>
<! ELEMENT textual-desc (#PCDATA)>
<! ATTLIST textual-desc
    id      ID      # IMPLIED
    level    NMTOKEN # IMPLIED
    mark     NMTOKEN # IMPLIED
    change   (add | delete | modify) # IMPLIED
    rfc      CDATA   # IMPLIED
>
<! ELEMENT techcond (((age | avee), issno?, dmtitle?) | (pubcode, pubtitle?, pubdate?) | condtitle?),
scheduled?,embodied?)>
<! ATTLIST techcond
    tccode (tc01 | tc02 | tc03 | tc04 | tc05 | tc06 | tc07 | tc08 | tc09 | tc10 | tc11 | tc12
| tc13 | tc14 | tc15 | tc16 | tc17 | tc18 | tc19 | tc20 | tc21 | tc22 | tc23 | tc24 | tc25 | tc26
| tc27 | tc28 | tc29 | tc30 | tc31 | tc32 | tc33 | tc34 | tc35 | tc36 | tc37 | tc38 | tc39 | tc40
| tc41 | tc42 | tc43 | tc44 | tc45 | tc46 | tc47 | tc48 | tc49 | tc50 | tc51 | tc52 | tc53 | tc54
| tc55 | tc56 | tc57 | tc58 | tc59 | tc60 | tc61 | tc62 | tc63 | tc64 | tc65 | tc66 | tc67 | tc68
| tc69 | tc70 | tc71 | tc72 | tc73 | tc74 | tc75 | tc76 | tc77 | tc78 | tc79 | tc80 | tc81 | tc82
| tc83 | tc84 | tc85 | tc86 | tc87 | tc88 | tc89 | tc90 | tc91 | tc92 | tc93 | tc94 | tc95 | tc96
| tc97 | tc98 | tc99) # REQUIRED
    tcno    CDATA   # IMPLIED
    tctype   (pre | post | preandpo) # REQUIRED
    mfc      CDATA   # IMPLIED
    id      ID      # IMPLIED
    level    NMTOKEN # IMPLIED
    mark     NMTOKEN # IMPLIED
    change   (add | delete | modify) # IMPLIED
    rfc      CDATA   # IMPLIED
>
<! ELEMENT pubcode (#PCDATA | pmc)*>
<! ATTLIST pubcode
    pubcodsy CDATA   # IMPLIED

```

```

>
<! ELEMENT pmc (modelic,pmissuer,pmnumber,pmvolume)>
<! ELEMENT pmissuer (# PCDATA)>
<! ELEMENT pmnumber (# PCDATA)>
<! ELEMENT pmvolume (# PCDATA)>
<! ELEMENT pubtitle (# PCDATA)>
<! ELEMENT pubdate EMPTY>
<! ATTLIST pubdate
    year      NMTOKEN      # REQUIRED
    month     NMTOKEN      # REQUIRED
    day       NMTOKEN      # REQUIRED
>
<! ELEMENT condtitle (# PCDATA)>
<! ATTLIST condtitle
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark    NMTOKEN  # IMPLIED
    change  (add | delete | modify)  # IMPLIED
    rfc     CDATA    # IMPLIED
>
<! ELEMENT scheduled ((single | range) +)>
<! ATTLIST scheduled
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark    NMTOKEN  # IMPLIED
    change  (add | delete | modify)  # IMPLIED
    rfc     CDATA    # IMPLIED
>
<! ELEMENT embodied ((single | range) +)>
<! ATTLIST embodied
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark    NMTOKEN  # IMPLIED
    change  (add | delete | modify)  # IMPLIED
    rfc     CDATA    # IMPLIED
>
<! ELEMENT opconds (textual-desc?,opcond * )>
<! ATTLIST opconds
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark    NMTOKEN  # IMPLIED
    change  (add | delete | modify)  # IMPLIED
    rfc     CDATA    # IMPLIED
>
<! ELEMENT opcond (# PCDATA)>
<! ATTLIST opcond
    opcno   NMTOKEN  # IMPLIED
    opccode CDATA    # IMPLIED
    confirmedNMTOKEN  # IMPLIED
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark    NMTOKEN  # IMPLIED
    change  (add | delete | modify)  # IMPLIED
    rfc     CDATA    # IMPLIED
>
<! ELEMENT instruct (distrib, handling?)>
<! ATTLIST instruct
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark    NMTOKEN  # IMPLIED

```

```

    change    (add | delete | modify)    # IMPLIED
    rfc       CDATA                      # IMPLIED
  >
< ! ELEMENT distrib (#PCDATA)>
< ! ATTLIST distrib
    id       ID          # IMPLIED
    level    NMTOKEN     # IMPLIED
    mark     NMTOKEN     # IMPLIED
    change   (add | delete | modify)     # IMPLIED
    rfc      CDATA       # IMPLIED
  >
< ! ELEMENT handling (#PCDATA)>
< ! ATTLIST handling
    id       ID          # IMPLIED
    level    NMTOKEN     # IMPLIED
    mark     NMTOKEN     # IMPLIED
    change   (add | delete | modify)     # IMPLIED
    rfc      CDATA       # IMPLIED
  >
  >
< ! ELEMENT inform (copyright)>
< ! ATTLIST inform
    id       ID          # IMPLIED
    level    NMTOKEN     # IMPLIED
    mark     NMTOKEN     # IMPLIED
    change   (add | delete | modify)     # IMPLIED
    rfc      CDATA       # IMPLIED
  >
< ! ELEMENT copyright (para +)>
< ! ATTLIST copyright
    id       ID          # IMPLIED
    level    NMTOKEN     # IMPLIED
    mark     NMTOKEN     # IMPLIED
    change   (add | delete | modify)     # IMPLIED
    rfc      CDATA       # IMPLIED
  >
< ! ELEMENT para (#PCDATA | applic | ein | cb | parasigdata | quantity | xref | indxflag | change |
emphasis | symbol | subscript | superscript | refdm | reftyp | ftnote | ftnref | acronym | acroterm |
seqlist | randlist | deflist) * >
< ! ATTLIST para
    refapplic IDREF      # IMPLIED
    id       ID          # IMPLIED
    level    NMTOKEN     # IMPLIED
    mark     NMTOKEN     # IMPLIED
    change   (add | delete | modify)     # IMPLIED
    rfc      CDATA       # IMPLIED
    class    (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)    # IMPLIED
    commcls  (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)    # IMPLIED

```

```

    caveat      (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)      # IMPLIED
>
<! ELEMENT ein (nomen?,refs?)>
<! ATTLIST ein
    einnbr      CDATA      # REQUIRED
    eintype      (exact | family)      # IMPLIED
    mfc          CDATA      # IMPLIED
    id           ID         # IMPLIED
    level        NMTOKEN     # IMPLIED
    mark         NMTOKEN     # IMPLIED
    change       (add | delete | modify)      # IMPLIED
    rfc          CDATA      # IMPLIED
>
<! ELEMENT nomen (#PCDATA)>
<! ATTLIST nomen
    level        NMTOKEN     # IMPLIED
    mark         NMTOKEN     # IMPLIED
    change       (add | delete | modify)      # IMPLIED
    rfc          CDATA      # IMPLIED
>
<! ELEMENT refs ((refdm+,reftp*) | reftp+)>
<! ELEMENT refdm ((applic?,dmcextension?,(age | avee),issno?,dmtitle?) | ((%XLINKEXT;)*)))
<! ATTLIST refdm
    target       CDATA      # IMPLIED
    refapplic    IDREF      # IMPLIED
    id           ID         # IMPLIED
    level        NMTOKEN     # IMPLIED
    mark         NMTOKEN     # IMPLIED
    change       (add | delete | modify)      # IMPLIED
    rfc          CDATA      # IMPLIED
    %XLINKATT;
>
<! ELEMENT reftp (#PCDATA | applic | xref | indxflag | symbol | subscript | superscript | ftnref |
acronym | acroterm | pubcode | pubtitle | pubdate | %XLINKEXT;)*>
<! ATTLIST reftp
    refapplic    IDREF      # IMPLIED
    id           ID         # IMPLIED
    level        NMTOKEN     # IMPLIED
    mark         NMTOKEN     # IMPLIED
    change       (add | delete | modify)      # IMPLIED
    rfc          CDATA      # IMPLIED
    %XLINKATT4;
>
<! ELEMENT xref (#PCDATA | applic | subscript | superscript)*>
<! ATTLIST xref
    xrefid       IDREF      # IMPLIED
    xidtype      (figure | table | multimedia | supply | supequip | spares | para | step | sheet |
multimediaobject | hotspot | param | other)      # IMPLIED
    target       CDATA      # IMPLIED
    destitle     CDATA      # IMPLIED
    pretext      CDATA      # IMPLIED
    posttext     CDATA      # IMPLIED
    refapplic    IDREF      # IMPLIED

```



```

    % XLINKATT3;
>
<! ELEMENT subscript ( # PCDATA )>
<! ELEMENT supscript ( # PCDATA )>
<! ELEMENT indxflag EMPTY>
<! ATTLIST indxflag
    ref1    CDATA    # IMPLIED
    ref2    CDATA    # IMPLIED
    ref3    CDATA    # IMPLIED
    ref4    CDATA    # IMPLIED
>
<! ELEMENT symbol (applic?)>
<! ATTLIST symbol
    boardno  ENTITY    # REQUIRED
    id       ID        # IMPLIED
    reprov    CDATA    # IMPLIED
    reprohgt  CDATA    # IMPLIED
    reproscl  CDATA    # IMPLIED
    refapplic IDREF    # IMPLIED
    % XLINKATT1;
>
<! ELEMENT ftnref EMPTY>
<! ATTLIST ftnref
    xrefid   IDREF    # IMPLIED
>
<! ELEMENT acronym (acroterm,acrodef)>
<! ATTLIST acronym
    acrotype (at01 | at02 | at03 | at04 | at05 | at06 | at07 | at08 | at09 | at10 | at11 | at12
| at13 | at14 | at15 | at16 | at17 | at18 | at19 | at20 | at21 | at22 | at23 | at24 | at25 | at26
| at27 | at28 | at29 | at30 | at31 | at32 | at33 | at34 | at35 | at36 | at37 | at38 | at39 | at40
| at41 | at42 | at43 | at44 | at45 | at46 | at47 | at48 | at49 | at50 | at51 | at52 | at53 | at54
| at55 | at56 | at57 | at58 | at59 | at60 | at61 | at62 | at63 | at64 | at65 | at66 | at67 | at68
| at69 | at70 | at71 | at72 | at73 | at74 | at75 | at76 | at77 | at78 | at79 | at80 | at81 | at82
| at83 | at84 | at85 | at86 | at87 | at88 | at89 | at90 | at91 | at92 | at93 | at94 | at95 | at96
| at97 | at98 | at99) "at01"
    id       ID        # IMPLIED
    level    NMTOKEN    # IMPLIED
    mark     NMTOKEN    # IMPLIED
    change   (add | delete | modify)    # IMPLIED
    rfc      CDATA      # IMPLIED
>
<! ELEMENT acroterm ( # PCDATA | subscript | supscript ) * >
<! ATTLIST acroterm
    xrefid   IDREF    # IMPLIED
>
<! ELEMENT acrodef ( # PCDATA | subscript | supscript ) * >
<! ATTLIST acrodef
    id       ID        # IMPLIED
    level    NMTOKEN    # IMPLIED
    mark     NMTOKEN    # IMPLIED
    change   (add | delete | modify)    # IMPLIED
    rfc      CDATA      # IMPLIED
>
<! ELEMENT cb (nomen?,refs?)>
<! ATTLIST cb
    cbnbr    CDATA    # REQUIRED
    cbtype   (eltro | elmec | clip)    # IMPLIED
    cbaction (open | close | verif-open | verif-close)    # IMPLIED
    checksum CDATA    # IMPLIED
    id       ID        # IMPLIED

```

```

    level    NMTOKEN    # IMPLIED
    mark     NMTOKEN    # IMPLIED
    change   (add | delete | modify)    # IMPLIED
    rfc      CDATA      # IMPLIED
  >
<! ELEMENT parasigdata (# PCDATA)>
<! ATTLIST parasigdata
    psdtype (psd01 | psd02 | psd03 | psd04 | psd05 | psd06 | psd07 | psd08 | psd09 | psd10 | psd11
| psd12 | psd13 | psd14 | psd15 | psd16 | psd17 | psd18 | psd19 | psd20 | psd21 | psd22 | psd23
| psd24 | psd25 | psd26 | psd27 | psd28 | psd29 | psd30 | psd31 | psd32 | psd33 | psd34 | psd35
| psd36 | psd37 | psd38 | psd39 | psd40 | psd41 | psd42 | psd43 | psd44 | psd45 | psd46 | psd47
| psd48 | psd49 | psd50 | psd51 | psd52 | psd53 | psd54 | psd55 | psd56 | psd57 | psd58 | psd59
| psd60 | psd61 | psd62 | psd63 | psd64 | psd65 | psd66 | psd67 | psd68 | psd69 | psd70 | psd71
| psd72 | psd73 | psd74 | psd75 | psd76 | psd77 | psd78 | psd79 | psd80 | psd81 | psd82 | psd83
| psd84 | psd85 | psd86 | psd87 | psd88 | psd89 | psd90 | psd91 | psd92 | psd93 | psd94 | psd95
| psd96 | psd97 | psd98 | psd99)    # REQUIRED
  >
<! ELEMENT quantity (# PCDATA | qtygrp) * >
<! ATTLIST quantity
    qtytype (qty01 | qty02 | qty03 | qty04 | qty05 | qty06 | qty07 | qty08 | qty09 | qty10 | qty11
| qty12 | qty13 | qty14 | qty15 | qty16 | qty17 | qty18 | qty19 | qty20 | qty21 | qty22 | qty23
| qty24 | qty25 | qty26 | qty27 | qty28 | qty29 | qty30 | qty31 | qty32 | qty33 | qty34 | qty35
| qty36 | qty37 | qty38 | qty39 | qty40 | qty41 | qty42 | qty43 | qty44 | qty45 | qty46 | qty47
| qty48 | qty49 | qty50 | qty51 | qty52 | qty53 | qty54 | qty55 | qty56 | qty57 | qty58 | qty59
| qty60 | qty61 | qty62 | qty63 | qty64 | qty65 | qty66 | qty67 | qty68 | qty69 | qty70 | qty71
| qty72 | qty73 | qty74 | qty75 | qty76 | qty77 | qty78 | qty79 | qty80 | qty81 | qty82 | qty83
| qty84 | qty85 | qty86 | qty87 | qty88 | qty89 | qty90 | qty91 | qty92 | qty93 | qty94 | qty95
| qty96 | qty97 | qty98 | qty99)    # IMPLIED
  >
<! ELEMENT qtygrp ((qtyvalue + ,qtytolerance * ) | (qtytolerance + )))
<! ATTLIST qtygrp
    qtygrptype (nominal | minimum | maximum)    "nominal"
    qtyuom     CDATA      # IMPLIED
  >
<! ELEMENT qtyvalue (# PCDATA)>
<! ATTLIST qtyvalue
    qtyuom     CDATA      # IMPLIED
  >
<! ELEMENT qtytolerance (# PCDATA)>
<! ATTLIST qtytolerance
    qtytoltype (plus | minus | plusorminus)    "plusorminus"
    qtyuom     CDATA      # IMPLIED
  >
<! ELEMENT change (# PCDATA | ein | cb | parasigdata | quantity | xref | indxflag | change | emphasis |
symbol | subscript | superscript | refdm | reftp | ftnote | ftnref | acronym | acroterm) * >
<! ATTLIST change
    id         ID        # IMPLIED
    level      NMTOKEN    # IMPLIED
    mark       NMTOKEN    # IMPLIED
    change     (add | delete | modify)    # IMPLIED
    rfc        CDATA      # IMPLIED
  >
<! ELEMENT emphasis (# PCDATA | ein | cb | parasigdata | quantity | xref | indxflag | change |
emphasis | symbol | subscript | superscript | refdm | reftp | ftnote | ftnref | acronym | acroterm) * >
<! ATTLIST emphasis
    emph (em01 | em02 | em03 | em04 | em05 | em06 | em07 | em08 | em09 | em10 | em11 | em12 | em13
| em14 | em15 | em16 | em17 | em18 | em19 | em20 | em21 | em22 | em23 | em24 | em25 | em26 | em27
| em28 | em29 | em30 | em31 | em32 | em33 | em34 | em35 | em36 | em37 | em38 | em39 | em40 | em41
| em42 | em43 | em44 | em45 | em46 | em47 | em48 | em49 | em50 | em51 | em52 | em53 | em54 | em55
| em56 | em57 | em58 | em59 | em60 | em61 | em62 | em63 | em64 | em65 | em66 | em67 | em68 | em69

```

```

| em70 | em71 | em72 | em73 | em74 | em75 | em76 | em77 | em78 | em79 | em80 | em81 | em82 | em83
| em84 | em85 | em86 | em87 | em88 | em89 | em90 | em91 | em92 | em93 | em94 | em95 | em96 | em97
| em98 | em99)      "em01"
>
<! ELEMENT ftnote (applic?,para+)>
<! ATTLIST ftnote
    ftnmark      (num | sym | alpha)      "num"
    refapplic    IDREF      # IMPLIED
    id           ID        # IMPLIED
    level        NMTOKEN    # IMPLIED
    mark         NMTOKEN    # IMPLIED
    change       (add | delete | modify)   # IMPLIED
    rfc          CDATA      # IMPLIED
    class        (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)      # IMPLIED
    commcls      (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)      # IMPLIED
    caveat       (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)      # IMPLIED
>
<! ELEMENT seqlist (applic?,title?,item+)>
<! ATTLIST seqlist
    refapplic    IDREF      # IMPLIED
    id           ID        # IMPLIED
    level        NMTOKEN    # IMPLIED
    mark         NMTOKEN    # IMPLIED
    change       (add | delete | modify)   # IMPLIED
    rfc          CDATA      # IMPLIED
    class        (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)      # IMPLIED
    commcls      (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)      # IMPLIED
    caveat       (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26

```



```

| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)    # IMPLIED
>
<! ELEMENT title (#PCDATA | ein | cb | parasigdata | quantity | xref | indxflag | change | emphasis
| symbol | subscript | supscript | refdm | reftp | ftnote | ftnref | acronym | acroterm)* >
<! ATTLIST title
    class      (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)    # IMPLIED
    commcls    (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)    # IMPLIED
    caveat     (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)    # IMPLIED
>
<! ELEMENT item (#PCDATA | applic | note | para | ein | cb | parasigdata | quantity | xref |
indxflag | change | emphasis | symbol | subscript | supscript | refdm | reftp | ftnote | ftnref |
acronym | acroterm | seqlist | randlist | deflist)* >
<! ATTLIST item
    refapplic   IDREF      # IMPLIED
    id          ID         # IMPLIED
    level       NMTOKEN    # IMPLIED
    mark        NMTOKEN    # IMPLIED
    change      (add | delete | modify)    # IMPLIED
    rfc         CDATA      # IMPLIED
>
<! ELEMENT note (applic?,((symbol | para | (seqlist | randlist | deflist)) +)) >
<! ATTLIST note
    type        CDATA      # IMPLIED
    refapplic   IDREF      # IMPLIED
    xrefid      IDREF      # IMPLIED
    id          ID         # IMPLIED
    level       NMTOKEN    # IMPLIED
    mark        NMTOKEN    # IMPLIED
    change      (add | delete | modify)    # IMPLIED
    rfc         CDATA      # IMPLIED
>
<! ELEMENT randlist (applic?,title?,item +) >
<! ATTLIST randlist
    prefix      (pf01 | pf02 | pf03 | pf04 | pf05 | pf06 | pf07 | pf08 | pf09 | pf10 | pf11 | pf12
| pf13 | pf14 | pf15 | pf16 | pf17 | pf18 | pf19 | pf20 | pf21 | pf22 | pf23 | pf24 | pf25 | pf26
| pf27 | pf28 | pf29 | pf30 | pf31 | pf32 | pf33 | pf34 | pf35 | pf36 | pf37 | pf38 | pf39 | pf40

```

```

| pf41 | pf42 | pf43 | pf44 | pf45 | pf46 | pf47 | pf48 | pf49 | pf50 | pf51 | pf52 | pf53 | pf54
| pf55 | pf56 | pf57 | pf58 | pf59 | pf60 | pf61 | pf62 | pf63 | pf64 | pf65 | pf66 | pf67 | pf68
| pf69 | pf70 | pf71 | pf72 | pf73 | pf74 | pf75 | pf76 | pf77 | pf78 | pf79 | pf80 | pf81 | pf82
| pf83 | pf84 | pf85 | pf86 | pf87 | pf88 | pf89 | pf90 | pf91 | pf92 | pf93 | pf94 | pf95 | pf96
| pf97 | pf98 | pf99)    "pf02"
  refapplic    IDREF    # IMPLIED
  id    ID    # IMPLIED
  level    NMTOKEN    # IMPLIED
  mark    NMTOKEN    # IMPLIED
  change    (add | delete | modify)    # IMPLIED
  rfc    CDATA    # IMPLIED
  class    (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)    # IMPLIED
  commcls    (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)    # IMPLIED
  caveat    (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)    # IMPLIED
>
< ! ELEMENT deflist (applic?,title?,((term,def) + ))>
< ! ATTLIST deflist
  refapplic    IDREF    # IMPLIED
  id    ID    # IMPLIED
  level    NMTOKEN    # IMPLIED
  mark    NMTOKEN    # IMPLIED
  change    (add | delete | modify)    # IMPLIED
  rfc    CDATA    # IMPLIED
  class    (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)    # IMPLIED
  commcls    (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)    # IMPLIED
  caveat    (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54

```

```

| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)      # IMPLIED
>
<! ELEMENT term ( #PCDATA | applic | ein | cb | parasigdata | quantity | xref | indxflag | change |
emphasis | symbol | subscript | superscript | refdm | reftp | ftnote | ftnref | acronym | acroterm) * >
<! ATTLIST term
  refapplic      IDREF      # IMPLIED
  id             ID         # IMPLIED
  level          NMTOKEN    # IMPLIED
  mark           NMTOKEN    # IMPLIED
  change         (add | delete | modify)    # IMPLIED
  rfc            CDATA      # IMPLIED
>
<! ELEMENT def ( #PCDATA | applic | para | ein | cb | parasigdata | quantity | xref | indxflag |
change | emphasis | symbol | subscript | superscript | refdm | reftp | ftnote | ftnref | acronym | acroterm |
seqlist | randlist | deflist) * >
<! ATTLIST def
  refapplic      IDREF      # IMPLIED
  id             ID         # IMPLIED
  level          NMTOKEN    # IMPLIED
  mark           NMTOKEN    # IMPLIED
  change         (add | delete | modify)    # IMPLIED
  rfc            CDATA      # IMPLIED
>
<! ELEMENT dmsize ( #PCDATA) >
<! ELEMENT rpc ( #PCDATA) >
<! ATTLIST rpc
  rpcname        CDATA      # IMPLIED
  id             ID         # IMPLIED
>
<! ELEMENT orig ( #PCDATA) >
<! ATTLIST orig
  origname        CDATA      # IMPLIED
  id             ID         # IMPLIED
>
<! ELEMENT inlineapplics (applic + ) >
<! ELEMENT brexref (refdm) >
<! ELEMENT qa (applic?,(unverif | (firstver,sever?))) >
<! ATTLIST qa
  refapplic      IDREF      # IMPLIED
>
<! ELEMENT unverif EMPTY >
<! ELEMENT firstver EMPTY >
<! ATTLIST firstver
  type           (tabtop | onobject | ttandoo)    # REQUIRED
>
<! ELEMENT sever EMPTY >
<! ATTLIST sever
  type           (tabtop | onobject | ttandoo)    # REQUIRED
>
<! ELEMENT rfu ( #PCDATA | applic | p) * >
<! ATTLIST rfu
  refapplic      IDREF      # IMPLIED
>
<! ELEMENT p ( #PCDATA | subscript | superscript) * >
<! ATTLIST p
  id             ID         # IMPLIED
  level          NMTOKEN    # IMPLIED

```

```

    mark      NMTOKEN      # IMPLIED
    change    (add | delete | modify)    # IMPLIED
    rfc       CDATA        # IMPLIED
  >
  < ! ELEMENT remarks ( #PCDATA | applic | p ) * >
  < ! ATTLIST remarks
    refapplic  IDREF      # IMPLIED
  >
  < ! ELEMENT content (refs?,schedule)>
  < ! ATTLIST content
    id      ID      # IMPLIED
  >
  < ! ELEMENT schedule (definspec + | deftask + | timelim + )>
  < ! ATTLIST schedule
    type      CDATA      # IMPLIED
  >
  < ! ELEMENT definspec (inspection,tasklist?)>
  < ! ELEMENT inspection (limit * ,remarks * )>
  < ! ATTLIST inspection
    id      ID      # IMPLIED
    level    NMTOKEN      # IMPLIED
    mark     NMTOKEN      # IMPLIED
    change   (add | delete | modify)    # IMPLIED
    rfc      CDATA        # IMPLIED
  >
  < ! ELEMENT limit (sampling?,threshold * ,refinspec * ,trigger * ,limrange * ,remarks * )>
  < ! ATTLIST limit
    typex     (po | ev | pe)      "pe"
    condition CDATA      # IMPLIED
    id      ID      # IMPLIED
    level    NMTOKEN      # IMPLIED
    mark     NMTOKEN      # IMPLIED
    change   (add | delete | modify)    # IMPLIED
    rfc      CDATA        # IMPLIED
  >
  < ! ELEMENT sampling ( #PCDATA )>
  < ! ELEMENT threshold (value,tolerance?)>
  < ! ATTLIST threshold
    uom (th01 | th02 | th03 | th04 | th05 | th06 | th07 | th08 | th09 | th10 | th11 | th12 | th13
  | th14 | th15 | th16 | th17 | th18 | th19 | th20 | th21 | th22 | th23 | th24 | th25 | th26 | th27
  | th28 | th29 | th30 | th31 | th32 | th33 | th34 | th35 | th36 | th37 | th38 | th39 | th40 | th41
  | th42 | th43 | th44 | th45 | th46 | th47 | th48 | th49 | th50 | th51 | th52 | th53 | th54 | th55
  | th56 | th57 | th58 | th59 | th60 | th61 | th62 | th63 | th64 | th65 | th66 | th67 | th68 | th69
  | th70 | th71 | th72 | th73 | th74 | th75 | th76 | th77 | th78 | th79 | th80 | th81 | th82 | th83
  | th84 | th85 | th86 | th87 | th88 | th89 | th90 | th91 | th92 | th93 | th94 | th95 | th96 | th97
  | th98 | th99)      # REQUIRED
    tholdtype (threshold | interval)    # IMPLIED
  >
  < ! ELEMENT value ( #PCDATA )>
  < ! ELEMENT tolerance EMPTY>
  < ! ATTLIST tolerance
    minus     NMTOKEN      # IMPLIED
    plus      NMTOKEN      # IMPLIED
  >
  < ! ELEMENT refinspec EMPTY>
  < ! ATTLIST refinspec
    insptype CDATA      # REQUIRED
    id      ID      # IMPLIED
    level    NMTOKEN      # IMPLIED
    mark     NMTOKEN      # IMPLIED

```

```

    change      (add | delete | modify)      # IMPLIED
    rfc          CDATA                        # IMPLIED
  >
<! ELEMENT trigger (refs?,threshold * )>
<! ATTLIST trigger
    release      (before | with | after)      # IMPLIED
    level        NMTOKEN                      # IMPLIED
    mark         NMTOKEN                      # IMPLIED
    change       (add | delete | modify)      # IMPLIED
    rfc          CDATA                        # IMPLIED
  >
<! ELEMENT limrange (from,to?)>
<! ELEMENT from (threshold)>
<! ELEMENT to (threshold)>
<! ELEMENT tasklist (taskitem + )>
<! ELEMENT taskitem (refs?,task?,applic?)>
<! ATTLIST taskitem
    seqnum       CDATA                        # REQUIRED
    taskname     CDATA                        # REQUIRED
    skill        (sk01 | sk02 | sk03 | sk04 | sk05 | sk06 | sk07 | sk08 | sk09 | sk10 | sk11 | sk12
| sk13 | sk14 | sk15 | sk16 | sk17 | sk18 | sk19 | sk20 | sk21 | sk22 | sk23 | sk24 | sk25 | sk26
| sk27 | sk28 | sk29 | sk30 | sk31 | sk32 | sk33 | sk34 | sk35 | sk36 | sk37 | sk38 | sk39 | sk40
| sk41 | sk42 | sk43 | sk44 | sk45 | sk46 | sk47 | sk48 | sk49 | sk50 | sk51 | sk52 | sk53 | sk54
| sk55 | sk56 | sk57 | sk58 | sk59 | sk60 | sk61 | sk62 | sk63 | sk64 | sk65 | sk66 | sk67 | sk68
| sk69 | sk70 | sk71 | sk72 | sk73 | sk74 | sk75 | sk76 | sk77 | sk78 | sk79 | sk80 | sk81 | sk82
| sk83 | sk84 | sk85 | sk86 | sk87 | sk88 | sk89 | sk90 | sk91 | sk92 | sk93 | sk94 | sk95 | sk96
| sk97 | sk98 | sk99)                      # IMPLIED
    id          ID                           # IMPLIED
    refapplic   IDREF                        # IMPLIED
  >
<! ELEMENT task (#PCDATA)>
<! ELEMENT deftask (task,reqsource *,prelreqs?,refs?,((equip | nomen)?),supervis?,limit *,remarks
*,applic?)>
<! ATTLIST deftask
    taskid       CDATA                        # REQUIRED
    taskcode(taskcd01 | taskcd02 | taskcd03 | taskcd04 | taskcd05 | taskcd06 | taskcd07 | taskcd08
| taskcd09 | taskcd10 | taskcd11 | taskcd12 | taskcd13 | taskcd14 | taskcd15 | taskcd16 | taskcd17
| taskcd18 | taskcd19 | taskcd20 | taskcd21 | taskcd22 | taskcd23 | taskcd24 | taskcd25 | taskcd26
| taskcd27 | taskcd28 | taskcd29 | taskcd30 | taskcd31 | taskcd32 | taskcd33 | taskcd34 | taskcd35
| taskcd36 | taskcd37 | taskcd38 | taskcd39 | taskcd40 | taskcd41 | taskcd42 | taskcd43 | taskcd44
| taskcd45 | taskcd46 | taskcd47 | taskcd48 | taskcd49 | taskcd50 | taskcd51 | taskcd52 | taskcd53
| taskcd54 | taskcd55 | taskcd56 | taskcd57 | taskcd58 | taskcd59 | taskcd60 | taskcd61 | taskcd62
| taskcd63 | taskcd64 | taskcd65 | taskcd66 | taskcd67 | taskcd68 | taskcd69 | taskcd70 | taskcd71
| taskcd72 | taskcd73 | taskcd74 | taskcd75 | taskcd76 | taskcd77 | taskcd78 | taskcd79 | taskcd80
| taskcd81 | taskcd82 | taskcd83 | taskcd84 | taskcd85 | taskcd86 | taskcd87 | taskcd88 | taskcd89
| taskcd90 | taskcd91 | taskcd92 | taskcd93 | taskcd94 | taskcd95 | taskcd96 | taskcd97 | taskcd98
| taskcd99)                      # IMPLIED
    airworthlim  (recommended | mandatory | none)      # IMPLIED
    reducem      CDATA                        # IMPLIED
    skill        (sk01 | sk02 | sk03 | sk04 | sk05 | sk06 | sk07 | sk08 | sk09 | sk10 | sk11 | sk12
| sk13 | sk14 | sk15 | sk16 | sk17 | sk18 | sk19 | sk20 | sk21 | sk22 | sk23 | sk24 | sk25 | sk26
| sk27 | sk28 | sk29 | sk30 | sk31 | sk32 | sk33 | sk34 | sk35 | sk36 | sk37 | sk38 | sk39 | sk40
| sk41 | sk42 | sk43 | sk44 | sk45 | sk46 | sk47 | sk48 | sk49 | sk50 | sk51 | sk52 | sk53 | sk54
| sk55 | sk56 | sk57 | sk58 | sk59 | sk60 | sk61 | sk62 | sk63 | sk64 | sk65 | sk66 | sk67 | sk68
| sk69 | sk70 | sk71 | sk72 | sk73 | sk74 | sk75 | sk76 | sk77 | sk78 | sk79 | sk80 | sk81 | sk82
| sk83 | sk84 | sk85 | sk86 | sk87 | sk88 | sk89 | sk90 | sk91 | sk92 | sk93 | sk94 | sk95 | sk96
| sk97 | sk98 | sk99)                      # IMPLIED
    skilltype    (st01 | st02 | st03 | st04 | st05 | st06 | st07 | st08 | st09 | st10 | st11 | st12
| st13 | st14 | st15 | st16 | st17 | st18 | st19 | st20 | st21 | st22 | st23 | st24 | st25 | st26
| st27 | st28 | st29 | st30 | st31 | st32 | st33 | st34 | st35 | st36 | st37 | st38 | st39 | st40

```

```

| st41 | st42 | st43 | st44 | st45 | st46 | st47 | st48 | st49 | st50 | st51 | st52 | st53 | st54
| st55 | st56 | st57 | st58 | st59 | st60 | st61 | st62 | st63 | st64 | st65 | st66 | st67 | st68
| st69 | st70 | st71 | st72 | st73 | st74 | st75 | st76 | st77 | st78 | st79 | st80 | st81 | st82
| st83 | st84 | st85 | st86 | st87 | st88 | st89 | st90 | st91 | st92 | st93 | st94 | st95 | st96
| st97 | st98 | st99)    # IMPLIED
    refapplic    IDREF    # IMPLIED
    id    ID    # IMPLIED
    level    NMTOKEN    # IMPLIED
    mark    NMTOKEN    # IMPLIED
    change    (add | delete | modify)    # IMPLIED
    rfc    CDATA    # IMPLIED
>
<! ELEMENT reqsource (issno?,issdate?,fec?)>
<! ATTLIST reqsource
    reqsource    CDATA    # REQUIRED
    sourcenbr    CDATA    # IMPLIED
    approval    CDATA    # IMPLIED
>
<! ELEMENT fec EMPTY>
<! ATTLIST fec
    feccode    CDATA    # REQUIRED
>
<! ELEMENT prelreqs (pmd * ,reqconds,reqpers * ,supequip,supplies,sparcs,safety)>
<! ELEMENT pmd (applic?,thi * ,zone * ,accpn1 * ,avehcfg?,opndurn?)>
<! ATTLIST pmd
    refapplic    IDREF    # IMPLIED
>
<! ELEMENT thi (#PCDATA)>
<! ATTLIST thi
    uom (th01 | th02 | th03 | th04 | th05 | th06 | th07 | th08 | th09 | th10 | th11 | th12 | th13
| th14 | th15 | th16 | th17 | th18 | th19 | th20 | th21 | th22 | th23 | th24 | th25 | th26 | th27
| th28 | th29 | th30 | th31 | th32 | th33 | th34 | th35 | th36 | th37 | th38 | th39 | th40 | th41
| th42 | th43 | th44 | th45 | th46 | th47 | th48 | th49 | th50 | th51 | th52 | th53 | th54 | th55
| th56 | th57 | th58 | th59 | th60 | th61 | th62 | th63 | th64 | th65 | th66 | th67 | th68 | th69
| th70 | th71 | th72 | th73 | th74 | th75 | th76 | th77 | th78 | th79 | th80 | th81 | th82 | th83
| th84 | th85 | th86 | th87 | th88 | th89 | th90 | th91 | th92 | th93 | th94 | th95 | th96 | th97
| th98 | th99)    # REQUIRED
>
<! ELEMENT zone (nomen?,refs?)>
<! ATTLIST zone
    zonenbr    CDATA    # IMPLIED
    id    ID    # IMPLIED
    level    NMTOKEN    # IMPLIED
    mark    NMTOKEN    # IMPLIED
    change    (add | delete | modify)    # IMPLIED
    rfc    CDATA    # IMPLIED
>
<! ELEMENT accpn1 (nomen?,refs?)>
<! ATTLIST accpn1
    accpn1nbr    CDATA    # IMPLIED
    accpn1type    (accpn101 | accpn102 | accpn103 | accpn104 | accpn105 | accpn106 | accpn107 |
accpn108 | accpn109 | accpn110 | accpn111 | accpn112 | accpn113 | accpn114 | accpn115 | accpn116
| accpn117 | accpn118 | accpn119 | accpn120 | accpn121 | accpn122 | accpn123 | accpn124 | accpn125
| accpn126 | accpn127 | accpn128 | accpn129 | accpn130 | accpn131 | accpn132 | accpn133 | accpn134
| accpn135 | accpn136 | accpn137 | accpn138 | accpn139 | accpn140 | accpn141 | accpn142 | accpn143
| accpn144 | accpn145 | accpn146 | accpn147 | accpn148 | accpn149 | accpn150 | accpn151 | accpn152
| accpn153 | accpn154 | accpn155 | accpn156 | accpn157 | accpn158 | accpn159 | accpn160 | accpn161
| accpn162 | accpn163 | accpn164 | accpn165 | accpn166 | accpn167 | accpn168 | accpn169 | accpn170
| accpn171 | accpn172 | accpn173 | accpn174 | accpn175 | accpn176 | accpn177 | accpn178 | accpn179
| accpn180 | accpn181 | accpn182 | accpn183 | accpn184 | accpn185 | accpn186 | accpn187 | accpn188

```

```

| accpn189 | accpn190 | accpn191 | accpn192 | accpn193 | accpn194 | accpn195 | accpn196 | accpn197
| accpn198 | accpn199) # IMPLIED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
>
<! ELEMENT avehcfg (jacked,safedev,elecpr,hydpwr,airpwr,fuel,water,fcposn)>
<! ELEMENT jacked EMPTY>
<! ATTLIST jacked
    status (yes | no | indiffer | na) # REQUIRED
    power (engine | apu | external | internal | indifferent | notapplic) # REQUIRED
>
<! ELEMENT safedev EMPTY>
<! ATTLIST safedev
    status (yes | no | indiffer | na) # REQUIRED
    power (engine | apu | external | internal | indifferent | notapplic) # REQUIRED
>
<! ELEMENT elecpr EMPTY>
<! ATTLIST elecpr
    status (yes | no | indiffer | na) # REQUIRED
    power (engine | apu | external | internal | indifferent | notapplic) # REQUIRED
>
<! ELEMENT hydpwr EMPTY>
<! ATTLIST hydpwr
    status (yes | no | indiffer | na) # REQUIRED
    power (engine | apu | external | internal | indifferent | notapplic) # REQUIRED
>
<! ELEMENT airpwr EMPTY>
<! ATTLIST airpwr
    status (yes | no | indiffer | na) # REQUIRED
    power (engine | apu | external | internal | indifferent | notapplic) # REQUIRED
>
<! ELEMENT fuel EMPTY>
<! ATTLIST fuel
    status (yes | no | indiffer | na) # REQUIRED
    power (engine | apu | external | internal | indifferent | notapplic) # REQUIRED
>
<! ELEMENT water EMPTY>
<! ATTLIST water
    status (yes | no | indiffer | na) # REQUIRED
    power (engine | apu | external | internal | indifferent | notapplic) # REQUIRED
>
<! ELEMENT fcposn EMPTY>
<! ATTLIST fcposn
    status (yes | no | indiffer | na) # REQUIRED
    power (engine | apu | external | internal | indifferent | notapplic) # REQUIRED
>
<! ELEMENT opndurn EMPTY>
<! ATTLIST opndurn
    prelreqs CDATA # REQUIRED
    proced CDATA # REQUIRED
    closeup CDATA # REQUIRED
    id ID # IMPLIED
>
<! ELEMENT reqconds (noconds | ((reqcond | reqcondm | reqcblst | reqcontp) + ))>
<! ELEMENT noconds EMPTY>
<! ELEMENT reqcond (#PCDATA | applic | xref | indxflag | symbol | subscript | supscript | ftnref |
acronym | acroterm) * >

```

```

<! ATTLIST reqcond
  refapplic IDREF # IMPLIED
>
<! ELEMENT reqcondm (applic?,((reqcond,refdm) + ))>
<! ATTLIST reqcondm
  refapplic IDREF # IMPLIED
>
<! ELEMENT reqcblst (applic?,(reqcond,cblst))>
<! ATTLIST reqcblst
  refapplic IDREF # IMPLIED
  id ID # IMPLIED
  level NMTOKEN # IMPLIED
  mark NMTOKEN # IMPLIED
  change (add | delete | modify) # IMPLIED
  rfc CDATA # IMPLIED
>
<! ELEMENT cblst (applic?,((cbsublst + ) + ))>
<! ATTLIST cblst
  refapplic IDREF # IMPLIED
  cbaction (open | close | verif-open | verif-close) # IMPLIED
  checksum CDATA # IMPLIED
  id ID # IMPLIED
  level NMTOKEN # IMPLIED
  mark NMTOKEN # IMPLIED
  change (add | delete | modify) # IMPLIED
  rfc CDATA # IMPLIED
>
<! ELEMENT cbsublst (applic?,ein*,(cbdata + ))>
<! ATTLIST cbsublst
  cbaction (open | close | verif-open | verif-close) # IMPLIED
  checksum CDATA # IMPLIED
  refapplic IDREF # IMPLIED
  id ID # IMPLIED
  level NMTOKEN # IMPLIED
  mark NMTOKEN # IMPLIED
  change (add | delete | modify) # IMPLIED
  rfc CDATA # IMPLIED
>
<! ELEMENT cbdata (applic?,cb,nomen,((xref | accpn1)?),cbloc?)>
<! ATTLIST cbdata
  refapplic IDREF # IMPLIED
  id ID # IMPLIED
  level NMTOKEN # IMPLIED
  mark NMTOKEN # IMPLIED
  change (add | delete | modify) # IMPLIED
  rfc CDATA # IMPLIED
>
<! ELEMENT cbloc (#PCDATA)>
<! ATTLIST cbloc
  id ID # IMPLIED
  level NMTOKEN # IMPLIED
  mark NMTOKEN # IMPLIED
  change (add | delete | modify) # IMPLIED
  rfc CDATA # IMPLIED
>
<! ELEMENT reqcontp (applic?,((reqcond,reftp) + ))>
<! ATTLIST reqcontp
  refapplic IDREF # IMPLIED
>
<! ELEMENT reqpers (applic?,((asrequir | person),((perscat,perskill?,trade?,esttime?)) + ))>

```



```

<! ATTLIST reqpers
  refapplic IDREF # IMPLIED
  id ID # IMPLIED
  level NMTOKEN # IMPLIED
  mark NMTOKEN # IMPLIED
  change (add | delete | modify) # IMPLIED
  rfc CDATA # IMPLIED
>
<! ELEMENT asrequir EMPTY>
<! ELEMENT person EMPTY>
<! ATTLIST person
  man NMTOKEN # REQUIRED
  id ID # IMPLIED
  level NMTOKEN # IMPLIED
  mark NMTOKEN # IMPLIED
  change (add | delete | modify) # IMPLIED
  rfc CDATA # IMPLIED
>
<! ELEMENT perscat EMPTY>
<! ATTLIST perscat
  category CDATA # REQUIRED
  id ID # IMPLIED
  level NMTOKEN # IMPLIED
  mark NMTOKEN # IMPLIED
  change (add | delete | modify) # IMPLIED
  rfc CDATA # IMPLIED
>
<! ELEMENT perskill EMPTY>
<! ATTLIST perskill
  skill (sk01 | sk02 | sk03 | sk04 | sk05 | sk06 | sk07 | sk08 | sk09 | sk10 | sk11 | sk12
| sk13 | sk14 | sk15 | sk16 | sk17 | sk18 | sk19 | sk20 | sk21 | sk22 | sk23 | sk24 | sk25 | sk26
| sk27 | sk28 | sk29 | sk30 | sk31 | sk32 | sk33 | sk34 | sk35 | sk36 | sk37 | sk38 | sk39 | sk40
| sk41 | sk42 | sk43 | sk44 | sk45 | sk46 | sk47 | sk48 | sk49 | sk50 | sk51 | sk52 | sk53 | sk54
| sk55 | sk56 | sk57 | sk58 | sk59 | sk60 | sk61 | sk62 | sk63 | sk64 | sk65 | sk66 | sk67 | sk68
| sk69 | sk70 | sk71 | sk72 | sk73 | sk74 | sk75 | sk76 | sk77 | sk78 | sk79 | sk80 | sk81 | sk82
| sk83 | sk84 | sk85 | sk86 | sk87 | sk88 | sk89 | sk90 | sk91 | sk92 | sk93 | sk94 | sk95 | sk96
| sk97 | sk98 | sk99) # REQUIRED
  id ID # IMPLIED
  level NMTOKEN # IMPLIED
  mark NMTOKEN # IMPLIED
  change (add | delete | modify) # IMPLIED
  rfc CDATA # IMPLIED
>
<! ELEMENT trade (#PCDATA)>
<! ATTLIST trade
  id ID # IMPLIED
  level NMTOKEN # IMPLIED
  mark NMTOKEN # IMPLIED
  change (add | delete | modify) # IMPLIED
  rfc CDATA # IMPLIED
>
<! ELEMENT esttime (#PCDATA)>
<! ATTLIST esttime
  id ID # IMPLIED
  level NMTOKEN # IMPLIED
  mark NMTOKEN # IMPLIED
  change (add | delete | modify) # IMPLIED
  rfc CDATA # IMPLIED
>
<! ELEMENT supequip (nosupeq | supeqli)>

```



```

<! ELEMENT nosupeq EMPTY>
<! ELEMENT supeqli (supequi +)>
<! ELEMENT supequi (applic?,nomen?,(((csnref | nsn | identno | tool),refs?)+),qty,remarks?))>
<! ATTLIST supequi
    refapplic IDREF # IMPLIED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
>
<! ELEMENT identno (mfc,((pnr,serialno*)*))>
<! ATTLIST identno
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
>
<! ELEMENT tool (refs?)>
<! ATTLIST tool
    toolnbr CDATA # REQUIRED
    mfc CDATA # IMPLIED
    specific NMTOKEN "1"
    alternate NMTOKEN "0"
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
>
<! ELEMENT qty (#PCDATA)>
<! ATTLIST qty
    uom CDATA # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
>
<! ELEMENT supplies (nosupply | supplyli)>
<! ELEMENT nosupply EMPTY>
<! ELEMENT supplyli (supply +)>
<! ELEMENT supply (applic?,nomen?,(((csnref | nsn | identno | con),refs?)+),qty,remarks?))>
<! ATTLIST supply
    refapplic IDREF # IMPLIED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
>
<! ELEMENT con (refs?)>
<! ATTLIST con
    connbr CDATA # REQUIRED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
>
<! ELEMENT spares (nospare | sparesli)>

```

```

<! ELEMENT nospares EMPTY>
<! ELEMENT sparesli (spare+)>
<! ELEMENT spare (applic?,nomen?,(((csnref | nsn | identno | ein),refs?)+),qty,remarks?)>
<! ATTLIST spare
    refapplic IDREF # IMPLIED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
>
<! ELEMENT safety (nosafety | safecond)>
<! ELEMENT nosafety EMPTY>
<! ELEMENT safecond ((warning*,caution*),note*)>
<! ATTLIST safecond
    id ID # IMPLIED
>
<! ELEMENT warning (applic?,((symbol | para | (seqlist | randlist | deflist))+))>
<! ATTLIST warning
    type CDATA # IMPLIED
    xrefid IDREF # IMPLIED
    vital NMTOKEN # IMPLIED
    refapplic IDREF # IMPLIED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
>
<! ELEMENT caution (applic?,((symbol | para | (seqlist | randlist | deflist))+))>
<! ATTLIST caution
    type CDATA # IMPLIED
    xrefid IDREF # IMPLIED
    refapplic IDREF # IMPLIED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
>
<! ELEMENT equip ((nomen,nsn?,((identno | csnref)+))+)>
<! ATTLIST equip
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
>
<! ELEMENT supervis EMPTY>
<! ATTLIST supervis
    sup.lev (s101 | s102 | s103 | s104 | s105 | s106 | s107 | s108 | s109 | s110 | s111 | s112
| s113 | s114 | s115 | s116 | s117 | s118 | s119 | s120 | s121 | s122 | s123 | s124 | s125 | s126
| s127 | s128 | s129 | s130 | s131 | s132 | s133 | s134 | s135 | s136 | s137 | s138 | s139 | s140
| s141 | s142 | s143 | s144 | s145 | s146 | s147 | s148 | s149 | s150 | s151 | s152 | s153 | s154
| s155 | s156 | s157 | s158 | s159 | s160 | s161 | s162 | s163 | s164 | s165 | s166 | s167 | s168
| s169 | s170 | s171 | s172 | s173 | s174 | s175 | s176 | s177 | s178 | s179 | s180 | s181 | s182
| s183 | s184 | s185 | s186 | s187 | s188 | s189 | s190 | s191 | s192 | s193 | s194 | s195 | s196
| s197 | s198 | s199) # IMPLIED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED

```

```

    mark      NMTOKEN      # IMPLIED
    change    (add | delete | modify)    # IMPLIED
    rfc        CDATA        # IMPLIED
  >
<!-- ELEMENT timelim (equip,qty?,cat?,timelimit+,applic?)>
<!-- ATTLIST timelim
    identifier CDATA        # REQUIRED
    skill      (sk01 | sk02 | sk03 | sk04 | sk05 | sk06 | sk07 | sk08 | sk09 | sk10 | sk11 | sk12
| sk13 | sk14 | sk15 | sk16 | sk17 | sk18 | sk19 | sk20 | sk21 | sk22 | sk23 | sk24 | sk25 | sk26
| sk27 | sk28 | sk29 | sk30 | sk31 | sk32 | sk33 | sk34 | sk35 | sk36 | sk37 | sk38 | sk39 | sk40
| sk41 | sk42 | sk43 | sk44 | sk45 | sk46 | sk47 | sk48 | sk49 | sk50 | sk51 | sk52 | sk53 | sk54
| sk55 | sk56 | sk57 | sk58 | sk59 | sk60 | sk61 | sk62 | sk63 | sk64 | sk65 | sk66 | sk67 | sk68
| sk69 | sk70 | sk71 | sk72 | sk73 | sk74 | sk75 | sk76 | sk77 | sk78 | sk79 | sk80 | sk81 | sk82
| sk83 | sk84 | sk85 | sk86 | sk87 | sk88 | sk89 | sk90 | sk91 | sk92 | sk93 | sk94 | sk95 | sk96
| sk97 | sk98 | sk99)    # IMPLIED
    refapplic IDREF        # IMPLIED
    level      NMTOKEN      # IMPLIED
    mark      NMTOKEN      # IMPLIED
    change    (add | delete | modify)    # IMPLIED
    rfc        CDATA        # IMPLIED
  >
<!-- ELEMENT cat EMPTY>
<!-- ATTLIST cat
    cat      (1 | 2)      "1"
    level      NMTOKEN      # IMPLIED
    mark      NMTOKEN      # IMPLIED
    change    (add | delete | modify)    # IMPLIED
    rfc        CDATA        # IMPLIED
  >
<!-- ELEMENT timelimit (limittype+ | remarks*)>
<!-- ELEMENT limittype (threshold+,remarks*)>
<!-- ATTLIST limittype
    type (lt01 | lt02 | lt03 | lt04 | lt05 | lt06 | lt07 | lt08 | lt09 | lt10 | lt11 | lt12 | lt13
| lt14 | lt15 | lt16 | lt17 | lt18 | lt19 | lt20 | lt21 | lt22 | lt23 | lt24 | lt25 | lt26 | lt27
| lt28 | lt29 | lt30 | lt31 | lt32 | lt33 | lt34 | lt35 | lt36 | lt37 | lt38 | lt39 | lt40 | lt41
| lt42 | lt43 | lt44 | lt45 | lt46 | lt47 | lt48 | lt49 | lt50 | lt51 | lt52 | lt53 | lt54 | lt55
| lt56 | lt57 | lt58 | lt59 | lt60 | lt61 | lt62 | lt63 | lt64 | lt65 | lt66 | lt67 | lt68 | lt69
| lt70 | lt71 | lt72 | lt73 | lt74 | lt75 | lt76 | lt77 | lt78 | lt79 | lt80 | lt81 | lt82 | lt83
| lt84 | lt85 | lt86 | lt87 | lt88 | lt89 | lt90 | lt91 | lt92 | lt93 | lt94 | lt95 | lt96 | lt97
| lt98 | lt99)    # IMPLIED
    id      ID      # IMPLIED
    level      NMTOKEN      # IMPLIED
    mark      NMTOKEN      # IMPLIED
    change    (add | delete | modify)    # IMPLIED
    rfc        CDATA        # IMPLIED
  >

```

B.8 接线信息 DTD

本文件包含了接线内容 DTD。它标识了所有与接线有关的元素和它们之间的关系。

```

<? xml version="1.0" encoding="UTF-8"?>
<!-- ELEMENT dmodule (rdf:Description?,idstatus,content)>
<!-- ATTLIST dmodule
    id      ID      # IMPLIED
    %RDFDCATT;
  >
<!-- ELEMENT idstatus (dmaddres,srcdmaddres?,status)>
<!-- ELEMENT dmaddres (dmcextension?,dmc,dmttitle,issno,issdate)>
<!-- ELEMENT dmcextension (dmeproducer,dmeocode)>

```

```

<! ELEMENT dmeproducer (# PCDATA)>
<! ELEMENT dmecode (# PCDATA)>
<! ELEMENT dmc (age | avee)>
<! ELEMENT age (modelic,supeqvc,ecscs,eidc,cidc,discode,discodev,incode,incodev,itemloc)>
<! ELEMENT modelic (# PCDATA)>
<! ELEMENT supeqvc (# PCDATA)>
<! ELEMENT ecscs (# PCDATA)>
<! ELEMENT eidc (# PCDATA)>
<! ELEMENT cidc (# PCDATA)>
<! ELEMENT discode (# PCDATA)>
<! ELEMENT discodev (# PCDATA)>
<! ELEMENT incode (# PCDATA)>
<! ELEMENT incodev (# PCDATA)>
<! ELEMENT itemloc (# PCDATA)>
<! ELEMENT avee (modelic,sdc,chapnum,section,subsect,subject,discode,discodev,incode,incodev,
itemloc)>
<! ELEMENT sdc (# PCDATA)>
<! ELEMENT chapnum (# PCDATA)>
<! ELEMENT section (# PCDATA)>
<! ELEMENT subsect (# PCDATA)>
<! ELEMENT subject (# PCDATA)>
<! ELEMENT dmtitle (techname,infoname?)>
<! ELEMENT techname (# PCDATA)>
<! ELEMENT infoname (# PCDATA)>
<! ELEMENT issno EMPTY>
<! ATTLIST issno
    issno    NMTOKEN    # REQUIRED
    inwork   NMTOKEN    # IMPLIED
    type     (new | changed | deleted | revised | status | rinstat-changed | rinstat-revised |
rinstat-status)    "new"
>
<! ELEMENT issdate EMPTY>
<! ATTLIST issdate
    year     NMTOKEN    # REQUIRED
    month    NMTOKEN    # REQUIRED
    day      NMTOKEN    # REQUIRED
>
<! ELEMENT srcdmaddres (dmceextension?,dmc,dmtitle,issno,issdate)>
<! ELEMENT status (security,datarest*, rpc,orig,applic,inlineapplics?, brexref,qa+ ,(( ein)* ),
rfu*,remarks*)>
<! ATTLIST status
    id       ID        # IMPLIED
>
<! ELEMENT security EMPTY>
<! ATTLIST security
    class    (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)    # REQUIRED

    commcls  (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)    # IMPLIED

```

```

    caveat      (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)      # IMPLIED
>
<! ELEMENT datarest (applic?,instruct,inform?)>
<! ATTLIST datarest
    refapplic    IDREF      # IMPLIED
    id           ID         # IMPLIED
    level        NMTOKEN    # IMPLIED
    mark         NMTOKEN    # IMPLIED
    change       (add | delete | modify)    # IMPLIED
    rfc          CDATA      # IMPLIED
>
<! ELEMENT applic (type?,model * )>
<! ATTLIST applic
    applicconf    (allowed | built | designed | installed | manufactured | supported)    # IMPLIED
    id           ID         # IMPLIED
    level        NMTOKEN    # IMPLIED
    mark         NMTOKEN    # IMPLIED
    change       (add | delete | modify)    # IMPLIED
    rfc          CDATA      # IMPLIED
>
<! ELEMENT type (#PCDATA)>
<! ELEMENT model (version * ,((csnref| (mfc)) * ),maintlevel?,techconds * ,opconds * )>
<! ATTLIST model
    model        CDATA      # REQUIRED
>
<! ELEMENT version (versrank * )>
<! ATTLIST version
    version      CDATA      # REQUIRED
    id           ID         # IMPLIED
>
<! ELEMENT versrank ((single | range) +)>
<! ATTLIST versrank
    verstatus    CDATA      # IMPLIED
    id           ID         # IMPLIED
    level        NMTOKEN    # IMPLIED
    mark         NMTOKEN    # IMPLIED
    change       (add | delete | modify)    # IMPLIED
    rfc          CDATA      # IMPLIED
>
<! ELEMENT csnref EMPTY>
<! ATTLIST csnref
    refcsn       CDATA      # REQUIRED
    refisn       CDATA      # IMPLIED
    refipp       CDATA      # IMPLIED
    refrpc       CDATA      # IMPLIED
    id           ID         # IMPLIED
    level        NMTOKEN    # IMPLIED
    mark         NMTOKEN    # IMPLIED
    change       (add | delete | modify)    # IMPLIED
    rfc          CDATA      # IMPLIED
    % XLINKATT2;
>
<! ELEMENT mfc (#PCDATA)>

```

```

<! ATTLIST mfc
  id      ID      # IMPLIED
  level   NMTOKEN  # IMPLIED
  mark    NMTOKEN  # IMPLIED
  change  (add | delete | modify)  # IMPLIED
  rfc     CDATA    # IMPLIED
>
<! ELEMENT pnr (#PCDATA)>
<! ATTLIST pnr
  id      ID      # IMPLIED
  level   NMTOKEN  # IMPLIED
  mark    NMTOKEN  # IMPLIED
  change  (add | delete | modify)  # IMPLIED
  rfc     CDATA    # IMPLIED
>
<! ELEMENT serialno (((single | range) + ))>
<! ELEMENT maintlevel (mntlvl + )>
<! ELEMENT mntlvl EMPTY>
<! ATTLIST mntlvl
  mntlvl  (ml01 | ml02 | ml03 | ml04 | ml05 | ml06 | ml07 | ml08 | ml09 | ml10 | ml11 | ml12
| ml13 | ml14 | ml15 | ml16 | ml17 | ml18 | ml19 | ml20 | ml21 | ml22 | ml23 | ml24 | ml25 | ml26
| ml27 | ml28 | ml29 | ml30 | ml31 | ml32 | ml33 | ml34 | ml35 | ml36 | ml37 | ml38 | ml39 | ml40
| ml41 | ml42 | ml43 | ml44 | ml45 | ml46 | ml47 | ml48 | ml49 | ml50 | ml51 | ml52 | ml53 | ml54
| ml55 | ml56 | ml57 | ml58 | ml59 | ml60 | ml61 | ml62 | ml63 | ml64 | ml65 | ml66 | ml67 | ml68
| ml69 | ml70 | ml71 | ml72 | ml73 | ml74 | ml75 | ml76 | ml77 | ml78 | ml79 | ml80 | ml81 | ml82
| ml83 | ml84 | ml85 | ml86 | ml87 | ml88 | ml89 | ml90 | ml91 | ml92 | ml93 | ml94 | ml95 | ml96
| ml97 | ml98 | ml99)  # REQUIRED
>
<! ELEMENT techconds (textual-desc?, techcond * )>
<! ATTLIST techconds
  id      ID      # IMPLIED
  level   NMTOKEN  # IMPLIED
  mark    NMTOKEN  # IMPLIED
  change  (add | delete | modify)  # IMPLIED
  rfc     CDATA    # IMPLIED
>
<! ELEMENT textual-desc (#PCDATA)>
<! ATTLIST textual-desc
  id      ID      # IMPLIED
  level   NMTOKEN  # IMPLIED
  mark    NMTOKEN  # IMPLIED
  change  (add | delete | modify)  # IMPLIED
  rfc     CDATA    # IMPLIED
>
<! ELEMENT techcond (((((age | avee), issno?, dmtitle?) | (pubcode, pubtitle?, pubdate?) | condtitle?)),
scheduled?, embodied?))
<! ATTLIST techcond
  tccode  (tc01 | tc02 | tc03 | tc04 | tc05 | tc06 | tc07 | tc08 | tc09 | tc10 | tc11 | tc12
| tc13 | tc14 | tc15 | tc16 | tc17 | tc18 | tc19 | tc20 | tc21 | tc22 | tc23 | tc24 | tc25 | tc26
| tc27 | tc28 | tc29 | tc30 | tc31 | tc32 | tc33 | tc34 | tc35 | tc36 | tc37 | tc38 | tc39 | tc40
| tc41 | tc42 | tc43 | tc44 | tc45 | tc46 | tc47 | tc48 | tc49 | tc50 | tc51 | tc52 | tc53 | tc54
| tc55 | tc56 | tc57 | tc58 | tc59 | tc60 | tc61 | tc62 | tc63 | tc64 | tc65 | tc66 | tc67 | tc68
| tc69 | tc70 | tc71 | tc72 | tc73 | tc74 | tc75 | tc76 | tc77 | tc78 | tc79 | tc80 | tc81 | tc82
| tc83 | tc84 | tc85 | tc86 | tc87 | tc88 | tc89 | tc90 | tc91 | tc92 | tc93 | tc94 | tc95 | tc96
| tc97 | tc98 | tc99)  # REQUIRED
  tcno    CDATA      # IMPLIED
  tctype  (pre | post | preandpo)  # REQUIRED
  mfc     CDATA      # IMPLIED
  id      ID      # IMPLIED
  level   NMTOKEN  # IMPLIED

```

```

    mark      NMTOKEN      # IMPLIED
    change    (add | delete | modify)    # IMPLIED
    rfc       CDATA        # IMPLIED
  >
<! ELEMENT pubcode ( #PCDATA | pmc ) * >
<! ATTLIST pubcode
    pubcodsy CDATA        # IMPLIED
>
<! ELEMENT pmc (modelic,pmissuer,pmnumber,pmvolume)>
<! ELEMENT pmissuer ( #PCDATA)>
<! ELEMENT pmnumber ( #PCDATA)>
<! ELEMENT pmvolume ( #PCDATA)>
<! ELEMENT pubtitle ( #PCDATA)>
<! ELEMENT pubdate EMPTY>
<! ATTLIST pubdate
    year      NMTOKEN      # REQUIRED
    month     NMTOKEN      # REQUIRED
    day       NMTOKEN      # REQUIRED
>
<! ELEMENT condtitle ( #PCDATA)>
<! ATTLIST condtitle
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark    NMTOKEN  # IMPLIED
    change  (add | delete | modify)    # IMPLIED
    rfc     CDATA    # IMPLIED
>
<! ELEMENT scheduled ((single | range) + )>
<! ATTLIST scheduled
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark    NMTOKEN  # IMPLIED
    change  (add | delete | modify)    # IMPLIED
    rfc     CDATA    # IMPLIED
>
<! ELEMENT embodied ((single | range) + )>
<! ATTLIST embodied
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark    NMTOKEN  # IMPLIED
    change  (add | delete | modify)    # IMPLIED
    rfc     CDATA    # IMPLIED
>
<! ELEMENT opconds (textual-desc?,opcond * )>
<! ATTLIST opconds
    id      ID      # IMPLIED
    level   NMTOKEN  # IMPLIED
    mark    NMTOKEN  # IMPLIED
    change  (add | delete | modify)    # IMPLIED
    rfc     CDATA    # IMPLIED
>
<! ELEMENT opcond ( #PCDATA)>
<! ATTLIST opcond
    opcno    NMTOKEN      # IMPLIED
    opccode  CDATA        # IMPLIED
    confirmedNMTOKEN      # IMPLIED
    id      ID      # IMPLIED
    level   NMTOKEN      # IMPLIED
    mark    NMTOKEN      # IMPLIED
    change  (add | delete | modify)    # IMPLIED

```



```

    rfc      CDATA      # IMPLIED
  >
<! ELEMENT instruct (distrib, handling?)>
<! ATTLIST instruct
  id      ID      # IMPLIED
  level   NMTOKEN  # IMPLIED
  mark    NMTOKEN  # IMPLIED
  change  (add | delete | modify)  # IMPLIED
  rfc     CDATA    # IMPLIED
>
<! ELEMENT distrib (#PCDATA)>
<! ATTLIST distrib
  id      ID      # IMPLIED
  level   NMTOKEN  # IMPLIED
  mark    NMTOKEN  # IMPLIED
  change  (add | delete | modify)  # IMPLIED
  rfc     CDATA    # IMPLIED
>
<! ELEMENT handling (#PCDATA)>
<! ATTLIST handling
  id      ID      # IMPLIED
  level   NMTOKEN  # IMPLIED
  mark    NMTOKEN  # IMPLIED
  change  (add | delete | modify)  # IMPLIED
  rfc     CDATA    # IMPLIED
>
<! ELEMENT inform (copyright)>
<! ATTLIST inform
  id      ID      # IMPLIED
  level   NMTOKEN  # IMPLIED
  mark    NMTOKEN  # IMPLIED
  change  (add | delete | modify)  # IMPLIED
  rfc     CDATA    # IMPLIED
>
<! ELEMENT copyright (para +)>
<! ATTLIST copyright
  id      ID      # IMPLIED
  level   NMTOKEN  # IMPLIED
  mark    NMTOKEN  # IMPLIED
  change  (add | delete | modify)  # IMPLIED
  rfc     CDATA    # IMPLIED
>
<! ELEMENT para (#PCDATA | applic | ein | cb | parasigdata | quantity | xref | indxflag | change |
emphasis | symbol | subscript | superscript | refdm | reftp | ftnote | ftnref | acronym | acroterm |
seqlist | randlist | deflist)*>
<! ATTLIST para
  refapplic IDREF      # IMPLIED
  id      ID      # IMPLIED
  level   NMTOKEN  # IMPLIED
  mark    NMTOKEN  # IMPLIED
  change  (add | delete | modify)  # IMPLIED
  rfc     CDATA    # IMPLIED
  class   (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)  # IMPLIED
  commcls (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26

```

```

| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99) # IMPLIED
    caveat (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99) # IMPLIED
>
<! ELEMENT ein (nomen?,refs?)>
<! ATTLIST ein
    einnbr CDATA # REQUIRED
    eintype (exact | family) # IMPLIED
    mfc CDATA # IMPLIED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
>
<! ELEMENT nomen (#PCDATA)>
<! ATTLIST nomen
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
>
<! ELEMENT refs ((refdm+,reftp*) | reftp+)>
<! ELEMENT refdm ((applic?,dmextension?,(age | avee),issno?,dmtitle?) | ((%XLINKEXT;)*))>
<! ATTLIST refdm
    target CDATA # IMPLIED
    refapplic IDREF # IMPLIED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
    %XLINKATT;
>
<! ELEMENT reftp (#PCDATA | applic | xref | indxflag | symbol | subscript | superscript | ftnref |
acronym | acroterm | pubcode | pubtitle | pubdate | %XLINKEXT;)*>
<! ATTLIST reftp
    refapplic IDREF # IMPLIED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
    %XLINKATT4;
>
<! ELEMENT xref (#PCDATA | applic | subscript | superscript)*>
<! ATTLIST xref
    xrefid IDREF # IMPLIED
    xidtype (figure | table | multimedia | supply | supequip | spares | para | step | sheet |

```

```

multimediaobject | hotspot | param | other)    # IMPLIED
    target    CDATA    # IMPLIED
    destitle  CDATA    # IMPLIED
    pretext   CDATA    # IMPLIED
    posttext  CDATA    # IMPLIED
    refapplic IDREF    # IMPLIED
    % XLINKATT3;
>
<! ELEMENT subscript ( # PCDATA )>
<! ELEMENT superscript ( # PCDATA )>
<! ELEMENT indxflag EMPTY>
<! ATTLIST indxflag
    ref1    CDATA    # IMPLIED
    ref2    CDATA    # IMPLIED
    ref3    CDATA    # IMPLIED
    ref4    CDATA    # IMPLIED
>
<! ELEMENT symbol (applic?)>
<! ATTLIST symbol
    boardno  ENTITY    # REQUIRED
    id       ID        # IMPLIED
    repropid CDATA      # IMPLIED
    reprohgt CDATA      # IMPLIED
    reproscl CDATA      # IMPLIED
    refapplic IDREF     # IMPLIED
    % XLINKATT1;
>
<! ELEMENT ftntref EMPTY>
<! ATTLIST ftntref
    xrefid   IDREF     # IMPLIED
>
<! ELEMENT acronym (acroterm,acrodef)>
<! ATTLIST acronym
    acrotype (at01 | at02 | at03 | at04 | at05 | at06 | at07 | at08 | at09 | at10 | at11 | at12
| at13 | at14 | at15 | at16 | at17 | at18 | at19 | at20 | at21 | at22 | at23 | at24 | at25 | at26
| at27 | at28 | at29 | at30 | at31 | at32 | at33 | at34 | at35 | at36 | at37 | at38 | at39 | at40
| at41 | at42 | at43 | at44 | at45 | at46 | at47 | at48 | at49 | at50 | at51 | at52 | at53 | at54
| at55 | at56 | at57 | at58 | at59 | at60 | at61 | at62 | at63 | at64 | at65 | at66 | at67 | at68
| at69 | at70 | at71 | at72 | at73 | at74 | at75 | at76 | at77 | at78 | at79 | at80 | at81 | at82
| at83 | at84 | at85 | at86 | at87 | at88 | at89 | at90 | at91 | at92 | at93 | at94 | at95 | at96
| at97 | at98 | at99)    "at01"
    id       ID        # IMPLIED
    level    NMTOKEN    # IMPLIED
    mark     NMTOKEN    # IMPLIED
    change   (add | delete | modify)    # IMPLIED
    rfc      CDATA      # IMPLIED
>
<! ELEMENT acroterm ( # PCDATA | subscript | superscript ) * >
<! ATTLIST acroterm
    xrefid   IDREF     # IMPLIED
>
<! ELEMENT acrodef ( # PCDATA | subscript | superscript ) * >
<! ATTLIST acrodef
    id       ID        # IMPLIED
    level    NMTOKEN    # IMPLIED
    mark     NMTOKEN    # IMPLIED
    change   (add | delete | modify)    # IMPLIED
    rfc      CDATA      # IMPLIED
>
<! ELEMENT cb (nomen?,refs?)>

```

```

<! ATTLIST cb
  cbnbr      CDATA      # REQUIRED
  cbtype     (eltro | elmec | clip)      # IMPLIED
  cbaction   (open | close | verif-open | verif-close)      # IMPLIED
  checksum   CDATA      # IMPLIED
  id         ID         # IMPLIED
  level      NMTOKEN    # IMPLIED
  mark       NMTOKEN    # IMPLIED
  change     (add | delete | modify)      # IMPLIED
  rfc        CDATA      # IMPLIED
>
<! ELEMENT parasigdata (# PCDATA)>
<! ATTLIST parasigdata
  psdtype (psd01 | psd02 | psd03 | psd04 | psd05 | psd06 | psd07 | psd08 | psd09 | psd10 | psd11
| psd12 | psd13 | psd14 | psd15 | psd16 | psd17 | psd18 | psd19 | psd20 | psd21 | psd22 | psd23
| psd24 | psd25 | psd26 | psd27 | psd28 | psd29 | psd30 | psd31 | psd32 | psd33 | psd34 | psd35
| psd36 | psd37 | psd38 | psd39 | psd40 | psd41 | psd42 | psd43 | psd44 | psd45 | psd46 | psd47
| psd48 | psd49 | psd50 | psd51 | psd52 | psd53 | psd54 | psd55 | psd56 | psd57 | psd58 | psd59
| psd60 | psd61 | psd62 | psd63 | psd64 | psd65 | psd66 | psd67 | psd68 | psd69 | psd70 | psd71
| psd72 | psd73 | psd74 | psd75 | psd76 | psd77 | psd78 | psd79 | psd80 | psd81 | psd82 | psd83
| psd84 | psd85 | psd86 | psd87 | psd88 | psd89 | psd90 | psd91 | psd92 | psd93 | psd94 | psd95
| psd96 | psd97 | psd98 | psd99)      # REQUIRED
>
<! ELEMENT quantity (# PCDATA | qtygrp) * >
<! ATTLIST quantity
  qtytype (qty01 | qty02 | qty03 | qty04 | qty05 | qty06 | qty07 | qty08 | qty09 | qty10 | qty11
| qty12 | qty13 | qty14 | qty15 | qty16 | qty17 | qty18 | qty19 | qty20 | qty21 | qty22 | qty23
| qty24 | qty25 | qty26 | qty27 | qty28 | qty29 | qty30 | qty31 | qty32 | qty33 | qty34 | qty35
| qty36 | qty37 | qty38 | qty39 | qty40 | qty41 | qty42 | qty43 | qty44 | qty45 | qty46 | qty47
| qty48 | qty49 | qty50 | qty51 | qty52 | qty53 | qty54 | qty55 | qty56 | qty57 | qty58 | qty59
| qty60 | qty61 | qty62 | qty63 | qty64 | qty65 | qty66 | qty67 | qty68 | qty69 | qty70 | qty71
| qty72 | qty73 | qty74 | qty75 | qty76 | qty77 | qty78 | qty79 | qty80 | qty81 | qty82 | qty83
| qty84 | qty85 | qty86 | qty87 | qty88 | qty89 | qty90 | qty91 | qty92 | qty93 | qty94 | qty95
| qty96 | qty97 | qty98 | qty99)      # IMPLIED
>
<! ELEMENT qtygrp ((qtyvalue + ,qtytolerance * ) | (qtytolerance + ))>
<! ATTLIST qtygrp
  qtygrptype (nominal | minimum | maximum)      "nominal"
  qtyuom     CDATA      # IMPLIED
>
<! ELEMENT qtyvalue (# PCDATA)>
<! ATTLIST qtyvalue
  qtyuom     CDATA      # IMPLIED
>
<! ELEMENT qtytolerance (# PCDATA)>
<! ATTLIST qtytolerance
  qtytoltype (plus | minus | plusorminus)      "plusorminus"
  qtyuom     CDATA      # IMPLIED
>
<! ELEMENT change (# PCDATA | ein | cb | parasigdata | quantity | xref | indxflag | change | emphasis |
symbol | subscript | superscript | refdm | reftp | ftnote | ftnref | acronym | acroterm) * >
<! ATTLIST change
  id         ID         # IMPLIED
  level      NMTOKEN    # IMPLIED
  mark       NMTOKEN    # IMPLIED
  change     (add | delete | modify)      # IMPLIED
  rfc        CDATA      # IMPLIED
>
<! ELEMENT emphasis (# PCDATA | ein | cb | parasigdata | quantity | xref | indxflag | change |
emphasis | symbol | subscript | superscript | refdm | reftp | ftnote | ftnref | acronym | acroterm) * >

```

```

<! ATTLIST emphasis
    emph (em01 | em02 | em03 | em04 | em05 | em06 | em07 | em08 | em09 | em10 | em11 | em12 | em13
    | em14 | em15 | em16 | em17 | em18 | em19 | em20 | em21 | em22 | em23 | em24 | em25 | em26 | em27
    | em28 | em29 | em30 | em31 | em32 | em33 | em34 | em35 | em36 | em37 | em38 | em39 | em40 | em41
    | em42 | em43 | em44 | em45 | em46 | em47 | em48 | em49 | em50 | em51 | em52 | em53 | em54 | em55
    | em56 | em57 | em58 | em59 | em60 | em61 | em62 | em63 | em64 | em65 | em66 | em67 | em68 | em69
    | em70 | em71 | em72 | em73 | em74 | em75 | em76 | em77 | em78 | em79 | em80 | em81 | em82 | em83
    | em84 | em85 | em86 | em87 | em88 | em89 | em90 | em91 | em92 | em93 | em94 | em95 | em96 | em97
    | em98 | em99) "em01"
>
<! ELEMENT footnote (applic?,para+)>
<! ATTLIST footnote
    ftnmark (num | sym | alpha) "num"
    refapplic IDREF # IMPLIED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
    class (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
    | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
    37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 |
    57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
    76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95 |
    96 | 97 | 98 | 99) # IMPLIED
    commcls (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
    | cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
    | cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
    | cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
    | cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
    | cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
    | cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
    | cc97 | cc98 | cc99) # IMPLIED
    caveat (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
    | cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
    | cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
    | cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
    | cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
    | cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
    | cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
    | cv97 | cv98 | cv99) # IMPLIED
>
<! ELEMENT seqlist (applic?,title?,item+)>
<! ATTLIST seqlist
    refapplic IDREF # IMPLIED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
    class (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
    | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
    37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 |
    57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
    76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95 |
    96 | 97 | 98 | 99) # IMPLIED
    commcls (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
    | cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
    | cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
    | cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54

```

```

| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99) # IMPLIED
    caveat (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99) # IMPLIED
>
<! ELEMENT title ( #PCDATA | ein | cb | parasigdata | quantity | xref | indxflag | change | emphasis
| symbol | subscript | superscript | refdm | reftp | ftnote | ftnref | acronym | acroterm) * >
<! ATTLIST title
    class (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99) # IMPLIED
    commcls (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99) # IMPLIED
    caveat (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99) # IMPLIED
>
<! ELEMENT item ( #PCDATA | applic | note | para | ein | cb | parasigdata | quantity | xref |
indxflag | change | emphasis | symbol | subscript | superscript | refdm | reftp | ftnote | ftnref |
acronym | acroterm | seqlist | randlist | deflist) * >
<! ATTLIST item
    refapplic IDREF # IMPLIED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
>
<! ELEMENT note (applic?,((symbol | para | (seqlist | randlist | deflist))+))>
<! ATTLIST note
    type CDATA # IMPLIED
    refapplic IDREF # IMPLIED
    xrefid IDREF # IMPLIED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED

```

```

>
<! ELEMENT randlist (applic?,title?,item+ )>
<! ATTLIST randlist
    prefix      (pf01 | pf02 | pf03 | pf04 | pf05 | pf06 | pf07 | pf08 | pf09 | pf10 | pf11 | pf12
| pf13 | pf14 | pf15 | pf16 | pf17 | pf18 | pf19 | pf20 | pf21 | pf22 | pf23 | pf24 | pf25 | pf26
| pf27 | pf28 | pf29 | pf30 | pf31 | pf32 | pf33 | pf34 | pf35 | pf36 | pf37 | pf38 | pf39 | pf40
| pf41 | pf42 | pf43 | pf44 | pf45 | pf46 | pf47 | pf48 | pf49 | pf50 | pf51 | pf52 | pf53 | pf54
| pf55 | pf56 | pf57 | pf58 | pf59 | pf60 | pf61 | pf62 | pf63 | pf64 | pf65 | pf66 | pf67 | pf68
| pf69 | pf70 | pf71 | pf72 | pf73 | pf74 | pf75 | pf76 | pf77 | pf78 | pf79 | pf80 | pf81 | pf82
| pf83 | pf84 | pf85 | pf86 | pf87 | pf88 | pf89 | pf90 | pf91 | pf92 | pf93 | pf94 | pf95 | pf96
| pf97 | pf98 | pf99)      "pf02"
    refapplic   IDREF      # IMPLIED
    id          ID         # IMPLIED
    level       NMTOKEN    # IMPLIED
    mark        NMTOKEN    # IMPLIED
    change      (add | delete | modify)      # IMPLIED
    rfc         CDATA      # IMPLIED
    class       (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)      # IMPLIED
    commcls     (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)      # IMPLIED
    caveat      (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99)      # IMPLIED
>
<! ELEMENT deflist (applic?,title?,((term,def)+ ))>
<! ATTLIST deflist
    refapplic   IDREF      # IMPLIED
    id          ID         # IMPLIED
    level       NMTOKEN    # IMPLIED
    mark        NMTOKEN    # IMPLIED
    change      (add | delete | modify)      # IMPLIED
    rfc         CDATA      # IMPLIED
    class       (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)      # IMPLIED
    commcls     (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82

```

```

| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99) # IMPLIED
    caveat (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68
| cv69 | cv70 | cv71 | cv72 | cv73 | cv74 | cv75 | cv76 | cv77 | cv78 | cv79 | cv80 | cv81 | cv82
| cv83 | cv84 | cv85 | cv86 | cv87 | cv88 | cv89 | cv90 | cv91 | cv92 | cv93 | cv94 | cv95 | cv96
| cv97 | cv98 | cv99) # IMPLIED
>
<! ELEMENT term (#PCDATA | applic | ein | cb | parasigdata | quantity | xref | indxflag | change |
emphasis | symbol | subscript | superscript | refdm | reftp | ftnote | ftnref | acronym | acroterm)* >
<! ATTLIST term
    refapplic IDREF # IMPLIED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
>
<! ELEMENT def (#PCDATA | applic | para | ein | cb | parasigdata | quantity | xref | indxflag |
change | emphasis | symbol | subscript | superscript | refdm | reftp | ftnote | ftnref | acronym |
acroterm | seqlist | randlist | deflist)* >
<! ATTLIST def
    refapplic IDREF # IMPLIED
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
>
<! ELEMENT polref (#PCDATA)>
<! ATTLIST polref
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
>
<! ELEMENT datacond (#PCDATA)>
<! ATTLIST datacond
    id ID # IMPLIED
    level NMTOKEN # IMPLIED
    mark NMTOKEN # IMPLIED
    change (add | delete | modify) # IMPLIED
    rfc CDATA # IMPLIED
>
<! ELEMENT rpc (#PCDATA)>
<! ATTLIST rpc
    rpcname CDATA # IMPLIED
    id ID # IMPLIED
>
<! ELEMENT orig (#PCDATA)>
<! ATTLIST orig
    origname CDATA # IMPLIED
    id ID # IMPLIED
>
<! ELEMENT inlineapplics (applic+)>
<

```



```

<! ELEMENT brexref (refdm)>
<! ELEMENT qa (applic?,(unverif | (firstver,secver?)))>
<! ATTLIST qa
    refapplic    IDREF    # IMPLIED
>
<! ELEMENT unverif EMPTY>
<! ELEMENT firstver EMPTY>
<! ATTLIST firstver
    type        (tabtop | onobject | ttandoo)    # REQUIRED
>
<! ELEMENT secver EMPTY>
<! ATTLIST secver
    type        (tabtop | onobject | ttandoo)    # REQUIRED
>
<! ELEMENT rfu (#PCDATA | applic | p)*>
<! ATTLIST rfu
    refapplic    IDREF    # IMPLIED
>
<! ELEMENT p (#PCDATA | subscript | supscript)*>
<! ATTLIST p
    id          ID        # IMPLIED
    level       NMTOKEN    # IMPLIED
    mark        NMTOKEN    # IMPLIED
    change      (add | delete | modify)    # IMPLIED
    rfc         CDATA      # IMPLIED
>
<! ELEMENT remarks (#PCDATA | applic | p)*>
<! ATTLIST remarks
    refapplic    IDREF    # IMPLIED
>
<! ELEMENT content (refs?,wrngdata)>
<! ATTLIST content
    id          ID        # IMPLIED
>
<! ELEMENT wrngdata (wires?,harnesses?,elecequips?,stdparts?)>
<! ELEMENT wires (wire+)>
<! ELEMENT wire (wireid,wireconnection,wireinformation?,applics?)>
<! ATTLIST wire
    wirestate    (active | stowed | pigtail | notactiv | logconn)    # IMPLIED
    chginfo      (add | delete | modify)    # IMPLIED
    refapplic    IDREF    # IMPLIED
>
<! ELEMENT wireid (circode?,wireno,secid?)>
<! ATTLIST wireid
    contextid    CDATA      # IMPLIED
    mfc          CDATA      # IMPLIED
    originator    (orig01 | orig02 | orig03 | orig04 | orig05 | orig06 | orig07 | orig08 | orig09
| orig10 | orig11 | orig12 | orig13 | orig14 | orig15 | orig16 | orig17 | orig18 | orig19 | orig20
| orig21 | orig22 | orig23 | orig24 | orig25 | orig26 | orig27 | orig28 | orig29 | orig30 | orig31
| orig32 | orig33 | orig34 | orig35 | orig36 | orig37 | orig38 | orig39 | orig40 | orig41 | orig42
| orig43 | orig44 | orig45 | orig46 | orig47 | orig48 | orig49 | orig50 | orig51 | orig52 | orig53
| orig54 | orig55 | orig56 | orig57 | orig58 | orig59 | orig60 | orig61 | orig62 | orig63 | orig64
| orig65 | orig66 | orig67 | orig68 | orig69 | orig70 | orig71 | orig72 | orig73 | orig74 | orig75
| orig76 | orig77 | orig78 | orig79 | orig80 | orig81 | orig82 | orig83 | orig84 | orig85 | orig86
| orig87 | orig88 | orig89 | orig90 | orig91 | orig92 | orig93 | orig94 | orig95 | orig96 | orig97
| orig98 | orig99)    # IMPLIED
>
<! ELEMENT circode (#PCDATA)>
<! ELEMENT wireno (#PCDATA)>
<! ELEMENT secid (#PCDATA)>

```

```

<! ELEMENT wireconnection (fromequip,toequip?)>
<! ELEMENT fromequip ((rfd,contactinfo?,screens?,twists?,wireins?))>
<! ELEMENT rfd (#PCDATA)>
<! ATTLIST rfd
    id      ID      # IMPLIED
    level    NMTOKEN # IMPLIED
    mark     NMTOKEN # IMPLIED
    change   (add | delete | modify) # IMPLIED
    rfc      CDATA   # IMPLIED
    contextid CDATA   # IMPLIED
    mfc      CDATA   # IMPLIED
    originator (orig01 | orig02 | orig03 | orig04 | orig05 | orig06 | orig07 | orig08 | orig09
| orig10 | orig11 | orig12 | orig13 | orig14 | orig15 | orig16 | orig17 | orig18 | orig19 | orig20
| orig21 | orig22 | orig23 | orig24 | orig25 | orig26 | orig27 | orig28 | orig29 | orig30 | orig31
| orig32 | orig33 | orig34 | orig35 | orig36 | orig37 | orig38 | orig39 | orig40 | orig41 | orig42
| orig43 | orig44 | orig45 | orig46 | orig47 | orig48 | orig49 | orig50 | orig51 | orig52 | orig53
| orig54 | orig55 | orig56 | orig57 | orig58 | orig59 | orig60 | orig61 | orig62 | orig63 | orig64
| orig65 | orig66 | orig67 | orig68 | orig69 | orig70 | orig71 | orig72 | orig73 | orig74 | orig75
| orig76 | orig77 | orig78 | orig79 | orig80 | orig81 | orig82 | orig83 | orig84 | orig85 | orig86
| orig87 | orig88 | orig89 | orig90 | orig91 | orig92 | orig93 | orig94 | orig95 | orig96 | orig97
| orig98 | orig99) # IMPLIED
>
<! ELEMENT contactinfo (contact?,wireconcode?,netanacode?)>
<! ELEMENT contact EMPTY>
<! ATTLIST contact
    ident    CDATA      # REQUIRED
    function CDATA      # IMPLIED
    ctype    CDATA      # IMPLIED
    cconnect NMTOKEN    # IMPLIED
    termpnr  CDATA      # IMPLIED
    wexdir   CDATA      # IMPLIED
>
<! ELEMENT wireconcode (screenorder?,specconn?,elecpotential,pconnorder?)>
<! ELEMENT screenorder (#PCDATA)>
<! ELEMENT specconn (#PCDATA)>
<! ELEMENT elecpotential (module?,block?,shunt?,contactorder?)>
<! ELEMENT module (#PCDATA)>
<! ELEMENT block (#PCDATA)>
<! ELEMENT shunt (#PCDATA)>
<! ELEMENT contactorder (#PCDATA)>
<! ELEMENT pconnorder (#PCDATA)>
<! ELEMENT netanacode (#PCDATA)>
<! ELEMENT screens (screen+)>
<! ELEMENT screen (#PCDATA)>
<! ATTLIST screen
    scrlevel CDATA      # IMPLIED
    scrtype  CDATA      # IMPLIED
    scrstyle CDATA      # IMPLIED
>
<! ELEMENT twists (twist+)>
<! ELEMENT twist (#PCDATA)>
<! ATTLIST twist
    twsttype CDATA      # IMPLIED
>
<! ELEMENT wireins (pre*,fin*)>
<! ELEMENT pre ((val?,refs?))>
<! ELEMENT val (#PCDATA)>
<! ELEMENT fin ((val?,refs?))>
<! ELEMENT toequip ((rfd,contactinfo?,screens?,twists?,wireins?))>
<! ELEMENT wireinformation (wirecode?,harnid?,wireseqno?,screens?,twists?,coax?,triax?,emc-code?,

```

```

length?,colour?,signal?,rpc?,routing?,wireroute?,restriction?,nhassy?,fdescref?,illref?))
<! ELEMENT wirecode (wiretype,wiregauge * )>
<! ELEMENT wiretype (# PCDATA)>
<! ELEMENT wiregauge (# PCDATA)>
<! ATTLIST wiregauge
    gaugetype      (proj | awg | mt)      # REQUIRED
>
<! ELEMENT harnid (# PCDATA)>
<! ATTLIST harnid
    contextid      CDATA      # IMPLIED
    mfc            CDATA      # IMPLIED
    originator      (orig01 | orig02 | orig03 | orig04 | orig05 | orig06 | orig07 | orig08 | orig09
| orig10 | orig11 | orig12 | orig13 | orig14 | orig15 | orig16 | orig17 | orig18 | orig19 | orig20
| orig21 | orig22 | orig23 | orig24 | orig25 | orig26 | orig27 | orig28 | orig29 | orig30 | orig31
| orig32 | orig33 | orig34 | orig35 | orig36 | orig37 | orig38 | orig39 | orig40 | orig41 | orig42
| orig43 | orig44 | orig45 | orig46 | orig47 | orig48 | orig49 | orig50 | orig51 | orig52 | orig53
| orig54 | orig55 | orig56 | orig57 | orig58 | orig59 | orig60 | orig61 | orig62 | orig63 | orig64
| orig65 | orig66 | orig67 | orig68 | orig69 | orig70 | orig71 | orig72 | orig73 | orig74 | orig75
| orig76 | orig77 | orig78 | orig79 | orig80 | orig81 | orig82 | orig83 | orig84 | orig85 | orig86
| orig87 | orig88 | orig89 | orig90 | orig91 | orig92 | orig93 | orig94 | orig95 | orig96 | orig97
| orig98 | orig99)      # IMPLIED
>
<! ELEMENT wireseqno (# PCDATA)>
<! ELEMENT coax (# PCDATA)>
<! ELEMENT triax (# PCDATA)>
<! ELEMENT emc-code (# PCDATA)>
<! ELEMENT length (# PCDATA)>
<! ATTLIST length
    uom            CDATA      # IMPLIED
    wirelngthyp    (critical | estimated | final)      # IMPLIED
>
<! ELEMENT colour (# PCDATA)>
<! ELEMENT signal (# PCDATA)>
<! ELEMENT routing (clipid*,feedthru*)>
<! ELEMENT clipid (# PCDATA)>
<! ELEMENT feedthru (rfd)>
<! ATTLIST feedthru
    holeid         CDATA      # IMPLIED
>
<! ELEMENT wireroute (# PCDATA)>
<! ELEMENT restriction (# PCDATA)>
<! ELEMENT nhassy (# PCDATA)>
<! ELEMENT fdescref (refs)>
<! ELEMENT illref (refs)>
<! ELEMENT applics (applic+)>
<! ELEMENT harnesses (harness+)>
<! ELEMENT harness (harnid,harninfo?,routing?,rpc?,fdescref?,illref?,applics?))
<! ATTLIST harness
    chginfo        (add | delete | modify)      # IMPLIED
    refapplic       IDREF      # IMPLIED
>
<! ELEMENT harninfo (pnr?,altids?,harnvar?,harnissue?,nomenc?,emc-code?))
<! ELEMENT altids (altid+)>
<! ELEMENT altid (pnr?,mfc?)>
<! ELEMENT harnvar (# PCDATA)>
<! ELEMENT harnissue (# PCDATA)>
<! ELEMENT nomenc (# PCDATA)>
<! ELEMENT elecequips (elecequip+)>
<! ELEMENT elecequip (rfd,pnr?,altids?,instloc*,accdopl?,assyinstr?,nhassy?,posnhassy?,maxposition?,
sibplugid?,trl?,clcf?,ellogic?,rpc?,nomenc?,equdescrf?,fdescrf?,illref?,applics?))

```

```

<! ATTLIST elecequip
  chginfo      (add | delete | modify)      # IMPLIED
  equipstate   (active | notactiv | logequip) # IMPLIED
  refapplic    IDREF      # IMPLIED
>
<! ELEMENT instloc (#PCDATA)>
<! ATTLIST instloc
  uom          CDATA      # IMPLIED
  instloctyp   (instloctyp01 | instloctyp02 | instloctyp03 | instloctyp04 | instloctyp05 |
instloctyp06 | instloctyp07 | instloctyp08 | instloctyp09 | instloctyp10 | instloctyp11 |
instloctyp12 | instloctyp13 | instloctyp14 | instloctyp15 | instloctyp16 | instloctyp17 |
instloctyp18 | instloctyp19 | instloctyp20 | instloctyp21 | instloctyp22 | instloctyp23 |
instloctyp24 | instloctyp25 | instloctyp26 | instloctyp27 | instloctyp28 | instloctyp29 |
instloctyp30 | instloctyp31 | instloctyp32 | instloctyp33 | instloctyp34 | instloctyp35 |
instloctyp36 | instloctyp37 | instloctyp38 | instloctyp39 | instloctyp40 | instloctyp41 |
instloctyp42 | instloctyp43 | instloctyp44 | instloctyp45 | instloctyp46 | instloctyp47 |
instloctyp48 | instloctyp49 | instloctyp50 | instloctyp51 | instloctyp52 | instloctyp53 |
instloctyp54 | instloctyp55 | instloctyp56 | instloctyp57 | instloctyp58 | instloctyp59 |
instloctyp60 | instloctyp61 | instloctyp62 | instloctyp63 | instloctyp64 | instloctyp65 |
instloctyp66 | instloctyp67 | instloctyp68 | instloctyp69 | instloctyp70 | instloctyp71 |
instloctyp72 | instloctyp73 | instloctyp74 | instloctyp75 | instloctyp76 | instloctyp77 |
instloctyp78 | instloctyp79 | instloctyp80 | instloctyp81 | instloctyp82 | instloctyp83 |
instloctyp84 | instloctyp85 | instloctyp86 | instloctyp87 | instloctyp88 | instloctyp89 |
instloctyp90 | instloctyp91 | instloctyp92 | instloctyp93 | instloctyp94 | instloctyp95 |
instloctyp96 | instloctyp97 | instloctyp98 | instloctyp99) # IMPLIED
>
<! ELEMENT accdopl (#PCDATA)>
<! ELEMENT assyinstr (assy*)>
<! ELEMENT assy ((val?,refs?))>
<! ELEMENT posnhassy (#PCDATA)>
<! ATTLIST posnhassy
  pos          CDATA      # IMPLIED
  row          CDATA      # IMPLIED
  col          CDATA      # IMPLIED
>
<! ELEMENT maxposition (#PCDATA)>
<! ELEMENT sibplugid (#PCDATA)>
<! ELEMENT trl (#PCDATA)>
<! ELEMENT clc (#PCDATA)>
<! ELEMENT elogic (ecstate+)>
<! ELEMENT ecstate (eeconnection+ ,statedes?)>
<! ATTLIST ecstate
  initstate    NMToken    # IMPLIED
>
<! ELEMENT eeconnection (contact+)>
<! ATTLIST eeconnection
  conntype     CDATA      # IMPLIED
>
<! ELEMENT statedes (#PCDATA)>
<! ELEMENT equdescresc (refs)>
<! ELEMENT stdparts (connectors?, vparts?, accessories?, solder-sleeves?, shrink-sleeves?,
ident-sleeves?,conduits?,wire-mats?)>
<! ELEMENT connectors (connector+)>
<! ELEMENT connector (pnr,altids?,mass?,orientation?,assyinstr?,rack?,ccount?,cdescs?,elogic?,
acclist?,fdescresc?,illref?,applics?)>
<! ATTLIST connector
  refapplic    IDREF      # IMPLIED
>
<! ELEMENT mass (#PCDATA)>
<! ATTLIST mass

```

```

    uom      CDATA      # IMPLIED
  >
  < ! ELEMENT orientation ( # PCDATA ) >
  < ! ELEMENT rack ( # PCDATA ) >
  < ! ELEMENT ccount ( # PCDATA ) >
  < ! ELEMENT cdescs ( cdesc + ) >
  < ! ELEMENT cdesc ( contact, cdia?, fin *, tplus?, tminus?, sterm?, coax?, triax?, module?, block?, shunt? ) >
  < ! ELEMENT cdia ( # PCDATA ) >
  < ! ATTLLIST cdia
    uom      CDATA      # IMPLIED
  >
  < ! ELEMENT tplus ( # PCDATA ) >
  < ! ELEMENT tminus ( # PCDATA ) >
  < ! ELEMENT sterm ( # PCDATA ) >
  < ! ELEMENT acclist ( pnr + ) >
  < ! ELEMENT vparts ( vpart + ) >
  < ! ELEMENT vpart ( pnr, altids?, csize?, mat?, mass?, colour?, protect?, cdia?, temp?, fdescref?, illref?,
  applics? ) >
  < ! ATTLLIST vpart
    refapplic IDREF      # IMPLIED
  >
  < ! ELEMENT csize ( # PCDATA ) >
  < ! ELEMENT mat ( # PCDATA ) >
  < ! ELEMENT protect ( # PCDATA ) >
  < ! ELEMENT temp ( mint, maxt ) >
  < ! ELEMENT mint ( # PCDATA ) >
  < ! ATTLLIST mint
    uom      CDATA      # IMPLIED
  >
  < ! ELEMENT maxt ( # PCDATA ) >
  < ! ATTLLIST maxt
    uom      CDATA      # IMPLIED
  >
  < ! ELEMENT accessories ( accessory + ) >
  < ! ELEMENT accessory ( pnr, altids?, mass?, orientation?, assyinstr?, fdescref?, illref?, applics? ) >
  < ! ATTLLIST accessory
    refapplic IDREF      # IMPLIED
  >
  < ! ELEMENT solder-sleeves ( solder-sleeve + ) >
  < ! ELEMENT solder-sleeve ( pnr, altids?, length?, mat?, mass?, sdia?, fdescref?, illref?, applics? ) >
  < ! ATTLLIST solder-sleeve
    refapplic IDREF      # IMPLIED
  >
  < ! ELEMENT sdia ( mind, maxd ) >
  < ! ELEMENT mind ( # PCDATA ) >
  < ! ATTLLIST mind
    uom      CDATA      # IMPLIED
  >
  < ! ELEMENT maxd ( # PCDATA ) >
  < ! ATTLLIST maxd
    uom      CDATA      # IMPLIED
  >
  < ! ELEMENT shrink-sleeves ( shrink-sleeve + ) >
  < ! ELEMENT shrink-sleeve ( pnr, altids?, size?, mass?, colour?, sdia?, temp?, harnsize?, fdescref?, illref?,
  applics? ) >
  < ! ATTLLIST shrink-sleeve
    refapplic IDREF      # IMPLIED
  >
  < ! ELEMENT size ( # PCDATA ) >
  < ! ATTLLIST size

```

```

    uom      CDATA      # IMPLIED
  >
  < ! ELEMENT harnsize (minh,maxh)>
  < ! ELEMENT minh ( # PCDATA)>
  < ! ATTLIST minh
    uom      CDATA      # IMPLIED
  >
  < ! ELEMENT maxh ( # PCDATA)>
  < ! ATTLIST maxh
    uom      CDATA      # IMPLIED
  >
  < ! ELEMENT ident-sleeves (ident-sleeve + )>
  < ! ELEMENT ident-sleeve (pnr,altids?,length?,mat?,mass?,fdescref?,illref?,applics?)>
  < ! ATTLIST ident-sleeve
    refapplic IDREF      # IMPLIED
  >
  < ! ELEMENT conduits (conduit + )>
  < ! ELEMENT conduit (pnr,altids?,size?,mass?,colour?,wallthk?,temp?,fdescref?,illref?,applics?)>
  < ! ATTLIST conduit
    refapplic IDREF      # IMPLIED
  >
  < ! ELEMENT wallthk ( # PCDATA)>
  < ! ATTLIST wallthk
    uom      CDATA      # IMPLIED
  >
  < ! ELEMENT wire-mats (wire-mat + )>
  < ! ELEMENT wire-mat (pnr,altids?,wirecode?,core?,size?,mass?,colour?,outjackcol?,outdia?,res?,
voltage?,amperage?,temp?,screencount?,coax?,triax?,freqchar?,fdescref?,illref?,applics?)>
  < ! ATTLIST wire-mat
    refapplic IDREF      # IMPLIED
  >
  < ! ELEMENT core ( # PCDATA)>
  < ! ELEMENT outjackcol ( # PCDATA)>
  < ! ELEMENT outdia ( # PCDATA)>
  < ! ATTLIST outdia
    uom      CDATA      # IMPLIED
  >
  < ! ELEMENT res ( # PCDATA)>
  < ! ATTLIST res
    uom      CDATA      # IMPLIED
  >
  < ! ELEMENT voltage ( # PCDATA)>
  < ! ATTLIST voltage
    uom      CDATA      # IMPLIED
  >
  < ! ELEMENT amperage ( # PCDATA)>
  < ! ATTLIST amperage
    uom      CDATA      # IMPLIED
  >
  < ! ELEMENT screencount ( # PCDATA)>
  < ! ELEMENT freqchar (impedance,freqatt * )>
  < ! ELEMENT impedance ( # PCDATA)>
  < ! ATTLIST impedance
    uom      CDATA      # IMPLIED
  >
  < ! ELEMENT freqatt (freq,attenuation)>
  < ! ELEMENT freq ( # PCDATA)>
  < ! ATTLIST freq
    uom      CDATA      # IMPLIED
  >

```



```

<! ELEMENT attenuation (#PCDATA)>
<! ATTLIST attenuation
    uom          CDATA          # IMPLIED
>

```

B.9 出版物模块信息 DTD

本文件包含了出版物信息模块 DTD。它标识了所有与出版物模块有关的元素和它们之间的关系。

```

<? xml version="1.0" encoding="UTF-8"?>
<! ELEMENT pm (rdf:Description?,idstatus,content)>
<! ATTLIST pm
    id      ID      # IMPLIED
    %RDFDCATT;
>
<! ELEMENT idstatus (pmaddres,pmstatus)>
<! ELEMENT pmaddres (pmc,pmtitle,issno,issdate)>
<! ELEMENT pmc (modelic,pmissuer,pmnumber,pmvolume)>
<! ELEMENT modelic (#PCDATA)>
<! ELEMENT pmissuer (#PCDATA)>
<! ELEMENT pmnumber (#PCDATA)>
<! ELEMENT pmvolume (#PCDATA)>
<! ELEMENT pmtitle (#PCDATA)>
<! ELEMENT issno EMPTY>
<! ATTLIST issno
    issno      NMTOKEN      # REQUIRED
    inwork     NMTOKEN      # IMPLIED
    type       (new | changed | deleted | revised | status | rinstat-changed | rinstat-revised |
rinstat-status)      "new"
>
<! ELEMENT issdate EMPTY>
<! ATTLIST issdate
    year      NMTOKEN      # REQUIRED
    month     NMTOKEN      # REQUIRED
    day       NMTOKEN      # REQUIRED
>
<! ELEMENT pmstatus (security, datarest?, rpc, orig?, effect?, media *, qa, ((sbc | fic) * ), rfu?,
remarks?)>
<! ELEMENT security EMPTY>
<! ATTLIST security
    class      (01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17
| 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56
| 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95
| 96 | 97 | 98 | 99)      # REQUIRED
    commcls    (cc01 | cc02 | cc03 | cc04 | cc05 | cc06 | cc07 | cc08 | cc09 | cc10 | cc11 | cc12
| cc13 | cc14 | cc15 | cc16 | cc17 | cc18 | cc19 | cc20 | cc21 | cc22 | cc23 | cc24 | cc25 | cc26
| cc27 | cc28 | cc29 | cc30 | cc31 | cc32 | cc33 | cc34 | cc35 | cc36 | cc37 | cc38 | cc39 | cc40
| cc41 | cc42 | cc43 | cc44 | cc45 | cc46 | cc47 | cc48 | cc49 | cc50 | cc51 | cc52 | cc53 | cc54
| cc55 | cc56 | cc57 | cc58 | cc59 | cc60 | cc61 | cc62 | cc63 | cc64 | cc65 | cc66 | cc67 | cc68
| cc69 | cc70 | cc71 | cc72 | cc73 | cc74 | cc75 | cc76 | cc77 | cc78 | cc79 | cc80 | cc81 | cc82
| cc83 | cc84 | cc85 | cc86 | cc87 | cc88 | cc89 | cc90 | cc91 | cc92 | cc93 | cc94 | cc95 | cc96
| cc97 | cc98 | cc99)      # IMPLIED
    caveat     (cv01 | cv02 | cv03 | cv04 | cv05 | cv06 | cv07 | cv08 | cv09 | cv10 | cv11 | cv12
| cv13 | cv14 | cv15 | cv16 | cv17 | cv18 | cv19 | cv20 | cv21 | cv22 | cv23 | cv24 | cv25 | cv26
| cv27 | cv28 | cv29 | cv30 | cv31 | cv32 | cv33 | cv34 | cv35 | cv36 | cv37 | cv38 | cv39 | cv40
| cv41 | cv42 | cv43 | cv44 | cv45 | cv46 | cv47 | cv48 | cv49 | cv50 | cv51 | cv52 | cv53 | cv54
| cv55 | cv56 | cv57 | cv58 | cv59 | cv60 | cv61 | cv62 | cv63 | cv64 | cv65 | cv66 | cv67 | cv68

```

cv69	cv70	cv71	cv72	cv73	cv74	cv75	cv76	cv77	cv78	cv79	cv80	cv81	cv82
cv83	cv84	cv85	cv86	cv87	cv88	cv89	cv90	cv91	cv92	cv93	cv94	cv95	cv96
cv97	cv98	cv99	# IMPLIED										

```

>
<! ELEMENT datarest (instruct,inform?)>
<! ATTLIST datarest
  id      ID      # IMPLIED
  level   NMTOKEN # IMPLIED
  mark    NMTOKEN # IMPLIED
  change  (add | delete | modify) # IMPLIED
  rfc     CDATA   # IMPLIED
>
<! ELEMENT instruct (distrib,handling?)>
<! ATTLIST instruct
  id      ID      # IMPLIED
  level   NMTOKEN # IMPLIED
  mark    NMTOKEN # IMPLIED
  change  (add | delete | modify) # IMPLIED
  rfc     CDATA   # IMPLIED
>
<! ELEMENT distrib (#PCDATA)>
<! ATTLIST distrib
  id      ID      # IMPLIED
  level   NMTOKEN # IMPLIED
  mark    NMTOKEN # IMPLIED
  change  (add | delete | modify) # IMPLIED
  rfc     CDATA   # IMPLIED
>
<! ELEMENT handling (#PCDATA)>
<! ATTLIST handling
  id      ID      # IMPLIED
  level   NMTOKEN # IMPLIED
  mark    NMTOKEN # IMPLIED
  change  (add | delete | modify) # IMPLIED
  rfc     CDATA   # IMPLIED
>
<! ELEMENT inform (copyright)>
<! ATTLIST inform
  id      ID      # IMPLIED
  level   NMTOKEN # IMPLIED
  mark    NMTOKEN # IMPLIED
  change  (add | delete | modify) # IMPLIED
  rfc     CDATA   # IMPLIED
>
<! ELEMENT copyright ((p | refdm) * )>
<! ATTLIST copyright
  id      ID      # IMPLIED
  level   NMTOKEN # IMPLIED
  mark    NMTOKEN # IMPLIED
  change  (add | delete | modify) # IMPLIED
  rfc     CDATA   # IMPLIED
>
<! ELEMENT p (#PCDATA | subscript | superscript) * )>
<! ATTLIST p
  id      ID      # IMPLIED
  level   NMTOKEN # IMPLIED
  mark    NMTOKEN # IMPLIED
  change  (add | delete | modify) # IMPLIED
  rfc     CDATA   # IMPLIED
>

```



```

<! ELEMENT subscript ( # PCDATA)>
<! ELEMENT supscript ( # PCDATA)>
<! ELEMENT refdm ((dmceextension?,dmc,dmttitle?,issno?,issdate?) | (( % XLINKEXT;)* ))>
<! ATTLIST refdm
    % XLINKATT4;
>
<! ELEMENT dmceextension (dmeproducer,dmcecode)>
<! ELEMENT dmeproducer ( # PCDATA)>
<! ELEMENT dmcecode ( # PCDATA)>
<! ELEMENT dmc (age | avee)>
<! ELEMENT age (modelic,supeqvc,ecscs,eidc,cidc,discode,discodev,incodex,incodexv,itemloc)>
<! ELEMENT supeqvc ( # PCDATA)>
<! ELEMENT ecscs ( # PCDATA)>
<! ELEMENT eidc ( # PCDATA)>
<! ELEMENT cidc ( # PCDATA)>
<! ELEMENT discode ( # PCDATA)>
<! ELEMENT discodev ( # PCDATA)>
<! ELEMENT incodex ( # PCDATA)>
<! ELEMENT incodexv ( # PCDATA)>
<! ELEMENT itemloc ( # PCDATA)>
<! ELEMENT avee (modelic,sdc,chapnum,section,subsect,subject,discode,discodev,incodex,incodexv,
itemloc)>
<! ELEMENT sdc ( # PCDATA)>
<! ELEMENT chapnum ( # PCDATA)>
<! ELEMENT section ( # PCDATA)>
<! ELEMENT subsect ( # PCDATA)>
<! ELEMENT subject ( # PCDATA)>
<! ELEMENT dmttitle (techname,infoname?)>
<! ELEMENT techname ( # PCDATA)>
<! ELEMENT infoname ( # PCDATA)>
>
<! ELEMENT rpc ( # PCDATA)>
<! ATTLIST rpc
    rpcname CDATA      # IMPLIED
    id      ID         # IMPLIED
>
<! ELEMENT orig ( # PCDATA)>
<! ATTLIST orig
    origname CDATA      # IMPLIED
    id      ID         # IMPLIED
>
<! ELEMENT effect ( # PCDATA)>
<! ATTLIST effect
    id      ID         # IMPLIED
    level   NMTOKEN     # IMPLIED
    mark    NMTOKEN     # IMPLIED
    change  (add | delete | modify)  # IMPLIED
    rfc     CDATA       # IMPLIED
>
<! ELEMENT media EMPTY>
<! ATTLIST media
    type     CDATA      # REQUIRED
    code     CDATA      # REQUIRED
    volume   CDATA      # IMPLIED
    location CDATA      # IMPLIED
>
<! ELEMENT qa (unverif | (firstver,secver?))>
<! ELEMENT unverif EMPTY>
<! ELEMENT firstver EMPTY>
<! ATTLIST firstver

```

```

    type      (tabtop | onobject | ttandoo)      # REQUIRED
  >
  <! ELEMENT server EMPTY>
  <! ATTLIST server
    type      (tabtop | onobject | ttandoo)      # REQUIRED
  >
  <! ELEMENT sbc (#PCDATA)>
  <! ATTLIST sbc
    id      ID      # IMPLIED
  >
  <! ELEMENT fic (#PCDATA)>
  <! ELEMENT rfu (#PCDATA | p)*>
  <! ELEMENT remarks (#PCDATA | p)*>
  <! ELEMENT content (pmentry+)>
  <! ELEMENT pmentry (title,((refdm | refpm | refextp | pmentry)+)))>
  <! ELEMENT title (#PCDATA)>
  <! ELEMENT refpm ((pmc,pmtitle?,issno?,issdate?,security?,rpc?,media*) | ((% XLINKEXT;) *)))>
  <! ATTLIST refpm
    % XLINKATT;
  >
  <! ELEMENT refextp ((pubcode,pubtitle?,pubdate?,security?,rpc?,media*) | ((% XLINKEXT;) *)))>
  <! ATTLIST refextp
    % XLINKATT4;
  >
  <! ELEMENT pubcode (#PCDATA)>
  <! ATTLIST pubcode
    pubcodsy CDATA      # IMPLIED
  >
  <! ELEMENT pubtitle (#PCDATA)>
  <! ELEMENT pubdate EMPTY>
  <! ATTLIST pubdate
    year      NMTOKEN      # REQUIRED
    month     NMTOKEN      # REQUIRED
    day       NMTOKEN      # REQUIRED
  >

```

参 考 文 献

- [1] AeroSpace and Defence Industries Association of Europe. S1000D: International Specification for Technical Publications Utilising A Common Source Data Base(V2.1), 2004. 02
-

中 华 人 民 共 和 国
国 家 标 准
交互式电子技术手册
第 3 部分:公共源数据库要求
GB/T 24463.3—2009

*

中国标准出版社出版发行
北京复兴门外三里河北街 16 号
邮政编码:100045

网址 www.spc.net.cn

电话:68523946 68517548

中国标准出版社秦皇岛印刷厂印刷
各地新华书店经销


*

开本 880×1230 1/16 印张 14.25 字数 428 千字
2009 年 11 月第一版 2009 年 11 月第一次印刷

*

书号: 155066 · 1-39290

如有印装差错 由本社发行中心调换
版权专有 侵权必究
举报电话:(010)68533533



GB/T 24463.3—2009

