# **CPT\_S 580 HW1**


## **Yang Zhang**

# 11529139 (graduate)


## 1.1.22

#### 1.1.34


The lower bound is n (a single circle that goes through every vertex), the upper bound is n-1 + n-2 + n-3 + ... + 1 = n\*(n-1)/2 (any vertex is adjacent to any other vertices).



,



Upper bound




Neigher lower nor upper

## 1.2.2


Suppose there are x vertices in one side (m-x in the other side). Then, the number of edges  $E = x^*(m-x)$ . To get the maximum we let the derivative of E be zero, i.e. E' = m - 2x = 0. Therefore, x = m/2, the maximum number of edges is  $\frac{m^2}{4}$ 

## 1.2.3

The smallest possible non-bipartite graph is a 3-vertex complete graph.



#### 1.2.5



#### 1.3.1

The minimum number of color is 4, any number less than 4 is impossible, because the vertices C, D, E, G are mutually adjacent. Therefore, the minimum frequency is 4.

#### 1.3.13

- a) Reflexive, a vertex link to itself
- b) Symmetric, there are two vertices have a pair of oppositely directed arcs between them
- c) Transitive, there is a path between Vertex A and C, if there exists path between A and B, and path between B and C
- d) Asymmetric, no two vertices have a pair of oppositely directed arcs between them

## 1.4.2

Walks with length 4 between (w, r):

(w, 
$$E_{wu}$$
, u,  $E_{uv}$ , v,  $E_{vz}$ , z,  $E_{zr}$ , r)

$$(w, E_{wv}, v, E_{vz}, z, E_{zy}, y, E_{yr}, r)$$

Walks with length 5 between (w, r):

(w, 
$$E_{wu}$$
, u,  $E_{uv}$ , v,  $E_{vz}$ , z,  $E_{zy}$ , y,  $E_{yr}$ , r)

(w, 
$$E_{wu}$$
, u,  $E_{ux}$ , x,  $E_{xv}$ , v,  $E_{vz}$ , z,  $E_{zr}$ , r)

 $(w, E_{wv}, v, E_{vz}, z, E_{zs}, s, E_{sy}, y, E_{yr}, r)$ 

#### 1.4.12

The distance between x and y is 4

## \*1.4.33

Suppose there is not any closed walk in a digraph that every vertex of nonzero out-degree, then every vertex in this graph cannot points to its neighbors and any vertex that points to those neighbors. Thus, there must be a vertex v that every other vertex that can access to v and v is not linked with them, which is impossible, since the out-degree is nonzero, v must link to other vertex, which can trace back to itself. Therefore, there must be closed walk for a digraph that every vertex in the graph has nonzero out-degree.


#### 1.5.1

- a. is a walk with length 4, but not a path
- b. is not a walk or a path or a circle
- c. is not a walk or a path or a circle
- d. is a walk with length 5 and it is also a path and a circle

## 1.5.2

- a. is a directed walk with length 4. But not a directed path
- b. is a directed walk with length 4, and it is also a directed circle, but not a directed path
- c. is not a directed walk or a directed path or a directed circle
- d. is not a directed walk or a directed path or a directed circle

#### 1.5.11



None of length 2 or 4


4 paths with length 3: (x, a, c, y), (x, d, b, y), (x, a, d, y), (x, d, c, y)

## \*1.7.17


Prove: suppose that there are two longest paths A and B that does not have any common vertex in a connected graph G. Since G is connected, there is walk between vertex a in A and vertex b in B. Therefore, the path A is not the longest path, since there exists outside vertex b can be linked to path A.

Thus, any two longest paths must have a vertex in common in a connected graph.


## 2.1.2



## 2.1.5



# 2.1.9



# 2.1.10

