

Temporary National Address (TNA) / National-Address Proxy (NAP)

Implementation Specification (Printable Version)

Document version: 1.5

Audience: Implementation teams (Web, Mobile, Backend, Security, QA, DevOps)

1. Project overview

1.1 Objective

This project implements a national service that assigns every visitor a **Temporary National Address (TNA)** and enables controlled linking of that TNA to a **National Address (NA)** for service and delivery purposes. The overall objective is to provide a formal, traceable address mechanism for visitors while protecting NA owners and enabling regulated renting of addresses.

Project-Summary

1.2 Problem context

Visitors often need a local address. Using a hotel or a friend's address informally can create harm for the address owner because there is no official association between the visitor and that address.

Project-Summary

1.3 End-to-end solution summary

- Visitors obtain TNAs through a portal integrated with e-government; each issued TNA is registered under the visitor's identity.

Project-Summary

- Visitors link a selected TNA to an NA through the National-Address Proxy Portal (NAPP); NA owners manage binding and may rent their address for a defined period.

Project-Summary

- For delivery, NAP translates **TNA** → **linked NA**; if a TNA is not linked, the shipment is returned to sender. A TNA cannot be unlinked if deliveries are in transit to it.

Project-Summary

- NA owners can create internal NA variants using a **4-letter suffix** to host multiple TNAs (e.g., hotel rooms).

Project-Summary

2. Definitions, actors, and governing rules

2.1 Objective

This section defines shared terms and rules to ensure consistent behavior across portals, mobile apps, backend services, and integrations.

2.2 Definitions

TNA format: starts with TNA, followed by **4 English letters**, ending with **4 digits**; an optional dash after TNA is allowed (e.g., TNAEMAA7073, TNA-EMAA7073).

Project-Summary

NAP: backend service that resolves a TNA into the currently linked NA at delivery time.

Project-Summary

NAPP: portal/service that manages linking between TNAs and NAs, including NA-owner management.

Project-Summary

NA Variant (dynamic suffix): a 4-letter suffix created by an NA owner to create internal variants of the same NA and uniquely map each TNA (e.g., hotel rooms).

Project-Summary

2.3 Actors

Visitor: requests issuance of TNAs; links a selected TNA to a rented NA variant.

NA Owner (business/individual): registers NAs, creates NA variants, approves/ends rentals, receives payouts.

Carrier / Delivery Provider: resolves TNAs, registers deliveries, updates delivery statuses.

Authority User (e-gov operator): approves/rejects issuance requests and manages issuance policy.

System Admin: monitoring, reporting, dispute handling, and audited overrides.

2.4 Governing rules

1. Each TNA can be linked to **only one NA variant at a time**.

Project-Summary

2. If a TNA is not linked, the delivery decision is **return to sender**.

Project-Summary

3. A TNA cannot be unlinked while there are **deliveries in transit** to it.

Project-Summary

4. NA owners can create **4-letter suffix variants** to host multiple TNAs under one NA.

Project-Summary

5. A visitor may issue **multiple TNAs**. The platform enforces a configurable **maximum active TNAs per visitor**; when exceeded, the issuance request must be routed for authority review or rejected according to issuance policy.
-

3. System structure

3.1 Objective

Define how the system is delivered and operated as a complete product: **Web + Mobile clients** using a **shared backend**, with integrations for authority systems, carriers, and payments.

3.2 High-level components

Client applications

- Web Portal (web app)
- Mobile App (iOS + Android)

Shared backend services

- Issuance Service (identity + issuance workflow)
- NAPP Service (NA owners, NA variants, binding/rental)
- Resolver Service (carrier-facing TNA resolution)
- Delivery Status Service (in-transit enforcement)
- Financials Service (fees, payments, payouts)
- Admin & Audit Service (auditing, reporting, controls)

External integrations

- E-government identity and eligibility (visa/iqama checks)
 - Carrier systems
 - Payment gateway and payout rails
-

4. Module A — Issuance (Authority-accessible, moderated/autonomous)

4.1 Objective

Issue TNAs through an e-government integrated process and formally associate each issued TNA with the visitor identity.

Project-Summary

Issuance supports both authority moderation and policy-based automation based on fulfilled

requirements (e.g., entry visa or Iqama), with non-eligible autonomous requests routed to moderated review.

4.2 Functional requirements

Issuance request and identity

- The system shall accept issuance requests from visitors authenticated by e-gov.
- The system shall associate each issued TNA to the visitor identity.

Multiple TNAs

- The system shall allow a visitor to issue more than one TNA.
- The system shall enforce a configurable maximum active TNAs per visitor.

Issuance modes

- Issuance mode shall be configurable as MODERATED or AUTONOMOUS.

Moderated mode

- Requests enter a queue as PENDING_REVIEW.
- Authority users approve or reject each request with reason codes.

Autonomous mode

- The system evaluates eligibility rules (configured by authority).
- If eligible: auto-issue a TNA (AUTO_APPROVED).
- If not eligible: route to PENDING_REVIEW (must not be auto-rejected).

Audit

- All decisions (auto/manual) must be auditable with eligibility snapshot and decision reason.

TNA format

- Validate using `^TNA-[A-Z]{4}\d{4}$`.
Project-Summary
- Store normalized without dash; allow dash in UI display.

4.3 Database requirements (Module A)

persons

- person_id (UUID, PK)
- person_type (VISITOR, RESIDENT)
Project-Summary
- gov_person_ref (unique)
- created_at

tna

- tna_id (UUID, PK)
- person_id (FK → persons; not unique)
- tna_code (unique, indexed)
- status (UNLINKED, ACTIVE, SUSPENDED, EXPIRED)
- issued_at
- issued_from_request_id (FK → tna_issuance_requests)

authority_users

- authority_user_id (UUID, PK)
- gov_user_ref (unique)
- name
- role (ISSUANCE_REVIEWER, SUPERVISOR)
- is_active
- created_at

tna_issuance_requests

- request_id (UUID, PK)
- person_id (FK → persons)
- request_status (PENDING_REVIEW, AUTO_APPROVED, APPROVED, REJECTED, CANCELLED)
- mode_at_submission (MODERATED, AUTONOMOUS)
- eligibility_snapshot_json
- reviewed_by_authority_user_id (FK → authority_users, nullable)
- review_decision_reason
- created_at, reviewed_at

issuance_policy_config

- policy_id (PK)
- issuance_mode (MODERATED, AUTONOMOUS)
- rules_json (eligibility rules, max active TNAs, routing rules)
- effective_from, effective_to, is_active

4.4 API requirements (Module A)

Visitor

- POST /v1/tna/issue-request
- GET /v1/tna/issue-requests/me

- GET /v1/tna/me

Authority

- GET /v1/authority/issue-requests
 - POST /v1/authority/issue-requests/{request_id}/approve
 - POST /v1/authority/issue-requests/{request_id}/reject
 - GET /v1/authority/issuance-policy
 - PUT /v1/authority/issuance-policy
-

5. Module B — NA owner onboarding and NA variants (NAPP)

5.1 Objective

Enable NA owners to register their NAs and create NA variants using a 4-letter suffix, allowing structured hosting of multiple TNAs under one NA.

Project-Summary

5.2 Functional requirements

- Owner registration (business/individual).
- NA registration per owner.
- NA variant creation using 4-letter suffix and labels.
- Bulk creation and management for large facilities.

5.3 Database requirements (Module B)

na_owners

- owner_id (UUID, PK)
- owner_type (BUSINESS, INDIVIDUAL)
- name
- contact_info_json
- created_at

national_addresses

- na_id (PK)
- owner_id (FK → na_owners)
- address_payload_json
- registry_ref

na_variants

- na_variant_id (UUID, PK)
- na_id (FK → national_addresses)
- suffix4 (CHAR(4), uppercase)
- label
- is_active
- Unique(na_id, suffix4)

Project-Summary

5.4 API requirements (Module B)

- POST /v1/owners/register
- POST /v1/na
- POST /v1/na/{na_id}/variants
- GET /v1/na/{na_id}/variants

6. Module C — Binding and rental lifecycle (link/unlink)

6.1 Objective

Link a selected TNA to an NA variant for a defined rental period under NA owner control, enforcing uniqueness, payment readiness, and safe unlink rules.

Project-Summary

6.2 Functional requirements

- Visitor requests binding: tna_code + na_variant + period.
- Owner approves/rejects binding.
- One active binding per TNA.
- One active binding per NA variant.
- Termination blocked if there are in-transit deliveries to the TNA.

Project-Summary

- Binding activation must require payment confirmation when fees apply.

6.3 Database requirements (Module C)

bindings

- binding_id (UUID, PK)

- tna_id (FK → tna)
- na_variant_id (FK → na_variants)
- status (PENDING, ACTIVE, REJECTED, TERMINATED, EXPIRED)
- start_at, end_at
- approved_by_owner_id (FK → na_owners, nullable)
- created_at, updated_at

6.4 API requirements (Module C)

- POST /v1/bindings
 - POST /v1/bindings/{binding_id}/approve
 - POST /v1/bindings/{binding_id}/terminate (returns 409 if in-transit deliveries exist)
 - GET /v1/tna/{tna_code}/binding
-

7. Module D — Resolver service (NAP: TNA → NA)

7.1 Objective

Provide a secure carrier-facing endpoint that resolves TNA to the currently linked NA, or returns a non-deliverable “return to sender” decision when unlinked.

Project-Summary

7.2 Functional requirements

- Resolve linked TNA to deliverable NA + variant.
- If unlinked, return deliverable:false with return-to-sender reason.

Project-Summary

7.3 Database requirements (Module D)

Read-only access to: tna, bindings, na_variants, national_addresses, with indexes supporting fast lookup.

7.4 API requirements (Module D)

- POST /v1/resolve
-

8. Module E — Delivery status tracking

8.1 Objective

Track deliveries per TNA to enforce the rule that unlinking is blocked while deliveries are in transit.

8.2 Functional requirements

- Carriers register deliveries addressed to a TNA.
- Carriers update delivery status.
- Binding termination checks in-transit deliveries and blocks unlinking if any exist.

8.3 Database requirements (Module E)

deliveries

- delivery_id (UUID, PK)
- carrier_id
- tracking_no
- tna_id (FK → tna)
- status (CREATED, IN_TRANSIT, DELIVERED, RETURNED, CANCELLED)
- created_at, updated_at
- Unique(carrier_id, tracking_no)
- Index(tna_id, status)

8.4 API requirements (Module E)

- POST /v1/deliveries
- PATCH /v1/deliveries/{delivery_id}

9. Module F — Financials: fees, rent payments, owner payouts

9.1 Objective

Manage money flows: issuance fees, rent/link fees based on authority pricing and rental period, invoices/receipts, refunds, settlement, and NA owner payouts.

9.2 Functional requirements

- Fee on TNA issuance (per issued TNA).
- Fee on linking/renting an NA variant (computed by price catalog + period).
- Owner payout registration and payout processing.
- Receipts/invoices for all chargeable actions.

- Refunds and settlement adjustments with full audit.
- Binding activation requires a paid order when fees apply.

9.3 Database requirements (Module F)

price_catalog, quotes, orders, order_items, payments, financial_docs
rent_contracts (binding-linked contract with gross/net split fields)
owner_accounts, payout_methods, payouts
ledger_entries (to support reconciliation and audit)

9.4 API requirements (Module F)

Pricing and quoting:

- GET /v1/pricing/tna-issuance
- POST /v1/pricing/rent-quote

Orders and payments:

- POST /v1/orders
- POST /v1/orders/{order_id}/pay
- POST /v1/payments/webhook
- POST /v1/orders/{order_id}/refund

Owner payouts:

- POST /v1/owners/{owner_id}/payout-methods
- GET /v1/owners/{owner_id}/earnings
- POST /v1/payouts/run-batch
- GET /v1/owners/{owner_id}/payouts

10. Module G — Admin, audit, compliance, reporting

10.1 Objective

Provide governance and traceability across issuance, linking, resolve calls, deliveries, and all financial operations.

10.2 Database requirements (Module G)

audit_log

- audit_id (PK)
- actor_type (VISITOR, OWNER, AUTHORITY_USER, SYSTEM, ADMIN)
- actor_id

- action
- entity_type
- entity_id
- timestamp
- ip
- metadata_json

10.3 API requirements (Module G)

- GET /v1/admin/audit
 - GET /v1/admin/reports/summary
 - POST /v1/admin/bindings/{binding_id}/override (if enabled; must be audited)
-

11. Security and privacy requirements

11.1 Objective

Protect visitor identity, NA owner data, address data, and financial data while enabling secure delivery operations and authority oversight.

11.2 Requirements

- Role-based access control for Visitor, Owner, Authority User, Carrier, Admin.
 - Strong authentication for all interactive users (visitor/owner/authority/admin).
 - Strong client authentication for carriers (e.g., client credentials with allowlisting/rate limits) on resolve and delivery APIs.
 - Resolver outputs only what is required for delivery (no visitor identity fields).
 - Encryption at rest for sensitive data (payout methods, identity refs, eligibility snapshots).
 - End-to-end auditing for all critical actions.
-

12. Non-functional requirements

12.1 Objective

Ensure the platform is reliable, scalable, observable, and maintainable for formal operation.

12.2 Requirements

- High availability for resolver and delivery-related APIs.
- Horizontal scalability for stateless services.

- Monitoring: metrics, logs, traces, dashboards, alerts.
 - Backups and disaster recovery plan with periodic testing.
 - Configuration-driven policies for issuance rules, limits, and pricing without code changes.
-

13. Acceptance criteria

13.1 Issuance

- TNA format validation and normalization works as specified.
Project-Summary
- Multiple TNAs per visitor supported; maximum active limit enforced.
- Autonomous issuance auto-approves when eligible; routes to authority review when not eligible.
- All issuance decisions logged with eligibility snapshot and reason.

13.2 Linking and delivery

- One active binding per TNA.
Project-Summary
- One active binding per NA variant.
- Resolver returns deliverable address only when linked; otherwise return-to-sender decision.
Project-Summary
- Unlink blocked while any delivery is in transit to the TNA.
Project-Summary

13.3 Financials

- Issuance fee charged per issued TNA (when enabled).
 - Rent fee computed correctly from pricing rules and rental period.
 - Binding activation blocked until payment is confirmed (when fees apply).
 - Payout batch generates correct settlement records and payout history.
 - Refunds correctly adjust payments, settlement, and payout records.
-

14. Vendor scope of work and deliverables

14.1 Objective

Ensure the implementation team delivers complete channels (Web + Mobile), a shared backend, clear API implementation and documentation, and clear database architecture with data flow diagrams.

14.2 Mandatory deliverables

D-001 Web portal (Web App)

A responsive web portal covering all roles and flows:

- Visitor: issuance request, TNA list, status, binding view
- NA Owner: NA onboarding, NA variants, binding approvals/terminations, rentals and earnings
- Authority: issuance queue, approve/reject, issuance policy configuration
- Admin: audit viewer and reports

D-002 Mobile application (iOS + Android)

A mobile app supporting operational end-to-end journeys:

- Visitor: issuance request, TNAs, binding status, notifications
- NA Owner: approve/reject bindings, manage active rentals, earnings summary, notifications
- Push notifications for key events (issuance decision, binding approval/termination, payment confirmation)

D-003 Unified backend (shared for Web + Mobile)

A single backend shared by both channels:

- No duplicated business logic in clients
- All operations performed via backend APIs

D-004 Clear API implementation and documentation

- Implement all APIs in this document (Issuance, NAPP, Binding, Resolver, Delivery, Financials, Admin/Audit)
- Deliver complete **OpenAPI 3.0** specification:
 - authentication schemes per role
 - request/response schemas
 - error codes and messages
 - pagination, filtering, idempotency behavior
- Provide an integration guide for carriers and payment gateway, with examples and test environment details

D-005 Clear DB architecture and data flow diagram

- ERD showing all tables, relationships, constraints, and indexes
- Data flow diagrams for at least:
 1. issuance request → eligibility evaluation → auto approval or routing → issuance
 2. binding request → owner approval → payment confirmation → activation
 3. resolve call → address resolution → delivery updates → unlink blocking
 4. fee calculation → payment → settlement → owner payout
- Document data ownership boundaries and how audit logs are generated

14.3 Delivery package

- Source repositories (web, mobile, backend)
- Deployment scripts / infrastructure-as-code
- Environment configuration documentation
- Automated tests and UAT scripts mapped to Section 13
- Operational runbooks (monitoring, backups, recovery, incident handling)

العنوان الوطني المؤقت Temporary National Address

تسجيل الدخول 

تسجيل الدخول من خلال النفاذ الوطني الموحد



إنشاء حساب مستخدم جديد 

العنوان الوطني المؤقت

Temporary National Address



إنشاء حساب جديد

تحديد نوع الحساب



الأفراد ☒

مستخدم - زائر أو سائح ☐

مستخدم - مالك لعنوان وطني ☐

الأعمال ☐

التالي >

العنوان الوطني المؤقت Temporary National Address



إنشاء حساب جديد

تحديد نوع الحساب



الأفراد ☐

الأعمال ☒

الجهات اللوجستية ☐

الجهات الحكومية ☐

التالي >



إنشاء حساب جديد

البيانات الشخصية



الأسم الثلاثي الرسمي

جواز سفر



رقم الوثيقة الرسمية



تاريخ الميلاد



رقم الجوال

☐ أقر بأن جميع البيانات الشخصية بياناتي الصحيحة

[التالي >](#)



إنشاء حساب جديد

بيانات حساب المستخدم



أسم المستخدم



البريد الإلكتروني



كلمة المرور



تأكيد كلمة المرور

☐ أوافق على شروط وأحكام العنوان الوطني المؤقتإنشاء حساب مستخدم جديد 

العنوان الوطني المؤقت

Temporary National Address

الآن مع تطبيق العنوان الوطني المؤقت

يمكنك الحصول على عنوان وطني مؤقت لإستلام وإرسال الشحنات من أي مكان داخل المملكة العربية السعودية بكل سهولة وأمان

عرض الكل <

الشحنات

...

شحنة من: Aramex-456327

تاريخ الوصول المتوقع: 18/10/2024

إلى العنوان المؤقت: TNA-EMAA5083

...

شحنة من: DHL-15486633698

تاريخ الوصول المتوقع: 23/10/2024

إلى العنوان المؤقت: TNA-JKLM9278

إدارة العناوين <

عناويني المؤقتة

5083

...

TNA-JKLM9278



مرتبط بنجاح

حتى تاريخ: 15/12/2024

مرتبط

حتى

...

TNA-ALCT9837



لم يتم الربط

➕ إنشاء عنوان وطني مؤقت جديد



القائمة



الشحن



شحناتي



عناويني



الرئيسية



إنشاء عنوان وطني مؤقت جديد



العنوان الوطني المؤقت الذي تم إنشاؤه تلقائيًا



TNA-ACBT8729

رمز الأمان

إرسال الرمز



☐ أوافق على شروط وأحكام إنشاء عنوان وطني مؤقت

إنشاء العنوان المؤقت



القائمة



الشحن



شحناتي



عناويني



الرئيسية



تقديم طلب ربط العنوان المؤقت



إفتر العنوان المؤقت الخاص بك (الذي سيتم ربطه)

العنوان الوطني المؤقت



TNA-EMAA5083

أدخل العنوان الوطني الفعلي (الذي سيتم الإرتباط به)

العنوان الوطني

RDEC8736

تقديم طلب الربط

عند التأكيد ستتم الموافقة على شروط ربط العنوان الوطني المؤقت



القائمة



الشحن



شحناتي



عناويني



الرئيسية



تقديم طلب فك إرتباط العنوان المؤقت



إفتر العنوان المؤقت الخاص بك (الذي سيتم فك ارتباطه)

العنوان الوطني المؤقت



TNA-EMAA5083

العنوان الوطني الفعلي المرتبط



RDEC8736

تقديم طلب فك الارتباط ↗

عند التأكيد ستتم الموافقة على شروط فك إرتباط العنوان الوطني المؤقت



القائمة



الشحن



شحناتي



عناويني



الرئيسية



تقديم طلب فك إرتباط العنوان المؤقت



إفتر العنوان المؤقت الخاص بك (الذي سيتم فك ارتباطه)

العنوان الوطني المؤقت



TNA-EMAA5083

العنوان الوطني الفعلي المرتبط



TMPS2981

لايمكن تقديم طلب فك الارتباط



يوجد عمليات نشطة على العنوان المؤقت المحدد

تقديم طلب فك الارتباط ↗

عند التأكيد ستتم الموافقة على شروط فك إرتباط العنوان الوطني المؤقت



القائمة



الشحن



شحناتي



عناويني



الرئيسية

العنوان الوطني المؤقت

Temporary National Address



غير المرتبطين

2



المرتبطون

13



عدد العناوين

15

[إدارة العناوين](#)
[عناويني الوطنية](#)

7385

مرتبط
حتى

ABBR9828



مرتبط بنجاح

حتى تاريخ: 17/1/2025



GKSL2236

عملية الربط تحت
المعالجة
[عرض الكل](#)
[طلبات الإرتباط](#)

إرتباط العنوان الوطني
بالعنوان المؤقت: 8
إنتهاء فترة الربط تاريخ:



إرتباط العنوان الوطني: GKSL2236
بالعنوان المؤقت: TNA-GRED3827



عملية الربط تحت المعالجة

[تقديم طلب ربط عنوان وطني](#)


القائمة



إرتباط العنوان



عناويني



الرئيسية



إدارة ربط العناوين الوطنية والمؤقتة

ربط العنوان الوطني مع العنوان المؤقت:

العنوان المؤقت

TNA-LKRT2453



العنوان الوطني

GBRA8751

مدة صلاحية الارتباط:

24:00 - 1/2/2025



08:00 - 1/11/2024

سبب الارتباط

إستأجار شقة مفروشة لزائر

بيانات مالك العنوان الوطني:



محمد أحمد الشهري | -----

بيانات مستخدم العنوان المؤقت:



عبدالله عمر الغامدي | -----

رفض طلب الارتباط قبول طلب الارتباط 

القائمة



السجل



الرئيسية



متابعة حالة الشحنات



متابعة حالة الشحنة وخيارات التسليم

تحديد الشحنة



780541128

عنوان المرسل والمستلم

TNA-KLNR4593



GNIV3548

عرض المزيد من معلومات



معلومات الشحنة

طرد كرتوني مقاس 80x65 سم - وزن 15 كجم

محتوى قابل للكسر - يحتاج لعناية خاصة بالنقل



حالة توصيل الشحنة

تحديد حالة توصيل الشحنة الحالية



جاري توصيل الشحنة الى عنوان المستلم

تاريخ التسليم المتوقع للشحنة

09:00 - 15/10/2024

تسجيل ملاحظات أخرى

تواصل مع المستلم

عرض موقع التسليم

إدخال رمز تسليم الشحنة وتأكيد التسليم

يجب إدخال الرمز المرسل الى المستلم لتأكيد تسليم الشحنة



القائمة



السجل



الشحنات



الرئيسية



متابعة حالة الشحنات



متابعة حالة الشحنة وخيارات التسليم

الشحنة

780541128



معلومات الشحنة



حالة توصيل الشحنة

تواصل مع المستلم

عرض موقع التسليم

إدخال رمز تسليم الشحنة وتأكيد التسليم

يجب إدخال الرمز المُرسَل إلى المستلم لتأكيد تسليم الشحنة



القائمة



السجل



الشحنات



الرئيسية

واجهة إنشاء حساب جديد

9:41

← إنشاء حساب جديد

بيانات حساب المستخدم

أسم المستخدم

البريد الإلكتروني

كلمة المرور

تأكيد كلمة المرور

☐ أوافق على شروط وأحكام العنوان الوطني المؤقت

➕ إنشاء حساب مستخدم جديد

9:41

← إنشاء حساب جديد

البيانات الشخصية

الأسم الثلاثي الرسمي

جواز سفر

رقم الوثيقة الرسمية

تاريخ الميلاد

رقم الجوال

☐ أقر بأن جميع البيانات الشخصية بياناتي الصحيحة

➤ التالي

9:41

العنوان الوطني المؤقت
Temporary National Address

← إنشاء حساب جديد

تحديد نوع الحساب

الأفراد

مستخدم - زائر أو سائح

مستخدم - مالك لعنوان وطني

الأعمال

➤ التالي

9:41

العنوان الوطني المؤقت
Temporary National Address

← إنشاء حساب جديد

تحديد نوع الحساب

الأفراد

الأعمال

الجهات اللوجستية

الجهات الحكومية

➤ التالي

9:41

العنوان الوطني المؤقت
Temporary National Address


تسجيل الدخول

تسجيل الدخول من خلال النفاذ الوطني الموحد


➕ إنشاء حساب مستخدم جديد

واجهات المستخدم:


واجهة المستخدم




واجهة إنشاء عنوان وطني جديد



واجهة تقديم طلب ربط العنوان المؤقت




واجهة تقديم طلب فك إرتباط العنوان المؤقت



واجهة الجهة الحكومية - إدارة ربط العناوين



واجهة مالك العنوان الوطني



واجهة شركة شحن:

متابعة حالة الشحنات والتسليم

عرض تفاصيل أقل

9:41

متابعة حالة الشحنات

متابعة حالة الشحنة وخيارات التسليم

الشحنة

780541128

معلومات الشحنة

حالة توصيل الشحنة

عرض موقع التسليم

تواصل مع المستلم

إدخال رمز تسليم الشحنة وتأكيده

يجب إدخال الرمز المُرسَل إلى المستلم لتأكيد تسليم الشحنة

القائمة

السجل

الشحنات

الرئيسية

عرض جميع التفاصيل

9:41

متابعة حالة الشحنات

متابعة حالة الشحنة وخيارات التسليم

تحديد الشحنة

780541128

عنوان المرسل والمستلم

TNA-KLNR4593

GNIV3548

عرض المزيد من المعلومات

معلومات الشحنة

طرد كرتوني مقاس 80x65 سم - وزن 15 كجم

محتوى قابل للكسر - يحتاج لعناية خاصة بالنقل

حالة توصيل الشحنة

تحديد حالة توصيل الشحنة الحالية

جاري توصيل الشحنة إلى عنوان المستلم

تاريخ التسليم المتوقع للشحنة

09:00 - 15/10/2024

تسجيل ملاحظات أخرى

عرض موقع التسليم

تواصل مع المستلم

إدخال رمز تسليم الشحنة وتأكيده

يجب إدخال الرمز المُرسَل إلى المستلم لتأكيد تسليم الشحنة

القائمة

السجل

الشحنات

الرئيسية