Table 6. ISR by checklist dimension. Seven models on 75 tasks, in the paper's order of overall ISR (not shown here). Correctness is the lowest-scoring dimension for every model.

	ISR (%) ↑			Share of failed runs
Model	**Completeness**	**Correctness**	**Constraint compliance**	**Correctness errors**
GPT-6.1-Sol	83.11 ±5.39	**71.11** ±5.05	**93.78** ±0.77	65/76 (85.5%)
Claude Opus 5.5	**87.56** ±3.08	62.67 ±3.53	89.33 ±4.62	84/97 (86.6%)
DeepSeek-V4.1-Flash	82.67 ±2.67	47.11 ±1.54	88.89 ±5.05	119/136 (87.5%)
Qwen3.8-Max	79.11 ±2.04	43.56 ±8.57	84.89 ±0.77	127/140 (90.7%)
GLM-5.3-Flash	80.44 ±0.77	39.11 ±3.08	81.78 ±1.54	137/156 (87.8%)
Kimi-K3	76.44 ±1.54	34.22 ±2.04	83.56 ±1.54	148/162 (91.4%)
Qwen3.8-27B	72.00 ±1.33	31.11 ±0.77	79.11 ±2.04	155/167 (92.8%)

ISR: share of task runs in which every applicable checklist item of the dimension passes (mean ± sample SD over three rounds). Correctness errors: failed runs with an unmet correctness item / the model's failed runs, out of 225 runs; error categories can overlap. Bold: highest mean in each ISR column. Shading is linear on 0–100%: darker blue, higher ISR; darker orange, larger share.