
Knitting not only formats your Markdown, it also executes any R syntax embedded in a code chunk.



Level-2 Heading

In non metus elementum, tincidunt purus vel, pharetra magna. Nullam tellus ipsum, euismod ac mauris ac, posuere ultricies massa. Curabitur vehicula mollis eros ac aliquam. Cras a dolor ultrices, pretium dui eu, hendrerit sapien. Suspendisse cursus diam id tortor fermentum sollicitudin. Aenean bibendum, magna id vestibulum faucibus, ligula est pellentesque turpis, eu dictum tortor nulla eget quam. Praesent sit amet aliquet lectus. Nullam vitae vehicula urna. Quisque sit amet dignissim est. Suspendisse id arcu a augue suscipit dictum a sit amet ante. Nam congue sollicitudin justo, a pellentesque arcu mattis a. Suspendisse potenti. Nulla ut mauris ac urna tincidunt venenatis id at velit. Curabitur ullamcorper mauris sit amet magna sodales, non ullamcorper dui efficitur. Vivamus molestie pharetra tincidunt.

Pellentesque rhoncus mauris id enim blandit, ut viverra lectus lacinia. Donec at justo ante. Pellentesque elementum, magna sed cursus convallis, nisi ex ultricies magna, dignissim elementum lacus tellus at justo. Integer posuere fringilla lobortis. Nam aliquet odio orci, in cursus nulla fermentum nec. Sed congue enim ac odio luctus, in mollis ex feugiat. Nam pretium nulla quam, vitae molestie ipsum

Code Chunk Options

```
```{r chunk_name, option1, option2, ...}
Your R syntax goes here
```

The **chunk name** (no spaces allowed in the name) goes in-between the curly braces after the r.

Code chunk **options** are then added and separated by commas.

```
```{r my_summary, echo=FALSE}
Code chunk: summary(cars)
```

Re-knit your document