

The `artmacs` package*

Konstantin Ziegler
`konstantin.ziegler@landshut.org`

October 4, 2015

Abstract

This collection of packages and commands serves (at least) two purposes:
1. aid in the drafting process and 2. produce the layout we prefer (mainly inspired by the Computational Complexity class) when finalizing. We base everything on the article class for maximal portability. None of the packages is by me – see the list of packages

make this a section in the appendix

for the respective authors. My only contribution is the selection, arrangement, and choice of compatible options.

Contents

1	Options for this package	3
2	Good style	3
2.1	Check your syntax with <code>nag</code>	3
3	Packages loaded	4
3.1	Language, Fonts and Layout	4
3.2	Colors and graphics	5
3.3	<code>develop</code> , <code>draft</code> and <code>edit</code>	6
3.4	AMS environments	7
3.5	environments “keywords” and “AMS” for compatibility	9
4	Typsetting Math	10
4.1	Display Math	10
4.1.1	single line	10
4.1.2	several lines	10
4.1.3	split into several lines within another environment	10
4.2	Punctuation at the end of equations	10
4.3	<code>mathtools.sty</code> as extension to <code>amsmath</code>	10

*This document corresponds to `artmacs` v0.2.11, dated 2014/11/27.

4.4	Cross-references with hyperref.sty	12
4.5	Citations with natbib.sty	15
4.6	Macros and Symbols	16
4.6.1	Delimiters	16
4.6.2	AMS symbols	17
5	Algorithms and Code	19
6	Floats: graphics, tables, algorithms	20
6.1	Tables: tabular (default: text) and array (default: math)	20
6.2	listings and algorithm2f	21
7	Updating, Fine-Tuning and Bugfixing	21
8	Typesetting Text	22
8.1	More enumerate-like environments and the option resume	22
A	Check, Convert, and Submit	23
A.1	Before Submission	23
A.2	After conversion	23
A.3	Shipping the sources	25
A.4	submit to arXiv	26
A.5	convert to llncs.cls for “Weworc” and “Financial Cryptography and Data Security”	27
A.5.1	Step 1: switch class and compile	27
A.5.2	Step 2: fix layout	28
A.5.3	Step 3: add meta-information	28
A.5.4	Page numbers and todos for proofreading	28
A.6	convert to sig-alternate.cls for ISSAC	29
A.6.1	Step 1: switch class and compile	29
A.6.2	Step 2: fix layout	30
A.6.3	Step 3: add meta-information	30
A.6.4	Page numbers for proofreading	31
A.7	convert to siamltex.cls for SIAM	31
A.8	convert to elsarticle.cls for JSC	32
A.9	use with beamer.cls	33
B	For your consideration: optional commands	33
B.1	Signatures for Quotes	33
B.2	Paragraph indentation and Line skip	34
B.3	Equation as item without empty line	34
C	For your consideration: optional packages	34
C.1	geometry.sty	34
C.2	setspace.sty	34
C.3	fancyhdr.sty	35
C.4	wrapfig.sty	35

Advice for editing. First, for `ltxdoc.cls` we have set todos `inline`, since our default settings extend to half of the linewidth. Second, remember that `verbatim` content cannot go in the argument of *any* command. (The `ltxdoc.cls` loads `doc.sty` to provide the “shortverbatim” via the pipe – this is also available as standalone package `shortvrb.sty`.)

1 Options for this package

```

1 \newif\ifOptBeamer\OptBeamerfalse
2 \newif\ifOptLlncs\OptLlncsfalse
3 \newif\ifOptSigAlterFix\OptSigAlterFixfalse
4 \newif\ifOptChapter\OptChapterfalse
5
6 \newif\ifOptThm\OptThmtrue
7 \newif\ifOptGraphicx\OptGraphicxtrue
8 \newif\ifOptHyperref\OptHyperreftrue
9 \newif\ifOptNatbib\OptNatbibtrue
10 \newif\ifOptKeywords\OptKeywordstrue
11 \newif\ifOptCMFonts\OptCMFontstrue
12
13 \newif\ifOptStrict\OptStrictfalse
14
15 \DeclareOption{beamer}{\OptBeamertrue\OptThmfalse\OptKeywordsfalse\OptHyperreffalse\OptCMFontsf
16 \DeclareOption{elsarticle}{\OptNatbibfalse\OptGraphicxfalse}
17 \DeclareOption{sig-alternate}{\OptKeywordsfalse\OptSigAlterFixtrue}
18 \DeclareOption{llncs}{\OptLlncstrue}
19 \DeclareOption{classicthesis}{\OptHyperreffalse\OptCMFontsfalse}
20 \DeclareOption{numberwithinchapter}{\OptChaptertrue}
21
22 \DeclareOption{strict}{\OptStricttrue}

```

Now, all options are defined. We execute the default options.

```

23 \ProcessOptions\relax
24
25 \ifOptBeamer
26 \RequirePackage{etex}
27 \reserveinserts{28}
28 \fi

```

2 Good style

2.1 Check your syntax with nag

Technically, `nag` should be loaded even before `\documentclass`, but that seems hard (and not necessary). By default, they return warnings, the `strict`-option turns these into errors.

```

29 \ifOptStrict
30 \RequirePackage[l2tabu,orthodox,abort]{nag}
31 \else

```

```

32 \RequirePackage[l2tabu,orthodox]{nag}
33 \fi

```

Style Joachim deprecates (defined via nag). `mysetminus` due to Andrew Swann on tex.stackexchange. This draws a tikz-picture every time (!) `\mysetminus` is employed. Andrew Swann also gives a `savebox`-version that only draws once, but then you need to use `pt` instead of `em` and appropriate scaleboxes?!

```

34 \newcommand*{\mysetminusD}{\hbox{\tikz{\draw[line width=0.06em,line cap=round] (0.3em,0) -- (0,
35 \newcommand*{\mysetminusT}{\mysetminusD}
36 \newcommand*{\mysetminusS}{\hbox{\tikz{\draw[line width=0.045em,line cap=round] (0.2em,0) -- (0
37 \newcommand*{\mysetminusSS}{\hbox{\tikz{\draw[line width=0.04em,line cap=round] (0.15em,0) -- (
38
39 \newcommand*{\mysetminus}{\mathbin{\mathchoice{\mysetminusD}{\mysetminusT}{\mysetminusS}{\myset
40
41 \ObsoleteCS[ugly]{setminus}{\protect\mysetminus}
42 \ObsoleteCS[ugly]{emptyset}{\protect\varnothing}
43 \ObsoleteCS[bad style]{len}{\protect\abs}

```

No more plain \TeX and only AMS environments.

```

44 \ifOptStrict
45 \RequirePackage[all, error]{onlyamsmath}
46 \else
47 \RequirePackage[all, warning]{onlyamsmath}
48 \fi

```

TODO `textrm` is also bad style and should be `text` (in math) or `textnormal` (in text). But this is used by so many packages and bibstyles that we turn this off for the moment.

3 Packages loaded

3.1 Language, Fonts and Layout

babel make english default, but be able to switch to german by `\selectlanguage{ngerman}` and then switch back with `\selectlanguage{english}`. (Alternatives for single words and blocks are `\foreignlanguage{<language>}{<text>}` and `\begin{otherlanguage*}{<language>} <text> \end{otherlanguage*}`, respectively.)

```

49 \RequirePackage[ngerman, english]{babel}

```

fontenc

```

50 \RequirePackage[T1]{fontenc}
51 \ifOptCMFonts
52 \RequirePackage{lmodern}
53 \else
54 \ifOptBeamer
55 \RequirePackage[scaled]{helvet}
56 \fi
57 \fi

```

to use 8-bit fonts instead of default (OT1) 7-bit fonts. This makes Umlauts, etc. available and proper kerning and glyphs possible.

Using Latin Modern, derived from Computer Modern providing

- revised metrics
- more glyphs, especially diacritical characters
- several extra fonts (like sans-serif boldface math)
- extra symbols (like proper «guillemots»).

You can check the used fonts with `$ pdffonts file.pdf`.

For beamer presentations we prefer (scaled) Helvetica as sans-serif (i.e. default text) font over CM Sans.

`txfonts.sty` Maybe some sort of times roman, but discouraged for its lack of support for
`pxfonts.sty` amsmath. (according to mathtools.pdf) Same goes for `pxfonts`.

3.2 Colors and graphics

Before loading todonotes, we load some packages, where we want to select some options that todonotes would set otherwise to default.

Say something about tikz & PSTricks here.

`xcolor` Change fontcolor within a group with `\color{red}` or set colors in TikZ with `fill=red!20`.

```
58 \ifOptBeamer
59 \else
60 \RequirePackage[svgnames]{xcolor}
61 \fi
```

The option `svgnames` adds plenty to the 19 predefined names. In particular many variants with “Dark”/“Light”-prefix. Note: In comparison to the `color`-package, its documentation states: “Its purpose can be summarized as to maintain the characteristics of color, while providing additional features and flexibility with (hopefully) easy-to-use interfaces.” This package is automatically loaded by `beamer`.

`graphicx` `l2tabu`: Use `graphicx.sty` instead of `epsf.sty`, `psfix.sty` or `epsfig.sty`. Alternatively `graphics.sty`. See `texdoc graphicx` for differences. Since we choose `latex/dvips/ps2pdf` over `pdflatex`, we specify option `dvips` and are restricted to `eps` and `ps` graphics. Switches for `pdflatex` – with respect to arxiv – are on the todo list; requires option `pdftex` and also modifications to `hyperref`.

```
62 \ifOptGraphicx
63 \RequirePackage[final]{graphicx}
64 \else
65 \fi
```

We want to display figures/pictures even in draft mode. Then `auto-pst-pdf` doesn’t work any more, because `final` forces compilation here (overriding `off`) and we have to enable Shell-escape every time. That’s annoying. But hopefully, there won’t be too much `auto-pst-pdf` in the future.

We can't load `graphicx` with this option for `beamer`, because it gets loaded later (at least, when `tikz` is loaded) and then we have an option clash.

3.3 develop, draft and edit

`todonotes` allows todo-marks with `\todo[]{}` and a list of todos with `\listoftodos`, switched on and off by global option `draft` and `final`, respectively.

```
66 \ifOptBeamer
67 \else
68 \ifOptLlncs
69 \RequirePackage[linecolor=black,backgroundcolor=white,textsize=tiny,obeyDraft,obeyFinal]{todonotes}
70 \else
71 \RequirePackage[linecolor=black,backgroundcolor=white,textsize=tiny,textwidth=2.5\marginparwidth]{todonotes}
72 \fi
73 \fi
74 \RequirePackage{tikz}
75 \makeatletter
76 \let\@tikzpicture\tikzpicture
77 \def\tikzpicture{\catcode'\$=3 \@tikzpicture}
78 \makeatother
```

Using `\url` or `\verb` in `todonotes` requires `\protect`; try this for `\eqref`, too. The margins (position, not only size) seem to be defined substantially different for article class and llncs class. So, we better not modify the `textwidth` in the letter because this yields bad layout.

`Todonotes` will load `tikz` and `xcolor` – if we have selected the `beamer` option, we load `tikz` manually. We need to adjust the charactercode of `$` within `tikzpicture`, because later `onlyamsmath` will make `$` active to check for `$$` – this confuses `tikz`'s `calc` package. `Todonotes` is a really heavy package, loading lots of stuff (I guess almost the complete Tikz-stuff and also `graphicx`). It also seems to set options for the `graphicx` package to be loaded later.

The title "List of Todos" used to have problems with `natbib` and the (ugly) fix was `\makeatletter\let\chapter\@undefined\makeatother` which in turn conflicted with `algorithm2e`, so had to be loaded after that. But, ultimately, disabling chapters is just no good idea (for classes like `book` and `llncs` – who defines the `tableofcontents` as chapter). So, we are happy that at the moment, the problem seems to have vanished and we can just ignore that.

In case the `todonotes` package breaks again, the following two lines neutralize its commands:

```
\newcommand*\todo[1]{}
\newcommand*\listoftodos{}
```

Alternatively, try the package `todo`, which requires fewer other packages, but seems incompatible with the environments of the `cc-class`. How to switch it off? Process all todos? – Does an empty list occur?

`showkeys` Modifies `\label`, `\ref`, `\pageref`, `\cite` and `\bibitem` to show the internal

keys.

```
79 \RequirePackage[notref,notcite]{showkeys}
```

Switch off by global option **final**. (Default is option **draft**.) We choose option **notref**, because this omits the keys on **\ref**, where they are not of interest anyways and prevents a bug when **\autoref** occurs at the beginning of a **theorem** environment (effectively dropping the environment).

We also switch off the redefinition of **\cite** with **notcite**, since the information with **\bibitem** is sufficient – and also the cites caused “out of memory” errors, when the package was loaded *before* **natbib**. The other fix would have been to load it afterwards, but as we decided that we don’t need them anyways, we can just as well keep in it in the “development” section.

This package may conflict with **hyperref**. The **hyperref** manual suggests to load (hyperref) with the option **implicit=false**, tex.SE claims that this is one of the few packages that should be loaded *after* **hyperref**.

check that

refcheck looks for useless labels, unlabelled equations, unused bibliography and puts keys of labels in the margin. (Todo: Find out how this works with the also loaded **showkeys**).

```
80 %\RequirePackage{refcheck}
```

Switch off printing by option **norefs**. (Default is **showrefs**.) Useless labels are underlined and bounded by ‘ \cdot ’. The mark ‘{?}’ means that the equation is unlabelled. Marks are framed for labels used in the text. The same goes for the bibliography. Switching off the behavior there by the option **nocites**. (Default is **showcites**.) Checking for unlabelled equations can be switched off by **ignoreunlbd**. (Default is **chkunlbd**.) Note: **refcheck** works with AMS- \LaTeX and **hyperref**, but they have to be loaded *before*. (Todo: Do this.) Status: Put on hold, since mathtools seems to make it unnecessary to check for unreferenced labels.

prelim2e Puts date and time under a draft.

```
81 \RequirePackage[scrtime]{prelim2e}
```

where the option **scrtime** of the koma-script package computes the time. The option **draft** is default, the option **final** produces no output

```
82 \renewcommand*{\PrelimWords}{Draft (\jobname)}
```

changes the text from the default "Preliminary version" to "Draft".

3.4 AMS environments

amsmath

```
83 \RequirePackage{amsmath}
```

We fine-tune the theorem environments with **thmtools**. **amsthm** (or **ntheorem**) is a prerequisite for that. The command **numberwithin** makes counters “within” a certain section/part of a document. We do this for all counters (also for floats) and make them all point to the equation counter.

```

thmtools.sty  collection of tools and enhancements for theorem environments

84 \ifOptThm
85 \ifOptLlncs
86 \else
87 \ifOptChapter
88 \numberwithin{equation}{chapter}
89 \numberwithin{figure}{chapter}
90 \numberwithin{table}{chapter}
91 \else
92 \numberwithin{equation}{section}
93 \numberwithin{figure}{section}
94 \numberwithin{table}{section}
95 \fi
96
97 \makeatletter
98 \let\c@figure\c@equation
99 \let\c@table\c@equation
100 \makeatother
101 \fi
102
103 \let\proof\relax
104 \let\endproof\relax
105
106 \ifOptLlncs
107 \makeatletter
108 \let\c@corollary\c@equation
109 \let\c@lemma\c@equation
110 \let\c@proposition\c@equation
111 \let\c@theorem\c@equation
112 \let\c@conjecture\c@equation
113 \let\c@definition\c@equation
114
115 \let\c@example\c@equation
116
117 \let\c@remark\c@equation
118 \makeatother
119
120 \spnewtheorem{fact}[theorem]{Fact}{\bfseries}{\itshape}
121 \spnewtheorem{assumption}[theorem]{Assumption}{\bfseries}{\itshape}
122
123 \spnewtheorem{openquestion}[theorem]{Open Question}{\bfseries}{\rmfamily}
124
125 \else
126 \RequirePackage{amsthm}
127 \RequirePackage{thmtools}
128
129 % default style=plain
130 \declaretheorem[sibling=equation]{claim}
131 \declaretheorem[sibling=equation]{corollary}

```



```

132 \declaretheorem[sibling=equation]{conjecture}
133 \declaretheorem[sibling=equation]{fact}
134 \declaretheorem[sibling=equation]{lemma}
135 \declaretheorem[sibling=equation]{proposition}
136 \declaretheorem[sibling=equation]{theorem}
137
138 \declaretheorem[sibling=equation, style=definition]{assumption}
139 \declaretheorem[sibling=equation, style=definition]{definition}
140
141 \declaretheorem[sibling=equation, style=remark]{example}
142 \declaretheorem[sibling=equation, style=remark]{remark}
143 \declaretheorem[sibling=equation, style=remark, name=Open Question]{openquestion}
144 \fi
145
146 \fi

```

The package `thm-autoref` of this bundle is supposed to fix `hyperref`'s problems for the `\autoref` command, when different theorem-style environments share the same counter. The fix with `aliascnt` seems necessary and sufficient.

Some documentclasses (like `sig-alternate`) define a proof-environment. We want to the version of `amsthm` and therefore undefine any previous proof definitions.

The CTAN-version of `thmtools` is outdated. Get the current version from <http://www.absatzen.de/thmtools.html>.

what is the effect of definition-style?

We have to be careful, while defining theorem-like environments, since some (most) packages already define their share.

beamer uses `note` to place annotations between slides and has trouble with the other environments, too (?). We would really produce nice blocks automatically, but right not it's faster to just disable all theorem-like environments and use `block`.

turn theorem-environments into proper blocks for beamer

sig-alternate only defines `proof`, so we just undefine that.

llncs predefines almost all environments that we use (fortunately also all lowercase) and we just add `fact`, `assumption`, and `open question`.

never checked whether proof still works – requires explicit qed-symbol. Fix that, when you need it.

check whether your list of environments is MECE.

theorems and equations share the same counter; to make the latter display the section number we use `numberwithin`.

3.5 environments “keywords” and “AMS” for compatibility

sec:keywords

two more environments for compatibility

```

147 \ifOptKeywords
148 \newenvironment*{keywords}{\textbf{Keywords.}}{}

```

```

149 \newenvironment*{AMS}{\textbf{2010 Mathematics Subject
150   Classification.}}{}
151 \fi

```

4 Typsetting Math

4.1 Display Math

NEVER: $\$ \$ \dots \$ \$$, since this is \TeX and leads to inconsistent vertical spacing (`l2tabu` and `amslatex`).

CAVE: No `displaymath`, if `amsmath.sty`

CAVE: No `eqnarray(*)` at all.

4.1.1 single line

`equation` resp. `equation*` (equivalently `\[\dots \]` as defined in the last lines of `amsmath.sty`)

CAVE: The last two possibilities are substitutes for `displaymath` which is no longer supported, when `amsmath.sty` is loaded.

`multline` the `multline`-environment behaves like the `equation`-environment, but on several lines, putting the first line left-aligned, the last right-aligned and all in between centered.

4.1.2 several lines

`gather` without alignment

`gather*` with alignment

`align`

`align*` **4.1.3 split into several lines within another environment**

`split` using `&`.

4.2 Punctuation at the end of equations ...

...should be separated by a small space `\,` from the final punctuation mark.

We allow page breaks in multiline displays by

```
152 \allowdisplaybreaks[4]
```

The command `*` can be used to prohibit a pagebreak after a given line. Note: Certain environments wrap their contents in an unbreakable box, prohibiting that effect. These include `split`, `aligned`, `gathered`, and `alignedat`.

4.3 `mathtools.sty` as extension to `amsmath`

`mathtools.sty` Remark: `amsmath` should already be loaded at this point – otherwise `mathtools` will do so. Loading `amsmath` afterwards is not necessary – and probably a bad idea.

An extension to `amsmath` providing some bug fixes and also some features. It therefore requires `amsmath` – and would load it if not already done. It also passes its options to `amsmath`.

```
153 \RequirePackage{mathtools}
154 \mathtoolsset{showonlyrefs, showmanualtags, mathic}
```

Per default, two options are set, namely `fixamsmath` to fix two bugs in `amsmath` and `disallowspaces` to prevent a first line in an equation starting with `[p]` to be interpreted as optional argument to the environment.

Three commands for better typesetting of operators: `<op>_{\mathclap{limit}}` puts the limit in a box of size zero; if you want to apply this to sub- and superscript, it is quicker to use just `\smashoperator{<op>_foo~bar}` (in general, I like the previous syntax better, because it doesn't "hide" the operator). Finally, for two consecutive operators (e.g. limits), you want `\adjustlimits{<op1>_<limit1> <op2>_<limit2>}` to align the limits vertically (if their heights differ).

The option `showonlyrefs` shows only labels for referenced equations, but you have to use `eqref`. While `showmanualtags` shows the labels specified by `\tag` or `\tag*`. (If you do not show them, then why would you define them?!) If you would like to add labels to unreferenced equations, use `\noeqref{<label>}` analogously to `\nocite`. Unfortunately, this `showonlyrefs` introduces two bugs: First, the formula might be set "across" the equation number (because it is initially not present, when the equation is typeset). Second, conflicts with the `ntheorem` package. The easiest fix is `\usepackage[overload,ntheorem]{empheq}` before loading `ntheorem`, but we don't need that, since we don't use `ntheorem`.

Math within italics text comes with automatic italic correction at the end, but not at the beginning, so that the right space in `textit-math-textit` is too wide. The `mathic`-option also adds the italic correction to the beginning, but requires typesetting a `la \(\math\)` instead of `$math$` to do so.

The standard implementations for `\underbrace` and `\overbrace` have some deficiencies: all lengths are fixed and optimized for 10 pt typesetting. `mathtoolsset` redefines them and also adds `\underbracket` and `\overbracket`.

This package also adds more extensible arrows to the ones already in the `amsmath` package, like `\xrightarrow[sub]{sup}` or `\xmapsto[sub]{sup}`.

Starred versions of the matrix environments (`matrix`, `pmatrix`, `bmatrix`, `Bmatrix`, `vmatrix`, `Vmatrix`), are available, like `\begin{pmatrix*}[col] ... \end{pmatrix*}` where the one optional argument `col` specifies the alignment of the columns. Default is `c`, but sometimes `r` might be nicer.

`mathtools` provides the command `\vcntcolon` for a vertically centered colon before an equal sign. Such a symbol is also provided by `\coloneqq` from the packages `txfonts` and `pxfonts`, but with tighter spacing. Also, these packages lack the support for `amsmath` and the side-bearings are way too tight.

Furthermore, `mathtools` provides the missing symbol `\bigtimes`.

Quite handy are the two environments `cases*` and `dcases*`, where the starred version typesets the second column in the normal roman font of the document (more precisely it inherits the font characteristics before the `cases` environment).

This spares the repeated use of `\text{...}`. The `dcases*` (and also `dcases`) environment display the rows in display- rather than inline-style, i.e. larger.

`\boxed` generates a box in math mode, but this does not work across alignment points. For this use, `mathtools` defines `\Aboxed{<left> & <right>}`.

For vertical lines in `align` environments, use a line like `& \vdotswithin{=} \\` or simply `\shortvdotswithin{=}`.

`\intertext` gets the little brother `\shortintertext{<text>}` using less excessive spacing.

Introduces `\DeclarePairedDelimiter` for maximal flexibility when defining `\abs`, etc. Then you can use `\abs*` for the variant with `\left` and `\right` and `\abs[\Big]` for, well, the correspondingly modified version.

`\prescript` Usage `\prescript{sup}{sub}{arg}` to typeset chemical elements and generally put indices or exponents on the left of a symbol. Example `\prescript{14}{2}{C}_{2}^{5+}`.

4.4 Cross-references with hyperref.sty

`hyperref.sty` The `hyperref` package extends the functionality of the `LATEX` cross-referencing commands to produce commands which a driver can turn into hypertext links; it also provides new commands to allow the user to write hypertext links to external documents and URLs. We *always* want that package, but some document classes (`beamer`, `classicthesis`) load it already with conflicting options and we have to handle the configuration with `hypersetup`. That's we – depending on the option of the `artmacs`-package – `hyperref` is loaded (explicitly) or assumed (implicitly). TODO: if we can move all loading options of `hyperref` to `hypersetup`, we don't need that distinction any more, I guess!

We definitely want the option `final`, because in `draft` hyperlinking is turned off and we might be surprised when transitioning to the final version. We once had a fancy backref solution from `classicthesis`. It's an overkill for short articles. If you ever want to turn it back on, a quick solution is the option `backref=page` to `hyperref`.

```

155 \PassOptionsToPackage{hyphens}{url}
156
157 \ifOptHyperref
158 \RequirePackage[
159 final,
160 pdfpagelabels=true,    % rumor has it: beamer does not like that
161 ]
162 {hyperref}
163
164 \else
165 \RequirePackage{bookmark}
166
167 \fi
168
169 \hypersetup{%
170 linktocpage=false,    % headlines (not page numbers) are links
171 pdfborder={0 0 0},    % no boxes around links

```

```

172 breaklinks=true,      % linebreak -- otherwise ugly
173 bookmarksnumbered=true,
174 pdfstartpage=3, pdfstartview=FitV,%
175     pdfpagemode=UseNone, pageanchor=true, pdfpagemode=UseOutlines,%
176     plainpages=false, bookmarksopen=true, bookmarksopenlevel=1,%
177     hypertextnames=true, pdfhighlight=/0,%nesting=true,%frenchlinks,%
178 }
179
180 \hypersetup{
181 colorlinks=true,%
182 linkcolor=black,%RoyalBlue
183 citecolor=black,%webgreen
184 filecolor=black,%
185 urlcolor=black,%webbrown
186 }
187
188 \DeclareUrlCommand\email{\urlstyle{tt}}
189 \DeclareUrlCommand\directory{\urlstyle{tt}}
190
191 \makeatletter
192 \newcommand*{\pdftitle}[1]{\gdef\@pdftitle{#1}}
193 \newcommand*{\pdfauthor}[1]{\gdef\@pdfauthor{#1}}
194 \newcommand*{\pdfkeywords}[1]{\gdef\@pdfkeywords{#1}}
195 \AtBeginDocument{
196   \hypersetup{
197     pdftitle = {\@pdftitle},
198     pdfauthor = {\@pdfauthor},
199     pdfkeywords = {\@pdfkeywords},
200     pdfsubject = {\@pdfkeywords}
201   }
202 }
203 \makeatother
204
205 \addto\extrasenglish{%
206   \def\sectionautorefname{Section}%
207   \def\subsectionautorefname{Subsection}%
208   \def\chapterautorefname{Chapter}%
209   \def\algorithmautorefname{Algorithm}%
210   \def\subfigureautorefname{\figureautorefname}
211 }

```

The hyperref-package loads the url package for typesetting. We allow breaking URLs at hyphens, since many DOIs require that to fit on a line.

For hypersetup to work properly, the author and title command have to occur *before* the begin of document. With a few exceptions, it is recommended to load **hyperref** last.

For the beamer class, we need the **bookmark** package to be able to manually add **section*** to the pdf-bookmarks. The capabilities of **hyperref** to do so are turned off by the beamer class.

The optional argument loads the necessary drivers for the different formats.

Automatically loads the package `url` for which we define the additional commands `\email` and `\directory`. Breaking links in references works fine via `pdflatex`, but via `dvips` and `ps2pdf` the line breaking fails. The package `breakurl` fixes that, but we don't require that fix any more.

Remark: Should be loaded as late as possible since its job is to redefine many \LaTeX commands. There used to be issues with the `showkeys` package which required the option `implicit=false`, but thereby messing up `\autoref`. These issues seem to be fixed since v6.76g. The remaining issue is an `ERROR: Argument of \hyper@anchorstart has an extra }` in the .bbl when compiling in draft mode (where all hypertext options should be turned off anyways). We circumvent that by explicitly setting the option `final`. Note: that this is surprising, because the `natbib` package that we use is recommended for use with

	<code>draft</code>	all hypertext options turned off
hyperref. Further options:	<code>final</code> (default)	all hypertext options turned on
	<code>a4paper</code> (default)	paper size 210 mm x 297 mm

You may also define the colors for links and explicitly the pdf document information.

The pdf-information is taken from the `\title` and `\author` arguments. This works fine for the former, while for the latter, we often have to be more explicit with `\pdfauthor`. You are free to insert (comma separated) pdfkeywords with `\pdfkeywords` – in the future. For simplicity, we write the same information to pdfsubject (Yes, keywords and subject are not the same, but opinions on the difference differ, so we just treat pdfkeywords, pdfsubject, and keywords-environment) the same. Ideally (TODO) it should then be sufficient to specify it once (say as new command keywords which then maps to the three above).

We tried to have them before `\begin{document}` and then process them with `\AtBeginDocument` for automatic `pdftitle` and `pdfauthor`. It turns out that 1. it also worked when positioned otherwise and (more importantly) 2. almost always required explicit overwriting since `\author` also contains the address and `\title` may contain special symbols. So, we forget about the `\AtBeginDocument` workaround and define `pdftitle` and `pdfauthor` explicitly.

The README of the `hyperref` package mentioned bad support for the `equation` environment and suggesting to replace it globally by `gather` from the `amsmath` package. In other words, sometimes the vertical spacing around `equation` environments is broken; allegedly `microtype` sometimes restores that. Anyways global substitution by `gather` is *not* recommended, because `equation` has the feature that really short equations can interlace better with really short sentences before them. So, we'll stick to this (also semantically) nicer markup.

<code>\href</code>	The following additional user macros are defined: - syntax: <code>\href{URL}{text}</code> .
<code>\url</code>	-syntax: <code>\url{URL}</code> or <code>\nolinkurl{URL}</code> to typeset as URL without creating a
<code>\nolinkurl</code>	hyperlink. syntax: <code>\autoref{label}</code> places a contextual label in front of the
<code>\autoref</code>	reference. Remark: <code>\autoref</code> works via the counter name that the reference is

based on. This fails, if e.g. a lemma and a theorem share the same counter. This can be fixed by the package `aliascnt`. But we will fix it more easily with `thmtools`.

Alternative: `cleveref.sty` with the commands `\cref{<label>}` or `\cref{<label>, ...}` and equivalently `\Cref{<label>}`. This is more costumizable and has features to sort and handle several references in one instance. We keep a close watch on it.

4.5 Citations with natbib.sty

`natbib.sty`

```
212 \ifOptNatbib
213 \RequirePackage[round,longnamesfirst,sort,comma]{natbib}
214 \fi
```

The document begins with

```
\begin{document}
\bibliographystyle{plainnat}
```

though the style can be given anywhere in the document.

Possible citation styles (only listing author-year styles, no numerical ones):

- `plainnat`: square braces, commas
- `agu` (American Geophysical Union): square braces, semi-colon
- `egu` (European Geosciences Union): round braces, semi-colon
- `agms`, `deu`, `kluver` (Harvard set): round braces, none

Further package options:

- `round`: brackets delimit citations (default); alternatives: square, curly, angle
- `longnamesfirst`: first citation will use starred variant for full author list
- `sort`: multiple citations are sorted into the order in which they appear in the references section
- `comma`: multiple citations are separated by comma instead of colon (default) or semicolon

Further options: The list of references usually appears as `\section*` or `\chapter*`, depending on the class. If you want to change that, you redefine `\bibsection`. Redefine `\bibpreamble` if you want to specify a text that is inserted after `\bibsection` and before the actual list.

The document ends with

```
\bibliography{mybib} % corresponding to mybyb.bib
\end{document}
```

`citep`
`citet`

Now, two new commands are available

- `\citep{jon90}` for *parenthetical* citations as (Jones et al., 1990).

- `\citet{jon90}` for *textual* citations as Jones et al. (1990).

CAVE: Avoid L^AT_EX's standard `\cite` now, since it behaves like `\citet` for author-year, but like `\citep` for numerical citations – and a little wild anyways.

Further commands (in author-year mode) are

- `\citet[chap.~2]{jon90}`: Jones et al. (1990, chap. 2)
- `\citet[see][]{jon90}`: see Jones et al. (1990)
- `\citet*{jon90}`: Jones, Baker, and Williams (1990)
- `\citet{jon90, jon91}`: Jones et al. (1990, 1991)
- `\citealt` = `\citet` without parentheses
- `\citeauthor`: Jones et al.
- `\citeyear`: 1990
- `\citeyearpar`: (1990)
- `\citefullauthor` = `\citeauthor*`: Jones, Baker, and Williams

and of course just the same with `\citep`, when applicable.

Use `\Citet` and `\Citeauthor` if you want to enforce Upper Case Names, e.g. Von zur Gathen at the beginning of a sentence.

If you want to change the name of the references, the usual `\renewcommand*{\bibname}{}` or `\renewcommand*{\refname}{}` will not work. Instead we can use the more powerful `\renewcommand*{\bibsection}{\section*{A Complete List of Publications since 2003}}`.

4.6 Macros and Symbols

CAVE: l2tabu advises to use `\newcommand{<name>}{...}` instead of `\def<name>{...}`, since this yields errors if the command is already defined. Furthermore, if your new command does will not have to absorb more than one paragraph (via `\par` or blank line) as argument (or none at all), then it is advisable to use `\newcommand*` instead; this helps testing for missing `}`. Same for `\newenvironment*`.

4.6.1 Delimiters

`abs, norm, floor, bbracket` Defined using `\DeclarePairedDelimiter` provided by `mathtools`.

```
215 \DeclarePairedDelimiter{\abs}{\lvert}{\rvert}
216 \DeclarePairedDelimiter{\norm}{\lVert}{\rVert}
217 \DeclarePairedDelimiter{\floor}{\lfloor}{\rfloor}
218 \DeclarePairedDelimiter{\ceil}{\lceil}{\rceil}
219 \RequirePackage{stmaryrd}
220 \newcommand*{\bbracket}[1]{\left\llbracket #1 \right\rrbracket}
```


to denote $|x|$, $\lfloor x \rfloor$ and $\llbracket x \rrbracket$ with `\abs{x}`, `\floor{x}` and `\bbracket{x}`. The last package also enables \leftrightarrow by `\mapsfrom`.

how to load the package itself for use within the documentation

Also very useful for sets, scalar products – langle, rangle in general –, and bra-ket-vectors is the package

```
221 \RequirePackage{braket}
222 % \end{macrocode}
223 % The following commands produce inline versions |\bra{}|, |\ket{}|,
224 % |\braket{}|, |\set{}| and their uppercase counterparts expand with
225 % the equivalent of |\left| and |\right|. Finally, it is OK to use
226 % \verb=|= within sets and scalar products.
227 %
228 % \subsubsection{physical units}
229 %
230 % \DescribeMacro{SIunits} Avoid formatting units by hand, better use
231 % |\unit{1,92}{\micro\metre}$|
232 % \begin{macrocode}
233 \RequirePackage[amssymb,Gray]{SIunits}
```

Remark: the option `amssymb` avoids suppresses the conflict with the named package over the command `\square` and the option `Gray` avoids the conflict with the `pstricks` color `gray`.

What about typesetting times and dates

At least for the former, there is always the possibility of `1200` in text mode.

4.6.2 AMS symbols

```
234 \RequirePackage{amssymb, amsfonts, amssymb}
```

(Re)defines symbols; Most notably L^AT_EX's `\Box` is superseded by `\square`. Furthermore, `amssymb` loads `amsfonts`.

NN, ZZ, QQ, RR, CC, FF **Sets** Is `\DeclareMathOperator` here correct? Wouldn't `\newcommand` be more appropriate? It is not only more appropriate. It is also the only way to produce for example the correct font for `\Fq` and place the \sim correctly.

```
235 \newcommand*\BB{\mathbb{B}}
236 \newcommand*\CC{\mathbb{C}}
237 \newcommand*\FF{\mathbb{F}}
238 \newcommand*\Fp{\mathbb{F}_{\mathrm{p}}}
239 \newcommand*\Fpx{\mathbb{F}_{\mathrm{p}}^{\sim}}
240 \newcommand*\Fq{\mathbb{F}_{\mathrm{q}}}
241 \newcommand*\Fqx{\mathbb{F}_{\mathrm{q}}^{\sim}}
242 \newcommand*\Fqbar{\overline{\mathbb{F}_{\mathrm{q}}}}
243 \newcommand*\Fr{\mathbb{F}_{\mathrm{r}}}
244 \newcommand*\Frx{\mathbb{F}_{\mathrm{r}}^{\sim}}
245 \newcommand*\MM{\mathsf{M}}
246 \newcommand*\NN{\mathbb{N}}
```

```

247 \newcommand*\PP{\mathbb{P}}
248 \newcommand*\QQ{\mathbb{Q}}
249 \newcommand*\RR{\mathbb{R}}
250 \newcommand*\ZZ{\mathbb{Z}}

```

Already defined `\PP` as `\mathbb{P}` for the projective P , but unfortunately `\AA` defined as some Angstrom Å. We use $M(d)$ to denote the number of ring operations that are sufficient to multiply two polynomials of degree at most d (over a ring R). We can take $M(d) = O(d^2)$ using the “classical” method, $M(d) = O(d \log d \log \log d)$ using `?`, and $M(d) = O(d \log d 8^{\log^* d})$ according to HarveyHoevenLecerf2014. CAVE: Do not confuse this with the popular notation of $MM(d)$ to denote the number of ring operations to multiply two square *matrices* of size $d \times d$. For that, we prefer the notation $O(d^\omega)$ with ω the exponent of square matrix multiplication (over the ring R). Here, we have classically $\omega \leq 3$, by Strassen $\omega \leq \log_2 7$, and by LeGall2014 $\omega < 2.3728639$.

`im, codim` **Operators** functions on sets or functions

```

251 \DeclareMathOperator{\im}{im}
252 \DeclareMathOperator{\codim}{codim}
253 \DeclareMathOperator{\id}{id}

```

`Gal` **Functors** in the categorical sense, i.e. work on objects and sets. Note that we can not use `\char` for the characteristic, since that is used for an important internal command; for probabilities we prefer set notation, as employed in the crypto book

```

254 \DeclareMathOperator{\Gal}{Gal}
255 \newcommand*\prob[2][\operatornamename{prob}_{\#1}]{\#2}
256 \newcommand*\jacob[2]{\left( \frac{\#1}{\#2} \right)}
257 \DeclareMathOperator{\chara}{char}
258 \newcommand*\bigOh[1]{O(\#1)}
259 \newcommand*\smallOh[1]{o(\#1)}
260 \newcommand*\softOh[1]{O\!\!\!\sim(\#1)}

```

the latter requires `amsxtra` and we prefer it to \tilde{O} because accents on capital letters frequently mess up vertical spacing.

`dcup` **operators** disjoint union

```

261 \newcommand*\dcup{\mathbin{\dot{\cup}}}
262 \newcommand*\rgets{\stackrel{\$}{\rel{\$}}{\gets}}
263 \newcommand*\iso{\cong}

```

`lcm, dlog, gen, enc, dec, ver, sig` **Functions** some frequently used functions (while `\gcd` is already defined, `\lcm` is not), mainly from cryptography

```

264 \DeclareMathOperator{\ord}{ord}

```

```

265 \DeclareMathOperator{\mult}{mult}
266 \DeclareMathOperator{\lc}{lc}
267 \DeclareMathOperator{\lcm}{lcm}
268 \DeclareMathOperator{\loglog}{loglog}
269 \DeclareMathOperator{\dlog}{dlog}
270 \DeclareMathOperator{\gen}{keygen}
271 \DeclareMathOperator{\enc}{enc}
272 \DeclareMathOperator{\dec}{dec}
273 \DeclareMathOperator{\ver}{ver}
274 \DeclareMathOperator{\sig}{sig}
275 \DeclareMathOperator{\adv}{adv}

```

People famous parties in crypto-games; the command `\xspace` provided by the package of the same name adds a space unless certain punctuation follows the command

```

276 \RequirePackage{xspace}
277 \newcommand*{\TA}{\textsc{Trusted Authority}\xspace}
278 \newcommand*{\Alice}{\textsc{Alice}\xspace}
279 \newcommand*{\Bob}{\textsc{Bob}\xspace}
280 \newcommand*{\Charlie}{\textsc{Charlie}\xspace}
281 \newcommand*{\Eve}{\textsc{Eve}\xspace}

```

5 Algorithms and Code

```

282 \RequirePackage[final]{listings}
283 \lstset{breaklines=true}

```

Listings Put program code in a `lstlisting`-environment. The option `breaklines=true` makes smart line breaks, e.g. for SAGE-output, so we do not have to care about that. The package option `final` overwrites a global `draft` option which would produce only captions and corresponding labels.

load the `autoref` package, customize it, and define the environment `algorithm2f` which suits your needs better. `autoref` uses `algorithmautorefname`. No need to (re)define `algorithm2eautorefname`. The option `algo2e` is employed for better compatibility when translating to classes which predefine an `algorithm`-environment. The option `vlined` ends loops with a small vertical line instead of the keyword `END`. We prefer that for space and clarity. The two-column version of `sig-alternate` messes up `algomargin` such that two digit line numbers intersect with the border. We fix that.

```

284 \ifOptBeamer\else
285 \RequirePackage[linesnumbered,vlined,ruled,algo2e,algorithsection]{algorithm2e}
286 \SetKwInput{Input}{Input} % use as \Input{bar} and \Output{foo}
287 \SetKwInput{Output}{Output} % ... and finish with \Return foo;
288 \SetKw{To}{to} % we want lowercase for this keyword
289 \SetKw{break}{break} % should also be a keyword
290 \DontPrintSemicolon

```

```

291 \renewcommand*{\AlgoLineautorefname}{step}
292 \ifOptSigAlterFix
293 \setlength{\algomargin}{2em}
294 \fi
295
296 \RequirePackage{etoolbox}
297 \AtBeginEnvironment{algorithm2e}{
298 \stepcounter{equation}
299 }
300 \SetAlgoRefName{\theequation}
301
302 \newenvironment*{algorithm2f}{
303 \begin{algorithm2e}
304 }{
305 \end{algorithm2e}
306 }
307
308 \newenvironment*{problem2e}[1][htbp]{
309 \begin{algorithm2e}[#1]
310 \addtocounter{equation}{1}
311 \SetAlgoRefName{\theequation}
312 \SetAlgorithmName{Problem}{Problem}{Problem}
313 }{
314 \end{algorithm2e}
315 }
316 \fi
317

```

The last line fixes the header of todonotes' Todo list, after natbib breaks it; algorithm2e does not like that fix so it has to occur here.

6 Floats: graphics, tables, algorithms

Remark: If you want to center the content of floating objects like figures and tables, use `\centering` instead of the `center`-environment, since the latter introduces vertical space, which is unintended in most cases.

6.1 Tables: `tabular` (default: `text`) and `array` (default: `math`)

`array.sty` extended implementation of the L^AT_EX `array`- and `tabular`-environments. The standard definitions `l,c,r,p{width}` and `@{decl}` remain unchanged. Additionally you can now

>decl before any column definition to insert `decl` directly in front of the entry of the column

<decl same, but right after the entry

e.g. `\begin{tabular}{>{\bfseries} l l l}` will type the first column in bold. Of course, our main interest is in mathematics, so we define three new column

types which immediately load math mode. Remark: If you use them in an `array`-environment, you get a column in LR mode, because the additional `$`'s cancel the existing ones.

```
318 \RequirePackage{array}
319 \setlength{\extrarowheight}{1pt}
320 \newcolumntype{L}{>{$} 1 <{$}}
321 \newcolumntype{C}{>{$} c <{$}}
322 \newcolumntype{R}{>{$} r <{$}}
```

`booktabs.sty` Remark: The extra row height avoids horizontal lines touching the capital letters. provides `\toprule`, `\midrule`, and `\bottomrule`. These have better spacing than `\hrule` and tables should have no other horizontal lines and absolutely no vertical lines.

```
323 \RequirePackage{booktabs}
```

6.2 listings and algorithm2f

7 Updating, Fine-Tuning and Bugfixing

`comment.sty` From time to time you may want to exclude certain parts, e.g. all proofs. The `comment`-package gives a convenient way to do so via `\excludecomment{proof}`.

```
324 \RequirePackage{comment}
325 \def\CommentCutFile{\jobname.comment}
```

You may then define further environments (see `solution` and `exammod` in `exercise-header.sty`). Two important restriction on the syntax – whose violation leads to hard-to-debug-errors – are: The `\begin{comment}` and `\end{comment}` should appear on lines of their own. And there should be no starting spaces and nothing after it.

Alternative/CAVE: `verbatim.sty` also defines a `comment`-environment. But, this package's main purpose are reimplementations of the `verbatim`- and `verbatim*`-environments with better memory handling and the command `\verbatiminput{<file>}`. It is required by `sagetex.sty` (for listings), but interacts badly with `ltxdoc.cls` (probably since the latter also redefines `verbatim`-related commands via `doc.sty`). Anyways, proofs would be excluded via

```
\let\proof=\comment
\let\endproof=\endcomment
```

`microtype.sty` When trying both, we loaded `verbatim.sty` before highly recommend when using pdfLaTeX (plain LaTeX can not make use of it), because it improves line filling with:

font expansion it horizontally expands the characters in order to optimally fill each line;

character protrusion it lets some characters protrude into the margins (typically the hyphens and punctuation signs).

```
326 \RequirePackage{microtype}
```

Load *after* all fonts have been loaded; microtype needs to know that. May significantly increase compile time – no evidence for that so far.

`fixltx2e.sty` Corrections to L^AT_EX that will be changed in the next release.

```
327 \RequirePackage{fixltx2e}
```

`fixmath.sty` L^AT_EX does not italicize uppercase Greek letters (e.g. in mathmode); this conflicts with their usage as variables. To fix this with CM math fonts, we use `fixmath`.

```
328 \RequirePackage{fixmath}
```

Warning: This will most likely fail with other fonts (like Palatino via `mathpazo`). If you ever use them, test this and if necessary consider the much heavier package `isomath`.

Thanks to Mark Giesbrecht for implicitly pointing me to this with his `\DeclareMathAlphabet{\mathbold}{OML}{cmm}{b}{it}` in our first joint paper.

8 Typesetting Text

8.1 More enumerate-like environments and the option `resume`

`alnumerate`, ~~`renumerate`~~

```
329 \ifOptBeamer\else
330 \RequirePackage{enumitem}
331 \newlist{alnumerate}{enumerate}{1}
332 \setlist[alnumerate,1]{label=(\alph*)}
333 \newlist{ronumerate}{enumerate}{1}
334 \setlist[ronumerate,1]{label=(\roman*)}
335 \fi
```

We define two new enumerate-like environments which count and reference like (a) (for exercises) and (i) (for theorem statements). Both are only defined for a single level, so no nesting is intended. The default `enumerate` environment can nest up to 4 levels and numbers as 1. (a) i. A.; in other words: `\arabic*`. `(\alph*)` `\roman*`. `\Alpha*`. We use it for process descriptions.

You can resume the counter from a previous list with the option `[resume]`.

A Check, Convert, and Submit

A.1 Before Submission

1. Check against checklist in `write_a_paper.org` and have somebody else read it.
2. Match against skeleton in Figure A.1. In particular, specify keywords and ACM class.
3. Check with `$ pdftinfo <short_title>.pdf` for title, author.
4. Check that tables and figures are referenced and that their captions are self-explanatory.
5. Spellcheck the body with `M-x ispell-region`. (i to insert, SPC to skip, , a to accept for session)
6. Check grammar with <https://www.languagetool.org/> or <http://nitpickertool.com/live.html>
7. Check log-file for nag's warnings, multiply-defined labels, etc. (but not overfull/underfull boxes yet)
8. `$ chktex foo.tex` with ChkTeX by Jens Berger (shipping with TeX Live as version 1.7.1; alternative version (1.6.4) by Baruch Even available from <http://baruch.ev-en.org/proj/chktex/> dates from 2007);
9. to test: `$ lacheck foo.tex` also shipping with TeX Live
10. Copy `<short_title>.tex` to subfolder and rename according to `research/README`; `$ git tag` the original in top-folder.
11. make folder `YYYY-MM-DD--v<num>` in `submitted_to/arxiv`
12. copy therein `<file>.tex`, `<file>-pics.pdf`, and `artmacs.sty`
13. generate `<file>.bbl`
14. if `sagetex` was involved, copy therein `sagetex.sty`, `.sagetex.sout`, and folder `sage-plots-for-<file>.tex`
15. adjust path of `load('*.sage')`

A.2 After conversion

1. Convert `documentclass` as described below.
2. if the `bbl` gives you trouble, then copy it (see below) and edit manually

```

\documentclass[
12pt,
a4paper,
draft,
% final,      % disable todos and write *no* .sagetex.sage
]{article}

\usepackage{artmacros}    % should be the first to load

% local commands and definitions

\begin{document}

\title{}                % article.cls allows title/author in the header,
                        % we keep it close to the other meta-information
\pdftitle{}             % no special characters
\author{}               % with address, \email, \url, \and-separated
\pdfauthor{}            % comma-separated

\maketitle
\tableofcontents

\begin{abstract}

\end{abstract}

\begin{keywords} \end{keywords}
\pdfkeywords{}
\begin{AMS} \end{AMS}

Lorem ipsum ...

\bibliographystyle{cc2e}    % our extension of cc2
\bibliography{journals,references,refs,lncs}

\listoftodos

\end{document}

```

Figure A.1: Skeleton for an article with artmacros.

fig:article

3. If you use `\qedhere` from the `amsthm`-package, check that the proof environment of the new documentclass respects that, i.e. does not duplicate the tombstone; if it does, you probably have to undefine `\qedhere` by `\(re)newcommand*\{\qedhere}{}`
4. Check that optional arguments (citations) in theorem titles do not contain additional brackets
5. If you want to exclude proofs search-and-replace `{proof}` by `{comment}` (CAVE: nesting comments fails) or even easier try `\excludecomment{proof}` in the header (CAVE: works with `article.cls`, but fails with `sig-alternate.cls`).
6. Check the placement of figures and tables. If tables are too large, try `\small` and `\footnotesize` after `\begin{table}`.
7. IF NOT CAMERAREADY and you exceed the page limit, try the tips below
8. IF CAMERAREADY, check for and overfull/underfull boxes, widows, orphans, and bad hyphenation; fix with `\pagebreak[1-4]` or `\quad`'s if equation numbers run into formulas. Remember that (automatic) breaking of inline math is different from (manual) breaking in display math. For the latter, we *begin* the new line with `=`, `+`, etc. For the former, we *end* the old line with `=`, `+`, etc. L^AT_EX does this automatically for *outer* (i.e. not enclosed in groups or parenthesis) operators.
9. Carefully read your document – again.

To make stuff fit for a submission (not for the camera-ready version), try `savetrees.sty`. You can get a quick feel with the options `subtle` (default), `moderate`, `extreme`. There is no option to disable the package, but `all=normal` disables all individual features and you can turn them back on individually with `paragraphs=tight` for fine-tuning (see the documentation for all features).

Other hints at <http://thomas.deselaers.de/computing/textsqueezing.html> or <http://www.eng.cam.ac.uk/help/tpl/textprocessing/squeeze.html>.

A.3 Shipping the sources

1. add `\pdfoutput=1` to the first line of `<file>.tex`
2. minimal cleanup: remove emacs backup file `<file>.tex~`, since it will be automatically renamed after unpacking and processed as additional tex-file thereby *doubling* the output.
3. `tar -zcf <file>.tar.gz *` or `zip <file>.zip -r *` and upload (no need, to clean up here, since the arxiv is very forgiving, see next point)
4. Remove everything after the first `\end{document}` and all comments. The arXiv's FAQ suggest the following perl-command:

```
$ perl -pe 's/(^[^\n])%.*/$1/' < old.tex > new.tex
```

5. Replace `\bibliography{journals,references,refs,lncs}` with the content of `<file>.bbl`
6. include `artmacs.sty` and other nonstandard packages (`sagetex.sty`) as `filecontents`, see below.
7. test on vanilla TeX Live

document used version of packages with something like listfiles-command

Load `\usepackage{filecontents}` after `\usepackage{artmacs}`. The `filecontents`-package adds two nice features: overwriting of existing files (very useful, when “editing” the `.bbl`) and placing `filecontents` anywhere before `\end{document}` (without this package, the restriction is “before `\begin{document}`”). Our choice: right before `\end{document}` – naturally close to `\bibliography` and far away from all top-down searches we will perform.

The `filecontents*`-environment omits some “origin-information in the written file; this information does not harm us (it is meant for writing `.eps`-files) and might come handy sometime. So, our choice:

```
\begin{filecontents}{\jobname.bbl}
<copy .bbl herein>
\end{filecontents}
```

If BibTeX complains about `Missing newblock`, insert `\def\newblock{\hskip .11em plus .33em minus` right after the document class.

There seems to be an untested fancier solution with the programs `arlatex` and `bundletex`, see <ftp://ftp.fu-berlin.de/tex/CTAN/support/bundledoc/arlatex.pdf>.

A.4 submit to arXiv

Do the checklist and read the hints.

Submission deadline is Monday through Friday at 16:00 EST; visibility starts at 20:00 EST of the same day (where the weekend Friday–Sunday is a “single day”, so that friday submissions before 16:00 appear on sunday evening and friday submission after 16:00 appear on monday evening).

This is quick and easy (<1 hour), since the arxiv has a complete TeX Live system, can process with pdfLaTeX, and respects subdirectories (when uploading `.tar.gz`).

1. check before submission as above
2. ship sources as tar, see above
3. arxiv processes after decompressing:
 - discards unnecessary auxiliary files (basically all of type “unknown”)
 - discards output files (like `<file>.pdf`)

- CHECK that type of <file>.tex is *PDFLaTeX* – if not, you probably missed step ?? above.

item:3

4. Check the output – if there are twice as many pages, restart from step .
5. if yet to appear, then add comment “to appear in <journal>” (starts with lowercase; terminates without full stop) – CAVE: this can only be changed by generating a new version
6. if already appeared, then add journal (<journal> <vol> (<year>) <pages>) and DOI (<num>.<num>/<whatever>) – NOTE: this can be updated without generating a new version
7. For MSC-class and ACM-class see Subsection 3.5

A.5 convert to llncs.cls for “Weworc” and “Financial Cryptography and Data Security”

llncs.cls

Before reading on: do the checklist!

Availability Download from <ftp://ftp.springer.de/pub/tex/latex/llncs/latex2e/llncs2e.zip>; stored latest version (27 Sep 2013, v2.18) in `~/texmf/tex/latex/llncs2e`

Documentation Included in zip (above) as `llncs.dvi` and `llncsdoc.pdf`; stored the latter in `~/texmf/doc`

Author Guidelines in addition to the class-documentation, there are/may be “Author Guidelines”, e.g. for the Springer Computer Science Proceedings; stored latest version (28 Nov 2013) in `~/texmf/tex/latex/llncs2e`

checked for updates on 24/Jan/2014

A.5.1 Step 1: switch class and compile

- change `\documentclass[...]{article}` to `\documentclass[envcountsame,oribibl,runninghead]{llncs}`. The option `oribibl` allows us to use our own favorite citation-style `cc2e`.
- add option `llncs` to `\usepackage{artmacs}`.
- split address from `\author` and put it into `\institute` (in the easiest case, this requires, one command and a pair of braces – otherwise connections with `\inst{1}`).

A.5.2 Step 2: fix layout

1. All words in titles should be capitalized except for conjunctions, prepositions (e.g. on, of, by, and, or, but, from, with, without, under) and definite and indefinite articles (the, a, an) unless they appear at the beginning.
2. the abstract should contain at least 70 and at most 150 words
3. keywords should be separated `\textperiodcentered{}` instead of commas (no special keyword environment?!)
4. Section headings should be capitalized (except articles, prepositions, and conjunctions); for hyphenated words a special rule applies: If the first word can stand alone, the second should be capitalized. Examples: Criteria to Disprove Context-Freeness of Collage Language, On correcting the Intrusion of Tracing Non-deterministic Programs by Software, A User-Friendly and Extendable Data Distribution System, Multi-flip Networks: Parallelizing GenSAT, Self-determinations of Man.
5. Change `\section{Acknowledgements}` to `\subsubsection{...}`.

`llncs.cls` works with chapters and this makes `natbib` use chapters for the bibliography. It should use sections and we use the following fix from http://www.togaware.com/linux/survivor/Bibliography_Starts.html

```
336 \ifOptLlncs
337 \makeatletter
338 \renewcommand\bibsection%
339 {
340   \section*{\refname
341     \@mkboth{\MakeUppercase{\refname}}{\MakeUppercase{\refname}}}
342 }
343 \makeatother
344 \fi
```

A.5.3 Step 3: add meta-information

- Check abstract.
- Provide key words.

A.5.4 Page numbers and todos for proofreading

The `llncs` class sets `\setcounter{tocdepth}{0}` so the todo items, which are declared as level 1 (section) don't appear. Furthermore, we want also subsections to show up in the tableofcontents, so we go for `\setcounter{tocdepth}{2}`. Finally, author and title would show up in the toc – since that is really intended for the toc of the whole book. We don't want that for our local toc – which has to go for the final submission, anyways!

omit modifications to TOC, when calling `artmacs` with options `llncs, final`

```

345 \ifOptLlncs
346 \setcounter{tocdepth}{2}
347
348 \makeatletter
349 \renewcommand*\l@author[2]{
350 \renewcommand*\l@title[2]{
351 \newcommand*\authcount[1]{
352 \renewcommand*\tableofcontents{
353 \makeatletter
354 \@starttoc{toc}
355 \makeatother
356 }
357 \makeatother
358 \fi

```

A.6 convert to sig-alternate.cls for ISSAC

sig-alternate.cls

Before reading on: do the checklist!

Availability Download from <http://www.acm.org/sigs/publications/sig-alternate.cls>; stored latest version (23 May 2012) in `~/texmf/tex/latex/sig-alternate`; checked for updates on 24/Jan/2014

Documentation Available at <http://www.acm.org/sigs/publications/sig-alternate-v1.1> (no pdf!); stored (cleaned up) version in `~/texmf/doc`

Conflicts:

- `sig-alternate.cls` defines a `proof`-environment, but no other theorem-like environment. We would like to use the `proof`-environment of `amsthm.sty` and therefore disable the `proof`-definition of `sig-alternate.cls`
- `keywords` is a *command* for `sig-alternate.cls`, not an *environment* as for `artmacs`; we disable the latter
- `algorithm2e` and `pst-add` are compatible in `article`, but not in `sig-alternate`. Load only the necessary Postscript-packages instead of `pst-full`.

A.6.1 Step 1: switch class and compile

time effort: less than 10 minutes.

- change `\documentclass[...]{article}` to `\documentclass[...]{sig-alternate}` and remove options `a4paper` and `12pt`.
- add option `sig-alternate` to `\usepackage{artmacs}`.
- no `marginpar`'s are allowed, so while you have `todos` make them inline with `\presetkeys{todonotes}{inline}{}{}`

- remove `\tableofcontents`; (we used to have fixes to show it, but it distorts the page layout and you can get all the information from the pdf's table of contents – and check that information while you're at it)
- If you turned an `algorithm2e`-environment into non-floating with the option `[H]` you have to remove that option.

A.6.2 Step 2: fix layout

- Make formulae in the title `{\huge $\mathbf{p}^{\{2\}}$}`.
- If figures and tables should span both columns change to `figure*`- and `table*`-environments, respectively.
- Get lowercase letters in section headings with the patch `lcsect.sty` (not in TeX Live, now in `tex/latex/misc`) and the command `\lcsection{TITLE WITH LOWERCASE MATH $k`
- Fix long optional arguments `[]` of environments by turning them into `()`.
- For overfull hboxes see checklist at the beginning.

A.6.3 Step 3: add meta-information

time effort: ???

1. CAMERAREADY ONLY Provide `\numberofauthors` and format `\authors` according to <https://www.acm.org/sigs/publications/sig-alternate-v1.1>.
2. CAMERAREADY ONLY Add a `\category` according to ACM 1998 Computing Classification System at <https://www.acm.org/about/class/1998>. For example,

```
\category{F.2.1}{Analysis of Algorithms and Problem
Complexity}{Numerical Algorithms and Problems}[Computations on polynomials\vspace*{-9pt}]
```

You may have several instances of this command in a single document.

3. CAMERAREADY ONLY Add one or more of the 16 general terms specified in section 2.3.3 of the documentation, e.g.

```
\terms{\vspace*{-3pt}Theory\vspace*{-8pt}}
```

The command also takes a list as argument.

4. Turn the `keywords`-environment into the `\keywords`-command. The format is a comma-separated list in alphabetical order, capitalizing only the first letter of the first word. For example,

```

\begin{keywords}
  Combinatorics on polynomials, computer algebra, counting special
  polynomials, finite fields, Ritt's second theorem, tame polynomial decomposition
\end{keywords}

```

5. CAMERAREADY ONLY Add conference info (ISSAC disclaimer).

A.6.4 Page numbers for proofreading

`\pagestyle{plain}` is *not* enough to get page numbers, but `\pagenumbering{arabic}` is. (And it's exactly what we want.)

make this follow from draft-option

A.7 convert to siamltex.cls for SIAM

siamltex.cls

Do the checklist and read the hints.
time effort: less than 10 minutes.

- change `\documentclass[...]{article}` to `\documentclass[draft,final]{siamltex}`.
- copy `artmacros.sty` into a `\begin{filecontents}{\jobname--additional_macros.sty} ... \end{filecontents}` environment, insert it after `\usepackage{filecontents}` and `\documentclass`
- remove `amsthm` from the copy of `artmacros`.
- to make also the predefined environments `theorem`, `lemma`, `corollary`, `definition`, and `proposition` share the equation counter, substitute `\declaretheorem[sibling=equation]{theorem}` by `\newtheorem{thm-alt}[equation]{Theorem}` and search-replace all occurrences of `{theorem}` by `{thm-alt}`. Same for the other environments (if present).
- To fix the proof environments, check when an `\end{proof}` comes after an equation or an enumerate. In that case, substitute by `\qquad \endproof` or `\endproof`, respectively, immediately in the last line and change `\begin{proof}` to `{\em Proof}`. .
- substitute `\usepackage{artmacros}` by the following lines to load the local copy, disable the invalid commands `\qedhere` and `\tableofcontents`, and give the tables and figures a common counter.

```

\usepackage{\jobname--additional_macros.sty}
\newcommand*{\qedhere}{}
\renewcommand*{\tableofcontents}{}
\makeatletter
\let\c@figure\c@table
\makeatother

```

- Change `title`, `author`, `footnotetext` as by the manual.
- Satisfy environments `abstract`, `keywords`, and `AMS` as by the manual.
- Make running header with short title as by the manual.
- Add `\footnotesize` after each `\begin{table}`. Make sure `\centering` follows.
- BibTeX repeatedly such that crossrefs in references are present.
- copy folder for sage-plots and `file.sagetex.sout`
- Check that `artmacs` is loaded first after `\documentclass`.

A.8 convert to `elsarticle.cls` for JSC

Do the checklist and read the hints.

time effort: less than 5 minutes.

Download the most recent `elsarticle.cls` and `elsarticle-harv.bst` from Elsevier, because TeXLive's versions are out-of-date (v1.20 from 2008/10/13 compared to v2.0 from 2012/08/15; last checked 2015/09/30). Do *not* use the outdated `elsart.cls`, although provided on the JSC-webpage. They also accept the more recent and more compatible `elsarticle.cls`.

- change `documentclass` to `elsarticle` (default options are: `a4paper`, `10pt`, `oneside`, `onecolumn`, `preprint` – so remove all “your” options except `draft`, `final`.)
- add `\biboptions{authoryear,round,longnamesfirst,sort,comma}` immediately thereafter and pass option `elsarticle` to package `artmacs`;

check

whether there is a possibility to just have `\biboptions{authoryear}` at the beginning and “get” all the other options from the `artmacs`-package – then `authoryear` could also be passed as option to the `documentclass` (saving one line and improving consistency).

- Change `\bibliographystyle` to `elsarticle-harv`
- Split author field into `\author[1]{FirstName1 LastName1\corref{cor}}`, `\author[2]{FirstName2 LastName2}`, etc. and add `\address[1]{University\\Town}` and `\address[2]{University\\Town}`, respectively. Add email-address `\ead{a@bc.de}` and homepage `\ead[url]{www.home.page}` after each author. Finally, indicate corresponding author like above and specify text `\cortext[cor]{Corresponding author}`.
- Change `keywords`-environment to `keyword`; change commas to `\sep`. Add line – within this environment – giving the MSC-classification `MSC[2010] 11T06\sep 12Y05\sep 68W`

- Enclose `author`, `title`, `address`, `abstract`, `keyword` in `frontmatter-` environment and comment `\maketitle`.
- The `.bbl` needs some post-processing: remove `\newlines` and replace `and` by `\&`.

A.9 use with beamer.cls

Also here, we compile with `pdflatex`. Some old `pstricks`-pictures then require the package `auto-pst-pdf` and shell escape (C-c C-t C-x) and (no option `off` on the first run).

Paste content of current `artmacs.sty` comment `hyperref`, since loaded automatically add `\usepackage{etex}` (to extend the register, s.t. `pstricks` has enough room) and `\reserveinserts{25}` for more space (also sometimes 50, forgotten why), comment `enumitem`, since beamer has its own special `itemize`- and `enumerate`-environments; in particular they take the optional argument `[<+>]` to uncover `item` by `item` (avoiding several `\pauses`). If you want to uncover an item together with its successor, just add `[<.->]` to that item.

CAVE: pauses in the `align`-environment are a problem, see the beamer manual; a possible solution using `\uncover<+>` is suggested there which does *not* work with `pdflatex`, when using `\setbeamercovered{transparent}` as, for example, `beamerthemecosec` does. Whether any (or both) of the solutions (pause/uncover) work depends on the parameters `latex/pdflatex`, `transparent/invisible`. Anyways, for our “default” situation, described above with the following patch by Hendrik Vogt, both work (and we prefer `\pause`). (Without the patch, things already work if the covering is “invisible”).

`Tikz` pictures use the options `remember picture`, `overlay`, and then `shift={(6,-4.7)}`, `scale=0.6`, for easy placement.

(Eventually, this is supposed to become part of `pgf`!)

beamer has its own theorem-style environments; conflicts with `amsthm` are out-ruled thanks to the beamer documentclass option `notheorem`, `noamsthm`; apart from that put `\RequirePackage{thmtools}` and the subsequent `\declaretheorems` in comments, also the new keyword environment is not liked; exclude the `algorithm2e` package, since we do this by hand anyways

`Todonotes` do not work within frames and yield strange results outside; suggested fixes employing `\presetkeys{todonotes}{inline}{} work only partially, and anyways, we aren’t even certain which result we’d like to have. So, use \note{TODO <foo>} instead.`

B For your consideration: optional commands

B.1 Signatures for Quotes

`\signed` To sign codes or the like, command `\signed` puts the author emphasized in the lower right corner. On the last line if there is enough space, on a new line if it is not.

```

359 \newcommand*{\signed}[1]%
360 {\unskip\hspace*{1em plus 1fill}%
361  \nolinebreak[3]\hspace*{\fill}\mbox{\emph{#1}}}

```

The code is taken from Hack # 6 of LaTeXHacks. Basically `\hspace*{\fill}\mbox{\emph{#1}}` already does the trick to typeset the author right-aligned. The `\nolinebreak[3]` is necessary to tell L^AT_EX that we do not want a linebreak unless necessary. This is almost it – besides the problem, that if there is a linebreak now, the old line gets stretched to fill the complete space, since the original `\parfillskip` was overruled. We replace it with `\hspace*{1em plus 1fill}`. Finally, we add `\unskip` to make `bla. \signed{author}` and `bla.\signed{author}` look the same.

B.2 Paragraph indentation and Line skip

`\parindent` Usage: `\setlength{\parindent}{1em}`
`\parskip` CAVE: l2tabu advises to use font-dependent lengths (1em) instead of absolute
`parskip.sty` lengths(1em). Using T_EX-syntax `\parindent=1em` is discouraged.

B.3 Equation as item without empty line

If an item should only feature an equation – and `textstyle` is not an option, since it should get an equation number – then use Herbert Voss’ `itemMath` as described in `mathmode` to adjust the spacing.

If you want to put an equation as an item, you either had to precede it with some fluff (“We have ...”) or somehow center the `foo`. Here is a much cleaner solution by Herbert Voss.

```

\itemMath
362 \def\itemMath#1{%
363 \raisebox{-\abovedisplayshortskip}{%
364 \parbox{0.75\linewidth}{%
365 \begin{equation}#1\end{equation}}}}

```

Usage: `\item \itemMath{\label{eq:1} ...}`

C For your consideration: optional packages

C.1 geometry.sty

`geometry.sty` the recommendation to modify the page layout (paper size, margins).
CAVE: l2tabu advises you to keep your hands of `margin.sty` or `\oddsidemargin`, `\hoffset`, `\voffset`, etc.

C.2 setspace.sty

`setspace.sty` to change the line spacing.
CAVE: l2tabu warns about `\linespread{<factor>}` or `\renewcommand*{\baselinestretch}{<factor>}`.
CAVE: l2tabu warns about `setspace.sty`

C.3 fancyhdr.sty

`fancyhdr.sty` l2tabu: `fancyhdr.sty` the recommendation to modify headers and footers; do not use `fancyheadings.sty`

C.4 wrapfig.sty

`wrapfig.sty` To make text wrap around figures the `wrapfig` package can be employed a typical syntax would be

```
\begin{wrapfigure}[height of figure in lines]{l,r,...}[overhang]{width}
  figure, caption, etc.
\end{wrapfigure}
```

where l(ef) or (r)ight may also be specified i(nside) or o(utside) for two-sided documents to specify the position on the page. The `overhang` moves the figure into the margin (but does *not* add to `width`).

Alternatively: I also the tried `floatflt` package, but got error messages even with a minimal example

add as (no)cites

de-tex-faq, l2tabu, amsldoc, Anselm Lingnau, `\LaTeX\` Hacks.

Todo list

make this a section in the appendix	1
Say something about tikz & PSTricks here.	5
check that	7
what is the effect of definition-style?	9
turn theorem-environments into proper blocks for beamer	9
never checked whether proof still works – requires explicit qed-symbol. Fix that, when you need it.	9
check whether your list of environments is MECE.	9
how to load the package itself for use within the documentation	17
What about typesetting times and dates	17
document used version of packages with something like listfiles-command .	26
omit modifications to TOC, when calling artmacros with options llncs, final .	28
make this follow from draft-option	31
check	32
add as (no)cites	35