

Tag	Description
<u><!--...--></u>	Defines a comment
<u><!DOCTYPE></u>	Defines the document type
<u><a></u>	Defines a hyperlink
<u><abbr></u>	Defines an abbreviation or an acronym
<u><acronym></u>	Not supported in HTML5. Use <u><abbr></u> instead. Defines an acronym
<u><address></u>	Defines contact information for the author/owner of a document
<u><applet></u>	Not supported in HTML5. Use <u><embed></u> or <u><object></u> instead. Defines an embedded applet
<u><area></u>	Defines an area inside an image map
<u><article></u>	Defines an article
<u><aside></u>	Defines content aside from the page content
<u><audio></u>	Defines embedded sound content
<u></u>	Defines bold text
<u><base></u>	Specifies the base URL/target for all relative URLs in a document

[<basefont>](#)

Not supported in HTML5. Use CSS instead.
Specifies a default color, size, and font for all text in a document

[<bdi>](#)

Isolates a part of text that might be formatted in a different direction from other text outside it

[<bdo>](#)

Overrides the current text direction

[<big>](#)

Not supported in HTML5. Use CSS instead.
Defines big text

[<blockquote>](#)

Defines a section that is quoted from another source

[<body>](#)

Defines the document's body

[
](#)

Defines a single line break

[<button>](#)

Defines a clickable button

[<canvas>](#)

Used to draw graphics, on the fly, via scripting (usually JavaScript)

[<caption>](#)

Defines a table caption

[<center>](#)

Not supported in HTML5. Use CSS instead.
Defines centered text

[<cite>](#)

Defines the title of a work

[<code>](#)

Defines a piece of computer code

<code><col></code>	Specifies column properties for each column within a <code><colgroup></code> element
<code><colgroup></code>	Specifies a group of one or more columns in a table for formatting
<code><data></code>	Adds a machine-readable translation of a given content
<code><datalist></code>	Specifies a list of pre-defined options for input controls
<code><dd></code>	Defines a description/value of a term in a description list
<code></code>	Defines text that has been deleted from a document
<code><details></code>	Defines additional details that the user can view or hide
<code><dfn></code>	Specifies a term that is going to be defined within the content
<code><dialog></code>	Defines a dialog box or window
<code><dir></code>	Not supported in HTML5. Use <code></code> instead. Defines a directory list
<code><div></code>	Defines a section in a document
<code><dl></code>	Defines a description list
<code><dt></code>	Defines a term/name in a description list
<code></code>	Defines emphasized text

[<embed>](#)

Defines a container for an external application

[<fieldset>](#)

Groups related elements in a form

[<figcaption>](#)

Defines a caption for a <figure> element

[<figure>](#)

Specifies self-contained content

[](#)

Not supported in HTML5. Use CSS instead.
Defines font, color, and size for text

[<footer>](#)

Defines a footer for a document or section

[<form>](#)

Defines an HTML form for user input

[<frame>](#)

Not supported in HTML5.
Defines a window (a frame) in a frameset

[<frameset>](#)

Not supported in HTML5.
Defines a set of frames

[<h1> to <h6>](#)

Defines HTML headings

[<head>](#)

Contains metadata/information for the document

[<header>](#)

Defines a header for a document or section

[<hr>](#)

Defines a thematic change in the content

[<html>](#)

Defines the root of an HTML document

[<i>](#)

Defines a part of text in an alternate voice or mood

[<iframe>](#)

Defines an inline frame

[](#)

Defines an image

[<input>](#)

Defines an input control

[<ins>](#)

Defines a text that has been inserted into a document

[<kbd>](#)

Defines keyboard input

[<label>](#)

Defines a label for an <input> element

[<legend>](#)

Defines a caption for a <fieldset> element

[](#)

Defines a list item

[<link>](#)

Defines the relationship between a document and an external resource (most used to link to style sheets)

[<main>](#)

Specifies the main content of a document

[<map>](#)

Defines an image map

[<mark>](#)

Defines marked/highlighted text

[<meta>](#)

Defines metadata about an HTML document

[<meter>](#)

Defines a scalar measurement within a known range (a gauge)

<u><nav></u>	Defines navigation links
<u><noframes></u>	Not supported in HTML5. Defines an alternate content for users that do not support frames
<u><noscript></u>	Defines an alternate content for users that do not support client-side scripts
<u><object></u>	Defines a container for an external application
<u></u>	Defines an ordered list
<u><optgroup></u>	Defines a group of related options in a drop-down list
<u><option></u>	Defines an option in a drop-down list
<u><output></u>	Defines the result of a calculation
<u><p></u>	Defines a paragraph
<u><param></u>	Defines a parameter for an object
<u><picture></u>	Defines a container for multiple image resources
<u><pre></u>	Defines preformatted text
<u><progress></u>	Represents the progress of a task
<u><q></u>	Defines a short quotation

<code><rp></code>	Defines what to show in browsers that do not support ruby annotations
<code><rt></code>	Defines an explanation/pronunciation of characters (for East Asian typography)
<code><ruby></code>	Defines a ruby annotation (for East Asian typography)
<code><s></code>	Defines text that is no longer correct
<code><samp></code>	Defines sample output from a computer program
<code><script></code>	Defines a client-side script
<code><section></code>	Defines a section in a document
<code><select></code>	Defines a drop-down list
<code><small></code>	Defines smaller text
<code><source></code>	Defines multiple media resources for media elements (<code><video></code> and <code><audio></code>)
<code></code>	Defines a section in a document
<code><strike></code>	Not supported in HTML5. Use <code></code> or <code><s></code> instead. Defines strikethrough text
<code></code>	Defines important text
<code><style></code>	Defines style information for a document

<code><sub></code>	Defines subscripted text
<code><summary></code>	Defines a visible heading for a <code><details></code> element
<code><sup></code>	Defines superscripted text
<code><svg></code>	Defines a container for SVG graphics
<code><table></code>	Defines a table
<code><tbody></code>	Groups the body content in a table
<code><td></code>	Defines a cell in a table
<code><template></code>	Defines a container for content that should be hidden when the page loads
<code><textarea></code>	Defines a multiline input control (text area)
<code><tfoot></code>	Groups the footer content in a table
<code><th></code>	Defines a header cell in a table
<code><thead></code>	Groups the header content in a table
<code><time></code>	Defines a specific time (or datetime)
<code><title></code>	Defines a title for the document
<code><tr></code>	Defines a row in a table

[<track>](#)

Defines text tracks for media elements (<video> and <audio>)

[<tt>](#)

Not supported in HTML5. Use CSS instead.
Defines teletype text

[<u>](#)

Defines some text that is unarticulated and styled differently from normal text

[](#)

Defines an unordered list

[<var>](#)

Defines a variable

[<video>](#)

Defines embedded video content

[<wbr>](#)

Defines a possible line-break