```
<?php
/**
 * Plugin Name: SmartMail Software Store
 * Description: A WordPress plugin to manage and sell eBooks
and software.
 * Version: 1.5
 * Author: Marco Zagato
 * Author URI: https://smartmail.store
function smartmail store enqueue scripts() {
    wp enqueue style('smartmail-store-style',
plugins_url('/css/style.css', __FILE__));
    wp enqueue script('smartmail-store-script',
plugins url('/js/script.js', FILE ), array('jquery'), null,
true);
add action('wp enqueue scripts',
'smartmail store enqueue scripts');
// Add this to the top of your file or wherever you want to
place the button
function display subscription button() {
    <button id="subscribeButton" class="subscribe-</pre>
button">Subscribe for Offers</button>
    <div id="subscribeModal" class="modal">
        <div class="modal-content">
            <span class="close">&times;</span>
            <h2>Subscribe to Our Newsletter</h2>
            <form action="" method="post"
id="subscriptionForm">
                <label for="full name">Full Name*</label>
                <input type="text" id="full name"</pre>
name="full name" required>
                <label for="email">Email*</label>
                <input type="email" id="email" name="email"</pre>
required>
                <label for="phone number">Phone Number</label>
                <input type="tel" id="phone number"</pre>
name="phone number">
```

```
<label for="address">Address</label>
                <input type="text" id="address" name="address">
                <label for="newsletter optin">Subscribe to
Newsletter</label>
                <input type="checkbox" id="newsletter optin"</pre>
name="newsletter optin">
                <input type="submit" value="Subscribe">
            </form>
        </div>
    </div>
    <?php
add_action('wp_footer', 'display_subscription_button');
// Check if WooCommerce is active
if (in array('woocommerce/woocommerce.php',
apply filters('active plugins', get option('active plugins'))))
{
    // Create custom database tables on plugin activation
    function smartmail create tables() {
        global $wpdb;
        $charset collate = $wpdb->get charset collate();
        // eBooks table
        $ebooks table name = $wpdb->prefix .
'smartmail ebooks';
        $sql = "CREATE TABLE $ebooks table name (
            id mediumint(9) NOT NULL AUTO INCREMENT,
            title tinytext NOT NULL,
            description text NOT NULL,
            price float NOT NULL,
            rrp float NOT NULL,
            image url varchar(255) NOT NULL,
            sku varchar(50) DEFAULT '',
            barcode varchar(50) DEFAULT '',
            quantity int DEFAULT 0,
            file url varchar(255) NOT NULL,
            wc product id bigint(20) NOT NULL,
            PRIMARY KEY (id)
        ) $charset collate;";
        require once (ABSPATH . 'wp-
```

```
admin/includes/upgrade.php');
        dbDelta($sql);
        // Software table
        $software table name = $wpdb->prefix .
'smartmail software';
        $sql = "CREATE TABLE $software table_name (
            id mediumint(9) NOT NULL AUTO INCREMENT,
            title tinytext NOT NULL,
            description text NOT NULL,
            price float NOT NULL,
            rrp float NOT NULL,
            image url varchar(255) NOT NULL,
            sku varchar(50) DEFAULT '',
            barcode varchar(50) DEFAULT '',
            quantity int DEFAULT 0,
            file url varchar(255) NOT NULL,
            wc_product id bigint(20) NOT NULL,
            PRIMARY KEY (id)
        ) $charset collate;";
        dbDelta($sql);
        // Subscription table
        $subscription table name = $wpdb->prefix .
'smartmail subscriptions';
        $sql = "CREATE TABLE $subscription table name (
            id mediumint(9) NOT NULL AUTO INCREMENT,
            full name tinytext NOT NULL,
            email varchar(100) NOT NULL,
            phone varchar(20) DEFAULT '',
            address text DEFAULT '',
            newsletter boolean DEFAULT false,
            PRIMARY KEY (id)
        ) $charset collate;";
        dbDelta($sql);
        // Create pages for eBooks and software
        $ebook page title = 'SmartMail Ebooks';
        $ebook page content = '[smartmail ebooks display]';
        $ebook page = array(
             'post_title' => $ebook_page_title,
             'post_content' => $ebook_page_content,
'post_status' => 'publish',
'post_type' => 'page',
        );
```

```
if (!get page by title($ebook page title)) {
            wp insert post($ebook page);
        }
        $software page title = 'SmartMail Software';
        $software page content =
'[smartmail software display]';
        $software page = array(
             'post title' => \$software page title,
             'post_content' => $software_page_content,
'post_status' => 'publish',
'post_type' => 'page',
        );
        if (!get page by title($software page title)) {
            wp insert post($software page);
// Shortcode function to display software and ebooks
function smartmail display items() {
    global $wpdb;
    $table name = $wpdb->prefix . 'smartmail items';
    $items = $wpdb->qet results("SELECT * FROM $table name");
    ob start();
    echo '<div class="software-store-items">';
    foreach ($items as $item) {
        echo '<div class="software-store-item">';
        echo '<h2 class="software-store-item-title">' .
esc html($item->title) . '</h2>';
        echo '<div class="software-store-item-description">';
        echo '' . esc html($item->description) . '';
        echo 'Price: $' . esc_html($item->price) . '';
echo 'RRP: $' . esc_html($item->rrp) . '';
echo 'SKU: ' . esc_html($item->sku) . '';
        echo 'Barcode: ' . esc html($item->barcode) .
'';
        echo 'In Stock: ' . esc_html($item->stock) . '';
        echo '<form method="post" action="' .
esc url(home url('/')) . '?add-to-cart=' . $item->id . '">';
        echo '<input type="hidden" name="item id" value="' .
$item->id . '">';
        echo '<button type="submit">Add to Cart</button>';
        echo '</form>';
        echo '</div>'; // .software-store-item-description
```

```
echo '</div>'; // .software-store-item
    echo '</div>'; // .software-store-items
    echo '<div class="subscribe-button"><button id="subscribe-
button">Subscribe for offers and news</button></div>';
    echo '<div id="subscribe-form" style="display:none;">
            <form method="post" action="">
                 <label for="full-name">Full Name*</label>
                 <input type="text" id="full-name"</pre>
name="full name" required>
                 <label for="email">Email*</label>
                 <input type="email" id="email" name="email"</pre>
required>
                 <label for="phone-number">Phone Number</label>
                 <input type="text" id="phone-number"</pre>
name="phone number">
                 <label for="address">Address</label>
                 <input type="text" id="address" name="address">
                 <label for="newsletter">Subscribe to
Newsletter</label>
                 <input type="checkbox" id="newsletter"</pre>
name="newsletter">
                 <button type="submit">Subscribe</button>
            </form>
          </div>';
    return ob get clean();
add shortcode('smartmail display items',
'smartmail display items');
        $subscription page title = 'SmartMail Subscription';
        $subscription page content =
'[smartmail subscription form]';
        $subscription page = array(
             'post title' => $subscription page title,
             'post_content' => $subscription_page_content,
'post_status' => 'publish',
             'post type'
                            => 'page',
        );
        if (!get page by title($subscription page title)) {
            wp insert post($subscription page);
        }
    register activation hook( FILE ,
```

```
'smartmail create tables');
    // Enqueue styles and scripts
    function smartmail enqueue assets() {
        wp enqueue style('smartmail-store-style',
plugins url('css/style.css', __FILE__));
        wp_enqueue_script('smartmail-store-script',
plugins_url('js/script.js', __FILE__), array('jquery'), null,
true);
    }
    add action('wp enqueue scripts',
'smartmail enqueue assets');
    // Create or update WooCommerce product
    function
smartmail create or update wc product($product data,
$wc product id = 0) {
        $product = new WC Product Downloadable($wc product id);
        $product->set name($product data['title']);
        $product-
>set description($product data['description']);
        $product->set regular price($product data['price']);
        $product->set catalog visibility('visible');
        $product-
>set image id(smartmail get image id($product data['image url']
));
        $product->set status('publish');
        $product->set sku($product data['sku']);
        $product->set manage stock(true);
        $product-
>set stock quantity($product data['quantity']);
        $product->set downloadable(true);
        if (!empty($product data['file url'])) {
            $product->set downloads(array(
                array(
                     name' => $product data['title'],
                     'file' => $product data['file url']
            ));
        }
        if ($wc product id == 0) {
            $wc product id = $product->save();
```

```
} else {
            $product->save();
        return $wc product id;
// JavaScript to handle subscribe button click
function smartmail store script() {
    <script type="text/javascript">
        jQuery(document).ready(function($) {
            $('#subscribe-button').click(function() {
                $('#subscribe-form').toggle();
            });
        });
    </script>
    <?php
add action('wp footer', 'smartmail store script');
    // Get image ID from URL
    function smartmail get image id($image url) {
        qlobal $wpdb;
        $attachment = $wpdb->get col($wpdb->prepare("SELECT ID")
FROM $wpdb->posts WHERE guid='%s';", $image url));
        return $attachment[0];
    }
    // Handle file upload
    function smartmail_handle_file_upload($file) {
        require once(ABSPATH . 'wp-admin/includes/file.php');
        $uploaded file = wp handle upload($file,
array('test_form' => false));
        if (isset($uploaded file['file'])) {
            $file loc = $uploaded file['file'];
            $file name = basename($file loc);
            $file type = wp check filetype($file name);
            $attachment = array(
                 post_mime_type' => $file_type['type'],
                 post title' => sanitize file name($file name),
                 'post content' => '',
                 'post status' => 'inherit'
            );
```

```
$attach id = wp insert attachment($attachment,
$file loc);
          require once (ABSPATH . 'wp-
admin/includes/image.php');
           $attach data =
wp generate attachment metadata($attach id, $file loc);
          wp update attachment metadata($attach id,
$attach data);
          return wp get attachment url($attach id);
       }
       return false;
   }
   // Shortcode to display eBooks
   function smartmail display ebooks() {
       global $wpdb;
       $table name = $wpdb->prefix . 'smartmail ebooks';
       $ebooks = $wpdb->qet results("SELECT * FROM
$table name");
       ob start();
       echo '<div class="smartmail-ebooks">';
       foreach ($ebooks as $ebook) {
          echo '<div class="software-store-item">';
           if (!empty($ebook->image url)) {
              echo '<imq class="software-store-item-image"
src="' . esc url($ebook->image url) . '" alt="' .
esc html($ebook->title) . '">';
          echo '<h2 class="software-store-item-title">' .
esc html($ebook->title) . '</h2>';
          echo '<div class="software-store-item-
description">' . esc html($ebook->description) . '</div>';
          echo 'Price:
$' . esc html($ebook->price) . '';
          echo 'RRP: $' .
esc html($ebook->rrp) . '';
          echo 'SKU: ' .
esc html($ebook->sku) . '';
          echo '<p class="software-store-item-
barcode">Barcode: ' . esc html($ebook->barcode) . '';
          echo 'In
```

```
Stock: ' . esc html($ebook->quantity) . '';
          echo '<a href="'
get_permalink(get_page_by title('SmartMail Subscription')) . '"
class="subscribe-link">Subscribe to our newsletter</a>';
          echo '</div>';
       echo '</div>';
       return ob get clean();
   add shortcode('smartmail ebooks display',
'smartmail display ebooks');
   // Shortcode to display software
   function smartmail display software() {
       global $wpdb;
       $table name = $wpdb->prefix . 'smartmail software';
       $software = $wpdb->get results("SELECT * FROM
$table name");
       ob start();
       echo '<div class="smartmail-software">';
       foreach ($software as $item) {
           echo '<div class="software-store-item">';
           if (!empty($item->image url)) {
              echo '<img class="software-store-item-image"
src="' . esc url($item->image url) . '" alt="' .
esc_html($item->title) . '">';
           echo '<h2 class="software-store-item-title">' .
esc html($item->title) . '</h2>';
          echo '<div class="software-store-item-
description">' . esc html($item->description) . '</div>';
          echo 'Price:
$' . esc html($item->price) . '';
           echo 'RRP: $' .
esc html($item->rrp) . '';
           echo 'SKU: ' .
esc html($item->sku) . '';
           echo '<p class="software-store-item-
barcode">Barcode: ' . esc_html($item->barcode) . '';
           echo 'In
Stock: ' . esc html($item->quantity) . '';
          echo '<form action="' . esc url(wc get cart url())
. '" method="post" class="subscribe-form">';
           echo '<div class="subscribe-fields">';
```

```
echo '<label for="full name">Full Name<span
class="required">*</span></label>';
            echo '<input type="text" name="full name"
required>';
            echo '<label for="email">Email<span
class="required">*</span></label>';
            echo '<input type="email" name="email" required>';
            echo '<label for="phone">Phone Number</label>';
            echo '<input type="tel" name="phone">';
            echo '<label for="address">Address</label>';
            echo '<textarea name="address"></textarea>';
            echo '<label for="newsletter">Subscribe to
Newsletter</label>';
            echo '<input type="checkbox" name="newsletter">';
            echo '</div>';
            echo '<input type="hidden" name="add-to-cart"
value="' . esc_attr($item->wc_product_id) . '">';
            echo '<button type="submit" class="button">Add to
Cart</button>';
            echo '</form>';
            echo '<a href="'
get_permalink(get_page_by_title('SmartMail Subscription')) . '"
class="subscribe-link">Subscribe to our newsletter</a>';
            echo '</div>';
        echo '</div>';
        return ob get clean();
    add shortcode('smartmail software display',
'smartmail display software');
    // Shortcode to display subscription form
    function smartmail display subscription form() {
        ob start();
        ?>
        <div class="smartmail-subscription-form">
            <form method="post" action="<?php echo</pre>
esc url($ SERVER['REQUEST URI']); ?>">
                <h2>Subscribe to our newsletter</h2>
                    <label for="full name">Full Name<span</pre>
class="required">*</span></label>
                    <input type="text" name="full name"</pre>
required>
```

```
>
                    <label for="email">Email<span</pre>
class="required">*</span></label>
                    <input type="email" name="email" required>
                >
                    <label for="phone">Phone Number</label>
                    <input type="tel" name="phone">
                >
                    <label for="address">Address</label>
                    <textarea name="address"></textarea>
                >
                    <label for="newsletter">Subscribe to
Newsletter</label>
                    <input type="checkbox" name="newsletter">
                >
                    <input type="submit"</pre>
name="smartmail subscribe" value="Subscribe" class="button">
                </form>
        </div>
        <?php
        return ob get clean();
    add shortcode('smartmail subscription form',
'smartmail display subscription form');
    // Handle subscription form submission
    function smartmail handle subscription() {
        if (isset($ POST['smartmail subscribe'])) {
            global $wpdb;
            $table name = $wpdb->prefix .
'smartmail subscriptions';
            $data = array(
                'full name' =>
sanitize_text_field($_POST['full name']),
                'email' => sanitize email($ POST['email']),
                'phone' =>
sanitize text field($ POST['phone']),
                'address' =>
sanitize textarea field($ POST['address']),
                'newsletter' => isset($ POST['newsletter']) ? 1
```

```
: 0,
            $wpdb->insert($table_name, $data);
        }
    add_action('init', 'smartmail_handle_subscription');
// Handle form submission for adding eBooks and Software
function smartmail store handle form() {
    if (!isset($ POST['smartmail form nonce']) ||
!wp verify nonce($ POST['smartmail form nonce'],
'smartmail form action')) {
        return;
    }
    global $wpdb;
    if (isset($ POST['add ebook'])) {
        $table name = $wpdb->prefix . 'smartmail ebooks';
        $wpdb->insert($table name, array(
            'title' => sanitize text field($ POST['title']),
            'description' =>
sanitize_textarea_field($_POST['description']),
            'price' => floatval($ POST['price']),
            'rrp' => floatval($ POST['rrp']),
            'sku' => sanitize text field($ POST['sku']),
            'barcode' =>
sanitize text field($ POST['barcode']),
            'quantity' => intval($ POST['quantity']),
            'image url' => esc url raw($ POST['image url'])
        ));
    }
    if (isset($ POST['add software'])) {
        $table name = $wpdb->prefix . 'smartmail software';
        $wpdb->insert($table name, array(
            'title' => sanitize text field($ POST['title']),
            'description' =>
sanitize textarea field($ POST['description']),
            'price' => floatval($ POST['price']),
            'rrp' => floatval($ POST['rrp']),
            'sku' => sanitize text field($ POST['sku']),
            'barcode' =>
sanitize text field($ POST['barcode']),
            'quantity' => intval($ POST['quantity']),
```

```
'image url' => esc url raw($ POST['image url'])
        ));
    }
}
add action('admin post nopriv smartmail store handle form',
'smartmail store handle form');
add action('admin post smartmail store handle form',
'smartmail store handle form');
    // Register admin menu
    function smartmail register admin menu() {
        add menu page(
            'SmartMail Software Store',
            'SmartMail Store',
            'manage options',
            'smartmail-software-store',
            'smartmail admin page',
            'dashicons-store',
        );
        add submenu page(
            'smartmail-software-store',
            'Manage eBooks',
            'Manage eBooks'
            'manage options',
            'smartmail-manage-ebooks',
            'smartmail manage ebooks page'
        );
        add submenu page (
            'smartmail-software-store',
            'Manage Software',
            'Manage Software',
            'manage options',
            'smartmail-manage-software',
            'smartmail manage software page'
        );
    add action('admin menu', 'smartmail register admin menu');
    // Admin page callback
    function smartmail admin page() {
        <div class="wrap">
            <h1>SmartMail Software Store</h1>
            Welcome to the SmartMail Software Store. Use the
```

```
submenus to manage eBooks and software products.
     </div>
     <?php
  }
  // Manage eBooks page callback
  function smartmail manage ebooks page() {
     <div class="wrap">
        <h1>Manage eBooks</h1>
        <form method="post" action="admin-post.php"</pre>
enctype="multipart/form-data">
          <input type="hidden" name="action"</pre>
value="add ebook">
          Title
               <input type="text" name="title"
required>
             Description
                <textarea name="description"
required></textarea>
             Price
               <input type="number" name="price"
step="0.01" required>
             </t.r>
             RRP
               <input type="number" name="rrp"
step="0.01" required>
             Image
                <input type="file" name="image"
required>
             SKU
                <input type="text" name="sku">
```

```
Barcode
                  <input type="text" name="barcode">
Quantity
                  <input type="number"
name="quantity" required>
               File
                  <input type="file" name="file"
required>
               <input type="submit" name="add_ebook"</pre>
value="Add eBook" class="button button-primary">
         </form>
         <h2>Existing eBooks</h2>
         <?php smartmail admin page content('ebook'); ?>
      </div>
      <?php
   }
   // Manage software page callback
   function smartmail manage software page() {
      <div class="wrap">
         <h1>Manage Software</h1>
         <form method="post" action="admin-post.php"</pre>
enctype="multipart/form-data">
            <input type="hidden" name="action"</pre>
value="add software">
            <th scope
="row">Title
                  <input type="text" name="title"
required>
               Description
                  <textarea name="description"
required></textarea>
```

```
Price
              <input type="number" name="price"
step="0.01" required>
            RRP
              <input type="number" name="rrp"
step="0.01" required>
            Image
              <input type="file" name="image"
required>
            SKU
              <input type="text" name="sku">
            Barcode
              <input type="text" name="barcode">
Quantity
              <input type="number"
name="quantity" required>
            </t.r>
            File
              <input type="file" name="file"
required>
            <input type="submit" name="add software"</pre>
value="Add Software" class="button button-primary">
       </form>
       <h2>Existing Software</h2>
       <?php smartmail admin page content('software'); ?>
     </div>
     <?php
  }
```

```
// Admin page content for managing eBooks and software
   function smartmail admin page content($type) {
       global $wpdb;
      $table name = $type === 'ebook' ? $wpdb->prefix .
'smartmail ebooks' : $wpdb->prefix . 'smartmail software';
       $items = $wpdb->qet results("SELECT * FROM
$table name");
       ?>
      <table class="wp-list-table widefat fixed striped
table-view-list posts">
          <thead>
             ID
                 Title
                 Description
                 Price
                 RRP
                 SKU
                 Barcode
                 Quantity
                 Actions
             </t.r>
          </thead>
          <?php foreach ($items as $item) : ?>
                 <?php echo $item->id; ?>
                    <?php echo $item->title; ?>
                    <?php echo $item->description; ?>
<?php echo $item->price; ?>
                    <?php echo $item->rrp; ?>
                    <?php echo $item->sku; ?>
                    <?php echo $item->barcode; ?>
                    <?php echo $item->quantity; ?>
                    <a href="<?php echo
admin url('admin.php?page=smartmail-software-store&edit ' .
$type . '=' . $item->id); ?>">Edit</a> |
                        <a href="<?php echo
admin_url('admin-post.php?action=delete_' . $type . '&id=' .
$item->id); ?>" onclick="return confirm('Are you sure you want
to delete this item?');">Delete</a>
```

```
<?php endforeach; ?>
            <?php
    }
    // Handle adding eBook
    function smartmail handle add ebook() {
        if (isset($ POST['add ebook'])) {
            $title = sanitize text field($ POST['title']);
            $description =
sanitize_textarea_field($_POST['description']);
            $price = floatval($ POST['price']);
            $rrp = floatval($ POST['rrp']);
            if ($rrp < $price) {</pre>
                wp die('RRP cannot be less than the price.');
            $image =
smartmail handle file upload($ FILES['image']);
            $sku = sanitize text field($ POST['sku']);
            $barcode = sanitize text field($ POST['barcode']);
            $quantity = intval($ POST['quantity']);
            $file url =
smartmail handle file upload($ FILES['file']);
            smartmail add ebook($title, $description, $price,
$rrp, $image, $sku, $\overline{b}arcode, $quantity, $file_url);
            wp_redirect(admin_url('admin.php?page=smartmail-
manage-ebooks'));
            exit;
        }
    add_action('admin post add ebook',
'smartmail handle add ebook');
    // Handle adding software
    function smartmail handle add software() {
        if (isset($ POST['add software'])) {
            $title = sanitize text field($ POST['title']);
            $description =
sanitize textarea field($ POST['description']);
            $price = floatval($ POST['price']);
            $rrp = floatval($ POST['rrp']);
            if ($rrp < $price) {</pre>
                wp die('RRP cannot be less than the price.');
```

```
$image =
smartmail handle file upload($ FILES['image']);
            $sku = sanitize text field($ POST['sku']);
            $barcode = sanitize text field($ POST['barcode']);
            $quantity = intval($ POST['quantity']);
            $file url =
smartmail handle \overline{f} ile upload($ FILES['file']);
            smartmail add software($title, $description,
$price, $rrp, $image, $sku, $barcode, $quantity, $file_url);
            wp redirect(admin url('admin.php?page=smartmail-
manage-software'));
            exit;
        }
    add action('admin post add software',
'smartmail handle add software');
    // Add eBook product
    function smartmail add ebook($title, $description, $price,
$rrp, $image url, $sku, $barcode, $quantity, $file url) {
        global $wpdb;
        $table name = $wpdb->prefix . 'smartmail ebooks';
        $wc product id =
smartmail create or update wc product(compact('title',
'description', 'price', 'rrp', 'image_url', 'sku', 'barcode',
'quantity', 'file url'));
        $wpdb->insert($table name, array(
             'title' => $title,
             'description' => $description,
             'price' => $price,
             'rrp' => $rrp,
             'image url' => $image url,
             'sku' => $sku,
             'barcode' => $barcode,
             'quantity' => $quantity,
             'file url' => $file url,
             'wc product id' => \( \bar{\sqrt{v}}\) wc product id
        ));
    }
    // Add software product
    function smartmail add software ($title, $description,
$price, $rrp, $image url, $sku, $barcode, $quantity, $file url)
        global $wpdb;
```

```
$table name = $wpdb->prefix . 'smartmail software';
        $wc product id =
smartmail_create or update wc product(compact('title',
'description', 'price', 'rrp', 'image url', 'sku', 'barcode',
'quantity', 'file url'));
        $wpdb->insert($table name, array(
            'title' => $title,
            'description' => $description,
            'price' => $price,
            'rrp' => $rrp,
            'image url' => $image url,
            'sku' => $sku,
            'barcode' => $barcode,
            'quantity' => $quantity,
            'file url' => $file url,
            'wc product id' => $wc product id
        ));
    }
    // Handle eBook deletion
    function smartmail delete ebook() {
        if (isset($ GET['action']) && $ GET['action'] ==
'delete ebook' && isset($ GET['id'])) {
            global $wpdb;
            $table name = $wpdb->prefix . 'smartmail ebooks';
            $wpdb->delete($table name, array('id' =>
intval($_GET['id']));
            wp redirect(admin url('admin.php?page=smartmail-
manage-ebooks'));
            exit:
    add_action('admin post delete ebook',
'smartmail delete ebook');
    // Handle software deletion
    function smartmail delete software() {
        if (isset($ GET['action']) && $ GET['action'] ==
'delete software' && isset($ GET['id'])) {
            global $wpdb;
            $table name = $wpdb->prefix . 'smartmail software';
            $wpdb->delete($table name, array('id' =>
intval($ GET['id'])));
            wp redirect(admin url('admin.php?page=smartmail-
manage-software'));
```

```
exit;
       }
   }
   add action('admin post delete software',
'smartmail delete software');
   // Handle eBook editing
   function smartmail edit ebook() {
       if (isset($ GET
['page']) && $_GET['page'] == 'smartmail-software-store' &&
isset($ GET['edit ebook'])) {
          global $wpdb;
          $table name = $wpdb->prefix . 'smartmail ebooks';
          $ebook = $wpdb->get_row($wpdb->prepare("SELECT *
FROM $table name WHERE id = %d", intval($ GET['edit ebook'])));
          if ($ebook) {
              <div class="wrap">
                 <h1>Edit eBook</h1>
                 <form method="post" action="<?php echo
admin url('admin-post.php?action=update ebook'); ?>"
enctype="multipart/form-data">
                     <input type="hidden" name="id" value="</pre>
<?php echo $ebook->id; ?>">
                     Title
                            <input type="text"
name="title" value="<?php echo esc attr($ebook->title); ?>"
required>
                        <th
scope="row">Description
                            <tarea
name="description" required><?php echo esc textarea($ebook-
>description); ?></textarea>
                        Price
                            <input type="number"
name="price" step="0.01" value="<?php echo esc attr($ebook-
>price); ?>" required>
```

```
RRP
                     <input type="number"
name="rrp" step="0.01" value="<?php echo esc attr($ebook->rrp);
?>" required>
                   Image
                     <input type="file"
name="image">
                   SKU
                     <input type="text"
name="sku" value="<?php echo esc attr($ebook->sku); ?>">
                   Barcode
                     ="text"
name="barcode" value="<?php echo esc attr($ebook->barcode); ?
>">
                   </t.r>
                   Quantity
                     <input type="number"
name="quantity" value="<?php echo esc attr($ebook->quantity); ?
>" required>
                   File
                     <input type="file"
name="file">
                   <input type="submit"</pre>
name="update_ebook" value="Update eBook" class="button button-
primary">
             </form>
          </div>
          <?php
        }
     }
  add_action('admin_init', 'smartmail_edit ebook');
```

```
// Handle software editing
   function smartmail edit software() {
      if (isset($ GET['page']) && $ GET['page'] ==
'smartmail-software-store' && isset($ GET['edit software'])) {
          global $wpdb;
          $table name = $wpdb->prefix . 'smartmail software';
          $software = $wpdb->get_row($wpdb->prepare("SELECT *
FROM $table name WHERE id = %d",
intval($ GET['edit software'])));
          if ($software) {
             <div class="wrap">
                <h1>Edit Software</h1>
                <form method="post" action="<?php echo</pre>
admin_url('admin-post.php?action=update_software'); ?>"
enctype="multipart/form-data">
                    <input type="hidden" name="id" value="</pre>
<?php echo $software->id; ?>">
                    Title
                           <input type="text"
name="title" value="<?php echo esc attr($software->title); ?>"
required>
                       <th
scope="row">Description
                           <tarea
name="description" required><?php echo esc textarea($software-
>description); ?></textarea>
                       Price
                          <input type="number"
name="price" step="0.01" value="<?php echo esc attr($software-
>price); ?>" required>
                       RRP
                           <input type="number"
name="rrp" step="0.01" value="<?php echo esc attr($software-
>rrp); ?>" required>
```

```
Image
                         <input type="file"
name="image">
                      SKU
                         <input type="text"
name="sku" value="<?php echo esc attr($software->sku); ?>">
Barcode
                         <input type="text"
name="barcode" value="<?php echo esc attr($software->barcode);
?>">
                      Quantity
                         <input type="number"
name="quantity" value="<?php echo esc attr($software-
>quantity); ?>" required>
                      File
                         <input type="file"
name="file">
                      <input type="submit"</pre>
name="update software" value="Update Software" class="button
button-primary">
               </form>
            </div>
            <?php
         }
      }
   add_action('admin_init', 'smartmail_edit_software');
   // Handle eBook update
   function smartmail_update_ebook() {
      if (isset($_POST['update_ebook'])) {
    $id = intval($_POST['id']);
         $title = sanitize text field($ POST['title']);
         $description =
```

```
sanitize_textarea_field($_POST['description']);
            $price = floatval($ POST['price']);
            $rrp = floatval($ POST['rrp']);
            if ($rrp < $price) {</pre>
                wp die('RRP cannot be less than the price.');
            $image = !empty($ FILES['image']['name']) ?
smartmail handle file upload($\frac{\frac{1}{3}}{3} FILES['image']) : '';
            $sku = sanitize text field($ POST['sku']);
            $barcode = sanitize text field($ POST['barcode']);
            $quantity = intval($ POST['quantity']);
            $file_url = !empty($_FILES['file']['name']) ?
smartmail handle file upload($ FILES['file']) : '';
            qlobal $wpdb;
            $table_name = $wpdb->prefix . 'smartmail_ebooks';
            $data = array(
                 'title' => $title,
                 'description' => $description,
                 'price' => $price,
                 'rrp' => $rrp,
                 'sku' => $sku,
                 'barcode' => $barcode,
                 'quantity' => $quantity
            if ($image) {
                 $data['image url'] = $image;
            if ($file url) {
                $data['file url'] = $file url;
            $wpdb->update($table name, $data, array('id' =>
$id));
            $product data = array(
                 'title' => $title,
                 'description' => $description,
                 'price' => $price,
                 'rrp' => $rrp,
                 'image url' => $image,
                 'sku' => $sku,
                 'barcode' => $barcode,
                 'quantity' => $quantity,
                 'file url' => $file url
            );
```

```
smartmail create or update wc product($product data, $wpdb-
>get var($wpdb->prepare("SELECT wc product id FROM $table name
WHERE id = %d'', $id)));
            wp redirect(admin url('admin.php?page=smartmail-
manage-ebooks'));
            exit;
        }
    add action('admin post update ebook',
'smartmail update ebook');
    // Handle software update
    function smartmail update software() {
        if (isset($ POST['update software'])) {
            $id = intval($ POST['id']);
            $title = sanitize text field($ POST['title']);
            $description =
sanitize textarea field($ POST['description']);
            $price = floatval($ POST['price']);
            $rrp = floatval($ POST['rrp']);
            if ($rrp < $price) {</pre>
                wp die('RRP cannot be less than the price.');
            $image = !empty($ FILES['image']['name']) ?
smartmail handle file upload($ FILES['image']) : '';
            $sku = sanitize text field($ POST['sku']);
            $barcode = sanitize text field($ POST['barcode']);
            $quantity = intval($ POST['quantity']);
            $file url = !empty($ FILES['
file']['name']) ? smartmail handle file upload($ FILES['file'])
            global $wpdb;
            $table name = $wpdb->prefix . 'smartmail software';
            $data = array(
                'title' => $title,
                 'description' => $description,
                 'price' => $price,
                 'rrp' => $rrp,
                'sku' => $sku,
                'barcode' => $barcode,
                 'quantity' => $quantity
```

```
);
            if ($image) {
                $data['image url'] = $image;
            if ($file url) {
                $data['file url'] = $file url;
            $wpdb->update($table name, $data, array('id' =>
$id));
            $product data = array(
                 'title' => $title,
                 'description' => $description,
                 'price' => $price,
                 'rrp' => $rrp,
                 'image url' => $image,
                 'sku' => $sku,
                 'barcode' => $barcode,
                 'quantity' => $quantity,
                 'file url' => $file url
            );
smartmail create or update wc product($product data, $wpdb-
>get var($wpdb->prepare("SELECT wc product id FROM $table name
WHERE id = %d'', $id)));
            wp redirect(admin url('admin.php?page=smartmail-
manage-software'));
            exit;
        }
    add action('admin post update software',
'smartmail update software');
?>
```