



VILNIUSCODINGSCHOOL

CSS



CSS



Reset

- Suvienodina visų naršyklių galimybes CSS atžvilgiu
- Reset.css rekomenduojama užkrauti prieš bet kurį stilių
- Vienas iš galimų: <https://marksheet.io/css-reset.html>

HTML



CSS

Flex

- Container:
 - Display:flex;
 - Flex-direction:column/column-reverse/row/row-reverse
 - Flex-wrap:wrap/nowrap; - child items turi būtī fiksoto pločio
 - Flex-flow:row wrap; - shortcut for flex-direction ir flex-wrap
 - Justify-content:<reiksme>
 - Align-items:stretch/flex-end/flex-start/flex-end/baseline
 - Align-content:space-between/space-around/stretch/center/flex-start/flex-end
- Child items:
 - Flex: <number> | flex-grow, flex-shrink, flex-basis
 - Flex-grow: <number> likusioji dalis
 - Order:<number>; by default order reiksme yra 0
 - Flex-shrink: <number> - kiek susitrauks kitu elementu atžvilgiu
 - Flex-basis:<number>px – ilgis
 - Align-self: baseline/stretch/flex-start/flex-end;

https://www.w3schools.com/css/css3_flexbox.asp

HTML



- Container:
 - `Display:grid/inline-grid` naudojamas su `grid-template-columns/rows: x x x x/ repeat(auto-fill, 100px);`; ← template stulpeliu skaicius;
 - `justify-content: space-evenly/space-around/space-between/center/start/end`;
 - `Align-content: center/space-evenly/space-around/space-between/start/end`;
 - `Grid-column-gap:<number>px`;
 - `grid-row-gap:<number>px`;
 - `grid-gap:<column>px <column>px/<number>px`;
 - Child:
 - `Grid-column-start: <number>`; ← sujungia langelius kaip lenteleje merge
 - `Grid-column-end: <number>`;
 - `Grid-row-start: <number>`;
 - `Grid-row-end: <number>`;
- https://www.w3schools.com/cssref/pr_grid.asp



CSS



Parallax

- https://www.w3schools.com/howto/tryit.asp?filename=tryhow_css_parallax

HTML



CSS



Materialize framework

- <https://materializecss.com/>

HTML



CSS



Bootstrap framework

- <https://getbootstrap.com/>

HTML



HTML



Klausimai

