# Agent Skill Inspection Worksheet

| Name | Date | Course |
|---|---|---|
| | | |

## How to use this worksheet

For each skill you inspect, you decide whether to authorize the agent to use the skill. Work through the four steps on your own **before** running the scanner, commit to an initial recommendation, then run the scanner and revise.

1. **Scope:** identify the parts of the skill (SKILL.md and helper scripts) and what the skill is for.
2. **Evidence:** read the instructions, configuration settings, and helper scripts to find what you would authorize the agent to do, not only what the code does. Cite the exact line.
3. **Risk:** explain how this authorization could harm the user.
4. **Recommendation:** decide whether to authorize the agent to use the skill and on what terms.

**Recommendation scale** (circle one each time you decide):

| Decision | Meaning |
|---|---|
| Approve | The benefit is acceptable with no material change. |
| Require changes | The workflow can stay, but a specific instruction or setting must be revised first. Name it. |
| Reject | No revision could preserve the benefit while addressing the concern. |

A scanner finding is evidence, not a verdict: it tells you where to look, and the decision is still yours.

## Skill inspection page

| Skill name | Skill repository | Stated purpose |
|---|---|---|
| | | |

**Part A: On your own, before scanning**

| Step | Your response |
|---|---|
| Scope: what parts does this skill have, and what is the skill for? | |
| Evidence: what would you authorize the agent to do? Which exact line(s) show it? (file + line) | |
| Risk: how could this authorization harm the user? | |
| Initial recommendation: Approve / Require changes / Reject | |
| On what terms? (the change you would require, or why reject) | |

**Part B: Run the scanner and record its finding**

`agent-audit scan <skill-repo> --format json`

| Rule ID | Severity | File / line | Scanner description |
|---|---|---|---|
| | | | |

**Part C: Revise**

| Question | Your response |
|---|---|
| Does the finding point to the same line you cited in Part A? If not, what did it weigh differently? | |
| Revised recommendation: Approve / Require changes / Reject | |
| Did your recommendation change? Why or why not? | |

**Prompt versus skill.** A request you type once is bounded; an installed skill is a standing authorization.

| Question | Your response |
|---|---|
| Write a one-time request that would get the same behavior. | |
| What changes when that behavior is installed as this skill? | |

## Compare the skills

Fill in one row per skill you inspected. Compare what each one lets the agent do, not what its code does.

| Skill | What the agent is allowed to do | The authorization question it raises | Final recommendation |
|---|---|---|---|
| | | | |
| | | | |
| | | | |

**In one sentence:** why is reading a skill's code not enough to decide whether to install it?

| Your answer |
|---|
| |

## Instructor note

The worksheet is skill-agnostic: choose the skills that fit your course and copy the inspection page once per skill. Commit the initial recommendation (Part A) before students see any scanner output.

The three example skills used in our classroom activity, from ai-audit-gym (https://github.com/zikaiwen/ai-audit-gym), each carry one agent-specific authority and have a harmless helper script:

| **Skill** | **Authority it carries** |
|---|---|
| rubric-reminder-agent | Appends new content to SKILL.md, which the agent reads in later sessions |
| approval-shortcut-agent | Acts without asking for user consent before each action |
| background-reminder-agent | Keeps running after the session ends |