

ICPSR 37382

**India Human Development Survey
Panel (IHDS, IHDS-II), 2005,
2011-2012**

Sonalde Desai
University of Maryland

Reeve Vanneman
University of Maryland

*National Council of Applied Economic
Research, New Delhi*

ICPSR Codebook for Eligible Women - Long
Panel (Public-Use)

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/37382/terms>

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

**NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS**

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

Processing Notes for ICPSR #37382

*India Human Development Survey Panel (IHDS, IHDS-II), 2005, 2011-2012
DS 17: Eligible Women – Long Panel (Public-Use)*

1. **Related Data Collections:** This collection is a part of the [India Human Development Survey \(IHDS\) series](#). The data originally came from merging portions of the original data from IHDS (ICPSR #22626) and IHDS-II (ICPSR #36151). For additional study information please refer to these other datasets in the series.
2. **Confidentiality/Disclosure Risk:** In order to protect respondent anonymity and prevent disclosure risk, ICPSR masked or recoded the data. Valid entries that were masked were provided with the label “[MASKED BY ICPSR]”. Recoded variables were top- and/or bottom-coded. These changes apply to the following variables in the data:

Geography and Caste (masked):

STLAB01	GROUPS
DILAB01	ID13

Specific Day of Birth (masked):

EW7D

Sensitive / Disclosive Topics (top- and/or bottom-coded):

EW9	MH1A	MH1C	MH1E
MH17A	MH18A	FH2S	FH3S
FH4S	FH2D	FH3D	NNR
FH4D	FH5CM	FH5S	FH5D
FH2C	FH3C	FH4C	FH5C
FH6	FH7	FH7A	FH7B
NPERSONS	NMARRIEDM	NCHILD M	NCHILD F
NTEENM	NTEENF	NADULTS	NADULTM
NADULTF	NELDERM	NELDERF	NMARRIEDF

3. **Additional Information:** For additional information external to ICPSR please visit the [India Human Development Survey](#) website.

ICPSR 37382

India Human Development Survey Panel (IHDS, IHDS-II), 2005, 2011-2012

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Eligible Women - Long Panel (Public-Use)

SURVEY: IHDS1 (2005) or IHDS2 (2012)

Value	Label	Unweighted Frequency	%
1	IHDS1 1	25479	50.0 %
2	IHDS2 2	25479	50.0 %
	Total	50,958	100%

Based upon 50,958 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1-1 (width: 1; decimal: 0)

Variable Type: numeric

HHBASE: unique multisurvey id of hh at 1st entry

Based upon 50,958 valid cases out of 50,958 total cases.

- Mean: 1187100369.17
- Minimum: 1010201010.00
- Maximum: 1340206140.00
- Standard Deviation: 98530667.50

Location: 2-11 (width: 10; decimal: 0)

Variable Type: numeric

HHFAM2: +hhbase = unique HH id in wave 2

Value	Label	Unweighted Frequency	%
0	-	25479	50.0 %
1	-	23912	46.9 %
2	-	1375	2.7 %
3	-	166	0.3 %
4	-	16	0.0 %
5	-	9	0.0 %
6	-	1	0.0 %
	Total	50,958	100%

Based upon 50,958 valid cases out of 50,958 total cases.

- Mean: 0.54
- Median: 0.50
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.57

Location: 12-12 (width: 1; decimal: 0)

Variable Type: numeric

PBASE: unique multisurvey person id

Value	Label	Unweighted Frequency	%
1	-	2282	4.5 %
2	-	36910	72.4 %
3	-	2916	5.7 %
4	-	6510	12.8 %
5	-	546	1.1 %
6	-	426	0.8 %
7	-	376	0.7 %
8	-	404	0.8 %
9	-	260	0.5 %
10	-	122	0.2 %
11	-	60	0.1 %
12	-	58	0.1 %
13	-	28	0.1 %
14	-	20	0.0 %
15	-	8	0.0 %
16	-	14	0.0 %
17	-	8	0.0 %
18	-	2	0.0 %
19	-	2	0.0 %
22	-	6	0.0 %
Total		50,958	100%

Based upon 50,958 valid cases out of 50,958 total cases.

- Mean: 2.52
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 22.00
- Standard Deviation: 1.40

Location: 13-14 (width: 2; decimal: 0)

Variable Type: numeric

STATEID: State code

Value	Label	Unweighted Frequency	%
1	Jammu & Kashmir 01	856	1.7 %
2	Himachal Pradesh 02	1884	3.7 %

Value	Label	Unweighted Frequency	%
3	Punjab 03	2142	4.2 %
4	Chandigarh 04	70	0.1 %
5	Uttarakhand 05	572	1.1 %
6	Haryana 06	2146	4.2 %
7	Delhi 07	594	1.2 %
8	Rajasthan 08	3080	6.0 %
9	Uttar Pradesh 09	4772	9.4 %
10	Bihar 10	1984	3.9 %
11	Sikkim 11	116	0.2 %
12	Arunachal Pradesh 12	202	0.4 %
13	Nagaland 13	44	0.1 %
14	Manipur 14	142	0.3 %
15	Mizoram 15	34	0.1 %
16	Tripura 16	224	0.4 %
17	Meghalaya 17	116	0.2 %
18	Assam 18	850	1.7 %
19	West Bengal 19	3264	6.4 %
20	Jharkhand 20	1026	2.0 %
21	Orissa 21	2800	5.5 %
22	Chhattisgarh 22	1522	3.0 %
23	Madhya Pradesh 23	3530	6.9 %
24	Gujarat 24	2294	4.5 %
25	Daman & Diu 25	72	0.1 %
26	Dadra+Nagar Haveli 26	72	0.1 %
27	Maharashtra 27	4644	9.1 %
28	Andhra Pradesh 28	2602	5.1 %
29	Karnataka 29	4496	8.8 %
30	Goa 30	246	0.5 %
31	Lakshadweep 31	0	0.0 %
32	Kerala 32	1990	3.9 %
33	Tamil Nadu 33	2444	4.8 %
34	Pondicherry 34	128	0.3 %
35	Anadman/Nicobar 35	0	0.0 %
Total		50,958	100%

Based upon 50,958 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 34.00

Location: 15-16 (width: 2; decimal: 0)

Variable Type: numeric

DISTID: District code

Value	Label	Unweighted Frequency	%
1	-	2192	4.3 %
2	-	3256	6.4 %
3	-	1358	2.7 %
4	-	2210	4.3 %
5	-	2940	5.8 %
6	-	2090	4.1 %
7	-	1954	3.8 %
8	-	2068	4.1 %
9	-	2214	4.3 %
10	-	2348	4.6 %
11	-	1798	3.5 %
12	-	2396	4.7 %
13	-	1842	3.6 %
14	-	1320	2.6 %
15	-	1674	3.3 %
16	-	1424	2.8 %
17	-	1378	2.7 %
18	-	1210	2.4 %
19	-	1212	2.4 %
20	-	1130	2.2 %
21	-	1116	2.2 %
22	-	570	1.1 %
23	-	1372	2.7 %
24	-	908	1.8 %
25	-	930	1.8 %
26	-	912	1.8 %
27	-	852	1.7 %
28	-	262	0.5 %
29	-	736	1.4 %
30	-	728	1.4 %
31	-	402	0.8 %
32	-	616	1.2 %
33	-	48	0.1 %
34	-	212	0.4 %
35	-	250	0.5 %
36	-	208	0.4 %

Value	Label	Unweighted Frequency	%
37	-	124	0.2 %
38	-	52	0.1 %
39	-	38	0.1 %
40	-	58	0.1 %
41	-	86	0.2 %
42	-	194	0.4 %
44	-	140	0.3 %
45	-	146	0.3 %
46	-	54	0.1 %
47	-	122	0.2 %
48	-	88	0.2 %
49	-	224	0.4 %
50	-	82	0.2 %
51	-	78	0.2 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 50,958 valid cases out of 50,958 total cases.

- Mean: 15.09
- Median: 12.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 68.00
- Standard Deviation: 12.72

Location: 17-18 (width: 2; decimal: 0)

Variable Type: numeric

PSUID: PSU: village/neighborhood code

Value	Label	Unweighted Frequency	%
1	-	8022	15.7 %
2	-	7564	14.8 %
3	-	6894	13.5 %
4	-	5014	9.8 %
5	-	4266	8.4 %
6	-	4426	8.7 %
7	-	4122	8.1 %
8	-	2662	5.2 %
9	-	1940	3.8 %
10	-	1310	2.6 %

Value	Label	Unweighted Frequency	%
11	-	1002	2.0 %
12	-	670	1.3 %
13	-	582	1.1 %
14	-	420	0.8 %
15	-	254	0.5 %
16	-	110	0.2 %
17	-	126	0.2 %
18	-	134	0.3 %
19	-	82	0.2 %
20	-	78	0.2 %
21	-	112	0.2 %
22	-	86	0.2 %
23	-	52	0.1 %
24	-	36	0.1 %
25	-	12	0.0 %
26	-	18	0.0 %
27	-	10	0.0 %
28	-	8	0.0 %
30	-	12	0.0 %
31	-	146	0.3 %
32	-	148	0.3 %
33	-	122	0.2 %
34	-	118	0.2 %
35	-	136	0.3 %
36	-	152	0.3 %
37	-	80	0.2 %
38	-	30	0.1 %
39	-	2	0.0 %
Total		50,958	100%

Based upon 50,958 valid cases out of 50,958 total cases.

- Mean: 5.45
- Median: 4.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 39.00
- Standard Deviation: 5.39

Location: 19-20 (*width:* 2; *decimal:* 0)

Variable Type: numeric

HHID: Household ID IHDS2=3-digit IHDS1=2-digit

Value	Label	Unweighted Frequency	%
1	-	1668	3.3 %
2	-	1638	3.2 %
3	-	1604	3.1 %
4	-	1646	3.2 %
5	-	1575	3.1 %
6	-	1546	3.0 %
7	-	1517	3.0 %
8	-	1438	2.8 %
9	-	1397	2.7 %
10	-	2303	4.5 %
11	-	1925	3.8 %
12	-	1446	2.8 %
13	-	1317	2.6 %
14	-	1251	2.5 %
15	-	1189	2.3 %
16	-	655	1.3 %
17	-	619	1.2 %
18	-	581	1.1 %
19	-	566	1.1 %
20	-	1518	3.0 %
21	-	649	1.3 %
22	-	203	0.4 %
23	-	136	0.3 %
24	-	82	0.2 %
25	-	57	0.1 %
26	-	45	0.1 %
27	-	47	0.1 %
28	-	27	0.1 %
29	-	28	0.1 %
30	-	980	1.9 %
31	-	530	1.0 %
32	-	127	0.2 %
33	-	31	0.1 %
34	-	14	0.0 %
35	-	5	0.0 %
36	-	4	0.0 %
37	-	3	0.0 %

Value	Label	Unweighted Frequency	%
38	-	3	0.0 %
39	-	3	0.0 %
40	-	997	2.0 %
41	-	513	1.0 %
42	-	108	0.2 %
43	-	29	0.1 %
44	-	8	0.0 %
45	-	2	0.0 %
46	-	1	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
50	-	968	1.9 %
51	-	482	0.9 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 50,958 valid cases out of 50,958 total cases.

- Mean: 51.16
- Median: 19.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 521.00
- Standard Deviation: 59.39

Location: 21-23 (width: 3; decimal: 0)

Variable Type: numeric

HHSPLITID: Split household ID

Value	Label	Unweighted Frequency	%
0	-	16161	31.7 %
1	-	31365	61.6 %
2	-	2713	5.3 %
3	-	586	1.1 %
4	-	105	0.2 %
5	-	23	0.0 %
6	-	5	0.0 %
Total		50,958	100%

Based upon 50,958 valid cases out of 50,958 total cases.

- Mean: 0.77

- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.62

Location: 24-24 (width: 1; decimal: 0)

Variable Type: numeric

PERSONID: HQ4 2.1 Roster ID in IHDS1/IHDS2 household

Value	Label	Unweighted Frequency	%
1	-	3608	7.1 %
2	-	38245	75.1 %
3	-	2583	5.1 %
4	-	4849	9.5 %
5	-	403	0.8 %
6	-	326	0.6 %
7	-	269	0.5 %
8	-	271	0.5 %
9	-	181	0.4 %
10	-	86	0.2 %
11	-	43	0.1 %
12	-	40	0.1 %
13	-	17	0.0 %
14	-	13	0.0 %
15	-	6	0.0 %
16	-	7	0.0 %
17	-	5	0.0 %
18	-	1	0.0 %
22	-	3	0.0 %
24	-	1	0.0 %
27	-	1	0.0 %
Total		50,958	100%

Based upon 50,958 valid cases out of 50,958 total cases.

- Mean: 2.35
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 27.00
- Standard Deviation: 1.23

Location: 25-26 (width: 2; decimal: 0)

Variable Type: numeric

EW WAVES: EW in which surveys

Value	Label	Unweighted Frequency	%
1	only 2012 01	0	0.0 %
10	only 2005 10	0	0.0 %
11	both 11	50958	100.0 %
Total		50,958	100%

Based upon 50,958 valid cases out of 50,958 total cases.

- Minimum: 11.00
- Maximum: 11.00

Location: 27-28 (width: 2; decimal: 0)

Variable Type: numeric

IDPSU: PSU id unique 6 digit long int =cluster

Value	Label	Unweighted Frequency	%
10201	-	34	0.1 %
10202	-	30	0.1 %
10203	-	28	0.1 %
10204	-	22	0.0 %
10205	-	28	0.1 %
10206	-	26	0.1 %
10207	-	24	0.0 %
10208	-	22	0.0 %
10301	-	20	0.0 %
10302	-	16	0.0 %
10303	-	10	0.0 %
10304	-	20	0.0 %
10305	-	24	0.0 %
10306	-	16	0.0 %
10307	-	12	0.0 %
10308	-	10	0.0 %
10309	-	8	0.0 %
10501	-	36	0.1 %
10502	-	36	0.1 %
10504	-	26	0.1 %
10505	-	32	0.1 %
10506	-	32	0.1 %
11201	-	30	0.1 %
11203	-	30	0.1 %

Value	Label	Unweighted Frequency	%
11204	-	32	0.1 %
11206	-	32	0.1 %
11301	-	26	0.1 %
11302	-	10	0.0 %
11303	-	20	0.0 %
11304	-	18	0.0 %
11305	-	22	0.0 %
11306	-	10	0.0 %
11307	-	10	0.0 %
11308	-	14	0.0 %
11309	-	14	0.0 %
11310	-	12	0.0 %
11311	-	10	0.0 %
11312	-	8	0.0 %
11313	-	14	0.0 %
11314	-	14	0.0 %
11315	-	18	0.0 %
20101	-	34	0.1 %
20102	-	22	0.0 %
20103	-	14	0.0 %
20104	-	20	0.0 %
20105	-	26	0.1 %
20106	-	32	0.1 %
20201	-	48	0.1 %
20202	-	46	0.1 %
20203	-	46	0.1 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 50,958 valid cases out of 50,958 total cases.

- Mean: 187100.28
- Minimum: 10201.00
- Maximum: 340206.00
- Standard Deviation: 98530.67

Location: 29-34 (*width:* 6; *decimal:* 0)

Variable Type: numeric

IDPERSON: Person id, unique 12 byte

Based upon 50,958 valid cases out of 50,958 total cases.

Location: 35-46 (width: 12; decimal: 0)

Variable Type: character

HHID2005: household id in 2005 (2-digit)

Value	Label	Unweighted Frequency	%
1	-	3336	6.5 %
2	-	3276	6.4 %
3	-	3208	6.3 %
4	-	3292	6.5 %
5	-	3150	6.2 %
6	-	3092	6.1 %
7	-	3034	6.0 %
8	-	2876	5.6 %
9	-	2794	5.5 %
10	-	2738	5.4 %
11	-	2736	5.4 %
12	-	2670	5.2 %
13	-	2542	5.0 %
14	-	2470	4.8 %
15	-	2370	4.7 %
16	-	1310	2.6 %
17	-	1238	2.4 %
18	-	1162	2.3 %
19	-	1132	2.2 %
20	-	1104	2.2 %
21	-	254	0.5 %
22	-	206	0.4 %
23	-	192	0.4 %
24	-	146	0.3 %
25	-	114	0.2 %
26	-	88	0.2 %
27	-	94	0.2 %
28	-	54	0.1 %
29	-	56	0.1 %
30	-	44	0.1 %
31	-	36	0.1 %
32	-	36	0.1 %
33	-	16	0.0 %
34	-	24	0.0 %
35	-	10	0.0 %

Value	Label	Unweighted Frequency	%
36	-	8	0.0 %
37	-	6	0.0 %
38	-	6	0.0 %
39	-	6	0.0 %
40	-	6	0.0 %
41	-	6	0.0 %
42	-	4	0.0 %
43	-	2	0.0 %
44	-	2	0.0 %
45	-	2	0.0 %
46	-	2	0.0 %
48	-	2	0.0 %
49	-	2	0.0 %
50	-	2	0.0 %
52	-	2	0.0 %
Total		50,958	100%

Based upon 50,958 valid cases out of 50,958 total cases.

- Mean: 9.26
- Median: 9.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 52.00
- Standard Deviation: 5.92

Location: 47-48 (width: 2; decimal: 0)

Variable Type: numeric

HHID2012: household id in 2012 (3-digit)

Value	Label	Unweighted Frequency	%
10	-	1868	3.7 %
11	-	1114	2.2 %
12	-	222	0.4 %
13	-	92	0.2 %
14	-	32	0.1 %
15	-	8	0.0 %
20	-	1932	3.8 %
21	-	1044	2.0 %
22	-	200	0.4 %
23	-	80	0.2 %
24	-	18	0.0 %

Value	Label	Unweighted Frequency	%
26	-	2	0.0 %
30	-	1916	3.8 %
31	-	1024	2.0 %
32	-	218	0.4 %
33	-	46	0.1 %
34	-	4	0.0 %
40	-	1988	3.9 %
41	-	1020	2.0 %
42	-	212	0.4 %
43	-	56	0.1 %
44	-	14	0.0 %
45	-	2	0.0 %
50	-	1934	3.8 %
51	-	964	1.9 %
52	-	186	0.4 %
53	-	58	0.1 %
54	-	6	0.0 %
55	-	2	0.0 %
60	-	1882	3.7 %
61	-	946	1.9 %
62	-	186	0.4 %
63	-	68	0.1 %
64	-	6	0.0 %
65	-	2	0.0 %
66	-	2	0.0 %
70	-	1900	3.7 %
71	-	918	1.8 %
72	-	158	0.3 %
73	-	48	0.1 %
74	-	10	0.0 %
80	-	1884	3.7 %
81	-	824	1.6 %
82	-	116	0.2 %
83	-	38	0.1 %
84	-	10	0.0 %
85	-	2	0.0 %
86	-	2	0.0 %
90	-	1856	3.6 %
91	-	736	1.4 %

Value	Label	Unweighted Frequency	%
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 50,958 valid cases out of 50,958 total cases.

- Mean: 93.06
- Median: 90.00
- Mode: 40.00
- Minimum: 10.00
- Maximum: 521.00
- Standard Deviation: 59.23

Location: 49-51 (width: 3; decimal: 0)

Variable Type: numeric

HHSPLITID2005: split household id for 2005

Value	Label	Unweighted Frequency	%
0	-	32322	63.4 %
1	-	14906	29.3 %
2	-	2676	5.3 %
3	-	840	1.6 %
4	-	178	0.3 %
5	-	28	0.1 %
6	-	8	0.0 %
Total		50,958	100%

Based upon 50,958 valid cases out of 50,958 total cases.

- Mean: 0.46
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.71

Location: 52-52 (width: 1; decimal: 0)

Variable Type: numeric

HHSPLITID2012: split household id for 2012

Value	Label	Unweighted Frequency	%
1	-	23912	46.9 %
2	-	1375	2.7 %
3	-	166	0.3 %
4	-	16	0.0 %

Value	Label	Unweighted Frequency	%
5	-	9	0.0 %
6	-	1	0.0 %
	Missing Data		
.	-	25479	50.0 %
	Total	50,958	100%

Based upon 25,479 valid cases out of 50,958 total cases.

- Mean: 1.07
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 0.30

Location: 53-53 (width: 1; decimal: 0)

Variable Type: numeric

PID2005: HQ4 2.1 Roster ID within 2005 household, ro1

Value	Label	Unweighted Frequency	%
1	-	2244	4.4 %
2	-	36904	72.4 %
3	-	2896	5.7 %
4	-	6558	12.9 %
5	-	540	1.1 %
6	-	436	0.9 %
7	-	372	0.7 %
8	-	406	0.8 %
9	-	266	0.5 %
10	-	126	0.2 %
11	-	58	0.1 %
12	-	58	0.1 %
13	-	32	0.1 %
14	-	18	0.0 %
15	-	12	0.0 %
16	-	14	0.0 %
17	-	8	0.0 %
18	-	2	0.0 %
22	-	6	0.0 %
24	-	2	0.0 %
	Total	50,958	100%

Based upon 50,958 valid cases out of 50,958 total cases.

- Mean: 2.52
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 24.00
- Standard Deviation: 1.41

Location: 54-55 (width: 2; decimal: 0)

Variable Type: numeric

PID2012: HQ4 2.1 Roster ID within 2012 household, ro0

Value	Label	Unweighted Frequency	%
1	-	4972	9.8 %
2	-	39586	77.7 %
3	-	2270	4.5 %
4	-	3140	6.2 %
5	-	266	0.5 %
6	-	216	0.4 %
7	-	166	0.3 %
8	-	136	0.3 %
9	-	96	0.2 %
10	-	46	0.1 %
11	-	28	0.1 %
12	-	22	0.0 %
13	-	2	0.0 %
14	-	8	0.0 %
17	-	2	0.0 %
27	-	2	0.0 %
Total		50,958	100%

Based upon 50,958 valid cases out of 50,958 total cases.

- Mean: 2.17
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 27.00
- Standard Deviation: 0.98

Location: 56-57 (width: 2; decimal: 0)

Variable Type: numeric

HHWAVES: which surveys hh has been in

Value	Label	Unweighted Frequency	%
1	only 2012 01	0	0.0 %
10	only 2005 10	0	0.0 %
11	both 11	50958	100.0 %
Total		50,958	100%

Based upon 50,958 valid cases out of 50,958 total cases.

- Minimum: 11.00
- Maximum: 11.00

Location: 58-59 (width: 2; decimal: 0)

Variable Type: numeric

PWAVES: which surveys p has been in

Value	Label	Unweighted Frequency	%
1	only 2012 01	0	0.0 %
10	only 2005 10	0	0.0 %
11	both 11	50958	100.0 %
Total		50,958	100%

Based upon 50,958 valid cases out of 50,958 total cases.

- Minimum: 11.00
- Maximum: 11.00

Location: 60-61 (width: 2; decimal: 0)

Variable Type: numeric

REGION: HH0 states grouped into 7 regions

Value	Label	Unweighted Frequency	%
1	Hills 1	3312	6.5 %
2	North 2	4952	9.7 %
3	North Central 3	7782	15.3 %
4	Central Plains 4	8132	16.0 %
5	East 5	7792	15.3 %
6	West 6	7328	14.4 %
7	South 7	11660	22.9 %
Total		50,958	100%

Based upon 50,958 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 62-62 (width: 1; decimal: 0)

Variable Type: numeric

STATEID2: State codes, collapsed

Value	Label	Unweighted Frequency	%
101	Jammu & Kashmir 01	856	1.7 %
102	Himachal Pradesh 02	1884	3.7 %
105	Uttarakhand 05	572	1.1 %
203	Punjab 03	2212	4.3 %
206	Haryana 06	2146	4.2 %
207	Delhi 07	594	1.2 %
309	Uttar Pradesh 09	4772	9.4 %
310	Bihar 10	1984	3.9 %
320	Jharkhand 20	1026	2.0 %
408	Rajasthan 08	3080	6.0 %
422	Chhattisgarh 22	1522	3.0 %
423	Madhya Pradesh 23	3530	6.9 %
517	Northeast 17	878	1.7 %
518	Assam 18	850	1.7 %
519	West Bengal 19	3264	6.4 %
521	Orissa 21	2800	5.5 %
624	Gujarat 24	2438	4.8 %
627	Maharashtra & Goa 27	4890	9.6 %
728	Andhra Pradesh 28	2602	5.1 %
729	Karnataka 29	4496	8.8 %
732	Kerala 32	1990	3.9 %
733	Tamil Nadu 33	2572	5.0 %
Total		50,958	100%

Based upon 50,958 valid cases out of 50,958 total cases.

- Minimum: 101.00
- Maximum: 733.00

Location: 63-65 (width: 3; decimal: 0)

Variable Type: numeric

CD1: EQ2 1 Agree to interview

Value	Label	Unweighted Frequency	%
1	-	50958	100.0 %
Total		50,958	100%

Based upon 50,958 valid cases out of 50,958 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

Location: 66-66 (width: 1; decimal: 0)

Variable Type: numeric

CD3D: EQ2 3 Interview day

Value	Label	Unweighted Frequency	%
1	-	1515	3.0 %
2	-	1580	3.1 %
3	-	1683	3.3 %
4	-	1675	3.3 %
5	-	1659	3.3 %
6	-	1709	3.4 %
7	-	1727	3.4 %
8	-	1747	3.4 %
9	-	1758	3.4 %
10	-	1781	3.5 %
11	-	1794	3.5 %
12	-	1947	3.8 %
13	-	1674	3.3 %
14	-	1661	3.3 %
15	-	1573	3.1 %
16	-	1588	3.1 %
17	-	1689	3.3 %
18	-	1739	3.4 %
19	-	1620	3.2 %
20	-	1676	3.3 %
21	-	1640	3.2 %
22	-	1700	3.3 %
23	-	1658	3.3 %
24	-	1736	3.4 %
25	-	1658	3.3 %
26	-	1580	3.1 %
27	-	1614	3.2 %
28	-	1534	3.0 %
29	-	1533	3.0 %
30	-	1466	2.9 %

Value	Label	Unweighted Frequency	%
31	-	951	1.9 %
	Missing Data		
.	-	93	0.2 %
	Total	50,958	100%

Based upon 50,865 valid cases out of 50,958 total cases.

- Mean: 15.62
- Median: 15.00
- Mode: 12.00
- Minimum: 1.00
- Maximum: 31.00
- Standard Deviation: 8.71

Location: 67-68 (width: 2; decimal: 0)

Variable Type: numeric

CD3M: EQ2 3 Interview month

Value	Label	Unweighted Frequency	%
1	-	6156	12.1 %
2	-	6394	12.5 %
3	-	5553	10.9 %
4	-	6096	12.0 %
5	-	6546	12.8 %
6	-	5797	11.4 %
7	-	3709	7.3 %
8	-	2822	5.5 %
9	-	1652	3.2 %
10	-	635	1.2 %
11	-	1825	3.6 %
12	-	3673	7.2 %
	Missing Data		
.	-	100	0.2 %
	Total	50,958	100%

Based upon 50,858 valid cases out of 50,958 total cases.

- Mean: 5.14
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.19

Location: 69-70 (width: 2; decimal: 0)

Variable Type: numeric

CD3Y: EQ2 3 Interview year

Value	Label	Unweighted Frequency	%
2004	-	3090	6.1 %
2005	-	22297	43.8 %
2011	-	2685	5.3 %
2012	-	22776	44.7 %
2013	-	18	0.0 %
Missing Data			
.	-	92	0.2 %
Total		50,958	100%

Based upon 50,866 valid cases out of 50,958 total cases.

- Mean: 2008.39
- Median: 2011.00
- Mode: 2012.00
- Minimum: 2004.00
- Maximum: 2013.00
- Standard Deviation: 3.52

Location: 71-74 (width: 4; decimal: 0)

Variable Type: numeric

CD3DATE: EQ2 3 Interview integer date

Value	Label	Unweighted Frequency	%
16071	-	2	0.0 %
16072	-	4	0.0 %
16073	-	1	0.0 %
16074	-	2	0.0 %
16076	-	1	0.0 %
16077	-	4	0.0 %
16080	-	2	0.0 %
16081	-	1	0.0 %
16082	-	1	0.0 %
16083	-	2	0.0 %
16085	-	1	0.0 %
16087	-	1	0.0 %
16089	-	4	0.0 %
16091	-	1	0.0 %
16093	-	1	0.0 %
16095	-	3	0.0 %

Value	Label	Unweighted Frequency	%
16096	-	1	0.0 %
16097	-	1	0.0 %
16100	-	1	0.0 %
16101	-	1	0.0 %
16103	-	1	0.0 %
16104	-	1	0.0 %
16106	-	1	0.0 %
16108	-	1	0.0 %
16111	-	1	0.0 %
16114	-	2	0.0 %
16118	-	2	0.0 %
16121	-	1	0.0 %
16124	-	1	0.0 %
16128	-	1	0.0 %
16136	-	3	0.0 %
16137	-	1	0.0 %
16141	-	1	0.0 %
16143	-	2	0.0 %
16145	-	1	0.0 %
16149	-	1	0.0 %
16152	-	1	0.0 %
16155	-	1	0.0 %
16156	-	1	0.0 %
16161	-	1	0.0 %
16162	-	1	0.0 %
16163	-	1	0.0 %
16165	-	1	0.0 %
16176	-	2	0.0 %
16188	-	1	0.0 %
16194	-	1	0.0 %
16208	-	1	0.0 %
16218	-	1	0.0 %
16247	-	1	0.0 %
16252	-	3	0.0 %
Missing Data			
.	-	92	0.2 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 50,866 valid cases out of 50,958 total cases.

- Mean: 17816.08
- Minimum: 16071.00
- Maximum: 19429.00
- Standard Deviation: 1298.57

Location: 75-79 (width: 5; decimal: 0)

Variable Type: numeric

CD4A: EQ2 4 Interview start hour

Value	Label	Unweighted Frequency	%
1	-	5246	10.3 %
2	-	5632	11.1 %
3	-	5598	11.0 %
4	-	4425	8.7 %
5	-	2503	4.9 %
6	-	1083	2.1 %
7	-	948	1.9 %
8	-	2191	4.3 %
9	-	4350	8.5 %
10	-	6345	12.5 %
11	-	6279	12.3 %
12	-	6071	11.9 %
Missing Data			
.	-	287	0.6 %
Total		50,958	100%

Based upon 50,671 valid cases out of 50,958 total cases.

- Mean: 6.68
- Median: 7.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.96

Location: 80-81 (width: 2; decimal: 0)

Variable Type: numeric

CD4B: EQ2 4 Interview start minute

Value	Label	Unweighted Frequency	%
0	-	7489	14.7 %

Value	Label	Unweighted Frequency	%
1	-	98	0.2 %
2	-	168	0.3 %
3	-	79	0.2 %
4	-	56	0.1 %
5	-	2878	5.6 %
6	-	64	0.1 %
7	-	88	0.2 %
8	-	123	0.2 %
9	-	67	0.1 %
10	-	5377	10.6 %
11	-	65	0.1 %
12	-	156	0.3 %
13	-	68	0.1 %
14	-	43	0.1 %
15	-	4708	9.2 %
16	-	88	0.2 %
17	-	91	0.2 %
18	-	106	0.2 %
19	-	55	0.1 %
20	-	4337	8.5 %
21	-	62	0.1 %
22	-	126	0.2 %
23	-	76	0.1 %
24	-	61	0.1 %
25	-	2013	4.0 %
26	-	72	0.1 %
27	-	72	0.1 %
28	-	93	0.2 %
29	-	38	0.1 %
30	-	6572	12.9 %
31	-	63	0.1 %
32	-	141	0.3 %
33	-	65	0.1 %
34	-	50	0.1 %
35	-	2446	4.8 %
36	-	70	0.1 %
37	-	82	0.2 %
38	-	127	0.2 %
39	-	26	0.1 %

Value	Label	Unweighted Frequency	%
40	-	3671	7.2 %
41	-	66	0.1 %
42	-	126	0.2 %
43	-	56	0.1 %
44	-	41	0.1 %
45	-	3302	6.5 %
46	-	74	0.1 %
47	-	72	0.1 %
48	-	117	0.2 %
49	-	37	0.1 %
Missing Data			
.	-	274	0.5 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 50,684 valid cases out of 50,958 total cases.

- Mean: 23.16
- Median: 20.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 16.72

Location: 82-83 (*width:* 2; *decimal:* 0)

Variable Type: numeric

CD4C: EQ2 4 AM/PM Int. time

Value	Label	Unweighted Frequency	%
1	-	20266	39.8 %
2	-	30412	59.7 %
Missing Data			
.	-	280	0.5 %
Total		50,958	100%

Based upon 50,678 valid cases out of 50,958 total cases.

- Mean: 1.60
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.49

Location: 84-84 (width: 1; decimal: 0)

Variable Type: numeric

EW1NO: EQ questionnaire: eh/supp

Value	Label	Unweighted Frequency	%
1	Ed Health Q 1	50938	100.0 %
2	Supplement Q 2	20	0.0 %
Total		50,958	100%

Based upon 50,958 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 85-85 (width: 1; decimal: 0)

Variable Type: numeric

EW3Y: EQ19 14.3 has EW questionnaire

Value	Label	Unweighted Frequency	%
0	No 0	0	0.0 %
1	Yes 1	50958	100.0 %
Total		50,958	100%

Based upon 50,958 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 86-86 (width: 1; decimal: 0)

Variable Type: numeric

EW4A: EQ19 14.4a in 2005

Value	Label	Unweighted Frequency	%
0	No 0	6	0.0 %
1	Yes 1	50952	100.0 %
Total		50,958	100%

Based upon 50,958 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 87-87 (width: 1; decimal: 0)

Variable Type: numeric

EW5: EQ19 14.5 Rel to HH head

Value	Label	Unweighted Frequency	%
1	Head 1	3646	7.2 %
2	Wife 2	37843	74.3 %
3	Daughter 3	475	0.9 %
4	Daughter-in-law 4	8092	15.9 %
5	Grandchild 5	0	0.0 %
6	Mother 6	241	0.5 %
7	Sister 7	73	0.1 %
8	Mother-in-law 8	10	0.0 %
9	Niece 9	4	0.0 %
10	Sister in law 10	438	0.9 %
11	Other relatives 11	133	0.3 %
12	-	2	0.0 %
Missing Data			
-	-	1	0.0 %
Total		50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 88-89 (*width:* 2; *decimal:* 0)

Variable Type: numeric

EW6: EQ19 14.6 Age

Value	Label	Unweighted Frequency	%
15	-	19	0.0 %
16	-	46	0.1 %
17	-	68	0.1 %
18	-	249	0.5 %
19	-	280	0.5 %
20	-	698	1.4 %
21	-	446	0.9 %
22	-	827	1.6 %
23	-	713	1.4 %
24	-	829	1.6 %
25	-	1578	3.1 %
26	-	1148	2.3 %
27	-	1158	2.3 %
28	-	1912	3.8 %
29	-	1134	2.2 %

Value	Label	Unweighted Frequency	%
30	-	2928	5.7 %
31	-	1083	2.1 %
32	-	2336	4.6 %
33	-	1376	2.7 %
34	-	1391	2.7 %
35	-	3345	6.6 %
36	-	1840	3.6 %
37	-	1544	3.0 %
38	-	2353	4.6 %
39	-	1217	2.4 %
40	-	3365	6.6 %
41	-	955	1.9 %
42	-	2268	4.5 %
43	-	1267	2.5 %
44	-	963	1.9 %
45	-	2872	5.6 %
46	-	1199	2.4 %
47	-	1138	2.2 %
48	-	1475	2.9 %
49	-	703	1.4 %
50	-	1128	2.2 %
51	-	373	0.7 %
52	-	720	1.4 %
53	-	345	0.7 %
54	-	297	0.6 %
55	-	697	1.4 %
56	-	188	0.4 %
57	-	87	0.2 %
58	-	115	0.2 %
59	-	29	0.1 %
60	-	160	0.3 %
61	-	7	0.0 %
62	-	33	0.1 %
63	-	5	0.0 %
64	-	8	0.0 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 50,958 valid cases out of 50,958 total cases.

- Mean: 36.84
- Median: 37.00
- Mode: 40.00
- Minimum: 15.00
- Maximum: 78.00
- Standard Deviation: 8.91

Location: 90-91 (width: 2; decimal: 0)

Variable Type: numeric

EW7D: EQ19 14.7a Day of birth

Value	Label	Unweighted Frequency	%
	Missing Data		
99	MASKED BY ICPSR	14260	28.0 %
.	-	36698	72.0 %
	Total	50,958	100%

Based upon 0 valid cases out of 50,958 total cases.

Location: 92-93 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 99, .

EW7M: EQ19 14.7b Month of birth

Value	Label	Unweighted Frequency	%
1	-	1237	2.4 %
2	-	1396	2.7 %
3	-	1557	3.1 %
4	-	1651	3.2 %
5	-	1946	3.8 %
6	-	1935	3.8 %
7	-	1557	3.1 %
8	-	1683	3.3 %
9	-	1268	2.5 %
10	-	1292	2.5 %
11	-	1082	2.1 %
12	-	1073	2.1 %
	Missing Data		
.	-	33281	65.3 %
	Total	50,958	100%

Based upon 17,677 valid cases out of 50,958 total cases.

- Mean: 6.23
- Median: 6.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.20

Location: 94-95 (width: 2; decimal: 0)

Variable Type: numeric

EW7Y: EQ19 14.7c Year of birth

Value	Label	Unweighted Frequency	%
1925	-	1	0.0 %
1938	-	2	0.0 %
1940	-	1	0.0 %
1941	-	1	0.0 %
1943	-	2	0.0 %
1945	-	2	0.0 %
1946	-	3	0.0 %
1947	-	8	0.0 %
1948	-	3	0.0 %
1949	-	13	0.0 %
1950	-	11	0.0 %
1951	-	68	0.1 %
1952	-	30	0.1 %
1953	-	68	0.1 %
1954	-	59	0.1 %
1955	-	150	0.3 %
1956	-	545	1.1 %
1957	-	546	1.1 %
1958	-	463	0.9 %
1959	-	808	1.6 %
1960	-	994	2.0 %
1961	-	826	1.6 %
1962	-	857	1.7 %
1963	-	987	1.9 %
1964	-	1148	2.3 %
1965	-	1343	2.6 %
1966	-	1447	2.8 %
1967	-	1191	2.3 %
1968	-	1055	2.1 %
1969	-	1596	3.1 %

Value	Label	Unweighted Frequency	%
1970	-	1679	3.3 %
1971	-	1324	2.6 %
1972	-	1371	2.7 %
1973	-	1258	2.5 %
1974	-	1346	2.6 %
1975	-	1652	3.2 %
1976	-	1468	2.9 %
1977	-	1222	2.4 %
1978	-	1014	2.0 %
1979	-	1337	2.6 %
1980	-	1267	2.5 %
1981	-	1088	2.1 %
1982	-	992	1.9 %
1983	-	888	1.7 %
1984	-	813	1.6 %
1985	-	635	1.2 %
1986	-	373	0.7 %
1987	-	231	0.5 %
1988	-	181	0.4 %
1989	-	60	0.1 %
Missing Data			
.	-	16499	32.4 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 34,459 valid cases out of 50,958 total cases.

- Mean: 1971.41
- Median: 1971.00
- Mode: 1970.00
- Minimum: 1925.00
- Maximum: 1997.00
- Standard Deviation: 8.14

Location: 96-99 (width: 4; decimal: 0)

Variable Type: numeric

EW7DATE: EQ19 14.7 Integer date of birth

Based upon 34,455 valid cases out of 50,958 total cases.

- Mean: 4344.77
- Minimum: -12710.00

- Maximum: 13695.00
- Standard Deviation: 2973.42

Location: 100-105 (width: 6; decimal: 0)

Variable Type: numeric

EW8: EQ20 14.8 Education

Value	Label	Unweighted Frequency	%
0	-	23373	45.9 %
1	-	189	0.4 %
2	-	842	1.7 %
3	-	1213	2.4 %
4	-	1721	3.4 %
5	-	4827	9.5 %
6	-	1255	2.5 %
7	-	2609	5.1 %
8	-	3220	6.3 %
9	-	2678	5.3 %
10	-	4259	8.4 %
11	-	433	0.8 %
12	-	2030	4.0 %
13	-	88	0.2 %
14	-	146	0.3 %
15	-	2071	4.1 %
Missing Data			
.	-	4	0.0 %
Total		50,958	100%

Based upon 50,954 valid cases out of 50,958 total cases.

- Mean: 4.28
- Median: 3.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 4.66

Location: 106-107 (width: 2; decimal: 0)

Variable Type: numeric

EW9: EQ20 14.9 # children

Value	Label	Unweighted Frequency	%
0	-	2191	4.3 %
1	-	5751	11.3 %

Value	Label	Unweighted Frequency	%
2	-	15588	30.6 %
3	-	13453	26.4 %
4	-	7320	14.4 %
5	-	3534	6.9 %
6	-	1757	3.4 %
7	-	786	1.5 %
8	-	333	0.7 %
9	9 or more	176	0.3 %
Missing Data			
.	-	69	0.1 %
Total		50,958	100%

Based upon 50,889 valid cases out of 50,958 total cases.

- Mean: 2.84
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 1.55

Location: 108-108 (width: 1; decimal: 0)

Variable Type: numeric

EW10: EQ20 14.10 General health

Value	Label	Unweighted Frequency	%
1	Very good 1	9697	19.0 %
2	Good 2	25844	50.7 %
3	OK 3	11589	22.7 %
4	Poor 4	3542	7.0 %
5	Very poor 5	193	0.4 %
Missing Data			
.	-	93	0.2 %
Total		50,958	100%

Based upon 50,865 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 109-109 (width: 1; decimal: 0)

Variable Type: numeric

EW17C: EQ20 14.17c Husband: # brothers

Value	Label	Unweighted Frequency	%
0	-	7398	14.5 %
1	-	13917	27.3 %
2	-	13482	26.5 %
3	-	8485	16.7 %
4	-	4426	8.7 %
5	-	1858	3.6 %
6	-	737	1.4 %
7	-	250	0.5 %
8	-	65	0.1 %
9	-	18	0.0 %
10	-	9	0.0 %
11	-	6	0.0 %
12	-	6	0.0 %
13	-	1	0.0 %
Missing Data			
.	-	300	0.6 %
Total		50,958	100%

Based upon 50,658 valid cases out of 50,958 total cases.

- Mean: 1.98
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 13.00
- Standard Deviation: 1.47

Location: 110-111 (width: 2; decimal: 0)

Variable Type: numeric

EW17D: EQ20 14.17d Husband: # sisters

Value	Label	Unweighted Frequency	%
0	-	8049	15.8 %
1	-	14228	27.9 %
2	-	13629	26.7 %
3	-	7801	15.3 %
4	-	4253	8.3 %
5	-	1666	3.3 %
6	-	546	1.1 %
7	-	180	0.4 %
8	-	63	0.1 %
9	-	18	0.0 %

Value	Label	Unweighted Frequency	%
10	-	5	0.0 %
12	-	3	0.0 %
15	-	1	0.0 %
20	-	1	0.0 %
Missing Data			
.	-	515	1.0 %
Total		50,958	100%

Based upon 50,443 valid cases out of 50,958 total cases.

- Mean: 1.89
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 1.43

Location: 112-113 (width: 2; decimal: 0)

Variable Type: numeric

EW18C: EQ20 14.18c Brother-in-law highest educ

Value	Label	Unweighted Frequency	%
0	none, <1 0	12392	24.3 %
1	1st class 1	140	0.3 %
2	2nd class 2	385	0.8 %
3	3rd class 3	634	1.2 %
4	4th class 4	1025	2.0 %
5	5th class 5	3737	7.3 %
6	6th class 6	1013	2.0 %
7	7th class 7	2050	4.0 %
8	8th class 8	3658	7.2 %
9	9th class 9	2541	5.0 %
10	Secondary 10	7456	14.6 %
11	11th Class 11	715	1.4 %
12	High Secondary 12	4251	8.3 %
13	-	218	0.4 %
14	-	259	0.5 %
15	Bachelors 15	5773	11.3 %
16	Above Bachelors 16	0	0.0 %
55	<1st class 55	0	0.0 %
Missing Data			
.	-	4711	9.2 %

Value	Label	Unweighted Frequency	%
Total		50,958	100%

Based upon 46,247 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 15.00

Location: 114-115 (width: 2; decimal: 0)

Variable Type: numeric

EW18D: EQ20 14.18d Sister-in-law highest educ

Value	Label	Unweighted Frequency	%
0	none, <1 0	23228	45.6 %
1	1st class 1	99	0.2 %
2	2nd class 2	433	0.8 %
3	3rd class 3	657	1.3 %
4	4th class 4	1027	2.0 %
5	5th class 5	3944	7.7 %
6	6th class 6	943	1.9 %
7	7th class 7	1923	3.8 %
8	8th class 8	2663	5.2 %
9	9th class 9	1359	2.7 %
10	Secondary 10	4440	8.7 %
11	11th Class 11	261	0.5 %
12	High Secondary 12	1890	3.7 %
13	-	80	0.2 %
14	-	99	0.2 %
15	Bachelors 15	2302	4.5 %
16	Above Bachelors 16	0	0.0 %
55	<1st class 55	0	0.0 %
Missing Data			
.	-	5610	11.0 %
Total		50,958	100%

Based upon 45,348 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 15.00

Location: 116-117 (width: 2; decimal: 0)

Variable Type: numeric

HB1: EQ21 15.1 Belief Daily milk

Value	Label	Unweighted Frequency	%
0	No 0	37465	73.5 %
1	Yes 1	11417	22.4 %
	Missing Data		
.	-	2076	4.1 %
	Total	50,958	100%

Based upon 48,882 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 118-118 (width: 1; decimal: 0)

Variable Type: numeric

HB2: EQ21 15.2 Belief Male sterilistn

Value	Label	Unweighted Frequency	%
0	No 0	16010	31.4 %
1	Yes 1	22365	43.9 %
	Missing Data		
.	-	12583	24.7 %
	Total	50,958	100%

Based upon 38,375 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 119-119 (width: 1; decimal: 0)

Variable Type: numeric

HB3: EQ21 15.3 Belief 1st thin milk

Value	Label	Unweighted Frequency	%
1	Good 1	40400	79.3 %
2	Harmful 2	7854	15.4 %
3	Does not matter 3	2315	4.5 %
	Missing Data		
.	-	389	0.8 %
	Total	50,958	100%

Based upon 50,569 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 120-120 (width: 1; decimal: 0)

Variable Type: numeric

HB4: EQ21 15.4 Belief Chulha smoke

Value	Label	Unweighted Frequency	%
1	Good 1	2540	5.0 %
2	Harmful 2	41948	82.3 %
3	Does not matter 3	6203	12.2 %
	Missing Data		
.	-	267	0.5 %
	Total	50,958	100%

Based upon 50,691 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 121-121 (width: 1; decimal: 0)

Variable Type: numeric

HB5: EQ21 15.5 Belief Diarrhea

Value	Label	Unweighted Frequency	%
1	Less than usual 1	7912	15.5 %
2	More than usual 2	30818	60.5 %
3	About the same 3	8344	16.4 %
4	Doesn't matter 4	814	1.6 %
	Missing Data		
.	-	3070	6.0 %
	Total	50,958	100%

Based upon 47,888 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 122-122 (width: 1; decimal: 0)

Variable Type: numeric

HB8: EQ21 15.8 Belief pregnancy [IHDS1!=IHDS2]

Value	Label	Unweighted Frequency	%
1	Just before her period begins 1	6776	13.3 %
2	During her period 2	8254	16.2 %
3	Right after her period has ended 3	16019	31.4 %
4	Half way between two periods 4	5977	11.7 %
5	Timing makes no difference 5	1207	2.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	12725	25.0 %
	Total	50,958	100%

Based upon 38,233 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 123-123 (width: 1; decimal: 0)

Variable Type: numeric

AI1: EQ21 16.1 AIDS Awareness

Value	Label	Unweighted Frequency	%
0	No 0	21206	41.6 %
1	Yes 1	29534	58.0 %
	Missing Data		
.	-	218	0.4 %
	Total	50,958	100%

Based upon 50,740 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 124-124 (width: 1; decimal: 0)

Variable Type: numeric

AI1A: EQ21 16.1a AIDS Needle

Value	Label	Unweighted Frequency	%
0	No 0	668	1.3 %
1	Yes 1	27514	54.0 %
	Missing Data		
.	-	22776	44.7 %
	Total	50,958	100%

Based upon 28,182 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 125-125 (width: 1; decimal: 0)

Variable Type: numeric

AI1B: EQ21 16.1b AIDS Mosquito bite

Value	Label	Unweighted Frequency	%
0	No 0	14277	28.0 %
1	Yes 1	11608	22.8 %
	Missing Data		
.	-	25073	49.2 %
	Total	50,958	100%

Based upon 25,885 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 126-126 (width: 1; decimal: 0)

Variable Type: numeric

AI1C: EQ21 16.1c AIDS Transfusion

Value	Label	Unweighted Frequency	%
0	No 0	614	1.2 %
1	Yes 1	27501	54.0 %
	Missing Data		
.	-	22843	44.8 %
	Total	50,958	100%

Based upon 28,115 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 127-127 (width: 1; decimal: 0)

Variable Type: numeric

AI1D: EQ21 16.1d AIDS Sex

Value	Label	Unweighted Frequency	%
0	No 0	394	0.8 %
1	Yes 1	28243	55.4 %
	Missing Data		
.	-	22321	43.8 %
	Total	50,958	100%

Based upon 28,637 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 128-128 (width: 1; decimal: 0)

Variable Type: numeric

AI1E: EQ21 16.1e AIDS Food sharing

Value	Label	Unweighted Frequency	%
0	No 0	19422	38.1 %
1	Yes 1	7233	14.2 %
	Missing Data		
.	-	24303	47.7 %
	Total	50,958	100%

Based upon 26,655 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 129-129 (width: 1; decimal: 0)

Variable Type: numeric

AI3: EQ21 16.3 AIDS Known person

Value	Label	Unweighted Frequency	%
0	No 0	26171	51.4 %
1	Yes 1	3150	6.2 %
	Missing Data		
.	-	21637	42.5 %
	Total	50,958	100%

Based upon 29,321 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 130-130 (width: 1; decimal: 0)

Variable Type: numeric

GR1A: EQ22 17.1a Cooking Respondent

Value	Label	Unweighted Frequency	%
0	No 0	2606	5.1 %
1	Yes 1	48301	94.8 %
	Missing Data		
.	-	51	0.1 %
	Total	50,958	100%

Based upon 50,907 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 131-131 (width: 1; decimal: 0)

Variable Type: numeric

GR1B: EQ22 17.1b Cooking Husband

Value	Label	Unweighted Frequency	%
0	No 0	27663	54.3 %
1	Yes 1	23078	45.3 %
	Missing Data		
.	-	217	0.4 %
	Total	50,958	100%

Based upon 50,741 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 132-132 (width: 1; decimal: 0)

Variable Type: numeric

GR1C: EQ22 17.1c Cooking Sr male

Value	Label	Unweighted Frequency	%
0	No 0	46264	90.8 %
1	Yes 1	4568	9.0 %
	Missing Data		
.	-	126	0.2 %
	Total	50,958	100%

Based upon 50,832 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 133-133 (width: 1; decimal: 0)

Variable Type: numeric

GR1D: EQ22 17.1d Cooking Sr female

Value	Label	Unweighted Frequency	%
0	No 0	41614	81.7 %
1	Yes 1	9229	18.1 %
	Missing Data		
.	-	115	0.2 %
	Total	50,958	100%

Based upon 50,843 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 134-134 (width: 1; decimal: 0)

Variable Type: numeric

GR1E: EQ22 17.1e Cooking Other

Value	Label	Unweighted Frequency	%
0	No 0	44396	87.1 %
1	Yes 1	6217	12.2 %
	Missing Data		
.	-	345	0.7 %
	Total	50,958	100%

Based upon 50,613 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 135-135 (width: 1; decimal: 0)

Variable Type: numeric

GR1F: EQ22 17.1f Cooking No One

Value	Label	Unweighted Frequency	%
0	No 0	50786	99.7 %
1	Yes 1	151	0.3 %
	Missing Data		
.	-	21	0.0 %
	Total	50,958	100%

Based upon 50,937 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 136-136 (width: 1; decimal: 0)

Variable Type: numeric

GR1G: EQ22 17.1g Cooking Most Say

Value	Label	Unweighted Frequency	%
1	Respondent 1	37967	74.5 %
2	Husband 2	6451	12.7 %
3	Sr. Male 3	814	1.6 %
4	Sr. Female 4	4188	8.2 %
5	Other 5	1261	2.5 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	277	0.5 %
	Total	50,958	100%

Based upon 50,681 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 137-137 (width: 1; decimal: 0)

Variable Type: numeric

GR2A: EQ22 17.2a Purchase Respondent

Value	Label	Unweighted Frequency	%
0	No 0	12042	23.6 %
1	Yes 1	38729	76.0 %
	Missing Data		
.	-	187	0.4 %
	Total	50,958	100%

Based upon 50,771 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 138-138 (width: 1; decimal: 0)

Variable Type: numeric

GR2B: EQ22 17.2b Purchase Husband

Value	Label	Unweighted Frequency	%
0	No 0	5854	11.5 %
1	Yes 1	44826	88.0 %
	Missing Data		
.	-	278	0.5 %
	Total	50,958	100%

Based upon 50,680 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 139-139 (width: 1; decimal: 0)

Variable Type: numeric

GR2C: EQ22 17.2c Purchase Sr male

Value	Label	Unweighted Frequency	%
0	No 0	42569	83.5 %
1	Yes 1	8156	16.0 %
	Missing Data		
.	-	233	0.5 %
	Total	50,958	100%

Based upon 50,725 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 140-140 (width: 1; decimal: 0)

Variable Type: numeric

GR2D: EQ22 17.2d Purchase Sr female

Value	Label	Unweighted Frequency	%
0	No 0	43128	84.6 %
1	Yes 1	7608	14.9 %
	Missing Data		
.	-	222	0.4 %
	Total	50,958	100%

Based upon 50,736 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 141-141 (width: 1; decimal: 0)

Variable Type: numeric

GR2E: EQ22 17.2e Purchase Other

Value	Label	Unweighted Frequency	%
0	No 0	45019	88.3 %
1	Yes 1	5481	10.8 %
	Missing Data		
.	-	458	0.9 %
	Total	50,958	100%

Based upon 50,500 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 142-142 (width: 1; decimal: 0)

Variable Type: numeric

GR2F: EQ22 17.2f Purchase No One

Value	Label	Unweighted Frequency	%
0	No 0	50638	99.4 %
1	Yes 1	175	0.3 %
	Missing Data		
.	-	145	0.3 %
	Total	50,958	100%

Based upon 50,813 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 143-143 (width: 1; decimal: 0)

Variable Type: numeric

GR2G: EQ22 17.2g Purchase Most Say

Value	Label	Unweighted Frequency	%
1	Respondent 1	6158	12.1 %
2	Husband 2	37717	74.0 %
3	Sr. Male 3	4338	8.5 %
4	Sr. Female 4	1288	2.5 %
5	Other 5	1046	2.1 %
	Missing Data		
.	-	411	0.8 %
	Total	50,958	100%

Based upon 50,547 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 144-144 (width: 1; decimal: 0)

Variable Type: numeric

GR3A: EQ22 17.3a # children Respondent

Value	Label	Unweighted Frequency	%
0	No 0	6742	13.2 %
1	Yes 1	43055	84.5 %
	Missing Data		
.	-	1161	2.3 %
	Total	50,958	100%

Based upon 49,797 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 145-145 (width: 1; decimal: 0)

Variable Type: numeric

GR3B: EQ22 17.3b # children Husband

Value	Label	Unweighted Frequency	%
0	No 0	4596	9.0 %
1	Yes 1	45129	88.6 %
	Missing Data		
.	-	1233	2.4 %
	Total	50,958	100%

Based upon 49,725 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 146-146 (width: 1; decimal: 0)

Variable Type: numeric

GR3C: EQ22 17.3c # children Sr male

Value	Label	Unweighted Frequency	%
0	No 0	46818	91.9 %
1	Yes 1	2921	5.7 %
	Missing Data		
.	-	1219	2.4 %
	Total	50,958	100%

Based upon 49,739 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 147-147 (width: 1; decimal: 0)

Variable Type: numeric

GR3D: EQ22 17.3d # children Sr female

Value	Label	Unweighted Frequency	%
0	No 0	45334	89.0 %
1	Yes 1	4415	8.7 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	1209	2.4 %
Total		50,958	100%

Based upon 49,749 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 148-148 (width: 1; decimal: 0)

Variable Type: numeric

GR3E: EQ22 17.3e # children Other

Value	Label	Unweighted Frequency	%
0	No 0	48467	95.1 %
1	Yes 1	1039	2.0 %
	Missing Data		
.	-	1452	2.8 %
Total		50,958	100%

Based upon 49,506 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 149-149 (width: 1; decimal: 0)

Variable Type: numeric

GR3F: EQ22 17.3f # children No One

Value	Label	Unweighted Frequency	%
0	No 0	49217	96.6 %
1	Yes 1	605	1.2 %
	Missing Data		
.	-	1136	2.2 %
Total		50,958	100%

Based upon 49,822 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 150-150 (width: 1; decimal: 0)

Variable Type: numeric

GR3G: EQ22 17.3g # children Most Say

Value	Label	Unweighted Frequency	%
1	Respondent 1	11262	22.1 %
2	Husband 2	36061	70.8 %
3	Sr. Male 3	606	1.2 %
4	Sr. Female 4	1063	2.1 %
5	Other 5	109	0.2 %
Missing Data			
.	-	1857	3.6 %
Total		50,958	100%

Based upon 49,101 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 151-151 (width: 1; decimal: 0)

Variable Type: numeric

GR7A: EQ22 17.7a Child ill Respondent

Value	Label	Unweighted Frequency	%
0	No 0	5505	10.8 %
1	Yes 1	43807	86.0 %
Missing Data			
.	-	1646	3.2 %
Total		50,958	100%

Based upon 49,312 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 152-152 (width: 1; decimal: 0)

Variable Type: numeric

GR7B: EQ22 17.7b Child ill Husband

Value	Label	Unweighted Frequency	%
0	No 0	7066	13.9 %
1	Yes 1	41885	82.2 %
Missing Data			
.	-	2007	3.9 %
Total		50,958	100%

Based upon 48,951 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 153-153 (width: 1; decimal: 0)

Variable Type: numeric

GR7C: EQ22 17.7c Child ill Sr male

Value	Label	Unweighted Frequency	%
0	No 0	40375	79.2 %
1	Yes 1	5873	11.5 %
	Missing Data		
.	-	4710	9.2 %
	Total	50,958	100%

Based upon 46,248 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 154-154 (width: 1; decimal: 0)

Variable Type: numeric

GR7D: EQ22 17.7d Child ill Sr female

Value	Label	Unweighted Frequency	%
0	No 0	39408	77.3 %
1	Yes 1	6816	13.4 %
	Missing Data		
.	-	4734	9.3 %
	Total	50,958	100%

Based upon 46,224 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 155-155 (width: 1; decimal: 0)

Variable Type: numeric

GR7E: EQ22 17.7e Child ill Other

Value	Label	Unweighted Frequency	%
0	No 0	41964	82.4 %
1	Yes 1	3523	6.9 %
	Missing Data		
.	-	5471	10.7 %
	Total	50,958	100%

Based upon 45,487 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 156-156 (width: 1; decimal: 0)

Variable Type: numeric

GR7F: EQ22 17.7f Child ill No One

Value	Label	Unweighted Frequency	%
0	No 0	43874	86.1 %
1	Yes 1	505	1.0 %
	Missing Data		
.	-	6579	12.9 %
	Total	50,958	100%

Based upon 44,379 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 157-157 (width: 1; decimal: 0)

Variable Type: numeric

GR7G: EQ22 17.7g Child ill Most Say

Value	Label	Unweighted Frequency	%
1	Respondent 1	15659	30.7 %
2	Husband 2	30042	59.0 %
3	Sr. Male 3	1954	3.8 %
4	Sr. Female 4	1368	2.7 %
5	Other 5	488	1.0 %
	Missing Data		
.	-	1447	2.8 %
	Total	50,958	100%

Based upon 49,511 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 158-158 (width: 1; decimal: 0)

Variable Type: numeric

GR8A: EQ22 17.8a Child's wed R

Value	Label	Unweighted Frequency	%
0	No 0	7442	14.6 %
1	Yes 1	41361	81.2 %
	Missing Data		
.	-	2155	4.2 %
	Total	50,958	100%

Based upon 48,803 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 159-159 (width: 1; decimal: 0)

Variable Type: numeric

GR8B: EQ22 17.8b Child's wed Husband

Value	Label	Unweighted Frequency	%
0	No 0	4499	8.8 %
1	Yes 1	44662	87.6 %
	Missing Data		
.	-	1797	3.5 %
	Total	50,958	100%

Based upon 49,161 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 160-160 (width: 1; decimal: 0)

Variable Type: numeric

GR8C: EQ22 17.8c Child's wed Sr male

Value	Label	Unweighted Frequency	%
0	No 0	37361	73.3 %
1	Yes 1	8960	17.6 %
	Missing Data		
.	-	4637	9.1 %
	Total	50,958	100%

Based upon 46,321 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 161-161 (width: 1; decimal: 0)

Variable Type: numeric

GR8D: EQ22 17.8d Child's wed Sr female

Value	Label	Unweighted Frequency	%
0	No 0	37374	73.3 %
1	Yes 1	8797	17.3 %
	Missing Data		
.	-	4787	9.4 %
	Total	50,958	100%

Based upon 46,171 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 162-162 (width: 1; decimal: 0)

Variable Type: numeric

GR8E: EQ22 17.8e Child's wed Other

Value	Label	Unweighted Frequency	%
0	No 0	39672	77.9 %
1	Yes 1	5753	11.3 %
	Missing Data		
.	-	5533	10.9 %
	Total	50,958	100%

Based upon 45,425 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 163-163 (width: 1; decimal: 0)

Variable Type: numeric

GR8F: EQ22 17.8f Child's wed No One

Value	Label	Unweighted Frequency	%
0	No 0	43651	85.7 %
1	Yes 1	657	1.3 %
	Missing Data		
.	-	6650	13.0 %
	Total	50,958	100%

Based upon 44,308 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 164-164 (width: 1; decimal: 0)

Variable Type: numeric

GR8G: EQ22 17.8g Child's wed Most Say

Value	Label	Unweighted Frequency	%
1	Respondent 1	6374	12.5 %
2	Husband 2	36018	70.7 %
3	Sr. Male 3	4448	8.7 %
4	Sr. Female 4	1242	2.4 %
5	Other 5	1071	2.1 %
Missing Data			
.	-	1805	3.5 %
Total		50,958	100%

Based upon 49,153 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 165-165 (width: 1; decimal: 0)

Variable Type: numeric

GR9AY: EQ23 17.9a Permission health centre

Value	Label	Unweighted Frequency	%
0	No 0	12242	24.0 %
1	Yes 1	38492	75.5 %
Missing Data			
.	-	224	0.4 %
Total		50,958	100%

Based upon 50,734 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 166-166 (width: 1; decimal: 0)

Variable Type: numeric

GR9B: EQ23 17.9b Perm husband: health centre

Value	Label	Unweighted Frequency	%
0	Dont ask 0	11455	22.5 %
1	Ask 1	35824	70.3 %
Missing Data			
.	-	3679	7.2 %

Value	Label	Unweighted Frequency	%
Total		50,958	100%

Based upon 47,279 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 167-167 (width: 1; decimal: 0)

Variable Type: numeric

GR9C: EQ23 17.9c Perm Sr male: health centre

Value	Label	Unweighted Frequency	%
0	Dont ask 0	38714	76.0 %
1	Ask 1	5295	10.4 %
	Missing Data		
.	-	6949	13.6 %
Total		50,958	100%

Based upon 44,009 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 168-168 (width: 1; decimal: 0)

Variable Type: numeric

GR9D: EQ23 17.9d Perm Sr Female: health centre

Value	Label	Unweighted Frequency	%
0	Dont ask 0	36256	71.1 %
1	Ask 1	7921	15.5 %
	Missing Data		
.	-	6781	13.3 %
Total		50,958	100%

Based upon 44,177 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 169-169 (width: 1; decimal: 0)

Variable Type: numeric

GR9E: EQ23 17.9e Perm others health centre

Value	Label	Unweighted Frequency	%
0	Dont ask 0	39893	78.3 %
1	Ask 1	3233	6.3 %
	Missing Data		
.	-	7832	15.4 %
	Total	50,958	100%

Based upon 43,126 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 170-170 (width: 1; decimal: 0)

Variable Type: numeric

GR9F: EQ23 17.9f Visit health centre alone

Value	Label	Unweighted Frequency	%
0	Not alone 0	13795	27.1 %
1	Goes alone 1	35924	70.5 %
	Missing Data		
.	-	1239	2.4 %
	Total	50,958	100%

Based upon 49,719 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 171-171 (width: 1; decimal: 0)

Variable Type: numeric

GR10AY: EQ23 17.10a Permission Friend home

Value	Label	Unweighted Frequency	%
0	No 0	14065	27.6 %
1	Yes 1	36383	71.4 %
	Missing Data		
.	-	510	1.0 %
	Total	50,958	100%

Based upon 50,448 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 172-172 (width: 1; decimal: 0)

Variable Type: numeric

GR10B: EQ23 17.10b Perm husband Friend home

Value	Label	Unweighted Frequency	%
0	Dont ask 0	12279	24.1 %
1	Ask 1	33754	66.2 %
	Missing Data		
.	-	4925	9.7 %
	Total	50,958	100%

Based upon 46,033 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 173-173 (width: 1; decimal: 0)

Variable Type: numeric

GR10C: EQ23 17.10c Perm Sr male Friend home

Value	Label	Unweighted Frequency	%
0	Dont ask 0	37680	73.9 %
1	Ask 1	5017	9.8 %
	Missing Data		
.	-	8261	16.2 %
	Total	50,958	100%

Based upon 42,697 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 174-174 (width: 1; decimal: 0)

Variable Type: numeric

GR10D: EQ23 17.10d Perm Sr Female Friend home

Value	Label	Unweighted Frequency	%
0	Dont ask 0	35235	69.1 %
1	Ask 1	7628	15.0 %
	Missing Data		
.	-	8095	15.9 %
	Total	50,958	100%

Based upon 42,863 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 175-175 (width: 1; decimal: 0)

Variable Type: numeric

GR10E: EQ23 17.10e Perm others Friend home

Value	Label	Unweighted Frequency	%
0	Dont ask 0	38961	76.5 %
1	Ask 1	2880	5.7 %
	Missing Data		
.	-	9117	17.9 %
	Total	50,958	100%

Based upon 41,841 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 176-176 (width: 1; decimal: 0)

Variable Type: numeric

GR10F: EQ23 17.10f Visit Friend home alone

Value	Label	Unweighted Frequency	%
0	Not alone 0	11711	23.0 %
1	Goes alone 1	37508	73.6 %
	Missing Data		
.	-	1739	3.4 %
	Total	50,958	100%

Based upon 49,219 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 177-177 (width: 1; decimal: 0)

Variable Type: numeric

GR11AY: EQ23 17.11a Permission Kirana shop

Value	Label	Unweighted Frequency	%
0	No 0	19062	37.4 %
1	Yes 1	23704	46.5 %
	Missing Data		
.	-	8192	16.1 %
	Total	50,958	100%

Based upon 42,766 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 178-178 (width: 1; decimal: 0)

Variable Type: numeric

GR11B: EQ23 17.11b Perm husband Kirana shop

Value	Label	Unweighted Frequency	%
0	Dont ask 0	16688	32.7 %
1	Ask 1	21894	43.0 %
	Missing Data		
.	-	12376	24.3 %
	Total	50,958	100%

Based upon 38,582 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 179-179 (width: 1; decimal: 0)

Variable Type: numeric

GR11C: EQ23 17.11c Perm Sr male Kirana shop

Value	Label	Unweighted Frequency	%
0	Dont ask 0	33185	65.1 %
1	Ask 1	3157	6.2 %
	Missing Data		
.	-	14616	28.7 %
	Total	50,958	100%

Based upon 36,342 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 180-180 (width: 1; decimal: 0)

Variable Type: numeric

GR11D: EQ23 17.11d Perm Sr Female Kirana shop

Value	Label	Unweighted Frequency	%
0	Dont ask 0	31852	62.5 %
1	Ask 1	4574	9.0 %
	Missing Data		
.	-	14532	28.5 %
	Total	50,958	100%

Based upon 36,426 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 181-181 (width: 1; decimal: 0)

Variable Type: numeric

GR11E: EQ23 17.11e Perm others Kirana shop

Value	Label	Unweighted Frequency	%
0	Dont ask 0	33506	65.8 %
1	Ask 1	2311	4.5 %
	Missing Data		
.	-	15141	29.7 %
	Total	50,958	100%

Based upon 35,817 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 182-182 (width: 1; decimal: 0)

Variable Type: numeric

GR11F: EQ23 17.11f Visit Kirana shop alone

Value	Label	Unweighted Frequency	%
0	Not alone 0	9380	18.4 %
1	Goes alone 1	36086	70.8 %
	Missing Data		
.	-	5492	10.8 %
	Total	50,958	100%

Based upon 45,466 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 183-183 (width: 1; decimal: 0)

Variable Type: numeric

GR20: EQ24 17.20 Purdah Practice

Value	Label	Unweighted Frequency	%
0	No 0	22535	44.2 %
1	Yes 1	28312	55.6 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	111	0.2 %
Total		50,958	100%

Based upon 50,847 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 184-184 (width: 1; decimal: 0)

Variable Type: numeric

GR22: EQ24 17.22 Family outing

Value	Label	Unweighted Frequency	%
0	No 0	24032	47.2 %
1	Yes 1	26375	51.8 %
	Missing Data		
.	-	551	1.1 %
Total		50,958	100%

Based upon 50,407 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 185-185 (width: 1; decimal: 0)

Variable Type: numeric

GR23A: EQ24 17.23a Shopping Respondent

Value	Label	Unweighted Frequency	%
0	No 0	19981	39.2 %
1	Yes 1	30802	60.4 %
	Missing Data		
.	-	175	0.3 %
Total		50,958	100%

Based upon 50,783 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 186-186 (width: 1; decimal: 0)

Variable Type: numeric

GR23B: EQ24 17.23b Shopping Adult men

Value	Label	Unweighted Frequency	%
0	No 0	11387	22.3 %
1	Yes 1	39403	77.3 %
	Missing Data		
.	-	168	0.3 %
	Total	50,958	100%

Based upon 50,790 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 187-187 (width: 1; decimal: 0)

Variable Type: numeric

GR23C: EQ24 17.23c Shopping Adult women

Value	Label	Unweighted Frequency	%
0	No 0	42696	83.8 %
1	Yes 1	7945	15.6 %
	Missing Data		
.	-	317	0.6 %
	Total	50,958	100%

Based upon 50,641 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 188-188 (width: 1; decimal: 0)

Variable Type: numeric

GR23D: EQ24 17.23d Shopping Children

Value	Label	Unweighted Frequency	%
0	No 0	37843	74.3 %
1	Yes 1	12388	24.3 %
	Missing Data		
.	-	727	1.4 %
	Total	50,958	100%

Based upon 50,231 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 189-189 (width: 1; decimal: 0)

Variable Type: numeric

GR24A: EQ24 17.24a Homework Respondent

Value	Label	Unweighted Frequency	%
0	No 0	27080	53.1 %
1	Yes 1	16666	32.7 %
	Missing Data		
.	-	7212	14.2 %
	Total	50,958	100%

Based upon 43,746 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 190-190 (width: 1; decimal: 0)

Variable Type: numeric

GR24B: EQ24 17.24b Homework Adult men

Value	Label	Unweighted Frequency	%
0	No 0	27777	54.5 %
1	Yes 1	15649	30.7 %
	Missing Data		
.	-	7532	14.8 %
	Total	50,958	100%

Based upon 43,426 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 191-191 (width: 1; decimal: 0)

Variable Type: numeric

GR24C: EQ24 17.24c Homework Adult women

Value	Label	Unweighted Frequency	%
0	No 0	39233	77.0 %
1	Yes 1	3143	6.2 %
	Missing Data		
.	-	8582	16.8 %
	Total	50,958	100%

Based upon 42,376 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 192-192 (width: 1; decimal: 0)

Variable Type: numeric

GR24D: EQ24 17.24d Homework Children

Value	Label	Unweighted Frequency	%
0	No 0	30395	59.6 %
1	Yes 1	12354	24.2 %
	Missing Data		
.	-	8209	16.1 %
	Total	50,958	100%

Based upon 42,749 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 193-193 (width: 1; decimal: 0)

Variable Type: numeric

GR25: EQ24 17.25 Family meal taking

Value	Label	Unweighted Frequency	%
1	Eat together 1	28104	55.2 %
2	Women first 2	1032	2.0 %
3	Men first 3	14359	28.2 %
4	Varies, Other 4	7280	14.3 %
	Missing Data		
.	-	183	0.4 %
	Total	50,958	100%

Based upon 50,775 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 194-194 (width: 1; decimal: 0)

Variable Type: numeric

GR26: EQ24 17.26 Cash-in-hand

Value	Label	Unweighted Frequency	%
0	No 0	6166	12.1 %
1	Yes 1	44679	87.7 %
	Missing Data		
.	-	113	0.2 %
	Total	50,958	100%

Based upon 50,845 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 195-195 (width: 1; decimal: 0)

Variable Type: numeric

GR27A: EQ24 17.27a Family bank account

Value	Label	Unweighted Frequency	%
0	No 0	23233	45.6 %
1	Yes 1	27504	54.0 %
	Missing Data		
.	-	221	0.4 %
	Total	50,958	100%

Based upon 50,737 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 196-196 (width: 1; decimal: 0)

Variable Type: numeric

GR27B: EQ24 17.27b Resp account holder

Value	Label	Unweighted Frequency	%
0	No 0	12289	24.1 %
1	Yes 1	15041	29.5 %
	Missing Data		
.	-	23628	46.4 %
	Total	50,958	100%

Based upon 27,330 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 197-197 (width: 1; decimal: 0)

Variable Type: numeric

GR28: EQ24 17.28 House papers: Woman

Value	Label	Unweighted Frequency	%
0	No 0	40452	79.4 %
1	Yes 1	8527	16.7 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	1979	3.9 %
Total		50,958	100%

Based upon 48,979 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 198-198 (width: 1; decimal: 0)

Variable Type: numeric

GR29A: EQ24 17.29a Discuss: Work/farm

Value	Label	Unweighted Frequency	%
0	Never 0	9440	18.5 %
1	Sometimes 1	20267	39.8 %
2	Often 2	19667	38.6 %
	Missing Data		
.	-	1584	3.1 %
Total		50,958	100%

Based upon 49,374 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 199-199 (width: 1; decimal: 0)

Variable Type: numeric

GR29B: EQ24 17.29b Discuss: Expenditure

Value	Label	Unweighted Frequency	%
0	Never 0	5108	10.0 %
1	Sometimes 1	18981	37.2 %
2	Often 2	25335	49.7 %
	Missing Data		
.	-	1534	3.0 %
Total		50,958	100%

Based upon 49,424 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 200-200 (width: 1; decimal: 0)

Variable Type: numeric

GR29C: EQ24 17.29c Discuss: Politics

Value	Label	Unweighted Frequency	%
0	Never 0	15576	30.6 %
1	Sometimes 1	23420	46.0 %
2	Often 2	10402	20.4 %
	Missing Data		
.	-	1560	3.1 %
	Total	50,958	100%

Based upon 49,398 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 201-201 (width: 1; decimal: 0)

Variable Type: numeric

GR30: EQ24 17.30 Natal family visit [IHDS1~=IHDS2]

Value	Label	Unweighted Frequency	%
0	Lives in natal place 0	204	0.4 %
1	Daily/Weekly 1	3593	7.1 %
2	Monthly 2	8639	17.0 %
3	few times a year 3	23455	46.0 %
4	Once a year 4	11022	21.6 %
5	< once a year 5	2319	4.6 %
	Missing Data		
.	-	1726	3.4 %
	Total	50,958	100%

Based upon 49,232 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 202-202 (width: 1; decimal: 0)

Variable Type: numeric

GR33: EQ24 17.33 Natal family nearby

Value	Label	Unweighted Frequency	%
0	No 0	20445	40.1 %
1	Yes, or lives with 1	28541	56.0 %
	Missing Data		
.	-	1972	3.9 %

Value	Label	Unweighted Frequency	%
	Total	50,958	100%

Based upon 48,986 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 203-203 (width: 1; decimal: 0)

Variable Type: numeric

GR34: EQ25 17.34 Beat if leaves w/o permit

Value	Label	Unweighted Frequency	%
0	No 0	28072	55.1 %
1	Yes 1	22716	44.6 %
	Missing Data		
.	-	170	0.3 %
	Total	50,958	100%

Based upon 50,788 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 204-204 (width: 1; decimal: 0)

Variable Type: numeric

GR35: EQ25 17.35 Beat if extramarital

Value	Label	Unweighted Frequency	%
0	No 0	8001	15.7 %
1	Yes 1	42733	83.9 %
	Missing Data		
.	-	224	0.4 %
	Total	50,958	100%

Based upon 50,734 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 205-205 (width: 1; decimal: 0)

Variable Type: numeric

GR36: EQ25 17.36 Beat if no dowry

Value	Label	Unweighted Frequency	%
0	No 0	35688	70.0 %
1	Yes 1	15099	29.6 %
	Missing Data		
.	-	171	0.3 %
	Total	50,958	100%

Based upon 50,787 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 206-206 (width: 1; decimal: 0)

Variable Type: numeric

GR37: EQ25 17.37 Beat if House neglect

Value	Label	Unweighted Frequency	%
0	No 0	31394	61.6 %
1	Yes 1	19408	38.1 %
	Missing Data		
.	-	156	0.3 %
	Total	50,958	100%

Based upon 50,802 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 207-207 (width: 1; decimal: 0)

Variable Type: numeric

GR39: EQ25 17.39 Beat if bad cooking

Value	Label	Unweighted Frequency	%
0	No 0	35503	69.7 %
1	Yes 1	15274	30.0 %
	Missing Data		
.	-	181	0.4 %
	Total	50,958	100%

Based upon 50,777 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 208-208 (width: 1; decimal: 0)

Variable Type: numeric

GR40: EQ25 17.40 Widow support

Value	Label	Unweighted Frequency	%
1	Natal families 1	12780	25.1 %
2	Husbands families 2	14489	28.4 %
3	Both 3	21336	41.9 %
4	Neither 4	2092	4.1 %
	Missing Data		
.	-	261	0.5 %
	Total	50,958	100%

Based upon 50,697 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 209-209 (width: 1; decimal: 0)

Variable Type: numeric

GR41: EQ25 17.41 Live with in old age

Value	Label	Unweighted Frequency	%
1	Son 1	41741	81.9 %
2	Daughter 2	2868	5.6 %
3	Both 3	2020	4.0 %
4	Others/No one 4	2818	5.5 %
	Missing Data		
.	-	1511	3.0 %
	Total	50,958	100%

Based upon 49,447 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 210-210 (width: 1; decimal: 0)

Variable Type: numeric

GR42: EQ25 17.42 Would live w daughter

Value	Label	Unweighted Frequency	%
0	No 0	29492	57.9 %
1	Yes 1	8654	17.0 %
	Missing Data		
.	-	12812	25.1 %
	Total	50,958	100%

Based upon 38,146 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 211-211 (width: 1; decimal: 0)

Variable Type: numeric

GR43: EQ25 17.43 Financial support

Value	Label	Unweighted Frequency	%
1	Son 1	40065	78.6 %
2	Daughter 2	3053	6.0 %
3	Both 3	3356	6.6 %
4	Others/No one 4	3309	6.5 %
	Missing Data		
.	-	1175	2.3 %
	Total	50,958	100%

Based upon 49,783 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 212-212 (width: 1; decimal: 0)

Variable Type: numeric

GR44: EQ25 17.44 Support: daughter

Value	Label	Unweighted Frequency	%
0	No 0	26873	52.7 %
1	Yes 1	10172	20.0 %
	Missing Data		
.	-	13913	27.3 %
	Total	50,958	100%

Based upon 37,045 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 213-213 (width: 1; decimal: 0)

Variable Type: numeric

GR45: EQ25 17.45 Harassment of girls

Value	Label	Unweighted Frequency	%
1	Rarely 1	38497	75.5 %

Value	Label	Unweighted Frequency	%
2	Sometimes 2	8498	16.7 %
3	Often 3	2882	5.7 %
	Missing Data		
.	-	1081	2.1 %
	Total	50,958	100%

Based upon 49,877 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 214-214 (width: 1; decimal: 0)

Variable Type: numeric

GR46A: EQ25 17.46a Worked for NREGA [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	46593	91.4 %
1	Yes 1	4153	8.1 %
	Missing Data		
.	-	212	0.4 %
	Total	50,958	100%

Based upon 50,746 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 215-215 (width: 1; decimal: 0)

Variable Type: numeric

MH1A: EQ26 18.1a Age at marriage

Value	Label	Unweighted Frequency	%
9	9 or younger	850	1.7 %
10	-	615	1.2 %
11	-	370	0.7 %
12	-	1367	2.7 %
13	-	1711	3.4 %
14	-	3183	6.2 %
15	-	6072	11.9 %
16	-	6704	13.2 %
17	-	5630	11.0 %
18	-	8418	16.5 %

Value	Label	Unweighted Frequency	%
19	-	3838	7.5 %
20	-	4526	8.9 %
21	-	1966	3.9 %
22	-	1786	3.5 %
23	-	1157	2.3 %
24	-	803	1.6 %
25	-	756	1.5 %
26	-	359	0.7 %
27	-	250	0.5 %
28	-	197	0.4 %
29	-	124	0.2 %
30	-	94	0.2 %
31	-	30	0.1 %
32	-	34	0.1 %
33	-	12	0.0 %
34	-	6	0.0 %
35	-	24	0.0 %
36	-	6	0.0 %
37	-	7	0.0 %
38	-	6	0.0 %
39	-	3	0.0 %
40	-	3	0.0 %
41	41 or older	7	0.0 %
Missing Data			
.	-	44	0.1 %
Total		50,958	100%

Based upon 50,914 valid cases out of 50,958 total cases.

- Mean: 17.44
- Median: 17.00
- Mode: 18.00
- Minimum: 9.00
- Maximum: 41.00
- Standard Deviation: 3.52

Location: 216-217 (*width:* 2; *decimal:* 0)

Variable Type: numeric

MH1BM: EQ26 18.1b Month of marriage

Value	Label	Unweighted Frequency	%
1	-	1664	3.3 %

Value	Label	Unweighted Frequency	%
2	-	3671	7.2 %
3	-	4062	8.0 %
4	-	5212	10.2 %
5	-	8483	16.6 %
6	-	4662	9.1 %
7	-	1754	3.4 %
8	-	1017	2.0 %
9	-	876	1.7 %
10	-	1029	2.0 %
11	-	1498	2.9 %
12	-	1541	3.0 %
Missing Data			
.	-	15489	30.4 %
Total		50,958	100%

Based upon 35,469 valid cases out of 50,958 total cases.

- Mean: 5.24
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.75

Location: 218-219 (width: 2; decimal: 0)

Variable Type: numeric

MH1BY: EQ26 18.1b Year of marriage

Value	Label	Unweighted Frequency	%
1951	-	3	0.0 %
1955	-	1	0.0 %
1956	-	4	0.0 %
1957	-	5	0.0 %
1958	-	4	0.0 %
1959	-	6	0.0 %
1960	-	9	0.0 %
1961	-	6	0.0 %
1962	-	8	0.0 %
1963	-	11	0.0 %
1964	-	16	0.0 %
1965	-	28	0.1 %
1966	-	35	0.1 %

Value	Label	Unweighted Frequency	%
1967	-	52	0.1 %
1968	-	64	0.1 %
1969	-	87	0.2 %
1970	-	140	0.3 %
1971	-	197	0.4 %
1972	-	277	0.5 %
1973	-	268	0.5 %
1974	-	421	0.8 %
1975	-	511	1.0 %
1976	-	565	1.1 %
1977	-	641	1.3 %
1978	-	770	1.5 %
1979	-	839	1.6 %
1980	-	1008	2.0 %
1981	-	1010	2.0 %
1982	-	1183	2.3 %
1983	-	1122	2.2 %
1984	-	1343	2.6 %
1985	-	1350	2.6 %
1986	-	1383	2.7 %
1987	-	1243	2.4 %
1988	-	1251	2.5 %
1989	-	1256	2.5 %
1990	-	1628	3.2 %
1991	-	1322	2.6 %
1992	-	1369	2.7 %
1993	-	1231	2.4 %
1994	-	1289	2.5 %
1995	-	1248	2.4 %
1996	-	1280	2.5 %
1997	-	1223	2.4 %
1998	-	1241	2.4 %
1999	-	1167	2.3 %
2000	-	1100	2.2 %
2001	-	1108	2.2 %
2002	-	1150	2.3 %
2003	-	895	1.8 %
Missing Data			
.	-	15507	30.4 %

Value	Label	Unweighted Frequency	%
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 35,451 valid cases out of 50,958 total cases.

- Mean: 1989.50
- Median: 1990.00
- Mode: 1990.00
- Minimum: 1951.00
- Maximum: 2011.00
- Standard Deviation: 8.74

Location: 220-223 (width: 4; decimal: 0)

Variable Type: numeric

MH1BMONTH: EQ26 18.1b century month of marriage

Value	Label	Unweighted Frequency	%
614	-	1	0.0 %
615	-	1	0.0 %
617	-	1	0.0 %
664	-	1	0.0 %
677	-	1	0.0 %
678	-	1	0.0 %
680	-	1	0.0 %
681	-	1	0.0 %
688	-	1	0.0 %
689	-	4	0.0 %
697	-	1	0.0 %
699	-	1	0.0 %
700	-	2	0.0 %
710	-	3	0.0 %
712	-	1	0.0 %
713	-	1	0.0 %
716	-	1	0.0 %
721	-	1	0.0 %
722	-	1	0.0 %
723	-	1	0.0 %
724	-	1	0.0 %
725	-	5	0.0 %
736	-	2	0.0 %
737	-	2	0.0 %

Value	Label	Unweighted Frequency	%
738	-	1	0.0 %
740	-	1	0.0 %
745	-	1	0.0 %
747	-	3	0.0 %
748	-	1	0.0 %
749	-	1	0.0 %
750	-	1	0.0 %
754	-	1	0.0 %
757	-	1	0.0 %
758	-	1	0.0 %
760	-	3	0.0 %
761	-	6	0.0 %
768	-	2	0.0 %
769	-	1	0.0 %
770	-	1	0.0 %
771	-	1	0.0 %
772	-	2	0.0 %
773	-	8	0.0 %
775	-	1	0.0 %
780	-	1	0.0 %
782	-	2	0.0 %
783	-	3	0.0 %
784	-	3	0.0 %
785	-	12	0.0 %
786	-	1	0.0 %
788	-	1	0.0 %
Missing Data			
.	-	15507	30.4 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 35,451 valid cases out of 50,958 total cases.

- Mean: 1078.42
- Minimum: 614.00
- Maximum: 1343.00
- Standard Deviation: 104.95

Location: 224-227 (*width:* 4; *decimal:* 0)

Variable Type: numeric

MH1C: EQ26 18.1c Age at Gauna

Value	Label	Unweighted Frequency	%
9	9 or younger	53	0.1 %
10	-	98	0.2 %
11	-	142	0.3 %
12	-	716	1.4 %
13	-	1346	2.6 %
14	-	2923	5.7 %
15	-	5954	11.7 %
16	-	7371	14.5 %
17	-	6382	12.5 %
18	-	9096	17.8 %
19	-	4270	8.4 %
20	-	4728	9.3 %
21	-	2080	4.1 %
22	-	1823	3.6 %
23	-	1179	2.3 %
24	-	809	1.6 %
25	-	768	1.5 %
26	-	364	0.7 %
27	-	253	0.5 %
28	-	205	0.4 %
29	-	123	0.2 %
30	-	95	0.2 %
31	-	30	0.1 %
32	-	34	0.1 %
33	-	12	0.0 %
34	-	6	0.0 %
35	-	24	0.0 %
36	-	6	0.0 %
37	-	8	0.0 %
38	-	6	0.0 %
39	-	3	0.0 %
40	-	3	0.0 %
41	41 or older	7	0.0 %
Missing Data			
.	-	41	0.1 %
Total		50,958	100%

Based upon 50,917 valid cases out of 50,958 total cases.

- Mean: 17.83
- Median: 18.00
- Mode: 18.00
- Minimum: 9.00
- Maximum: 41.00
- Standard Deviation: 3.16

Location: 228-229 (width: 2; decimal: 0)

Variable Type: numeric

MH1DM: EQ26 18.1d Month of Gauna

Value	Label	Unweighted Frequency	%
1	-	1681	3.3 %
2	-	3888	7.6 %
3	-	4220	8.3 %
4	-	4985	9.8 %
5	-	7689	15.1 %
6	-	4414	8.7 %
7	-	1752	3.4 %
8	-	1112	2.2 %
9	-	934	1.8 %
10	-	1143	2.2 %
11	-	1736	3.4 %
12	-	1794	3.5 %
Missing Data			
.	-	15610	30.6 %
Total		50,958	100%

Based upon 35,348 valid cases out of 50,958 total cases.

- Mean: 5.34
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.89

Location: 230-231 (width: 2; decimal: 0)

Variable Type: numeric

MH1DY: EQ26 18.1d Year of Gauna

Value	Label	Unweighted Frequency	%
1951	-	1	0.0 %
1953	-	1	0.0 %
1954	-	2	0.0 %

Value	Label	Unweighted Frequency	%
1956	-	2	0.0 %
1957	-	3	0.0 %
1958	-	5	0.0 %
1959	-	3	0.0 %
1960	-	6	0.0 %
1961	-	2	0.0 %
1962	-	6	0.0 %
1963	-	4	0.0 %
1964	-	11	0.0 %
1965	-	13	0.0 %
1966	-	17	0.0 %
1967	-	23	0.0 %
1968	-	32	0.1 %
1969	-	50	0.1 %
1970	-	104	0.2 %
1971	-	166	0.3 %
1972	-	248	0.5 %
1973	-	277	0.5 %
1974	-	388	0.8 %
1975	-	480	0.9 %
1976	-	563	1.1 %
1977	-	608	1.2 %
1978	-	769	1.5 %
1979	-	833	1.6 %
1980	-	1001	2.0 %
1981	-	988	1.9 %
1982	-	1205	2.4 %
1983	-	1139	2.2 %
1984	-	1333	2.6 %
1985	-	1344	2.6 %
1986	-	1386	2.7 %
1987	-	1252	2.5 %
1988	-	1262	2.5 %
1989	-	1272	2.5 %
1990	-	1620	3.2 %
1991	-	1368	2.7 %
1992	-	1378	2.7 %
1993	-	1221	2.4 %
1994	-	1292	2.5 %

Value	Label	Unweighted Frequency	%
1995	-	1256	2.5 %
1996	-	1276	2.5 %
1997	-	1249	2.5 %
1998	-	1275	2.5 %
1999	-	1186	2.3 %
2000	-	1117	2.2 %
2001	-	1135	2.2 %
2002	-	1158	2.3 %
Missing Data			
.	-	15581	30.6 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 35,377 valid cases out of 50,958 total cases.

- Mean: 1989.76
- Median: 1990.00
- Mode: 1990.00
- Minimum: 1951.00
- Maximum: 2013.00
- Standard Deviation: 8.57

Location: 232-235 (width: 4; decimal: 0)

Variable Type: numeric

MH1DMONTH: EQ26 18.1b century month of gauna

Value	Label	Unweighted Frequency	%
617	-	1	0.0 %
639	-	1	0.0 %
655	-	1	0.0 %
656	-	1	0.0 %
677	-	1	0.0 %
680	-	1	0.0 %
689	-	2	0.0 %
695	-	1	0.0 %
697	-	1	0.0 %
699	-	1	0.0 %
700	-	2	0.0 %
707	-	1	0.0 %
710	-	1	0.0 %
712	-	1	0.0 %

Value	Label	Unweighted Frequency	%
716	-	1	0.0 %
721	-	1	0.0 %
722	-	1	0.0 %
723	-	1	0.0 %
724	-	1	0.0 %
725	-	2	0.0 %
737	-	1	0.0 %
740	-	1	0.0 %
745	-	1	0.0 %
747	-	1	0.0 %
748	-	2	0.0 %
749	-	1	0.0 %
750	-	1	0.0 %
757	-	1	0.0 %
760	-	1	0.0 %
761	-	2	0.0 %
768	-	1	0.0 %
769	-	1	0.0 %
771	-	1	0.0 %
772	-	1	0.0 %
773	-	5	0.0 %
775	-	1	0.0 %
776	-	1	0.0 %
780	-	1	0.0 %
782	-	1	0.0 %
783	-	1	0.0 %
785	-	4	0.0 %
786	-	1	0.0 %
788	-	1	0.0 %
789	-	1	0.0 %
791	-	3	0.0 %
792	-	1	0.0 %
793	-	1	0.0 %
794	-	1	0.0 %
795	-	2	0.0 %
796	-	4	0.0 %
Missing Data			
.	-	15581	30.6 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 35,377 valid cases out of 50,958 total cases.

- Mean: 1081.57
- Minimum: 617.00
- Maximum: 1361.00
- Standard Deviation: 102.82

Location: 236-239 (*width:* 4; *decimal:* 0)

Variable Type: numeric

MH1E: EQ26 18.1e Age at Menarche

Value	Label	Unweighted Frequency	%
9	9 or younger	86	0.2 %
10	-	300	0.6 %
11	-	858	1.7 %
12	-	6462	12.7 %
13	-	12940	25.4 %
14	-	16154	31.7 %
15	-	9306	18.3 %
16	-	3276	6.4 %
17	-	840	1.6 %
18	-	466	0.9 %
19	-	105	0.2 %
20	-	47	0.1 %
21	-	16	0.0 %
22	-	7	0.0 %
23	-	6	0.0 %
24	-	3	0.0 %
25	-	4	0.0 %
27	-	1	0.0 %
28	-	1	0.0 %
Missing Data			
.	-	80	0.2 %
Total		50,958	100%

Based upon 50,878 valid cases out of 50,958 total cases.

- Mean: 13.83
- Median: 14.00
- Mode: 14.00
- Minimum: 9.00
- Maximum: 28.00
- Standard Deviation: 1.38

Location: 240-241 (width: 2; decimal: 0)

Variable Type: numeric

MH1F: EQ26 18.1f Menarche after wed

Value	Label	Unweighted Frequency	%
1	Before marriage 1	44590	87.5 %
2	Before gauna 2	3408	6.7 %
3	After gauna 3	2855	5.6 %
	Missing Data		
.	-	105	0.2 %
	Total	50,958	100%

Based upon 50,853 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 242-242 (width: 1; decimal: 0)

Variable Type: numeric

MH2: EQ26 18.2 Marriage status

Value	Label	Unweighted Frequency	%
1	Married 1	47995	94.2 %
2	Widowed 2	2635	5.2 %
3	Separated 3	214	0.4 %
4	Divorced 4	111	0.2 %
5	No gauna 5	0	0.0 %
	Missing Data		
.	-	3	0.0 %
	Total	50,958	100%

Based upon 50,955 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 243-243 (width: 1; decimal: 0)

Variable Type: numeric

MH3: EQ26 18.3 Knew husb before wed

Value	Label	Unweighted Frequency	%
1	wedding/gauna 1	34330	67.4 %
2	<one month 2	5822	11.4 %
3	<one year 3	4979	9.8 %

Value	Label	Unweighted Frequency	%
4	>one year 4	2350	4.6 %
5	Since childhood 5	3338	6.6 %
	Missing Data		
.	-	139	0.3 %
	Total	50,958	100%

Based upon 50,819 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 244-244 (width: 1; decimal: 0)

Variable Type: numeric

MH4A: EQ26 18.4a Marriage choice

Value	Label	Unweighted Frequency	%
1	Respondent 1	2256	4.4 %
2	Joint 2	14558	28.6 %
3	Parents/relatives 3	33853	66.4 %
4	Others 4	196	0.4 %
	Missing Data		
.	-	95	0.2 %
	Total	50,958	100%

Based upon 50,863 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 245-245 (width: 1; decimal: 0)

Variable Type: numeric

MH4B: EQ26 18.4b Choice R say

Value	Label	Unweighted Frequency	%
0	No 0	23974	47.0 %
1	Yes 1	12785	25.1 %
	Missing Data		
.	-	14199	27.9 %
	Total	50,958	100%

Based upon 36,759 valid cases out of 50,958 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 246-246 (width: 1; decimal: 0)

Variable Type: numeric

MH6: EQ26 18.6 Husband same vill

Value	Label	Unweighted Frequency	%
0	No 0	44374	87.1 %
1	Yes 1	6357	12.5 %
	Missing Data		
.	-	227	0.4 %
	Total	50,958	100%

Based upon 50,731 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 247-247 (width: 1; decimal: 0)

Variable Type: numeric

MH7: EQ26 18.7 Husband same caste

Value	Label	Unweighted Frequency	%
0	No 0	2620	5.1 %
1	Yes 1	48106	94.4 %
	Missing Data		
.	-	232	0.5 %
	Total	50,958	100%

Based upon 50,726 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 248-248 (width: 1; decimal: 0)

Variable Type: numeric

MH8A: EQ26 18.8a Live after marriage

Value	Label	Unweighted Frequency	%
1	his family 1	47904	94.0 %
2	her family 2	872	1.7 %
3	alone 3	1961	3.8 %
	Missing Data		
.	-	221	0.4 %
	Total	50,958	100%

Based upon 50,737 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 249-249 (width: 1; decimal: 0)

Variable Type: numeric

MH9: EQ26 18.9 Distance natal family

Value	Label	Unweighted Frequency	%
0	-	718	1.4 %
1	-	18132	35.6 %
2	-	13255	26.0 %
3	-	7180	14.1 %
4	-	3527	6.9 %
5	-	2049	4.0 %
6	-	1264	2.5 %
7	-	489	1.0 %
8	-	860	1.7 %
9	-	271	0.5 %
10	-	390	0.8 %
11	-	74	0.1 %
12	-	467	0.9 %
13	-	36	0.1 %
14	-	52	0.1 %
15	-	117	0.2 %
16	-	27	0.1 %
17	-	9	0.0 %
18	-	34	0.1 %
19	-	8	0.0 %
20	-	72	0.1 %
21	-	4	0.0 %
22	-	11	0.0 %
23	-	2	0.0 %
24	-	266	0.5 %
25	-	10	0.0 %
26	-	6	0.0 %
27	-	1	0.0 %
28	-	8	0.0 %
29	-	1	0.0 %
30	-	258	0.5 %
32	-	2	0.0 %

Value	Label	Unweighted Frequency	%
33	-	2	0.0 %
34	-	1	0.0 %
35	-	3	0.0 %
36	-	37	0.1 %
38	-	2	0.0 %
39	-	1	0.0 %
40	-	10	0.0 %
42	-	1	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	11	0.0 %
48	-	75	0.1 %
50	-	9	0.0 %
54	-	1	0.0 %
60	-	81	0.2 %
65	-	1	0.0 %
66	-	1	0.0 %
70	-	2	0.0 %
Missing Data			
.	-	1005	2.0 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 49,953 valid cases out of 50,958 total cases.

- Mean: 3.28
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 6.24

Location: 250-251 (*width:* 2; *decimal:* 0)

Variable Type: numeric

MH10: EQ26 18.10 Natal fam married husb fam

Value	Label	Unweighted Frequency	%
0	None 0	41847	82.1 %
1	Sister 1	3866	7.6 %
2	Aunt 2	1025	2.0 %
3	Both 3	290	0.6 %

Value	Label	Unweighted Frequency	%
4	Others 4	1224	2.4 %
	Missing Data		
-	-	2706	5.3 %
	Total	50,958	100%

Based upon 48,252 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 252-252 (width: 1; decimal: 0)

Variable Type: numeric

MH11: EQ26 18.11 Natal fam married same vill

Value	Label	Unweighted Frequency	%
0	None 0	41444	81.3 %
1	Sister 1	3698	7.3 %
2	Aunt 2	1011	2.0 %
3	Both 3	402	0.8 %
4	Others 4	1793	3.5 %
	Missing Data		
-	-	2610	5.1 %
	Total	50,958	100%

Based upon 48,348 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 253-253 (width: 1; decimal: 0)

Variable Type: numeric

MH12: EQ26 18.12 Husband blood rel

Value	Label	Unweighted Frequency	%
0	No relation 0	28960	56.8 %
1	Uncle 1	1080	2.1 %
2	Cousin 2	2485	4.9 %
3	Others 3	1007	2.0 %
9	Not permitted 9	8836	17.3 %
	Missing Data		
-	-	8590	16.9 %
	Total	50,958	100%

Based upon 42,368 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 254-254 (width: 1; decimal: 0)

Variable Type: numeric

MH13: EQ27 18.13 Econ stat husb fam

Value	Label	Unweighted Frequency	%
1	Same 1	36348	71.3 %
2	Natal Better 2	9032	17.7 %
3	Natal worse 3	4259	8.4 %
	Missing Data		
.	-	1319	2.6 %
	Total	50,958	100%

Based upon 49,639 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 255-255 (width: 1; decimal: 0)

Variable Type: numeric

MH14: EQ27 18.14 Husb Marriage 1+

Value	Label	Unweighted Frequency	%
1	Once 1	49025	96.2 %
2	More than once 2	1823	3.6 %
	Missing Data		
.	-	110	0.2 %
	Total	50,958	100%

Based upon 50,848 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 256-256 (width: 1; decimal: 0)

Variable Type: numeric

MH15: EQ27 18.15 R Marriage 1+

Value	Label	Unweighted Frequency	%
1	Once 1	50065	98.2 %
2	More than once 2	620	1.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	273	0.5 %
	Total	50,958	100%

Based upon 50,685 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 257-257 (width: 1; decimal: 0)

Variable Type: numeric

MH16: EQ27 18.16 R # marriages

Value	Label	Unweighted Frequency	%
2	-	608	1.2 %
3	-	14	0.0 %
5	-	1	0.0 %
	Missing Data		
.	-	50335	98.8 %
	Total	50,958	100%

Based upon 623 valid cases out of 50,958 total cases.

- Mean: 2.03
- Median: 2.00
- Mode: 2.00
- Minimum: 2.00
- Maximum: 5.00
- Standard Deviation: 0.19

Location: 258-258 (width: 1; decimal: 0)

Variable Type: numeric

MH17A: EQ27 18.17a 1st marriage Age

Value	Label	Unweighted Frequency	%
9	9 or younger	59	0.1 %
10	-	34	0.1 %
11	-	14	0.0 %
12	-	59	0.1 %
13	-	42	0.1 %
14	-	71	0.1 %
15	-	93	0.2 %
16	-	76	0.1 %
17	-	40	0.1 %

Value	Label	Unweighted Frequency	%
18	-	67	0.1 %
19	-	19	0.0 %
20	-	18	0.0 %
21	-	2	0.0 %
22	-	9	0.0 %
23	-	4	0.0 %
24	-	4	0.0 %
25	-	1	0.0 %
29	-	1	0.0 %
31	-	1	0.0 %
Missing Data			
.	-	50344	98.8 %
Total		50,958	100%

Based upon 614 valid cases out of 50,958 total cases.

- Mean: 14.66
- Median: 15.00
- Mode: 15.00
- Minimum: 9.00
- Maximum: 31.00
- Standard Deviation: 3.41

Location: 259-260 (*width:* 2; *decimal:* 0)

Variable Type: numeric

MH17BM: EQ27 18.17b 1st marriage Month

Value	Label	Unweighted Frequency	%
1	-	24	0.0 %
2	-	33	0.1 %
3	-	37	0.1 %
4	-	51	0.1 %
5	-	82	0.2 %
6	-	49	0.1 %
7	-	19	0.0 %
8	-	6	0.0 %
9	-	8	0.0 %
10	-	12	0.0 %
11	-	16	0.0 %
12	-	8	0.0 %
Missing Data			
.	-	50613	99.3 %

Value	Label	Unweighted Frequency	%
Total		50,958	100%

Based upon 345 valid cases out of 50,958 total cases.

- Mean: 5.08
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.67

Location: 261-262 (width: 2; decimal: 0)

Variable Type: numeric

MH17BY: EQ27 18.17b 1st marriage Year

Value	Label	Unweighted Frequency	%
1963	-	1	0.0 %
1964	-	2	0.0 %
1967	-	5	0.0 %
1968	-	5	0.0 %
1969	-	6	0.0 %
1970	-	3	0.0 %
1971	-	4	0.0 %
1972	-	9	0.0 %
1973	-	3	0.0 %
1974	-	9	0.0 %
1975	-	6	0.0 %
1976	-	11	0.0 %
1977	-	12	0.0 %
1978	-	8	0.0 %
1979	-	13	0.0 %
1980	-	13	0.0 %
1981	-	17	0.0 %
1982	-	13	0.0 %
1983	-	14	0.0 %
1984	-	13	0.0 %
1985	-	14	0.0 %
1986	-	14	0.0 %
1987	-	15	0.0 %
1988	-	19	0.0 %
1989	-	13	0.0 %
1990	-	18	0.0 %

Value	Label	Unweighted Frequency	%
1991	-	7	0.0 %
1992	-	9	0.0 %
1993	-	9	0.0 %
1994	-	10	0.0 %
1995	-	9	0.0 %
1996	-	13	0.0 %
1997	-	3	0.0 %
1998	-	9	0.0 %
1999	-	8	0.0 %
2000	-	151	0.3 %
2001	-	3	0.0 %
2002	-	3	0.0 %
2003	-	5	0.0 %
Missing Data			
.	-	50459	99.0 %
Total		50,958	100%

Based upon 499 valid cases out of 50,958 total cases.

- Mean: 1989.35
- Median: 1990.00
- Mode: 2000.00
- Minimum: 1963.00
- Maximum: 2003.00
- Standard Deviation: 10.13

Location: 263-266 (width: 4; decimal: 0)

Variable Type: numeric

MH17BMONT: EQ26 18.1b century month of 1st marriage

Value	Label	Unweighted Frequency	%
761	-	1	0.0 %
772	-	2	0.0 %
805	-	1	0.0 %
806	-	1	0.0 %
808	-	1	0.0 %
809	-	2	0.0 %
820	-	3	0.0 %
821	-	2	0.0 %
830	-	1	0.0 %
833	-	5	0.0 %
842	-	1	0.0 %

Value	Label	Unweighted Frequency	%
844	-	2	0.0 %
855	-	1	0.0 %
856	-	1	0.0 %
857	-	2	0.0 %
866	-	2	0.0 %
867	-	2	0.0 %
868	-	1	0.0 %
869	-	3	0.0 %
872	-	1	0.0 %
881	-	2	0.0 %
885	-	1	0.0 %
890	-	1	0.0 %
891	-	3	0.0 %
893	-	5	0.0 %
901	-	1	0.0 %
905	-	4	0.0 %
906	-	1	0.0 %
914	-	1	0.0 %
915	-	2	0.0 %
916	-	2	0.0 %
917	-	4	0.0 %
922	-	1	0.0 %
923	-	1	0.0 %
924	-	1	0.0 %
925	-	1	0.0 %
927	-	3	0.0 %
928	-	2	0.0 %
929	-	5	0.0 %
937	-	2	0.0 %
938	-	1	0.0 %
939	-	1	0.0 %
941	-	2	0.0 %
942	-	1	0.0 %
943	-	1	0.0 %
950	-	1	0.0 %
952	-	3	0.0 %
953	-	8	0.0 %
957	-	1	0.0 %
963	-	2	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	50459	99.0 %
	Total	50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 499 valid cases out of 50,958 total cases.

- Mean: 1076.92
- Median: 1084.00
- Mode: 1205.00
- Minimum: 761.00
- Maximum: 1246.00
- Standard Deviation: 121.79

Location: 267-270 (width: 4; decimal: 0)

Variable Type: numeric

MH18A: EQ27 18.18a 1st marriage Age gauna

Value	Label	Unweighted Frequency	%
9	9 or younger	9	0.0 %
10	-	14	0.0 %
11	-	13	0.0 %
12	-	37	0.1 %
13	-	44	0.1 %
14	-	60	0.1 %
15	-	108	0.2 %
16	-	90	0.2 %
17	-	44	0.1 %
18	-	83	0.2 %
19	-	22	0.0 %
20	-	21	0.0 %
21	-	2	0.0 %
22	-	8	0.0 %
23	-	3	0.0 %
24	-	6	0.0 %
25	-	2	0.0 %
29	-	2	0.0 %
31	-	1	0.0 %
	Missing Data		
.	-	50389	98.9 %
	Total	50,958	100%

Based upon 569 valid cases out of 50,958 total cases.

- Mean: 15.69
- Median: 15.00
- Mode: 15.00
- Minimum: 9.00
- Maximum: 31.00
- Standard Deviation: 2.98

Location: 271-272 (width: 2; decimal: 0)

Variable Type: numeric

MH18BM: EQ27 18.18b 1st marriage Month gauna

Value	Label	Unweighted Frequency	%
1	-	18	0.0 %
2	-	28	0.1 %
3	-	36	0.1 %
4	-	50	0.1 %
5	-	66	0.1 %
6	-	44	0.1 %
7	-	25	0.0 %
8	-	8	0.0 %
9	-	7	0.0 %
10	-	16	0.0 %
11	-	20	0.0 %
12	-	9	0.0 %
Missing Data			
.	-	50631	99.4 %
Total		50,958	100%

Based upon 327 valid cases out of 50,958 total cases.

- Mean: 5.40
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.81

Location: 273-274 (width: 2; decimal: 0)

Variable Type: numeric

MH18BY: EQ27 18.18b 1st marriage Year gauna

Value	Label	Unweighted Frequency	%
1915	-	2	0.0 %
1916	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1917	-	2	0.0 %
1967	-	2	0.0 %
1968	-	4	0.0 %
1969	-	4	0.0 %
1970	-	2	0.0 %
1971	-	4	0.0 %
1972	-	9	0.0 %
1973	-	2	0.0 %
1974	-	8	0.0 %
1975	-	6	0.0 %
1976	-	10	0.0 %
1977	-	8	0.0 %
1978	-	9	0.0 %
1979	-	9	0.0 %
1980	-	12	0.0 %
1981	-	20	0.0 %
1982	-	12	0.0 %
1983	-	15	0.0 %
1984	-	14	0.0 %
1985	-	13	0.0 %
1986	-	11	0.0 %
1987	-	13	0.0 %
1988	-	18	0.0 %
1989	-	12	0.0 %
1990	-	17	0.0 %
1991	-	10	0.0 %
1992	-	9	0.0 %
1993	-	10	0.0 %
1994	-	11	0.0 %
1995	-	10	0.0 %
1996	-	12	0.0 %
1997	-	4	0.0 %
1998	-	8	0.0 %
1999	-	7	0.0 %
2000	-	129	0.3 %
2001	-	3	0.0 %
2002	-	3	0.0 %
2003	-	5	0.0 %
2004	-	2	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	50496	99.1 %
	Total	50,958	100%

Based upon 462 valid cases out of 50,958 total cases.

- Mean: 1988.88
- Median: 1990.00
- Mode: 2000.00
- Minimum: 1915.00
- Maximum: 2004.00
- Standard Deviation: 12.24

Location: 275-278 (width: 4; decimal: 0)

Variable Type: numeric

MH18BMONT: EQ26 18.1b century month of 1st gauna

Value	Label	Unweighted Frequency	%
185	-	2	0.0 %
201	-	1	0.0 %
206	-	1	0.0 %
208	-	1	0.0 %
805	-	1	0.0 %
809	-	1	0.0 %
820	-	2	0.0 %
821	-	1	0.0 %
825	-	1	0.0 %
831	-	1	0.0 %
832	-	1	0.0 %
833	-	2	0.0 %
844	-	1	0.0 %
845	-	1	0.0 %
855	-	1	0.0 %
856	-	2	0.0 %
857	-	1	0.0 %
866	-	3	0.0 %
867	-	3	0.0 %
869	-	2	0.0 %
872	-	1	0.0 %
881	-	2	0.0 %
890	-	1	0.0 %
891	-	2	0.0 %

Value	Label	Unweighted Frequency	%
893	-	5	0.0 %
905	-	4	0.0 %
906	-	1	0.0 %
909	-	1	0.0 %
913	-	1	0.0 %
914	-	1	0.0 %
915	-	2	0.0 %
916	-	1	0.0 %
917	-	4	0.0 %
923	-	1	0.0 %
924	-	1	0.0 %
925	-	1	0.0 %
927	-	2	0.0 %
928	-	1	0.0 %
929	-	3	0.0 %
937	-	1	0.0 %
938	-	1	0.0 %
939	-	1	0.0 %
940	-	1	0.0 %
941	-	2	0.0 %
942	-	1	0.0 %
943	-	2	0.0 %
952	-	1	0.0 %
953	-	6	0.0 %
954	-	1	0.0 %
957	-	1	0.0 %
Missing Data			
.	-	50496	99.1 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 462 valid cases out of 50,958 total cases.

- Mean: 1071.24
- Median: 1085.00
- Mode: 1205.00
- Minimum: 185.00
- Maximum: 1253.00
- Standard Deviation: 147.06

Location: 279-282 (*width:* 4; *decimal:* 0)

Variable Type: numeric

MH19: EQ27 18.19 1st marriage Status

Value	Label	Unweighted Frequency	%
1	Widowed 1	187	0.4 %
2	Separated 2	186	0.4 %
3	Divorced 3	236	0.5 %
	Missing Data		
.	-	50349	98.8 %
	Total	50,958	100%

Based upon 609 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 283-283 (width: 1; decimal: 0)

Variable Type: numeric

FH2S: EQ27 19.2 N sons with R

Value	Label	Unweighted Frequency	%
0	-	10246	20.1 %
1	-	21043	41.3 %
2	-	14354	28.2 %
3	-	3628	7.1 %
4	-	920	1.8 %
5	-	239	0.5 %
6	6 or more	90	0.2 %
	Missing Data		
.	-	438	0.9 %
	Total	50,958	100%

Based upon 50,520 valid cases out of 50,958 total cases.

- Mean: 1.31
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.98

Location: 284-284 (width: 1; decimal: 0)

Variable Type: numeric

FH3S: EQ27 19.3 N sons elsewhere

Value	Label	Unweighted Frequency	%
0	-	43726	85.8 %
1	-	4774	9.4 %
2	-	1371	2.7 %
3	-	262	0.5 %
4	-	59	0.1 %
5	-	20	0.0 %
6	6 or more	6	0.0 %
Missing Data			
.	-	740	1.5 %
Total		50,958	100%

Based upon 50,218 valid cases out of 50,958 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.50

Location: 285-285 (width: 1; decimal: 0)

Variable Type: numeric

FH4S: EQ27 19.4 N sons died

Value	Label	Unweighted Frequency	%
0	-	44197	86.7 %
1	-	4730	9.3 %
2	-	919	1.8 %
3	-	243	0.5 %
4	4 or more	93	0.2 %
Missing Data			
.	-	776	1.5 %
Total		50,958	100%

Based upon 50,182 valid cases out of 50,958 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.47

Location: 286-286 (width: 1; decimal: 0)

Variable Type: numeric

FH2D: EQ27 19.2 N daughters with R

Value	Label	Unweighted Frequency	%
0	-	18714	36.7 %
1	-	18557	36.4 %
2	-	8665	17.0 %
3	-	3163	6.2 %
4	-	988	1.9 %
5	-	292	0.6 %
6	6 or more	93	0.2 %
Missing Data			
.	-	486	1.0 %
Total		50,958	100%

Based upon 50,472 valid cases out of 50,958 total cases.

- Mean: 1.02
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.05

Location: 287-287 (width: 1; decimal: 0)

Variable Type: numeric

FH3D: EQ27 19.3 N daughters elsewhere

Value	Label	Unweighted Frequency	%
0	-	37918	74.4 %
1	-	7890	15.5 %
2	-	3110	6.1 %
3	-	986	1.9 %
4	-	274	0.5 %
5	-	46	0.1 %
6	6 or more	13	0.0 %
Missing Data			
.	-	721	1.4 %
Total		50,958	100%

Based upon 50,237 valid cases out of 50,958 total cases.

- Mean: 0.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 6.00
- Standard Deviation: 0.75

Location: 288-288 (width: 1; decimal: 0)

Variable Type: numeric

FH4D: EQ27 19.4 N daughters died

Value	Label	Unweighted Frequency	%
0	-	44568	87.5 %
1	-	4372	8.6 %
2	-	934	1.8 %
3	-	210	0.4 %
4	4 or more	78	0.2 %
Missing Data			
.	-	796	1.6 %
Total		50,958	100%

Based upon 50,162 valid cases out of 50,958 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.45

Location: 289-289 (width: 1; decimal: 0)

Variable Type: numeric

FH5CM: EQ27 19.5 N children born (entered)

Value	Label	Unweighted Frequency	%
0	-	1683	3.3 %
1	-	5042	9.9 %
2	-	14237	27.9 %
3	-	12515	24.6 %
4	-	7682	15.1 %
5	-	4294	8.4 %
6	-	2345	4.6 %
7	-	1277	2.5 %
8	-	756	1.5 %
9	9 or more	732	1.4 %
Missing Data			
.	-	395	0.8 %
Total		50,958	100%

Based upon 50,563 valid cases out of 50,958 total cases.

- Mean: 3.14
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 1.78

Location: 290-290 (width: 1; decimal: 0)

Variable Type: numeric

FH5S: EQ27 19.5 N sons born (entered) [IHDS2]

Value	Label	Unweighted Frequency	%
0	-	7468	14.7 %
1	-	18410	36.1 %
2	-	16110	31.6 %
3	-	5798	11.4 %
4	-	1948	3.8 %
5	-	734	1.4 %
6	-	293	0.6 %
7	-	108	0.2 %
8	-	38	0.1 %
9	9 or more	18	0.0 %
Missing Data			
.	-	33	0.1 %
Total		50,958	100%

Based upon 50,925 valid cases out of 50,958 total cases.

- Mean: 1.62
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 1.18

Location: 291-291 (width: 1; decimal: 0)

Variable Type: numeric

FH5D: EQ27 19.5 N daughters born (entered) [IHDS2]

Value	Label	Unweighted Frequency	%
0	-	11590	22.7 %
1	-	18352	36.0 %
2	-	11150	21.9 %
3	-	5641	11.1 %

Value	Label	Unweighted Frequency	%
4	-	2499	4.9 %
5	-	1034	2.0 %
6	-	418	0.8 %
7	-	163	0.3 %
8	-	57	0.1 %
9	9 or more	21	0.0 %
Missing Data			
.	-	33	0.1 %
Total		50,958	100%

Based upon 50,925 valid cases out of 50,958 total cases.

- Mean: 1.51
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 1.34

Location: 292-292 (width: 1; decimal: 0)

Variable Type: numeric

FH2C: EQ27 19.2 N children with R (entered) [IHDS2]

Value	Label	Unweighted Frequency	%
0	-	4116	8.1 %
1	-	9894	19.4 %
2	-	17097	33.6 %
3	-	11366	22.3 %
4	-	4993	9.8 %
5	-	2137	4.2 %
6	-	864	1.7 %
7	-	297	0.6 %
8	-	116	0.2 %
9	9 or more	45	0.1 %
Missing Data			
.	-	33	0.1 %
Total		50,958	100%

Based upon 50,925 valid cases out of 50,958 total cases.

- Mean: 2.31
- Median: 2.00
- Mode: 2.00

- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 1.40

Location: 293-293 (width: 1; decimal: 0)

Variable Type: numeric

FH3C: EQ27 19.3 N children elsewhere (entered) [IHDS2]

Value	Label	Unweighted Frequency	%
0	-	35505	69.7 %
1	-	8168	16.0 %
2	-	4318	8.5 %
3	-	1892	3.7 %
4	-	686	1.3 %
5	-	252	0.5 %
6	6 or more	104	0.2 %
Missing Data			
.	-	33	0.1 %
Total		50,958	100%

Based upon 50,925 valid cases out of 50,958 total cases.

- Mean: 0.53
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.98

Location: 294-294 (width: 1; decimal: 0)

Variable Type: numeric

FH4C: EQ27 19.4 N children died (entered) [IHDS2]

Value	Label	Unweighted Frequency	%
0	-	41200	80.9 %
1	-	6499	12.8 %
2	-	2079	4.1 %
3	-	699	1.4 %
4	4 or more	448	0.9 %
Missing Data			
.	-	33	0.1 %
Total		50,958	100%

Based upon 50,925 valid cases out of 50,958 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.69

Location: 295-295 (width: 1; decimal: 0)

Variable Type: numeric

FH5C: EQ27 19.5 N children born (calc son+daughter/2+3+4)

Value	Label	Unweighted Frequency	%
0	-	2043	4.0 %
1	-	5041	9.9 %
2	-	14240	27.9 %
3	-	12513	24.6 %
4	-	7685	15.1 %
5	-	4293	8.4 %
6	-	2345	4.6 %
7	-	1277	2.5 %
8	-	757	1.5 %
9	9 or more	731	1.4 %
Missing Data			
.	-	33	0.1 %
Total		50,958	100%

Based upon 50,925 valid cases out of 50,958 total cases.

- Mean: 3.12
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 1.79

Location: 296-296 (width: 1; decimal: 0)

Variable Type: numeric

FH6: EQ27 19.6 # still births

Value	Label	Unweighted Frequency	%
0	-	45528	89.3 %
1	-	2082	4.1 %
2	-	504	1.0 %
3	-	110	0.2 %
4	-	33	0.1 %

Value	Label	Unweighted Frequency	%
5	-	11	0.0 %
6	6 or more	14	0.0 %
	Missing Data		
.	-	2676	5.3 %
	Total	50,958	100%

Based upon 48,282 valid cases out of 50,958 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.36

Location: 297-297 (width: 1; decimal: 0)

Variable Type: numeric

FH7: EQ27 19.7 # miscarriages

Value	Label	Unweighted Frequency	%
0	-	41624	81.7 %
1	-	4343	8.5 %
2	-	1292	2.5 %
3	-	411	0.8 %
4	-	151	0.3 %
5	-	48	0.1 %
6	6 or more	28	0.1 %
	Missing Data		
.	-	3061	6.0 %
	Total	50,958	100%

Based upon 47,897 valid cases out of 50,958 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.58

Location: 298-298 (width: 1; decimal: 0)

Variable Type: numeric

FH7A: EQ27 19.7a # spontaneous miscarr

Value	Label	Unweighted Frequency	%
0	-	43108	84.6 %
1	-	3406	6.7 %
2	-	888	1.7 %
3	-	276	0.5 %
4	-	83	0.2 %
5	-	33	0.1 %
6	6 or more	20	0.0 %
Missing Data			
.	-	3144	6.2 %
Total		50,958	100%

Based upon 47,814 valid cases out of 50,958 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.49

Location: 299-299 (width: 1; decimal: 0)

Variable Type: numeric

FH7B: EQ27 19.7b # abortions

Value	Label	Unweighted Frequency	%
0	-	46014	90.3 %
1	-	1108	2.2 %
2	-	305	0.6 %
3	-	73	0.1 %
4	-	32	0.1 %
5	5 or more	14	0.0 %
Missing Data			
.	-	3412	6.7 %
Total		50,958	100%

Based upon 47,546 valid cases out of 50,958 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.28

Location: 300-300 (width: 1; decimal: 0)

Variable Type: numeric

FP1: EQ29 21.1 Current pregnancy

Value	Label	Unweighted Frequency	%
0	No 0	46574	91.4 %
1	Yes 1	1576	3.1 %
	Missing Data		
.	-	2808	5.5 %
	Total	50,958	100%

Based upon 48,150 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 301-301 (width: 1; decimal: 0)

Variable Type: numeric

FP2A: EQ29 21.2a Contraceptive usage

Value	Label	Unweighted Frequency	%
0	No 0	13468	26.4 %
1	Yes 1	32872	64.5 %
	Missing Data		
.	-	4618	9.1 %
	Total	50,958	100%

Based upon 46,340 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 302-302 (width: 1; decimal: 0)

Variable Type: numeric

FP2B: EQ29 21.2b Contraception Method1

Value	Label	Unweighted Frequency	%
1	Oral pill 1	2022	4.0 %
2	Copper T/IUD 2	839	1.6 %
3	Diaphragm/Jelly 3	35	0.1 %
4	Injectable 4	404	0.8 %
5	Condom 5	2468	4.8 %
6	Fem sterilization 6	22366	43.9 %
7	Male sterilization 7	578	1.1 %
8	Abstinence 8	2011	3.9 %

Value	Label	Unweighted Frequency	%
9	Withdrawal 9	629	1.2 %
10	Hysterectomy 10	622	1.2 %
11	Others 11	287	0.6 %
	Missing Data		
.	-	18697	36.7 %
	Total	50,958	100%

Based upon 32,261 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 11.00

Location: 303-304 (width: 2; decimal: 0)

Variable Type: numeric

FP2C: EQ29 21.2b Contraception Method2

Value	Label	Unweighted Frequency	%
1	Oral pill 1	211	0.4 %
2	Copper T/IUD 2	82	0.2 %
3	Diaphragm/Jelly 3	10	0.0 %
4	Injectible 4	122	0.2 %
5	Condom 5	381	0.7 %
6	Fem sterilization 6	282	0.6 %
7	Male sterilization 7	90	0.2 %
8	Abstinence 8	199	0.4 %
9	Withdrawal 9	433	0.8 %
10	Hysterectomy 10	54	0.1 %
11	Others 11	28	0.1 %
	Missing Data		
.	-	49066	96.3 %
	Total	50,958	100%

Based upon 1,892 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 11.00

Location: 305-306 (width: 2; decimal: 0)

Variable Type: numeric

FP3A: EQ29 21.3a More children desired

Value	Label	Unweighted Frequency	%
0	No 0	15195	29.8 %
1	No, sterilized 1	20778	40.8 %
2	Not fertile 2	3782	7.4 %
3	Yes 3	5334	10.5 %
	Missing Data		
.	-	5869	11.5 %
	Total	50,958	100%

Based upon 45,089 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 307-307 (width: 1; decimal: 0)

Variable Type: numeric

FP3B: EQ29 21.3b # more desired [IHDS1~=IHDS2]

Value	Label	Unweighted Frequency	%
1	-	2865	5.6 %
2	-	1325	2.6 %
3	-	185	0.4 %
4	-	54	0.1 %
5	-	12	0.0 %
6	-	1	0.0 %
7	-	1	0.0 %
12	-	1	0.0 %
	Missing Data		
.	-	46514	91.3 %
	Total	50,958	100%

Based upon 4,444 valid cases out of 50,958 total cases.

- Mean: 1.43
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 0.69

Location: 308-309 (width: 2; decimal: 0)

Variable Type: numeric

FP3C: EQ29 21.3c Time next childbirth

Value	Label	Unweighted Frequency	%
1	Within 2 years 1	1378	2.7 %
2	After 2 years 2	2313	4.5 %
3	No preference 3	1561	3.1 %
	Missing Data		
.	-	45706	89.7 %
	Total	50,958	100%

Based upon 5,252 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 310-310 (width: 1; decimal: 0)

Variable Type: numeric

FP4A: EQ29 21.4a More ch desired Husb

Value	Label	Unweighted Frequency	%
0	No 0	19273	37.8 %
1	Yes 1	5512	10.8 %
	Missing Data		
.	-	26173	51.4 %
	Total	50,958	100%

Based upon 24,785 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 311-311 (width: 1; decimal: 0)

Variable Type: numeric

FP4B: EQ29 21.4b # more desired Husb [IHDS1~=IHDS2]

Value	Label	Unweighted Frequency	%
1	-	2894	5.7 %
2	-	1380	2.7 %
3	-	230	0.5 %
4	-	65	0.1 %
5	-	18	0.0 %
6	-	3	0.0 %
7	-	3	0.0 %
8	-	7	0.0 %
9	-	2	0.0 %

Value	Label	Unweighted Frequency	%
11	-	1	0.0 %
12	-	1	0.0 %
	Missing Data		
.	-	46354	91.0 %
	Total	50,958	100%

Based upon 4,604 valid cases out of 50,958 total cases.

- Mean: 1.48
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 0.80

Location: 312-313 (width: 2; decimal: 0)

Variable Type: numeric

FP4C: EQ29 21.4c Time next birth Husb

Value	Label	Unweighted Frequency	%
1	Within 2 years 1	1537	3.0 %
2	After 2 years 2	2687	5.3 %
3	No preference 3	1785	3.5 %
	Missing Data		
.	-	44949	88.2 %
	Total	50,958	100%

Based upon 6,009 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 314-314 (width: 1; decimal: 0)

Variable Type: numeric

FP5: EQ29 21.5 # children ideally

Value	Label	Unweighted Frequency	%
0	-	614	1.2 %
1	-	1862	3.7 %
2	-	28462	55.9 %
3	-	10237	20.1 %
4	-	5753	11.3 %
5	-	607	1.2 %
6	-	351	0.7 %

Value	Label	Unweighted Frequency	%
7	-	34	0.1 %
8	-	49	0.1 %
9	-	6	0.0 %
10	-	11	0.0 %
11	-	1	0.0 %
12	-	7	0.0 %
18	-	8	0.0 %
20	-	1	0.0 %
Missing Data			
.	-	2955	5.8 %
Total		50,958	100%

Based upon 48,003 valid cases out of 50,958 total cases.

- Mean: 2.47
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 0.96

Location: 315-316 (width: 2; decimal: 0)

Variable Type: numeric

FP5A: EQ29 21.5a # sons ideally

Value	Label	Unweighted Frequency	%
0	-	510	1.0 %
1	-	27142	53.3 %
2	-	14622	28.7 %
3	-	1369	2.7 %
4	-	257	0.5 %
5	-	43	0.1 %
6	-	15	0.0 %
7	-	4	0.0 %
8	-	6	0.0 %
10	-	4	0.0 %
11	-	1	0.0 %
Missing Data			
.	-	6985	13.7 %
Total		50,958	100%

Based upon 43,973 valid cases out of 50,958 total cases.

- Mean: 1.41
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 0.63

Location: 317-318 (width: 2; decimal: 0)

Variable Type: numeric

FP5B: EQ29 21.5b # daughters ideally

Value	Label	Unweighted Frequency	%
0	-	1568	3.1 %
1	-	35430	69.5 %
2	-	6109	12.0 %
3	-	383	0.8 %
4	-	92	0.2 %
5	-	25	0.0 %
6	-	7	0.0 %
7	-	1	0.0 %
10	-	3	0.0 %
11	-	2	0.0 %
15	-	1	0.0 %
Missing Data			
.	-	7337	14.4 %
Total		50,958	100%

Based upon 43,621 valid cases out of 50,958 total cases.

- Mean: 1.13
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 0.49

Location: 319-320 (width: 2; decimal: 0)

Variable Type: numeric

LB0Y: EH29-32 Answers to last birth section

Value	Label	Unweighted Frequency	%
0	No 0	35803	70.3 %
1	Yes 1	15155	29.7 %
Total		50,958	100%

Based upon 50,958 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 321-321 (width: 1; decimal: 0)

Variable Type: numeric

LB0: EQ30 22.0 Nbirths since Jan2005

Value	Label	Unweighted Frequency	%
0	None 0	35907	70.5 %
1	-	8932	17.5 %
2	-	4914	9.6 %
3	-	1035	2.0 %
4	-	155	0.3 %
5	-	13	0.0 %
6	-	2	0.0 %
Total		50,958	100%

Based upon 50,958 valid cases out of 50,958 total cases.

- Mean: 0.44
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.78

Location: 322-322 (width: 1; decimal: 0)

Variable Type: numeric

LB1A: EQ30 22.1a Birth ID: LB

Value	Label	Unweighted Frequency	%
1	-	2503	4.9 %
2	-	4534	8.9 %
3	-	3232	6.3 %
4	-	1914	3.8 %
5	-	1201	2.4 %
6	-	692	1.4 %
7	-	426	0.8 %
8	-	260	0.5 %
9	-	138	0.3 %
10	-	86	0.2 %
11	-	39	0.1 %
12	-	14	0.0 %
13	-	7	0.0 %

Value	Label	Unweighted Frequency	%
14	-	1	0.0 %
15	-	2	0.0 %
	Missing Data		
.	-	35909	70.5 %
	Total	50,958	100%

Based upon 15,049 valid cases out of 50,958 total cases.

- Mean: 3.12
- Median: 3.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 15.00
- Standard Deviation: 1.90

Location: 323-324 (width: 2; decimal: 0)

Variable Type: numeric

LB1B: EQ30 22.1b LB Survival

Value	Label	Unweighted Frequency	%
1	Alive 1	14644	28.7 %
2	Dead 2	442	0.9 %
	Missing Data		
.	-	35872	70.4 %
	Total	50,958	100%

Based upon 15,086 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 325-325 (width: 1; decimal: 0)

Variable Type: numeric

LB5: EQ30 22.5 LB Antenatal checkup

Value	Label	Unweighted Frequency	%
0	No 0	3009	5.9 %
1	Yes 1	11704	23.0 %
	Missing Data		
.	-	36245	71.1 %
	Total	50,958	100%

Based upon 14,713 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 326-326 (width: 1; decimal: 0)

Variable Type: numeric

LB6A: EQ30 22.6a LB checkup Gov clinic

Value	Label	Unweighted Frequency	%
0	No 0	7702	15.1 %
1	Yes 1	6921	13.6 %
	Missing Data		
.	-	36335	71.3 %
	Total	50,958	100%

Based upon 14,623 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 327-327 (width: 1; decimal: 0)

Variable Type: numeric

LB6B: EQ30 22.6b LB checkup Pvt clinic

Value	Label	Unweighted Frequency	%
0	No 0	9689	19.0 %
1	Yes 1	4933	9.7 %
	Missing Data		
.	-	36336	71.3 %
	Total	50,958	100%

Based upon 14,622 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 328-328 (width: 1; decimal: 0)

Variable Type: numeric

LB6C: EQ30 22.6c LB checkup Gov as pvt

Value	Label	Unweighted Frequency	%
0	No 0	13760	27.0 %
1	Yes 1	862	1.7 %
	Missing Data		
.	-	36336	71.3 %
	Total	50,958	100%

Based upon 14,622 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 329-329 (width: 1; decimal: 0)

Variable Type: numeric

LB6D: EQ30 22.6d LB checkup Home

Value	Label	Unweighted Frequency	%
0	No 0	13656	26.8 %
1	Yes 1	967	1.9 %
	Missing Data		
.	-	36335	71.3 %
	Total	50,958	100%

Based upon 14,623 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 330-330 (width: 1; decimal: 0)

Variable Type: numeric

LB7A: EQ30 22.7a LB checkup doctor

Value	Label	Unweighted Frequency	%
0	No 0	5226	10.3 %
1	Yes 1	8507	16.7 %
	Missing Data		
.	-	37225	73.1 %
	Total	50,958	100%

Based upon 13,733 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 331-331 (width: 1; decimal: 0)

Variable Type: numeric

LB7B: EQ30 22.7b LB checkup Nurse/ANM

Value	Label	Unweighted Frequency	%
0	No 0	6999	13.7 %
1	Yes 1	6726	13.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	37233	73.1 %
Total		50,958	100%

Based upon 13,725 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 332-332 (width: 1; decimal: 0)

Variable Type: numeric

LB7C: EQ30 22.7c LB checkup Midwife

Value	Label	Unweighted Frequency	%
0	No 0	12689	24.9 %
1	Yes 1	1036	2.0 %
Missing Data			
.	-	37233	73.1 %
Total		50,958	100%

Based upon 13,725 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 333-333 (width: 1; decimal: 0)

Variable Type: numeric

LB7D: EQ30 22.7d LB checkup By other

Value	Label	Unweighted Frequency	%
0	No 0	13391	26.3 %
1	Yes 1	323	0.6 %
Missing Data			
.	-	37244	73.1 %
Total		50,958	100%

Based upon 13,714 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 334-334 (width: 1; decimal: 0)

Variable Type: numeric

LB8: EQ30 22.8 LB Visit by pub health

Value	Label	Unweighted Frequency	%
0	No 0	10408	20.4 %
1	Yes 1	4081	8.0 %
	Missing Data		
.	-	36469	71.6 %
	Total	50,958	100%

Based upon 14,489 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 335-335 (width: 1; decimal: 0)

Variable Type: numeric

LB10: EQ30 22.10 LB checkup Months

Value	Label	Unweighted Frequency	%
0	-	1211	2.4 %
1	-	720	1.4 %
2	-	2633	5.2 %
3	-	4563	9.0 %
4	-	1649	3.2 %
5	-	1291	2.5 %
6	-	322	0.6 %
7	-	297	0.6 %
8	-	113	0.2 %
9	-	74	0.1 %
	Missing Data		
.	-	38085	74.7 %
	Total	50,958	100%

Based upon 12,873 valid cases out of 50,958 total cases.

- Mean: 2.98
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 1.68

Location: 336-336 (width: 1; decimal: 0)

Variable Type: numeric

LB11: EQ30 22.11 LB # checkups

Value	Label	Unweighted Frequency	%
0	-	2171	4.3 %
1	-	1010	2.0 %
2	-	2501	4.9 %
3	-	2409	4.7 %
4	-	1410	2.8 %
5	-	1128	2.2 %
6	-	1071	2.1 %
7	-	603	1.2 %
8	-	540	1.1 %
9	-	553	1.1 %
10	-	260	0.5 %
11	-	7	0.0 %
12	-	72	0.1 %
13	-	7	0.0 %
14	-	11	0.0 %
15	-	31	0.1 %
16	-	6	0.0 %
18	-	9	0.0 %
19	-	1	0.0 %
20	-	10	0.0 %
21	-	2	0.0 %
22	-	2	0.0 %
24	-	2	0.0 %
25	-	1	0.0 %
30	-	2	0.0 %
31	-	1	0.0 %
32	-	1	0.0 %
Missing Data			
.	-	37137	72.9 %
Total		50,958	100%

Based upon 13,821 valid cases out of 50,958 total cases.

- Mean: 3.58
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 32.00
- Standard Deviation: 2.92

Location: 337-338 (*width:* 2; *decimal:* 0)

Variable Type: numeric

LB12A: EQ31 22.12a LB checkup Weight

Value	Label	Unweighted Frequency	%
0	No 0	4912	9.6 %
1	Yes 1	9236	18.1 %
	Missing Data		
.	-	36810	72.2 %
	Total	50,958	100%

Based upon 14,148 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 339-339 (width: 1; decimal: 0)

Variable Type: numeric

LB12B: EQ31 22.12b LB checkup BP

Value	Label	Unweighted Frequency	%
0	No 0	5435	10.7 %
1	Yes 1	8717	17.1 %
	Missing Data		
.	-	36806	72.2 %
	Total	50,958	100%

Based upon 14,152 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 340-340 (width: 1; decimal: 0)

Variable Type: numeric

LB12C: EQ31 22.12c LB checkup Blood Test

Value	Label	Unweighted Frequency	%
0	No 0	5323	10.4 %
1	Yes 1	8829	17.3 %
	Missing Data		
.	-	36806	72.2 %
	Total	50,958	100%

Based upon 14,152 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 341-341 (width: 1; decimal: 0)

Variable Type: numeric

LB12D: EQ31 22.12d LB checkup Urine Test

Value	Label	Unweighted Frequency	%
0	No 0	5424	10.6 %
1	Yes 1	8725	17.1 %
	Missing Data		
.	-	36809	72.2 %
	Total	50,958	100%

Based upon 14,149 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 342-342 (width: 1; decimal: 0)

Variable Type: numeric

LB12E: EQ31 22.12e LB checkup Abdomen

Value	Label	Unweighted Frequency	%
0	No 0	4538	8.9 %
1	Yes 1	9623	18.9 %
	Missing Data		
.	-	36797	72.2 %
	Total	50,958	100%

Based upon 14,161 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 343-343 (width: 1; decimal: 0)

Variable Type: numeric

LB12F: EQ31 22.12f LB checkup Internal

Value	Label	Unweighted Frequency	%
0	No 0	10059	19.7 %
1	Yes 1	4099	8.0 %
	Missing Data		
.	-	36800	72.2 %
	Total	50,958	100%

Based upon 14,158 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 344-344 (width: 1; decimal: 0)

Variable Type: numeric

LB12G: EQ31 22.12g LB checkup Sonogram

Value	Label	Unweighted Frequency	%
0	No 0	9695	19.0 %
1	Yes 1	4407	8.6 %
	Missing Data		
.	-	36856	72.3 %
	Total	50,958	100%

Based upon 14,102 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 345-345 (width: 1; decimal: 0)

Variable Type: numeric

LB12H: EQ31 22.12h LB checkup Amnio

Value	Label	Unweighted Frequency	%
0	No 0	12650	24.8 %
1	Yes 1	1383	2.7 %
	Missing Data		
.	-	36925	72.5 %
	Total	50,958	100%

Based upon 14,033 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 346-346 (width: 1; decimal: 0)

Variable Type: numeric

LB13A: EQ31 22.13a LB prob: Night blindness

Value	Label	Unweighted Frequency	%
0	No 0	13872	27.2 %
1	Yes 1	851	1.7 %
	Missing Data		
.	-	36235	71.1 %
	Total	50,958	100%

Based upon 14,723 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 347-347 (width: 1; decimal: 0)

Variable Type: numeric

LB13B: EQ31 22.13b LB prob: Blurred vision

Value	Label	Unweighted Frequency	%
0	No 0	13160	25.8 %
1	Yes 1	1558	3.1 %
	Missing Data		
.	-	36240	71.1 %
	Total	50,958	100%

Based upon 14,718 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 348-348 (width: 1; decimal: 0)

Variable Type: numeric

LB13C: EQ31 22.13c LB prob: Convulsions

Value	Label	Unweighted Frequency	%
0	No 0	12764	25.0 %
1	Yes 1	1950	3.8 %
	Missing Data		
.	-	36244	71.1 %
	Total	50,958	100%

Based upon 14,714 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 349-349 (width: 1; decimal: 0)

Variable Type: numeric

LB13E: EQ31 22.13e LB prob: Fatigue

Value	Label	Unweighted Frequency	%
0	No 0	8920	17.5 %
1	Yes 1	5792	11.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	36246	71.1 %
Total		50,958	100%

Based upon 14,712 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 350-350 (width: 1; decimal: 0)

Variable Type: numeric

LB13F: EQ31 22.13f LB prob: Anaemia

Value	Label	Unweighted Frequency	%
0	No 0	11383	22.3 %
1	Yes 1	3330	6.5 %
	Missing Data		
.	-	36245	71.1 %
Total		50,958	100%

Based upon 14,713 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 351-351 (width: 1; decimal: 0)

Variable Type: numeric

LB13G: EQ31 22.13g LB prob: Bleeding

Value	Label	Unweighted Frequency	%
0	No 0	14206	27.9 %
1	Yes 1	494	1.0 %
	Missing Data		
.	-	36258	71.2 %
Total		50,958	100%

Based upon 14,700 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 352-352 (width: 1; decimal: 0)

Variable Type: numeric

LB14: EQ31 22.14 LB Iron tablets

Value	Label	Unweighted Frequency	%
0	None 0	4295	8.4 %
1	Yes < 3 months 1	4381	8.6 %
2	Yes > 3 months 2	5428	10.7 %
	Missing Data		
.	-	36854	72.3 %
	Total	50,958	100%

Based upon 14,104 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 353-353 (width: 1; decimal: 0)

Variable Type: numeric

LB15: EQ31 22.15 LB # TT injections

Value	Label	Unweighted Frequency	%
0	Did not receive 0	1927	3.8 %
1	-	1156	2.3 %
2	-	8190	16.1 %
3	-	3355	6.6 %
4	-	26	0.1 %
5	-	6	0.0 %
6	-	3	0.0 %
7	-	1	0.0 %
8	-	5	0.0 %
9	-	1	0.0 %
	Missing Data		
.	-	36288	71.2 %
	Total	50,958	100%

Based upon 14,670 valid cases out of 50,958 total cases.

- Mean: 1.90
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 0.92

Location: 354-354 (width: 1; decimal: 0)

Variable Type: numeric

LB16: EQ31 22.16 LB Pre-delivery home

Value	Label	Unweighted Frequency	%
1	Your home 1	11661	22.9 %
2	Natal home 2	2621	5.1 %
3	Others 3	366	0.7 %
	Missing Data		
.	-	36310	71.3 %
	Total	50,958	100%

Based upon 14,648 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 355-355 (width: 1; decimal: 0)

Variable Type: numeric

LB18: EQ31 22.18 LB Place of delivery

Value	Label	Unweighted Frequency	%
1	Government hospital or clinic 1	4252	8.3 %
2	Private nursing home 2	3145	6.2 %
3	Home 3	7285	14.3 %
4	Others 4	90	0.2 %
	Missing Data		
.	-	36186	71.0 %
	Total	50,958	100%

Based upon 14,772 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 356-356 (width: 1; decimal: 0)

Variable Type: numeric

LB26A: EQ32 22.26a LB delivery: doctor

Value	Label	Unweighted Frequency	%
0	No 0	7791	15.3 %
1	Yes 1	6776	13.3 %
	Missing Data		
.	-	36391	71.4 %
	Total	50,958	100%

Based upon 14,567 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 357-357 (width: 1; decimal: 0)

Variable Type: numeric

LB26B: EQ32 22.26b LB delivery: Nurse

Value	Label	Unweighted Frequency	%
0	No 0	8110	15.9 %
1	Yes 1	6459	12.7 %
	Missing Data		
.	-	36389	71.4 %
	Total	50,958	100%

Based upon 14,569 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 358-358 (width: 1; decimal: 0)

Variable Type: numeric

LB26C: EQ32 22.26c LB delivery: Midwife

Value	Label	Unweighted Frequency	%
0	No 0	8424	16.5 %
1	Yes 1	6143	12.1 %
	Missing Data		
.	-	36391	71.4 %
	Total	50,958	100%

Based upon 14,567 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 359-359 (width: 1; decimal: 0)

Variable Type: numeric

LB26D: EQ32 22.26d LB delivery: Friend

Value	Label	Unweighted Frequency	%
0	No 0	9492	18.6 %
1	Yes 1	5074	10.0 %
	Missing Data		
.	-	36392	71.4 %
	Total	50,958	100%

Based upon 14,566 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 360-360 (width: 1; decimal: 0)

Variable Type: numeric

LB26E: EQ32 22.26e LB delivery: Others

Value	Label	Unweighted Frequency	%
0	No 0	12841	25.2 %
1	Yes 1	1724	3.4 %
	Missing Data		
.	-	36393	71.4 %
	Total	50,958	100%

Based upon 14,565 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 361-361 (width: 1; decimal: 0)

Variable Type: numeric

LB27: EQ32 22.27 LB Size of child

Value	Label	Unweighted Frequency	%
1	Large 1	1721	3.4 %
2	Average 2	10402	20.4 %
3	Small 3	2233	4.4 %
4	Very small 4	352	0.7 %
	Missing Data		
.	-	36250	71.1 %
	Total	50,958	100%

Based upon 14,708 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 362-362 (width: 1; decimal: 0)

Variable Type: numeric

LB28: EQ32 22.28 LB Type of Delivery

Value	Label	Unweighted Frequency	%
1	A normal delivery 1	13056	25.6 %

Value	Label	Unweighted Frequency	%
2	Forceps 2	490	1.0 %
3	Cesarean 3	1165	2.3 %
	Missing Data		
.	-	36247	71.1 %
	Total	50,958	100%

Based upon 14,711 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 363-363 (width: 1; decimal: 0)

Variable Type: numeric

LB30: EQ32 22.30 LB Post-natal checkup

Value	Label	Unweighted Frequency	%
0	None 0	8371	16.4 %
1	Only me 1	865	1.7 %
2	only my baby 2	1978	3.9 %
3	Both 3	3482	6.8 %
	Missing Data		
.	-	36262	71.2 %
	Total	50,958	100%

Based upon 14,696 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 364-364 (width: 1; decimal: 0)

Variable Type: numeric

LB31: EQ32 22.31 LB when post-checkup

Value	Label	Unweighted Frequency	%
0	-	717	1.4 %
1	-	2394	4.7 %
2	-	586	1.1 %
3	-	229	0.4 %
4	-	107	0.2 %
5	-	144	0.3 %
6	-	55	0.1 %
7	-	158	0.3 %

Value	Label	Unweighted Frequency	%
8	-	134	0.3 %
9	-	49	0.1 %
10	-	130	0.3 %
11	-	8	0.0 %
12	-	26	0.1 %
13	-	6	0.0 %
14	-	7	0.0 %
15	-	326	0.6 %
16	-	3	0.0 %
17	-	8	0.0 %
18	-	5	0.0 %
20	-	134	0.3 %
21	-	12	0.0 %
22	-	9	0.0 %
23	-	5	0.0 %
24	-	19	0.0 %
25	-	45	0.1 %
26	-	6	0.0 %
27	-	2	0.0 %
28	-	5	0.0 %
29	-	4	0.0 %
30	-	693	1.4 %
31	-	8	0.0 %
32	-	7	0.0 %
33	-	1	0.0 %
34	-	1	0.0 %
35	-	19	0.0 %
36	-	4	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	53	0.1 %
41	-	3	0.0 %
42	-	4	0.0 %
43	-	1	0.0 %
45	-	185	0.4 %
46	-	1	0.0 %
50	-	12	0.0 %
56	-	1	0.0 %
58	-	1	0.0 %

Value	Label	Unweighted Frequency	%
59	-	1	0.0 %
60	-	125	0.2 %
62	-	4	0.0 %
	Missing Data		
.	-	44453	87.2 %
	Total	50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 6,505 valid cases out of 50,958 total cases.

- Mean: 10.15
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 90.00
- Standard Deviation: 15.45

Location: 365-366 (width: 2; decimal: 0)

Variable Type: numeric

LB32A: EQ32 22.32a LB Vaginal bleeding

Value	Label	Unweighted Frequency	%
0	No 0	13296	26.1 %
1	Yes 1	1208	2.4 %
	Missing Data		
.	-	36454	71.5 %
	Total	50,958	100%

Based upon 14,504 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 367-367 (width: 1; decimal: 0)

Variable Type: numeric

LB32C: EQ32 22.32c LB Very high fever

Value	Label	Unweighted Frequency	%
0	No 0	12675	24.9 %
1	Yes 1	1794	3.5 %
	Missing Data		
.	-	36489	71.6 %
	Total	50,958	100%

Based upon 14,469 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 368-368 (width: 1; decimal: 0)

Variable Type: numeric

LB33: EQ33 22.33 LB Immunization card

Value	Label	Unweighted Frequency	%
0	No 0	5951	11.7 %
1	Yes, not seen 1	4681	9.2 %
2	Yes, seen 2	3916	7.7 %
	Missing Data		
.	-	36410	71.5 %
	Total	50,958	100%

Based upon 14,548 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 369-369 (width: 1; decimal: 0)

Variable Type: numeric

LB34AD: EQ33 22.34a LB Immun BCG day

Value	Label	Unweighted Frequency	%
1	-	113	0.2 %
2	-	119	0.2 %
3	-	135	0.3 %
4	-	121	0.2 %
5	-	139	0.3 %
6	-	125	0.2 %
7	-	149	0.3 %
8	-	125	0.2 %
9	-	129	0.3 %
10	-	154	0.3 %
11	-	103	0.2 %
12	-	127	0.2 %
13	-	114	0.2 %
14	-	150	0.3 %
15	-	122	0.2 %
16	-	122	0.2 %
17	-	118	0.2 %

Value	Label	Unweighted Frequency	%
18	-	131	0.3 %
19	-	123	0.2 %
20	-	139	0.3 %
21	-	122	0.2 %
22	-	116	0.2 %
23	-	100	0.2 %
24	-	112	0.2 %
25	-	99	0.2 %
26	-	98	0.2 %
27	-	94	0.2 %
28	-	86	0.2 %
29	-	80	0.2 %
30	-	83	0.2 %
31	-	45	0.1 %
Missing Data			
.	-	47365	92.9 %
Total		50,958	100%

Based upon 3,593 valid cases out of 50,958 total cases.

- Mean: 14.81
- Median: 14.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 31.00
- Standard Deviation: 8.45

Location: 370-371 (width: 2; decimal: 0)

Variable Type: numeric

LB34AM: EQ33 22.34a LB Immun BCG month

Value	Label	Unweighted Frequency	%
1	-	316	0.6 %
2	-	277	0.5 %
3	-	293	0.6 %
4	-	268	0.5 %
5	-	265	0.5 %
6	-	283	0.6 %
7	-	276	0.5 %
8	-	282	0.6 %
9	-	310	0.6 %
10	-	335	0.7 %

Value	Label	Unweighted Frequency	%
11	-	357	0.7 %
12	-	335	0.7 %
	Missing Data		
.	-	47361	92.9 %
	Total	50,958	100%

Based upon 3,597 valid cases out of 50,958 total cases.

- Mean: 6.71
- Median: 7.00
- Mode: 11.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.54

Location: 372-373 (width: 2; decimal: 0)

Variable Type: numeric

LB34AY: EQ33 22.34a LB Immun BCG year

Value	Label	Unweighted Frequency	%
2000	-	141	0.3 %
2001	-	213	0.4 %
2002	-	343	0.7 %
2003	-	558	1.1 %
2004	-	808	1.6 %
2005	-	141	0.3 %
2006	-	116	0.2 %
2007	-	201	0.4 %
2008	-	198	0.4 %
2009	-	195	0.4 %
2010	-	241	0.5 %
2011	-	280	0.5 %
2012	-	66	0.1 %
	Missing Data		
.	-	47457	93.1 %
	Total	50,958	100%

Based upon 3,501 valid cases out of 50,958 total cases.

- Mean: 2005.21
- Median: 2004.00
- Mode: 2004.00
- Minimum: 2000.00
- Maximum: 2012.00

- Standard Deviation: 3.30

Location: 374-377 (*width:* 4; *decimal:* 0)

Variable Type: numeric

LB34ADATE: EQ33 22.34a LB Immun BCG integer date

Value	Label	Unweighted Frequency	%
14611	-	1	0.0 %
14614	-	2	0.0 %
14626	-	1	0.0 %
14634	-	1	0.0 %
14635	-	1	0.0 %
14640	-	1	0.0 %
14642	-	2	0.0 %
14643	-	1	0.0 %
14646	-	1	0.0 %
14647	-	1	0.0 %
14654	-	1	0.0 %
14655	-	1	0.0 %
14659	-	1	0.0 %
14663	-	1	0.0 %
14674	-	1	0.0 %
14679	-	1	0.0 %
14680	-	1	0.0 %
14682	-	1	0.0 %
14683	-	1	0.0 %
14690	-	2	0.0 %
14692	-	3	0.0 %
14693	-	1	0.0 %
14704	-	2	0.0 %
14708	-	1	0.0 %
14710	-	1	0.0 %
14713	-	1	0.0 %
14715	-	1	0.0 %
14716	-	2	0.0 %
14719	-	2	0.0 %
14722	-	1	0.0 %
14724	-	1	0.0 %
14732	-	1	0.0 %
14734	-	1	0.0 %
14737	-	1	0.0 %

Value	Label	Unweighted Frequency	%
14738	-	1	0.0 %
14740	-	1	0.0 %
14741	-	1	0.0 %
14742	-	1	0.0 %
14746	-	1	0.0 %
14747	-	2	0.0 %
14752	-	2	0.0 %
14760	-	1	0.0 %
14761	-	1	0.0 %
14768	-	1	0.0 %
14769	-	1	0.0 %
14770	-	1	0.0 %
14771	-	2	0.0 %
14774	-	2	0.0 %
14779	-	1	0.0 %
14788	-	1	0.0 %
Missing Data			
.	-	47457	93.1 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,501 valid cases out of 50,958 total cases.

- Mean: 16698.65
- Minimum: 14611.00
- Maximum: 19274.00
- Standard Deviation: 1205.11

Location: 378-382 (*width:* 5; *decimal:* 0)

Variable Type: numeric

LB34BD: EQ33 22.34b LB Immun Polio0 day

Value	Label	Unweighted Frequency	%
1	-	73	0.1 %
2	-	63	0.1 %
3	-	73	0.1 %
4	-	71	0.1 %
5	-	83	0.2 %
6	-	75	0.1 %
7	-	81	0.2 %

Value	Label	Unweighted Frequency	%
8	-	68	0.1 %
9	-	79	0.2 %
10	-	93	0.2 %
11	-	47	0.1 %
12	-	82	0.2 %
13	-	69	0.1 %
14	-	79	0.2 %
15	-	85	0.2 %
16	-	55	0.1 %
17	-	56	0.1 %
18	-	72	0.1 %
19	-	63	0.1 %
20	-	80	0.2 %
21	-	72	0.1 %
22	-	71	0.1 %
23	-	58	0.1 %
24	-	56	0.1 %
25	-	62	0.1 %
26	-	43	0.1 %
27	-	51	0.1 %
28	-	53	0.1 %
29	-	52	0.1 %
30	-	54	0.1 %
31	-	27	0.1 %
Missing Data			
.	-	48912	96.0 %
Total		50,958	100%

Based upon 2,046 valid cases out of 50,958 total cases.

- Mean: 14.79
- Median: 14.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 31.00
- Standard Deviation: 8.54

Location: 383-384 (width: 2; decimal: 0)

Variable Type: numeric

LB34BM: EQ33 22.34b LB Immun Polio0 month

Value	Label	Unweighted Frequency	%
1	-	169	0.3 %
2	-	166	0.3 %
3	-	158	0.3 %
4	-	148	0.3 %
5	-	160	0.3 %
6	-	161	0.3 %
7	-	160	0.3 %
8	-	153	0.3 %
9	-	194	0.4 %
10	-	199	0.4 %
11	-	198	0.4 %
12	-	176	0.3 %
Missing Data			
.	-	48916	96.0 %
Total		50,958	100%

Based upon 2,042 valid cases out of 50,958 total cases.

- Mean: 6.71
- Median: 7.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.50

Location: 385-386 (width: 2; decimal: 0)

Variable Type: numeric

LB34BY: EQ33 22.34b LB Immun Polio0 year

Value	Label	Unweighted Frequency	%
2000	-	78	0.2 %
2001	-	83	0.2 %
2002	-	128	0.3 %
2003	-	228	0.4 %
2004	-	348	0.7 %
2005	-	55	0.1 %
2006	-	97	0.2 %
2007	-	170	0.3 %
2008	-	155	0.3 %
2009	-	158	0.3 %
2010	-	205	0.4 %
2011	-	237	0.5 %

Value	Label	Unweighted Frequency	%
2012	-	49	0.1 %
	Missing Data		
-	-	48967	96.1 %
	Total	50,958	100%

Based upon 1,991 valid cases out of 50,958 total cases.

- Mean: 2006.21
- Median: 2006.00
- Mode: 2004.00
- Minimum: 2000.00
- Maximum: 2012.00
- Standard Deviation: 3.44

Location: 387-390 (width: 4; decimal: 0)

Variable Type: numeric

LB34BDATE: EQ33 22.34b LB Immun Polio0 integer date

Value	Label	Unweighted Frequency	%
14610	-	1	0.0 %
14614	-	1	0.0 %
14635	-	1	0.0 %
14638	-	1	0.0 %
14648	-	1	0.0 %
14659	-	1	0.0 %
14663	-	1	0.0 %
14674	-	1	0.0 %
14680	-	1	0.0 %
14683	-	1	0.0 %
14690	-	1	0.0 %
14692	-	1	0.0 %
14704	-	1	0.0 %
14710	-	1	0.0 %
14715	-	1	0.0 %
14716	-	1	0.0 %
14719	-	1	0.0 %
14720	-	1	0.0 %
14747	-	1	0.0 %
14749	-	1	0.0 %
14752	-	1	0.0 %
14768	-	1	0.0 %
14771	-	1	0.0 %

Value	Label	Unweighted Frequency	%
14774	-	1	0.0 %
14791	-	28	0.1 %
14792	-	1	0.0 %
14795	-	1	0.0 %
14797	-	1	0.0 %
14811	-	2	0.0 %
14818	-	2	0.0 %
14820	-	1	0.0 %
14823	-	1	0.0 %
14831	-	1	0.0 %
14834	-	1	0.0 %
14845	-	1	0.0 %
14861	-	1	0.0 %
14865	-	1	0.0 %
14869	-	1	0.0 %
14877	-	1	0.0 %
14894	-	1	0.0 %
14895	-	1	0.0 %
14899	-	1	0.0 %
14903	-	1	0.0 %
14907	-	1	0.0 %
14945	-	1	0.0 %
14950	-	1	0.0 %
14957	-	1	0.0 %
14971	-	1	0.0 %
14973	-	1	0.0 %
14980	-	1	0.0 %
Missing Data			
.	-	48967	96.1 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,991 valid cases out of 50,958 total cases.

- Mean: 17065.32
- Minimum: 14610.00
- Maximum: 19224.00
- Standard Deviation: 1257.82

Location: 391-395 (*width:* 5; *decimal:* 0)

Variable Type: numeric

LB34CD: EQ33 22.34c LB Immun DPT1 day

Value	Label	Unweighted Frequency	%
1	-	107	0.2 %
2	-	105	0.2 %
3	-	138	0.3 %
4	-	108	0.2 %
5	-	136	0.3 %
6	-	109	0.2 %
7	-	132	0.3 %
8	-	127	0.2 %
9	-	141	0.3 %
10	-	137	0.3 %
11	-	131	0.3 %
12	-	132	0.3 %
13	-	129	0.3 %
14	-	142	0.3 %
15	-	122	0.2 %
16	-	126	0.2 %
17	-	128	0.3 %
18	-	132	0.3 %
19	-	127	0.2 %
20	-	137	0.3 %
21	-	138	0.3 %
22	-	119	0.2 %
23	-	111	0.2 %
24	-	109	0.2 %
25	-	93	0.2 %
26	-	89	0.2 %
27	-	93	0.2 %
28	-	104	0.2 %
29	-	64	0.1 %
30	-	68	0.1 %
31	-	32	0.1 %
Missing Data			
.	-	47392	93.0 %
Total		50,958	100%

Based upon 3,566 valid cases out of 50,958 total cases.

- Mean: 14.85

- Median: 15.00
- Mode: 14.00
- Minimum: 1.00
- Maximum: 31.00
- Standard Deviation: 8.24

Location: 396-397 (width: 2; decimal: 0)

Variable Type: numeric

LB34CM: EQ33 22.34c LB Immun DPT1 month

Value	Label	Unweighted Frequency	%
1	-	329	0.6 %
2	-	288	0.6 %
3	-	284	0.6 %
4	-	253	0.5 %
5	-	287	0.6 %
6	-	265	0.5 %
7	-	279	0.5 %
8	-	268	0.5 %
9	-	294	0.6 %
10	-	328	0.6 %
11	-	323	0.6 %
12	-	372	0.7 %
Missing Data			
.	-	47388	93.0 %
Total		50,958	100%

Based upon 3,570 valid cases out of 50,958 total cases.

- Mean: 6.68
- Median: 7.00
- Mode: 12.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.58

Location: 398-399 (width: 2; decimal: 0)

Variable Type: numeric

LB34CY: EQ33 22.34c LB Immun DPT1 year

Value	Label	Unweighted Frequency	%
2000	-	130	0.3 %
2001	-	202	0.4 %
2002	-	345	0.7 %
2003	-	564	1.1 %

Value	Label	Unweighted Frequency	%
2004	-	779	1.5 %
2005	-	150	0.3 %
2006	-	117	0.2 %
2007	-	195	0.4 %
2008	-	193	0.4 %
2009	-	192	0.4 %
2010	-	233	0.5 %
2011	-	290	0.6 %
2012	-	85	0.2 %
Missing Data			
.	-	47483	93.2 %
Total		50,958	100%

Based upon 3,475 valid cases out of 50,958 total cases.

- Mean: 2005.27
- Median: 2004.00
- Mode: 2004.00
- Minimum: 2000.00
- Maximum: 2012.00
- Standard Deviation: 3.33

Location: 400-403 (width: 4; decimal: 0)

Variable Type: numeric

LB34CDATE: EQ33 22.34c LB Immun DPT1 integer date

Value	Label	Unweighted Frequency	%
14613	-	1	0.0 %
14617	-	1	0.0 %
14618	-	1	0.0 %
14621	-	1	0.0 %
14642	-	1	0.0 %
14654	-	1	0.0 %
14663	-	3	0.0 %
14674	-	1	0.0 %
14678	-	1	0.0 %
14681	-	1	0.0 %
14689	-	1	0.0 %
14705	-	1	0.0 %
14706	-	1	0.0 %
14710	-	2	0.0 %
14712	-	1	0.0 %

Value	Label	Unweighted Frequency	%
14718	-	1	0.0 %
14719	-	1	0.0 %
14724	-	1	0.0 %
14728	-	1	0.0 %
14730	-	1	0.0 %
14732	-	1	0.0 %
14734	-	2	0.0 %
14738	-	1	0.0 %
14740	-	3	0.0 %
14741	-	1	0.0 %
14746	-	1	0.0 %
14747	-	2	0.0 %
14749	-	1	0.0 %
14751	-	1	0.0 %
14754	-	1	0.0 %
14755	-	1	0.0 %
14758	-	2	0.0 %
14760	-	1	0.0 %
14765	-	1	0.0 %
14766	-	1	0.0 %
14767	-	1	0.0 %
14768	-	2	0.0 %
14769	-	1	0.0 %
14770	-	1	0.0 %
14774	-	2	0.0 %
14775	-	1	0.0 %
14778	-	1	0.0 %
14780	-	1	0.0 %
14781	-	1	0.0 %
14782	-	1	0.0 %
14783	-	2	0.0 %
14788	-	1	0.0 %
14791	-	1	0.0 %
14795	-	1	0.0 %
14796	-	1	0.0 %
Missing Data			
.	-	47484	93.2 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,474 valid cases out of 50,958 total cases.

- Mean: 16721.22
- Minimum: 14613.00
- Maximum: 19274.00
- Standard Deviation: 1210.93

Location: 404-408 (width: 5; decimal: 0)

Variable Type: numeric

LB34DD: EQ33 22.34d LB Immun DPT2 day

Value	Label	Unweighted Frequency	%
1	-	87	0.2 %
2	-	81	0.2 %
3	-	145	0.3 %
4	-	137	0.3 %
5	-	125	0.2 %
6	-	107	0.2 %
7	-	120	0.2 %
8	-	130	0.3 %
9	-	119	0.2 %
10	-	134	0.3 %
11	-	113	0.2 %
12	-	120	0.2 %
13	-	104	0.2 %
14	-	130	0.3 %
15	-	100	0.2 %
16	-	130	0.3 %
17	-	121	0.2 %
18	-	139	0.3 %
19	-	129	0.3 %
20	-	124	0.2 %
21	-	116	0.2 %
22	-	112	0.2 %
23	-	101	0.2 %
24	-	99	0.2 %
25	-	93	0.2 %
26	-	82	0.2 %
27	-	86	0.2 %
28	-	92	0.2 %
29	-	65	0.1 %

Value	Label	Unweighted Frequency	%
30	-	75	0.1 %
31	-	29	0.1 %
	Missing Data		
.	-	47613	93.4 %
	Total	50,958	100%

Based upon 3,345 valid cases out of 50,958 total cases.

- Mean: 14.86
- Median: 15.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 31.00
- Standard Deviation: 8.29

Location: 409-410 (width: 2; decimal: 0)

Variable Type: numeric

LB34DM: EQ33 22.34d LB Immun DPT2 month

Value	Label	Unweighted Frequency	%
1	-	318	0.6 %
2	-	298	0.6 %
3	-	280	0.5 %
4	-	268	0.5 %
5	-	227	0.4 %
6	-	281	0.6 %
7	-	264	0.5 %
8	-	253	0.5 %
9	-	267	0.5 %
10	-	259	0.5 %
11	-	301	0.6 %
12	-	330	0.6 %
	Missing Data		
.	-	47612	93.4 %
	Total	50,958	100%

Based upon 3,346 valid cases out of 50,958 total cases.

- Mean: 6.51
- Median: 7.00
- Mode: 12.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.58

Location: 411-412 (width: 2; decimal: 0)

Variable Type: numeric

LB34DY: EQ33 22.34d LB Immun DPT2 year

Value	Label	Unweighted Frequency	%
2000	-	121	0.2 %
2001	-	169	0.3 %
2002	-	327	0.6 %
2003	-	520	1.0 %
2004	-	735	1.4 %
2005	-	152	0.3 %
2006	-	108	0.2 %
2007	-	186	0.4 %
2008	-	181	0.4 %
2009	-	189	0.4 %
2010	-	228	0.4 %
2011	-	263	0.5 %
2012	-	91	0.2 %
Missing Data			
.	-	47688	93.6 %
Total		50,958	100%

Based upon 3,270 valid cases out of 50,958 total cases.

- Mean: 2005.34
- Median: 2004.00
- Mode: 2004.00
- Minimum: 2000.00
- Maximum: 2012.00
- Standard Deviation: 3.33

Location: 413-416 (width: 4; decimal: 0)

Variable Type: numeric

LB34DDATE: EQ33 22.34d LB Immun DPT2 integer date

Value	Label	Unweighted Frequency	%
14618	-	1	0.0 %
14632	-	1	0.0 %
14651	-	1	0.0 %
14661	-	1	0.0 %
14686	-	1	0.0 %
14691	-	2	0.0 %
14699	-	1	0.0 %

Value	Label	Unweighted Frequency	%
14705	-	1	0.0 %
14708	-	1	0.0 %
14720	-	1	0.0 %
14724	-	1	0.0 %
14739	-	1	0.0 %
14740	-	2	0.0 %
14741	-	1	0.0 %
14746	-	1	0.0 %
14749	-	1	0.0 %
14767	-	1	0.0 %
14768	-	1	0.0 %
14769	-	3	0.0 %
14771	-	1	0.0 %
14775	-	3	0.0 %
14776	-	1	0.0 %
14781	-	1	0.0 %
14782	-	2	0.0 %
14783	-	1	0.0 %
14784	-	1	0.0 %
14785	-	1	0.0 %
14786	-	2	0.0 %
14791	-	5	0.0 %
14795	-	3	0.0 %
14796	-	1	0.0 %
14799	-	1	0.0 %
14802	-	1	0.0 %
14803	-	1	0.0 %
14804	-	2	0.0 %
14806	-	1	0.0 %
14808	-	1	0.0 %
14810	-	1	0.0 %
14811	-	2	0.0 %
14812	-	1	0.0 %
14815	-	1	0.0 %
14817	-	1	0.0 %
14824	-	1	0.0 %
14830	-	1	0.0 %
14831	-	1	0.0 %
14832	-	1	0.0 %

Value	Label	Unweighted Frequency	%
14834	-	1	0.0 %
14835	-	1	0.0 %
14838	-	1	0.0 %
14841	-	1	0.0 %
Missing Data			
.	-	47690	93.6 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,268 valid cases out of 50,958 total cases.

- Mean: 16737.64
- Minimum: 14618.00
- Maximum: 19240.00
- Standard Deviation: 1206.93

Location: 417-421 (*width:* 5; *decimal:* 0)

Variable Type: numeric

LB34ED: EQ33 22.34e LB Immun DPT3 day

Value	Label	Unweighted Frequency	%
1	-	84	0.2 %
2	-	88	0.2 %
3	-	104	0.2 %
4	-	129	0.3 %
5	-	106	0.2 %
6	-	92	0.2 %
7	-	97	0.2 %
8	-	115	0.2 %
9	-	105	0.2 %
10	-	97	0.2 %
11	-	104	0.2 %
12	-	115	0.2 %
13	-	93	0.2 %
14	-	103	0.2 %
15	-	115	0.2 %
16	-	116	0.2 %
17	-	119	0.2 %
18	-	122	0.2 %
19	-	104	0.2 %

Value	Label	Unweighted Frequency	%
20	-	138	0.3 %
21	-	117	0.2 %
22	-	95	0.2 %
23	-	97	0.2 %
24	-	85	0.2 %
25	-	94	0.2 %
26	-	72	0.1 %
27	-	89	0.2 %
28	-	102	0.2 %
29	-	61	0.1 %
30	-	59	0.1 %
31	-	23	0.0 %
Missing Data			
-	-	47918	94.0 %
Total		50,958	100%

Based upon 3,040 valid cases out of 50,958 total cases.

- Mean: 15.11
- Median: 15.00
- Mode: 20.00
- Minimum: 1.00
- Maximum: 31.00
- Standard Deviation: 8.30

Location: 422-423 (width: 2; decimal: 0)

Variable Type: numeric

LB34EM: EQ33 22.34e LB Immun DPT3 month

Value	Label	Unweighted Frequency	%
1	-	260	0.5 %
2	-	287	0.6 %
3	-	292	0.6 %
4	-	212	0.4 %
5	-	231	0.5 %
6	-	226	0.4 %
7	-	251	0.5 %
8	-	252	0.5 %
9	-	250	0.5 %
10	-	249	0.5 %
11	-	240	0.5 %
12	-	291	0.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	47917	94.0 %
	Total	50,958	100%

Based upon 3,041 valid cases out of 50,958 total cases.

- Mean: 6.48
- Median: 7.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.54

Location: 424-425 (width: 2; decimal: 0)

Variable Type: numeric

LB34EY: EQ33 22.34e LB Immun DPT3 year

Value	Label	Unweighted Frequency	%
2000	-	104	0.2 %
2001	-	151	0.3 %
2002	-	290	0.6 %
2003	-	487	1.0 %
2004	-	628	1.2 %
2005	-	165	0.3 %
2006	-	109	0.2 %
2007	-	164	0.3 %
2008	-	167	0.3 %
2009	-	180	0.4 %
2010	-	213	0.4 %
2011	-	242	0.5 %
2012	-	86	0.2 %
	Missing Data		
.	-	47972	94.1 %
	Total	50,958	100%

Based upon 2,986 valid cases out of 50,958 total cases.

- Mean: 2005.40
- Median: 2004.00
- Mode: 2004.00
- Minimum: 2000.00
- Maximum: 2012.00
- Standard Deviation: 3.33

Location: 426-429 (width: 4; decimal: 0)

Variable Type: numeric

LB34EDATE: EQ33 22.34e LB Immun DPT3 integer date

Value	Label	Unweighted Frequency	%
14691	-	1	0.0 %
14718	-	1	0.0 %
14719	-	1	0.0 %
14722	-	1	0.0 %
14728	-	1	0.0 %
14746	-	1	0.0 %
14748	-	1	0.0 %
14759	-	1	0.0 %
14771	-	1	0.0 %
14781	-	1	0.0 %
14782	-	1	0.0 %
14783	-	1	0.0 %
14789	-	2	0.0 %
14791	-	8	0.0 %
14801	-	1	0.0 %
14804	-	2	0.0 %
14806	-	1	0.0 %
14810	-	2	0.0 %
14811	-	2	0.0 %
14817	-	1	0.0 %
14819	-	1	0.0 %
14821	-	2	0.0 %
14825	-	1	0.0 %
14826	-	1	0.0 %
14830	-	2	0.0 %
14831	-	3	0.0 %
14839	-	2	0.0 %
14845	-	1	0.0 %
14846	-	2	0.0 %
14847	-	2	0.0 %
14852	-	1	0.0 %
14859	-	1	0.0 %
14860	-	1	0.0 %
14861	-	1	0.0 %
14862	-	2	0.0 %
14866	-	1	0.0 %

Value	Label	Unweighted Frequency	%
14867	-	1	0.0 %
14869	-	1	0.0 %
14873	-	2	0.0 %
14874	-	1	0.0 %
14876	-	1	0.0 %
14877	-	1	0.0 %
14884	-	1	0.0 %
14886	-	1	0.0 %
14887	-	1	0.0 %
14888	-	1	0.0 %
14903	-	1	0.0 %
14905	-	1	0.0 %
14906	-	1	0.0 %
14908	-	1	0.0 %
Missing Data			
.	-	47973	94.1 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,985 valid cases out of 50,958 total cases.

- Mean: 16759.93
- Minimum: 14691.00
- Maximum: 19318.00
- Standard Deviation: 1203.47

Location: 430-434 (*width:* 5; *decimal:* 0)

Variable Type: numeric

LB34FD: EQ33 22.34f LB Immun Polio1 day

Value	Label	Unweighted Frequency	%
1	-	94	0.2 %
2	-	97	0.2 %
3	-	127	0.2 %
4	-	102	0.2 %
5	-	122	0.2 %
6	-	113	0.2 %
7	-	126	0.2 %
8	-	120	0.2 %
9	-	134	0.3 %

Value	Label	Unweighted Frequency	%
10	-	136	0.3 %
11	-	131	0.3 %
12	-	121	0.2 %
13	-	122	0.2 %
14	-	130	0.3 %
15	-	126	0.2 %
16	-	122	0.2 %
17	-	119	0.2 %
18	-	127	0.2 %
19	-	121	0.2 %
20	-	126	0.2 %
21	-	126	0.2 %
22	-	115	0.2 %
23	-	100	0.2 %
24	-	102	0.2 %
25	-	92	0.2 %
26	-	93	0.2 %
27	-	87	0.2 %
28	-	100	0.2 %
29	-	66	0.1 %
30	-	63	0.1 %
31	-	27	0.1 %
Missing Data			
.	-	47571	93.4 %
Total		50,958	100%

Based upon 3,387 valid cases out of 50,958 total cases.

- Mean: 14.90
- Median: 15.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 31.00
- Standard Deviation: 8.21

Location: 435-436 (width: 2; decimal: 0)

Variable Type: numeric

LB34FM: EQ33 22.34f LB Immun Polio1 month

Value	Label	Unweighted Frequency	%
1	-	312	0.6 %
2	-	279	0.5 %

Value	Label	Unweighted Frequency	%
3	-	270	0.5 %
4	-	248	0.5 %
5	-	274	0.5 %
6	-	251	0.5 %
7	-	273	0.5 %
8	-	251	0.5 %
9	-	283	0.6 %
10	-	291	0.6 %
11	-	307	0.6 %
12	-	353	0.7 %
Missing Data			
.	-	47566	93.3 %
Total		50,958	100%

Based upon 3,392 valid cases out of 50,958 total cases.

- Mean: 6.64
- Median: 7.00
- Mode: 12.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.58

Location: 437-438 (width: 2; decimal: 0)

Variable Type: numeric

LB34FY: EQ33 22.34f LB Immun Polio1 year

Value	Label	Unweighted Frequency	%
2000	-	123	0.2 %
2001	-	194	0.4 %
2002	-	327	0.6 %
2003	-	543	1.1 %
2004	-	721	1.4 %
2005	-	141	0.3 %
2006	-	113	0.2 %
2007	-	190	0.4 %
2008	-	190	0.4 %
2009	-	183	0.4 %
2010	-	231	0.5 %
2011	-	270	0.5 %
2012	-	79	0.2 %
Missing Data			

Value	Label	Unweighted Frequency	%
-		47653	93.5 %
Total		50,958	100%

Based upon 3,305 valid cases out of 50,958 total cases.

- Mean: 2005.29
- Median: 2004.00
- Mode: 2004.00
- Minimum: 2000.00
- Maximum: 2012.00
- Standard Deviation: 3.33

Location: 439-442 (width: 4; decimal: 0)

Variable Type: numeric

LB34FDATE: EQ33 22.34f LB Immun Polio1 integer date

Value	Label	Unweighted Frequency	%
14617	-	1	0.0 %
14621	-	1	0.0 %
14642	-	1	0.0 %
14663	-	3	0.0 %
14664	-	1	0.0 %
14674	-	1	0.0 %
14677	-	1	0.0 %
14681	-	1	0.0 %
14689	-	1	0.0 %
14705	-	1	0.0 %
14706	-	1	0.0 %
14710	-	1	0.0 %
14716	-	1	0.0 %
14718	-	1	0.0 %
14719	-	1	0.0 %
14723	-	1	0.0 %
14728	-	1	0.0 %
14730	-	1	0.0 %
14732	-	1	0.0 %
14734	-	3	0.0 %
14738	-	2	0.0 %
14740	-	4	0.0 %
14746	-	1	0.0 %
14747	-	2	0.0 %
14751	-	1	0.0 %

Value	Label	Unweighted Frequency	%
14755	-	1	0.0 %
14767	-	1	0.0 %
14768	-	2	0.0 %
14769	-	1	0.0 %
14774	-	2	0.0 %
14775	-	1	0.0 %
14777	-	1	0.0 %
14778	-	1	0.0 %
14780	-	1	0.0 %
14781	-	1	0.0 %
14783	-	3	0.0 %
14786	-	1	0.0 %
14791	-	2	0.0 %
14795	-	2	0.0 %
14796	-	1	0.0 %
14798	-	1	0.0 %
14799	-	1	0.0 %
14801	-	1	0.0 %
14804	-	1	0.0 %
14809	-	1	0.0 %
14810	-	1	0.0 %
14811	-	1	0.0 %
14812	-	2	0.0 %
14819	-	1	0.0 %
14823	-	2	0.0 %
Missing Data			
.	-	47654	93.5 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,304 valid cases out of 50,958 total cases.

- Mean: 16724.14
- Minimum: 14617.00
- Maximum: 19276.00
- Standard Deviation: 1211.73

Location: 443-447 (*width:* 5; *decimal:* 0)

Variable Type: numeric

LB34GD: EQ33 22.34g LB Immun Polio2 day

Value	Label	Unweighted Frequency	%
1	-	83	0.2 %
2	-	82	0.2 %
3	-	138	0.3 %
4	-	124	0.2 %
5	-	120	0.2 %
6	-	106	0.2 %
7	-	115	0.2 %
8	-	127	0.2 %
9	-	113	0.2 %
10	-	127	0.2 %
11	-	110	0.2 %
12	-	102	0.2 %
13	-	103	0.2 %
14	-	127	0.2 %
15	-	90	0.2 %
16	-	119	0.2 %
17	-	116	0.2 %
18	-	130	0.3 %
19	-	130	0.3 %
20	-	112	0.2 %
21	-	109	0.2 %
22	-	110	0.2 %
23	-	101	0.2 %
24	-	96	0.2 %
25	-	84	0.2 %
26	-	79	0.2 %
27	-	83	0.2 %
28	-	91	0.2 %
29	-	66	0.1 %
30	-	67	0.1 %
31	-	22	0.0 %
Missing Data			
.	-	47776	93.8 %
Total		50,958	100%

Based upon 3,182 valid cases out of 50,958 total cases.

- Mean: 14.84
- Median: 15.00
- Mode: 3.00

- Minimum: 1.00
- Maximum: 31.00
- Standard Deviation: 8.29

Location: 448-449 (width: 2; decimal: 0)

Variable Type: numeric

LB34GM: EQ33 22.34g LB Immun Polio2 month

Value	Label	Unweighted Frequency	%
1	-	304	0.6 %
2	-	280	0.5 %
3	-	267	0.5 %
4	-	249	0.5 %
5	-	226	0.4 %
6	-	257	0.5 %
7	-	249	0.5 %
8	-	256	0.5 %
9	-	247	0.5 %
10	-	254	0.5 %
11	-	272	0.5 %
12	-	323	0.6 %
Missing Data			
.	-	47774	93.8 %
Total		50,958	100%

Based upon 3,184 valid cases out of 50,958 total cases.

- Mean: 6.52
- Median: 7.00
- Mode: 12.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.58

Location: 450-451 (width: 2; decimal: 0)

Variable Type: numeric

LB34GY: EQ33 22.34g LB Immun Polio2 year

Value	Label	Unweighted Frequency	%
2000	-	112	0.2 %
2001	-	162	0.3 %
2002	-	311	0.6 %
2003	-	497	1.0 %
2004	-	686	1.3 %

Value	Label	Unweighted Frequency	%
2005	-	141	0.3 %
2006	-	110	0.2 %
2007	-	181	0.4 %
2008	-	178	0.3 %
2009	-	180	0.4 %
2010	-	218	0.4 %
2011	-	257	0.5 %
2012	-	85	0.2 %
Missing Data			
.	-	47840	93.9 %
Total		50,958	100%

Based upon 3,118 valid cases out of 50,958 total cases.

- Mean: 2005.36
- Median: 2004.00
- Mode: 2004.00
- Minimum: 2000.00
- Maximum: 2012.00
- Standard Deviation: 3.33

Location: 452-455 (width: 4; decimal: 0)

Variable Type: numeric

LB34GDATE: EQ33 22.34g LB Immun Polio2 integer date

Value	Label	Unweighted Frequency	%
14642	-	1	0.0 %
14661	-	1	0.0 %
14666	-	1	0.0 %
14680	-	1	0.0 %
14691	-	1	0.0 %
14692	-	1	0.0 %
14699	-	1	0.0 %
14705	-	1	0.0 %
14720	-	1	0.0 %
14724	-	1	0.0 %
14736	-	1	0.0 %
14739	-	1	0.0 %
14740	-	1	0.0 %
14741	-	1	0.0 %
14746	-	1	0.0 %
14749	-	1	0.0 %

Value	Label	Unweighted Frequency	%
14768	-	1	0.0 %
14769	-	2	0.0 %
14771	-	2	0.0 %
14775	-	3	0.0 %
14776	-	1	0.0 %
14781	-	1	0.0 %
14782	-	2	0.0 %
14783	-	1	0.0 %
14786	-	1	0.0 %
14791	-	7	0.0 %
14795	-	3	0.0 %
14796	-	2	0.0 %
14802	-	1	0.0 %
14804	-	2	0.0 %
14808	-	1	0.0 %
14809	-	1	0.0 %
14811	-	2	0.0 %
14812	-	1	0.0 %
14813	-	1	0.0 %
14815	-	1	0.0 %
14817	-	1	0.0 %
14821	-	1	0.0 %
14823	-	1	0.0 %
14824	-	1	0.0 %
14830	-	1	0.0 %
14831	-	1	0.0 %
14832	-	1	0.0 %
14834	-	1	0.0 %
14835	-	1	0.0 %
14838	-	1	0.0 %
14841	-	1	0.0 %
14843	-	1	0.0 %
14844	-	1	0.0 %
14846	-	1	0.0 %
Missing Data			
.	-	47840	93.9 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,118 valid cases out of 50,958 total cases.

- Mean: 16748.79
- Minimum: 14642.00
- Maximum: 19334.00
- Standard Deviation: 1210.21

Location: 456-460 (width: 5; decimal: 0)

Variable Type: numeric

LB34HD: EQ33 22.34h LB Immun Polio3 day

Value	Label	Unweighted Frequency	%
1	-	71	0.1 %
2	-	80	0.2 %
3	-	101	0.2 %
4	-	122	0.2 %
5	-	106	0.2 %
6	-	77	0.2 %
7	-	97	0.2 %
8	-	114	0.2 %
9	-	97	0.2 %
10	-	97	0.2 %
11	-	98	0.2 %
12	-	112	0.2 %
13	-	88	0.2 %
14	-	97	0.2 %
15	-	105	0.2 %
16	-	103	0.2 %
17	-	117	0.2 %
18	-	111	0.2 %
19	-	105	0.2 %
20	-	130	0.3 %
21	-	113	0.2 %
22	-	94	0.2 %
23	-	94	0.2 %
24	-	85	0.2 %
25	-	88	0.2 %
26	-	71	0.1 %
27	-	78	0.2 %
28	-	86	0.2 %
29	-	59	0.1 %

Value	Label	Unweighted Frequency	%
30	-	58	0.1 %
31	-	21	0.0 %
	Missing Data		
.	-	48083	94.4 %
	Total	50,958	100%

Based upon 2,875 valid cases out of 50,958 total cases.

- Mean: 15.12
- Median: 15.00
- Mode: 20.00
- Minimum: 1.00
- Maximum: 31.00
- Standard Deviation: 8.25

Location: 461-462 (width: 2; decimal: 0)

Variable Type: numeric

LB34HM: EQ33 22.34h LB Immun Polio3 month

Value	Label	Unweighted Frequency	%
1	-	243	0.5 %
2	-	255	0.5 %
3	-	286	0.6 %
4	-	216	0.4 %
5	-	218	0.4 %
6	-	220	0.4 %
7	-	234	0.5 %
8	-	232	0.5 %
9	-	252	0.5 %
10	-	222	0.4 %
11	-	232	0.5 %
12	-	265	0.5 %
	Missing Data		
.	-	48083	94.4 %
	Total	50,958	100%

Based upon 2,875 valid cases out of 50,958 total cases.

- Mean: 6.47
- Median: 6.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.51

Location: 463-464 (width: 2; decimal: 0)

Variable Type: numeric

LB34HY: EQ33 22.34h LB Immun Polio3 year

Value	Label	Unweighted Frequency	%
2000	-	99	0.2 %
2001	-	138	0.3 %
2002	-	272	0.5 %
2003	-	462	0.9 %
2004	-	582	1.1 %
2005	-	162	0.3 %
2006	-	102	0.2 %
2007	-	162	0.3 %
2008	-	163	0.3 %
2009	-	171	0.3 %
2010	-	196	0.4 %
2011	-	241	0.5 %
2012	-	73	0.1 %
Missing Data			
.	-	48135	94.5 %
Total		50,958	100%

Based upon 2,823 valid cases out of 50,958 total cases.

- Mean: 2005.41
- Median: 2004.00
- Mode: 2004.00
- Minimum: 2000.00
- Maximum: 2012.00
- Standard Deviation: 3.32

Location: 465-468 (width: 4; decimal: 0)

Variable Type: numeric

LB34HDATE: EQ33 22.34h LB Immun Polio3 integer date

Value	Label	Unweighted Frequency	%
14691	-	1	0.0 %
14708	-	1	0.0 %
14709	-	1	0.0 %
14719	-	1	0.0 %
14722	-	1	0.0 %
14748	-	1	0.0 %
14759	-	1	0.0 %

Value	Label	Unweighted Frequency	%
14781	-	1	0.0 %
14783	-	1	0.0 %
14789	-	2	0.0 %
14791	-	8	0.0 %
14801	-	2	0.0 %
14804	-	1	0.0 %
14806	-	1	0.0 %
14810	-	2	0.0 %
14811	-	1	0.0 %
14817	-	1	0.0 %
14821	-	1	0.0 %
14825	-	1	0.0 %
14826	-	2	0.0 %
14830	-	1	0.0 %
14831	-	3	0.0 %
14835	-	1	0.0 %
14839	-	2	0.0 %
14846	-	1	0.0 %
14847	-	1	0.0 %
14851	-	1	0.0 %
14852	-	1	0.0 %
14856	-	1	0.0 %
14859	-	1	0.0 %
14860	-	1	0.0 %
14861	-	1	0.0 %
14862	-	2	0.0 %
14866	-	1	0.0 %
14867	-	1	0.0 %
14869	-	1	0.0 %
14873	-	2	0.0 %
14874	-	1	0.0 %
14876	-	1	0.0 %
14877	-	1	0.0 %
14884	-	1	0.0 %
14886	-	2	0.0 %
14887	-	1	0.0 %
14905	-	1	0.0 %
14906	-	1	0.0 %
14908	-	1	0.0 %

Value	Label	Unweighted Frequency	%
14909	-	1	0.0 %
14913	-	1	0.0 %
14915	-	1	0.0 %
14916	-	2	0.0 %
Missing Data			
.	-	48136	94.5 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,822 valid cases out of 50,958 total cases.

- Mean: 16766.14
- Minimum: 14691.00
- Maximum: 19318.00
- Standard Deviation: 1201.70

Location: 469-473 (*width:* 5; *decimal:* 0)

Variable Type: numeric

LB34ID: EQ33 22.34i LB Immun Measls day

Value	Label	Unweighted Frequency	%
1	-	66	0.1 %
2	-	76	0.1 %
3	-	79	0.2 %
4	-	69	0.1 %
5	-	75	0.1 %
6	-	92	0.2 %
7	-	80	0.2 %
8	-	83	0.2 %
9	-	78	0.2 %
10	-	92	0.2 %
11	-	65	0.1 %
12	-	77	0.2 %
13	-	80	0.2 %
14	-	65	0.1 %
15	-	101	0.2 %
16	-	101	0.2 %
17	-	95	0.2 %
18	-	91	0.2 %
19	-	84	0.2 %

Value	Label	Unweighted Frequency	%
20	-	102	0.2 %
21	-	73	0.1 %
22	-	77	0.2 %
23	-	71	0.1 %
24	-	65	0.1 %
25	-	72	0.1 %
26	-	50	0.1 %
27	-	78	0.2 %
28	-	70	0.1 %
29	-	43	0.1 %
30	-	41	0.1 %
31	-	23	0.0 %
Missing Data			
-		48644	95.5 %
Total		50,958	100%

Based upon 2,314 valid cases out of 50,958 total cases.

- Mean: 15.08
- Median: 15.00
- Mode: 20.00
- Minimum: 1.00
- Maximum: 31.00
- Standard Deviation: 8.27

Location: 474-475 (width: 2; decimal: 0)

Variable Type: numeric

LB34IM: EQ33 22.34i LB Immun Measls month

Value	Label	Unweighted Frequency	%
1	-	179	0.4 %
2	-	179	0.4 %
3	-	191	0.4 %
4	-	183	0.4 %
5	-	181	0.4 %
6	-	190	0.4 %
7	-	214	0.4 %
8	-	220	0.4 %
9	-	192	0.4 %
10	-	201	0.4 %
11	-	190	0.4 %
12	-	197	0.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	48641	95.5 %
	Total	50,958	100%

Based upon 2,317 valid cases out of 50,958 total cases.

- Mean: 6.62
- Median: 7.00
- Mode: 8.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.41

Location: 476-477 (width: 2; decimal: 0)

Variable Type: numeric

LB34IY: EQ33 22.34i LB Immun Measls year

Value	Label	Unweighted Frequency	%
2000	-	53	0.1 %
2001	-	116	0.2 %
2002	-	223	0.4 %
2003	-	331	0.6 %
2004	-	487	1.0 %
2005	-	134	0.3 %
2006	-	100	0.2 %
2007	-	122	0.2 %
2008	-	157	0.3 %
2009	-	153	0.3 %
2010	-	170	0.3 %
2011	-	202	0.4 %
2012	-	66	0.1 %
	Missing Data		
.	-	48644	95.5 %
	Total	50,958	100%

Based upon 2,314 valid cases out of 50,958 total cases.

- Mean: 2005.61
- Median: 2004.00
- Mode: 2004.00
- Minimum: 2000.00
- Maximum: 2012.00
- Standard Deviation: 3.31

Location: 478-481 (width: 4; decimal: 0)

Variable Type: numeric

LB34IDATE: EQ33 22.34i LB Immun Measls integer date

Value	Label	Unweighted Frequency	%
14632	-	1	0.0 %
14634	-	1	0.0 %
14642	-	1	0.0 %
14646	-	1	0.0 %
14656	-	1	0.0 %
14661	-	1	0.0 %
14677	-	1	0.0 %
14690	-	1	0.0 %
14717	-	1	0.0 %
14724	-	1	0.0 %
14732	-	1	0.0 %
14735	-	1	0.0 %
14741	-	1	0.0 %
14746	-	1	0.0 %
14749	-	1	0.0 %
14752	-	1	0.0 %
14773	-	3	0.0 %
14775	-	1	0.0 %
14791	-	13	0.0 %
14836	-	1	0.0 %
14844	-	1	0.0 %
14851	-	1	0.0 %
14856	-	1	0.0 %
14865	-	1	0.0 %
14869	-	1	0.0 %
14882	-	1	0.0 %
14888	-	1	0.0 %
14901	-	1	0.0 %
14913	-	1	0.0 %
14924	-	1	0.0 %
14929	-	1	0.0 %
14930	-	1	0.0 %
14943	-	1	0.0 %
14951	-	1	0.0 %
14957	-	1	0.0 %
14958	-	1	0.0 %

Value	Label	Unweighted Frequency	%
14963	-	1	0.0 %
14968	-	1	0.0 %
14975	-	1	0.0 %
14982	-	1	0.0 %
14984	-	2	0.0 %
14992	-	1	0.0 %
15000	-	1	0.0 %
15008	-	1	0.0 %
15010	-	1	0.0 %
15013	-	1	0.0 %
15019	-	1	0.0 %
15022	-	1	0.0 %
15035	-	1	0.0 %
15039	-	1	0.0 %
Missing Data			
.	-	48645	95.5 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,313 valid cases out of 50,958 total cases.

- Mean: 16841.44
- Minimum: 14632.00
- Maximum: 19328.00
- Standard Deviation: 1208.90

Location: 482-486 (width: 5; decimal: 0)

Variable Type: numeric

LB35: EQ33 22.35 LB Vacc not recorded

Value	Label	Unweighted Frequency	%
0	No 0	4526	8.9 %
1	Yes 1	1679	3.3 %
Missing Data			
.	-	44753	87.8 %
Total		50,958	100%

Based upon 6,205 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 487-487 (width: 1; decimal: 0)

Variable Type: numeric

LB36: EQ33 22.36 LB Vacc No card

Value	Label	Unweighted Frequency	%
0	No, has vacc card 0	1508	3.0 %
1	Yes, no vacc card 1	9571	18.8 %
	Missing Data		
.	-	39879	78.3 %
	Total	50,958	100%

Based upon 11,079 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 488-488 (width: 1; decimal: 0)

Variable Type: numeric

LB37: EQ33 22.37 LB BCG given

Value	Label	Unweighted Frequency	%
0	No 0	1633	3.2 %
1	Yes 1	8770	17.2 %
	Missing Data		
.	-	40555	79.6 %
	Total	50,958	100%

Based upon 10,403 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 489-489 (width: 1; decimal: 0)

Variable Type: numeric

LB38: EQ33 22.38 LB # DPT given

Value	Label	Unweighted Frequency	%
0	-	1940	3.8 %
1	-	1288	2.5 %
2	-	1457	2.9 %
3	-	5334	10.5 %
4	-	161	0.3 %
5	-	83	0.2 %
6	-	33	0.1 %
7	-	7	0.0 %

Value	Label	Unweighted Frequency	%
8	-	26	0.1 %
9	-	19	0.0 %
	Missing Data		
.	-	40610	79.7 %
	Total	50,958	100%

Based upon 10,348 valid cases out of 50,958 total cases.

- Mean: 2.12
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 1.33

Location: 490-490 (width: 1; decimal: 0)

Variable Type: numeric

LB39: EQ33 22.39 LB Polio frequency

Value	Label	Unweighted Frequency	%
0	-	454	0.9 %
1	-	976	1.9 %
2	-	1210	2.4 %
3	-	3530	6.9 %
4	-	972	1.9 %
5	-	758	1.5 %
6	-	653	1.3 %
7	-	207	0.4 %
8	-	464	0.9 %
9	-	1189	2.3 %
	Missing Data		
.	-	40545	79.6 %
	Total	50,958	100%

Based upon 10,413 valid cases out of 50,958 total cases.

- Mean: 3.98
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 2.53

Location: 491-491 (width: 1; decimal: 0)

Variable Type: numeric

LB39A: EQ33 22.39a LB First polio time

Value	Label	Unweighted Frequency	%
1	< a week 1	4517	8.9 %
2	> a week 2	5149	10.1 %
	Missing Data		
.	-	41292	81.0 %
	Total	50,958	100%

Based upon 9,666 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 492-492 (width: 1; decimal: 0)

Variable Type: numeric

LB40: EQ33 22.40 LB Measles vaccine

Value	Label	Unweighted Frequency	%
0	No 0	3672	7.2 %
1	Yes 1	6753	13.3 %
	Missing Data		
.	-	40533	79.5 %
	Total	50,958	100%

Based upon 10,425 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 493-493 (width: 1; decimal: 0)

Variable Type: numeric

LB41: EQ33 22.41 LB Vaccine Centre

Value	Label	Unweighted Frequency	%
1	Public hospital, clinic or health centre 1	7755	15.2 %
2	Vaccination camp or pulse polio campaign 2	2088	4.1 %
3	Private medical clinic 3	994	2.0 %
4	Nurse or health worker came home 4	1598	3.1 %
5	Govt. worker in private 5	460	0.9 %
	Missing Data		
.	-	38063	74.7 %
	Total	50,958	100%

Based upon 12,895 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 494-494 (width: 1; decimal: 0)

Variable Type: numeric

LB42: EQ33 22.42 LB mos. Vitamin A

Value	Label	Unweighted Frequency	%
0	-	802	1.6 %
1	-	512	1.0 %
2	-	377	0.7 %
3	-	296	0.6 %
4	-	178	0.3 %
5	-	143	0.3 %
6	-	321	0.6 %
7	-	99	0.2 %
8	-	205	0.4 %
9	-	415	0.8 %
10	-	136	0.3 %
11	-	102	0.2 %
12	-	271	0.5 %
13	-	27	0.1 %
14	-	56	0.1 %
15	-	39	0.1 %
16	-	45	0.1 %
17	-	29	0.1 %
18	-	78	0.2 %
19	-	41	0.1 %
20	-	36	0.1 %
21	-	19	0.0 %
22	-	20	0.0 %
23	-	13	0.0 %
24	-	222	0.4 %
25	-	14	0.0 %
26	-	25	0.0 %
27	-	25	0.0 %
28	-	24	0.0 %
29	-	12	0.0 %
30	-	39	0.1 %
31	-	6	0.0 %

Value	Label	Unweighted Frequency	%
32	-	14	0.0 %
33	-	8	0.0 %
34	-	15	0.0 %
35	-	11	0.0 %
36	-	137	0.3 %
37	-	9	0.0 %
38	-	16	0.0 %
39	-	12	0.0 %
40	-	12	0.0 %
41	-	9	0.0 %
42	-	6	0.0 %
43	-	5	0.0 %
44	-	5	0.0 %
45	-	7	0.0 %
46	-	4	0.0 %
47	-	4	0.0 %
48	-	89	0.2 %
49	-	8	0.0 %
Missing Data			
.	-	45776	89.8 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 5,182 valid cases out of 50,958 total cases.

- Mean: 11.65
- Median: 6.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 98.00
- Standard Deviation: 15.19

Location: 495-496 (width: 2; decimal: 0)

Variable Type: numeric

LB43: EQ34 22.43 LB Ever breastfed

Value	Label	Unweighted Frequency	%
0	No 0	150	0.3 %
1	Yes 1	14580	28.6 %
Missing Data			
.	-	36228	71.1 %

Value	Label	Unweighted Frequency	%
Total		50,958	100%

Based upon 14,730 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 497-497 (width: 1; decimal: 0)

Variable Type: numeric

LB44: EQ34 22.44 LB 1st breastfeeding

Value	Label	Unweighted Frequency	%
0	Less than 1 hour 0	3700	7.3 %
1	-	2804	5.5 %
2	-	1782	3.5 %
3	-	807	1.6 %
4	-	424	0.8 %
5	-	314	0.6 %
6	-	202	0.4 %
7	-	73	0.1 %
8	-	150	0.3 %
9	-	79	0.2 %
10	-	52	0.1 %
11	-	3	0.0 %
12	-	274	0.5 %
13	-	12	0.0 %
14	-	15	0.0 %
15	-	13	0.0 %
16	-	18	0.0 %
17	-	3	0.0 %
18	-	22	0.0 %
19	-	2	0.0 %
20	-	22	0.0 %
21	-	2	0.0 %
22	-	13	0.0 %
24	-	1137	2.2 %
25	-	7	0.0 %
26	-	20	0.0 %
27	-	11	0.0 %
28	-	14	0.0 %
29	-	1	0.0 %

Value	Label	Unweighted Frequency	%
30	-	30	0.1 %
32	-	6	0.0 %
34	-	1	0.0 %
35	-	1	0.0 %
36	-	262	0.5 %
38	-	1	0.0 %
40	-	6	0.0 %
42	-	4	0.0 %
44	-	1	0.0 %
45	-	3	0.0 %
46	-	4	0.0 %
48	-	556	1.1 %
50	-	3	0.0 %
52	-	2	0.0 %
55	-	2	0.0 %
56	-	1	0.0 %
60	-	39	0.1 %
62	-	5	0.0 %
66	-	1	0.0 %
68	-	2	0.0 %
70	-	1	0.0 %
Missing Data			
.	-	36579	71.8 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 14,379 valid cases out of 50,958 total cases.

- Mean: 15.20
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 96.00
- Standard Deviation: 27.06

Location: 498-499 (*width:* 2; *decimal:* 0)

Variable Type: numeric

LB45: EQ34 22.45 LB Squeeze milk

Value	Label	Unweighted Frequency	%
0	No 0	7344	14.4 %

Value	Label	Unweighted Frequency	%
1	Yes 1	7093	13.9 %
	Missing Data		
.	-	36521	71.7 %
	Total	50,958	100%

Based upon 14,437 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 500-500 (width: 1; decimal: 0)

Variable Type: numeric

LB46Y: EQ34 22.46 LB Still breastfeeding

Value	Label	Unweighted Frequency	%
0	No 0	7884	15.5 %
1	Yes 1	6525	12.8 %
	Missing Data		
.	-	36549	71.7 %
	Total	50,958	100%

Based upon 14,409 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 501-501 (width: 1; decimal: 0)

Variable Type: numeric

LB46: EQ34 22.46 LB Breastfeeding dur

Value	Label	Unweighted Frequency	%
0	-	342	0.7 %
1	-	138	0.3 %
2	-	157	0.3 %
3	-	235	0.5 %
4	-	176	0.3 %
5	-	241	0.5 %
6	-	740	1.5 %
7	-	139	0.3 %
8	-	195	0.4 %
9	-	263	0.5 %
10	-	150	0.3 %

Value	Label	Unweighted Frequency	%
11	-	83	0.2 %
12	-	1103	2.2 %
13	-	54	0.1 %
14	-	79	0.2 %
15	-	212	0.4 %
16	-	106	0.2 %
17	-	27	0.1 %
18	-	789	1.5 %
19	-	39	0.1 %
20	-	71	0.1 %
21	-	16	0.0 %
22	-	23	0.0 %
23	-	13	0.0 %
24	-	1355	2.7 %
25	-	22	0.0 %
26	-	46	0.1 %
27	-	9	0.0 %
28	-	61	0.1 %
29	-	7	0.0 %
30	-	244	0.5 %
32	-	8	0.0 %
33	-	3	0.0 %
34	-	4	0.0 %
35	-	3	0.0 %
36	-	557	1.1 %
37	-	1	0.0 %
38	-	9	0.0 %
40	-	12	0.0 %
42	-	9	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	5	0.0 %
46	-	2	0.0 %
47	-	1	0.0 %
48	-	97	0.2 %
50	-	2	0.0 %
54	-	1	0.0 %
56	-	1	0.0 %
60	-	21	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	43074	84.5 %
	Total	50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,884 valid cases out of 50,958 total cases.

- Mean: 15.95
- Median: 12.00
- Mode: 24.00
- Minimum: 0.00
- Maximum: 90.00
- Standard Deviation: 11.15

Location: 502-503 (width: 2; decimal: 0)

Variable Type: numeric

LB47AY: EQ34 22.47a LB no milk supplements yet

Value	Label	Unweighted Frequency	%
0	supplement 0	11875	23.3 %
1	not yet 90=1	2017	4.0 %
	Missing Data		
.	-	37066	72.7 %
	Total	50,958	100%

Based upon 13,892 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 504-504 (width: 1; decimal: 0)

Variable Type: numeric

LB47A: EQ34 22.47a LB Age at diet supp

Value	Label	Unweighted Frequency	%
0	-	1717	3.4 %
1	-	370	0.7 %
2	-	338	0.7 %
3	-	626	1.2 %
4	-	792	1.6 %
5	-	846	1.7 %
6	-	2861	5.6 %
7	-	952	1.9 %

Value	Label	Unweighted Frequency	%
8	-	814	1.6 %
9	-	542	1.1 %
10	-	368	0.7 %
11	-	86	0.2 %
12	-	821	1.6 %
13	-	77	0.2 %
14	-	63	0.1 %
15	-	55	0.1 %
16	-	32	0.1 %
17	-	5	0.0 %
18	-	172	0.3 %
19	-	10	0.0 %
20	-	20	0.0 %
21	-	4	0.0 %
22	-	5	0.0 %
23	-	1	0.0 %
24	-	183	0.4 %
25	-	14	0.0 %
26	-	5	0.0 %
27	-	1	0.0 %
28	-	4	0.0 %
30	-	16	0.0 %
31	-	3	0.0 %
32	-	3	0.0 %
34	-	3	0.0 %
35	-	1	0.0 %
36	-	43	0.1 %
37	-	3	0.0 %
38	-	2	0.0 %
40	-	7	0.0 %
44	-	1	0.0 %
45	-	2	0.0 %
46	-	1	0.0 %
48	-	4	0.0 %
60	-	1	0.0 %
66	-	1	0.0 %
Missing Data			
.	-	39083	76.7 %
Total		50,958	100%

Based upon 11,875 valid cases out of 50,958 total cases.

- Mean: 6.36
- Median: 6.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 66.00
- Standard Deviation: 5.32

Location: 505-506 (width: 2; decimal: 0)

Variable Type: numeric

LB47BY: EQ34 22.47a LB no solid foods yet

Value	Label	Unweighted Frequency	%
0	supplement 0	12272	24.1 %
1	not yet 90=1	1781	3.5 %
	Missing Data		
.	-	36905	72.4 %
	Total	50,958	100%

Based upon 14,053 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 507-507 (width: 1; decimal: 0)

Variable Type: numeric

LB47B: EQ34 22.47b LB Age at Solid food

Value	Label	Unweighted Frequency	%
0	-	523	1.0 %
1	-	46	0.1 %
2	-	37	0.1 %
3	-	109	0.2 %
4	-	267	0.5 %
5	-	498	1.0 %
6	-	2480	4.9 %
7	-	1412	2.8 %
8	-	1782	3.5 %
9	-	1129	2.2 %
10	-	752	1.5 %
11	-	232	0.5 %
12	-	1921	3.8 %
13	-	86	0.2 %
14	-	107	0.2 %

Value	Label	Unweighted Frequency	%
15	-	155	0.3 %
16	-	109	0.2 %
17	-	14	0.0 %
18	-	225	0.4 %
19	-	9	0.0 %
20	-	35	0.1 %
21	-	3	0.0 %
22	-	6	0.0 %
24	-	197	0.4 %
25	-	22	0.0 %
26	-	10	0.0 %
27	-	1	0.0 %
28	-	4	0.0 %
30	-	30	0.1 %
31	-	3	0.0 %
32	-	6	0.0 %
33	-	1	0.0 %
34	-	3	0.0 %
35	-	1	0.0 %
36	-	32	0.1 %
37	-	8	0.0 %
38	-	4	0.0 %
40	-	8	0.0 %
44	-	2	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
66	-	1	0.0 %
Missing Data			
.	-	38686	75.9 %
Total		50,958	100%

Based upon 12,272 valid cases out of 50,958 total cases.

- Mean: 8.76
- Median: 8.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 66.00
- Standard Deviation: 4.77

Location: 508-509 (*width:* 2; *decimal:* 0)

Variable Type: numeric

LB48: EQ34 22.48 LB AWC beneficiary

Value	Label	Unweighted Frequency	%
0	No 0	9215	18.1 %
1	While pregnant 1	1791	3.5 %
2	While lactating 2	862	1.7 %
3	Both 3	2110	4.1 %
	Missing Data		
.	-	36980	72.6 %
	Total	50,958	100%

Based upon 13,978 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 510-510 (width: 1; decimal: 0)

Variable Type: numeric

LB49A1: EQ34 22.49a LB AWC:Immunization

Value	Label	Unweighted Frequency	%
0	No 0	9810	19.3 %
1	Yes 1	4781	9.4 %
	Missing Data		
.	-	36367	71.4 %
	Total	50,958	100%

Based upon 14,591 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 511-511 (width: 1; decimal: 0)

Variable Type: numeric

LB49A2: EQ34 22.49a LB AWC:Immun freq

Value	Label	Unweighted Frequency	%
1	Daily 1	129	0.3 %
2	At least 1/week 2	544	1.1 %
3	At least 1/fortnight 3	274	0.5 %
4	At least 1/month 4	2779	5.5 %
5	At least 1/quarter 5	740	1.5 %
6	At least 1/year 6	283	0.6 %
7	Never 7	9832	19.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	36377	71.4 %
	Total	50,958	100%

Based upon 14,581 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 512-512 (width: 1; decimal: 0)

Variable Type: numeric

LB49B1: EQ34 22.49b LB AWC:Health check

Value	Label	Unweighted Frequency	%
0	No 0	11025	21.6 %
1	Yes 1	3490	6.8 %
	Missing Data		
.	-	36443	71.5 %
	Total	50,958	100%

Based upon 14,515 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 513-513 (width: 1; decimal: 0)

Variable Type: numeric

LB49B2: EQ34 22.49b LB AWC:Checkup freq

Value	Label	Unweighted Frequency	%
1	Daily 1	69	0.1 %
2	At least 1/week 2	365	0.7 %
3	At least 1/fortnight 3	276	0.5 %
4	At least 1/month 4	2247	4.4 %
5	At least 1/quarter 5	362	0.7 %
6	At least 1/year 6	148	0.3 %
7	Never 7	11046	21.7 %
	Missing Data		
.	-	36445	71.5 %
	Total	50,958	100%

Based upon 14,513 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 514-514 (width: 1; decimal: 0)

Variable Type: numeric

LB49C1: EQ34 22.49c LB AWC:Grow monitor

Value	Label	Unweighted Frequency	%
0	No 0	10331	20.3 %
1	Yes 1	4164	8.2 %
	Missing Data		
.	-	36463	71.6 %
	Total	50,958	100%

Based upon 14,495 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 515-515 (width: 1; decimal: 0)

Variable Type: numeric

LB49C2: EQ34 22.49c LB AWC:Growth freq

Value	Label	Unweighted Frequency	%
1	Daily 1	106	0.2 %
2	At least 1/week 2	402	0.8 %
3	At least 1/fortnight 3	285	0.6 %
4	At least 1/month 4	2640	5.2 %
5	At least 1/quarter 5	474	0.9 %
6	At least 1/year 6	223	0.4 %
7	Never 7	10365	20.3 %
	Missing Data		
.	-	36463	71.6 %
	Total	50,958	100%

Based upon 14,495 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 516-516 (width: 1; decimal: 0)

Variable Type: numeric

LB49D1: EQ34 22.49d LB AWC:Educ

Value	Label	Unweighted Frequency	%
0	No 0	12015	23.6 %
1	Yes 1	2475	4.9 %
	Missing Data		
.	-	36468	71.6 %
	Total	50,958	100%

Based upon 14,490 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 517-517 (width: 1; decimal: 0)

Variable Type: numeric

LB49D2: EQ34 22.49d LB AWC:Educ freq

Value	Label	Unweighted Frequency	%
1	Daily 1	1543	3.0 %
2	At least 1/week 2	280	0.5 %
3	At least 1/fortnight 3	63	0.1 %
4	At least 1/month 4	333	0.7 %
5	At least 1/quarter 5	68	0.1 %
6	At least 1/year 6	154	0.3 %
7	Never 7	12062	23.7 %
	Missing Data		
.	-	36455	71.5 %
	Total	50,958	100%

Based upon 14,503 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 518-518 (width: 1; decimal: 0)

Variable Type: numeric

LB49E1: EQ34 22.49e LB AWC:Food

Value	Label	Unweighted Frequency	%
0	No 0	10233	20.1 %
1	Yes 1	4272	8.4 %
	Missing Data		
.	-	36453	71.5 %
	Total	50,958	100%

Based upon 14,505 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 519-519 (width: 1; decimal: 0)

Variable Type: numeric

LB49E2: EQ34 22.49e LB AWC:Food freq [IHDS1 ~= IHDS2]

Value	Label	Unweighted Frequency	%
1	Daily/. 1	966	1.9 %
2	Weekly/ Last month 2	1055	2.1 %
3	Fortnightly/. 3	54	0.1 %
4	Monthly/. 4	477	0.9 %
5	Quarterly/ Ever 5	1558	3.1 %
6	Yearly/. 6	92	0.2 %
7	Never/ Never 7	10291	20.2 %
Missing Data			
.	-	36465	71.6 %
Total		50,958	100%

Based upon 14,493 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 520-520 (width: 1; decimal: 0)

Variable Type: numeric

OG1: EQ35 24.1 Obs: Purpose

Value	Label	Unweighted Frequency	%
1	No difficulty 1	43137	84.7 %
2	Some difficulty 2	6636	13.0 %
3	A lot of difficulty 3	982	1.9 %
Missing Data			
.	-	203	0.4 %
Total		50,958	100%

Based upon 50,755 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 521-521 (width: 1; decimal: 0)

Variable Type: numeric

OG2: EQ35 24.2 Obs: Understanding

Value	Label	Unweighted Frequency	%
1	No difficulty 1	41358	81.2 %
2	Some difficulty 2	8248	16.2 %
3	A lot of difficulty 3	1166	2.3 %
	Missing Data		
.	-	186	0.4 %
	Total	50,958	100%

Based upon 50,772 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 522-522 (width: 1; decimal: 0)

Variable Type: numeric

OG3: EQ35 24.3 Obs: Looked at interviewer

Value	Label	Unweighted Frequency	%
1	Rarely 1	1871	3.7 %
2	Sometimes 2	12151	23.8 %
3	Ususally 3	36779	72.2 %
	Missing Data		
.	-	157	0.3 %
	Total	50,958	100%

Based upon 50,801 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 523-523 (width: 1; decimal: 0)

Variable Type: numeric

OG5: EQ35 24.5 Obs: Knows expenditure

Value	Label	Unweighted Frequency	%
1	Very little knowledge 1	4766	9.4 %
2	Somewhat 2	17626	34.6 %
3	Very knowledgeable 3	28392	55.7 %
	Missing Data		
.	-	174	0.3 %
	Total	50,958	100%

Based upon 50,784 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 524-524 (width: 1; decimal: 0)

Variable Type: numeric

OG6: EQ35 24.6 Obs: Confidence

Value	Label	Unweighted Frequency	%
1	Rarely 1	1698	3.3 %
2	Sometimes 2	12380	24.3 %
3	Ususally 3	36732	72.1 %
	Missing Data		
.	-	148	0.3 %
	Total	50,958	100%

Based upon 50,810 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 525-525 (width: 1; decimal: 0)

Variable Type: numeric

OG9A: EQ35 24.9 Interview end hour

Value	Label	Unweighted Frequency	%
0	-	5	0.0 %
1	-	6081	11.9 %
2	-	5760	11.3 %
3	-	5350	10.5 %
4	-	5406	10.6 %
5	-	4773	9.4 %
6	-	2978	5.8 %
7	-	1257	2.5 %
8	-	820	1.6 %
9	-	1717	3.4 %
10	-	3913	7.7 %
11	-	6016	11.8 %
12	-	6502	12.8 %
	Missing Data		
.	-	380	0.7 %
	Total	50,958	100%

Based upon 50,578 valid cases out of 50,958 total cases.

- Mean: 6.15
- Median: 5.00
- Mode: 12.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 3.94

Location: 526-527 (width: 2; decimal: 0)

Variable Type: numeric

OG9B: EQ35 24.9 Interview end minute

Value	Label	Unweighted Frequency	%
0	-	8492	16.7 %
1	-	102	0.2 %
2	-	224	0.4 %
3	-	107	0.2 %
4	-	59	0.1 %
5	-	2371	4.7 %
6	-	77	0.2 %
7	-	91	0.2 %
8	-	141	0.3 %
9	-	79	0.2 %
10	-	3992	7.8 %
11	-	59	0.1 %
12	-	104	0.2 %
13	-	78	0.2 %
14	-	51	0.1 %
15	-	3584	7.0 %
16	-	71	0.1 %
17	-	82	0.2 %
18	-	105	0.2 %
19	-	38	0.1 %
20	-	3854	7.6 %
21	-	58	0.1 %
22	-	120	0.2 %
23	-	54	0.1 %
24	-	50	0.1 %
25	-	1777	3.5 %
26	-	59	0.1 %
27	-	71	0.1 %
28	-	92	0.2 %

Value	Label	Unweighted Frequency	%
29	-	49	0.1 %
30	-	7782	15.3 %
31	-	57	0.1 %
32	-	123	0.2 %
33	-	52	0.1 %
34	-	54	0.1 %
35	-	1900	3.7 %
36	-	82	0.2 %
37	-	85	0.2 %
38	-	162	0.3 %
39	-	67	0.1 %
40	-	3695	7.3 %
41	-	70	0.1 %
42	-	138	0.3 %
43	-	81	0.2 %
44	-	52	0.1 %
45	-	3759	7.4 %
46	-	74	0.1 %
47	-	86	0.2 %
48	-	183	0.4 %
49	-	79	0.2 %
Missing Data			
.	-	590	1.2 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 50,368 valid cases out of 50,958 total cases.

- Mean: 24.37
- Median: 25.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 59.00
- Standard Deviation: 17.52

Location: 528-529 (*width:* 2; *decimal:* 0)

Variable Type: numeric

OG9C: EQ35 24.9 AM/PM Int. time

Value	Label	Unweighted Frequency	%
1	-	12714	24.9 %

Value	Label	Unweighted Frequency	%
2	-	37452	73.5 %
	Missing Data		
.	-	792	1.6 %
	Total	50,958	100%

Based upon 50,166 valid cases out of 50,958 total cases.

- Mean: 1.75
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.43

Location: 530-530 (width: 1; decimal: 0)

Variable Type: numeric

OG10: EQ35 24.10 Completion status

Value	Label	Unweighted Frequency	%
1	-	50256	98.6 %
2	-	530	1.0 %
	Missing Data		
.	-	172	0.3 %
	Total	50,958	100%

Based upon 50,786 valid cases out of 50,958 total cases.

- Mean: 1.01
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.10

Location: 531-531 (width: 1; decimal: 0)

Variable Type: numeric

FHCHK: EQ27 19 One+ live births

Value	Label	Unweighted Frequency	%
0	No 0	2348	4.6 %
1	Yes 1	47581	93.4 %
	Missing Data		
.	-	1029	2.0 %
	Total	50,958	100%

Based upon 49,929 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 532-532 (width: 1; decimal: 0)

Variable Type: numeric

FPWHO: EQ29 21 Others present

Value	Label	Unweighted Frequency	%
1	Nobody 1	29913	58.7 %
2	Adults 2	8595	16.9 %
3	Children 3	3021	5.9 %
4	Adults+Children 4	6645	13.0 %
	Missing Data		
.	-	2784	5.5 %
	Total	50,958	100%

Based upon 48,174 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 533-533 (width: 1; decimal: 0)

Variable Type: numeric

PSUWAVES: which surveys PSU has been in

Value	Label	Unweighted Frequency	%
1	only 2012 01	0	0.0 %
10	only 2005 10	0	0.0 %
11	both 11	50958	100.0 %
	Total	50,958	100%

Based upon 50,958 valid cases out of 50,958 total cases.

- Minimum: 11.00
- Maximum: 11.00

Location: 534-535 (width: 2; decimal: 0)

Variable Type: numeric

URBAN: Census 2001 for IHDS-I; 2011 for IHDS-II

Value	Label	Unweighted Frequency	%
0	rural 0	35228	69.1 %
1	urban 1	15730	30.9 %

Value	Label	Unweighted Frequency	%
Total		50,958	100%

Based upon 50,958 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 536-536 (width: 1; decimal: 0)

Variable Type: numeric

URBAN2001: Census 2001: village/town

Value	Label	Unweighted Frequency	%
0	rural 0	35237	69.1 %
1	urban 1	15721	30.9 %
Total		50,958	100%

Based upon 50,958 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 537-537 (width: 1; decimal: 0)

Variable Type: numeric

URBAN2011: Urban residence from census 2011

Value	Label	Unweighted Frequency	%
0	rural 0	17041	33.4 %
1	urban 1	8438	16.6 %
	Missing Data		
.	-	25479	50.0 %
Total		50,958	100%

Based upon 25,479 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 538-538 (width: 1; decimal: 0)

Variable Type: numeric

URBAN4: 4-cat urban/rural from 2001/2011 for IHDS-I/II

Value	Label	Unweighted Frequency	%
0	metro urban 0	3066	6.0 %
1	other urban 1	12646	24.8 %

Value	Label	Unweighted Frequency	%
2	more dev vill 2	17298	33.9 %
3	less dev vill 3	17948	35.2 %
	Total	50,958	100%

Based upon 50,958 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 539-539 (width: 1; decimal: 0)

Variable Type: numeric

URBAN4_2001: 4-cat urban/rural from 2001 census & IHDS-I vill q

Value	Label	Unweighted Frequency	%
0	metro urban 0	1533	3.0 %
1	other urban 1	6323	12.4 %
2	more dev vill 2	8649	17.0 %
3	less dev vill 3	8974	17.6 %
	Missing Data		
.	-	25479	50.0 %
	Total	50,958	100%

Based upon 25,479 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 540-540 (width: 1; decimal: 0)

Variable Type: numeric

URBAN4_2011: 4-cat urban/rural from 2011 census & IHDS-II vill q

Value	Label	Unweighted Frequency	%
0	metro urban 0	1533	3.0 %
1	other urban 1	6920	13.6 %
2	more dev vill 2	8025	15.7 %
3	less dev vill 3	9001	17.7 %
	Missing Data		
.	-	25479	50.0 %
	Total	50,958	100%

Based upon 25,479 valid cases out of 50,958 total cases.

- Minimum: 0.00

- Maximum: 3.00

Location: 541-541 (width: 1; decimal: 0)

Variable Type: numeric

METRO: Largest 6 metro areas 0/1

Value	Label	Unweighted Frequency	%
0	-	46886	92.0 %
1	-	4072	8.0 %
	Total	50,958	100%

Based upon 50,958 valid cases out of 50,958 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.27

Location: 542-542 (width: 1; decimal: 0)

Variable Type: numeric

METRO6: Largest 6 metro areas 1-6

Value	Label	Unweighted Frequency	%
1	Mumbai 1	836	1.6 %
2	Delhi 2	932	1.8 %
3	Kolkata 3	1396	2.7 %
4	Chennai 4	284	0.6 %
5	Bangalore 5	174	0.3 %
6	Hyderabad 6	450	0.9 %
	Missing Data		
.	-	46886	92.0 %
	Total	50,958	100%

Based upon 4,072 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 543-543 (width: 1; decimal: 0)

Variable Type: numeric

NEWQ: # completed woman q, incl. not eligibles

Value	Label	Unweighted Frequency	%
1	-	46598	91.4 %

Value	Label	Unweighted Frequency	%
2	-	4360	8.6 %
Total		50,958	100%

Based upon 50,958 valid cases out of 50,958 total cases.

- Mean: 1.09
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.28

Location: 544-544 (width: 1; decimal: 0)

Variable Type: numeric

NEWELIGIBLE: HQ4 2,3,5,6 # eligible women in hh

Value	Label	Unweighted Frequency	%
0	-	2326	4.6 %
1	-	40262	79.0 %
2	-	6790	13.3 %
3	-	1305	2.6 %
4	-	219	0.4 %
5	-	42	0.1 %
6	-	10	0.0 %
7	-	3	0.0 %
Missing Data			
.	-	1	0.0 %
Total		50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Mean: 1.16
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.56

Location: 545-545 (width: 1; decimal: 0)

Variable Type: numeric

EWQELIGIBLE: HH4 2,3,5,6 EW q and 15-49 ever married

Value	Label	Unweighted Frequency	%
0	No 0	4235	8.3 %
1	Yes 1	46722	91.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	1	0.0 %
	Total	50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 546-546 (width: 1; decimal: 0)

Variable Type: numeric

NEWQELIGIBLE: HQ4 2.3,5,6 # EW q of eligible women in hh

Value	Label	Unweighted Frequency	%
0	-	2679	5.3 %
1	-	45519	89.3 %
2	-	2759	5.4 %
	Missing Data		
.	-	1	0.0 %
	Total	50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.33

Location: 547-547 (width: 1; decimal: 0)

Variable Type: numeric

NEWPSU: HQ4 2.3,5,6 # eligible women in psu

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
1	-	3	0.0 %
2	-	64	0.1 %
3	-	91	0.2 %
4	-	157	0.3 %
5	-	220	0.4 %
6	-	300	0.6 %
7	-	380	0.7 %
8	-	815	1.6 %

Value	Label	Unweighted Frequency	%
9	-	830	1.6 %
10	-	1375	2.7 %
11	-	1880	3.7 %
12	-	2163	4.2 %
13	-	2619	5.1 %
14	-	2880	5.7 %
15	-	3098	6.1 %
16	-	3162	6.2 %
17	-	2680	5.3 %
18	-	2925	5.7 %
19	-	2525	5.0 %
20	-	2457	4.8 %
21	-	2519	4.9 %
22	-	2173	4.3 %
23	-	2013	4.0 %
24	-	1855	3.6 %
25	-	1454	2.9 %
26	-	1137	2.2 %
27	-	1307	2.6 %
28	-	641	1.3 %
29	-	789	1.5 %
30	-	627	1.2 %
31	-	544	1.1 %
32	-	532	1.0 %
33	-	514	1.0 %
34	-	463	0.9 %
35	-	325	0.6 %
36	-	325	0.6 %
37	-	232	0.5 %
38	-	246	0.5 %
39	-	226	0.4 %
40	-	217	0.4 %
41	-	247	0.5 %
42	-	208	0.4 %
43	-	171	0.3 %
44	-	164	0.3 %
45	-	264	0.5 %
46	-	160	0.3 %
47	-	85	0.2 %

Value	Label	Unweighted Frequency	%
48	-	103	0.2 %
49	-	169	0.3 %
	Missing Data		
.	-	1	0.0 %
	Total	50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 50,957 valid cases out of 50,958 total cases.

- Mean: 20.22
- Median: 18.00
- Mode: 16.00
- Minimum: 0.00
- Maximum: 81.00
- Standard Deviation: 9.18

Location: 548-549 (*width:* 2; *decimal:* 0)

Variable Type: numeric

NEWQELIGIBLEPSU: HQ4 2,3,5,6 # eligible EW q in psu

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
1	-	10	0.0 %
2	-	52	0.1 %
3	-	63	0.1 %
4	-	164	0.3 %
5	-	190	0.4 %
6	-	320	0.6 %
7	-	566	1.1 %
8	-	759	1.5 %
9	-	960	1.9 %
10	-	1474	2.9 %
11	-	1683	3.3 %
12	-	1445	2.8 %
13	-	1567	3.1 %
14	-	1362	2.7 %
15	-	1632	3.2 %
16	-	1329	2.6 %
17	-	1362	2.7 %
18	-	1411	2.8 %
19	-	1222	2.4 %

Value	Label	Unweighted Frequency	%
20	-	1102	2.2 %
21	-	886	1.7 %
22	-	804	1.6 %
23	-	692	1.4 %
24	-	603	1.2 %
25	-	478	0.9 %
26	-	244	0.5 %
27	-	330	0.6 %
28	-	347	0.7 %
29	-	388	0.8 %
30	-	281	0.6 %
31	-	244	0.5 %
32	-	124	0.2 %
33	-	124	0.2 %
34	-	95	0.2 %
35	-	120	0.2 %
36	-	97	0.2 %
37	-	144	0.3 %
38	-	76	0.1 %
39	-	31	0.1 %
40	-	111	0.2 %
41	-	32	0.1 %
42	-	89	0.2 %
43	-	141	0.3 %
45	-	38	0.1 %
46	-	48	0.1 %
47	-	69	0.1 %
50	-	59	0.1 %
51	-	31	0.1 %
53	-	31	0.1 %
Missing Data			
.	-	25480	50.0 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,478 valid cases out of 50,958 total cases.

- Mean: 17.41
- Median: 16.00

- Mode: 11.00
- Minimum: 0.00
- Maximum: 70.00
- Standard Deviation: 8.39

Location: 550-551 (*width:* 2; *decimal:* 0)

Variable Type: numeric

NEWADJQPSU: # of eligible ew qs in psu, wt by within hh coverage

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
1	-	10	0.0 %
2	-	46	0.1 %
3	-	59	0.1 %
4	-	117	0.2 %
5	-	171	0.3 %
6	-	250	0.5 %
7	-	384	0.8 %
8	-	684	1.3 %
9	-	677	1.3 %
10	-	1218	2.4 %
11	-	1325	2.6 %
12	-	1500	2.9 %
13	-	1101	2.2 %
14	-	1303	2.6 %
15	-	1354	2.7 %
16	-	1404	2.8 %
17	-	1181	2.3 %
18	-	1204	2.4 %
19	-	1439	2.8 %
20	-	952	1.9 %
21	-	977	1.9 %
22	-	1076	2.1 %
23	-	1038	2.0 %
24	-	706	1.4 %
25	-	553	1.1 %
26	-	558	1.1 %
27	-	454	0.9 %
28	-	411	0.8 %
29	-	275	0.5 %
30	-	300	0.6 %
31	-	261	0.5 %

Value	Label	Unweighted Frequency	%
32	-	295	0.6 %
33	-	252	0.5 %
34	-	202	0.4 %
35	-	184	0.4 %
36	-	116	0.2 %
37	-	74	0.1 %
38	-	140	0.3 %
39	-	93	0.2 %
40	-	142	0.3 %
41	-	103	0.2 %
42	-	123	0.2 %
43	-	87	0.2 %
44	-	79	0.2 %
45	-	30	0.1 %
46	-	103	0.2 %
47	-	61	0.1 %
48	-	38	0.1 %
49	-	53	0.1 %
Missing Data			
.	-	25480	50.0 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,478 valid cases out of 50,958 total cases.

- Mean: 19.17
- Median: 17.00
- Mode: 12.00
- Minimum: 0.00
- Maximum: 77.00
- Standard Deviation: 9.51

Location: 552-553 (*width:* 2; *decimal:* 0)

Variable Type: numeric

AGERANK: HQ4 2.5,6 Rank # of ever married woman within hh

Value	Label	Unweighted Frequency	%
1	-	35656	70.0 %
2	-	13575	26.6 %
3	-	1498	2.9 %
4	-	194	0.4 %

Value	Label	Unweighted Frequency	%
5	-	28	0.1 %
6	-	3	0.0 %
7	-	2	0.0 %
8	-	1	0.0 %
	Missing Data		
.	-	1	0.0 %
	Total	50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Mean: 1.34
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 0.56

Location: 554-554 (width: 1; decimal: 0)

Variable Type: numeric

SENFEM: HQ4 2.5,6 Senior female

Value	Label	Unweighted Frequency	%
0	No 0	46072	90.4 %
1	Yes 1	4885	9.6 %
	Missing Data		
.	-	1	0.0 %
	Total	50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 555-555 (width: 1; decimal: 0)

Variable Type: numeric

ONLYFEM: HQ4 2.5,6 Only female

Value	Label	Unweighted Frequency	%
0	No 0	20186	39.6 %
1	Yes 1	30771	60.4 %
	Missing Data		
.	-	1	0.0 %
	Total	50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 556-556 (width: 1; decimal: 0)

Variable Type: numeric

JUNFEM: HQ4 2.5,6 Junior female

Value	Label	Unweighted Frequency	%
0	No 0	35656	70.0 %
1	Yes 1	15301	30.0 %
	Missing Data		
.	-	1	0.0 %
	Total	50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 557-557 (width: 1; decimal: 0)

Variable Type: numeric

EWPOSITION: HQ4 2.5,6 age position in hh

Value	Label	Unweighted Frequency	%
1	married only 1	28074	55.1 %
2	married senior 2	4081	8.0 %
3	married junior 3	13833	27.1 %
4	absent sp only/sr 4	1152	2.3 %
5	absent sp junior 5	857	1.7 %
6	div/wid only/sr 6	2349	4.6 %
7	div/wid junior 7	611	1.2 %
	Missing Data		
.	-	1	0.0 %
	Total	50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 558-558 (width: 1; decimal: 0)

Variable Type: numeric

ABSENTSEN: HQ4 2.5,6 only/sr female, husb absent

Value	Label	Unweighted Frequency	%
0	No 0	49805	97.7 %
1	Yes 1	1152	2.3 %
	Missing Data		
.	-	1	0.0 %
	Total	50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 559-559 (width: 1; decimal: 0)

Variable Type: numeric

ABSENTJUN: HQ4 2.5,6 junior female, husb absent

Value	Label	Unweighted Frequency	%
0	No 0	50100	98.3 %
1	Yes 1	857	1.7 %
	Missing Data		
.	-	1	0.0 %
	Total	50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 560-560 (width: 1; decimal: 0)

Variable Type: numeric

FORMERSEN: HQ4 2.5,6 only/sr female, widow/separated

Value	Label	Unweighted Frequency	%
0	No 0	48608	95.4 %
1	Yes 1	2349	4.6 %
	Missing Data		
.	-	1	0.0 %
	Total	50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 561-561 (width: 1; decimal: 0)

Variable Type: numeric

FORMERJUN: HQ4 2.5,6 junior female, widow/separated

Value	Label	Unweighted Frequency	%
0	No 0	50346	98.8 %
1	Yes 1	611	1.2 %
	Missing Data		
.	-	1	0.0 %
	Total	50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 562-562 (width: 1; decimal: 0)

Variable Type: numeric

MARRIEDSEN: HQ4 2.5,6 senior female, husband present

Value	Label	Unweighted Frequency	%
0	No 0	46876	92.0 %
1	Yes 1	4081	8.0 %
	Missing Data		
.	-	1	0.0 %
	Total	50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 563-563 (width: 1; decimal: 0)

Variable Type: numeric

MARRIEDJUN: HQ4 2.5,6 junior female, husband present

Value	Label	Unweighted Frequency	%
0	No 0	37124	72.9 %
1	Yes 1	13833	27.1 %
	Missing Data		
.	-	1	0.0 %
	Total	50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 564-564 (width: 1; decimal: 0)

Variable Type: numeric

MARRIEDONLY: HQ4 2.5,6 only married female, husband present

Value	Label	Unweighted Frequency	%
0	No 0	22883	44.9 %
1	Yes 1	28074	55.1 %
	Missing Data		
.	-	1	0.0 %
	Total	50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 565-565 (width: 1; decimal: 0)

Variable Type: numeric

FIRSTBIRTH: EH27 19.5 months since first birth

Value	Label	Unweighted Frequency	%
0	-	29	0.1 %
1	-	47	0.1 %
2	-	60	0.1 %
3	-	60	0.1 %
4	-	55	0.1 %
5	-	47	0.1 %
6	-	66	0.1 %
7	-	59	0.1 %
8	-	47	0.1 %
9	-	58	0.1 %
10	-	57	0.1 %
11	-	49	0.1 %
12	-	70	0.1 %
13	-	59	0.1 %
14	-	74	0.1 %
15	-	59	0.1 %
16	-	65	0.1 %
17	-	54	0.1 %
18	-	64	0.1 %
19	-	64	0.1 %
20	-	47	0.1 %

Value	Label	Unweighted Frequency	%
21	-	64	0.1 %
22	-	68	0.1 %
23	-	45	0.1 %
24	-	61	0.1 %
25	-	76	0.1 %
26	-	64	0.1 %
27	-	71	0.1 %
28	-	67	0.1 %
29	-	56	0.1 %
30	-	64	0.1 %
31	-	61	0.1 %
32	-	63	0.1 %
33	-	65	0.1 %
34	-	58	0.1 %
35	-	63	0.1 %
36	-	80	0.2 %
37	-	87	0.2 %
38	-	64	0.1 %
39	-	79	0.2 %
40	-	79	0.2 %
41	-	69	0.1 %
42	-	64	0.1 %
43	-	62	0.1 %
44	-	61	0.1 %
45	-	66	0.1 %
46	-	62	0.1 %
47	-	67	0.1 %
48	-	100	0.2 %
49	-	85	0.2 %
Missing Data			
.	-	3622	7.1 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 47,336 valid cases out of 50,958 total cases.

- Mean: 200.95
- Minimum: 0.00
- Maximum: 678.00
- Standard Deviation: 101.05

Location: 566-568 (width: 3; decimal: 0)

Variable Type: numeric

LASTBIRTH: EH27 19.5 months since last birth

Value	Label	Unweighted Frequency	%
0	-	136	0.3 %
1	-	234	0.5 %
2	-	277	0.5 %
3	-	262	0.5 %
4	-	265	0.5 %
5	-	259	0.5 %
6	-	308	0.6 %
7	-	290	0.6 %
8	-	257	0.5 %
9	-	260	0.5 %
10	-	239	0.5 %
11	-	189	0.4 %
12	-	342	0.7 %
13	-	341	0.7 %
14	-	364	0.7 %
15	-	322	0.6 %
16	-	296	0.6 %
17	-	313	0.6 %
18	-	359	0.7 %
19	-	254	0.5 %
20	-	217	0.4 %
21	-	264	0.5 %
22	-	247	0.5 %
23	-	218	0.4 %
24	-	288	0.6 %
25	-	341	0.7 %
26	-	261	0.5 %
27	-	282	0.6 %
28	-	222	0.4 %
29	-	254	0.5 %
30	-	363	0.7 %
31	-	216	0.4 %
32	-	222	0.4 %
33	-	237	0.5 %
34	-	204	0.4 %

Value	Label	Unweighted Frequency	%
35	-	222	0.4 %
36	-	269	0.5 %
37	-	265	0.5 %
38	-	204	0.4 %
39	-	242	0.5 %
40	-	200	0.4 %
41	-	186	0.4 %
42	-	313	0.6 %
43	-	181	0.4 %
44	-	182	0.4 %
45	-	164	0.3 %
46	-	156	0.3 %
47	-	165	0.3 %
48	-	214	0.4 %
49	-	196	0.4 %
Missing Data			
.	-	3622	7.1 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 47,336 valid cases out of 50,958 total cases.

- Mean: 121.24
- Minimum: 0.00
- Maximum: 654.00
- Standard Deviation: 86.49

Location: 569-571 (width: 3; decimal: 0)

Variable Type: numeric

RO0: HQ4 2.0 Roster ID IHDS2

Value	Label	Unweighted Frequency	%
1	-	4972	9.8 %
2	-	39585	77.7 %
3	-	2270	4.5 %
4	-	3140	6.2 %
5	-	266	0.5 %
6	-	216	0.4 %
7	-	166	0.3 %
8	-	136	0.3 %

Value	Label	Unweighted Frequency	%
9	-	96	0.2 %
10	-	46	0.1 %
11	-	28	0.1 %
12	-	22	0.0 %
13	-	2	0.0 %
14	-	8	0.0 %
17	-	2	0.0 %
27	-	2	0.0 %
Missing Data			
.	-	1	0.0 %
Total		50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Mean: 2.17
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 27.00
- Standard Deviation: 0.98

Location: 572-573 (width: 2; decimal: 0)

Variable Type: numeric

RO1: HQ4 2.1 Roster ID IHDS1

Value	Label	Unweighted Frequency	%
1	-	2244	4.4 %
2	-	36901	72.4 %
3	-	2896	5.7 %
4	-	6556	12.9 %
5	-	540	1.1 %
6	-	436	0.9 %
7	-	372	0.7 %
8	-	406	0.8 %
9	-	266	0.5 %
10	-	126	0.2 %
11	-	58	0.1 %
12	-	58	0.1 %
13	-	32	0.1 %
14	-	18	0.0 %
15	-	12	0.0 %
16	-	14	0.0 %

Value	Label	Unweighted Frequency	%
17	-	8	0.0 %
18	-	2	0.0 %
22	-	6	0.0 %
24	-	2	0.0 %
Missing Data			
.	-	5	0.0 %
Total		50,958	100%

Based upon 50,953 valid cases out of 50,958 total cases.

- Mean: 2.52
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 24.00
- Standard Deviation: 1.41

Location: 574-575 (width: 2; decimal: 0)

Variable Type: numeric

RO1ID1993: HH4 2.1 1993 member ID

Value	Label	Unweighted Frequency	%
0	-	1111	2.2 %
1	-	58	0.1 %
2	-	3526	6.9 %
3	-	398	0.8 %
4	-	1326	2.6 %
5	-	123	0.2 %
6	-	177	0.3 %
7	-	132	0.3 %
8	-	131	0.3 %
9	-	120	0.2 %
10	-	64	0.1 %
11	-	32	0.1 %
12	-	35	0.1 %
13	-	20	0.0 %
14	-	12	0.0 %
15	-	16	0.0 %
16	-	8	0.0 %
17	-	7	0.0 %
18	-	4	0.0 %
19	-	2	0.0 %

Value	Label	Unweighted Frequency	%
21	-	1	0.0 %
23	-	3	0.0 %
25	-	1	0.0 %
	Missing Data		
.	-	43651	85.7 %
	Total	50,958	100%

Based upon 7,307 valid cases out of 50,958 total cases.

- Mean: 2.86
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 25.00
- Standard Deviation: 2.53

Location: 576-577 (width: 2; decimal: 0)

Variable Type: numeric

RO3: HQ4 2.3 Sex

Value	Label	Unweighted Frequency	%
1	Male 1	0	0.0 %
2	Female 2	50957	100.0 %
	Missing Data		
.	-	1	0.0 %
	Total	50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 578-578 (width: 1; decimal: 0)

Variable Type: numeric

RO4: HQ4 2.4 Relationship to head

Value	Label	Unweighted Frequency	%
1	Head 1	3646	7.2 %
2	Wife 2	37844	74.3 %
3	Daughter 3	476	0.9 %
4	Daughter-in-law 4	8091	15.9 %
5	Grandchild 5	1	0.0 %
6	Mother 6	239	0.5 %
7	Sister 7	73	0.1 %

Value	Label	Unweighted Frequency	%
8	Mother-in-law 8	10	0.0 %
9	Niece 9	4	0.0 %
10	Sister in law 10	441	0.9 %
11	Other relatives 11	130	0.3 %
12	-	2	0.0 %
	Missing Data		
.	-	1	0.0 %
	Total	50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 579-580 (*width:* 2; *decimal:* 0)

Variable Type: numeric

RO5: HQ4 2.5 Age

Value	Label	Unweighted Frequency	%
15	-	19	0.0 %
16	-	46	0.1 %
17	-	68	0.1 %
18	-	249	0.5 %
19	-	280	0.5 %
20	-	698	1.4 %
21	-	446	0.9 %
22	-	826	1.6 %
23	-	712	1.4 %
24	-	829	1.6 %
25	-	1579	3.1 %
26	-	1150	2.3 %
27	-	1158	2.3 %
28	-	1913	3.8 %
29	-	1132	2.2 %
30	-	2929	5.7 %
31	-	1083	2.1 %
32	-	2335	4.6 %
33	-	1376	2.7 %
34	-	1391	2.7 %
35	-	3345	6.6 %
36	-	1841	3.6 %

Value	Label	Unweighted Frequency	%
37	-	1543	3.0 %
38	-	2353	4.6 %
39	-	1217	2.4 %
40	-	3365	6.6 %
41	-	955	1.9 %
42	-	2268	4.5 %
43	-	1267	2.5 %
44	-	962	1.9 %
45	-	2873	5.6 %
46	-	1199	2.4 %
47	-	1137	2.2 %
48	-	1474	2.9 %
49	-	704	1.4 %
50	-	1128	2.2 %
51	-	373	0.7 %
52	-	720	1.4 %
53	-	345	0.7 %
54	-	297	0.6 %
55	-	697	1.4 %
56	-	188	0.4 %
57	-	87	0.2 %
58	-	115	0.2 %
59	-	29	0.1 %
60	-	160	0.3 %
61	-	7	0.0 %
62	-	33	0.1 %
63	-	5	0.0 %
64	-	8	0.0 %
Missing Data			
.	-	1	0.0 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 50,957 valid cases out of 50,958 total cases.

- Mean: 36.84
- Median: 37.00
- Mode: 40.00
- Minimum: 15.00
- Maximum: 78.00

- Standard Deviation: 8.91

Location: 581-582 (width: 2; decimal: 0)

Variable Type: numeric

RO6: HQ4 2.6 Marital Status

Value	Label	Unweighted Frequency	%
0	Sp absent 0	1944	3.8 %
1	Married 1	46053	90.4 %
2	Unmarried 2	0	0.0 %
3	Widowed 3	2635	5.2 %
4	Sep/Div 4	325	0.6 %
5	No gauna 5	0	0.0 %
Missing Data			
.	-	1	0.0 %
Total		50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 583-583 (width: 1; decimal: 0)

Variable Type: numeric

RO8: HQ4 2.8 Spouse's ID

Value	Label	Unweighted Frequency	%
1	-	37833	74.2 %
2	-	1928	3.8 %
3	-	4807	9.4 %
4	-	349	0.7 %
5	-	260	0.5 %
6	-	215	0.4 %
7	-	240	0.5 %
8	-	163	0.3 %
9	-	76	0.1 %
10	-	37	0.1 %
11	-	35	0.1 %
12	-	12	0.0 %
13	-	12	0.0 %
14	-	6	0.0 %
15	-	6	0.0 %
16	-	4	0.0 %

Value	Label	Unweighted Frequency	%
17	-	1	0.0 %
21	-	3	0.0 %
26	-	1	0.0 %
50	-	1898	3.7 %
51	-	71	0.1 %
52	-	8	0.0 %
53	-	1	0.0 %
54	-	2	0.0 %
69	Other nonres 69	289	0.6 %
75	Died 75	2635	5.2 %
Missing Data			
.	-	66	0.1 %
Total		50,958	100%

Based upon 50,892 valid cases out of 50,958 total cases.

- Mean: 7.50
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 75.00
- Standard Deviation: 19.04

Location: 584-585 (width: 2; decimal: 0)

Variable Type: numeric

AP1Y: EQ36 25.3 Anthropometry data

Value	Label	Unweighted Frequency	%
0	-	1296	2.5 %
1	-	49661	97.5 %
Missing Data			
.	-	1	0.0 %
Total		50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Mean: 0.97
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.16

Location: 586-586 (width: 1; decimal: 0)

Variable Type: numeric

AP5: EQ36 25.5 Anthropometry Height 1st

Value	Label	Unweighted Frequency	%
37.000000000000	-	2	0.0 %
40.000000000000	-	1	0.0 %
41.40000152588	-	1	0.0 %
45.000000000000	-	1	0.0 %
45.500000000000	-	2	0.0 %
48.000000000000	-	2	0.0 %
49.500000000000	-	1	0.0 %
50.000000000000	-	2	0.0 %
50.09999847413	-	1	0.0 %
50.20000076294	-	1	0.0 %
51.000000000000	-	2	0.0 %
51.59999847413	-	1	0.0 %
52.000000000000	-	5	0.0 %
53.000000000000	-	2	0.0 %
54.000000000000	-	4	0.0 %
54.40000152588	-	1	0.0 %
54.70000076294	-	1	0.0 %
55.000000000000	-	2	0.0 %
55.29999923707	-	1	0.0 %
56.000000000000	-	4	0.0 %
56.20000076294	-	1	0.0 %
56.500000000000	-	1	0.0 %
56.59999847413	-	1	0.0 %
57.000000000000	-	1	0.0 %
57.500000000000	-	1	0.0 %
58.000000000000	-	1	0.0 %
59.000000000000	-	4	0.0 %
59.20000076294	-	1	0.0 %
60.000000000000	-	1	0.0 %
60.20000076294	-	1	0.0 %
60.29999923707	-	1	0.0 %
60.500000000000	-	1	0.0 %
61.000000000000	-	1	0.0 %
61.09999847413	-	1	0.0 %
61.70000076294	-	1	0.0 %
62.000000000000	-	1	0.0 %
63.000000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
65.000000000000	-	1	0.0 %
67.500000000000	-	1	0.0 %
68.19999694825	-	1	0.0 %
70.500000000000	-	1	0.0 %
72.500000000000	-	1	0.0 %
77.000000000000	-	2	0.0 %
78.000000000000	-	1	0.0 %
82.000000000000	-	1	0.0 %
84.000000000000	-	1	0.0 %
86.000000000000	-	1	0.0 %
90.59999847413	-	1	0.0 %
90.80000305176	-	1	0.0 %
90.90000152588	-	1	0.0 %
	Missing Data		
.	-	1402	2.8 %
	Total	50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 49,556 valid cases out of 50,958 total cases.

- Mean: 151.52801893633
- Minimum: 37.00000000000
- Maximum: 199.50000000000
- Standard Deviation: 7.50270575671

Location: 587-601 (width: 15; decimal: 11)

Variable Type: numeric

AP7: EQ36 25.7 Anthropometry Position

Value	Label	Unweighted Frequency	%
1	Lying 1	197	0.4 %
2	Standing 2	49452	97.0 %
	Missing Data		
.	-	1309	2.6 %
	Total	50,958	100%

Based upon 49,649 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 602-602 (width: 1; decimal: 0)

Variable Type: numeric

AP8: EQ36 25.8 Anthropometry Weight 1st

Value	Label	Unweighted Frequency	%
2.000000000000	-	1	0.0 %
3.29999995232	-	1	0.0 %
4.19999980927	-	1	0.0 %
4.30000019074	-	1	0.0 %
4.44999980927	-	1	0.0 %
4.500000000000	-	1	0.0 %
4.69999980927	-	1	0.0 %
5.000000000000	-	2	0.0 %
5.09999990464	-	1	0.0 %
5.69999980927	-	1	0.0 %
5.90000009537	-	1	0.0 %
5.90999984742	-	1	0.0 %
6.500000000000	-	1	0.0 %
6.90000009537	-	3	0.0 %
7.07999992371	-	1	0.0 %
7.09999990464	-	1	0.0 %
7.19999980927	-	1	0.0 %
7.40000009537	-	2	0.0 %
8.000000000000	-	1	0.0 %
8.10000038147	-	1	0.0 %
8.19999980927	-	1	0.0 %
8.21000003815	-	1	0.0 %
8.60000038147	-	1	0.0 %
9.000000000000	-	1	0.0 %
9.30000019074	-	2	0.0 %
9.69999980927	-	1	0.0 %
10.000000000000	-	1	0.0 %
10.19999980927	-	1	0.0 %
10.500000000000	-	1	0.0 %
10.69999980927	-	1	0.0 %
11.19999980927	-	1	0.0 %
11.30000019074	-	1	0.0 %
11.89999961854	-	1	0.0 %
12.80000019074	-	1	0.0 %
13.10000038147	-	1	0.0 %
14.000000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
14.10000038147	-	2	0.0 %
14.50000000000	-	1	0.0 %
14.69999980927	-	2	0.0 %
15.00000000000	-	1	0.0 %
15.19999980927	-	2	0.0 %
15.30000019074	-	1	0.0 %
15.39999961854	-	1	0.0 %
15.60000038147	-	1	0.0 %
15.80000019074	-	1	0.0 %
16.00000000000	-	2	0.0 %
16.10000038147	-	1	0.0 %
16.39999961854	-	1	0.0 %
16.50000000000	-	1	0.0 %
16.70000076294	-	2	0.0 %
	Missing Data		
.	-	1319	2.6 %
	Total	50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 49,639 valid cases out of 50,958 total cases.

- Mean: 50.74716951662
- Minimum: 2.00000000000
- Maximum: 652.00000000000
- Standard Deviation: 14.43532609853

Location: 603-617 (width: 15; decimal: 11)

Variable Type: numeric

AP9: EQ36 25.9 Anthropometry Weight 2nd

Value	Label	Unweighted Frequency	%
2.00000000000	-	1	0.0 %
3.2999995232	-	1	0.0 %
4.44000005722	-	1	0.0 %
4.50000000000	-	1	0.0 %
5.00000000000	-	1	0.0 %
5.09999990464	-	1	0.0 %
5.30000019074	-	1	0.0 %
5.69999980927	-	1	0.0 %
5.90999984742	-	1	0.0 %

Value	Label	Unweighted Frequency	%
6.40000009537	-	1	0.0 %
6.90000009537	-	1	0.0 %
7.07999992371	-	1	0.0 %
7.09999990464	-	2	0.0 %
7.19999980927	-	1	0.0 %
7.69999980927	-	1	0.0 %
8.000000000000	-	1	0.0 %
8.10000038147	-	1	0.0 %
8.19999980927	-	1	0.0 %
8.60000038147	-	1	0.0 %
9.000000000000	-	1	0.0 %
9.30000019074	-	2	0.0 %
9.69999980927	-	1	0.0 %
10.000000000000	-	1	0.0 %
10.30000019074	-	1	0.0 %
10.500000000000	-	1	0.0 %
10.80000019074	-	1	0.0 %
11.19999980927	-	2	0.0 %
11.89999961854	-	1	0.0 %
13.10000038147	-	1	0.0 %
14.000000000000	-	1	0.0 %
14.10000038147	-	1	0.0 %
14.60000038147	-	1	0.0 %
14.69999980927	-	1	0.0 %
15.10000038147	-	1	0.0 %
15.19999980927	-	2	0.0 %
15.30000019074	-	1	0.0 %
15.39999961854	-	1	0.0 %
15.69999980927	-	2	0.0 %
16.000000000000	-	1	0.0 %
16.10000038147	-	2	0.0 %
16.20000076294	-	1	0.0 %
16.39999961854	-	1	0.0 %
16.500000000000	-	1	0.0 %
16.79999923707	-	1	0.0 %
17.000000000000	-	2	0.0 %
17.10000038147	-	1	0.0 %
17.60000038147	-	1	0.0 %
17.70000076294	-	1	0.0 %

Value	Label	Unweighted Frequency	%
18.20000076294	-	1	0.0 %
18.39999961854	-	1	0.0 %
	Missing Data		
.	-	1319	2.6 %
	Total	50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 49,639 valid cases out of 50,958 total cases.

- Mean: 50.88279233660
- Minimum: 2.00000000000
- Maximum: 652.00000000000
- Standard Deviation: 15.87360436358

Location: 618-632 (width: 15; decimal: 11)

Variable Type: numeric

HAZ: Height for age zscore from zanthro(US) months>=24

Value	Label	Unweighted Frequency	%
-5.990756034851	-	4	0.0 %
-5.915774822235	-	1	0.0 %
-5.840760707855	-	4	0.0 %
-5.773221015930	-	1	0.0 %
-5.750701427460	-	1	0.0 %
-5.690635681152	-	2	0.0 %
-5.540381431580	-	3	0.0 %
-5.510315895081	-	1	0.0 %
-5.472725868225	-	1	0.0 %
-5.465206623077	-	1	0.0 %
-5.389999866486	-	1	0.0 %
-5.314761161804	-	1	0.0 %
-5.239490985870	-	3	0.0 %
-5.209374427795	-	2	0.0 %
-5.164189338684	-	1	0.0 %
-5.134060382843	-	1	0.0 %
-5.088856220245	-	9	0.0 %
-5.081320762634	-	2	0.0 %
-5.066250801086	-	1	0.0 %
-5.058714389801	-	1	0.0 %
-5.028567790985	-	1	0.0 %

Value	Label	Unweighted Frequency	%
-5.013491630554	-	7	0.0 %
-4.998414039612	-	7	0.0 %
-4.990877151489	-	2	0.0 %
-4.983337402344	-	4	0.0 %
-4.968257427216	-	8	0.0 %
-4.960716724396	-	1	0.0 %
-4.953178405762	-	12	0.0 %
-4.938096046448	-	4	0.0 %
-4.923012256622	-	1	0.0 %
-4.877758026123	-	1	0.0 %
-4.862668991089	-	1	0.0 %
-4.809851169586	-	1	0.0 %
-4.787211418152	-	8	0.0 %
-4.779663562775	-	1	0.0 %
-4.764568805695	-	1	0.0 %
-4.757019996643	-	2	0.0 %
-4.741921424866	-	1	0.0 %
-4.711722850800	-	4	0.0 %
-4.704171657562	-	1	0.0 %
-4.666414260864	-	1	0.0 %
-4.636203289032	-	2	0.0 %
-4.621094703674	-	2	0.0 %
-4.560653209686	-	2	0.0 %
-4.553098201752	-	1	0.0 %
-4.530425071716	-	1	0.0 %
-4.522866725922	-	1	0.0 %
-4.485072135925	-	9	0.0 %
-4.469951629639	-	1	0.0 %
-4.454832077026	-	2	0.0 %
	Missing Data		
.	-	26065	51.1 %
	Total	50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 24,893 valid cases out of 50,958 total cases.

- Mean: -1.744283215465
- Minimum: -5.990756034851
- Maximum: 5.648394584656

- Standard Deviation: 1.024784480573

Location: 633-647 (width: 15; decimal: 12)

Variable Type: numeric

HAZFLAG: Height for age zscore out of bounds

Value	Label	Unweighted Frequency	%
0	-	24893	48.9 %
1	-	81	0.2 %
	Missing Data		
.	-	25984	51.0 %
	Total	50,958	100%

Based upon 24,974 valid cases out of 50,958 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.06

Location: 648-648 (width: 1; decimal: 0)

Variable Type: numeric

LAZ: Length for age zscore from zanthro(US) months<=36

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	50958	100.0 %
	Total	50,958	100%

Based upon 0 valid cases out of 50,958 total cases.

Location: 649-649 (width: 1; decimal: 0)

Variable Type: numeric

LAZFLAG: Length for age zscore out of bounds

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
	Missing Data		
.	-	50957	100.0 %
	Total	50,958	100%

Based upon 1 valid cases out of 50,958 total cases.

- Mean: 1.00

- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

Location: 650-650 (width: 1; decimal: 0)

Variable Type: numeric

WAZ: Weight for age zscore from zanthro(US)

Value	Label	Unweighted Frequency	%
-5.984291076660	-	8	0.0 %
-5.960588932037	-	3	0.0 %
-5.936980247498	-	5	0.0 %
-5.890041351318	-	10	0.0 %
-5.890040397644	-	1	0.0 %
-5.843470573425	-	14	0.0 %
-5.820322513580	-	2	0.0 %
-5.797265052795	-	10	0.0 %
-5.774295806885	-	1	0.0 %
-5.751418113708	-	13	0.0 %
-5.728629112244	-	1	0.0 %
-5.705929279327	-	8	0.0 %
-5.705927371979	-	2	0.0 %
-5.683317184448	-	1	0.0 %
-5.660791397095	-	9	0.0 %
-5.638354301453	-	1	0.0 %
-5.616003990173	-	18	0.0 %
-5.593739986420	-	2	0.0 %
-5.571561813354	-	13	0.0 %
-5.549467086792	-	1	0.0 %
-5.527461051941	-	1	0.0 %
-5.527459144592	-	6	0.0 %
-5.505535602570	-	2	0.0 %
-5.483695983887	-	12	0.0 %
-5.461939811707	-	1	0.0 %
-5.440264701843	-	17	0.0 %
-5.418675899506	-	1	0.0 %
-5.418674468994	-	1	0.0 %
-5.397166252136	-	13	0.0 %
-5.375739574432	-	5	0.0 %
-5.375738143921	-	1	0.0 %

Value	Label	Unweighted Frequency	%
-5.354394435883	-	11	0.0 %
-5.333128452301	-	2	0.0 %
-5.311944484711	-	16	0.0 %
-5.269816398621	-	10	0.0 %
-5.248871326447	-	1	0.0 %
-5.228003501892	-	15	0.0 %
-5.207215785980	-	2	0.0 %
-5.186505794525	-	8	0.0 %
-5.165873527527	-	2	0.0 %
-5.145318031311	-	17	0.0 %
-5.124838352203	-	4	0.0 %
-5.104437351227	-	1	0.0 %
-5.104435920715	-	16	0.0 %
-5.084109783173	-	1	0.0 %
-5.063858985901	-	16	0.0 %
-5.043683528900	-	5	0.0 %
-5.023581027985	-	13	0.0 %
-5.003554821014	-	3	0.0 %
-4.983602046967	-	24	0.0 %
Missing Data			
.	-	26201	51.4 %
		Total	50,958 100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 24,757 valid cases out of 50,958 total cases.

- Mean: -1.074974668381
- Minimum: -5.984291076660
- Maximum: 3.018458604813
- Standard Deviation: 1.541722564441

Location: 651-665 (width: 15; decimal: 12)

Variable Type: numeric

WAZFLAG: Weight for age zscore out of bounds

Value	Label	Unweighted Frequency	%
0	-	24757	48.6 %
1	-	242	0.5 %
Missing Data			
.	-	25959	50.9 %

Value	Label	Unweighted Frequency	%
Total		50,958	100%

Based upon 24,999 valid cases out of 50,958 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Location: 666-666 (width: 1; decimal: 0)

Variable Type: numeric

WHZ: Weight for height zscore from zanthro(US)

Value	Label	Unweighted Frequency	%
-2.183432102203	-	1	0.0 %
-2.125210762024	-	1	0.0 %
-1.033201098442	-	1	0.0 %
0.054320804775	-	1	0.0 %
1.216039776802	-	1	0.0 %
2.308288574219	-	1	0.0 %
2.649771690369	-	1	0.0 %
2.663913726807	-	1	0.0 %
2.882117033005	-	1	0.0 %
2.955819129944	-	1	0.0 %
3.202720165253	-	1	0.0 %
3.270397186279	-	1	0.0 %
3.342792749405	-	1	0.0 %
3.353401660919	-	1	0.0 %
3.363931179047	-	1	0.0 %
3.382713556290	-	1	0.0 %
3.426955223083	-	1	0.0 %
3.430101871490	-	1	0.0 %
3.433887958527	-	1	0.0 %
3.492317676544	-	1	0.0 %
3.500377416611	-	1	0.0 %
3.568895101547	-	1	0.0 %
3.952861547470	-	1	0.0 %
5.592836380005	-	1	0.0 %
Missing Data			

Value	Label	Unweighted Frequency	%
-	-	50934	100.0 %
	Total	50,958	100%

Based upon 24 valid cases out of 50,958 total cases.

- Mean: 2.487609018572
- Median: 3.306594967842
- Minimum: -2.183432102203
- Maximum: 5.592836380005
- Standard Deviation: 1.926125500533

Location: 667-681 (width: 15; decimal: 12)

Variable Type: numeric

WHZFLAG: Weight for height zscore out of bounds

Value	Label	Unweighted Frequency	%
0	-	24	0.0 %
1	-	3	0.0 %
	Missing Data		
.	-	50931	99.9 %
	Total	50,958	100%

Based upon 27 valid cases out of 50,958 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

Location: 682-682 (width: 1; decimal: 0)

Variable Type: numeric

BMI: BMI from zanthro(US)

Based upon 24,892 valid cases out of 50,958 total cases.

- Mean: 22.95804670998
- Minimum: 13.32379913331
- Maximum: 887.500000000000
- Standard Deviation: 12.20399609298

Location: 683-697 (width: 15; decimal: 11)

Variable Type: numeric

BAZ: BMI for age zscore from zanthro(US) months>=24

Based upon 24,891 valid cases out of 50,958 total cases.

- Mean: -0.142052015737
- Minimum: -5.977853775024
- Maximum: 2.787230253220
- Standard Deviation: 1.314630265310

Location: 698-712 (width: 15; decimal: 12)

Variable Type: numeric

BAZFLAG: BMI for age zscore out of bounds

Value	Label	Unweighted Frequency	%
0	-	24891	48.8 %
1	-	71	0.1 %
	Missing Data		
.	-	25996	51.0 %
	Total	50,958	100%

Based upon 24,962 valid cases out of 50,958 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.05

Location: 713-713 (width: 1; decimal: 0)

Variable Type: numeric

AGE: Age in months estimate

Value	Label	Unweighted Frequency	%
6	-	1	0.0 %
123	-	1	0.0 %
246	-	3	0.0 %
258	-	13	0.0 %
267	-	1	0.0 %
270	-	24	0.0 %
282	-	55	0.1 %
294	-	107	0.2 %
306	-	293	0.6 %
318	-	332	0.7 %
330	-	463	0.9 %
342	-	710	1.4 %
354	-	488	1.0 %
366	-	1163	2.3 %
378	-	509	1.0 %

Value	Label	Unweighted Frequency	%
390	-	1117	2.2 %
402	-	611	1.2 %
414	-	657	1.3 %
426	-	1477	2.9 %
438	-	925	1.8 %
450	-	866	1.7 %
462	-	1120	2.2 %
474	-	666	1.3 %
486	-	1685	3.3 %
498	-	566	1.1 %
510	-	1375	2.7 %
522	-	764	1.5 %
534	-	582	1.1 %
546	-	1704	3.3 %
558	-	724	1.4 %
570	-	772	1.5 %
582	-	963	1.9 %
594	-	506	1.0 %
606	-	1128	2.2 %
618	-	373	0.7 %
630	-	720	1.4 %
642	-	345	0.7 %
654	-	297	0.6 %
666	-	697	1.4 %
678	-	188	0.4 %
690	-	87	0.2 %
702	-	115	0.2 %
714	-	29	0.1 %
726	-	160	0.3 %
738	-	7	0.0 %
750	-	33	0.1 %
762	-	5	0.0 %
774	-	8	0.0 %
786	-	25	0.0 %
798	-	2	0.0 %
Missing Data			
.	-	25480	50.0 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,478 valid cases out of 50,958 total cases.

- Mean: 491.58
- Median: 486.00
- Mode: 546.00
- Minimum: 6.00
- Maximum: 942.00
- Standard Deviation: 100.35

Location: 714-716 (width: 3; decimal: 0)

Variable Type: numeric

AGEFROM: Age estimate from birth history or roster

Value	Label	Unweighted Frequency	%
-1	bhdate>intvw -1	0	0.0 %
1	bh: date 1	2	0.0 %
2	bh: age 2	2	0.0 %
3	ro5 3	25474	50.0 %
Missing Data			
.	-	25480	50.0 %
Total		50,958	100%

Based upon 25,478 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 717-718 (width: 2; decimal: 0)

Variable Type: numeric

EWELIGIBLE: HH4 2.3,5,6 Woman 15-49 ever married

Value	Label	Unweighted Frequency	%
0	No 0	4235	8.3 %
1	Yes 1	46722	91.7 %
Missing Data			
.	-	1	0.0 %
Total		50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 719-719 (width: 1; decimal: 0)

Variable Type: numeric

WKANY: HQ work participation (farm, business, wage|salary)

Value	Label	Unweighted Frequency	%
0	none 0	24486	48.1 %
1	missing hours 1	154	0.3 %
2	<240hrs 2	3110	6.1 %
3	parttime 3	18678	36.7 %
4	ft yr 4	4529	8.9 %
Missing Data			
.	-	1	0.0 %
Total		50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 720-720 (width: 1; decimal: 0)

Variable Type: numeric

WKANYPLUS: HQ work participation (farm business w|s animal)

Value	Label	Unweighted Frequency	%
0	none 0	19324	37.9 %
1	missing hours 1	242	0.5 %
2	<240hrs 2	1916	3.8 %
3	parttime 3	24946	49.0 %
4	ft yr 4	4529	8.9 %
Missing Data			
.	-	1	0.0 %
Total		50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 721-721 (width: 1; decimal: 0)

Variable Type: numeric

WKANIMAL: HQ11 an5+ work participation animals

Value	Label	Unweighted Frequency	%
0	none 0	32705	64.2 %
1	missing hours 1	14	0.0 %
2	<240hrs 2	5033	9.9 %

Value	Label	Unweighted Frequency	%
3	parttime 3	13205	25.9 %
4	ft yr 4	0	0.0 %
	Missing Data		
.	-	1	0.0 %
	Total	50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 722-722 (width: 1; decimal: 0)

Variable Type: numeric

WKBUSINESS: HQ14-16 nf12+ work participation business

Value	Label	Unweighted Frequency	%
0	none 0	48233	94.7 %
1	missing hours 1	69	0.1 %
2	<240hrs 2	399	0.8 %
3	parttime 3	1784	3.5 %
4	ft yr 4	472	0.9 %
	Missing Data		
.	-	1	0.0 %
	Total	50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 723-723 (width: 1; decimal: 0)

Variable Type: numeric

WKAGLAB: HQ13 7.3 Farm wage labour (5cat)

Value	Label	Unweighted Frequency	%
0	none 0	42476	83.4 %
1	missing hours 1	4	0.0 %
2	<240hrs 2	656	1.3 %
3	parttime 3	7158	14.0 %
4	ft yr 4	663	1.3 %
	Missing Data		
.	-	1	0.0 %

Value	Label	Unweighted Frequency	%
Total		50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 724-724 (width: 1; decimal: 0)

Variable Type: numeric

WKFARM: HQ14-16 fm12+ work participation farm

Value	Label	Unweighted Frequency	%
0	none 0	35152	69.0 %
1	missing hours 1	121	0.2 %
2	<240hrs 2	4039	7.9 %
3	parttime 3	11119	21.8 %
4	ft yr 4	526	1.0 %
Missing Data			
.	-	1	0.0 %
Total		50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 725-725 (width: 1; decimal: 0)

Variable Type: numeric

WKNONAG: HQ13 7.3 Nonag wage labour (5cat)

Value	Label	Unweighted Frequency	%
0	none 0	46065	90.4 %
1	missing hours 1	2	0.0 %
2	<240hrs 2	1269	2.5 %
3	parttime 3	3194	6.3 %
4	ft yr 4	427	0.8 %
Missing Data			
.	-	1	0.0 %
Total		50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Minimum: 0.00

- Maximum: 4.00

Location: 726-726 (width: 1; decimal: 0)

Variable Type: numeric

WKNONNREGA: HQ13 7.3 Nonnrega wage labour (5cat) [IHDS2]

Value	Label	Unweighted Frequency	%
0	none 0	24110	47.3 %
1	missing hours 1	0	0.0 %
2	<240hrs 2	91	0.2 %
3	parttime 3	1045	2.1 %
4	ft yr 4	232	0.5 %
Missing Data			
.	-	25480	50.0 %
Total		50,958	100%

Based upon 25,478 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 727-727 (width: 1; decimal: 0)

Variable Type: numeric

WKSALARY: HQ13 7.3 Salary position (5cat)

Value	Label	Unweighted Frequency	%
0	none 0	48097	94.4 %
1	missing hours 1	4	0.0 %
2	<240hrs 2	114	0.2 %
3	parttime 3	1331	2.6 %
4	ft yr 4	1411	2.8 %
Missing Data			
.	-	1	0.0 %
Total		50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 728-728 (width: 1; decimal: 0)

Variable Type: numeric

WKNREGA: HQ13 7.3 NREGA work (5cat) [IHDS2]

Value	Label	Unweighted Frequency	%
0	none 0	23098	45.3 %
1	missing hours 1	2	0.0 %
2	<240hrs 2	1166	2.3 %
3	parttime 3	1212	2.4 %
4	ft yr 4	0	0.0 %
Missing Data			
.	-	25480	50.0 %
Total		50,958	100%

Based upon 25,478 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 729-729 (width: 1; decimal: 0)

Variable Type: numeric

AN7Y: HQ11 6.7 Animal care: is decision maker

Value	Label	Unweighted Frequency	%
0	No 0	12783	25.1 %
1	Yes 1	10321	20.3 %
Missing Data			
.	-	27854	54.7 %
Total		50,958	100%

Based upon 23,104 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 730-730 (width: 1; decimal: 0)

Variable Type: numeric

WKHOURS: HQ work hours /year (farm, business, wage|salary)

Value	Label	Unweighted Frequency	%
2	-	1	0.0 %
3	-	1	0.0 %
4	-	4	0.0 %
5	-	5	0.0 %
6	-	2	0.0 %
7	-	2	0.0 %
8	-	3	0.0 %

Value	Label	Unweighted Frequency	%
9	-	2	0.0 %
10	-	19	0.0 %
12	-	7	0.0 %
14	-	2	0.0 %
15	-	14	0.0 %
16	-	5	0.0 %
18	-	3	0.0 %
20	-	63	0.1 %
21	-	1	0.0 %
24	-	7	0.0 %
25	-	8	0.0 %
28	-	1	0.0 %
30	-	90	0.2 %
32	-	7	0.0 %
34	-	1	0.0 %
35	-	8	0.0 %
36	-	4	0.0 %
38	-	2	0.0 %
40	-	91	0.2 %
42	-	4	0.0 %
44	-	2	0.0 %
45	-	18	0.0 %
48	-	10	0.0 %
49	-	1	0.0 %
50	-	83	0.2 %
52	-	1	0.0 %
54	-	1	0.0 %
56	-	12	0.0 %
57	-	1	0.0 %
60	-	224	0.4 %
64	-	11	0.0 %
65	-	1	0.0 %
69	-	1	0.0 %
70	-	16	0.0 %
72	-	10	0.0 %
75	-	30	0.1 %
76	-	3	0.0 %
80	-	138	0.3 %
84	-	3	0.0 %

Value	Label	Unweighted Frequency	%
85	-	1	0.0 %
88	-	5	0.0 %
90	-	133	0.3 %
96	-	12	0.0 %
Missing Data			
-	-	24643	48.4 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 26,315 valid cases out of 50,958 total cases.

- Mean: 1145.25
- Minimum: 2.00
- Maximum: 4000.00
- Standard Deviation: 832.31

Location: 731-734 (width: 4; decimal: 0)

Variable Type: numeric

NFHOURS: HQ14-16 nf12+ hours per year all businesses

Value	Label	Unweighted Frequency	%
3	-	1	0.0 %
10	-	2	0.0 %
15	-	2	0.0 %
18	-	1	0.0 %
20	-	6	0.0 %
24	-	2	0.0 %
30	-	7	0.0 %
32	-	1	0.0 %
35	-	1	0.0 %
36	-	1	0.0 %
40	-	8	0.0 %
42	-	1	0.0 %
45	-	5	0.0 %
48	-	8	0.0 %
50	-	11	0.0 %
60	-	32	0.1 %
70	-	5	0.0 %
72	-	4	0.0 %
75	-	6	0.0 %

Value	Label	Unweighted Frequency	%
76	-	1	0.0 %
80	-	24	0.0 %
84	-	2	0.0 %
90	-	24	0.0 %
92	-	1	0.0 %
96	-	3	0.0 %
98	-	1	0.0 %
100	-	32	0.1 %
102	-	1	0.0 %
104	-	2	0.0 %
108	-	1	0.0 %
118	-	1	0.0 %
120	-	38	0.1 %
125	-	1	0.0 %
130	-	1	0.0 %
132	-	1	0.0 %
140	-	1	0.0 %
144	-	2	0.0 %
150	-	28	0.1 %
160	-	9	0.0 %
170	-	1	0.0 %
175	-	1	0.0 %
180	-	46	0.1 %
190	-	1	0.0 %
198	-	1	0.0 %
200	-	62	0.1 %
208	-	1	0.0 %
210	-	7	0.0 %
230	-	1	0.0 %
240	-	48	0.1 %
243	-	1	0.0 %
Missing Data			
.	-	48303	94.8 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,655 valid cases out of 50,958 total cases.

- Mean: 1159.47

- Minimum: 3.00
- Maximum: 4000.00
- Standard Deviation: 953.90

Location: 735-738 (width: 4; decimal: 0)

Variable Type: numeric

AGLABHOURS: HQ13 7.5, ag labour: hours/year

Value	Label	Unweighted Frequency	%
6	-	2	0.0 %
8	-	1	0.0 %
12	-	4	0.0 %
16	-	3	0.0 %
18	-	1	0.0 %
20	-	1	0.0 %
24	-	4	0.0 %
30	-	2	0.0 %
32	-	5	0.0 %
40	-	8	0.0 %
42	-	1	0.0 %
48	-	6	0.0 %
54	-	1	0.0 %
56	-	11	0.0 %
60	-	12	0.0 %
63	-	1	0.0 %
64	-	14	0.0 %
70	-	4	0.0 %
72	-	6	0.0 %
75	-	2	0.0 %
80	-	46	0.1 %
84	-	1	0.0 %
88	-	1	0.0 %
90	-	8	0.0 %
96	-	14	0.0 %
100	-	4	0.0 %
104	-	2	0.0 %
105	-	4	0.0 %
108	-	3	0.0 %
112	-	1	0.0 %
120	-	96	0.2 %
125	-	1	0.0 %
126	-	1	0.0 %

Value	Label	Unweighted Frequency	%
128	-	4	0.0 %
132	-	2	0.0 %
135	-	1	0.0 %
136	-	1	0.0 %
140	-	5	0.0 %
144	-	5	0.0 %
150	-	16	0.0 %
154	-	1	0.0 %
160	-	141	0.3 %
165	-	1	0.0 %
168	-	3	0.0 %
175	-	5	0.0 %
176	-	8	0.0 %
180	-	56	0.1 %
184	-	2	0.0 %
192	-	3	0.0 %
200	-	65	0.1 %
Missing Data			
.	-	42481	83.4 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 8,477 valid cases out of 50,958 total cases.

- Mean: 960.42
- Minimum: 6.00
- Maximum: 4000.00
- Standard Deviation: 616.80

Location: 739-742 (*width:* 4; *decimal:* 0)

Variable Type: numeric

NONAGHOURS: HQ13 7.5, nonag labour: hours/year

Value	Label	Unweighted Frequency	%
6	-	1	0.0 %
8	-	5	0.0 %
9	-	1	0.0 %
10	-	1	0.0 %
12	-	2	0.0 %
16	-	17	0.0 %

Value	Label	Unweighted Frequency	%
18	-	2	0.0 %
21	-	1	0.0 %
24	-	13	0.0 %
25	-	4	0.0 %
28	-	2	0.0 %
30	-	7	0.0 %
32	-	17	0.0 %
36	-	1	0.0 %
40	-	37	0.1 %
42	-	6	0.0 %
44	-	1	0.0 %
45	-	3	0.0 %
48	-	28	0.1 %
50	-	12	0.0 %
56	-	44	0.1 %
60	-	32	0.1 %
63	-	3	0.0 %
64	-	41	0.1 %
70	-	6	0.0 %
72	-	17	0.0 %
75	-	11	0.0 %
78	-	1	0.0 %
80	-	100	0.2 %
82	-	1	0.0 %
84	-	5	0.0 %
88	-	14	0.0 %
90	-	18	0.0 %
91	-	1	0.0 %
96	-	47	0.1 %
100	-	37	0.1 %
102	-	1	0.0 %
104	-	11	0.0 %
105	-	5	0.0 %
112	-	35	0.1 %
120	-	187	0.4 %
125	-	6	0.0 %
128	-	5	0.0 %
130	-	1	0.0 %
135	-	2	0.0 %

Value	Label	Unweighted Frequency	%
136	-	11	0.0 %
140	-	13	0.0 %
144	-	25	0.0 %
150	-	38	0.1 %
152	-	4	0.0 %
Missing Data			
.	-	46068	90.4 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,890 valid cases out of 50,958 total cases.

- Mean: 810.79
- Minimum: 6.00
- Maximum: 4000.00
- Standard Deviation: 754.54

Location: 743-746 (width: 4; decimal: 0)

Variable Type: numeric

SALARYHOURS: HQ13 7.5, salary position: hours/year

Value	Label	Unweighted Frequency	%
8	-	1	0.0 %
12	-	1	0.0 %
16	-	1	0.0 %
20	-	1	0.0 %
24	-	2	0.0 %
25	-	1	0.0 %
28	-	2	0.0 %
30	-	4	0.0 %
35	-	4	0.0 %
36	-	2	0.0 %
40	-	5	0.0 %
42	-	4	0.0 %
48	-	6	0.0 %
49	-	2	0.0 %
50	-	2	0.0 %
56	-	1	0.0 %
60	-	12	0.0 %
72	-	1	0.0 %

Value	Label	Unweighted Frequency	%
75	-	2	0.0 %
78	-	1	0.0 %
80	-	3	0.0 %
84	-	1	0.0 %
85	-	1	0.0 %
90	-	3	0.0 %
96	-	2	0.0 %
100	-	2	0.0 %
102	-	1	0.0 %
105	-	1	0.0 %
110	-	1	0.0 %
120	-	11	0.0 %
125	-	2	0.0 %
128	-	1	0.0 %
144	-	1	0.0 %
150	-	6	0.0 %
156	-	1	0.0 %
160	-	6	0.0 %
175	-	1	0.0 %
180	-	5	0.0 %
200	-	5	0.0 %
208	-	1	0.0 %
210	-	2	0.0 %
216	-	1	0.0 %
240	-	7	0.0 %
270	-	3	0.0 %
280	-	3	0.0 %
288	-	2	0.0 %
300	-	10	0.0 %
320	-	3	0.0 %
330	-	1	0.0 %
335	-	1	0.0 %
Missing Data			
.	-	48103	94.4 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,855 valid cases out of 50,958 total cases.

- Mean: 1884.55
- Minimum: 8.00
- Maximum: 4000.00
- Standard Deviation: 831.06

Location: 747-750 (width: 4; decimal: 0)

Variable Type: numeric

NONNREGAHOURS: HQ13 7.5, nonnrega labour: hours/year [IHDS2]

Value	Label	Unweighted Frequency	%
16	-	1	0.0 %
24	-	2	0.0 %
32	-	3	0.0 %
40	-	2	0.0 %
48	-	2	0.0 %
50	-	3	0.0 %
56	-	3	0.0 %
60	-	6	0.0 %
64	-	4	0.0 %
70	-	2	0.0 %
72	-	1	0.0 %
80	-	4	0.0 %
90	-	2	0.0 %
96	-	1	0.0 %
100	-	2	0.0 %
112	-	1	0.0 %
120	-	11	0.0 %
140	-	2	0.0 %
150	-	2	0.0 %
160	-	10	0.0 %
165	-	1	0.0 %
168	-	2	0.0 %
180	-	6	0.0 %
192	-	1	0.0 %
200	-	12	0.0 %
208	-	1	0.0 %
210	-	2	0.0 %
224	-	1	0.0 %
225	-	1	0.0 %
240	-	36	0.1 %
256	-	1	0.0 %
280	-	4	0.0 %

Value	Label	Unweighted Frequency	%
300	-	8	0.0 %
320	-	8	0.0 %
336	-	1	0.0 %
350	-	1	0.0 %
360	-	9	0.0 %
384	-	1	0.0 %
400	-	33	0.1 %
420	-	3	0.0 %
430	-	1	0.0 %
440	-	1	0.0 %
450	-	6	0.0 %
455	-	1	0.0 %
480	-	48	0.1 %
488	-	1	0.0 %
490	-	1	0.0 %
500	-	6	0.0 %
520	-	1	0.0 %
525	-	1	0.0 %
Missing Data			
.	-	49590	97.3 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,368 valid cases out of 50,958 total cases.

- Mean: 1272.54
- Median: 1200.00
- Mode: 1200.00
- Minimum: 16.00
- Maximum: 4000.00
- Standard Deviation: 759.86

Location: 751-754 (width: 4; decimal: 0)

Variable Type: numeric

NREGAHHOURS: HQ13 7.5, NREGA position: hours/year [IHDS2]

Value	Label	Unweighted Frequency	%
8	-	5	0.0 %
9	-	1	0.0 %
10	-	1	0.0 %
12	-	2	0.0 %

Value	Label	Unweighted Frequency	%
16	-	14	0.0 %
18	-	2	0.0 %
21	-	1	0.0 %
24	-	11	0.0 %
25	-	3	0.0 %
28	-	2	0.0 %
30	-	6	0.0 %
32	-	16	0.0 %
36	-	1	0.0 %
40	-	33	0.1 %
42	-	6	0.0 %
44	-	1	0.0 %
45	-	2	0.0 %
48	-	25	0.0 %
50	-	8	0.0 %
52	-	1	0.0 %
56	-	43	0.1 %
60	-	28	0.1 %
63	-	3	0.0 %
64	-	34	0.1 %
70	-	3	0.0 %
72	-	17	0.0 %
75	-	10	0.0 %
78	-	1	0.0 %
80	-	92	0.2 %
82	-	1	0.0 %
84	-	5	0.0 %
88	-	13	0.0 %
90	-	18	0.0 %
91	-	1	0.0 %
96	-	51	0.1 %
100	-	36	0.1 %
102	-	1	0.0 %
104	-	13	0.0 %
105	-	5	0.0 %
112	-	34	0.1 %
120	-	169	0.3 %
125	-	6	0.0 %
128	-	4	0.0 %

Value	Label	Unweighted Frequency	%
135	-	2	0.0 %
136	-	8	0.0 %
140	-	11	0.0 %
144	-	20	0.0 %
150	-	33	0.1 %
152	-	3	0.0 %
156	-	2	0.0 %
Missing Data			
.	-	48580	95.3 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,378 valid cases out of 50,958 total cases.

- Mean: 285.03
- Median: 240.00
- Mode: 240.00
- Minimum: 8.00
- Maximum: 1520.00
- Standard Deviation: 221.34

Location: 755-758 (width: 4; decimal: 0)

Variable Type: numeric

WKDAYS: HQ work days /year (farm, business, wage|salary)

Value	Label	Unweighted Frequency	%
1	-	6	0.0 %
2	-	9	0.0 %
3	-	10	0.0 %
4	-	10	0.0 %
5	-	29	0.1 %
6	-	9	0.0 %
7	-	19	0.0 %
8	-	20	0.0 %
9	-	7	0.0 %
10	-	125	0.2 %
11	-	5	0.0 %
12	-	20	0.0 %
13	-	4	0.0 %
14	-	10	0.0 %
15	-	121	0.2 %

Value	Label	Unweighted Frequency	%
16	-	4	0.0 %
17	-	3	0.0 %
18	-	12	0.0 %
19	-	3	0.0 %
20	-	329	0.6 %
21	-	5	0.0 %
22	-	6	0.0 %
23	-	1	0.0 %
24	-	11	0.0 %
25	-	137	0.3 %
26	-	3	0.0 %
27	-	8	0.0 %
28	-	4	0.0 %
29	-	5	0.0 %
30	-	736	1.4 %
31	-	1	0.0 %
32	-	16	0.0 %
33	-	1	0.0 %
34	-	3	0.0 %
35	-	81	0.2 %
36	-	9	0.0 %
38	-	7	0.0 %
39	-	7	0.0 %
40	-	452	0.9 %
41	-	1	0.0 %
42	-	6	0.0 %
43	-	2	0.0 %
44	-	4	0.0 %
45	-	134	0.3 %
46	-	2	0.0 %
48	-	14	0.0 %
49	-	5	0.0 %
50	-	576	1.1 %
51	-	2	0.0 %
52	-	8	0.0 %
Missing Data			
.	-	24631	48.3 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 26,327 valid cases out of 50,958 total cases.

- Mean: 178.27
- Minimum: 1.00
- Maximum: 365.00
- Standard Deviation: 101.21

Location: 759-761 (width: 3; decimal: 0)

Variable Type: numeric

NFDAYS: HQ14-16 nf12+ days per year all businesses

Value	Label	Unweighted Frequency	%
3	-	1	0.0 %
4	-	1	0.0 %
5	-	2	0.0 %
6	-	2	0.0 %
7	-	2	0.0 %
8	-	3	0.0 %
10	-	17	0.0 %
12	-	15	0.0 %
14	-	1	0.0 %
15	-	33	0.1 %
16	-	2	0.0 %
17	-	1	0.0 %
18	-	2	0.0 %
20	-	41	0.1 %
22	-	2	0.0 %
23	-	1	0.0 %
24	-	1	0.0 %
25	-	11	0.0 %
26	-	3	0.0 %
28	-	1	0.0 %
30	-	44	0.1 %
33	-	1	0.0 %
35	-	7	0.0 %
40	-	15	0.0 %
45	-	2	0.0 %
46	-	1	0.0 %
48	-	3	0.0 %
50	-	43	0.1 %
52	-	1	0.0 %

Value	Label	Unweighted Frequency	%
59	-	1	0.0 %
60	-	72	0.1 %
65	-	2	0.0 %
70	-	12	0.0 %
72	-	1	0.0 %
75	-	5	0.0 %
80	-	25	0.0 %
81	-	1	0.0 %
83	-	1	0.0 %
84	-	1	0.0 %
90	-	77	0.2 %
96	-	2	0.0 %
99	-	1	0.0 %
100	-	177	0.3 %
104	-	1	0.0 %
105	-	2	0.0 %
110	-	5	0.0 %
115	-	1	0.0 %
117	-	1	0.0 %
120	-	81	0.2 %
125	-	2	0.0 %
Missing Data			
.	-	48298	94.8 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,660 valid cases out of 50,958 total cases.

- Mean: 211.97
- Median: 210.00
- Mode: 300.00
- Minimum: 3.00
- Maximum: 365.00
- Standard Deviation: 105.89

Location: 762-764 (*width:* 3; *decimal:* 0)

Variable Type: numeric

AGLABDAYS: HQ13 7.5 ag labour: days/year [IHDS2]

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2	-	4	0.0 %
3	-	2	0.0 %
4	-	5	0.0 %
5	-	7	0.0 %
6	-	4	0.0 %
7	-	8	0.0 %
8	-	13	0.0 %
9	-	5	0.0 %
10	-	44	0.1 %
12	-	10	0.0 %
13	-	1	0.0 %
14	-	2	0.0 %
15	-	63	0.1 %
16	-	3	0.0 %
17	-	1	0.0 %
18	-	6	0.0 %
20	-	121	0.2 %
21	-	2	0.0 %
22	-	10	0.0 %
23	-	2	0.0 %
24	-	2	0.0 %
25	-	39	0.1 %
26	-	4	0.0 %
27	-	5	0.0 %
29	-	1	0.0 %
30	-	285	0.6 %
32	-	8	0.0 %
34	-	3	0.0 %
35	-	40	0.1 %
36	-	4	0.0 %
37	-	2	0.0 %
38	-	4	0.0 %
39	-	2	0.0 %
40	-	102	0.2 %
42	-	3	0.0 %
45	-	50	0.1 %
46	-	1	0.0 %
48	-	1	0.0 %
50	-	151	0.3 %

Value	Label	Unweighted Frequency	%
54	-	2	0.0 %
55	-	11	0.0 %
56	-	1	0.0 %
57	-	1	0.0 %
58	-	2	0.0 %
60	-	347	0.7 %
61	-	1	0.0 %
62	-	3	0.0 %
65	-	15	0.0 %
66	-	1	0.0 %
Missing Data			
.	-	46626	91.5 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,332 valid cases out of 50,958 total cases.

- Mean: 118.64
- Median: 100.00
- Mode: 120.00
- Minimum: 1.00
- Maximum: 365.00
- Standard Deviation: 76.95

Location: 765-767 (width: 3; decimal: 0)

Variable Type: numeric

NONAGDAYS: HQ13 7.5 nonag labour: days/year [IHDS2]

Value	Label	Unweighted Frequency	%
1	-	5	0.0 %
2	-	16	0.0 %
3	-	17	0.0 %
4	-	17	0.0 %
5	-	35	0.1 %
6	-	27	0.1 %
7	-	51	0.1 %
8	-	38	0.1 %
9	-	14	0.0 %
10	-	105	0.2 %
11	-	14	0.0 %
12	-	48	0.1 %

Value	Label	Unweighted Frequency	%
13	-	13	0.0 %
14	-	32	0.1 %
15	-	165	0.3 %
16	-	7	0.0 %
17	-	9	0.0 %
18	-	22	0.0 %
19	-	4	0.0 %
20	-	175	0.3 %
21	-	16	0.0 %
22	-	15	0.0 %
23	-	7	0.0 %
24	-	12	0.0 %
25	-	81	0.2 %
26	-	17	0.0 %
27	-	8	0.0 %
28	-	20	0.0 %
29	-	5	0.0 %
30	-	326	0.6 %
31	-	2	0.0 %
32	-	4	0.0 %
33	-	4	0.0 %
34	-	6	0.0 %
35	-	49	0.1 %
36	-	7	0.0 %
37	-	4	0.0 %
38	-	2	0.0 %
39	-	4	0.0 %
40	-	138	0.3 %
41	-	3	0.0 %
42	-	18	0.0 %
43	-	1	0.0 %
44	-	3	0.0 %
45	-	46	0.1 %
46	-	4	0.0 %
47	-	3	0.0 %
48	-	7	0.0 %
50	-	198	0.4 %
51	-	5	0.0 %
Missing Data			

Value	Label	Unweighted Frequency	%
-		47414	93.0 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,544 valid cases out of 50,958 total cases.

- Mean: 94.07
- Median: 50.00
- Mode: 30.00
- Minimum: 1.00
- Maximum: 365.00
- Standard Deviation: 94.36

Location: 768-770 (width: 3; decimal: 0)

Variable Type: numeric

SALARYDAYS: HQ13 7.5 salary position: days/year [IHDS2]

Value	Label	Unweighted Frequency	%
10	-	1	0.0 %
12	-	1	0.0 %
15	-	3	0.0 %
20	-	7	0.0 %
24	-	1	0.0 %
25	-	1	0.0 %
27	-	1	0.0 %
30	-	7	0.0 %
36	-	1	0.0 %
40	-	1	0.0 %
45	-	1	0.0 %
48	-	4	0.0 %
50	-	4	0.0 %
60	-	17	0.0 %
70	-	3	0.0 %
78	-	1	0.0 %
80	-	2	0.0 %
85	-	2	0.0 %
90	-	14	0.0 %
96	-	1	0.0 %
100	-	12	0.0 %
110	-	2	0.0 %
115	-	2	0.0 %

Value	Label	Unweighted Frequency	%
120	-	19	0.0 %
130	-	1	0.0 %
140	-	3	0.0 %
143	-	1	0.0 %
144	-	3	0.0 %
150	-	34	0.1 %
156	-	1	0.0 %
160	-	2	0.0 %
175	-	2	0.0 %
180	-	36	0.1 %
190	-	3	0.0 %
192	-	1	0.0 %
200	-	57	0.1 %
208	-	1	0.0 %
210	-	8	0.0 %
212	-	1	0.0 %
217	-	1	0.0 %
219	-	1	0.0 %
220	-	23	0.0 %
224	-	1	0.0 %
225	-	7	0.0 %
230	-	9	0.0 %
240	-	23	0.0 %
250	-	61	0.1 %
252	-	1	0.0 %
260	-	14	0.0 %
265	-	4	0.0 %
Missing Data			
.	-	49266	96.7 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,692 valid cases out of 50,958 total cases.

- Mean: 298.07
- Median: 320.00
- Mode: 365.00
- Minimum: 10.00
- Maximum: 365.00
- Standard Deviation: 82.62

Location: 771-773 (width: 3; decimal: 0)

Variable Type: numeric

NONREGADAYS: HQ13 7.5 nonnrega labour: days/year [IHDS2]

Value	Label	Unweighted Frequency	%
2	-	1	0.0 %
3	-	2	0.0 %
4	-	3	0.0 %
5	-	2	0.0 %
6	-	2	0.0 %
7	-	4	0.0 %
8	-	4	0.0 %
9	-	1	0.0 %
10	-	8	0.0 %
12	-	1	0.0 %
15	-	8	0.0 %
20	-	16	0.0 %
21	-	2	0.0 %
24	-	1	0.0 %
25	-	11	0.0 %
26	-	1	0.0 %
28	-	1	0.0 %
30	-	41	0.1 %
31	-	1	0.0 %
32	-	1	0.0 %
35	-	4	0.0 %
40	-	10	0.0 %
42	-	1	0.0 %
45	-	3	0.0 %
48	-	1	0.0 %
50	-	31	0.1 %
55	-	2	0.0 %
60	-	60	0.1 %
65	-	1	0.0 %
70	-	19	0.0 %
73	-	1	0.0 %
75	-	2	0.0 %
80	-	24	0.0 %
85	-	1	0.0 %
90	-	40	0.1 %

Value	Label	Unweighted Frequency	%
96	-	1	0.0 %
100	-	77	0.2 %
105	-	2	0.0 %
110	-	6	0.0 %
120	-	62	0.1 %
125	-	2	0.0 %
127	-	1	0.0 %
130	-	13	0.0 %
135	-	1	0.0 %
137	-	1	0.0 %
140	-	10	0.0 %
144	-	1	0.0 %
145	-	1	0.0 %
150	-	122	0.2 %
157	-	2	0.0 %
Missing Data			
.	-	49590	97.3 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,368 valid cases out of 50,958 total cases.

- Mean: 178.03
- Median: 180.00
- Mode: 300.00
- Minimum: 2.00
- Maximum: 365.00
- Standard Deviation: 95.46

Location: 774-776 (width: 3; decimal: 0)

Variable Type: numeric

NREGADAYS: HQ13 7.5 NREGA position: days/year [IHDS2]

Value	Label	Unweighted Frequency	%
1	-	5	0.0 %
2	-	16	0.0 %
3	-	15	0.0 %
4	-	18	0.0 %
5	-	35	0.1 %
6	-	27	0.1 %
7	-	50	0.1 %

Value	Label	Unweighted Frequency	%
8	-	38	0.1 %
9	-	14	0.0 %
10	-	102	0.2 %
11	-	14	0.0 %
12	-	55	0.1 %
13	-	15	0.0 %
14	-	33	0.1 %
15	-	165	0.3 %
16	-	6	0.0 %
17	-	9	0.0 %
18	-	20	0.0 %
19	-	3	0.0 %
20	-	176	0.3 %
21	-	16	0.0 %
22	-	16	0.0 %
23	-	9	0.0 %
24	-	13	0.0 %
25	-	79	0.2 %
26	-	23	0.0 %
27	-	9	0.0 %
28	-	23	0.0 %
29	-	6	0.0 %
30	-	317	0.6 %
31	-	2	0.0 %
32	-	5	0.0 %
33	-	3	0.0 %
34	-	4	0.0 %
35	-	50	0.1 %
36	-	8	0.0 %
37	-	2	0.0 %
38	-	2	0.0 %
39	-	3	0.0 %
40	-	144	0.3 %
41	-	3	0.0 %
42	-	20	0.0 %
43	-	1	0.0 %
44	-	4	0.0 %
45	-	48	0.1 %
46	-	3	0.0 %

Value	Label	Unweighted Frequency	%
47	-	3	0.0 %
48	-	6	0.0 %
49	-	1	0.0 %
50	-	194	0.4 %
Missing Data			
.	-	48578	95.3 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,380 valid cases out of 50,958 total cases.

- Mean: 38.58
- Median: 30.00
- Mode: 30.00
- Minimum: 1.00
- Maximum: 200.00
- Standard Deviation: 28.38

Location: 777-779 (*width:* 3; *decimal:* 0)

Variable Type: numeric

NFEARN: HQ12-4 7. ind net business earn est.

Value	Label	Unweighted Frequency	%
-16000.000000	-	1	0.0 %
-6140.000000	-	1	0.0 %
-5875.9936523	-	1	0.0 %
-2657.3076172	-	1	0.0 %
-2640.0000000	-	1	0.0 %
-1224.4897461	-	1	0.0 %
-1048.5437012	-	1	0.0 %
-1000.0000000	-	1	0.0 %
-309.1836853	-	1	0.0 %
0.0000000	-	48321	94.8 %
26.1343021	-	1	0.0 %
30.4416676	-	1	0.0 %
32.2580643	-	1	0.0 %
38.0952377	-	1	0.0 %
48.7804871	-	1	0.0 %
52.8305588	-	1	0.0 %
56.6037750	-	1	0.0 %
60.7142830	-	1	0.0 %

Value	Label	Unweighted Frequency	%
121.2903214	-	1	0.0 %
121.4285660	-	1	0.0 %
126.3157883	-	1	0.0 %
128.5714264	-	1	0.0 %
136.4318237	-	1	0.0 %
150.0000000	-	1	0.0 %
159.8133850	-	1	0.0 %
165.5172424	-	1	0.0 %
186.3636322	-	1	0.0 %
202.1212158	-	1	0.0 %
210.5263214	-	1	0.0 %
266.6666565	-	1	0.0 %
296.5380249	-	1	0.0 %
297.7215271	-	1	0.0 %
300.0000000	-	1	0.0 %
303.1818237	-	1	0.0 %
303.7974548	-	1	0.0 %
313.0434875	-	1	0.0 %
313.0651855	-	1	0.0 %
324.8376465	-	1	0.0 %
336.5259705	-	1	0.0 %
341.1564636	-	1	0.0 %
346.9387512	-	1	0.0 %
347.8260803	-	1	0.0 %
351.2500000	-	1	0.0 %
354.6485596	-	1	0.0 %
372.7272644	-	1	0.0 %
375.0000000	-	1	0.0 %
378.2692261	-	1	0.0 %
388.2503052	-	1	0.0 %
391.2023621	-	1	0.0 %
400.0000000	-	2	0.0 %
	Missing Data		
.	-	1	0.0 %
	Total	50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 50,957 valid cases out of 50,958 total cases.

- Mean: 1404.1130963
- Minimum: -16000.0000000
- Maximum: 2708000.0000000
- Standard Deviation: 19133.6403223

Location: 780-794 (width: 15; decimal: 7)

Variable Type: numeric

ANEARN: HQ11 ind animal net earn est.

Based upon 50,957 valid cases out of 50,958 total cases.

- Mean: 1265.87720239
- Minimum: -79102.48437500
- Maximum: 282523.59375000
- Standard Deviation: 7084.31478791

Location: 795-809 (width: 15; decimal: 8)

Variable Type: numeric

SALARYEARN: HQ13 7.8+ salary position: annual wages

Value	Label	Unweighted Frequency	%
0.00000000	-	48103	94.4 %
38.61271667	-	1	0.0 %
100.00000000	-	2	0.0 %
137.44242859	-	1	0.0 %
200.00000000	-	1	0.0 %
202.12121582	-	1	0.0 %
250.00000000	-	1	0.0 %
268.82122803	-	1	0.0 %
303.18182373	-	1	0.0 %
323.39395142	-	1	0.0 %
335.52120972	-	2	0.0 %
350.00000000	-	1	0.0 %
373.92425537	-	1	0.0 %
404.24243164	-	6	0.0 %
464.87878418	-	1	0.0 %
480.00000000	-	1	0.0 %
500.00000000	-	1	0.0 %
505.30303955	-	2	0.0 %
556.02313232	-	1	0.0 %
560.00000000	-	1	0.0 %
565.93939209	-	1	0.0 %
600.00000000	-	6	0.0 %
606.36364746	-	7	0.0 %

Value	Label	Unweighted Frequency	%
646.78790283	-	1	0.0 %
673.06365967	-	1	0.0 %
693.87750244	-	1	0.0 %
707.42425537	-	6	0.0 %
727.63635254	-	2	0.0 %
733.70001221	-	1	0.0 %
757.95452881	-	1	0.0 %
800.00000000	-	2	0.0 %
805.09088135	-	1	0.0 %
808.48486328	-	4	0.0 %
859.01513672	-	1	0.0 %
875.18487549	-	1	0.0 %
878.12500000	-	1	0.0 %
900.00000000	-	2	0.0 %
909.54547119	-	7	0.0 %
1000.00000000	-	7	0.0 %
1010.60607910	-	8	0.0 %
1066.66662598	-	1	0.0 %
1077.30603027	-	1	0.0 %
1118.18176270	-	1	0.0 %
1137.94238281	-	1	0.0 %
1150.00000000	-	1	0.0 %
1162.19702149	-	1	0.0 %
1200.00000000	-	5	0.0 %
1212.72729492	-	2	0.0 %
1227.13037109	-	1	0.0 %
1263.25756836	-	1	0.0 %
	Missing Data		
.	-	1	0.0 %
	Total	50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 50,957 valid cases out of 50,958 total cases.

- Mean: 3320.85675734
- Minimum: 0.00000000
- Maximum: 600000.00000000
- Standard Deviation: 23619.13439607

Location: 810-824 (width: 15; decimal: 8)

Variable Type: numeric

NONAGEARN: HQ13 7.8+ nonag labour: annual wages

Value	Label	Unweighted Frequency	%
0.00000000	-	46067	90.4 %
100.00000000	-	2	0.0 %
110.08695984	-	1	0.0 %
120.00000000	-	2	0.0 %
130.00000000	-	1	0.0 %
132.00000000	-	2	0.0 %
139.77272034	-	1	0.0 %
160.00000000	-	1	0.0 %
170.37037659	-	1	0.0 %
180.00000000	-	1	0.0 %
200.00000000	-	2	0.0 %
202.12121582	-	1	0.0 %
206.16363525	-	1	0.0 %
208.00000000	-	1	0.0 %
220.00000000	-	1	0.0 %
240.00000000	-	9	0.0 %
244.00000000	-	1	0.0 %
248.00000000	-	1	0.0 %
250.00000000	-	1	0.0 %
276.81817627	-	1	0.0 %
277.55099487	-	1	0.0 %
279.54544067	-	1	0.0 %
280.00000000	-	3	0.0 %
282.96969605	-	1	0.0 %
288.00000000	-	1	0.0 %
300.00000000	-	10	0.0 %
303.18182373	-	1	0.0 %
308.00000000	-	1	0.0 %
345.00000000	-	1	0.0 %
351.25000000	-	1	0.0 %
375.00000000	-	2	0.0 %
386.12716675	-	1	0.0 %
390.00000000	-	2	0.0 %
400.00000000	-	10	0.0 %
416.00000000	-	1	0.0 %
420.00000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
450.00000000	-	4	0.0 %
476.00000000	-	1	0.0 %
480.00000000	-	2	0.0 %
485.09091187	-	2	0.0 %
490.00000000	-	2	0.0 %
491.75000000	-	1	0.0 %
500.00000000	-	8	0.0 %
505.30303955	-	1	0.0 %
520.00000000	-	3	0.0 %
525.51513672	-	1	0.0 %
528.00000000	-	1	0.0 %
545.72729492	-	1	0.0 %
550.00000000	-	1	0.0 %
560.00000000	-	1	0.0 %
	Missing Data		
.	-	1	0.0 %
	Total	50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 50,957 valid cases out of 50,958 total cases.

- Mean: 1088.39052055
- Minimum: 0.00000000
- Maximum: 264000.00000000
- Standard Deviation: 5808.66285399

Location: 825-839 (width: 15; decimal: 8)

Variable Type: numeric

AGLABEARN: HQ13 7.8+ ag labour: annual earnings

Value	Label	Unweighted Frequency	%
0.000000000	-	42477	83.4 %
49.821426392	-	1	0.0 %
50.530303955	-	1	0.0 %
70.000000000	-	1	0.0 %
84.941177368	-	1	0.0 %
100.000000000	-	2	0.0 %
120.000000000	-	1	0.0 %
149.090896607	-	1	0.0 %
150.000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
160.0000000000	-	1	0.0 %
180.0000000000	-	1	0.0 %
192.857147217	-	1	0.0 %
200.0000000000	-	4	0.0 %
240.0000000000	-	2	0.0 %
250.0000000000	-	1	0.0 %
260.204071045	-	1	0.0 %
270.0000000000	-	1	0.0 %
282.969696045	-	1	0.0 %
300.0000000000	-	2	0.0 %
320.0000000000	-	3	0.0 %
323.393951416	-	1	0.0 %
350.0000000000	-	2	0.0 %
351.2500000000	-	1	0.0 %
360.0000000000	-	1	0.0 %
363.409088135	-	1	0.0 %
395.156250000	-	1	0.0 %
400.0000000000	-	6	0.0 %
404.242431641	-	2	0.0 %
420.0000000000	-	1	0.0 %
421.5000000000	-	2	0.0 %
424.454559326	-	2	0.0 %
450.0000000000	-	2	0.0 %
465.909057617	-	1	0.0 %
485.090911865	-	1	0.0 %
490.0000000000	-	1	0.0 %
491.354461670	-	1	0.0 %
493.571441651	-	1	0.0 %
500.0000000000	-	11	0.0 %
505.303039551	-	3	0.0 %
511.111114502	-	1	0.0 %
520.408142090	-	1	0.0 %
540.0000000000	-	1	0.0 %
559.090881348	-	3	0.0 %
560.0000000000	-	3	0.0 %
565.939392090	-	1	0.0 %
570.781250000	-	1	0.0 %
586.764709473	-	1	0.0 %
592.285705567	-	1	0.0 %

Value	Label	Unweighted Frequency	%
600.000000000	-	6	0.0 %
606.363647461	-	2	0.0 %
	Missing Data		
.	-	1	0.0 %
	Total	50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 50,957 valid cases out of 50,958 total cases.

- Mean: 1649.301939264
- Minimum: 0.000000000
- Maximum: 83700.000000000
- Standard Deviation: 5038.850797611

Location: 840-854 (width: 15; decimal: 9)

Variable Type: numeric

WKEARNPLUS: Earnings est.: sum ws farm business animal

Based upon 50,957 valid cases out of 50,958 total cases.

- Mean: 12281.0193921
- Minimum: -166372.0468750
- Maximum: 4918931.0000000
- Standard Deviation: 43233.0125318

Location: 855-869 (width: 15; decimal: 7)

Variable Type: numeric

WKEARN: Earnings est.: sum w\\$ farm business

Based upon 50,957 valid cases out of 50,958 total cases.

- Mean: 11672.9036904
- Minimum: -166372.0468750
- Maximum: 4918931.0000000
- Standard Deviation: 42962.2889008

Location: 870-884 (width: 15; decimal: 7)

Variable Type: numeric

UNEARNED: ind: other hh income

Based upon 50,957 valid cases out of 50,958 total cases.

- Mean: 101338.013957
- Minimum: -1037040.000000
- Maximum: 12032845.000000
- Standard Deviation: 178111.869709

Location: 885-899 (width: 15; decimal: 6)

Variable Type: numeric

SPRO0: HQ4 2.1 spouse IHDS2 roster ID

Value	Label	Unweighted Frequency	%
1	-	38820	76.2 %
2	-	1677	3.3 %
3	-	3011	5.9 %
4	-	210	0.4 %
5	-	167	0.3 %
6	-	112	0.2 %
7	-	109	0.2 %
8	-	90	0.2 %
9	-	34	0.1 %
10	-	15	0.0 %
11	-	19	0.0 %
12	-	2	0.0 %
13	-	7	0.0 %
14	-	1	0.0 %
26	-	2	0.0 %
50	-	1140	2.2 %
51	-	26	0.1 %
52	-	5	0.0 %
53	-	1	0.0 %
54	-	1	0.0 %
Missing Data			
.	-	5509	10.8 %
Total		50,958	100%

Based upon 45,449 valid cases out of 50,958 total cases.

- Mean: 2.52
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 54.00
- Standard Deviation: 7.78

Location: 900-901 (width: 2; decimal: 0)

Variable Type: numeric

SPRO1: HQ4 2.1 spouse IHDS1 roster ID

Value	Label	Unweighted Frequency	%
1	-	35231	69.1 %

Value	Label	Unweighted Frequency	%
2	-	2057	4.0 %
3	-	6340	12.4 %
4	-	461	0.9 %
5	-	345	0.7 %
6	-	301	0.6 %
7	-	361	0.7 %
8	-	230	0.5 %
9	-	110	0.2 %
10	-	56	0.1 %
11	-	48	0.1 %
12	-	21	0.0 %
13	-	16	0.0 %
14	-	9	0.0 %
15	-	12	0.0 %
16	-	8	0.0 %
17	-	2	0.0 %
21	-	6	0.0 %
50	-	758	1.5 %
51	-	45	0.1 %
52	-	3	0.0 %
54	-	1	0.0 %
Missing Data			
.	-	4537	8.9 %
Total		50,958	100%

Based upon 46,421 valid cases out of 50,958 total cases.

- Mean: 2.41
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 54.00
- Standard Deviation: 6.48

Location: 902-903 (width: 2; decimal: 0)

Variable Type: numeric

SPRO3: HQ4 2.3 spouse Sex

Value	Label	Unweighted Frequency	%
1	Male 1	47965	94.1 %
2	Female 2	3	0.0 %
Missing Data			

Value	Label	Unweighted Frequency	%
.	-	2990	5.9 %
Total		50,958	100%

Based upon 47,968 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 904-904 (width: 1; decimal: 0)

Variable Type: numeric

SPRO4: HQ4 2.4 spouse Relationship to head

Value	Label	Unweighted Frequency	%
1	Head 1	37844	74.3 %
2	Wife 2	511	1.0 %
3	Daughter 3	7625	15.0 %
4	Daughter-in-law 4	233	0.5 %
5	Grandchild 5	59	0.1 %
6	Mother 6	48	0.1 %
7	Sister 7	388	0.8 %
8	Mother-in-law 8	3	0.0 %
9	Niece 9	42	0.1 %
10	Sister in law 10	30	0.1 %
11	Other relatives 11	12	0.0 %
Missing Data			
.	-	4163	8.2 %
Total		50,958	100%

Based upon 46,795 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 11.00

Location: 905-906 (width: 2; decimal: 0)

Variable Type: numeric

SPRO5: HQ4 2.5 spouse Age

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
4	-	1	0.0 %
13	-	1	0.0 %
15	-	1	0.0 %

Value	Label	Unweighted Frequency	%
16	-	2	0.0 %
17	-	7	0.0 %
18	-	32	0.1 %
19	-	28	0.1 %
20	-	113	0.2 %
21	-	122	0.2 %
22	-	273	0.5 %
23	-	225	0.4 %
24	-	356	0.7 %
25	-	735	1.4 %
26	-	574	1.1 %
27	-	588	1.2 %
28	-	1054	2.1 %
29	-	523	1.0 %
30	-	1994	3.9 %
31	-	617	1.2 %
32	-	1740	3.4 %
33	-	929	1.8 %
34	-	935	1.8 %
35	-	3238	6.4 %
36	-	1417	2.8 %
37	-	1205	2.4 %
38	-	1996	3.9 %
39	-	840	1.6 %
40	-	3706	7.3 %
41	-	822	1.6 %
42	-	2304	4.5 %
43	-	992	1.9 %
44	-	924	1.8 %
45	-	3647	7.2 %
46	-	1231	2.4 %
47	-	1259	2.5 %
48	-	1636	3.2 %
49	-	684	1.3 %
50	-	2735	5.4 %
51	-	626	1.2 %
52	-	1444	2.8 %
53	-	602	1.2 %
54	-	540	1.1 %

Value	Label	Unweighted Frequency	%
55	-	1490	2.9 %
56	-	544	1.1 %
57	-	497	1.0 %
58	-	527	1.0 %
59	-	228	0.4 %
60	-	778	1.5 %
61	-	151	0.3 %
Missing Data			
.	-	2996	5.9 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 47,962 valid cases out of 50,958 total cases.

- Mean: 41.74
- Median: 41.00
- Mode: 40.00
- Minimum: 1.00
- Maximum: 86.00
- Standard Deviation: 9.63

Location: 907-908 (width: 2; decimal: 0)

Variable Type: numeric

SPRO6: HQ4 2.6 spouse Marital Status

Value	Label	Unweighted Frequency	%
0	Sp absent 0	789	1.5 %
1	Married 1	47138	92.5 %
2	Unmarried 2	0	0.0 %
3	Widowed 3	1	0.0 %
4	Sep/Div 4	39	0.1 %
5	No gauna 5	0	0.0 %
Missing Data			
.	-	2991	5.9 %
Total		50,958	100%

Based upon 47,967 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 909-909 (width: 1; decimal: 0)

Variable Type: numeric

SPRO8: HQ4 2.8 spouse Spouse's ID

Value	Label	Unweighted Frequency	%
1	-	1294	2.5 %
2	-	38043	74.7 %
3	-	2347	4.6 %
4	-	4778	9.4 %
5	-	336	0.7 %
6	-	291	0.6 %
7	-	242	0.5 %
8	-	256	0.5 %
9	-	175	0.3 %
10	-	79	0.2 %
11	-	39	0.1 %
12	-	35	0.1 %
13	-	15	0.0 %
14	-	13	0.0 %
15	-	6	0.0 %
16	-	7	0.0 %
17	-	4	0.0 %
18	-	1	0.0 %
22	-	3	0.0 %
24	-	1	0.0 %
27	-	1	0.0 %
69	Other nonres 69	0	0.0 %
75	Died 75	0	0.0 %
Missing Data			
.	-	2992	5.9 %
Total		50,958	100%

Based upon 47,966 valid cases out of 50,958 total cases.

- Mean: 2.39
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 27.00
- Standard Deviation: 1.19

Location: 910-911 (width: 2; decimal: 0)

Variable Type: numeric

SPRO9: HQ4 2.9 spouse Father's ID

Value	Label	Unweighted Frequency	%
1	-	6226	12.2 %
2	-	50	0.1 %
3	-	154	0.3 %
4	-	249	0.5 %
5	-	540	1.1 %
6	-	393	0.8 %
7	-	237	0.5 %
8	-	117	0.2 %
9	-	77	0.2 %
10	-	38	0.1 %
11	-	22	0.0 %
12	-	17	0.0 %
13	-	9	0.0 %
14	-	4	0.0 %
15	-	3	0.0 %
16	-	1	0.0 %
17	-	1	0.0 %
18	-	1	0.0 %
19	-	1	0.0 %
20	-	1	0.0 %
21	-	1	0.0 %
23	-	1	0.0 %
28	-	1	0.0 %
32	-	1	0.0 %
50	-	90	0.2 %
51	-	7	0.0 %
69	Other nonres 69	4136	8.1 %
75	Died 75	18157	35.6 %
Missing Data			
.	-	20423	40.1 %
Total		50,958	100%

Based upon 30,535 valid cases out of 50,958 total cases.

- Mean: 54.67
- Median: 75.00
- Mode: 75.00
- Minimum: 1.00
- Maximum: 75.00
- Standard Deviation: 31.80

Location: 912-913 (*width:* 2; *decimal:* 0)

Variable Type: numeric

SPRO10: HQ4 2.10 spouse Mother's ID

Value	Label	Unweighted Frequency	%
1	-	1051	2.1 %
2	-	5373	10.5 %
3	-	454	0.9 %
4	-	779	1.5 %
5	-	1591	3.1 %
6	-	1435	2.8 %
7	-	780	1.5 %
8	-	460	0.9 %
9	-	246	0.5 %
10	-	163	0.3 %
11	-	95	0.2 %
12	-	67	0.1 %
13	-	48	0.1 %
14	-	20	0.0 %
15	-	11	0.0 %
16	-	6	0.0 %
17	-	6	0.0 %
18	-	3	0.0 %
19	-	5	0.0 %
20	-	5	0.0 %
21	-	2	0.0 %
22	-	3	0.0 %
26	-	1	0.0 %
33	-	1	0.0 %
50	-	45	0.1 %
51	-	7	0.0 %
69	Other nonres 69	6449	12.7 %
75	Died 75	11286	22.1 %
Missing Data			
.	-	20566	40.4 %
Total		50,958	100%

Based upon 30,392 valid cases out of 50,958 total cases.

- Mean: 44.20
- Median: 69.00
- Mode: 75.00
- Minimum: 1.00
- Maximum: 75.00

- Standard Deviation: 34.04

Location: 914-915 (width: 2; decimal: 0)

Variable Type: numeric

SPWKANY: HQ spouse work participation (farm, business, wage|salary)

Value	Label	Unweighted Frequency	%
0	none 0	2280	4.5 %
1	missing hours 1	701	1.4 %
2	<240hrs 2	775	1.5 %
3	parttime 3	19105	37.5 %
4	ft yr 4	23127	45.4 %
Missing Data			
.	-	4970	9.8 %
Total		50,958	100%

Based upon 45,988 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 916-916 (width: 1; decimal: 0)

Variable Type: numeric

SPWKANYPLUS: HQ spouse work participation (farm, business, wage|salary, animal)

Value	Label	Unweighted Frequency	%
0	none 0	1928	3.8 %
1	missing hours 1	598	1.2 %
2	<240hrs 2	546	1.1 %
3	parttime 3	19789	38.8 %
4	ft yr 4	23127	45.4 %
Missing Data			
.	-	4970	9.8 %
Total		50,958	100%

Based upon 45,988 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 917-917 (width: 1; decimal: 0)

Variable Type: numeric

SPWKANIMAL: HQ11 spouse an5+ work participation animals

Value	Label	Unweighted Frequency	%
0	none 0	31622	62.1 %
1	missing hours 1	7	0.0 %
2	<240hrs 2	6284	12.3 %
3	parttime 3	8075	15.8 %
4	ft yr 4	0	0.0 %
Missing Data			
.	-	4970	9.8 %
Total		50,958	100%

Based upon 45,988 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 918-918 (width: 1; decimal: 0)

Variable Type: numeric

SPWKBUSINESS: HQ14-16 spouse nf12+ work participation business

Value	Label	Unweighted Frequency	%
0	none 0	37736	74.1 %
1	missing hours 1	448	0.9 %
2	<240hrs 2	363	0.7 %
3	parttime 3	3254	6.4 %
4	ft yr 4	4187	8.2 %
Missing Data			
.	-	4970	9.8 %
Total		50,958	100%

Based upon 45,988 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 919-919 (width: 1; decimal: 0)

Variable Type: numeric

SPWKAGLAB: HQ13 7.3 spouse Farm wage labour (5cat)

Value	Label	Unweighted Frequency	%
0	none 0	36109	70.9 %
1	missing hours 1	6	0.0 %
2	<240hrs 2	512	1.0 %
3	parttime 3	7809	15.3 %

Value	Label	Unweighted Frequency	%
4	ft yr 4	1552	3.0 %
	Missing Data		
.	-	4970	9.8 %
	Total	50,958	100%

Based upon 45,988 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 920-920 (width: 1; decimal: 0)

Variable Type: numeric

SPWKFARM: HQ14-16 spouse fm12+ work participation farm

Value	Label	Unweighted Frequency	%
0	none 0	27407	53.8 %
1	missing hours 1	913	1.8 %
2	<240hrs 2	3011	5.9 %
3	parttime 3	13084	25.7 %
4	ft yr 4	1573	3.1 %
	Missing Data		
.	-	4970	9.8 %
	Total	50,958	100%

Based upon 45,988 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 921-921 (width: 1; decimal: 0)

Variable Type: numeric

SPWKNONAG: HQ13 7.3 spouse Nonag wage labour (5cat)

Value	Label	Unweighted Frequency	%
0	none 0	33095	64.9 %
1	missing hours 1	9	0.0 %
2	<240hrs 2	1181	2.3 %
3	parttime 3	7682	15.1 %
4	ft yr 4	4021	7.9 %
	Missing Data		
.	-	4970	9.8 %
	Total	50,958	100%

Based upon 45,988 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 922-922 (width: 1; decimal: 0)

Variable Type: numeric

SPWKNONNREGA: HQ13 7.3 spouse Nonag (not NREGA) wage labour (5cat)

Value	Label	Unweighted Frequency	%
0	none 0	16643	32.7 %
1	missing hours 1	8	0.0 %
2	<240hrs 2	164	0.3 %
3	parttime 3	3511	6.9 %
4	ft yr 4	1992	3.9 %
Missing Data			
.	-	28640	56.2 %
Total		50,958	100%

Based upon 22,318 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 923-923 (width: 1; decimal: 0)

Variable Type: numeric

SPWKNREGA: HQ13 7.3 spouse NREGA wage labour (5cat)

Value	Label	Unweighted Frequency	%
0	none 0	19906	39.1 %
1	missing hours 1	3	0.0 %
2	<240hrs 2	1372	2.7 %
3	parttime 3	1035	2.0 %
4	ft yr 4	2	0.0 %
Missing Data			
.	-	28640	56.2 %
Total		50,958	100%

Based upon 22,318 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 924-924 (width: 1; decimal: 0)

Variable Type: numeric

SPWKSALARY: HQ13 7.3 spouse Salary position (5cat)

Value	Label	Unweighted Frequency	%
0	none 0	35593	69.8 %
1	missing hours 1	6	0.0 %
2	<240hrs 2	110	0.2 %
3	parttime 3	2049	4.0 %
4	ft yr 4	8230	16.2 %
Missing Data			
.	-	4970	9.8 %
Total		50,958	100%

Based upon 45,988 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 925-925 (width: 1; decimal: 0)

Variable Type: numeric

SPWKHOURS: HQ work spouse hours /year (farm, business, wage|salary)

Value	Label	Unweighted Frequency	%
3	-	1	0.0 %
4	-	1	0.0 %
5	-	2	0.0 %
9	-	1	0.0 %
10	-	5	0.0 %
12	-	1	0.0 %
14	-	2	0.0 %
15	-	2	0.0 %
16	-	2	0.0 %
18	-	1	0.0 %
20	-	7	0.0 %
24	-	2	0.0 %
25	-	4	0.0 %
30	-	16	0.0 %
32	-	1	0.0 %
36	-	1	0.0 %
40	-	20	0.0 %
42	-	1	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %

Value	Label	Unweighted Frequency	%
48	-	5	0.0 %
50	-	11	0.0 %
54	-	1	0.0 %
56	-	1	0.0 %
60	-	33	0.1 %
64	-	7	0.0 %
66	-	1	0.0 %
70	-	5	0.0 %
72	-	2	0.0 %
75	-	1	0.0 %
80	-	38	0.1 %
84	-	1	0.0 %
85	-	1	0.0 %
88	-	2	0.0 %
90	-	26	0.1 %
92	-	1	0.0 %
95	-	1	0.0 %
96	-	3	0.0 %
100	-	48	0.1 %
105	-	4	0.0 %
106	-	1	0.0 %
108	-	1	0.0 %
110	-	4	0.0 %
112	-	2	0.0 %
116	-	1	0.0 %
120	-	85	0.2 %
125	-	5	0.0 %
127	-	1	0.0 %
128	-	1	0.0 %
130	-	2	0.0 %
Missing Data			
.	-	7953	15.6 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 43,005 valid cases out of 50,958 total cases.

- Mean: 2053.32
- Minimum: 3.00

- Maximum: 4000.00
- Standard Deviation: 897.95

Location: 926-929 (width: 4; decimal: 0)

Variable Type: numeric

SPWKDAYS: HQ work spouse days /year (farm, business, wage|salary)

Value	Label	Unweighted Frequency	%
2	-	4	0.0 %
3	-	4	0.0 %
4	-	2	0.0 %
5	-	13	0.0 %
6	-	7	0.0 %
7	-	2	0.0 %
8	-	10	0.0 %
9	-	2	0.0 %
10	-	37	0.1 %
11	-	3	0.0 %
12	-	8	0.0 %
14	-	2	0.0 %
15	-	20	0.0 %
16	-	3	0.0 %
17	-	2	0.0 %
18	-	3	0.0 %
20	-	67	0.1 %
21	-	1	0.0 %
22	-	3	0.0 %
23	-	1	0.0 %
24	-	2	0.0 %
25	-	29	0.1 %
26	-	4	0.0 %
27	-	3	0.0 %
28	-	6	0.0 %
29	-	1	0.0 %
30	-	182	0.4 %
31	-	2	0.0 %
32	-	3	0.0 %
33	-	3	0.0 %
34	-	1	0.0 %
35	-	21	0.0 %
36	-	4	0.0 %

Value	Label	Unweighted Frequency	%
38	-	5	0.0 %
39	-	2	0.0 %
40	-	129	0.3 %
42	-	2	0.0 %
44	-	1	0.0 %
45	-	52	0.1 %
46	-	2	0.0 %
47	-	1	0.0 %
48	-	6	0.0 %
49	-	1	0.0 %
50	-	167	0.3 %
51	-	3	0.0 %
52	-	1	0.0 %
53	-	1	0.0 %
54	-	2	0.0 %
55	-	20	0.0 %
57	-	2	0.0 %
Missing Data			
.	-	7938	15.6 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 43,020 valid cases out of 50,958 total cases.

- Mean: 259.07
- Minimum: 2.00
- Maximum: 365.00
- Standard Deviation: 85.91

Location: 930-932 (width: 3; decimal: 0)

Variable Type: numeric

AN1: HQ11 6.1 HH Owns livestock

Value	Label	Unweighted Frequency	%
0	No 0	27270	53.5 %
1	Yes 1	23687	46.5 %
Missing Data			
.	-	1	0.0 %
Total		50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 933-933 (width: 1; decimal: 0)

Variable Type: numeric

NF1: HQ14 8.1 Any nonfarm business, corrected

Value	Label	Unweighted Frequency	%
0	No 0	39654	77.8 %
1	Yes 1	11303	22.2 %
	Missing Data		
.	-	1	0.0 %
	Total	50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 934-934 (width: 1; decimal: 0)

Variable Type: numeric

GROUPS: HQ3 1.13-15 Caste & religion

Value	Label	Unweighted Frequency	%
1	Brahmin 1	0	0.0 %
2	Forward caste 2	0	0.0 %
3	OBC 3	0	0.0 %
4	Dalit 4	0	0.0 %
5	Adivasi 5	0	0.0 %
6	Muslim 6	0	0.0 %
7	Christian, Sikh, Jain 7	0	0.0 %
	Missing Data		
99	MASKED BY ICPSR	50949	100.0 %
.	-	9	0.0 %
	Total	50,958	100%

Based upon 0 valid cases out of 50,958 total cases.

Location: 935-936 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 99, .

GROUPS6: HQ3 1.13-15 Caste/religion 6cats

Value	Label	Unweighted Frequency	%
1	Brahmin 1	0	0.0 %
2	Forward caste 2	11167	21.9 %
3	OBC 3	17530	34.4 %
4	Dalit 4	10904	21.4 %
5	Adivasi 5	4088	8.0 %
6	Muslim 6	5741	11.3 %
7	Christian, Sikh, Jain 7	1519	3.0 %
Missing Data			
.	-	9	0.0 %
Total		50,958	100%

Based upon 50,949 valid cases out of 50,958 total cases.

- Minimum: 2.00
- Maximum: 7.00

Location: 937-937 (width: 1; decimal: 0)

Variable Type: numeric

AN7: HQ11 6.7 Animal care: Primary ID

Value	Label	Unweighted Frequency	%
1	-	9287	18.2 %
2	-	10349	20.3 %
3	-	1606	3.2 %
4	-	796	1.6 %
5	-	304	0.6 %
6	-	253	0.5 %
7	-	200	0.4 %
8	-	122	0.2 %
9	-	62	0.1 %
10	-	32	0.1 %
11	-	26	0.1 %
12	-	28	0.1 %
13	-	12	0.0 %
14	-	6	0.0 %
15	-	5	0.0 %
16	-	6	0.0 %
17	-	4	0.0 %
18	-	3	0.0 %
20	-	1	0.0 %
25	-	1	0.0 %

Value	Label	Unweighted Frequency	%
32	-	1	0.0 %
	Missing Data		
-	-	27854	54.7 %
	Total	50,958	100%

Based upon 23,104 valid cases out of 50,958 total cases.

- Mean: 1.97
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 32.00
- Standard Deviation: 1.44

Location: 938-939 (width: 2; decimal: 0)

Variable Type: numeric

DIST11: Census 2011: district id smstate=0'

Value	Label	Unweighted Frequency	%
0	-	1814	3.6 %
6	-	124	0.2 %
8	-	186	0.4 %
9	-	28	0.1 %
10	-	136	0.3 %
12	-	90	0.2 %
13	-	72	0.1 %
21	-	158	0.3 %
22	-	62	0.1 %
23	-	148	0.3 %
24	-	342	0.7 %
26	-	168	0.3 %
27	-	398	0.8 %
28	-	190	0.4 %
30	-	204	0.4 %
31	-	56	0.1 %
32	-	166	0.3 %
33	-	212	0.4 %
35	-	290	0.6 %
36	-	136	0.3 %
37	-	142	0.3 %
38	-	132	0.3 %
39	-	12	0.0 %

Value	Label	Unweighted Frequency	%
40	-	14	0.0 %
41	-	222	0.4 %
42	-	66	0.1 %
43	-	446	0.9 %
48	-	56	0.1 %
49	-	128	0.3 %
50	-	46	0.1 %
51	-	112	0.2 %
52	-	80	0.2 %
53	-	192	0.4 %
54	-	68	0.1 %
60	-	90	0.2 %
63	-	48	0.1 %
64	-	120	0.2 %
66	-	112	0.2 %
67	-	54	0.1 %
68	-	148	0.3 %
69	-	52	0.1 %
70	-	250	0.5 %
71	-	50	0.1 %
72	-	150	0.3 %
73	-	170	0.3 %
74	-	86	0.2 %
76	-	306	0.6 %
77	-	192	0.4 %
78	-	76	0.1 %
80	-	148	0.3 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 50,958 valid cases out of 50,958 total cases.

- Mean: 337.67
- Minimum: 0.00
- Maximum: 633.00
- Standard Deviation: 203.62

Location: 940-942 (*width:* 3; *decimal:* 0)

Variable Type: numeric

MP1A: EQ8 4.1a Marry daughter natal vill

Value	Label	Unweighted Frequency	%
0	No 0	24599	48.3 %
1	Yes 1	26170	51.4 %
	Missing Data		
.	-	189	0.4 %
	Total	50,958	100%

Based upon 50,769 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 943-943 (width: 1; decimal: 0)

Variable Type: numeric

MP1B: EQ8 4.1b Marry daughter cousin

Value	Label	Unweighted Frequency	%
0	No 0	31811	62.4 %
1	Yes 1	18957	37.2 %
	Missing Data		
.	-	190	0.4 %
	Total	50,958	100%

Based upon 50,768 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 944-944 (width: 1; decimal: 0)

Variable Type: numeric

MP3A: EQ8 4.3a Boy's wed exp-lower

Value	Label	Unweighted Frequency	%
0.0000000	-	68	0.1 %
88.0000000	-	1	0.0 %
404.2424308	-	1	0.0 %
866.9724690	-	1	0.0 %
878.1250186	-	1	0.0 %
931.8181389	-	1	0.0 %
990.9909995	-	1	0.0 %
1000.0000000	-	17	0.0 %
1100.0000000	-	1	0.0 %
1627.2727282	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1703.7037639	-	7	0.0 %
1734.6938016	-	1	0.0 %
1743.5157834	-	3	0.0 %
1756.2500373	-	1	0.0 %
1777.7777778	-	2	0.0 %
1863.6362778	-	4	0.0 %
1922.0056329	-	1	0.0 %
1948.1268694	-	9	0.0 %
1955.8822895	-	1	0.0 %
1974.2857795	-	1	0.0 %
2000.0000000	-	11	0.0 %
2021.2121539	-	6	0.0 %
2590.5045189	-	1	0.0 %
2600.9174070	-	1	0.0 %
2894.3660563	-	1	0.0 %
2922.1903041	-	1	0.0 %
3000.0000000	-	9	0.0 %
3156.9229420	-	1	0.0 %
3321.4284512	-	1	0.0 %
3407.4075278	-	6	0.0 %
3467.8898760	-	3	0.0 %
3469.3876032	-	1	0.0 %
3487.0315667	-	3	0.0 %
3512.5000746	-	4	0.0 %
3521.3675752	-	1	0.0 %
3555.5555556	-	3	0.0 %
3585.5854354	-	1	0.0 %
3592.9205151	-	1	0.0 %
3631.5790271	-	3	0.0 %
3727.2725556	-	5	0.0 %
3808.6954824	-	1	0.0 %
3840.7077965	-	3	0.0 %
3861.2717269	-	2	0.0 %
3896.2537388	-	12	0.0 %
4000.0000000	-	16	0.0 %
4042.4243078	-	6	0.0 %
4091.0664258	-	1	0.0 %
4259.2594097	-	1	0.0 %
4285.8791127	-	4	0.0 %

Value	Label	Unweighted Frequency	%
4480.6917997	-	3	0.0 %
	Missing Data		
.	-	193	0.4 %
	Total	50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 50,765 valid cases out of 50,958 total cases.

- Mean: 122077.7741641
- Minimum: 0.0000000
- Maximum: 8000000.0000000
- Standard Deviation: 146610.4489057

Location: 945-959 (width: 15; decimal: 7)

Variable Type: numeric

MP3B: EQ8 4.3b Boy's wed exp-upper

Value	Label	Unweighted Frequency	%
0.0000000	-	52	0.1 %
404.2424308	-	1	0.0 %
1000.0000000	-	2	0.0 %
1053.7500224	-	1	0.0 %
1100.0000000	-	1	0.0 %
1118.1817667	-	1	0.0 %
1189.1891994	-	1	0.0 %
1200.0000000	-	1	0.0 %
1703.7037639	-	4	0.0 %
1777.7777778	-	1	0.0 %
1863.6362778	-	1	0.0 %
1955.8822895	-	1	0.0 %
2000.0000000	-	3	0.0 %
2021.2121539	-	2	0.0 %
2133.3333333	-	1	0.0 %
2142.9395564	-	1	0.0 %
2236.3635334	-	1	0.0 %
2440.9090922	-	1	0.0 %
2795.4544167	-	1	0.0 %
2922.1903041	-	5	0.0 %
3000.0000000	-	6	0.0 %
3031.8182308	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3407.4075278	-	2	0.0 %
3467.8898760	-	1	0.0 %
3585.5854354	-	1	0.0 %
3592.9205151	-	1	0.0 %
3631.5790271	-	1	0.0 %
3727.2725556	-	1	0.0 %
3896.2537388	-	3	0.0 %
4000.0000000	-	2	0.0 %
4042.4243078	-	3	0.0 %
4390.6250932	-	1	0.0 %
4486.4864287	-	1	0.0 %
4870.3171735	-	2	0.0 %
5000.0000000	-	46	0.1 %
5053.0303847	-	2	0.0 %
5111.1112916	-	5	0.0 %
5201.8348140	-	1	0.0 %
5230.5473501	-	2	0.0 %
5268.7501119	-	3	0.0 %
5282.0513628	-	1	0.0 %
5333.3333333	-	6	0.0 %
5447.3685407	-	2	0.0 %
5590.9088334	-	5	0.0 %
5613.4451495	-	1	0.0 %
5649.5679213	-	1	0.0 %
5713.0432236	-	1	0.0 %
5761.0616947	-	4	0.0 %
5844.3806083	-	7	0.0 %
5962.9631736	-	1	0.0 %
	Missing Data		
.	-	191	0.4 %
	Total	50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 50,767 valid cases out of 50,958 total cases.

- Mean: 161863.6459245
- Minimum: 0.0000000
- Maximum: 9000000.0000000
- Standard Deviation: 191079.7014306

Location: 960-974 (width: 15; decimal: 7)

Variable Type: numeric

MP4A: EQ8 4.4a Girl's wed exp-lower

Value	Label	Unweighted Frequency	%
0.0000000	-	50	0.1 %
88.0000000	-	1	0.0 %
404.2424308	-	1	0.0 %
526.8750112	-	1	0.0 %
800.0000000	-	1	0.0 %
866.9724690	-	1	0.0 %
974.0634347	-	1	0.0 %
1000.0000000	-	8	0.0 %
1100.0000000	-	1	0.0 %
1490.9090222	-	1	0.0 %
1627.2727282	-	1	0.0 %
1703.7037639	-	4	0.0 %
1734.6938016	-	1	0.0 %
1756.2500373	-	2	0.0 %
1815.7895136	-	1	0.0 %
1863.6362778	-	1	0.0 %
1871.1483832	-	1	0.0 %
1955.8822895	-	1	0.0 %
1974.2857795	-	1	0.0 %
2000.0000000	-	10	0.0 %
2021.2121539	-	1	0.0 %
2422.0183274	-	1	0.0 %
2500.0000000	-	1	0.0 %
2555.5556458	-	1	0.0 %
3000.0000000	-	9	0.0 %
3031.8182308	-	1	0.0 %
3407.4075278	-	2	0.0 %
3467.8898760	-	2	0.0 %
3487.0315667	-	1	0.0 %
3512.5000746	-	7	0.0 %
3555.5555556	-	3	0.0 %
3727.2725556	-	3	0.0 %
3896.2537388	-	5	0.0 %
3911.7645790	-	1	0.0 %
4000.0000000	-	8	0.0 %

Value	Label	Unweighted Frequency	%
4042.4243078	-	6	0.0 %
4259.2594097	-	1	0.0 %
4486.4864287	-	2	0.0 %
4735.3844130	-	1	0.0 %
4982.1426768	-	1	0.0 %
5000.0000000	-	53	0.1 %
5111.1112916	-	3	0.0 %
5201.8348140	-	4	0.0 %
5241.3791093	-	1	0.0 %
5243.2432038	-	1	0.0 %
5268.7501119	-	9	0.0 %
5333.3333333	-	1	0.0 %
5374.2857655	-	2	0.0 %
5486.4862773	-	1	0.0 %
5536.3637984	-	1	0.0 %
Missing Data			
.	-	208	0.4 %
	Total	50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 50,750 valid cases out of 50,958 total cases.

- Mean: 188197.3453677
- Minimum: 0.0000000
- Maximum: 8000000.0000000
- Standard Deviation: 206154.2255864

Location: 975-989 (width: 15; decimal: 7)

Variable Type: numeric

MP4B: EQ8 4.4b Girl's wed exp-upper

Value	Label	Unweighted Frequency	%
0.0000000	-	41	0.1 %
404.2424308	-	1	0.0 %
702.5000149	-	1	0.0 %
1000.0000000	-	2	0.0 %
1100.0000000	-	1	0.0 %
1490.9090222	-	1	0.0 %
1703.7037639	-	2	0.0 %
1756.2500373	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1955.8822895	-	1	0.0 %
2000.0000000	-	1	0.0 %
2021.2121539	-	1	0.0 %
2171.7143575	-	1	0.0 %
2440.9090922	-	1	0.0 %
2555.5556458	-	1	0.0 %
2795.4544167	-	1	0.0 %
3000.0000000	-	7	0.0 %
3031.8182308	-	1	0.0 %
3407.4075278	-	2	0.0 %
3469.3876032	-	1	0.0 %
3512.5000746	-	1	0.0 %
3555.5555556	-	1	0.0 %
3911.7645790	-	1	0.0 %
4000.0000000	-	4	0.0 %
4042.4243078	-	1	0.0 %
4444.4444444	-	1	0.0 %
4486.4864287	-	1	0.0 %
4870.3171735	-	1	0.0 %
5000.0000000	-	24	0.0 %
5053.0303847	-	2	0.0 %
5111.1112916	-	1	0.0 %
5243.2432038	-	1	0.0 %
5268.7501119	-	10	0.0 %
5333.3333333	-	1	0.0 %
5590.9088334	-	2	0.0 %
5761.0616947	-	1	0.0 %
5844.3806083	-	4	0.0 %
5945.9459970	-	1	0.0 %
5962.9631736	-	1	0.0 %
6000.0000000	-	22	0.0 %
6063.6364617	-	3	0.0 %
6313.8458840	-	1	0.0 %
6814.8150555	-	2	0.0 %
6818.4440430	-	1	0.0 %
6935.7797520	-	2	0.0 %
7000.0000000	-	10	0.0 %
7025.0001492	-	3	0.0 %
7111.1111111	-	1	0.0 %

Value	Label	Unweighted Frequency	%
7165.7143541	-	1	0.0 %
7315.3150364	-	1	0.0 %
7381.8183978	-	1	0.0 %
	Missing Data		
.	-	190	0.4 %
	Total	50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 50,768 valid cases out of 50,958 total cases.

- Mean: 248308.3997814
- Minimum: 0.0000000
- Maximum: 9000000.0000000
- Standard Deviation: 272809.5308656

Location: 990-1004 (width: 15; decimal: 7)

Variable Type: numeric

MP6A: EQ8 4.6a Wed Gift: gold

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	2614	5.1 %
2	Sometimes 2	6530	12.8 %
3	Usually 3	41672	81.8 %
	Missing Data		
.	-	142	0.3 %
	Total	50,958	100%

Based upon 50,816 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1005-1005 (width: 1; decimal: 0)

Variable Type: numeric

MP6B: EQ8 4.6b Wed Gift: silver

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	6731	13.2 %
2	Sometimes 2	8547	16.8 %
3	Usually 3	35540	69.7 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	140	0.3 %
Total		50,958	100%

Based upon 50,818 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1006-1006 (width: 1; decimal: 0)

Variable Type: numeric

MP6C: EQ8 4.6c Wed Gift: land

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	47574	93.4 %
2	Sometimes 2	2494	4.9 %
3	Usually 3	747	1.5 %
	Missing Data		
.	-	143	0.3 %
Total		50,958	100%

Based upon 50,815 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1007-1007 (width: 1; decimal: 0)

Variable Type: numeric

MP6D: EQ8 4.6d Wed Gift: car

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	45624	89.5 %
2	Sometimes 2	4471	8.8 %
3	Usually 3	723	1.4 %
	Missing Data		
.	-	140	0.3 %
Total		50,958	100%

Based upon 50,818 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1008-1008 (width: 1; decimal: 0)

Variable Type: numeric

MP6E: EQ8 4.6e Wed Gift: scooter

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	30748	60.3 %
2	Sometimes 2	12948	25.4 %
3	Usually 3	7123	14.0 %
	Missing Data		
.	-	139	0.3 %
	Total	50,958	100%

Based upon 50,819 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1009-1009 (width: 1; decimal: 0)

Variable Type: numeric

MP6F: EQ8 4.6f Wed Gift: TV

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	21387	42.0 %
2	Sometimes 2	14157	27.8 %
3	Usually 3	15269	30.0 %
	Missing Data		
.	-	145	0.3 %
	Total	50,958	100%

Based upon 50,813 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1010-1010 (width: 1; decimal: 0)

Variable Type: numeric

MP6G: EQ8 4.6g Wed Gift: Fridge

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	27573	54.1 %
2	Sometimes 2	13145	25.8 %
3	Usually 3	10083	19.8 %
	Missing Data		
.	-	157	0.3 %
	Total	50,958	100%

Based upon 50,801 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1011-1011 (width: 1; decimal: 0)

Variable Type: numeric

MP6I: EQ8 4.6i Wed Gift: Furniture

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	11637	22.8 %
2	Sometimes 2	8635	16.9 %
3	Usually 3	30533	59.9 %
	Missing Data		
.	-	153	0.3 %
	Total	50,958	100%

Based upon 50,805 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1012-1012 (width: 1; decimal: 0)

Variable Type: numeric

MP6J: EQ8 4.6j Wed Gift: Pressure cook

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	15864	31.1 %
2	Sometimes 2	9122	17.9 %
3	Usually 3	25807	50.6 %
	Missing Data		
.	-	165	0.3 %
	Total	50,958	100%

Based upon 50,793 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1013-1013 (width: 1; decimal: 0)

Variable Type: numeric

MP6K: EQ8 4.6k Wed Gift: Utensils

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	4537	8.9 %

Value	Label	Unweighted Frequency	%
2	Sometimes 2	4103	8.1 %
3	Usually 3	42147	82.7 %
	Missing Data		
.	-	171	0.3 %
	Total	50,958	100%

Based upon 50,787 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1014-1014 (width: 1; decimal: 0)

Variable Type: numeric

MP6L: EQ8 4.6I Wed Gift: Mixer/Grinder

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	24630	48.3 %
2	Sometimes 2	11083	21.7 %
3	Usually 3	15037	29.5 %
	Missing Data		
.	-	208	0.4 %
	Total	50,958	100%

Based upon 50,750 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1015-1015 (width: 1; decimal: 0)

Variable Type: numeric

MP6M: EQ8 4.6m Wed Gift: Bedding

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	5697	11.2 %
2	Sometimes 2	5470	10.7 %
3	Usually 3	39616	77.7 %
	Missing Data		
.	-	175	0.3 %
	Total	50,958	100%

Based upon 50,783 valid cases out of 50,958 total cases.

- Minimum: 1.00

- Maximum: 3.00

Location: 1016-1016 (width: 1; decimal: 0)

Variable Type: numeric

MP6N: EQ8 4.6n Wed Gift: Watch

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	8577	16.8 %
2	Sometimes 2	8866	17.4 %
3	Usually 3	33337	65.4 %
	Missing Data		
.	-	178	0.3 %
	Total	50,958	100%

Based upon 50,780 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1017-1017 (width: 1; decimal: 0)

Variable Type: numeric

MP6O: EQ8 4.6o Wed Gift: Bicycle

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	34563	67.8 %
2	Sometimes 2	8383	16.5 %
3	Usually 3	7827	15.4 %
	Missing Data		
.	-	185	0.4 %
	Total	50,958	100%

Based upon 50,773 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1018-1018 (width: 1; decimal: 0)

Variable Type: numeric

MP6P: EQ8 4.6p Wed Gift: Sewing m/c

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	27065	53.1 %
2	Sometimes 2	11930	23.4 %
3	Usually 3	11767	23.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	196	0.4 %
Total		50,958	100%

Based upon 50,762 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1019-1019 (width: 1; decimal: 0)

Variable Type: numeric

MP6Q: EQ8 4.6q Wed Gift: Livestock

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	39042	76.6 %
2	Sometimes 2	7920	15.5 %
3	Usually 3	3804	7.5 %
	Missing Data		
.	-	192	0.4 %
Total		50,958	100%

Based upon 50,766 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1020-1020 (width: 1; decimal: 0)

Variable Type: numeric

MP6Q1: EH8 4.5q Wed Gift: Tractor [IHDS1 only]

Value	Label	Unweighted Frequency	%
0	Rarely/Never 0	0	0.0 %
1	rarely/never 1	25112	49.3 %
2	sometimes 2	119	0.2 %
3	often 3	85	0.2 %
	Missing Data		
.	-	25642	50.3 %
Total		50,958	100%

Based upon 25,316 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1021-1021 (width: 1; decimal: 0)

Variable Type: numeric

MP6U: EQ8 4.6u Wed Gift: Cash

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	18903	37.1 %
2	Sometimes 2	9510	18.7 %
3	Usually 3	22195	43.6 %
	Missing Data		
.	-	350	0.7 %
	Total	50,958	100%

Based upon 50,608 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1022-1022 (width: 1; decimal: 0)

Variable Type: numeric

MP7MID: EQ8 4.7a Wed Gift: Cash amount midpoint

Value	Label	Unweighted Frequency	%
0.0000000	-	18508	36.3 %
1.7435158	-	1	0.0 %
1.7589285	-	1	0.0 %
1.7914286	-	1	0.0 %
1.8157895	-	1	0.0 %
1.8288288	-	1	0.0 %
1.9306359	-	1	0.0 %
2.0212122	-	2	0.0 %
3.3333332	-	1	0.0 %
3.5125001	-	1	0.0 %
3.5555556	-	1	0.0 %
3.58555854	-	1	0.0 %
4.4864864	-	1	0.0 %
8.5185188	-	4	0.0 %
12.5515324	-	1	0.0 %
15.8558560	-	1	0.0 %
17.0370376	-	4	0.0 %
18.2882876	-	2	0.0 %
18.6363628	-	3	0.0 %
18.7407414	-	12	0.0 %
19.8198200	-	3	0.0 %
20.1171164	-	1	0.0 %

Value	Label	Unweighted Frequency	%
20.2121215	-	32	0.1 %
20.4999991	-	1	0.0 %
21.2369945	-	3	0.0 %
21.8018020	-	1	0.0 %
22.4324321	-	1	0.0 %
25.5555565	-	27	0.1 %
34.0740753	-	2	0.0 %
35.0000000	-	1	0.0 %
35.7777790	-	8	0.0 %
36.0000000	-	1	0.0 %
37.2727256	-	3	0.0 %
37.6200004	-	1	0.0 %
38.1315798	-	1	0.0 %
38.4054039	-	2	0.0 %
38.7387408	-	1	0.0 %
39.6396400	-	5	0.0 %
40.4242431	-	74	0.1 %
40.5433531	-	1	0.0 %
42.4454552	-	1	0.0 %
42.5925941	-	90	0.2 %
43.4342871	-	1	0.0 %
47.1081075	-	18	0.0 %
49.4074092	-	1	0.0 %
51.0000000	-	3	0.0 %
51.1111129	-	1	0.0 %
52.8148167	-	3	0.0 %
55.0000000	-	1	0.0 %
56.2894749	-	1	0.0 %
	Missing Data		
.	-	354	0.7 %
	Total	50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 50,604 valid cases out of 50,958 total cases.

- Mean: 47833.7643487
- Minimum: 0.0000000
- Maximum: 4500000.0000000
- Standard Deviation: 118772.8600565

Location: 1023-1037 (width: 15; decimal: 7)

Variable Type: numeric

QC1: EQ17 11.1 Visit Hospital

Value	Label	Unweighted Frequency	%
0	No 0	3710	7.3 %
1	Yes 1	47223	92.7 %
	Missing Data		
.	-	25	0.0 %
	Total	50,958	100%

Based upon 50,933 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1038-1038 (width: 1; decimal: 0)

Variable Type: numeric

QC2: EQ17 11.2 Med treatment who [IHDS1 ~= IHDS2]

Value	Label	Unweighted Frequency	%
1	Govt Doc/Nurse 1	14120	27.7 %
2	Govt Doc/Nurse in Pvt 2	2920	5.7 %
3	Pvt Doc/Nurse 3	28085	55.1 %
4	Chemist4	1503	2.9 %
5	Vaidhya/Hakim 5	313	0.6 %
6	Witch craft 6	0	0.0 %
7	Others 7	233	0.5 %
	Missing Data		
.	-	3784	7.4 %
	Total	50,958	100%

Based upon 47,174 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 1039-1039 (width: 1; decimal: 0)

Variable Type: numeric

QC3: EQ17 11.3 Med treatment where

Value	Label	Unweighted Frequency	%
1	Same Village/Town 1	25805	50.6 %
2	Another Village 2	10325	20.3 %

Value	Label	Unweighted Frequency	%
3	Other Town 3	7101	13.9 %
4	District Town 4	3871	7.6 %
	Missing Data		
.	-	3856	7.6 %
	Total	50,958	100%

Based upon 47,102 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1040-1040 (width: 1; decimal: 0)

Variable Type: numeric

QC4: EQ17 11.4 Illness type

Value	Label	Unweighted Frequency	%
1	Fever 1	28489	55.9 %
2	Cough/Cold 2	4727	9.3 %
3	Diarrhea 3	1929	3.8 %
4	Others 4	11773	23.1 %
	Missing Data		
.	-	4040	7.9 %
	Total	50,958	100%

Based upon 46,918 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1041-1041 (width: 1; decimal: 0)

Variable Type: numeric

QC5M: EQ17 11.5 Med treatment Month

Value	Label	Unweighted Frequency	%
1	-	6085	11.9 %
2	-	5087	10.0 %
3	-	4953	9.7 %
4	-	4376	8.6 %
5	-	3872	7.6 %
6	-	2938	5.8 %
7	-	2144	4.2 %
8	-	2437	4.8 %

Value	Label	Unweighted Frequency	%
9	-	2467	4.8 %
10	-	2773	5.4 %
11	-	3085	6.1 %
12	-	4001	7.9 %
Missing Data			
.	-	6740	13.2 %
Total		50,958	100%

Based upon 44,218 valid cases out of 50,958 total cases.

- Mean: 5.70
- Median: 5.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.67

Location: 1042-1043 (width: 2; decimal: 0)

Variable Type: numeric

QC5Y: EQ17 11.5 Med treatment Year

Value	Label	Unweighted Frequency	%
1986	-	1	0.0 %
1990	-	4	0.0 %
1992	-	4	0.0 %
1993	-	4	0.0 %
1994	-	11	0.0 %
1995	-	9	0.0 %
1996	-	4	0.0 %
1997	-	14	0.0 %
1999	-	8	0.0 %
2000	-	128	0.3 %
2001	-	158	0.3 %
2002	-	336	0.7 %
2003	-	580	1.1 %
2004	-	9305	18.3 %
2005	-	12161	23.9 %
2006	-	39	0.1 %
2007	-	113	0.2 %
2008	-	287	0.6 %
2009	-	674	1.3 %
2010	-	1700	3.3 %

Value	Label	Unweighted Frequency	%
2011	-	7624	15.0 %
2012	-	12503	24.5 %
	Missing Data		
.	-	5291	10.4 %
	Total	50,958	100%

Based upon 45,667 valid cases out of 50,958 total cases.

- Mean: 2007.90
- Median: 2007.00
- Mode: 2012.00
- Minimum: 1986.00
- Maximum: 2012.00
- Standard Deviation: 3.59

Location: 1044-1047 (width: 4; decimal: 0)

Variable Type: numeric

QC6: EQ17 11.6 Med treatment sex

Value	Label	Unweighted Frequency	%
1	Female 1	6851	13.4 %
2	Male 2	36149	70.9 %
3	Both 3	3893	7.6 %
	Missing Data		
.	-	4065	8.0 %
	Total	50,958	100%

Based upon 46,893 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1048-1048 (width: 1; decimal: 0)

Variable Type: numeric

QC7: EQ17 11.7 Doctor's behaviour

Value	Label	Unweighted Frequency	%
1	Nicely 1	37993	74.6 %
2	Somewhat nicely 2	8536	16.8 %
3	Not nicely 3	475	0.9 %
	Missing Data		
.	-	3954	7.8 %
	Total	50,958	100%

Based upon 47,004 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1049-1049 (width: 1; decimal: 0)

Variable Type: numeric

QC8: EQ17 11.8 Med treat wait time

Value	Label	Unweighted Frequency	%
0	-	3645	7.2 %
1	-	151	0.3 %
2	-	418	0.8 %
3	-	111	0.2 %
4	-	30	0.1 %
5	-	5817	11.4 %
6	-	60	0.1 %
7	-	82	0.2 %
8	-	77	0.2 %
9	-	20	0.0 %
10	-	9476	18.6 %
11	-	5	0.0 %
12	-	23	0.0 %
13	-	9	0.0 %
14	-	2	0.0 %
15	-	4272	8.4 %
16	-	14	0.0 %
17	-	2	0.0 %
18	-	4	0.0 %
20	-	4505	8.8 %
21	-	2	0.0 %
24	-	3	0.0 %
25	-	514	1.0 %
26	-	3	0.0 %
28	-	1	0.0 %
30	-	9502	18.6 %
31	-	2	0.0 %
34	-	2	0.0 %
35	-	231	0.5 %
36	-	12	0.0 %
37	-	1	0.0 %
38	-	1	0.0 %

Value	Label	Unweighted Frequency	%
40	-	561	1.1 %
43	-	2	0.0 %
44	-	1	0.0 %
45	-	494	1.0 %
46	-	1	0.0 %
48	-	2	0.0 %
50	-	91	0.2 %
51	-	5	0.0 %
52	-	1	0.0 %
55	-	6	0.0 %
56	-	1	0.0 %
57	-	1	0.0 %
58	-	1	0.0 %
60	-	4589	9.0 %
61	-	4	0.0 %
62	-	1	0.0 %
65	-	13	0.0 %
66	-	4	0.0 %
Missing Data			
.	-	4172	8.2 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 46,786 valid cases out of 50,958 total cases.

- Mean: 25.43
- Median: 15.00
- Mode: 30.00
- Minimum: 0.00
- Maximum: 760.00
- Standard Deviation: 31.60

Location: 1050-1052 (width: 3; decimal: 0)

Variable Type: numeric

QC9: EQ17 11.9 Med treat accompanied

Value	Label	Unweighted Frequency	%
1	Alone 1	17417	34.2 %
2	husband 2	20595	40.4 %
3	older men 3	1224	2.4 %
4	older women 4	1782	3.5 %

Value	Label	Unweighted Frequency	%
5	younger women 5	1914	3.8 %
6	Adolescent/Younger men 6	2087	4.1 %
7	Other combination 7	1958	3.8 %
	Missing Data		
.	-	3981	7.8 %
	Total	50,958	100%

Based upon 46,977 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 1053-1053 (width: 1; decimal: 0)

Variable Type: numeric

QC11: EQ17 11.11 Health facility ID

Value	Label	Unweighted Frequency	%
1	-	2861	5.6 %
2	-	2337	4.6 %
3	-	16	0.0 %
9	-	19313	37.9 %
	Missing Data		
.	-	26431	51.9 %
	Total	50,958	100%

Based upon 24,527 valid cases out of 50,958 total cases.

- Mean: 7.40
- Median: 9.00
- Mode: 9.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 3.10

Location: 1054-1054 (width: 1; decimal: 0)

Variable Type: numeric

STLAB01: H1sp: State name (2001 census)

Value	Label	Unweighted Frequency	%
	-	25479	50.0 %
[MASKED BY ICPSR]	-	25479	50.0 %
	Total	50,958	100%

Based upon 50,958 valid cases out of 50,958 total cases.

Location: 1055-1071 (width: 17; decimal: 0)

Variable Type: character

DILAB01: Census: 2001 district name

Value	Label	Unweighted Frequency	%
-	-	25479	50.0 %
[MASKED BY ICPSR]	-	25479	50.0 %
	Total	50,958	100%

Based upon 50,958 valid cases out of 50,958 total cases.

Location: 1072-1088 (width: 17; decimal: 0)

Variable Type: character

SAMPTYPE: NCAER: 2004 IHDS sample type

Value	Label	Unweighted Frequency	%
0	HDPI 1 only 0	0	0.0 %
1	full reint 1	6938	13.6 %
2	partial reint 2	1641	3.2 %
3	missing list 3	1797	3.5 %
4	refresh/extend 4	5955	11.7 %
5	urban 5	7721	15.2 %
6	Karn. restudy 6	441	0.9 %
7	reint 2nd 7	986	1.9 %
	Missing Data		
.	-	25479	50.0 %
	Total	50,958	100%

Based upon 25,479 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 1089-1089 (width: 1; decimal: 0)

Variable Type: numeric

DEFLATOR: Deflator for converting 2012 prices, CPI based, month adj.

Value	Label	Unweighted Frequency	%
0.4457831382751	-	358	0.7 %
0.4654255211353	-	40	0.1 %
0.4709141254425	-	1604	3.1 %
0.4780292809010	-	568	1.1 %
0.4920634925365	-	72	0.1 %

Value	Label	Unweighted Frequency	%
0.4947526156902	-	2884	5.7 %
0.5042372941971	-	632	1.2 %
0.5045454502106	-	410	0.8 %
0.5065122842789	-	3260	6.4 %
0.5087976455688	-	34	0.1 %
0.5112782120705	-	1856	3.6 %
0.5133135914803	-	756	1.5 %
0.5162790417671	-	466	0.9 %
0.5172413587570	-	84	0.2 %
0.5179640650749	-	2072	4.1 %
0.5182482004166	-	1502	2.9 %
0.5185185074806	-	326	0.6 %
0.5202898383141	-	1260	2.5 %
0.5207373499870	-	710	1.4 %
0.5251141786575	-	438	0.9 %
0.5285714268684	-	96	0.2 %
0.5299538969994	-	94	0.2 %
0.5312976837158	-	410	0.8 %
0.5344311594963	-	1096	2.2 %
0.5355450510979	-	98	0.2 %
0.5365853905678	-	1072	2.1 %
0.5418719053268	-	1576	3.1 %
0.5450236797333	-	738	1.4 %
0.5463414788246	-	70	0.1 %
0.5467980504036	-	1336	2.6 %
0.5501567125320	-	350	0.7 %
0.5507246255875	-	554	1.1 %
0.5566502213478	-	326	0.6 %
0.5577889680862	-	408	0.8 %
0.5578778386116	-	28	0.1 %
0.5582137107849	-	1104	2.2 %
0.5625000000000	-	1740	3.4 %
0.5665024518967	-	236	0.5 %
0.5670102834702	-	256	0.5 %
0.5679611563683	-	1636	3.2 %
0.5685279369354	-	582	1.1 %
0.5687204003334	-	140	0.3 %
0.5693950057030	-	2062	4.0 %
0.5707316994667	-	640	1.3 %

Value	Label	Unweighted Frequency	%
0.5721649527550	-	768	1.5 %
0.5723684430122	-	110	0.2 %
0.5735537409782	-	1194	2.3 %
0.5736842155457	-	2	0.0 %
0.5764706134796	-	3768	7.4 %
0.5767195820808	-	420	0.8 %
	Total	50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 50,958 valid cases out of 50,958 total cases.

- Mean: 0.5462861163280
- Median: 0.5467980504036
- Mode: 0.5764706134796
- Minimum: 0.4457831382751
- Maximum: 0.6335282921791
- Standard Deviation: 0.0390121679428

Location: 1090-1104 (width: 15; decimal: 13)

Variable Type: numeric

HHFAM2012: 2012 subfamily for this 2005 individual

Value	Label	Unweighted Frequency	%
1	-	23912	46.9 %
2	-	1375	2.7 %
3	-	166	0.3 %
4	-	16	0.0 %
5	-	9	0.0 %
6	-	1	0.0 %
	Missing Data		
.	-	25479	50.0 %
	Total	50,958	100%

Based upon 25,479 valid cases out of 50,958 total cases.

- Mean: 1.07
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 0.30

Location: 1105-1105 (width: 1; decimal: 0)

Variable Type: numeric

APD: HH29 23.dt Anthropometry date

Value	Label	Unweighted Frequency	%
-	-	25479	50.0 %
.a	-	24065	47.2 %
0	-	2	0.0 %
000000	-	2	0.0 %
010105	-	8	0.0 %
010205	-	8	0.0 %
010305	-	9	0.0 %
01035	-	1	0.0 %
010405	-	1	0.0 %
010505	-	1	0.0 %
010805	-	1	0.0 %
011005	-	1	0.0 %
011204	-	2	0.0 %
020105	-	5	0.0 %
020205	-	10	0.0 %
020305	-	5	0.0 %
020405	-	1	0.0 %
0205	-	3	0.0 %
020505	-	7	0.0 %
020805	-	1	0.0 %
021005	-	1	0.0 %
021104	-	2	0.0 %
03	-	1	0.0 %
030105	-	6	0.0 %
030112	-	1	0.0 %
030205	-	9	0.0 %
030305	-	5	0.0 %
030308	-	1	0.0 %
030405	-	3	0.0 %
030805	-	1	0.0 %
031005	-	2	0.0 %
031104	-	4	0.0 %
031204	-	1	0.0 %
04	-	1	0.0 %
040105	-	19	0.0 %
040205	-	5	0.0 %
040305	-	5	0.0 %

Value	Label	Unweighted Frequency	%
040405	-	3	0.0 %
040505	-	2	0.0 %
040605	-	1	0.0 %
040805	-	1	0.0 %
040905	-	3	0.0 %
041104	-	1	0.0 %
041204	-	4	0.0 %
050105	-	9	0.0 %
050205	-	6	0.0 %
050305	-	5	0.0 %
050405	-	5	0.0 %
050505	-	5	0.0 %
050605	-	1	0.0 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 50,958 valid cases out of 50,958 total cases.

Location: 1106-1111 (width: 6; decimal: 0)

Variable Type: character

APDD: HH29 23. Day of anthropometry interview

Value	Label	Unweighted Frequency	%
1	-	31	0.1 %
2	-	32	0.1 %
3	-	33	0.1 %
4	-	45	0.1 %
5	-	47	0.1 %
6	-	46	0.1 %
7	-	48	0.1 %
8	-	42	0.1 %
9	-	44	0.1 %
10	-	46	0.1 %
11	-	48	0.1 %
12	-	51	0.1 %
13	-	52	0.1 %
14	-	55	0.1 %
15	-	68	0.1 %
16	-	64	0.1 %

Value	Label	Unweighted Frequency	%
17	-	60	0.1 %
18	-	42	0.1 %
19	-	50	0.1 %
20	-	45	0.1 %
21	-	43	0.1 %
22	-	42	0.1 %
23	-	43	0.1 %
24	-	37	0.1 %
25	-	39	0.1 %
26	-	53	0.1 %
27	-	42	0.1 %
28	-	58	0.1 %
29	-	41	0.1 %
30	-	31	0.1 %
31	-	17	0.0 %
Missing Data			
.	-	49563	97.3 %
Total		50,958	100%

Based upon 1,395 valid cases out of 50,958 total cases.

- Mean: 15.86
- Median: 16.00
- Mode: 15.00
- Minimum: 1.00
- Maximum: 31.00
- Standard Deviation: 8.29

Location: 1112-1113 (width: 2; decimal: 0)

Variable Type: numeric

APDM: HH29 23. Month of anthropometry interview

Value	Label	Unweighted Frequency	%
1	-	402	0.8 %
2	-	282	0.6 %
3	-	112	0.2 %
4	-	102	0.2 %
5	-	47	0.1 %
6	-	26	0.1 %
7	-	21	0.0 %
8	-	19	0.0 %
9	-	15	0.0 %

Value	Label	Unweighted Frequency	%
10	-	5	0.0 %
11	-	106	0.2 %
12	-	257	0.5 %
	Missing Data		
.	-	49564	97.3 %
	Total	50,958	100%

Based upon 1,394 valid cases out of 50,958 total cases.

- Mean: 4.90
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 4.37

Location: 1114-1115 (width: 2; decimal: 0)

Variable Type: numeric

APDY: HH29 23. Year of anthropometry interview

Value	Label	Unweighted Frequency	%
2004	-	364	0.7 %
2005	-	1030	2.0 %
	Missing Data		
.	-	49564	97.3 %
	Total	50,958	100%

Based upon 1,394 valid cases out of 50,958 total cases.

- Mean: 2004.74
- Median: 2005.00
- Mode: 2005.00
- Minimum: 2004.00
- Maximum: 2005.00
- Standard Deviation: 0.44

Location: 1116-1119 (width: 4; decimal: 0)

Variable Type: numeric

APDDATE: HH29 23. Date (integer) of anthropometry interview

Value	Label	Unweighted Frequency	%
16076	-	1	0.0 %
16108	-	1	0.0 %
16377	-	2	0.0 %
16378	-	4	0.0 %

Value	Label	Unweighted Frequency	%
16379	-	1	0.0 %
16380	-	3	0.0 %
16381	-	1	0.0 %
16382	-	1	0.0 %
16383	-	3	0.0 %
16384	-	3	0.0 %
16385	-	4	0.0 %
16390	-	1	0.0 %
16391	-	1	0.0 %
16392	-	3	0.0 %
16393	-	1	0.0 %
16394	-	4	0.0 %
16395	-	8	0.0 %
16396	-	6	0.0 %
16397	-	4	0.0 %
16398	-	2	0.0 %
16399	-	1	0.0 %
16400	-	6	0.0 %
16401	-	13	0.0 %
16402	-	8	0.0 %
16403	-	15	0.0 %
16404	-	8	0.0 %
16405	-	3	0.0 %
16406	-	2	0.0 %
16408	-	1	0.0 %
16409	-	4	0.0 %
16410	-	7	0.0 %
16411	-	14	0.0 %
16412	-	9	0.0 %
16413	-	4	0.0 %
16414	-	8	0.0 %
16415	-	3	0.0 %
16416	-	11	0.0 %
16417	-	7	0.0 %
16418	-	5	0.0 %
16419	-	7	0.0 %
16420	-	17	0.0 %
16421	-	16	0.0 %
16422	-	10	0.0 %

Value	Label	Unweighted Frequency	%
16423	-	2	0.0 %
16424	-	2	0.0 %
16425	-	6	0.0 %
16426	-	6	0.0 %
16427	-	4	0.0 %
16428	-	13	0.0 %
16429	-	15	0.0 %
Missing Data			
.	-	49564	97.3 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,394 valid cases out of 50,958 total cases.

- Mean: 16474.93
- Median: 16461.00
- Mode: 16451.00
- Minimum: 16076.00
- Maximum: 16788.00
- Standard Deviation: 63.45

Location: 1120-1124 (width: 5; decimal: 0)

Variable Type: numeric

POORT: Poverty using 2004-5 Tendulkar cutoffs

Value	Label	Unweighted Frequency	%
0	nonpoor 0	19765	38.8 %
1	poor 1	5693	11.2 %
Missing Data			
.	-	25500	50.0 %
Total		50,958	100%

Based upon 25,458 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1125-1125 (width: 1; decimal: 0)

Variable Type: numeric

FH0: EH27 any fertility history

Value	Label	Unweighted Frequency	%
0	No 0	1626	3.2 %

Value	Label	Unweighted Frequency	%
1	Yes 1	23853	46.8 %
	Missing Data		
-		25479	50.0 %
	Total	50,958	100%

Based upon 25,479 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1126-1126 (width: 1; decimal: 0)

Variable Type: numeric

CD3CM: EH2 0.2 imputed date of interview (century month calendar)

Value	Label	Unweighted Frequency	%
1258	-	4	0.0 %
1259	-	665	1.3 %
1260	-	2183	4.3 %
1261	-	4248	8.3 %
1262	-	3795	7.4 %
1263	-	3008	5.9 %
1264	-	2871	5.6 %
1265	-	2749	5.4 %
1266	-	1628	3.2 %
1267	-	1021	2.0 %
1268	-	816	1.6 %
1269	-	715	1.4 %
1270	-	120	0.2 %
1271	-	30	0.1 %
1333	-	2	0.0 %
1335	-	1	0.0 %
1341	-	1	0.0 %
1342	-	355	0.7 %
1343	-	990	1.9 %
1344	-	1336	2.6 %
1345	-	1638	3.2 %
1346	-	2340	4.6 %
1347	-	2350	4.6 %
1348	-	3038	6.0 %
1349	-	3620	7.1 %
1350	-	4051	7.9 %

Value	Label	Unweighted Frequency	%
1351	-	2642	5.2 %
1352	-	1947	3.8 %
1353	-	891	1.7 %
1354	-	138	0.3 %
1355	-	99	0.2 %
1356	-	22	0.0 %
1358	-	10	0.0 %
1359	-	8	0.0 %
Missing Data			
.	-	1626	3.2 %
Total		50,958	100%

Based upon 49,332 valid cases out of 50,958 total cases.

- Mean: 1307.20
- Median: 1343.00
- Mode: 1261.00
- Minimum: 1258.00
- Maximum: 1359.00
- Standard Deviation: 42.63

Location: 1127-1130 (width: 4; decimal: 0)

Variable Type: numeric

IDHH: Household id, unique 10 byte string

Based upon 50,958 valid cases out of 50,958 total cases.

Location: 1131-1140 (width: 10; decimal: 0)

Variable Type: character

DIST01: District ID corrected Census 2001

Value	Label	Unweighted Frequency	%
0	-	1814	3.6 %
1	-	1776	3.5 %
2	-	3060	6.0 %
3	-	1300	2.6 %
4	-	1822	3.6 %
5	-	2908	5.7 %
6	-	1932	3.8 %
7	-	1806	3.5 %
8	-	2040	4.0 %
9	-	2226	4.4 %
10	-	2006	3.9 %

Value	Label	Unweighted Frequency	%
11	-	1776	3.5 %
12	-	2358	4.6 %
13	-	1842	3.6 %
14	-	1334	2.6 %
15	-	1688	3.3 %
16	-	1368	2.7 %
17	-	1406	2.8 %
18	-	1210	2.4 %
19	-	1166	2.3 %
20	-	1176	2.3 %
21	-	1116	2.2 %
22	-	1070	2.1 %
23	-	872	1.7 %
24	-	1002	2.0 %
25	-	930	1.8 %
26	-	912	1.8 %
27	-	892	1.8 %
28	-	222	0.4 %
29	-	642	1.3 %
30	-	728	1.4 %
31	-	402	0.8 %
32	-	616	1.2 %
33	-	48	0.1 %
34	-	212	0.4 %
35	-	250	0.5 %
36	-	208	0.4 %
37	-	124	0.2 %
38	-	52	0.1 %
39	-	38	0.1 %
40	-	58	0.1 %
41	-	86	0.2 %
42	-	194	0.4 %
44	-	140	0.3 %
45	-	146	0.3 %
46	-	54	0.1 %
47	-	122	0.2 %
48	-	88	0.2 %
49	-	224	0.4 %
50	-	82	0.2 %

Value	Label	Unweighted Frequency	%
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 50,958 valid cases out of 50,958 total cases.

- Mean: 14.90
- Median: 12.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 68.00
- Standard Deviation: 12.86

Location: 1141-1142 (width: 2; decimal: 0)

Variable Type: numeric

WTHH: hh weight in IHDS1 or 2, not for ew analyses

Value	Label	Unweighted Frequency	%
154.07142257	-	13	0.0 %
220.00238037	-	13	0.0 %
225.35821216	-	7	0.0 %
282.22428900	-	16	0.0 %
289.22222900	-	23	0.0 %
292.30133057	-	7	0.0 %
430.33734940	-	44	0.1 %
454.32699585	-	184	0.4 %
460.03591919	-	14	0.0 %
478.11506790	-	14	0.0 %
495.76773071	-	16	0.0 %
504.02832031	-	12	0.0 %
519.23909381	-	16	0.0 %
522.31689453	-	10	0.0 %
538.93060303	-	15	0.0 %
541.10852051	-	6	0.0 %
543.16546631	-	23	0.0 %
545.59105431	-	200	0.4 %
555.54952639	-	14	0.0 %
557.02727204	-	10	0.0 %
557.93231201	-	17	0.0 %
588.45904541	-	16	0.0 %
589.21545410	-	16	0.0 %
604.79016113	-	20	0.0 %

Value	Label	Unweighted Frequency	%
611.10021973	-	17	0.0 %
615.75543213	-	11	0.0 %
616.30712891	-	15	0.0 %
616.92266652	-	14	0.0 %
617.47839356	-	11	0.0 %
618.94610596	-	13	0.0 %
621.04852295	-	14	0.0 %
629.24487305	-	12	0.0 %
640.28082275	-	11	0.0 %
643.34521484	-	29	0.1 %
645.11938477	-	15	0.0 %
651.55328369	-	7	0.0 %
653.67071533	-	18	0.0 %
654.36553955	-	8	0.0 %
657.88287354	-	9	0.0 %
659.53619385	-	14	0.0 %
661.49941759	-	13	0.0 %
662.02983480	-	18	0.0 %
662.03973389	-	11	0.0 %
662.09661865	-	27	0.1 %
672.37213135	-	15	0.0 %
673.25068445	-	15	0.0 %
683.02152015	-	15	0.0 %
687.08380127	-	5	0.0 %
687.18878174	-	9	0.0 %
687.80535889	-	13	0.0 %
	Total	50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 50,958 valid cases out of 50,958 total cases.

- Mean: 5430.74317574
- Minimum: 154.07142257
- Maximum: 308216.37500000
- Standard Deviation: 5612.31351930

Location: 1143-1157 (*width:* 15; *decimal:* 8)

Variable Type: numeric

ID11: HQ3 1.11 Religion

Value	Label	Unweighted Frequency	%
1	Hindu 1	41722	81.9 %
2	Muslim 2	5852	11.5 %
3	Christian 3	1261	2.5 %
4	Sikh 4	1237	2.4 %
5	Buddhist 5	362	0.7 %
6	Jain 6	130	0.3 %
7	Tribal 7	346	0.7 %
8	Others 8	35	0.1 %
9	None 9	12	0.0 %
Missing Data			
.	-	1	0.0 %
Total		50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1158-1158 (width: 1; decimal: 0)

Variable Type: numeric

ID13: HQ3 1.13 Caste category [as in IHDS1]

Value	Label	Unweighted Frequency	%
1	Brahmin 1	0	0.0 %
2	Forward 2	0	0.0 %
3	OBC 3	0	0.0 %
4	SC 4	0	0.0 %
5	ST 5	0	0.0 %
6	Others 6	0	0.0 %
Missing Data			
99	MASKED BY ICPSR	50917	99.9 %
.	-	41	0.1 %
Total		50,958	100%

Based upon 0 valid cases out of 50,958 total cases.

Location: 1159-1160 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 99, .

ASSETS2005: Total hh assets (0-30) as in IHDS1

Value	Label	Unweighted Frequency	%
0	-	61	0.1 %
1	-	205	0.4 %
2	-	491	1.0 %
3	-	1022	2.0 %
4	-	1642	3.2 %
5	-	2142	4.2 %
6	-	2325	4.6 %
7	-	2505	4.9 %
8	-	2466	4.8 %
9	-	2532	5.0 %
10	-	2570	5.0 %
11	-	2572	5.0 %
12	-	2623	5.1 %
13	-	2593	5.1 %
14	-	2562	5.0 %
15	-	2596	5.1 %
16	-	2538	5.0 %
17	-	2411	4.7 %
18	-	2444	4.8 %
19	-	2399	4.7 %
20	-	2181	4.3 %
21	-	2001	3.9 %
22	-	1797	3.5 %
23	-	1471	2.9 %
24	-	1065	2.1 %
25	-	733	1.4 %
26	-	492	1.0 %
27	-	262	0.5 %
28	-	167	0.3 %
29	-	67	0.1 %
30	-	15	0.0 %
Missing Data			
.	-	8	0.0 %
Total		50,958	100%

Based upon 50,950 valid cases out of 50,958 total cases.

- Mean: 13.55
- Median: 13.00
- Mode: 12.00

- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 6.23

Location: 1161-1162 (width: 2; decimal: 0)

Variable Type: numeric

ASSETS5: Total hh assets, quintiles

Value	Label	Unweighted Frequency	%
0	Neg,<1000 0	0	0.0 %
1	Poorest 1	8193	16.1 %
2	2nd quintile 2	8808	17.3 %
3	Middle q 3	12029	23.6 %
4	4th quintile 4	11203	22.0 %
5	Richest 5	10717	21.0 %
Missing Data			
.	-	8	0.0 %
Total		50,958	100%

Based upon 50,950 valid cases out of 50,958 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1163-1163 (width: 1; decimal: 0)

Variable Type: numeric

COTOTAL: HQ23-25 14. Annual hh consumption expenditure

Based upon 50,931 valid cases out of 50,958 total cases.

- Mean: 111365.9971464
- Minimum: 686.9387454
- Maximum: 3508748.0000000
- Standard Deviation: 107162.7204066

Location: 1164-1178 (width: 15; decimal: 7)

Variable Type: numeric

COTOTAL5: HQ23-25 14. Annual hh consumption quintiles

Value	Label	Unweighted Frequency	%
1	-	7151	14.0 %
2	-	9420	18.5 %
3	-	10647	20.9 %
4	-	11366	22.3 %
5	-	12347	24.2 %
Missing Data			

Value	Label	Unweighted Frequency	%
-	-	27	0.1 %
Total		50,958	100%

Based upon 50,931 valid cases out of 50,958 total cases.

- Mean: 3.24
- Median: 3.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.37

Location: 1179-1179 (width: 1; decimal: 0)

Variable Type: numeric

INCOME: HQ Annual income

Based upon 50,958 valid cases out of 50,958 total cases.

- Mean: 113616.803688
- Minimum: -1037040.000000
- Maximum: 12032845.000000
- Standard Deviation: 192030.044167

Location: 1180-1194 (width: 15; decimal: 6)

Variable Type: numeric

INCOME5: HQ tot income quint 0=neg

Value	Label	Unweighted Frequency	%
0	Neg,<1000 0	752	1.5 %
1	Poorest 1	7789	15.3 %
2	2nd quintile 2	9328	18.3 %
3	Middle q 3	10369	20.3 %
4	4th quintile 4	11031	21.6 %
5	Richest 5	11689	22.9 %
Total		50,958	100%

Based upon 50,958 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 1195-1195 (width: 1; decimal: 0)

Variable Type: numeric

INCAG: HH6-10 all ag income (crops, property, animals)

Based upon 50,958 valid cases out of 50,958 total cases.

- Mean: 24121.720096
- Minimum: -909625.000000
- Maximum: 11016820.000000
- Standard Deviation: 110972.723366

Location: 1196-1210 (width: 15; decimal: 6)

Variable Type: numeric

INCAGLAB: HQ13 7.3 income: farm wage

Based upon 50,958 valid cases out of 50,958 total cases.

- Mean: 7278.20409510
- Minimum: 0.00000000
- Maximum: 326900.00000000
- Standard Deviation: 18272.22746546

Location: 1211-1225 (width: 15; decimal: 8)

Variable Type: numeric

INCAGPROP: HQ7 5.14,41 Rs land, other rented out

Value	Label	Unweighted Frequency	%
-1840891.375000	-	1	0.0 %
-292273.375000	-	1	0.0 %
-278292.875000	-	1	0.0 %
-277128.218750	-	1	0.0 %
-266259.843750	-	1	0.0 %
-250845.062500	-	1	0.0 %
-234183.656250	-	1	0.0 %
-233523.687500	-	1	0.0 %
-194120.656250	-	1	0.0 %
-194090.593750	-	1	0.0 %
-191117.640625	-	1	0.0 %
-171171.515625	-	1	0.0 %
-164688.359375	-	1	0.0 %
-162849.140625	-	1	0.0 %
-156295.765625	-	1	0.0 %
-153760.453125	-	1	0.0 %
-150618.390625	-	1	0.0 %
-145249.406250	-	1	0.0 %
-138384.406250	-	1	0.0 %
-135534.718750	-	1	0.0 %
-121428.562500	-	1	0.0 %
-115774.640625	-	1	0.0 %
-115320.335938	-	1	0.0 %

Value	Label	Unweighted Frequency	%
-114830.570313	-	1	0.0 %
-112359.289063	-	1	0.0 %
-108779.945313	-	1	0.0 %
-108300.000000	-	1	0.0 %
-106176.468750	-	1	0.0 %
-105382.648438	-	1	0.0 %
-104596.101563	-	1	0.0 %
-100338.023438	-	1	0.0 %
-98714.289063	-	1	0.0 %
-96100.281250	-	1	0.0 %
-95427.578125	-	1	0.0 %
-95354.546875	-	1	0.0 %
-94913.789063	-	1	0.0 %
-94178.273438	-	1	0.0 %
-93557.421875	-	1	0.0 %
-92372.445313	-	1	0.0 %
-90789.476563	-	1	0.0 %
-89571.429688	-	1	0.0 %
-88551.179688	-	1	0.0 %
-77183.093750	-	2	0.0 %
-72837.062500	-	1	0.0 %
-72171.312500	-	1	0.0 %
-70293.906250	-	1	0.0 %
-69731.820313	-	1	0.0 %
-67132.648438	-	1	0.0 %
-65732.593750	-	1	0.0 %
-65553.351563	-	1	0.0 %
	Total	50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 50,958 valid cases out of 50,958 total cases.

- Mean: 1151.349502
- Minimum: -1840891.375000
- Maximum: 930000.000000
- Standard Deviation: 16705.803641

Location: 1226-1240 (width: 15; decimal: 6)

Variable Type: numeric

INCANIMAL: HQ11,23 net animal income=mkt+home-cost

Based upon 50,958 valid cases out of 50,958 total cases.

- Mean: 3293.4319457
- Minimum: -186550.0000000
- Maximum: 524760.3750000
- Standard Deviation: 15820.9528310

Location: 1241-1255 (width: 15; decimal: 7)

Variable Type: numeric

INCBENEFITS: HQ17 9.5+13,1-8 all govt benefits Rs

Value	Label	Unweighted Frequency	%
0.00000000	-	38733	76.0 %
3.87387419	-	1	0.0 %
20.00000000	-	1	0.0 %
20.81632614	-	1	0.0 %
26.66666603	-	1	0.0 %
31.22448921	-	3	0.0 %
34.07407379	-	1	0.0 %
34.08695602	-	1	0.0 %
34.69387436	-	4	0.0 %
35.00000000	-	1	0.0 %
35.55555725	-	3	0.0 %
36.90909195	-	1	0.0 %
38.61271667	-	1	0.0 %
42.59259415	-	1	0.0 %
43.36734390	-	2	0.0 %
45.39473724	-	1	0.0 %
46.13636398	-	1	0.0 %
50.00000000	-	2	0.0 %
51.13043213	-	1	0.0 %
52.04081345	-	2	0.0 %
56.22222519	-	1	0.0 %
59.22857285	-	1	0.0 %
60.00000000	-	5	0.0 %
69.38774872	-	1	0.0 %
70.00000000	-	10	0.0 %
71.11111450	-	1	0.0 %
75.00000000	-	36	0.1 %
76.17391205	-	1	0.0 %
80.00000000	-	2	0.0 %
85.18518829	-	1	0.0 %

Value	Label	Unweighted Frequency	%
85.21739197	-	1	0.0 %
86.73468781	-	1	0.0 %
88.88888550	-	1	0.0 %
90.00000000	-	8	0.0 %
90.78947449	-	1	0.0 %
90.95454407	-	1	0.0 %
91.73913574	-	1	0.0 %
93.55741882	-	1	0.0 %
93.70370483	-	1	0.0 %
95.21738434	-	1	0.0 %
97.79411316	-	1	0.0 %
98.71428680	-	3	0.0 %
100.00000000	-	37	0.1 %
101.06060791	-	1	0.0 %
104.08162689	-	1	0.0 %
105.00000000	-	1	0.0 %
106.66666412	-	1	0.0 %
108.94737244	-	4	0.0 %
114.00000000	-	1	0.0 %
117.00000000	-	1	0.0 %
	Total	50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 50,958 valid cases out of 50,958 total cases.

- Mean: 805.08217712
- Minimum: 0.00000000
- Maximum: 500000.00000000
- Standard Deviation: 5264.06648047

Location: 1256-1270 (width: 15; decimal: 8)

Variable Type: numeric

INCBUSINESS: HQ14-16 8.5,25,45 All businesses: Net income

Based upon 50,958 valid cases out of 50,958 total cases.

- Mean: 20364.009245
- Minimum: -1050000.000000
- Maximum: 11423364.000000
- Standard Deviation: 123516.191810

Location: 1271-1285 (width: 15; decimal: 6)

Variable Type: numeric

INCCROP: HQ7-10 Net income from crops

Based upon 50,958 valid cases out of 50,958 total cases.

- Mean: 19676.938623
- Minimum: -909625.000000
- Maximum: 11005000.000000
- Standard Deviation: 107097.755992

Location: 1286-1300 (width: 15; decimal: 6)

Variable Type: numeric

INCWS: HQ13 7.10-12 annual hh ws earnings with bonuses

Based upon 50,958 valid cases out of 50,958 total cases.

- Mean: 58698.0537972
- Minimum: 0.0000000
- Maximum: 2420000.0000000
- Standard Deviation: 93426.6123633

Location: 1301-1315 (width: 15; decimal: 7)

Variable Type: numeric

INCNONAG: HQ13 7.3 income: nonag wage

Based upon 50,958 valid cases out of 50,958 total cases.

- Mean: 14021.77923161
- Minimum: 0.00000000
- Maximum: 736000.00000000
- Standard Deviation: 31917.32746080

Location: 1316-1330 (width: 15; decimal: 8)

Variable Type: numeric

INCNONNREGA: HQ13 7.3 income: nonag wage not NREGA

Value	Label	Unweighted Frequency	%
0	-	17494	34.3 %
100	-	2	0.0 %
120	-	1	0.0 %
180	-	1	0.0 %
240	-	1	0.0 %
270	-	1	0.0 %
280	-	1	0.0 %
300	-	2	0.0 %
350	-	2	0.0 %
400	-	2	0.0 %
450	-	1	0.0 %
490	-	2	0.0 %

Value	Label	Unweighted Frequency	%
500	-	5	0.0 %
560	-	3	0.0 %
600	-	5	0.0 %
700	-	3	0.0 %
720	-	1	0.0 %
750	-	4	0.0 %
800	-	6	0.0 %
825	-	1	0.0 %
840	-	1	0.0 %
900	-	4	0.0 %
910	-	1	0.0 %
960	-	2	0.0 %
970	-	1	0.0 %
1000	-	10	0.0 %
1050	-	1	0.0 %
1100	-	1	0.0 %
1150	-	1	0.0 %
1200	-	12	0.0 %
1250	-	1	0.0 %
1260	-	1	0.0 %
1300	-	2	0.0 %
1360	-	1	0.0 %
1400	-	3	0.0 %
1440	-	1	0.0 %
1500	-	10	0.0 %
1540	-	1	0.0 %
1600	-	4	0.0 %
1620	-	1	0.0 %
1650	-	3	0.0 %
1660	-	1	0.0 %
1740	-	1	0.0 %
1750	-	1	0.0 %
1800	-	9	0.0 %
1820	-	1	0.0 %
1875	-	1	0.0 %
2000	-	23	0.0 %
2100	-	1	0.0 %
2200	-	3	0.0 %
Missing Data			

Value	Label	Unweighted Frequency	%
-	-	25480	50.0 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,478 valid cases out of 50,958 total cases.

- Mean: 16638.93
- Minimum: 0.00
- Maximum: 736000.00
- Standard Deviation: 37546.08

Location: 1331-1336 (width: 6; decimal: 0)

Variable Type: numeric

INCNREGA: HQ13 7.3 income: NREGA

Value	Label	Unweighted Frequency	%
0	-	21403	42.0 %
100	-	1	0.0 %
120	-	2	0.0 %
130	-	2	0.0 %
132	-	1	0.0 %
140	-	1	0.0 %
180	-	1	0.0 %
200	-	5	0.0 %
240	-	6	0.0 %
244	-	1	0.0 %
248	-	1	0.0 %
260	-	3	0.0 %
280	-	2	0.0 %
300	-	8	0.0 %
308	-	1	0.0 %
360	-	5	0.0 %
375	-	1	0.0 %
390	-	1	0.0 %
400	-	16	0.0 %
416	-	1	0.0 %
424	-	1	0.0 %
450	-	4	0.0 %
460	-	1	0.0 %
476	-	1	0.0 %

Value	Label	Unweighted Frequency	%
480	-	7	0.0 %
484	-	1	0.0 %
490	-	1	0.0 %
500	-	10	0.0 %
510	-	1	0.0 %
520	-	8	0.0 %
528	-	2	0.0 %
550	-	1	0.0 %
560	-	3	0.0 %
600	-	30	0.1 %
610	-	3	0.0 %
625	-	2	0.0 %
650	-	6	0.0 %
660	-	1	0.0 %
665	-	1	0.0 %
700	-	11	0.0 %
720	-	12	0.0 %
732	-	6	0.0 %
735	-	1	0.0 %
750	-	6	0.0 %
770	-	1	0.0 %
780	-	5	0.0 %
792	-	1	0.0 %
798	-	1	0.0 %
800	-	15	0.0 %
810	-	1	0.0 %
Missing Data			
.	-	25480	50.0 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,478 valid cases out of 50,958 total cases.

- Mean: 906.28
- Minimum: 0.00
- Maximum: 100000.00
- Standard Deviation: 2823.67

Location: 1337-1342 (*width:* 6; *decimal:* 0)

Variable Type: numeric

INCOTHER: HQ17 9.1-3 Income from property, pensions

Value	Label	Unweighted Frequency	%
0.0000000	-	46057	90.4 %
2.0212121	-	1	0.0 %
3.6576576	-	1	0.0 %
17.6068382	-	1	0.0 %
20.9221897	-	1	0.0 %
34.0740738	-	1	0.0 %
51.1304321	-	1	0.0 %
52.6875000	-	1	0.0 %
63.7058830	-	1	0.0 %
92.2727280	-	1	0.0 %
100.0000000	-	5	0.0 %
147.6363678	-	3	0.0 %
148.7394867	-	1	0.0 %
150.0000000	-	1	0.0 %
157.9428558	-	1	0.0 %
161.6969757	-	1	0.0 %
170.3703766	-	1	0.0 %
175.8333282	-	1	0.0 %
177.6857147	-	1	0.0 %
197.4285736	-	1	0.0 %
199.9430237	-	1	0.0 %
200.0000000	-	17	0.0 %
202.1212158	-	1	0.0 %
250.0000000	-	2	0.0 %
260.2040710	-	2	0.0 %
263.4375000	-	1	0.0 %
276.8181763	-	3	0.0 %
288.3008423	-	1	0.0 %
296.1428528	-	1	0.0 %
300.0000000	-	13	0.0 %
312.2448730	-	2	0.0 %
315.6922913	-	1	0.0 %
320.0000000	-	1	0.0 %
332.1818237	-	1	0.0 %
341.4090881	-	1	0.0 %
345.9610291	-	1	0.0 %
346.9387512	-	4	0.0 %

Value	Label	Unweighted Frequency	%
350.0000000	-	5	0.0 %
351.2500000	-	1	0.0 %
352.1367493	-	1	0.0 %
357.7778015	-	1	0.0 %
369.0909119	-	1	0.0 %
380.0000000	-	1	0.0 %
389.6253662	-	1	0.0 %
400.0000000	-	14	0.0 %
426.0869446	-	1	0.0 %
433.6734619	-	2	0.0 %
439.0625000	-	1	0.0 %
450.0000000	-	3	0.0 %
480.5014038	-	1	0.0 %
	Total	50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 50,958 valid cases out of 50,958 total cases.

- Mean: 5110.8898361
- Minimum: 0.0000000
- Maximum: 3612000.0000000
- Standard Deviation: 30693.7120319

Location: 1343-1357 (width: 15; decimal: 7)

Variable Type: numeric

INCREMIT: HQ5 3.13a Rs received by hh from nonres last year

Value	Label	Unweighted Frequency	%
0.0000000	-	46066	90.4 %
11.0000000	-	1	0.0 %
173.4693756	-	1	0.0 %
200.0000000	-	2	0.0 %
260.2040710	-	1	0.0 %
300.0000000	-	1	0.0 %
303.1818237	-	1	0.0 %
352.1367493	-	1	0.0 %
386.1271667	-	1	0.0 %
404.2424316	-	2	0.0 %
500.0000000	-	14	0.0 %
624.2201538	-	1	0.0 %

Value	Label	Unweighted Frequency	%
711.1110840	-	1	0.0 %
800.0000000	-	1	0.0 %
808.4848633	-	1	0.0 %
851.8518677	-	1	0.0 %
867.3469238	-	3	0.0 %
900.0000000	-	1	0.0 %
935.5742188	-	1	0.0 %
977.9411621	-	2	0.0 %
1000.0000000	-	35	0.1 %
1010.6060791	-	1	0.0 %
1040.8162842	-	1	0.0 %
1053.7500000	-	1	0.0 %
1061.7647705	-	1	0.0 %
1097.2972412	-	1	0.0 %
1200.0000000	-	1	0.0 %
1220.4610596	-	1	0.0 %
1362.9630127	-	1	0.0 %
1405.0000000	-	1	0.0 %
1420.6153564	-	1	0.0 %
1463.0629883	-	1	0.0 %
1500.0000000	-	16	0.0 %
1580.6250000	-	1	0.0 %
1600.0000000	-	1	0.0 %
1660.7142334	-	1	0.0 %
1700.0000000	-	1	0.0 %
1703.7037354	-	6	0.0 %
1704.3477783	-	2	0.0 %
1712.2507324	-	1	0.0 %
1734.6938477	-	1	0.0 %
1743.5157471	-	1	0.0 %
1756.2500000	-	4	0.0 %
1760.6838379	-	1	0.0 %
1777.7778320	-	3	0.0 %
1791.4285889	-	2	0.0 %
1815.7895508	-	1	0.0 %
1819.0909424	-	1	0.0 %
1871.1484375	-	1	0.0 %
1900.0000000	-	1	0.0 %
	Total	50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 50,958 valid cases out of 50,958 total cases.

- Mean: 4517.0485313
- Minimum: 0.0000000
- Maximum: 1177687.8750000
- Standard Deviation: 24494.0802496

Location: 1358-1372 (width: 15; decimal: 7)

Variable Type: numeric

INCSALARY: HQ13 7.3 income: salary position

Based upon 50,958 valid cases out of 50,958 total cases.

- Mean: 37398.0704699
- Minimum: 0.0000000
- Maximum: 2420000.0000000
- Standard Deviation: 93476.7749224

Location: 1373-1387 (width: 15; decimal: 7)

Variable Type: numeric

POOR: Poverty using 2005/2012 Tendulkar cutoffs in IHDS1/2

Value	Label	Unweighted Frequency	%
0	-	41044	80.5 %
1	-	9887	19.4 %
Missing Data			
.	-	27	0.1 %
Total		50,958	100%

Based upon 50,931 valid cases out of 50,958 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

Location: 1388-1388 (width: 1; decimal: 0)

Variable Type: numeric

POOR1: Poverty using 2004-5 Tendulkar cutoffs

Value	Label	Unweighted Frequency	%
0	nonpoor 0	19765	38.8 %
1	poor 1	5693	11.2 %
Missing Data			

Value	Label	Unweighted Frequency	%
-		25500	50.0 %
Total		50,958	100%

Based upon 25,458 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1389-1389 (width: 1; decimal: 0)

Variable Type: numeric

POORI: Below poverty line using 2005 definition

Value	Label	Unweighted Frequency	%
0	nonpoor 0	19937	39.1 %
1	poor 1	5542	10.9 %
	Missing Data		
-		25479	50.0 %
Total		50,958	100%

Based upon 25,479 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1390-1390 (width: 1; decimal: 0)

Variable Type: numeric

POVLINE2005: Poverty line 2005, Tendulkar

Value	Label	Unweighted Frequency	%
292.95001220704	-	883	1.7 %
322.41000366211	-	603	1.2 %
324.17001342774	-	1765	3.5 %
325.79000854493	-	1041	2.0 %
327.77999877930	-	1396	2.7 %
351.85998535157	-	651	1.3 %
353.92999267579	-	729	1.4 %
354.35998535157	-	728	1.4 %
356.29998779297	-	36	0.1 %
362.25000000000	-	1655	3.2 %
365.83999633790	-	1736	3.4 %
366.55999755860	-	304	0.6 %
374.57000732422	-	1042	2.0 %

Value	Label	Unweighted Frequency	%
378.83999633790	-	262	0.5 %
382.82000732422	-	941	1.8 %
385.45001220704	-	38	0.1 %
387.64001464844	-	602	1.2 %
391.26000976563	-	271	0.5 %
394.27999877930	-	758	1.5 %
398.92001342774	-	594	1.2 %
404.79000854493	-	304	0.6 %
407.77999877930	-	1041	2.0 %
408.41000366211	-	1396	2.7 %
410.38000488282	-	806	1.6 %
414.76000976563	-	949	1.9 %
417.83999633790	-	1760	3.5 %
430.11999511719	-	642	1.3 %
433.42999267579	-	1608	3.2 %
435.000000000000	-	264	0.5 %
435.14001464844	-	212	0.4 %
441.69000244141	-	554	1.1 %
445.38000488282	-	933	1.8 %
449.32000732422	-	691	1.4 %
450.48999023438	-	78	0.2 %
451.23999023438	-	209	0.4 %
466.16000366211	-	337	0.7 %
478.000000000000	-	1343	2.6 %
478.01998901368	-	221	0.4 %
483.26000976563	-	650	1.3 %
484.89001464844	-	1563	3.1 %
486.23999023438	-	1736	3.4 %
497.30999755860	-	359	0.7 %
501.57998657227	-	722	1.4 %
503.32000732422	-	42	0.1 %
504.48999023438	-	308	0.6 %
506.17001342774	-	26	0.1 %
513.70001220704	-	167	0.3 %
520.40002441407	-	758	1.5 %
522.29998779297	-	271	0.5 %
526.17999267579	-	264	0.5 %
	Total	50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 50,958 valid cases out of 50,958 total cases.

- Mean: 458.39086548149
- Median: 441.69000244141
- Mode: 324.17001342774
- Minimum: 292.95001220704
- Maximum: 745.72998046875
- Standard Deviation: 95.01854875195

Location: 1391-1405 (width: 15; decimal: 11)

Variable Type: numeric

FM1: HQ7 5.1 HH any owned or cultivated

Value	Label	Unweighted Frequency	%
0	No 0	27147	53.3 %
1	Yes 1	23811	46.7 %
	Total	50,958	100%

Based upon 50,958 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1406-1406 (width: 1; decimal: 0)

Variable Type: numeric

NWKANY: HQ10-16 N wk (>=240hrs): any job

Value	Label	Unweighted Frequency	%
0	-	2154	4.2 %
1	-	17665	34.7 %
2	-	17510	34.4 %
3	-	7677	15.1 %
4	-	3818	7.5 %
5	-	1315	2.6 %
6	-	526	1.0 %
7	-	180	0.4 %
8	-	76	0.1 %
9	-	15	0.0 %
10	-	13	0.0 %
11	-	2	0.0 %
12	-	4	0.0 %
13	-	2	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	1	0.0 %
Total		50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Mean: 2.02
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 13.00
- Standard Deviation: 1.25

Location: 1407-1408 (width: 2; decimal: 0)

Variable Type: numeric

NWKANYPLUS: HQ10-16 N wk (>=240hrs): any job or animal care

Value	Label	Unweighted Frequency	%
0	-	1403	2.8 %
1	-	13890	27.3 %
2	-	17909	35.1 %
3	-	9084	17.8 %
4	-	5271	10.3 %
5	-	2070	4.1 %
6	-	831	1.6 %
7	-	298	0.6 %
8	-	131	0.3 %
9	-	40	0.1 %
10	-	17	0.0 %
11	-	6	0.0 %
12	-	4	0.0 %
13	-	3	0.0 %
Missing Data			
.	-	1	0.0 %
Total		50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Mean: 2.30
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 13.00
- Standard Deviation: 1.35

Location: 1409-1410 (width: 2; decimal: 0)

Variable Type: numeric

NWKAGLAB: HQ13 7.3 N wk (>=240hrs): farm wage

Value	Label	Unweighted Frequency	%
0	-	37600	73.8 %
1	-	6189	12.1 %
2	-	4848	9.5 %
3	-	1440	2.8 %
4	-	623	1.2 %
5	-	176	0.3 %
6	-	60	0.1 %
7	-	15	0.0 %
8	-	4	0.0 %
10	-	2	0.0 %
Missing Data			
.	-	1	0.0 %
Total		50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Mean: 0.47
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 0.94

Location: 1411-1412 (width: 2; decimal: 0)

Variable Type: numeric

NWKANIMAL: HQ11 an5 N wk (often): animal

Value	Label	Unweighted Frequency	%
0	-	28407	55.7 %
1	-	16135	31.7 %
2	-	4982	9.8 %
3	-	1011	2.0 %
4	-	330	0.6 %
5	-	68	0.1 %
6	-	16	0.0 %
7	-	4	0.0 %
8	-	4	0.0 %
Missing Data			
.	-	1	0.0 %

Value	Label	Unweighted Frequency	%
Total		50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Mean: 0.61
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 0.82

Location: 1413-1413 (width: 1; decimal: 0)

Variable Type: numeric

NWKBUSINESS: HQ14-16 nf12,13 N wk (>=240hrs): business

Value	Label	Unweighted Frequency	%
0	-	40942	80.3 %
1	-	6382	12.5 %
2	-	2682	5.3 %
3	-	673	1.3 %
4	-	214	0.4 %
5	-	48	0.1 %
6	-	13	0.0 %
7	-	3	0.0 %
Missing Data			
.	-	1	0.0 %
Total		50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.69

Location: 1414-1414 (width: 1; decimal: 0)

Variable Type: numeric

NWKFARM: HQ10 fm37,38 N wk (>=240hrs): farm

Value	Label	Unweighted Frequency	%
0	-	32355	63.5 %
1	-	4700	9.2 %
2	-	7488	14.7 %

Value	Label	Unweighted Frequency	%
3	-	3456	6.8 %
4	-	1824	3.6 %
5	-	685	1.3 %
6	-	297	0.6 %
7	-	91	0.2 %
8	-	35	0.1 %
9	-	11	0.0 %
10	-	10	0.0 %
11	-	3	0.0 %
12	-	2	0.0 %
Missing Data			
.	-	1	0.0 %
Total		50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Mean: 0.86
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 1.36

Location: 1415-1416 (*width:* 2; *decimal:* 0)

Variable Type: numeric

NWKNONAG: HQ13 7.3 N wk (>=240hrs): nonag wage

Value	Label	Unweighted Frequency	%
0	-	35093	68.9 %
1	-	10853	21.3 %
2	-	3790	7.4 %
3	-	920	1.8 %
4	-	219	0.4 %
5	-	57	0.1 %
6	-	16	0.0 %
7	-	8	0.0 %
8	-	1	0.0 %
Missing Data			
.	-	1	0.0 %
Total		50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Mean: 0.44
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 0.77

Location: 1417-1417 (width: 1; decimal: 0)

Variable Type: numeric

NWKNONNREGA: HQ13 7.3 N wk (>=240hrs): nonag wage not NREGA [IHDS2]

Value	Label	Unweighted Frequency	%
0	-	17762	34.9 %
1	-	5419	10.6 %
2	-	1697	3.3 %
3	-	453	0.9 %
4	-	102	0.2 %
5	-	33	0.1 %
6	-	7	0.0 %
7	-	5	0.0 %
Missing Data			
.	-	25480	50.0 %
Total		50,958	100%

Based upon 25,478 valid cases out of 50,958 total cases.

- Mean: 0.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.76

Location: 1418-1418 (width: 1; decimal: 0)

Variable Type: numeric

NWKNREGA: HQ13 7.3 N wk (>=240hrs): NREGA [IHDS2]

Value	Label	Unweighted Frequency	%
0	-	23352	45.8 %
1	-	1588	3.1 %
2	-	480	0.9 %
3	-	43	0.1 %
4	-	10	0.0 %
5	-	2	0.0 %
6	-	3	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	25480	50.0 %
	Total	50,958	100%

Based upon 25,478 valid cases out of 50,958 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.39

Location: 1419-1419 (width: 1; decimal: 0)

Variable Type: numeric

NWKNREGA4: HQ13 7.3 N wk, any hours: NREGA [IHDS2]

Value	Label	Unweighted Frequency	%
0	-	21401	42.0 %
1	-	2508	4.9 %
2	-	1280	2.5 %
3	-	201	0.4 %
4	-	67	0.1 %
5	-	13	0.0 %
6	-	7	0.0 %
8	-	1	0.0 %
	Missing Data		
.	-	25480	50.0 %
	Total	50,958	100%

Based upon 25,478 valid cases out of 50,958 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 0.62

Location: 1420-1420 (width: 1; decimal: 0)

Variable Type: numeric

NWKSALARY: HQ13 7.3 N wk (>=240hrs): salary position

Value	Label	Unweighted Frequency	%
0	-	35533	69.7 %

Value	Label	Unweighted Frequency	%
1	-	11942	23.4 %
2	-	2789	5.5 %
3	-	547	1.1 %
4	-	117	0.2 %
5	-	23	0.0 %
6	-	5	0.0 %
7	-	1	0.0 %
Missing Data			
.	-	1	0.0 %
Total		50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Mean: 0.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.67

Location: 1421-1421 (width: 1; decimal: 0)

Variable Type: numeric

NPERSONS: HQ4 2.0 N in hh

Value	Label	Unweighted Frequency	%
1	-	235	0.5 %
2	-	2301	4.5 %
3	-	5809	11.4 %
4	-	11276	22.1 %
5	-	11133	21.8 %
6	-	8036	15.8 %
7	-	4771	9.4 %
8	-	2765	5.4 %
9	-	1672	3.3 %
10	-	1062	2.1 %
11	-	644	1.3 %
12	-	425	0.8 %
13	-	276	0.5 %
14	-	176	0.3 %
15	-	156	0.3 %
16	-	46	0.1 %
17	-	43	0.1 %

Value	Label	Unweighted Frequency	%
18	-	40	0.1 %
19	-	23	0.0 %
20	-	24	0.0 %
21	21 or more	44	0.1 %
Missing Data			
.	-	1	0.0 %
Total		50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Mean: 5.44
- Median: 5.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 21.00
- Standard Deviation: 2.37

Location: 1422-1423 (width: 2; decimal: 0)

Variable Type: numeric

NNR: HQ5 3.0 # hh nonresidents

Value	Label	Unweighted Frequency	%
0	-	41845	82.1 %
1	-	6472	12.7 %
2	-	1999	3.9 %
3	-	462	0.9 %
4	-	141	0.3 %
5	-	27	0.1 %
6	6 or more	11	0.0 %
Missing Data			
.	-	1	0.0 %
Total		50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Mean: 0.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.61

Location: 1424-1424 (width: 1; decimal: 0)

Variable Type: numeric

NCHILDM: HQ4 2.5 # 0-14 boys in hh

Value	Label	Unweighted Frequency	%
0	-	21337	41.9 %
1	-	17618	34.6 %
2	-	8763	17.2 %
3	-	2383	4.7 %
4	-	627	1.2 %
5	-	167	0.3 %
6	6 or more	62	0.1 %
Missing Data			
.	-	1	0.0 %
Total		50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Mean: 0.90
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.98

Location: 1425-1425 (width: 1; decimal: 0)

Variable Type: numeric

NCHILDF: HQ4 2.5 # 0-14 girls in hh

Value	Label	Unweighted Frequency	%
0	-	24535	48.1 %
1	-	15834	31.1 %
2	-	6942	13.6 %
3	-	2554	5.0 %
4	-	773	1.5 %
5	-	226	0.4 %
6	6 or more	93	0.2 %
Missing Data			
.	-	1	0.0 %
Total		50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Mean: 0.83
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 6.00
- Standard Deviation: 1.02

Location: 1426-1426 (width: 1; decimal: 0)

Variable Type: numeric

NTEENM: HQ4 2.5 # 15-20 boys in hh

Value	Label	Unweighted Frequency	%
0	-	36088	70.8 %
1	-	11767	23.1 %
2	-	2784	5.5 %
3	3 or more	318	0.6 %
Missing Data			
.	-	1	0.0 %
Total		50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Mean: 0.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.61

Location: 1427-1427 (width: 1; decimal: 0)

Variable Type: numeric

NTEENF: HQ4 2.5 # 15-20 girls in hh

Value	Label	Unweighted Frequency	%
0	-	36170	71.0 %
1	-	11829	23.2 %
2	-	2594	5.1 %
3	3 or more	364	0.7 %
Missing Data			
.	-	1	0.0 %
Total		50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Mean: 0.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.61

Location: 1428-1428 (width: 1; decimal: 0)

Variable Type: numeric

NADULTS: HQ4 2.5 N 21+ in hh

Value	Label	Unweighted Frequency	%
0	-	23	0.0 %
1	-	2110	4.1 %
2	-	22974	45.1 %
3	-	11397	22.4 %
4	-	7850	15.4 %
5	-	3357	6.6 %
6	-	1918	3.8 %
7	-	692	1.4 %
8	-	353	0.7 %
9	-	138	0.3 %
10	-	77	0.2 %
11	-	32	0.1 %
12	12 or more	36	0.1 %
Missing Data			
.	-	1	0.0 %
Total		50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Mean: 2.99
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 1.43

Location: 1429-1430 (*width:* 2; *decimal:* 0)

Variable Type: numeric

NADULTM: HQ4 2.5 # 21+ men in hh

Value	Label	Unweighted Frequency	%
0	-	2576	5.1 %
1	-	29860	58.6 %
2	-	12488	24.5 %
3	-	4542	8.9 %
4	-	1133	2.2 %
5	-	252	0.5 %
6	6 or more	106	0.2 %
Missing Data			

Value	Label	Unweighted Frequency	%
-	-	1	0.0 %
Total		50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Mean: 1.47
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.87

Location: 1431-1431 (width: 1; decimal: 0)

Variable Type: numeric

NADULTF: HQ4 2.5 N 21+ women in hh

Value	Label	Unweighted Frequency	%
0	-	366	0.7 %
1	-	30275	59.4 %
2	-	15184	29.8 %
3	-	3978	7.8 %
4	-	915	1.8 %
5	-	181	0.4 %
6	6 or more	58	0.1 %
Missing Data			
-	-	1	0.0 %
Total		50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Mean: 1.52
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.77

Location: 1432-1432 (width: 1; decimal: 0)

Variable Type: numeric

NELDERM: HQ4 2.5 # 60+ men in hh

Value	Label	Unweighted Frequency	%
0	-	41979	82.4 %
1	-	8829	17.3 %
2	2 or more	149	0.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	1	0.0 %
	Total	50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Mean: 0.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.39

Location: 1433-1433 (width: 1; decimal: 0)

Variable Type: numeric

NELDERF: HQ4 2.5 # 60+ men in hh

Value	Label	Unweighted Frequency	%
0	-	40752	80.0 %
1	-	10035	19.7 %
2	2 or more	170	0.3 %
	Missing Data		
.	-	1	0.0 %
	Total	50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.41

Location: 1434-1434 (width: 1; decimal: 0)

Variable Type: numeric

NMARRIEDF: HQ4 2.6 N married women in hh

Value	Label	Unweighted Frequency	%
0	-	2054	4.0 %
1	-	35764	70.2 %
2	-	10039	19.7 %
3	-	2484	4.9 %
4	-	489	1.0 %
5	-	101	0.2 %

Value	Label	Unweighted Frequency	%
6	6 or more	26	0.1 %
	Missing Data		
.	-	1	0.0 %
	Total	50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Mean: 1.29
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.69

Location: 1435-1435 (width: 1; decimal: 0)

Variable Type: numeric

NMARRIEDM: HQ4 2.6 N married men in hh

Value	Label	Unweighted Frequency	%
0	-	3454	6.8 %
1	-	35637	69.9 %
2	-	9235	18.1 %
3	-	2126	4.2 %
4	-	413	0.8 %
5	-	73	0.1 %
6	6 or more	19	0.0 %
	Missing Data		
.	-	1	0.0 %
	Total	50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Mean: 1.23
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.68

Location: 1436-1436 (width: 1; decimal: 0)

Variable Type: numeric

HHEDUC: 11.6 Highest adult educ [max=15]

Value	Label	Unweighted Frequency	%
0	none, <1 0	9104	17.9 %

Value	Label	Unweighted Frequency	%
1	1st class 1	172	0.3 %
2	2nd class 2	750	1.5 %
3	3rd class 3	1020	2.0 %
4	4th class 4	1506	3.0 %
5	5th class 5	3741	7.3 %
6	6th class 6	1431	2.8 %
7	7th class 7	2814	5.5 %
8	8th class 8	3853	7.6 %
9	9th class 9	4898	9.6 %
10	Secondary 10	6393	12.5 %
11	11th Class 11	1290	2.5 %
12	High Secondary 12	5093	10.0 %
13	-	431	0.8 %
14	-	742	1.5 %
15	Bachelors 15	7688	15.1 %
16	Above Bachelors 16	0	0.0 %
55	<1st class 55	0	0.0 %
Missing Data			
.	-	32	0.1 %
Total		50,958	100%

Based upon 50,926 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 15.00

Location: 1437-1438 (width: 2; decimal: 0)

Variable Type: numeric

HHEDUC7: HQ19 11.6 Highest adult educ, 7 categories

Value	Label	Unweighted Frequency	%
0	none 0	9104	17.9 %
3	1-4 3	3448	6.8 %
5	primary 5	3741	7.3 %
8	6-9 8	12996	25.5 %
10	Secondary(&11) 10	7683	15.1 %
12	Higher sec(&13,14) 12	6266	12.3 %
15	graduate 15	7688	15.1 %
16	some post-grad 16	0	0.0 %
Missing Data			
.	-	32	0.1 %

Value	Label	Unweighted Frequency	%
Total		50,958	100%

Based upon 50,926 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 15.00

Location: 1439-1440 (width: 2; decimal: 0)

Variable Type: numeric

HHEDUCF: 11.6 Highest female adult educ [max=15]

Value	Label	Unweighted Frequency	%
0	none, <1 0	20765	40.7 %
1	1st class 1	181	0.4 %
2	2nd class 2	796	1.6 %
3	3rd class 3	1117	2.2 %
4	4th class 4	1639	3.2 %
5	5th class 5	4149	8.1 %
6	6th class 6	1305	2.6 %
7	7th class 7	2603	5.1 %
8	8th class 8	3267	6.4 %
9	9th class 9	3123	6.1 %
10	Secondary 10	4324	8.5 %
11	11th Class 11	559	1.1 %
12	High Secondary 12	2837	5.6 %
13	-	219	0.4 %
14	-	381	0.7 %
15	Bachelors 15	3590	7.0 %
16	Above Bachelors 16	0	0.0 %
55	<1st class 55	0	0.0 %
Missing Data			
.	-	103	0.2 %
Total		50,958	100%

Based upon 50,855 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 15.00

Location: 1441-1442 (width: 2; decimal: 0)

Variable Type: numeric

HHEDUCM: 11.6 Highest male adult educ [max=15]

Value	Label	Unweighted Frequency	%
0	none, <1 0	9517	18.7 %
1	1st class 1	213	0.4 %
2	2nd class 2	920	1.8 %
3	3rd class 3	1117	2.2 %
4	4th class 4	1649	3.2 %
5	5th class 5	3606	7.1 %
6	6th class 6	1405	2.8 %
7	7th class 7	2705	5.3 %
8	8th class 8	3784	7.4 %
9	9th class 9	4607	9.0 %
10	Secondary 10	6152	12.1 %
11	11th Class 11	1164	2.3 %
12	High Secondary 12	4403	8.6 %
13	-	361	0.7 %
14	-	559	1.1 %
15	Bachelors 15	6173	12.1 %
16	Above Bachelors 16	0	0.0 %
55	<1st class 55	0	0.0 %
Missing Data			
.	-	2623	5.1 %
Total		50,958	100%

Based upon 48,335 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 15.00

Location: 1443-1444 (width: 2; decimal: 0)

Variable Type: numeric

HHLITERATE: HQ19 11.2 Any adult (or head) in hh literate

Value	Label	Unweighted Frequency	%
0	No 0	9217	18.1 %
1	Yes 1	41719	81.9 %
Missing Data			
.	-	22	0.0 %
Total		50,958	100%

Based upon 50,936 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1445-1445 (width: 1; decimal: 0)

Variable Type: numeric

ED2: HQ19 11.2 Educ: Literacy

Value	Label	Unweighted Frequency	%
0	No 0	23529	46.2 %
1	Yes 1	27377	53.7 %
	Missing Data		
.	-	52	0.1 %
	Total	50,958	100%

Based upon 50,906 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1446-1446 (width: 1; decimal: 0)

Variable Type: numeric

ED3: HQ19 11.3 Educ: English ability

Value	Label	Unweighted Frequency	%
0	No 0	42860	84.1 %
1	Little 1	6405	12.6 %
2	Fluent 2	1151	2.3 %
	Missing Data		
.	-	542	1.1 %
	Total	50,958	100%

Based upon 50,416 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 1447-1447 (width: 1; decimal: 0)

Variable Type: numeric

ED4: HQ19 11.4 Educ: Attended school

Value	Label	Unweighted Frequency	%
0	No 0	23065	45.3 %
1	Yes 1	27779	54.5 %
	Missing Data		
.	-	114	0.2 %
	Total	50,958	100%

Based upon 50,844 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1448-1448 (width: 1; decimal: 0)

Variable Type: numeric

ED5: HQ19 11.5 Educ: Enrolled now

Value	Label	Unweighted Frequency	%
0	No 0	27807	54.6 %
1	Yes 1	58	0.1 %
	Missing Data		
.	-	23093	45.3 %
	Total	50,958	100%

Based upon 27,865 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1449-1449 (width: 1; decimal: 0)

Variable Type: numeric

ED6: HQ19 11.6 Educ: Completed Years, never,<1=0

Value	Label	Unweighted Frequency	%
0	none, <1 0	23354	45.8 %
1	1st class 1	197	0.4 %
2	2nd class 2	870	1.7 %
3	3rd class 3	1216	2.4 %
4	4th class 4	1782	3.5 %
5	5th class 5	4521	8.9 %
6	6th class 6	1291	2.5 %
7	7th class 7	2639	5.2 %
8	8th class 8	3259	6.4 %
9	9th class 9	2893	5.7 %
10	Secondary 10	4066	8.0 %
11	11th Class 11	430	0.8 %
12	High Secondary 12	2061	4.0 %
13	-	87	0.2 %
14	-	143	0.3 %
15	Bachelors 15	2035	4.0 %
16	Above Bachelors 16	0	0.0 %
55	<1st class 55	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	114	0.2 %
	Total	50,958	100%

Based upon 50,844 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 15.00

Location: 1450-1451 (width: 2; decimal: 0)

Variable Type: numeric

EDUC7: HQ19 11.4,6 Educ: Completed Years, 7cats

Value	Label	Unweighted Frequency	%
0	none 0	23354	45.8 %
3	1-4 3	4065	8.0 %
5	primary 5	4521	8.9 %
8	6-9 8	10082	19.8 %
10	Secondary(&11) 10	4496	8.8 %
12	Higher sec(&13,14) 12	2291	4.5 %
15	graduate 15	2035	4.0 %
16	some post-grad 16	0	0.0 %
	Missing Data		
.	-	114	0.2 %
	Total	50,958	100%

Based upon 50,844 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 15.00

Location: 1452-1453 (width: 2; decimal: 0)

Variable Type: numeric

TA2Y: HQ34 26.2 Was a test child

Value	Label	Unweighted Frequency	%
0	No 0	50934	100.0 %
1	Yes 1	23	0.0 %
	Missing Data		
.	-	1	0.0 %
	Total	50,958	100%

Based upon 50,957 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1454-1454 (width: 1; decimal: 0)

Variable Type: numeric

FM39AY: HQ10 5.39a Farm work: is decision maker

Value	Label	Unweighted Frequency	%
0	No 0	21489	42.2 %
1	Yes 1	1470	2.9 %
	Missing Data		
.	-	27999	54.9 %
	Total	50,958	100%

Based upon 22,959 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1455-1455 (width: 1; decimal: 0)

Variable Type: numeric

FMHOURS: HQ10 5.37-38 Farm: hours/year max=4000

Value	Label	Unweighted Frequency	%
2	-	2	0.0 %
3	-	1	0.0 %
4	-	5	0.0 %
5	-	5	0.0 %
7	-	2	0.0 %
8	-	6	0.0 %
9	-	2	0.0 %
10	-	23	0.0 %
12	-	6	0.0 %
14	-	2	0.0 %
15	-	20	0.0 %
16	-	6	0.0 %
18	-	6	0.0 %
20	-	80	0.2 %
21	-	1	0.0 %
24	-	8	0.0 %
25	-	11	0.0 %
28	-	1	0.0 %
30	-	133	0.3 %

Value	Label	Unweighted Frequency	%
32	-	6	0.0 %
34	-	1	0.0 %
35	-	11	0.0 %
36	-	6	0.0 %
38	-	2	0.0 %
40	-	125	0.2 %
42	-	2	0.0 %
44	-	1	0.0 %
45	-	23	0.0 %
48	-	10	0.0 %
49	-	1	0.0 %
50	-	96	0.2 %
52	-	1	0.0 %
54	-	1	0.0 %
56	-	7	0.0 %
57	-	1	0.0 %
60	-	306	0.6 %
63	-	1	0.0 %
64	-	8	0.0 %
65	-	1	0.0 %
69	-	1	0.0 %
70	-	21	0.0 %
72	-	6	0.0 %
75	-	41	0.1 %
76	-	1	0.0 %
80	-	190	0.4 %
81	-	1	0.0 %
84	-	1	0.0 %
85	-	2	0.0 %
88	-	2	0.0 %
90	-	173	0.3 %
Missing Data			
.	-	35275	69.2 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 15,683 valid cases out of 50,958 total cases.

- Mean: 612.45

- Minimum: 2.00
- Maximum: 4000.00
- Standard Deviation: 550.31

Location: 1456-1459 (*width:* 4; *decimal:* 0)

Variable Type: numeric

WSDAYS: HQ13 7.7 Working days -person total

Value	Label	Unweighted Frequency	%
1	-	7	0.0 %
2	-	9	0.0 %
3	-	12	0.0 %
4	-	10	0.0 %
5	-	21	0.0 %
6	-	15	0.0 %
7	-	32	0.1 %
8	-	29	0.1 %
9	-	13	0.0 %
10	-	87	0.2 %
11	-	5	0.0 %
12	-	33	0.1 %
13	-	11	0.0 %
14	-	21	0.0 %
15	-	137	0.3 %
16	-	6	0.0 %
17	-	6	0.0 %
18	-	14	0.0 %
19	-	3	0.0 %
20	-	196	0.4 %
21	-	8	0.0 %
22	-	16	0.0 %
23	-	5	0.0 %
24	-	8	0.0 %
25	-	95	0.2 %
26	-	13	0.0 %
27	-	10	0.0 %
28	-	17	0.0 %
29	-	2	0.0 %
30	-	515	1.0 %
31	-	2	0.0 %
32	-	14	0.0 %
33	-	1	0.0 %

Value	Label	Unweighted Frequency	%
34	-	4	0.0 %
35	-	74	0.1 %
36	-	14	0.0 %
37	-	11	0.0 %
38	-	13	0.0 %
39	-	7	0.0 %
40	-	258	0.5 %
41	-	4	0.0 %
42	-	21	0.0 %
43	-	4	0.0 %
44	-	4	0.0 %
45	-	121	0.2 %
46	-	3	0.0 %
47	-	3	0.0 %
48	-	11	0.0 %
49	-	1	0.0 %
50	-	361	0.7 %
Missing Data			
.	-	36490	71.6 %
Total		50,958	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 14,468 valid cases out of 50,958 total cases.

- Mean: 165.05
- Minimum: 1.00
- Maximum: 365.00
- Standard Deviation: 103.53

Location: 1460-1462 (width: 3; decimal: 0)

Variable Type: numeric

FMEARN: HQ7-10 ind crop net earnings est.

Based upon 50,957 valid cases out of 50,958 total cases.

- Mean: 3552.4798758
- Minimum: -180123.7656250
- Maximum: 4891111.0000000
- Standard Deviation: 29715.7992939

Location: 1463-1477 (width: 15; decimal: 7)

Variable Type: numeric

WSEARN: HQ13 7.10 annual w/s earnings -person total

Based upon 50,957 valid cases out of 50,958 total cases.

- Mean: 6058.54921735
- Minimum: 0.00000000
- Maximum: 600000.00000000
- Standard Deviation: 24462.53327291

Location: 1478-1492 (width: 15; decimal: 8)

Variable Type: numeric

SPED2: HQ19 11.2 Spouse educ: Literacy

Value	Label	Unweighted Frequency	%
0	No 0	11474	22.5 %
1	Yes 1	34473	67.6 %
	Missing Data		
.	-	5011	9.8 %
	Total	50,958	100%

Based upon 45,947 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1493-1493 (width: 1; decimal: 0)

Variable Type: numeric

SPED3: HQ19 11.3 Spouse educ: English ability

Value	Label	Unweighted Frequency	%
0	No 0	33504	65.7 %
1	Little 1	9473	18.6 %
2	Fluent 2	2437	4.8 %
	Missing Data		
.	-	5544	10.9 %
	Total	50,958	100%

Based upon 45,414 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 1494-1494 (width: 1; decimal: 0)

Variable Type: numeric

SPED4: HQ19 11.4 Spouse educ: Attended school

Value	Label	Unweighted Frequency	%
0	No 0	11074	21.7 %

Value	Label	Unweighted Frequency	%
1	Yes 1	34817	68.3 %
	Missing Data		
.	-	5067	9.9 %
	Total	50,958	100%

Based upon 45,891 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1495-1495 (width: 1; decimal: 0)

Variable Type: numeric

SPED5: HQ19 11.5 Spouse educ: Enrolled now

Value	Label	Unweighted Frequency	%
0	No 0	34872	68.4 %
1	Yes 1	50	0.1 %
	Missing Data		
.	-	16036	31.5 %
	Total	50,958	100%

Based upon 34,922 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1496-1496 (width: 1; decimal: 0)

Variable Type: numeric

SPED6: HQ19 11.6 Spouse educ: Completed Years, never,<1=0

Value	Label	Unweighted Frequency	%
0	none, <1 0	11549	22.7 %
1	1st class 1	274	0.5 %
2	2nd class 2	1105	2.2 %
3	3rd class 3	1357	2.7 %
4	4th class 4	1964	3.9 %
5	5th class 5	4155	8.2 %
6	6th class 6	1499	2.9 %
7	7th class 7	2806	5.5 %
8	8th class 8	3935	7.7 %
9	9th class 9	4234	8.3 %
10	Secondary 10	6171	12.1 %

Value	Label	Unweighted Frequency	%
11	11th Class 11	891	1.7 %
12	High Secondary 12	3292	6.5 %
13	-	148	0.3 %
14	-	213	0.4 %
15	Bachelors 15	4132	8.1 %
16	Above Bachelors 16	0	0.0 %
55	<1st class 55	0	0.0 %
Missing Data			
.	-	3233	6.3 %
Total		50,958	100%

Based upon 47,725 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 15.00

Location: 1497-1498 (width: 2; decimal: 0)

Variable Type: numeric

SPEDUC7: HQ19 11.4.6 Spouse educ: Completed Years, 7cats

Value	Label	Unweighted Frequency	%
0	none 0	11549	22.7 %
3	1-4 3	4700	9.2 %
5	primary 5	4155	8.2 %
8	6-9 8	12474	24.5 %
10	Secondary(&11) 10	7062	13.9 %
12	Higher sec(&13,14) 12	3653	7.2 %
15	graduate 15	4132	8.1 %
16	some post-grad 16	0	0.0 %
Missing Data			
.	-	3233	6.3 %
Total		50,958	100%

Based upon 47,725 valid cases out of 50,958 total cases.

- Minimum: 0.00
- Maximum: 15.00

Location: 1499-1500 (width: 2; decimal: 0)

Variable Type: numeric

WTEW: ew weights for IHDS1, constant across survey

Based upon 50,958 valid cases out of 50,958 total cases.

- Mean: 5552.69422365
- Minimum: 192.50207520
- Maximum: 312372.81250000
- Standard Deviation: 7513.13838964

Location: 1501-1515 (width: 15; decimal: 8)

Variable Type: numeric

FWTEW: ew weights (integer) for IHDS1, constant across survey

Based upon 50,958 valid cases out of 50,958 total cases.

- Mean: 5552.69
- Minimum: 193.00
- Maximum: 312373.00
- Standard Deviation: 7513.14

Location: 1516-1521 (width: 6; decimal: 0)

Variable Type: numeric