

ICPSR 37382

**India Human Development Survey
Panel (IHDS, IHDS-II), 2005,
2011-2012**

Sonalde Desai
University of Maryland

Reeve Vanneman
University of Maryland

*National Council of Applied Economic
Research, New Delhi*

ICPSR Codebook for Eligible Women - Wide
Panel (Public-Use)

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/37382/terms>

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE
WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

Processing Notes for ICPSR #37382

*India Human Development Survey Panel (IHDS, IHDS-II), 2005, 2011-2012
DS 15: Eligible Women – Wide Panel (Public-Use)*

1. **Related Data Collections:** This collection is a part of the [India Human Development Survey \(IHDS\) series](#). The data originally came from merging portions of the original data from IHDS (ICPSR #22626) and IHDS-II (ICPSR #36151). For additional study information please refer to these other datasets in the series.
2. **Confidentiality/Disclosure Risk:** In order to protect respondent anonymity and prevent disclosure risk, ICPSR masked or recoded the data. Valid entries that were masked were provided with the label “[MASKED BY ICPSR]”. Recoded variables were top- and/or bottom-coded. These changes apply to the following variables in the data:

Geography and Caste (masked):

STLAB01	DILAB01
GROUPS	XGROUPS
ID13	XID13

Specific Day of Birth (masked):

EW7D	XEW7D
------	-------

Sensitive / Disclosive Topics (top- and/or bottom-coded):

NELDERM	XNELDERM	FH4S	XFH4S
NELDERF	XNELDERF	FH4D	XFH4D
NTEENM	XNTEENM	FH4C	XFH4C
NTEENF	XNTEENF	FH7B	XFH7B
FH2S	XFH2S	FH3D	XFH3D
FH3S	XFH3S	FH5DM	FH3CM
FH2D	XFH2D	FH3C	XFH3C
FH4CM	FH5SM	FH6	XFH6
FH7	XFH7	FH5CM	XFH5CM
FH7A	XFH7A	FH5S	XFH5S
NNR	XNNR	FH5D	XFH5D
NCHILDM	XNCHILDM	FH2C	XFH2C
NCHILDF	XNCHILDF	FH5C	XFH5C
NADULTM	XNADULTM	NADULTS	XNADULTS
NADULTF	XNADULTF	NPERSONS	XNPERSONS
NMARRIEDF	XNMARRIEDF	MH1A	XMH1A
NMARRIEDM	XNMARRIEDM	MH1C	XMH1C
EW9	XEW9	MH1E	XMH1E
MH17A	XMH17A	MH18A	XMH18A
FH2CM			

3. **Additional Information:** For additional information external to ICPSR please visit the [India Human Development Survey](#) website.

ICPSR 37382

India Human Development Survey Panel (IHDS, IHDS-II), 2005, 2011-2012

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Eligible Women - Wide Panel (Public-Use)

SURVEY: IHDS1 (2005) or IHDS2 (2012)

Value	Label	Unweighted Frequency	%
1	IHDS1 1	25479	100.0 %
2	IHDS2 2	0	0.0 %
	Total	25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1-1 (width: 1; decimal: 0)

Variable Type: numeric

HHBASE: unique multisurvey id of hh at 1st entry

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 1187100369.17
- Minimum: 1010201010.00
- Maximum: 1340206140.00
- Standard Deviation: 98531634.32

Location: 2-11 (width: 10; decimal: 0)

Variable Type: numeric

HHFAM2: 2012 subfamily for this 2005 individual

Value	Label	Unweighted Frequency	%
1	-	23912	93.8 %
2	-	1375	5.4 %
3	-	166	0.7 %
4	-	16	0.1 %
5	-	9	0.0 %
6	-	1	0.0 %
	Total	25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 1.07
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 0.30

Location: 12-12 (width: 1; decimal: 0)

Variable Type: numeric

PBASE: unique multisurvey person id

Value	Label	Unweighted Frequency	%
1	-	1141	4.5 %
2	-	18455	72.4 %
3	-	1458	5.7 %
4	-	3255	12.8 %
5	-	273	1.1 %
6	-	213	0.8 %
7	-	188	0.7 %
8	-	202	0.8 %
9	-	130	0.5 %
10	-	61	0.2 %
11	-	30	0.1 %
12	-	29	0.1 %
13	-	14	0.1 %
14	-	10	0.0 %
15	-	4	0.0 %
16	-	7	0.0 %
17	-	4	0.0 %
18	-	1	0.0 %
19	-	1	0.0 %
22	-	3	0.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 2.52
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 22.00
- Standard Deviation: 1.40

Location: 13-14 (width: 2; decimal: 0)

Variable Type: numeric

STATEID: State code

Value	Label	Unweighted Frequency	%
1	Jammu & Kashmir 01	428	1.7 %
2	Himachal Pradesh 02	942	3.7 %
3	Punjab 03	1071	4.2 %

Value	Label	Unweighted Frequency	%
4	Chandigarh 04	35	0.1 %
5	Uttarakhand 05	286	1.1 %
6	Haryana 06	1073	4.2 %
7	Delhi 07	297	1.2 %
8	Rajasthan 08	1540	6.0 %
9	Uttar Pradesh 09	2386	9.4 %
10	Bihar 10	992	3.9 %
11	Sikkim 11	58	0.2 %
12	Arunachal Pradesh 12	101	0.4 %
13	Nagaland 13	22	0.1 %
14	Manipur 14	71	0.3 %
15	Mizoram 15	17	0.1 %
16	Tripura 16	112	0.4 %
17	Meghalaya 17	58	0.2 %
18	Assam 18	425	1.7 %
19	West Bengal 19	1632	6.4 %
20	Jharkhand 20	513	2.0 %
21	Orissa 21	1400	5.5 %
22	Chhattisgarh 22	761	3.0 %
23	Madhya Pradesh 23	1765	6.9 %
24	Gujarat 24	1147	4.5 %
25	Daman & Diu 25	36	0.1 %
26	Dadra+Nagar Haveli 26	36	0.1 %
27	Maharashtra 27	2322	9.1 %
28	Andhra Pradesh 28	1301	5.1 %
29	Karnataka 29	2248	8.8 %
30	Goa 30	123	0.5 %
31	Lakshadweep 31	0	0.0 %
32	Kerala 32	995	3.9 %
33	Tamil Nadu 33	1222	4.8 %
34	Pondicherry 34	64	0.3 %
35	Anadman/Nicobar 35	0	0.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 34.00

Location: 15-16 (*width:* 2; *decimal:* 0)

Variable Type: numeric

DISTID: District code

Value	Label	Unweighted Frequency	%
1	-	1096	4.3 %
2	-	1628	6.4 %
3	-	679	2.7 %
4	-	1105	4.3 %
5	-	1470	5.8 %
6	-	1045	4.1 %
7	-	977	3.8 %
8	-	1034	4.1 %
9	-	1107	4.3 %
10	-	1174	4.6 %
11	-	899	3.5 %
12	-	1198	4.7 %
13	-	921	3.6 %
14	-	660	2.6 %
15	-	837	3.3 %
16	-	712	2.8 %
17	-	689	2.7 %
18	-	605	2.4 %
19	-	606	2.4 %
20	-	565	2.2 %
21	-	558	2.2 %
22	-	285	1.1 %
23	-	686	2.7 %
24	-	454	1.8 %
25	-	465	1.8 %
26	-	456	1.8 %
27	-	426	1.7 %
28	-	131	0.5 %
29	-	368	1.4 %
30	-	364	1.4 %
31	-	201	0.8 %
32	-	308	1.2 %
33	-	24	0.1 %
34	-	106	0.4 %
35	-	125	0.5 %
36	-	104	0.4 %
37	-	62	0.2 %

Value	Label	Unweighted Frequency	%
38	-	26	0.1 %
39	-	19	0.1 %
40	-	29	0.1 %
41	-	43	0.2 %
42	-	97	0.4 %
44	-	70	0.3 %
45	-	73	0.3 %
46	-	27	0.1 %
47	-	61	0.2 %
48	-	44	0.2 %
49	-	112	0.4 %
50	-	41	0.2 %
51	-	39	0.2 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 15.09
- Median: 12.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 68.00
- Standard Deviation: 12.72

Location: 17-18 (width: 2; decimal: 0)

Variable Type: numeric

PSUID: PSU: village/neighborhood code

Value	Label	Unweighted Frequency	%
1	-	4011	15.7 %
2	-	3782	14.8 %
3	-	3447	13.5 %
4	-	2507	9.8 %
5	-	2133	8.4 %
6	-	2213	8.7 %
7	-	2061	8.1 %
8	-	1331	5.2 %
9	-	970	3.8 %
10	-	655	2.6 %
11	-	501	2.0 %

Value	Label	Unweighted Frequency	%
12	-	335	1.3 %
13	-	291	1.1 %
14	-	210	0.8 %
15	-	127	0.5 %
16	-	55	0.2 %
17	-	63	0.2 %
18	-	67	0.3 %
19	-	41	0.2 %
20	-	39	0.2 %
21	-	56	0.2 %
22	-	43	0.2 %
23	-	26	0.1 %
24	-	18	0.1 %
25	-	6	0.0 %
26	-	9	0.0 %
27	-	5	0.0 %
28	-	4	0.0 %
30	-	6	0.0 %
31	-	73	0.3 %
32	-	74	0.3 %
33	-	61	0.2 %
34	-	59	0.2 %
35	-	68	0.3 %
36	-	76	0.3 %
37	-	40	0.2 %
38	-	15	0.1 %
39	-	1	0.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 5.45
- Median: 4.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 39.00
- Standard Deviation: 5.39

Location: 19-20 (width: 2; decimal: 0)

Variable Type: numeric

HHID: Household ID IHDS2=3-digit IHDS1=2-digit

Value	Label	Unweighted Frequency	%
1	-	1668	6.5 %
2	-	1638	6.4 %
3	-	1604	6.3 %
4	-	1646	6.5 %
5	-	1575	6.2 %
6	-	1546	6.1 %
7	-	1517	6.0 %
8	-	1438	5.6 %
9	-	1397	5.5 %
10	-	1369	5.4 %
11	-	1368	5.4 %
12	-	1335	5.2 %
13	-	1271	5.0 %
14	-	1235	4.8 %
15	-	1185	4.7 %
16	-	655	2.6 %
17	-	619	2.4 %
18	-	581	2.3 %
19	-	566	2.2 %
20	-	552	2.2 %
21	-	127	0.5 %
22	-	103	0.4 %
23	-	96	0.4 %
24	-	73	0.3 %
25	-	57	0.2 %
26	-	44	0.2 %
27	-	47	0.2 %
28	-	27	0.1 %
29	-	28	0.1 %
30	-	22	0.1 %
31	-	18	0.1 %
32	-	18	0.1 %
33	-	8	0.0 %
34	-	12	0.0 %
35	-	5	0.0 %
36	-	4	0.0 %
37	-	3	0.0 %
38	-	3	0.0 %
39	-	3	0.0 %

Value	Label	Unweighted Frequency	%
40	-	3	0.0 %
41	-	3	0.0 %
42	-	2	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
46	-	1	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
50	-	1	0.0 %
52	-	1	0.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 9.26
- Median: 9.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 52.00
- Standard Deviation: 5.92

Location: 21-22 (width: 2; decimal: 0)

Variable Type: numeric

HHSPLITID: Split household ID

Value	Label	Unweighted Frequency	%
0	-	16161	63.4 %
1	-	7453	29.3 %
2	-	1338	5.3 %
3	-	420	1.6 %
4	-	89	0.3 %
5	-	14	0.1 %
6	-	4	0.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 0.46
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.71

Location: 23-23 (*width:* 1; *decimal:* 0)

Variable Type: numeric

PERSONID: HQ4 2.1 Roster ID in IHDS1/IHDS2 household

Value	Label	Unweighted Frequency	%
1	-	1122	4.4 %
2	-	18452	72.4 %
3	-	1448	5.7 %
4	-	3279	12.9 %
5	-	270	1.1 %
6	-	218	0.9 %
7	-	186	0.7 %
8	-	203	0.8 %
9	-	133	0.5 %
10	-	63	0.2 %
11	-	29	0.1 %
12	-	29	0.1 %
13	-	16	0.1 %
14	-	9	0.0 %
15	-	6	0.0 %
16	-	7	0.0 %
17	-	4	0.0 %
18	-	1	0.0 %
22	-	3	0.0 %
24	-	1	0.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 2.52
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 24.00
- Standard Deviation: 1.41

Location: 24-25 (*width:* 2; *decimal:* 0)

Variable Type: numeric

EWWAVES: EW in which surveys

Value	Label	Unweighted Frequency	%
1	only 2012 01	0	0.0 %
10	only 2005 10	0	0.0 %

Value	Label	Unweighted Frequency	%
11	both 11	25479	100.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 11.00
- Maximum: 11.00

Location: 26-27 (width: 2; decimal: 0)

Variable Type: numeric

IDPSU: PSU id unique 6 digit long int =cluster

Value	Label	Unweighted Frequency	%
10201	-	17	0.1 %
10202	-	15	0.1 %
10203	-	14	0.1 %
10204	-	11	0.0 %
10205	-	14	0.1 %
10206	-	13	0.1 %
10207	-	12	0.0 %
10208	-	11	0.0 %
10301	-	10	0.0 %
10302	-	8	0.0 %
10303	-	5	0.0 %
10304	-	10	0.0 %
10305	-	12	0.0 %
10306	-	8	0.0 %
10307	-	6	0.0 %
10308	-	5	0.0 %
10309	-	4	0.0 %
10501	-	18	0.1 %
10502	-	18	0.1 %
10504	-	13	0.1 %
10505	-	16	0.1 %
10506	-	16	0.1 %
11201	-	15	0.1 %
11203	-	15	0.1 %
11204	-	16	0.1 %
11206	-	16	0.1 %
11301	-	13	0.1 %
11302	-	5	0.0 %

Value	Label	Unweighted Frequency	%
11303	-	10	0.0 %
11304	-	9	0.0 %
11305	-	11	0.0 %
11306	-	5	0.0 %
11307	-	5	0.0 %
11308	-	7	0.0 %
11309	-	7	0.0 %
11310	-	6	0.0 %
11311	-	5	0.0 %
11312	-	4	0.0 %
11313	-	7	0.0 %
11314	-	7	0.0 %
11315	-	9	0.0 %
20101	-	17	0.1 %
20102	-	11	0.0 %
20103	-	7	0.0 %
20104	-	10	0.0 %
20105	-	13	0.1 %
20106	-	16	0.1 %
20201	-	24	0.1 %
20202	-	23	0.1 %
20203	-	23	0.1 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 187100.28
- Minimum: 10201.00
- Maximum: 340206.00
- Standard Deviation: 98531.63

Location: 28-33 (width: 6; decimal: 0)

Variable Type: numeric

IDPERSON: Person id, unique 12 byte

Based upon 25,479 valid cases out of 25,479 total cases.

Location: 34-44 (width: 11; decimal: 0)

Variable Type: character

HHID2005: household id in 2005 (2-digit)

Value	Label	Unweighted Frequency	%
1	-	1668	6.5 %
2	-	1638	6.4 %
3	-	1604	6.3 %
4	-	1646	6.5 %
5	-	1575	6.2 %
6	-	1546	6.1 %
7	-	1517	6.0 %
8	-	1438	5.6 %
9	-	1397	5.5 %
10	-	1369	5.4 %
11	-	1368	5.4 %
12	-	1335	5.2 %
13	-	1271	5.0 %
14	-	1235	4.8 %
15	-	1185	4.7 %
16	-	655	2.6 %
17	-	619	2.4 %
18	-	581	2.3 %
19	-	566	2.2 %
20	-	552	2.2 %
21	-	127	0.5 %
22	-	103	0.4 %
23	-	96	0.4 %
24	-	73	0.3 %
25	-	57	0.2 %
26	-	44	0.2 %
27	-	47	0.2 %
28	-	27	0.1 %
29	-	28	0.1 %
30	-	22	0.1 %
31	-	18	0.1 %
32	-	18	0.1 %
33	-	8	0.0 %
34	-	12	0.0 %
35	-	5	0.0 %
36	-	4	0.0 %
37	-	3	0.0 %
38	-	3	0.0 %
39	-	3	0.0 %

Value	Label	Unweighted Frequency	%
40	-	3	0.0 %
41	-	3	0.0 %
42	-	2	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
45	-	1	0.0 %
46	-	1	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
50	-	1	0.0 %
52	-	1	0.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 9.26
- Median: 9.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 52.00
- Standard Deviation: 5.92

Location: 45-46 (width: 2; decimal: 0)

Variable Type: numeric

HHID2012: household id in 2012 (3-digit)

Value	Label	Unweighted Frequency	%
10	-	934	3.7 %
11	-	557	2.2 %
12	-	111	0.4 %
13	-	46	0.2 %
14	-	16	0.1 %
15	-	4	0.0 %
20	-	966	3.8 %
21	-	522	2.0 %
22	-	100	0.4 %
23	-	40	0.2 %
24	-	9	0.0 %
26	-	1	0.0 %
30	-	958	3.8 %
31	-	512	2.0 %
32	-	109	0.4 %

Value	Label	Unweighted Frequency	%
33	-	23	0.1 %
34	-	2	0.0 %
40	-	994	3.9 %
41	-	510	2.0 %
42	-	106	0.4 %
43	-	28	0.1 %
44	-	7	0.0 %
45	-	1	0.0 %
50	-	967	3.8 %
51	-	482	1.9 %
52	-	93	0.4 %
53	-	29	0.1 %
54	-	3	0.0 %
55	-	1	0.0 %
60	-	941	3.7 %
61	-	473	1.9 %
62	-	93	0.4 %
63	-	34	0.1 %
64	-	3	0.0 %
65	-	1	0.0 %
66	-	1	0.0 %
70	-	950	3.7 %
71	-	459	1.8 %
72	-	79	0.3 %
73	-	24	0.1 %
74	-	5	0.0 %
80	-	942	3.7 %
81	-	412	1.6 %
82	-	58	0.2 %
83	-	19	0.1 %
84	-	5	0.0 %
85	-	1	0.0 %
86	-	1	0.0 %
90	-	928	3.6 %
91	-	368	1.4 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 93.06
- Median: 90.00
- Mode: 40.00
- Minimum: 10.00
- Maximum: 521.00
- Standard Deviation: 59.23

Location: 47-49 (width: 3; decimal: 0)

Variable Type: numeric

HHSPLITID2005: split household id for 2005

Value	Label	Unweighted Frequency	%
0	-	16161	63.4 %
1	-	7453	29.3 %
2	-	1338	5.3 %
3	-	420	1.6 %
4	-	89	0.3 %
5	-	14	0.1 %
6	-	4	0.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 0.46
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.71

Location: 50-50 (width: 1; decimal: 0)

Variable Type: numeric

HHSPLITID2012: split household id for 2012

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	25479	100.0 %
Total		25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 51-51 (width: 1; decimal: 0)

Variable Type: numeric

PID2005: HQ4 2.1 Roster ID within 2005 household, ro1

Value	Label	Unweighted Frequency	%
1	-	1122	4.4 %
2	-	18452	72.4 %
3	-	1448	5.7 %
4	-	3279	12.9 %
5	-	270	1.1 %
6	-	218	0.9 %
7	-	186	0.7 %
8	-	203	0.8 %
9	-	133	0.5 %
10	-	63	0.2 %
11	-	29	0.1 %
12	-	29	0.1 %
13	-	16	0.1 %
14	-	9	0.0 %
15	-	6	0.0 %
16	-	7	0.0 %
17	-	4	0.0 %
18	-	1	0.0 %
22	-	3	0.0 %
24	-	1	0.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 2.52
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 24.00
- Standard Deviation: 1.41

Location: 52-53 (width: 2; decimal: 0)

Variable Type: numeric

PID2012: HQ4 2.1 Roster ID within 2012 household, ro0

Value	Label	Unweighted Frequency	%
1	-	2486	9.8 %
2	-	19793	77.7 %
3	-	1135	4.5 %
4	-	1570	6.2 %
5	-	133	0.5 %
6	-	108	0.4 %

Value	Label	Unweighted Frequency	%
7	-	83	0.3 %
8	-	68	0.3 %
9	-	48	0.2 %
10	-	23	0.1 %
11	-	14	0.1 %
12	-	11	0.0 %
13	-	1	0.0 %
14	-	4	0.0 %
17	-	1	0.0 %
27	-	1	0.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 2.17
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 27.00
- Standard Deviation: 0.98

Location: 54-55 (width: 2; decimal: 0)

Variable Type: numeric

HHWAVES: which surveys hh has been in

Value	Label	Unweighted Frequency	%
1	only 2012 01	0	0.0 %
10	only 2005 10	0	0.0 %
11	both 11	25479	100.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 11.00
- Maximum: 11.00

Location: 56-57 (width: 2; decimal: 0)

Variable Type: numeric

PWAVES: which surveys p has been in

Value	Label	Unweighted Frequency	%
1	only 2012 01	0	0.0 %
10	only 2005 10	0	0.0 %
11	both 11	25479	100.0 %

Value	Label	Unweighted Frequency	%
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 11.00
- Maximum: 11.00

Location: 58-59 (width: 2; decimal: 0)

Variable Type: numeric

REGION: HH0 states grouped into 7 regions

Value	Label	Unweighted Frequency	%
1	Hills 1	1656	6.5 %
2	North 2	2476	9.7 %
3	North Central 3	3891	15.3 %
4	Central Plains 4	4066	16.0 %
5	East 5	3896	15.3 %
6	West 6	3664	14.4 %
7	South 7	5830	22.9 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 60-60 (width: 1; decimal: 0)

Variable Type: numeric

STATEID2: State codes, collapsed

Value	Label	Unweighted Frequency	%
101	Jammu & Kashmir 01	428	1.7 %
102	Himachal Pradesh 02	942	3.7 %
105	Uttarakhand 05	286	1.1 %
203	Punjab 03	1106	4.3 %
206	Haryana 06	1073	4.2 %
207	Delhi 07	297	1.2 %
309	Uttar Pradesh 09	2386	9.4 %
310	Bihar 10	992	3.9 %
320	Jharkhand 20	513	2.0 %
408	Rajasthan 08	1540	6.0 %
422	Chhattisgarh 22	761	3.0 %

Value	Label	Unweighted Frequency	%
423	Madhya Pradesh 23	1765	6.9 %
517	Northeast 17	439	1.7 %
518	Assam 18	425	1.7 %
519	West Bengal 19	1632	6.4 %
521	Orissa 21	1400	5.5 %
624	Gujarat 24	1219	4.8 %
627	Maharashtra & Goa 27	2445	9.6 %
728	Andhra Pradesh 28	1301	5.1 %
729	Karnataka 29	2248	8.8 %
732	Kerala 32	995	3.9 %
733	Tamil Nadu 33	1286	5.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 101.00
- Maximum: 733.00

Location: 61-63 (width: 3; decimal: 0)

Variable Type: numeric

XCD1: EH2 cg1 Agree to interview

Value	Label	Unweighted Frequency	%
1	-	25479	100.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

Location: 64-64 (width: 1; decimal: 0)

Variable Type: numeric

XCD3D: EH2 2 Day of ed-health interview

Value	Label	Unweighted Frequency	%
1	-	695	2.7 %
2	-	742	2.9 %
3	-	823	3.2 %
4	-	851	3.3 %

Value	Label	Unweighted Frequency	%
5	-	832	3.3 %
6	-	873	3.4 %
7	-	867	3.4 %
8	-	894	3.5 %
9	-	835	3.3 %
10	-	866	3.4 %
11	-	909	3.6 %
12	-	961	3.8 %
13	-	797	3.1 %
14	-	808	3.2 %
15	-	809	3.2 %
16	-	790	3.1 %
17	-	843	3.3 %
18	-	866	3.4 %
19	-	815	3.2 %
20	-	893	3.5 %
21	-	878	3.4 %
22	-	919	3.6 %
23	-	903	3.5 %
24	-	921	3.6 %
25	-	840	3.3 %
26	-	746	2.9 %
27	-	805	3.2 %
28	-	776	3.0 %
29	-	690	2.7 %
30	-	663	2.6 %
31	-	477	1.9 %
Missing Data			
.	-	92	0.4 %
Total		25,479	100%

Based upon 25,387 valid cases out of 25,479 total cases.

- Mean: 15.68
- Median: 16.00
- Mode: 12.00
- Minimum: 1.00
- Maximum: 31.00
- Standard Deviation: 8.62

Location: 65-66 (*width:* 2; *decimal:* 0)

Variable Type: numeric

XCD3M: EH2 2 Month of ed-health interview

Value	Label	Unweighted Frequency	%
1	-	4516	17.7 %
2	-	4044	15.9 %
3	-	3194	12.5 %
4	-	3058	12.0 %
5	-	2926	11.5 %
6	-	1746	6.9 %
7	-	1067	4.2 %
8	-	875	3.4 %
9	-	760	3.0 %
10	-	142	0.6 %
11	-	736	2.9 %
12	-	2315	9.1 %
Missing Data			
.	-	100	0.4 %
Total		25,479	100%

Based upon 25,379 valid cases out of 25,479 total cases.

- Mean: 4.65
- Median: 4.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.39

Location: 67-68 (width: 2; decimal: 0)

Variable Type: numeric

XCD3Y: EH2 2 Year of ed-health interview

Value	Label	Unweighted Frequency	%
2004	-	3090	12.1 %
2005	-	22297	87.5 %
Missing Data			
.	-	92	0.4 %
Total		25,479	100%

Based upon 25,387 valid cases out of 25,479 total cases.

- Mean: 2004.88
- Median: 2005.00
- Mode: 2005.00
- Minimum: 2004.00

- Maximum: 2005.00
- Standard Deviation: 0.33

Location: 69-72 (*width:* 4; *decimal:* 0)

Variable Type: numeric

XCD3DATE: EH2 2 Date (integer) of ed-health interview

Value	Label	Unweighted Frequency	%
16071	-	2	0.0 %
16072	-	4	0.0 %
16073	-	1	0.0 %
16074	-	2	0.0 %
16076	-	1	0.0 %
16077	-	4	0.0 %
16080	-	2	0.0 %
16081	-	1	0.0 %
16082	-	1	0.0 %
16083	-	2	0.0 %
16085	-	1	0.0 %
16087	-	1	0.0 %
16089	-	4	0.0 %
16091	-	1	0.0 %
16093	-	1	0.0 %
16095	-	3	0.0 %
16096	-	1	0.0 %
16097	-	1	0.0 %
16100	-	1	0.0 %
16101	-	1	0.0 %
16103	-	1	0.0 %
16104	-	1	0.0 %
16106	-	1	0.0 %
16108	-	1	0.0 %
16111	-	1	0.0 %
16114	-	2	0.0 %
16118	-	2	0.0 %
16121	-	1	0.0 %
16124	-	1	0.0 %
16128	-	1	0.0 %
16136	-	3	0.0 %
16137	-	1	0.0 %
16141	-	1	0.0 %

Value	Label	Unweighted Frequency	%
16143	-	2	0.0 %
16145	-	1	0.0 %
16149	-	1	0.0 %
16152	-	1	0.0 %
16155	-	1	0.0 %
16156	-	1	0.0 %
16161	-	1	0.0 %
16162	-	1	0.0 %
16163	-	1	0.0 %
16165	-	1	0.0 %
16176	-	2	0.0 %
16188	-	1	0.0 %
16194	-	1	0.0 %
16208	-	1	0.0 %
16218	-	1	0.0 %
16247	-	1	0.0 %
16252	-	3	0.0 %
Missing Data			
.	-	92	0.4 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,387 valid cases out of 25,479 total cases.

- Mean: 16517.71
- Minimum: 16071.00
- Maximum: 16796.00
- Standard Deviation: 78.45

Location: 73-77 (width: 5; decimal: 0)

Variable Type: numeric

XCD4A: EH2 3 Ed-health interview start time: hour

Value	Label	Unweighted Frequency	%
1	-	2540	10.0 %
2	-	2969	11.7 %
3	-	3044	11.9 %
4	-	2382	9.3 %
5	-	1179	4.6 %
6	-	448	1.8 %

Value	Label	Unweighted Frequency	%
7	-	323	1.3 %
8	-	882	3.5 %
9	-	2136	8.4 %
10	-	3137	12.3 %
11	-	3275	12.9 %
12	-	3032	11.9 %
Missing Data			
.	-	132	0.5 %
Total		25,479	100%

Based upon 25,347 valid cases out of 25,479 total cases.

- Mean: 6.63
- Median: 7.00
- Mode: 11.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.99

Location: 78-79 (width: 2; decimal: 0)

Variable Type: numeric

XCD4B: EH2 3 Ed-health Interview start time: minutes

Value	Label	Unweighted Frequency	%
0	-	3416	13.4 %
1	-	13	0.1 %
2	-	23	0.1 %
3	-	6	0.0 %
4	-	6	0.0 %
5	-	1584	6.2 %
6	-	11	0.0 %
7	-	20	0.1 %
8	-	16	0.1 %
9	-	8	0.0 %
10	-	2971	11.7 %
11	-	10	0.0 %
12	-	39	0.2 %
13	-	8	0.0 %
14	-	2	0.0 %
15	-	2485	9.8 %
16	-	13	0.1 %
17	-	8	0.0 %

Value	Label	Unweighted Frequency	%
18	-	12	0.0 %
19	-	2	0.0 %
20	-	2267	8.9 %
21	-	8	0.0 %
22	-	29	0.1 %
23	-	7	0.0 %
24	-	4	0.0 %
25	-	1204	4.7 %
26	-	10	0.0 %
27	-	12	0.0 %
28	-	15	0.1 %
30	-	3143	12.3 %
31	-	8	0.0 %
32	-	19	0.1 %
33	-	8	0.0 %
34	-	6	0.0 %
35	-	1424	5.6 %
36	-	9	0.0 %
37	-	11	0.0 %
38	-	23	0.1 %
39	-	1	0.0 %
40	-	2094	8.2 %
41	-	3	0.0 %
42	-	18	0.1 %
43	-	7	0.0 %
44	-	4	0.0 %
45	-	1884	7.4 %
46	-	14	0.1 %
47	-	4	0.0 %
48	-	26	0.1 %
49	-	1	0.0 %
50	-	1475	5.8 %
Missing Data			
.	-	119	0.5 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,360 valid cases out of 25,479 total cases.

- Mean: 23.68
- Median: 20.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 16.66

Location: 80-81 (width: 2; decimal: 0)

Variable Type: numeric

XCD4C: EH2 3 Ed-health Interview start time: AM/PM

Value	Label	Unweighted Frequency	%
1	-	9742	38.2 %
2	-	15603	61.2 %
	Missing Data		
.	-	134	0.5 %
	Total	25,479	100%

Based upon 25,345 valid cases out of 25,479 total cases.

- Mean: 1.62
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.49

Location: 82-82 (width: 1; decimal: 0)

Variable Type: numeric

XEW1NO: Eligible Woman No.

Value	Label	Unweighted Frequency	%
1	Ed Health Q 1	25479	100.0 %
2	Supplement Q 2	0	0.0 %
	Total	25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 83-83 (width: 1; decimal: 0)

Variable Type: numeric

XEW3Y: HH ID

Value	Label	Unweighted Frequency	%
0	No 0	0	0.0 %

Value	Label	Unweighted Frequency	%
1	Yes 1	25479	100.0 %
	Total	25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 84-84 (width: 1; decimal: 0)

Variable Type: numeric

XEW4A: EQ19 14.4a in 2005

Value	Label	Unweighted Frequency	%
0	No 0	0	0.0 %
1	Yes 1	25479	100.0 %
	Total	25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 85-85 (width: 1; decimal: 0)

Variable Type: numeric

XEW5: HH head

Value	Label	Unweighted Frequency	%
1	Head 1	1141	4.5 %
2	Wife 2	18305	71.8 %
3	Daughter 3	282	1.1 %
4	Daughter-in-law 4	5297	20.8 %
5	Grandchild 5	0	0.0 %
6	Mother 6	46	0.2 %
7	Sister 7	35	0.1 %
8	Mother-in-law 8	0	0.0 %
9	Niece 9	4	0.0 %
10	Sister in law 10	275	1.1 %
11	Other relatives 11	93	0.4 %
12	-	1	0.0 %
	Total	25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 86-87 (*width:* 2; *decimal:* 0)

Variable Type: numeric

XEW6: EH19 13.5 EWoman: Age

Value	Label	Unweighted Frequency	%
15	-	19	0.1 %
16	-	46	0.2 %
17	-	68	0.3 %
18	-	249	1.0 %
19	-	280	1.1 %
20	-	695	2.7 %
21	-	433	1.7 %
22	-	802	3.1 %
23	-	658	2.6 %
24	-	722	2.8 %
25	-	1285	5.0 %
26	-	816	3.2 %
27	-	695	2.7 %
28	-	1202	4.7 %
29	-	645	2.5 %
30	-	1765	6.9 %
31	-	574	2.3 %
32	-	1219	4.8 %
33	-	765	3.0 %
34	-	734	2.9 %
35	-	1868	7.3 %
36	-	915	3.6 %
37	-	678	2.7 %
38	-	1233	4.8 %
39	-	551	2.2 %
40	-	1680	6.6 %
41	-	389	1.5 %
42	-	893	3.5 %
43	-	503	2.0 %
44	-	381	1.5 %
45	-	1167	4.6 %
46	-	475	1.9 %
47	-	366	1.4 %

Value	Label	Unweighted Frequency	%
48	-	512	2.0 %
49	-	196	0.8 %
	Total	25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 33.21
- Median: 33.00
- Mode: 35.00
- Minimum: 15.00
- Maximum: 49.00
- Standard Deviation: 7.91

Location: 88-89 (width: 2; decimal: 0)

Variable Type: numeric

XEW7D: EH19 13.6 Eligible woman birth day

Value	Label	Unweighted Frequency	%
	Missing Data		
99	MASKED BY ICPSR	7513	29.5 %
.	-	17966	70.5 %
	Total	25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 90-91 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 99 , .

XEW7M: EH19 13.6 Eligible woman birth month

Value	Label	Unweighted Frequency	%
1	-	709	2.8 %
2	-	794	3.1 %
3	-	854	3.4 %
4	-	865	3.4 %
5	-	983	3.9 %
6	-	1002	3.9 %
7	-	764	3.0 %
8	-	908	3.6 %
9	-	681	2.7 %
10	-	690	2.7 %
11	-	610	2.4 %
12	-	603	2.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	16016	62.9 %
	Total	25,479	100%

Based upon 9,463 valid cases out of 25,479 total cases.

- Mean: 6.22
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.26

Location: 92-93 (width: 2; decimal: 0)

Variable Type: numeric

XEW7Y: EH19 13.6 Eligible woman birth year

Value	Label	Unweighted Frequency	%
1947	-	1	0.0 %
1949	-	1	0.0 %
1952	-	1	0.0 %
1954	-	1	0.0 %
1955	-	64	0.3 %
1956	-	236	0.9 %
1957	-	321	1.3 %
1958	-	266	1.0 %
1959	-	491	1.9 %
1960	-	691	2.7 %
1961	-	317	1.2 %
1962	-	488	1.9 %
1963	-	493	1.9 %
1964	-	711	2.8 %
1965	-	848	3.3 %
1966	-	664	2.6 %
1967	-	683	2.7 %
1968	-	599	2.4 %
1969	-	954	3.7 %
1970	-	1105	4.3 %
1971	-	503	2.0 %
1972	-	758	3.0 %
1973	-	648	2.5 %
1974	-	808	3.2 %

Value	Label	Unweighted Frequency	%
1975	-	1032	4.1 %
1976	-	677	2.7 %
1977	-	686	2.7 %
1978	-	580	2.3 %
1979	-	742	2.9 %
1980	-	795	3.1 %
1981	-	491	1.9 %
1982	-	552	2.2 %
1983	-	471	1.8 %
1984	-	465	1.8 %
1985	-	356	1.4 %
1986	-	205	0.8 %
1987	-	113	0.4 %
1988	-	18	0.1 %
1989	-	34	0.1 %
1990	-	12	0.0 %
Missing Data			
.	-	6598	25.9 %
Total		25,479	100%

Based upon 18,881 valid cases out of 25,479 total cases.

- Mean: 1971.45
- Median: 1972.00
- Mode: 1970.00
- Minimum: 1947.00
- Maximum: 1990.00
- Standard Deviation: 7.88

Location: 94-97 (width: 4; decimal: 0)

Variable Type: numeric

XEW7DATE: EH19 13.6 Eligible woman birth date(integer)

Based upon 18,881 valid cases out of 25,479 total cases.

- Mean: 4356.55
- Minimum: -4568.00
- Maximum: 11293.00
- Standard Deviation: 2878.06

Location: 98-102 (width: 5; decimal: 0)

Variable Type: numeric

XEW8: EH19 13.7 EWoman: Education

Value	Label	Unweighted Frequency	%
0	-	11893	46.7 %
1	-	87	0.3 %
2	-	399	1.6 %
3	-	555	2.2 %
4	-	846	3.3 %
5	-	2420	9.5 %
6	-	648	2.5 %
7	-	1278	5.0 %
8	-	1540	6.0 %
9	-	1208	4.7 %
10	-	2275	8.9 %
11	-	202	0.8 %
12	-	994	3.9 %
13	-	40	0.2 %
14	-	48	0.2 %
15	-	1042	4.1 %
Missing Data			
.	-	4	0.0 %
Total		25,479	100%

Based upon 25,475 valid cases out of 25,479 total cases.

- Mean: 4.23
- Median: 3.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 4.66

Location: 103-104 (width: 2; decimal: 0)

Variable Type: numeric

XEW9: EH19 13.8 EWoman: # children

Value	Label	Unweighted Frequency	%
0	-	1666	6.5 %
1	-	3666	14.4 %
2	-	7359	28.9 %
3	-	6330	24.8 %
4	-	3409	13.4 %
5	-	1628	6.4 %
6	-	793	3.1 %
7	-	349	1.4 %

Value	Label	Unweighted Frequency	%
8	-	141	0.6 %
9	9 or more	72	0.3 %
	Missing Data		
.	-	66	0.3 %
	Total	25,479	100%

Based upon 25,413 valid cases out of 25,479 total cases.

- Mean: 2.68
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 1.58

Location: 105-105 (width: 1; decimal: 0)

Variable Type: numeric

XEW10: EH19 13.9 EWoman: general health

Value	Label	Unweighted Frequency	%
1	Very good 1	4199	16.5 %
2	Good 2	12503	49.1 %
3	OK 3	7349	28.8 %
4	Poor 4	1342	5.3 %
5	Very poor 5	84	0.3 %
	Missing Data		
.	-	2	0.0 %
	Total	25,479	100%

Based upon 25,477 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 106-106 (width: 1; decimal: 0)

Variable Type: numeric

XEW11: EQ20 14.11 Childhood residence [IHDS2]

Value	Label	Unweighted Frequency	%
1	Same Village/Town 1	0	0.0 %
2	Another Village 2	0	0.0 %
3	Another Town 3	0	0.0 %
4	Metro City 4	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	25479	100.0 %
Total		25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 107-107 (width: 1; decimal: 0)

Variable Type: numeric

XEW17C: EH25 17.15a Husb # brothers

Value	Label	Unweighted Frequency	%
0	-	3444	13.5 %
1	-	6566	25.8 %
2	-	6873	27.0 %
3	-	4393	17.2 %
4	-	2340	9.2 %
5	-	1029	4.0 %
6	-	411	1.6 %
7	-	140	0.5 %
8	-	40	0.2 %
9	-	10	0.0 %
10	-	7	0.0 %
11	-	5	0.0 %
12	-	6	0.0 %
13	-	1	0.0 %
Missing Data			
.	-	214	0.8 %
Total		25,479	100%

Based upon 25,265 valid cases out of 25,479 total cases.

- Mean: 2.06
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 13.00
- Standard Deviation: 1.50

Location: 108-109 (width: 2; decimal: 0)

Variable Type: numeric

XEW17D: EH24 17.14 Husband: # sisters

Value	Label	Unweighted Frequency	%
0	-	3766	14.8 %

Value	Label	Unweighted Frequency	%
1	-	6904	27.1 %
2	-	7068	27.7 %
3	-	3949	15.5 %
4	-	2132	8.4 %
5	-	816	3.2 %
6	-	280	1.1 %
7	-	92	0.4 %
8	-	29	0.1 %
9	-	11	0.0 %
10	-	4	0.0 %
12	-	3	0.0 %
15	-	1	0.0 %
20	-	1	0.0 %
Missing Data			
.	-	423	1.7 %
Total		25,479	100%

Based upon 25,056 valid cases out of 25,479 total cases.

- Mean: 1.93
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 1.43

Location: 110-111 (width: 2; decimal: 0)

Variable Type: numeric

XEW18C: EH25 17.15b Husb brothers educ

Value	Label	Unweighted Frequency	%
0	none, <1 0	6340	24.9 %
1	1st class 1	102	0.4 %
2	2nd class 2	177	0.7 %
3	3rd class 3	305	1.2 %
4	4th class 4	524	2.1 %
5	5th class 5	2017	7.9 %
6	6th class 6	527	2.1 %
7	7th class 7	1053	4.1 %
8	8th class 8	1837	7.2 %
9	9th class 9	1288	5.1 %
10	Secondary 10	3855	15.1 %

Value	Label	Unweighted Frequency	%
11	11th Class 11	401	1.6 %
12	High Secondary 12	2072	8.1 %
13	-	106	0.4 %
14	-	124	0.5 %
15	Bachelors 15	2911	11.4 %
16	Above Bachelors 16	0	0.0 %
55	<1st class 55	0	0.0 %
Missing Data			
.	-	1840	7.2 %
Total		25,479	100%

Based upon 23,639 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 15.00

Location: 112-113 (*width:* 2; *decimal:* 0)

Variable Type: numeric

XEW18D: EH24 17.14a Husb sisters educ

Value	Label	Unweighted Frequency	%
0	none, <1 0	12127	47.6 %
1	1st class 1	53	0.2 %
2	2nd class 2	199	0.8 %
3	3rd class 3	327	1.3 %
4	4th class 4	531	2.1 %
5	5th class 5	1983	7.8 %
6	6th class 6	499	2.0 %
7	7th class 7	977	3.8 %
8	8th class 8	1289	5.1 %
9	9th class 9	670	2.6 %
10	Secondary 10	2184	8.6 %
11	11th Class 11	147	0.6 %
12	High Secondary 12	856	3.4 %
13	-	32	0.1 %
14	-	36	0.1 %
15	Bachelors 15	1114	4.4 %
16	Above Bachelors 16	0	0.0 %
55	<1st class 55	0	0.0 %
Missing Data			
.	-	2455	9.6 %

Value	Label	Unweighted Frequency	%
Total		25,479	100%

Based upon 23,024 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 15.00

Location: 114-115 (width: 2; decimal: 0)

Variable Type: numeric

XHB1: EH20 14.1 Belief Daily milk

Value	Label	Unweighted Frequency	%
0	No 0	18853	74.0 %
1	Yes 1	5391	21.2 %
	Missing Data		
.	-	1235	4.8 %
Total		25,479	100%

Based upon 24,244 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 116-116 (width: 1; decimal: 0)

Variable Type: numeric

XHB2: EH20 14.2 Belief Male sterilistn

Value	Label	Unweighted Frequency	%
0	No 0	7522	29.5 %
1	Yes 1	10791	42.4 %
	Missing Data		
.	-	7166	28.1 %
Total		25,479	100%

Based upon 18,313 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 117-117 (width: 1; decimal: 0)

Variable Type: numeric

XHB3: EH20 14.3 Belief 1st thin milk

Value	Label	Unweighted Frequency	%
1	Good 1	19213	75.4 %
2	Harmful 2	4462	17.5 %
3	Does not matter 3	1493	5.9 %
	Missing Data		
.	-	311	1.2 %
	Total	25,479	100%

Based upon 25,168 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 118-118 (width: 1; decimal: 0)

Variable Type: numeric

XHB4: EH20 14.4 Belief Chulha smoke

Value	Label	Unweighted Frequency	%
1	Good 1	1157	4.5 %
2	Harmful 2	20700	81.2 %
3	Does not matter 3	3449	13.5 %
	Missing Data		
.	-	173	0.7 %
	Total	25,479	100%

Based upon 25,306 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 119-119 (width: 1; decimal: 0)

Variable Type: numeric

XHB5: EH20 14.5 Belief Diarrhea

Value	Label	Unweighted Frequency	%
1	Less than usual 1	3717	14.6 %
2	More than usual 2	15035	59.0 %
3	About the same 3	4294	16.9 %
4	Doesn't matter 4	490	1.9 %
	Missing Data		
.	-	1943	7.6 %
	Total	25,479	100%

Based upon 23,536 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 120-120 (width: 1; decimal: 0)

Variable Type: numeric

XHB8: EH20 14.6 Belief Pregnancy

Value	Label	Unweighted Frequency	%
1	Just before her period begins 1	3642	14.3 %
2	During her period 2	5298	20.8 %
3	Right after her period has ended 3	4115	16.2 %
4	Half way between two periods 4	2867	11.3 %
5	Timing makes no difference 5	881	3.5 %
Missing Data			
.	-	8676	34.1 %
Total		25,479	100%

Based upon 16,803 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 121-121 (width: 1; decimal: 0)

Variable Type: numeric

XAI1: EH20 15.1 AIDS Awareness

Value	Label	Unweighted Frequency	%
0	No 0	11042	43.3 %
1	Yes 1	14234	55.9 %
Missing Data			
.	-	203	0.8 %
Total		25,479	100%

Based upon 25,276 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 122-122 (width: 1; decimal: 0)

Variable Type: numeric

XAI1A: EH20 15.1b AIDS Needle

Value	Label	Unweighted Frequency	%
0	No 0	343	1.3 %
1	Yes 1	13035	51.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	12101	47.5 %
	Total	25,479	100%

Based upon 13,378 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 123-123 (width: 1; decimal: 0)

Variable Type: numeric

XAI1B: EH20 15.1c AIDS Mosquito bite

Value	Label	Unweighted Frequency	%
0	No 0	6209	24.4 %
1	Yes 1	5731	22.5 %
	Missing Data		
.	-	13539	53.1 %
	Total	25,479	100%

Based upon 11,940 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 124-124 (width: 1; decimal: 0)

Variable Type: numeric

XAI1C: EH20 15.1d AIDS Transfusion

Value	Label	Unweighted Frequency	%
0	No 0	373	1.5 %
1	Yes 1	12896	50.6 %
	Missing Data		
.	-	12210	47.9 %
	Total	25,479	100%

Based upon 13,269 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 125-125 (width: 1; decimal: 0)

Variable Type: numeric

XAI1D: EH20 15.1a AIDS Sex

Value	Label	Unweighted Frequency	%
0	No 0	186	0.7 %
1	Yes 1	13443	52.8 %
	Missing Data		
.	-	11850	46.5 %
	Total	25,479	100%

Based upon 13,629 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 126-126 (width: 1; decimal: 0)

Variable Type: numeric

XAI1E: EH20 15.1e AIDS Food sharing

Value	Label	Unweighted Frequency	%
0	No 0	9067	35.6 %
1	Yes 1	3439	13.5 %
	Missing Data		
.	-	12973	50.9 %
	Total	25,479	100%

Based upon 12,506 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 127-127 (width: 1; decimal: 0)

Variable Type: numeric

XAI3: EH20 15.2 AIDS Known person

Value	Label	Unweighted Frequency	%
0	No 0	12753	50.1 %
1	Yes 1	1295	5.1 %
	Missing Data		
.	-	11431	44.9 %
	Total	25,479	100%

Based upon 14,048 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 128-128 (width: 1; decimal: 0)

Variable Type: numeric

XGR1A: EH21 16.1a Cooking Respondent

Value	Label	Unweighted Frequency	%
0	No 0	1483	5.8 %
1	Yes 1	23993	94.2 %
	Missing Data		
.	-	3	0.0 %
	Total	25,479	100%

Based upon 25,476 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 129-129 (width: 1; decimal: 0)

Variable Type: numeric

XGR1B: EH21 16.1b Cooking Husband

Value	Label	Unweighted Frequency	%
0	No 0	15073	59.2 %
1	Yes 1	10401	40.8 %
	Missing Data		
.	-	5	0.0 %
	Total	25,479	100%

Based upon 25,474 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 130-130 (width: 1; decimal: 0)

Variable Type: numeric

XGR1C: EH21 16.1c Cooking Sr male

Value	Label	Unweighted Frequency	%
0	No 0	22795	89.5 %
1	Yes 1	2681	10.5 %
	Missing Data		
.	-	3	0.0 %
	Total	25,479	100%

Based upon 25,476 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 131-131 (width: 1; decimal: 0)

Variable Type: numeric

XGR1D: EH21 16.1d Cooking Sr female

Value	Label	Unweighted Frequency	%
0	No 0	19895	78.1 %
1	Yes 1	5581	21.9 %
	Missing Data		
.	-	3	0.0 %
	Total	25,479	100%

Based upon 25,476 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 132-132 (width: 1; decimal: 0)

Variable Type: numeric

XGR1E: EH21 16.1e Cooking Other

Value	Label	Unweighted Frequency	%
0	No 0	23036	90.4 %
1	Yes 1	2441	9.6 %
	Missing Data		
.	-	2	0.0 %
	Total	25,479	100%

Based upon 25,477 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 133-133 (width: 1; decimal: 0)

Variable Type: numeric

XGR1F: EH21 16.1f Cooking No One

Value	Label	Unweighted Frequency	%
0	No 0	25353	99.5 %
1	Yes 1	124	0.5 %
	Missing Data		
.	-	2	0.0 %
	Total	25,479	100%

Based upon 25,477 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 134-134 (width: 1; decimal: 0)

Variable Type: numeric

XGR1G: EH21 16.1g Cooking Most Say

Value	Label	Unweighted Frequency	%
1	Respondent 1	18924	74.3 %
2	Husband 2	2710	10.6 %
3	Sr. Male 3	466	1.8 %
4	Sr. Female 4	2900	11.4 %
5	Other 5	320	1.3 %
Missing Data			
.	-	159	0.6 %
Total		25,479	100%

Based upon 25,320 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 135-135 (width: 1; decimal: 0)

Variable Type: numeric

XGR2A: EH21 16.2a Purchase Respondent

Value	Label	Unweighted Frequency	%
0	No 0	7402	29.1 %
1	Yes 1	18072	70.9 %
Missing Data			
.	-	5	0.0 %
Total		25,479	100%

Based upon 25,474 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 136-136 (width: 1; decimal: 0)

Variable Type: numeric

XGR2B: EH21 16.2b Purchase Husband

Value	Label	Unweighted Frequency	%
0	No 0	2849	11.2 %
1	Yes 1	22627	88.8 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	3	0.0 %
	Total	25,479	100%

Based upon 25,476 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 137-137 (width: 1; decimal: 0)

Variable Type: numeric

XGR2C: EH21 16.2c Purchase Sr male

Value	Label	Unweighted Frequency	%
0	No 0	20610	80.9 %
1	Yes 1	4867	19.1 %
	Missing Data		
.	-	2	0.0 %
	Total	25,479	100%

Based upon 25,477 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 138-138 (width: 1; decimal: 0)

Variable Type: numeric

XGR2D: EH21 16.2d Purchase Sr female

Value	Label	Unweighted Frequency	%
0	No 0	21216	83.3 %
1	Yes 1	4260	16.7 %
	Missing Data		
.	-	3	0.0 %
	Total	25,479	100%

Based upon 25,476 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 139-139 (width: 1; decimal: 0)

Variable Type: numeric

XGR2E: EH21 16.2e Purchase Other

Value	Label	Unweighted Frequency	%
0	No 0	23468	92.1 %
1	Yes 1	2006	7.9 %
	Missing Data		
.	-	5	0.0 %
	Total	25,479	100%

Based upon 25,474 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 140-140 (width: 1; decimal: 0)

Variable Type: numeric

XGR2F: EH21 16.2f Purchase No One

Value	Label	Unweighted Frequency	%
0	No 0	25329	99.4 %
1	Yes 1	146	0.6 %
	Missing Data		
.	-	4	0.0 %
	Total	25,479	100%

Based upon 25,475 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 141-141 (width: 1; decimal: 0)

Variable Type: numeric

XGR2G: EH21 16.2g Purchase Most Say

Value	Label	Unweighted Frequency	%
1	Respondent 1	2779	10.9 %
2	Husband 2	18629	73.1 %
3	Sr. Male 3	2846	11.2 %
4	Sr. Female 4	757	3.0 %
5	Other 5	284	1.1 %
	Missing Data		
.	-	184	0.7 %
	Total	25,479	100%

Based upon 25,295 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 142-142 (width: 1; decimal: 0)

Variable Type: numeric

XGR3A: EH21 16.3a # children Respondent

Value	Label	Unweighted Frequency	%
0	No 0	4927	19.3 %
1	Yes 1	20549	80.7 %
	Missing Data		
.	-	3	0.0 %
	Total	25,479	100%

Based upon 25,476 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 143-143 (width: 1; decimal: 0)

Variable Type: numeric

XGR3B: EH21 16.3b # children Husband

Value	Label	Unweighted Frequency	%
0	No 0	2560	10.0 %
1	Yes 1	22915	89.9 %
	Missing Data		
.	-	4	0.0 %
	Total	25,479	100%

Based upon 25,475 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 144-144 (width: 1; decimal: 0)

Variable Type: numeric

XGR3C: EH21 16.3c # children Sr male

Value	Label	Unweighted Frequency	%
0	No 0	23606	92.6 %
1	Yes 1	1871	7.3 %
	Missing Data		
.	-	2	0.0 %
	Total	25,479	100%

Based upon 25,477 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 145-145 (width: 1; decimal: 0)

Variable Type: numeric

XGR3D: EH21 16.3d # children Sr female

Value	Label	Unweighted Frequency	%
0	No 0	22693	89.1 %
1	Yes 1	2784	10.9 %
	Missing Data		
.	-	2	0.0 %
	Total	25,479	100%

Based upon 25,477 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 146-146 (width: 1; decimal: 0)

Variable Type: numeric

XGR3E: EH21 16.3e # children Other

Value	Label	Unweighted Frequency	%
0	No 0	25163	98.8 %
1	Yes 1	313	1.2 %
	Missing Data		
.	-	3	0.0 %
	Total	25,479	100%

Based upon 25,476 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 147-147 (width: 1; decimal: 0)

Variable Type: numeric

XGR3F: EH21 16.3f # children No One

Value	Label	Unweighted Frequency	%
0	No 0	24897	97.7 %
1	Yes 1	577	2.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-	-	5	0.0 %
Total		25,479	100%

Based upon 25,474 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 148-148 (width: 1; decimal: 0)

Variable Type: numeric

XGR3G: EH21 16.3g # children Most Say

Value	Label	Unweighted Frequency	%
1	Respondent 1	4848	19.0 %
2	Husband 2	18778	73.7 %
3	Sr. Male 3	394	1.5 %
4	Sr. Female 4	780	3.1 %
5	Other 5	43	0.2 %
Missing Data			
-	-	636	2.5 %
Total		25,479	100%

Based upon 24,843 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 149-149 (width: 1; decimal: 0)

Variable Type: numeric

XGR7A: EH21 16.4a Child ill Respondent

Value	Label	Unweighted Frequency	%
0	No 0	3504	13.8 %
1	Yes 1	20874	81.9 %
Missing Data			
-	-	1101	4.3 %
Total		25,479	100%

Based upon 24,378 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 150-150 (width: 1; decimal: 0)

Variable Type: numeric

XGR7B: EH21 16.4b Child ill Husband

Value	Label	Unweighted Frequency	%
0	No 0	3668	14.4 %
1	Yes 1	20453	80.3 %
	Missing Data		
.	-	1358	5.3 %
	Total	25,479	100%

Based upon 24,121 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 151-151 (width: 1; decimal: 0)

Variable Type: numeric

XGR7C: EH21 16.4c Child ill Sr male

Value	Label	Unweighted Frequency	%
0	No 0	17972	70.5 %
1	Yes 1	3393	13.3 %
	Missing Data		
.	-	4114	16.1 %
	Total	25,479	100%

Based upon 21,365 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 152-152 (width: 1; decimal: 0)

Variable Type: numeric

XGR7D: EH21 16.4d Child ill Sr female

Value	Label	Unweighted Frequency	%
0	No 0	17429	68.4 %
1	Yes 1	3905	15.3 %
	Missing Data		
.	-	4145	16.3 %
	Total	25,479	100%

Based upon 21,334 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 153-153 (width: 1; decimal: 0)

Variable Type: numeric

XGR7E: EH21 16.4e Child ill Other

Value	Label	Unweighted Frequency	%
0	No 0	19648	77.1 %
1	Yes 1	1192	4.7 %
	Missing Data		
.	-	4639	18.2 %
	Total	25,479	100%

Based upon 20,840 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 154-154 (width: 1; decimal: 0)

Variable Type: numeric

XGR7F: EH21 16.4f Child ill No One

Value	Label	Unweighted Frequency	%
0	No 0	18938	74.3 %
1	Yes 1	472	1.9 %
	Missing Data		
.	-	6069	23.8 %
	Total	25,479	100%

Based upon 19,410 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 155-155 (width: 1; decimal: 0)

Variable Type: numeric

XGR7G: EH21 16.4g Child ill Most Say

Value	Label	Unweighted Frequency	%
1	Respondent 1	7572	29.7 %
2	Husband 2	14635	57.4 %
3	Sr. Male 3	1277	5.0 %
4	Sr. Female 4	961	3.8 %
5	Other 5	189	0.7 %
	Missing Data		
.	-	845	3.3 %

Value	Label	Unweighted Frequency	%
	Total	25,479	100%

Based upon 24,634 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 156-156 (width: 1; decimal: 0)

Variable Type: numeric

XGR8A: EH21 16.5a Child's wed R

Value	Label	Unweighted Frequency	%
0	No 0	4856	19.1 %
1	Yes 1	19128	75.1 %
	Missing Data		
.	-	1495	5.9 %
	Total	25,479	100%

Based upon 23,984 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 157-157 (width: 1; decimal: 0)

Variable Type: numeric

XGR8B: EH21 16.5b Child's wed Husband

Value	Label	Unweighted Frequency	%
0	No 0	2159	8.5 %
1	Yes 1	22278	87.4 %
	Missing Data		
.	-	1042	4.1 %
	Total	25,479	100%

Based upon 24,437 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 158-158 (width: 1; decimal: 0)

Variable Type: numeric

XGR8C: EH21 16.5c Child's wed Sr male

Value	Label	Unweighted Frequency	%
0	No 0	16080	63.1 %
1	Yes 1	5481	21.5 %
	Missing Data		
.	-	3918	15.4 %
	Total	25,479	100%

Based upon 21,561 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 159-159 (width: 1; decimal: 0)

Variable Type: numeric

XGR8D: EH21 16.5d Child's wed Sr female

Value	Label	Unweighted Frequency	%
0	No 0	16217	63.6 %
1	Yes 1	5179	20.3 %
	Missing Data		
.	-	4083	16.0 %
	Total	25,479	100%

Based upon 21,396 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 160-160 (width: 1; decimal: 0)

Variable Type: numeric

XGR8E: EH21 16.5e Child's wed Other

Value	Label	Unweighted Frequency	%
0	No 0	18489	72.6 %
1	Yes 1	2418	9.5 %
	Missing Data		
.	-	4572	17.9 %
	Total	25,479	100%

Based upon 20,907 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 161-161 (width: 1; decimal: 0)

Variable Type: numeric

XGR8F: EH21 16.5f Child's wed No One

Value	Label	Unweighted Frequency	%
0	No 0	18828	73.9 %
1	Yes 1	614	2.4 %
	Missing Data		
.	-	6037	23.7 %
	Total	25,479	100%

Based upon 19,442 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 162-162 (width: 1; decimal: 0)

Variable Type: numeric

XGR8G: EH21 16.5g Child's wed Most Say

Value	Label	Unweighted Frequency	%
1	Respondent 1	2484	9.7 %
2	Husband 2	17336	68.0 %
3	Sr. Male 3	3219	12.6 %
4	Sr. Female 4	852	3.3 %
5	Other 5	531	2.1 %
	Missing Data		
.	-	1057	4.1 %
	Total	25,479	100%

Based upon 24,422 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 163-163 (width: 1; decimal: 0)

Variable Type: numeric

XGR9AY: EH21 16.6a Permission health centre (recoded)

Value	Label	Unweighted Frequency	%
0	No 0	6342	24.9 %
1	Yes 1	19118	75.0 %
	Missing Data		
.	-	19	0.1 %
	Total	25,479	100%

Based upon 25,460 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 164-164 (width: 1; decimal: 0)

Variable Type: numeric

XGR9B: EH21 16.6b Perm husband: health centre

Value	Label	Unweighted Frequency	%
0	Dont ask 0	7589	29.8 %
1	Ask 1	17662	69.3 %
	Missing Data		
.	-	228	0.9 %
	Total	25,479	100%

Based upon 25,251 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 165-165 (width: 1; decimal: 0)

Variable Type: numeric

XGR9C: EH21 16.6c Perm Sr male: health centre

Value	Label	Unweighted Frequency	%
0	Dont ask 0	19527	76.6 %
1	Ask 1	2909	11.4 %
	Missing Data		
.	-	3043	11.9 %
	Total	25,479	100%

Based upon 22,436 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 166-166 (width: 1; decimal: 0)

Variable Type: numeric

XGR9D: EH21 16.6d Perm Sr Female: health centre

Value	Label	Unweighted Frequency	%
0	Dont ask 0	18111	71.1 %
1	Ask 1	4462	17.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	2906	11.4 %
Total		25,479	100%

Based upon 22,573 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 167-167 (width: 1; decimal: 0)

Variable Type: numeric

XGR9E: EH21 16.6e Perm others health centre (recoded)

Value	Label	Unweighted Frequency	%
0	Dont ask 0	21044	82.6 %
1	Ask 1	916	3.6 %
	Missing Data		
.	-	3519	13.8 %
Total		25,479	100%

Based upon 21,960 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 168-168 (width: 1; decimal: 0)

Variable Type: numeric

XGR9F: EH21 16.6f Health centre alone

Value	Label	Unweighted Frequency	%
0	Not alone 0	7460	29.3 %
1	Goes alone 1	17087	67.1 %
	Missing Data		
.	-	932	3.7 %
Total		25,479	100%

Based upon 24,547 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 169-169 (width: 1; decimal: 0)

Variable Type: numeric

XGR10AY: EH21 16.7a Permission Friend home (recoded)

Value	Label	Unweighted Frequency	%
0	No 0	6032	23.7 %
1	Yes 1	19077	74.9 %
	Missing Data		
.	-	370	1.5 %
	Total	25,479	100%

Based upon 25,109 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 170-170 (width: 1; decimal: 0)

Variable Type: numeric

XGR10B: EH21 16.7b Perm husband Friend home

Value	Label	Unweighted Frequency	%
0	Dont ask 0	7224	28.4 %
1	Ask 1	17662	69.3 %
	Missing Data		
.	-	593	2.3 %
	Total	25,479	100%

Based upon 24,886 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 171-171 (width: 1; decimal: 0)

Variable Type: numeric

XGR10C: EH21 16.7c Perm Sr male Friend home

Value	Label	Unweighted Frequency	%
0	Dont ask 0	19079	74.9 %
1	Ask 1	2870	11.3 %
	Missing Data		
.	-	3530	13.9 %
	Total	25,479	100%

Based upon 21,949 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 172-172 (width: 1; decimal: 0)

Variable Type: numeric

XGR10D: EH21 16.7d Perm Sr Female Friend home

Value	Label	Unweighted Frequency	%
0	Dont ask 0	17572	69.0 %
1	Ask 1	4515	17.7 %
	Missing Data		
.	-	3392	13.3 %
	Total	25,479	100%

Based upon 22,087 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 173-173 (width: 1; decimal: 0)

Variable Type: numeric

XGR10E: EH21 16.7e Perm others Friend home

Value	Label	Unweighted Frequency	%
0	Dont ask 0	20566	80.7 %
1	Ask 1	914	3.6 %
	Missing Data		
.	-	3999	15.7 %
	Total	25,479	100%

Based upon 21,480 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 174-174 (width: 1; decimal: 0)

Variable Type: numeric

XGR10F: EH21 16.7f Visit Friend home alone

Value	Label	Unweighted Frequency	%
0	Not alone 0	6837	26.8 %
1	Goes alone 1	17277	67.8 %
	Missing Data		
.	-	1365	5.4 %
	Total	25,479	100%

Based upon 24,114 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 175-175 (width: 1; decimal: 0)

Variable Type: numeric

XGR11AY: EH21 16.8a Permission Kirana shop (recoded)

Value	Label	Unweighted Frequency	%
0	No 0	9449	37.1 %
1	Yes 1	11487	45.1 %
	Missing Data		
.	-	4543	17.8 %
	Total	25,479	100%

Based upon 20,936 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 176-176 (width: 1; decimal: 0)

Variable Type: numeric

XGR11B: EH21 16.8b Perm husband Kirana shop

Value	Label	Unweighted Frequency	%
0	Dont ask 0	10200	40.0 %
1	Ask 1	10672	41.9 %
	Missing Data		
.	-	4607	18.1 %
	Total	25,479	100%

Based upon 20,872 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 177-177 (width: 1; decimal: 0)

Variable Type: numeric

XGR11C: EH21 16.8c Perm Sr male Kirana shop

Value	Label	Unweighted Frequency	%
0	Dont ask 0	17220	67.6 %
1	Ask 1	1710	6.7 %
	Missing Data		
.	-	6549	25.7 %
	Total	25,479	100%

Based upon 18,930 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 178-178 (width: 1; decimal: 0)

Variable Type: numeric

XGR11D: EH21 16.8d Perm Sr Female Kirana shop

Value	Label	Unweighted Frequency	%
0	Dont ask 0	16441	64.5 %
1	Ask 1	2551	10.0 %
	Missing Data		
.	-	6487	25.5 %
	Total	25,479	100%

Based upon 18,992 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 179-179 (width: 1; decimal: 0)

Variable Type: numeric

XGR11E: EH21 16.8e Perm others Kirana shop

Value	Label	Unweighted Frequency	%
0	Dont ask 0	17876	70.2 %
1	Ask 1	769	3.0 %
	Missing Data		
.	-	6834	26.8 %
	Total	25,479	100%

Based upon 18,645 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 180-180 (width: 1; decimal: 0)

Variable Type: numeric

XGR11F: EH21 16.8f Visit Kirana shop alone

Value	Label	Unweighted Frequency	%
0	Not alone 0	5266	20.7 %
1	Goes alone 1	15983	62.7 %
	Missing Data		
.	-	4230	16.6 %
	Total	25,479	100%

Based upon 21,249 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 181-181 (width: 1; decimal: 0)

Variable Type: numeric

XGR20: EH22 16.9 Purdah Practice

Value	Label	Unweighted Frequency	%
0	No 0	11437	44.9 %
1	Yes 1	13953	54.8 %
	Missing Data		
.	-	89	0.3 %
	Total	25,479	100%

Based upon 25,390 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 182-182 (width: 1; decimal: 0)

Variable Type: numeric

XGR22: EH22 16.10 Family outing

Value	Label	Unweighted Frequency	%
0	No 0	12532	49.2 %
1	Yes 1	12806	50.3 %
	Missing Data		
.	-	141	0.6 %
	Total	25,479	100%

Based upon 25,338 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 183-183 (width: 1; decimal: 0)

Variable Type: numeric

XGR23A: EH22 16.11s Shopping Respondent

Value	Label	Unweighted Frequency	%
0	No 0	10958	43.0 %
1	Yes 1	14384	56.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	137	0.5 %
Total		25,479	100%

Based upon 25,342 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 184-184 (width: 1; decimal: 0)

Variable Type: numeric

XGR23B: EH22 16.11m Shopping Adult men

Value	Label	Unweighted Frequency	%
0	No 0	4746	18.6 %
1	Yes 1	20607	80.9 %
	Missing Data		
.	-	126	0.5 %
Total		25,479	100%

Based upon 25,353 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 185-185 (width: 1; decimal: 0)

Variable Type: numeric

XGR23C: EH22 16.11w Shopping Adult women

Value	Label	Unweighted Frequency	%
0	No 0	20924	82.1 %
1	Yes 1	4282	16.8 %
	Missing Data		
.	-	273	1.1 %
Total		25,479	100%

Based upon 25,206 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 186-186 (width: 1; decimal: 0)

Variable Type: numeric

XGR23D: EH22 16.11c Shopping Children

Value	Label	Unweighted Frequency	%
0	No 0	20328	79.8 %
1	Yes 1	4466	17.5 %
	Missing Data		
.	-	685	2.7 %
	Total	25,479	100%

Based upon 24,794 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 187-187 (width: 1; decimal: 0)

Variable Type: numeric

XGR24A: EH22 16.12s Homework Respondent

Value	Label	Unweighted Frequency	%
0	No 0	16373	64.3 %
1	Yes 1	7859	30.8 %
	Missing Data		
.	-	1247	4.9 %
	Total	25,479	100%

Based upon 24,232 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 188-188 (width: 1; decimal: 0)

Variable Type: numeric

XGR24B: EH22 16.12m Homework Adult men

Value	Label	Unweighted Frequency	%
0	No 0	16126	63.3 %
1	Yes 1	8063	31.6 %
	Missing Data		
.	-	1290	5.1 %
	Total	25,479	100%

Based upon 24,189 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 189-189 (width: 1; decimal: 0)

Variable Type: numeric

XGR24C: EH22 16.12w Homework Adult women

Value	Label	Unweighted Frequency	%
0	No 0	22851	89.7 %
1	Yes 1	1259	4.9 %
	Missing Data		
.	-	1369	5.4 %
	Total	25,479	100%

Based upon 24,110 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 190-190 (width: 1; decimal: 0)

Variable Type: numeric

XGR24D: EH22 16.12c Homework Children

Value	Label	Unweighted Frequency	%
0	No 0	16839	66.1 %
1	Yes 1	6952	27.3 %
	Missing Data		
.	-	1688	6.6 %
	Total	25,479	100%

Based upon 23,791 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 191-191 (width: 1; decimal: 0)

Variable Type: numeric

XGR25: EH22 16.13 Family meal taking

Value	Label	Unweighted Frequency	%
1	Eat together 1	12811	50.3 %
2	Women first 2	468	1.8 %
3	Men first 3	8193	32.2 %
4	Varies, Other 4	3922	15.4 %
	Missing Data		
.	-	85	0.3 %
	Total	25,479	100%

Based upon 25,394 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 192-192 (width: 1; decimal: 0)

Variable Type: numeric

XGR26: EH22 16.14 Cash-in-hand

Value	Label	Unweighted Frequency	%
0	No 0	4519	17.7 %
1	Yes 1	20885	82.0 %
	Missing Data		
.	-	75	0.3 %
	Total	25,479	100%

Based upon 25,404 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 193-193 (width: 1; decimal: 0)

Variable Type: numeric

XGR27A: EH22 16.15a Family bank account

Value	Label	Unweighted Frequency	%
0	No 0	15919	62.5 %
1	Yes 1	9411	36.9 %
	Missing Data		
.	-	149	0.6 %
	Total	25,479	100%

Based upon 25,330 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 194-194 (width: 1; decimal: 0)

Variable Type: numeric

XGR27B: EH22 16.15b Resp account holder

Value	Label	Unweighted Frequency	%
0	No 0	5014	19.7 %
1	Yes 1	4296	16.9 %
	Missing Data		
.	-	16169	63.5 %
	Total	25,479	100%

Based upon 9,310 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 195-195 (width: 1; decimal: 0)

Variable Type: numeric

XGR28: EH22 16.16 House papers: Woman

Value	Label	Unweighted Frequency	%
0	No 0	20661	81.1 %
1	Yes 1	3782	14.8 %
	Missing Data		
.	-	1036	4.1 %
	Total	25,479	100%

Based upon 24,443 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 196-196 (width: 1; decimal: 0)

Variable Type: numeric

XGR29A: EH22 16.18a Discuss: Work/farm

Value	Label	Unweighted Frequency	%
0	Never 0	4894	19.2 %
1	Sometimes 1	10638	41.8 %
2	Often 2	9397	36.9 %
	Missing Data		
.	-	550	2.2 %
	Total	25,479	100%

Based upon 24,929 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 197-197 (width: 1; decimal: 0)

Variable Type: numeric

XGR29B: EH22 16.18b Discuss: Expenditure

Value	Label	Unweighted Frequency	%
0	Never 0	2920	11.5 %
1	Sometimes 1	9817	38.5 %

Value	Label	Unweighted Frequency	%
2	Often 2	12264	48.1 %
	Missing Data		
.	-	478	1.9 %
	Total	25,479	100%

Based upon 25,001 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 198-198 (width: 1; decimal: 0)

Variable Type: numeric

XGR29C: EH22 16.18c Discuss: Politics

Value	Label	Unweighted Frequency	%
0	Never 0	8613	33.8 %
1	Sometimes 1	11458	45.0 %
2	Often 2	4913	19.3 %
	Missing Data		
.	-	495	1.9 %
	Total	25,479	100%

Based upon 24,984 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 199-199 (width: 1; decimal: 0)

Variable Type: numeric

XGR30: EH22 16.19 Natal family visit

Value	Label	Unweighted Frequency	%
0	Lives in natal place 0	0	0.0 %
1	Daily/Weekly 1	1900	7.5 %
2	Monthly 2	3626	14.2 %
3	few times a year 3	12393	48.6 %
4	Once a year 4	5530	21.7 %
5	< once a year 5	1170	4.6 %
	Missing Data		
.	-	860	3.4 %
	Total	25,479	100%

Based upon 24,619 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 200-200 (width: 1; decimal: 0)

Variable Type: numeric

XGR33: EH22 16.20 Natal family nearby

Value	Label	Unweighted Frequency	%
0	No 0	9959	39.1 %
1	Yes, or lives with 1	14536	57.1 %
	Missing Data		
.	-	984	3.9 %
	Total	25,479	100%

Based upon 24,495 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 201-201 (width: 1; decimal: 0)

Variable Type: numeric

XGR34: EH23 16.21 Beat if leaves w/o permit

Value	Label	Unweighted Frequency	%
0	No 0	15799	62.0 %
1	Yes 1	9571	37.6 %
	Missing Data		
.	-	109	0.4 %
	Total	25,479	100%

Based upon 25,370 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 202-202 (width: 1; decimal: 0)

Variable Type: numeric

XGR35: EH23 16.25 Beat if extramarital

Value	Label	Unweighted Frequency	%
0	No 0	3996	15.7 %
1	Yes 1	21326	83.7 %
	Missing Data		
.	-	157	0.6 %
	Total	25,479	100%

Based upon 25,322 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 203-203 (width: 1; decimal: 0)

Variable Type: numeric

XGR36: EH23 16.22 Beat if no dowry

Value	Label	Unweighted Frequency	%
0	No 0	18695	73.4 %
1	Yes 1	6678	26.2 %
	Missing Data		
.	-	106	0.4 %
	Total	25,479	100%

Based upon 25,373 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 204-204 (width: 1; decimal: 0)

Variable Type: numeric

XGR37: EH23 16.23 Beat if House neglect

Value	Label	Unweighted Frequency	%
0	No 0	17011	66.8 %
1	Yes 1	8380	32.9 %
	Missing Data		
.	-	88	0.3 %
	Total	25,479	100%

Based upon 25,391 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 205-205 (width: 1; decimal: 0)

Variable Type: numeric

XGR39: EH23 16.24 Beat if bad cooking

Value	Label	Unweighted Frequency	%
0	No 0	18360	72.1 %
1	Yes 1	7035	27.6 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	84	0.3 %
Total		25,479	100%

Based upon 25,395 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 206-206 (width: 1; decimal: 0)

Variable Type: numeric

XGR40: EH23 16.26 Widow support

Value	Label	Unweighted Frequency	%
1	Natal families 1	6132	24.1 %
2	Husbands families 2	8508	33.4 %
3	Both 3	9277	36.4 %
4	Neither 4	1393	5.5 %
Missing Data			
.	-	169	0.7 %
Total		25,479	100%

Based upon 25,310 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 207-207 (width: 1; decimal: 0)

Variable Type: numeric

XGR41: EH23 16.27 Live with in old age

Value	Label	Unweighted Frequency	%
1	Son 1	20810	81.7 %
2	Daughter 2	1248	4.9 %
3	Both 3	955	3.7 %
4	Others/No one 4	2106	8.3 %
Missing Data			
.	-	360	1.4 %
Total		25,479	100%

Based upon 25,119 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 208-208 (width: 1; decimal: 0)

Variable Type: numeric

XGR42: EH23 16.28 Would live w daughter

Value	Label	Unweighted Frequency	%
0	No 0	15937	62.5 %
1	Yes 1	4286	16.8 %
	Missing Data		
.	-	5256	20.6 %
	Total	25,479	100%

Based upon 20,223 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 209-209 (width: 1; decimal: 0)

Variable Type: numeric

XGR43: EH23 16.29 Financial support

Value	Label	Unweighted Frequency	%
1	Son 1	20175	79.2 %
2	Daughter 2	1316	5.2 %
3	Both 3	1474	5.8 %
4	Others/No one 4	2047	8.0 %
	Missing Data		
.	-	467	1.8 %
	Total	25,479	100%

Based upon 25,012 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 210-210 (width: 1; decimal: 0)

Variable Type: numeric

XGR44: EH23 16.30 Support: daughter

Value	Label	Unweighted Frequency	%
0	No 0	14839	58.2 %
1	Yes 1	5261	20.6 %
	Missing Data		
.	-	5379	21.1 %
	Total	25,479	100%

Based upon 20,100 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 211-211 (width: 1; decimal: 0)

Variable Type: numeric

XGR45: EH23 16.31 Harassment of girls

Value	Label	Unweighted Frequency	%
1	Rarely 1	20400	80.1 %
2	Sometimes 2	3464	13.6 %
3	Often 3	991	3.9 %
	Missing Data		
.	-	624	2.4 %
	Total	25,479	100%

Based upon 24,855 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 212-212 (width: 1; decimal: 0)

Variable Type: numeric

XMH1A: EH24 17.1a Age at marriage

Value	Label	Unweighted Frequency	%
9	9 or younger	419	1.6 %
10	-	317	1.2 %
11	-	210	0.8 %
12	-	681	2.7 %
13	-	883	3.5 %
14	-	1673	6.6 %
15	-	3075	12.1 %
16	-	3218	12.6 %
17	-	2786	10.9 %
18	-	4160	16.3 %
19	-	1934	7.6 %
20	-	2274	8.9 %
21	-	959	3.8 %
22	-	887	3.5 %
23	-	600	2.4 %
24	-	409	1.6 %
25	-	369	1.4 %

Value	Label	Unweighted Frequency	%
26	-	188	0.7 %
27	-	125	0.5 %
28	-	97	0.4 %
29	-	65	0.3 %
30	-	53	0.2 %
31	-	19	0.1 %
32	-	12	0.0 %
33	-	6	0.0 %
34	-	2	0.0 %
35	-	11	0.0 %
36	-	3	0.0 %
37	-	3	0.0 %
38	-	4	0.0 %
39	-	2	0.0 %
40	-	2	0.0 %
41	41 or older	1	0.0 %
Missing Data			
.	-	32	0.1 %
Total		25,479	100%

Based upon 25,447 valid cases out of 25,479 total cases.

- Mean: 17.43
- Median: 17.00
- Mode: 18.00
- Minimum: 9.00
- Maximum: 41.00
- Standard Deviation: 3.54

Location: 213-214 (width: 2; decimal: 0)

Variable Type: numeric

XMH1BM: EH24 17.1b Date of marriage: month

Value	Label	Unweighted Frequency	%
1	-	866	3.4 %
2	-	1814	7.1 %
3	-	2210	8.7 %
4	-	2361	9.3 %
5	-	3889	15.3 %
6	-	2293	9.0 %
7	-	870	3.4 %
8	-	593	2.3 %

Value	Label	Unweighted Frequency	%
9	-	465	1.8 %
10	-	515	2.0 %
11	-	708	2.8 %
12	-	745	2.9 %
	Missing Data		
.	-	8150	32.0 %
	Total	25,479	100%

Based upon 17,329 valid cases out of 25,479 total cases.

- Mean: 5.23
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.78

Location: 215-216 (width: 2; decimal: 0)

Variable Type: numeric

XMH1BY: EH24 17.1b Date of marriage year

Value	Label	Unweighted Frequency	%
1956	-	2	0.0 %
1957	-	2	0.0 %
1958	-	2	0.0 %
1959	-	1	0.0 %
1960	-	4	0.0 %
1961	-	3	0.0 %
1962	-	3	0.0 %
1963	-	3	0.0 %
1964	-	3	0.0 %
1965	-	12	0.0 %
1966	-	11	0.0 %
1967	-	20	0.1 %
1968	-	23	0.1 %
1969	-	38	0.1 %
1970	-	76	0.3 %
1971	-	101	0.4 %
1972	-	161	0.6 %
1973	-	157	0.6 %
1974	-	267	1.0 %
1975	-	292	1.1 %

Value	Label	Unweighted Frequency	%
1976	-	318	1.2 %
1977	-	362	1.4 %
1978	-	463	1.8 %
1979	-	499	2.0 %
1980	-	631	2.5 %
1981	-	560	2.2 %
1982	-	688	2.7 %
1983	-	657	2.6 %
1984	-	800	3.1 %
1985	-	788	3.1 %
1986	-	785	3.1 %
1987	-	718	2.8 %
1988	-	597	2.3 %
1989	-	718	2.8 %
1990	-	903	3.5 %
1991	-	722	2.8 %
1992	-	741	2.9 %
1993	-	652	2.6 %
1994	-	675	2.6 %
1995	-	671	2.6 %
1996	-	637	2.5 %
1997	-	653	2.6 %
1998	-	678	2.7 %
1999	-	612	2.4 %
2000	-	585	2.3 %
2001	-	569	2.2 %
2002	-	610	2.4 %
2003	-	478	1.9 %
2004	-	441	1.7 %
2005	-	117	0.5 %
Missing Data			
.	-	5970	23.4 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 19,509 valid cases out of 25,479 total cases.

- Mean: 1989.22
- Median: 1989.00

- Mode: 1990.00
- Minimum: 1956.00
- Maximum: 2005.00
- Standard Deviation: 8.65

Location: 217-220 (width: 4; decimal: 0)

Variable Type: numeric

XMH1BMONT: EH24 17.1b Date of marriage integer month

Value	Label	Unweighted Frequency	%
680	-	1	0.0 %
681	-	1	0.0 %
689	-	2	0.0 %
697	-	1	0.0 %
700	-	1	0.0 %
716	-	1	0.0 %
721	-	1	0.0 %
722	-	1	0.0 %
724	-	1	0.0 %
725	-	1	0.0 %
736	-	1	0.0 %
737	-	1	0.0 %
740	-	1	0.0 %
745	-	1	0.0 %
747	-	2	0.0 %
760	-	1	0.0 %
761	-	2	0.0 %
768	-	1	0.0 %
773	-	2	0.0 %
782	-	1	0.0 %
783	-	1	0.0 %
785	-	6	0.0 %
788	-	1	0.0 %
790	-	1	0.0 %
791	-	2	0.0 %
794	-	1	0.0 %
796	-	2	0.0 %
797	-	8	0.0 %
805	-	2	0.0 %
806	-	2	0.0 %
807	-	2	0.0 %
808	-	2	0.0 %

Value	Label	Unweighted Frequency	%
809	-	10	0.0 %
814	-	1	0.0 %
815	-	1	0.0 %
816	-	1	0.0 %
818	-	2	0.0 %
819	-	2	0.0 %
820	-	1	0.0 %
821	-	17	0.1 %
830	-	2	0.0 %
831	-	2	0.0 %
832	-	11	0.0 %
833	-	20	0.1 %
837	-	2	0.0 %
839	-	1	0.0 %
840	-	4	0.0 %
841	-	1	0.0 %
842	-	12	0.0 %
843	-	8	0.0 %
Missing Data			
.	-	5970	23.4 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 19,509 valid cases out of 25,479 total cases.

- Mean: 1075.05
- Minimum: 680.00
- Maximum: 1269.00
- Standard Deviation: 103.82

Location: 221-224 (width: 4; decimal: 0)

Variable Type: numeric

XMH1C: EH24 17.2a Age at Gauna

Value	Label	Unweighted Frequency	%
9	9 or younger	19	0.1 %
10	-	51	0.2 %
11	-	73	0.3 %
12	-	363	1.4 %
13	-	703	2.8 %

Value	Label	Unweighted Frequency	%
14	-	1580	6.2 %
15	-	2972	11.7 %
16	-	3632	14.3 %
17	-	3146	12.3 %
18	-	4493	17.6 %
19	-	2151	8.4 %
20	-	2344	9.2 %
21	-	1015	4.0 %
22	-	906	3.6 %
23	-	609	2.4 %
24	-	409	1.6 %
25	-	379	1.5 %
26	-	190	0.7 %
27	-	127	0.5 %
28	-	101	0.4 %
29	-	65	0.3 %
30	-	54	0.2 %
31	-	18	0.1 %
32	-	12	0.0 %
33	-	6	0.0 %
34	-	2	0.0 %
35	-	11	0.0 %
36	-	3	0.0 %
37	-	4	0.0 %
38	-	4	0.0 %
39	-	2	0.0 %
40	-	2	0.0 %
41	41 or older	1	0.0 %
Missing Data			
.	-	32	0.1 %
Total		25,479	100%

Based upon 25,447 valid cases out of 25,479 total cases.

- Mean: 17.82
- Median: 18.00
- Mode: 18.00
- Minimum: 9.00
- Maximum: 41.00
- Standard Deviation: 3.18

Location: 225-226 (*width:* 2; *decimal:* 0)

Variable Type: numeric

XMH1DM: EH24 17.2b Date of Gauna month

Value	Label	Unweighted Frequency	%
1	-	857	3.4 %
2	-	1985	7.8 %
3	-	2269	8.9 %
4	-	2258	8.9 %
5	-	3545	13.9 %
6	-	2175	8.5 %
7	-	858	3.4 %
8	-	642	2.5 %
9	-	481	1.9 %
10	-	548	2.2 %
11	-	774	3.0 %
12	-	842	3.3 %
Missing Data			
.	-	8245	32.4 %
Total		25,479	100%

Based upon 17,234 valid cases out of 25,479 total cases.

- Mean: 5.28
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.89

Location: 227-228 (width: 2; decimal: 0)

Variable Type: numeric

XMH1DY: EH24 17.2b Date of Gauna year

Value	Label	Unweighted Frequency	%
1954	-	2	0.0 %
1956	-	1	0.0 %
1957	-	2	0.0 %
1958	-	2	0.0 %
1959	-	1	0.0 %
1960	-	5	0.0 %
1961	-	1	0.0 %
1962	-	2	0.0 %
1964	-	3	0.0 %
1965	-	6	0.0 %

Value	Label	Unweighted Frequency	%
1966	-	4	0.0 %
1967	-	7	0.0 %
1968	-	7	0.0 %
1969	-	19	0.1 %
1970	-	55	0.2 %
1971	-	78	0.3 %
1972	-	133	0.5 %
1973	-	173	0.7 %
1974	-	238	0.9 %
1975	-	286	1.1 %
1976	-	322	1.3 %
1977	-	351	1.4 %
1978	-	459	1.8 %
1979	-	491	1.9 %
1980	-	608	2.4 %
1981	-	548	2.2 %
1982	-	698	2.7 %
1983	-	679	2.7 %
1984	-	794	3.1 %
1985	-	794	3.1 %
1986	-	794	3.1 %
1987	-	718	2.8 %
1988	-	599	2.4 %
1989	-	728	2.9 %
1990	-	896	3.5 %
1991	-	757	3.0 %
1992	-	737	2.9 %
1993	-	662	2.6 %
1994	-	669	2.6 %
1995	-	671	2.6 %
1996	-	627	2.5 %
1997	-	667	2.6 %
1998	-	697	2.7 %
1999	-	613	2.4 %
2000	-	600	2.4 %
2001	-	581	2.3 %
2002	-	608	2.4 %
2003	-	497	2.0 %
2004	-	450	1.8 %

Value	Label	Unweighted Frequency	%
2005	-	123	0.5 %
	Missing Data		
-	-	6016	23.6 %
	Total	25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 19,463 valid cases out of 25,479 total cases.

- Mean: 1989.44
- Median: 1990.00
- Mode: 1990.00
- Minimum: 1954.00
- Maximum: 2005.00
- Standard Deviation: 8.51

Location: 229-232 (width: 4; decimal: 0)

Variable Type: numeric

XMH1DMONTH: EH24 17.2b Date of Gauna integer month

Value	Label	Unweighted Frequency	%
655	-	1	0.0 %
656	-	1	0.0 %
680	-	1	0.0 %
689	-	2	0.0 %
697	-	1	0.0 %
700	-	1	0.0 %
716	-	1	0.0 %
721	-	1	0.0 %
722	-	1	0.0 %
724	-	1	0.0 %
725	-	2	0.0 %
740	-	1	0.0 %
745	-	1	0.0 %
749	-	1	0.0 %
773	-	3	0.0 %
783	-	1	0.0 %
785	-	2	0.0 %
788	-	1	0.0 %
791	-	2	0.0 %
792	-	1	0.0 %
796	-	1	0.0 %

Value	Label	Unweighted Frequency	%
797	-	2	0.0 %
805	-	1	0.0 %
807	-	2	0.0 %
809	-	2	0.0 %
814	-	2	0.0 %
816	-	1	0.0 %
818	-	1	0.0 %
819	-	1	0.0 %
821	-	4	0.0 %
830	-	1	0.0 %
831	-	1	0.0 %
832	-	7	0.0 %
833	-	6	0.0 %
835	-	1	0.0 %
837	-	2	0.0 %
839	-	1	0.0 %
840	-	3	0.0 %
841	-	3	0.0 %
842	-	9	0.0 %
843	-	5	0.0 %
844	-	6	0.0 %
845	-	21	0.1 %
846	-	2	0.0 %
848	-	1	0.0 %
849	-	3	0.0 %
851	-	2	0.0 %
852	-	5	0.0 %
853	-	6	0.0 %
854	-	8	0.0 %
Missing Data			
.	-	6016	23.6 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 19,463 valid cases out of 25,479 total cases.

- Mean: 1077.74
- Minimum: 655.00
- Maximum: 1269.00
- Standard Deviation: 102.11

Location: 233-236 (width: 4; decimal: 0)

Variable Type: numeric

XMH1E: EH24 17.2c Age at Menarche

Value	Label	Unweighted Frequency	%
9	9 or younger	13	0.1 %
10	-	125	0.5 %
11	-	423	1.7 %
12	-	3234	12.7 %
13	-	7217	28.3 %
14	-	8159	32.0 %
15	-	4172	16.4 %
16	-	1487	5.8 %
17	-	327	1.3 %
18	-	195	0.8 %
19	-	55	0.2 %
20	-	20	0.1 %
21	-	1	0.0 %
22	-	1	0.0 %
23	-	1	0.0 %
25	-	3	0.0 %
Missing Data			
.	-	46	0.2 %
Total		25,479	100%

Based upon 25,433 valid cases out of 25,479 total cases.

- Mean: 13.76
- Median: 14.00
- Mode: 14.00
- Minimum: 9.00
- Maximum: 25.00
- Standard Deviation: 1.31

Location: 237-238 (width: 2; decimal: 0)

Variable Type: numeric

XMH1F: EH24 17.2d Menarche after wed

Value	Label	Unweighted Frequency	%
1	Before marriage 1	22119	86.8 %
2	Before gauna 2	2011	7.9 %
3	After gauna 3	1259	4.9 %
Missing Data			

Value	Label	Unweighted Frequency	%
-	-	90	0.4 %
Total		25,479	100%

Based upon 25,389 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 239-239 (width: 1; decimal: 0)

Variable Type: numeric

XMH2: EH24 17.3 Marriage status

Value	Label	Unweighted Frequency	%
1	Married 1	24518	96.2 %
2	Widowed 2	798	3.1 %
3	Separated 3	96	0.4 %
4	Divorced 4	64	0.3 %
5	No gauna 5	0	0.0 %
Missing Data			
-	-	3	0.0 %
Total		25,479	100%

Based upon 25,476 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 240-240 (width: 1; decimal: 0)

Variable Type: numeric

XMH3: EH24 17.4 Knew hub before wed

Value	Label	Unweighted Frequency	%
1	wedding/gauna 1	17183	67.4 %
2	<one month 2	2312	9.1 %
3	<one year 3	2908	11.4 %
4	>one year 4	1150	4.5 %
5	Since childhood 5	1833	7.2 %
Missing Data			
-	-	93	0.4 %
Total		25,479	100%

Based upon 25,386 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 241-241 (width: 1; decimal: 0)

Variable Type: numeric

XMH4A: EH24 17.5a Marriage choice

Value	Label	Unweighted Frequency	%
1	Respondent 1	1156	4.5 %
2	Joint 2	9208	36.1 %
3	Parents/relatives 3	14911	58.5 %
4	Others 4	146	0.6 %
	Missing Data		
.	-	58	0.2 %
	Total	25,479	100%

Based upon 25,421 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 242-242 (width: 1; decimal: 0)

Variable Type: numeric

XMH4B: EH24 17.5b Choice R say

Value	Label	Unweighted Frequency	%
0	No 0	12188	47.8 %
1	Yes 1	5671	22.3 %
	Missing Data		
.	-	7620	29.9 %
	Total	25,479	100%

Based upon 17,859 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 243-243 (width: 1; decimal: 0)

Variable Type: numeric

XMH6: EH24 17.6 Husband same vill

Value	Label	Unweighted Frequency	%
0	No 0	21907	86.0 %
1	Yes 1	3470	13.6 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	102	0.4 %
Total		25,479	100%

Based upon 25,377 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 244-244 (width: 1; decimal: 0)

Variable Type: numeric

XMH7: EH24 17.7 Husband same caste

Value	Label	Unweighted Frequency	%
0	No 0	1367	5.4 %
1	Yes 1	24020	94.3 %
	Missing Data		
.	-	92	0.4 %
Total		25,479	100%

Based upon 25,387 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 245-245 (width: 1; decimal: 0)

Variable Type: numeric

XMH8A: EH24 17.8 Live after marriage

Value	Label	Unweighted Frequency	%
1	his family 1	23098	90.7 %
2	her family 2	666	2.6 %
3	alone 3	1587	6.2 %
	Missing Data		
.	-	128	0.5 %
Total		25,479	100%

Based upon 25,351 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 246-246 (width: 1; decimal: 0)

Variable Type: numeric

XMH9: EH24 17.9 Distance natal family

Value	Label	Unweighted Frequency	%
0	-	718	2.8 %
1	-	7994	31.4 %
2	-	6615	26.0 %
3	-	3842	15.1 %
4	-	2024	7.9 %
5	-	1149	4.5 %
6	-	783	3.1 %
7	-	271	1.1 %
8	-	541	2.1 %
9	-	180	0.7 %
10	-	196	0.8 %
11	-	31	0.1 %
12	-	268	1.1 %
13	-	13	0.1 %
14	-	26	0.1 %
15	-	46	0.2 %
16	-	21	0.1 %
17	-	7	0.0 %
18	-	18	0.1 %
19	-	5	0.0 %
20	-	31	0.1 %
21	-	3	0.0 %
22	-	6	0.0 %
23	-	1	0.0 %
24	-	138	0.5 %
25	-	1	0.0 %
28	-	6	0.0 %
30	-	111	0.4 %
32	-	1	0.0 %
33	-	2	0.0 %
34	-	1	0.0 %
35	-	1	0.0 %
36	-	20	0.1 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	8	0.0 %
42	-	1	0.0 %
44	-	1	0.0 %
45	-	4	0.0 %

Value	Label	Unweighted Frequency	%
48	-	37	0.1 %
50	-	6	0.0 %
60	-	27	0.1 %
65	-	1	0.0 %
70	-	1	0.0 %
72	-	26	0.1 %
75	-	1	0.0 %
80	-	1	0.0 %
88	-	3	0.0 %
90	-	7	0.0 %
92	-	1	0.0 %
Missing Data			
.	-	255	1.0 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,224 valid cases out of 25,479 total cases.

- Mean: 3.39
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 99.00
- Standard Deviation: 6.27

Location: 247-248 (width: 2; decimal: 0)

Variable Type: numeric

XMH10: EH24 17.11 Natal fam married husb fam

Value	Label	Unweighted Frequency	%
0	None 0	20438	80.2 %
1	Sister 1	1536	6.0 %
2	Aunt 2	462	1.8 %
3	Both 3	104	0.4 %
4	Others 4	525	2.1 %
Missing Data			
.	-	2414	9.5 %
Total		25,479	100%

Based upon 23,065 valid cases out of 25,479 total cases.

- Minimum: 0.00

- Maximum: 4.00

Location: 249-249 (width: 1; decimal: 0)

Variable Type: numeric

XMH11: EH24 17.12 Natal fam married same vill

Value	Label	Unweighted Frequency	%
0	None 0	19584	76.9 %
1	Sister 1	1887	7.4 %
2	Aunt 2	552	2.2 %
3	Both 3	215	0.8 %
4	Others 4	991	3.9 %
Missing Data			
.	-	2250	8.8 %
Total		25,479	100%

Based upon 23,229 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 250-250 (width: 1; decimal: 0)

Variable Type: numeric

XMH12: EH24 17.10 Husband blood rel

Value	Label	Unweighted Frequency	%
0	No relation 0	15276	60.0 %
1	Uncle 1	580	2.3 %
2	Cousin 2	1400	5.5 %
3	Others 3	639	2.5 %
9	Not permitted 9	842	3.3 %
Missing Data			
.	-	6742	26.5 %
Total		25,479	100%

Based upon 18,737 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 251-251 (width: 1; decimal: 0)

Variable Type: numeric

XMH13: EH24 17.13 Econ stat husb fam

Value	Label	Unweighted Frequency	%
1	Same 1	17582	69.0 %
2	Natal Better 2	4636	18.2 %
3	Natal worse 3	2021	7.9 %
	Missing Data		
.	-	1240	4.9 %
	Total	25,479	100%

Based upon 24,239 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 252-252 (width: 1; decimal: 0)

Variable Type: numeric

XMH14: EH25 17.16 Husb Marriage 1+

Value	Label	Unweighted Frequency	%
1	Once 1	24463	96.0 %
2	More than once 2	924	3.6 %
	Missing Data		
.	-	92	0.4 %
	Total	25,479	100%

Based upon 25,387 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 253-253 (width: 1; decimal: 0)

Variable Type: numeric

XMH15: EH25 17.17a R Marriage 1+

Value	Label	Unweighted Frequency	%
1	Once 1	24951	97.9 %
2	More than once 2	286	1.1 %
	Missing Data		
.	-	242	0.9 %
	Total	25,479	100%

Based upon 25,237 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 254-254 (width: 1; decimal: 0)

Variable Type: numeric

XMH16: EH25 17.17b R # marriages

Value	Label	Unweighted Frequency	%
2	-	281	1.1 %
3	-	7	0.0 %
5	-	1	0.0 %
	Missing Data		
.	-	25190	98.9 %
	Total	25,479	100%

Based upon 289 valid cases out of 25,479 total cases.

- Mean: 2.03
- Median: 2.00
- Mode: 2.00
- Minimum: 2.00
- Maximum: 5.00
- Standard Deviation: 0.23

Location: 255-255 (width: 1; decimal: 0)

Variable Type: numeric

XMH17A: EH25 17.18a 1st marriage Age

Value	Label	Unweighted Frequency	%
9	9 or younger	31	0.1 %
10	-	21	0.1 %
11	-	10	0.0 %
12	-	26	0.1 %
13	-	19	0.1 %
14	-	34	0.1 %
15	-	42	0.2 %
16	-	32	0.1 %
17	-	14	0.1 %
18	-	26	0.1 %
19	-	12	0.0 %
20	-	9	0.0 %
21	-	1	0.0 %
22	-	3	0.0 %
24	-	2	0.0 %
25	-	1	0.0 %
29	-	1	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-		25195	98.9 %
Total		25,479	100%

Based upon 284 valid cases out of 25,479 total cases.

- Mean: 14.36
- Median: 15.00
- Mode: 15.00
- Minimum: 9.00
- Maximum: 29.00
- Standard Deviation: 3.47

Location: 256-257 (width: 2; decimal: 0)

Variable Type: numeric

XMH17BM: EH25 17.18b 1st marriage Date month

Value	Label	Unweighted Frequency	%
1	-	14	0.1 %
2	-	18	0.1 %
3	-	17	0.1 %
4	-	15	0.1 %
5	-	23	0.1 %
6	-	23	0.1 %
7	-	8	0.0 %
8	-	2	0.0 %
9	-	4	0.0 %
10	-	8	0.0 %
11	-	5	0.0 %
12	-	3	0.0 %
Missing Data			
.	-	25339	99.5 %
Total		25,479	100%

Based upon 140 valid cases out of 25,479 total cases.

- Mean: 4.95
- Median: 5.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.85

Location: 258-259 (width: 2; decimal: 0)

Variable Type: numeric

XMH17BY: EH25 17.18b 1st marriage Date year

Value	Label	Unweighted Frequency	%
1964	-	1	0.0 %
1967	-	2	0.0 %
1968	-	2	0.0 %
1969	-	3	0.0 %
1971	-	2	0.0 %
1972	-	6	0.0 %
1973	-	3	0.0 %
1974	-	7	0.0 %
1975	-	4	0.0 %
1976	-	3	0.0 %
1977	-	7	0.0 %
1978	-	3	0.0 %
1979	-	9	0.0 %
1980	-	4	0.0 %
1981	-	7	0.0 %
1982	-	9	0.0 %
1983	-	9	0.0 %
1984	-	9	0.0 %
1985	-	6	0.0 %
1986	-	4	0.0 %
1987	-	8	0.0 %
1988	-	9	0.0 %
1989	-	6	0.0 %
1990	-	11	0.0 %
1992	-	5	0.0 %
1993	-	4	0.0 %
1994	-	6	0.0 %
1995	-	7	0.0 %
1996	-	4	0.0 %
1997	-	1	0.0 %
1998	-	4	0.0 %
1999	-	4	0.0 %
2000	-	142	0.6 %
2001	-	3	0.0 %
2002	-	1	0.0 %
2003	-	3	0.0 %
Missing Data			
.	-	25161	98.8 %
Total		25,479	100%

Based upon 318 valid cases out of 25,479 total cases.

- Mean: 1991.52
- Median: 1996.00
- Mode: 2000.00
- Minimum: 1964.00
- Maximum: 2003.00
- Standard Deviation: 10.01

Location: 260-263 (width: 4; decimal: 0)

Variable Type: numeric

XMH17BMONTH: EH25 17.18b 1st marriage Date integer month

Value	Label	Unweighted Frequency	%
772	-	1	0.0 %
806	-	1	0.0 %
809	-	1	0.0 %
820	-	1	0.0 %
821	-	1	0.0 %
833	-	3	0.0 %
857	-	2	0.0 %
866	-	2	0.0 %
867	-	2	0.0 %
868	-	1	0.0 %
869	-	1	0.0 %
881	-	2	0.0 %
885	-	1	0.0 %
890	-	1	0.0 %
891	-	1	0.0 %
893	-	5	0.0 %
901	-	1	0.0 %
905	-	2	0.0 %
906	-	1	0.0 %
915	-	1	0.0 %
917	-	1	0.0 %
922	-	1	0.0 %
927	-	2	0.0 %
928	-	2	0.0 %
929	-	3	0.0 %
937	-	2	0.0 %
942	-	1	0.0 %
952	-	2	0.0 %
953	-	6	0.0 %

Value	Label	Unweighted Frequency	%
957	-	1	0.0 %
965	-	4	0.0 %
976	-	1	0.0 %
977	-	5	0.0 %
980	-	1	0.0 %
987	-	1	0.0 %
988	-	1	0.0 %
989	-	6	0.0 %
992	-	1	0.0 %
996	-	1	0.0 %
997	-	1	0.0 %
1000	-	1	0.0 %
1001	-	4	0.0 %
1002	-	1	0.0 %
1005	-	1	0.0 %
1010	-	1	0.0 %
1012	-	1	0.0 %
1013	-	6	0.0 %
1014	-	1	0.0 %
1022	-	1	0.0 %
1024	-	3	0.0 %
Missing Data			
.	-	25161	98.8 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 318 valid cases out of 25,479 total cases.

- Mean: 1102.96
- Median: 1161.50
- Mode: 1205.00
- Minimum: 772.00
- Maximum: 1239.00
- Standard Deviation: 120.30

Location: 264-267 (*width:* 4; *decimal:* 0)

Variable Type: numeric

XMH18A: EH25 17.19a 1st marriage Age gauna

Value	Label	Unweighted Frequency	%
9	9 or younger	6	0.0 %

Value	Label	Unweighted Frequency	%
10	-	11	0.0 %
11	-	7	0.0 %
12	-	18	0.1 %
13	-	25	0.1 %
14	-	29	0.1 %
15	-	52	0.2 %
16	-	37	0.1 %
17	-	15	0.1 %
18	-	32	0.1 %
19	-	14	0.1 %
20	-	10	0.0 %
21	-	1	0.0 %
22	-	3	0.0 %
24	-	3	0.0 %
25	-	2	0.0 %
29	-	1	0.0 %
Missing Data			
-	-	25213	99.0 %
Total		25,479	100%

Based upon 266 valid cases out of 25,479 total cases.

- Mean: 15.39
- Median: 15.00
- Mode: 15.00
- Minimum: 9.00
- Maximum: 29.00
- Standard Deviation: 3.09

Location: 268-269 (*width:* 2; *decimal:* 0)

Variable Type: numeric

XMH18BM: EH25 17.19b 1st marriage Date gauna month

Value	Label	Unweighted Frequency	%
1	-	5	0.0 %
2	-	13	0.1 %
3	-	14	0.1 %
4	-	21	0.1 %
5	-	16	0.1 %
6	-	24	0.1 %
7	-	10	0.0 %
8	-	4	0.0 %

Value	Label	Unweighted Frequency	%
9	-	4	0.0 %
10	-	11	0.0 %
11	-	5	0.0 %
12	-	3	0.0 %
Missing Data			
.	-	25349	99.5 %
Total		25,479	100%

Based upon 130 valid cases out of 25,479 total cases.

- Mean: 5.54
- Median: 5.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.79

Location: 270-271 (width: 2; decimal: 0)

Variable Type: numeric

XMH18BY: EH25 17.19b 1st marriage Date gauna year

Value	Label	Unweighted Frequency	%
1968	-	3	0.0 %
1969	-	2	0.0 %
1971	-	1	0.0 %
1972	-	5	0.0 %
1973	-	2	0.0 %
1974	-	7	0.0 %
1975	-	5	0.0 %
1976	-	4	0.0 %
1977	-	3	0.0 %
1978	-	4	0.0 %
1979	-	7	0.0 %
1980	-	4	0.0 %
1981	-	10	0.0 %
1982	-	9	0.0 %
1983	-	11	0.0 %
1984	-	9	0.0 %
1985	-	7	0.0 %
1986	-	5	0.0 %
1987	-	5	0.0 %
1988	-	10	0.0 %

Value	Label	Unweighted Frequency	%
1989	-	7	0.0 %
1990	-	11	0.0 %
1991	-	1	0.0 %
1992	-	4	0.0 %
1993	-	5	0.0 %
1994	-	6	0.0 %
1995	-	6	0.0 %
1996	-	5	0.0 %
1997	-	2	0.0 %
1998	-	4	0.0 %
1999	-	3	0.0 %
2000	-	120	0.5 %
2001	-	3	0.0 %
2002	-	1	0.0 %
2003	-	2	0.0 %
2004	-	1	0.0 %
Missing Data			
.	-	25185	98.8 %
Total		25,479	100%

Based upon 294 valid cases out of 25,479 total cases.

- Mean: 1991.29
- Median: 1994.50
- Mode: 2000.00
- Minimum: 1968.00
- Maximum: 2004.00
- Standard Deviation: 9.63

Location: 272-275 (width: 4; decimal: 0)

Variable Type: numeric

XMH18BMONTH: EH25 17.19b 1st marriage Date gauna integer month

Value	Label	Unweighted Frequency	%
820	-	1	0.0 %
821	-	1	0.0 %
825	-	1	0.0 %
833	-	2	0.0 %
857	-	1	0.0 %
866	-	2	0.0 %
867	-	2	0.0 %
869	-	1	0.0 %

Value	Label	Unweighted Frequency	%
881	-	2	0.0 %
890	-	1	0.0 %
891	-	1	0.0 %
893	-	5	0.0 %
905	-	3	0.0 %
906	-	1	0.0 %
909	-	1	0.0 %
913	-	1	0.0 %
915	-	1	0.0 %
917	-	2	0.0 %
927	-	2	0.0 %
929	-	1	0.0 %
937	-	1	0.0 %
941	-	1	0.0 %
942	-	1	0.0 %
943	-	1	0.0 %
952	-	1	0.0 %
953	-	5	0.0 %
957	-	1	0.0 %
963	-	1	0.0 %
965	-	3	0.0 %
976	-	2	0.0 %
977	-	6	0.0 %
980	-	1	0.0 %
981	-	1	0.0 %
987	-	1	0.0 %
988	-	1	0.0 %
989	-	6	0.0 %
992	-	1	0.0 %
996	-	1	0.0 %
997	-	1	0.0 %
1000	-	1	0.0 %
1001	-	6	0.0 %
1002	-	1	0.0 %
1005	-	1	0.0 %
1010	-	1	0.0 %
1011	-	2	0.0 %
1012	-	1	0.0 %
1013	-	4	0.0 %

Value	Label	Unweighted Frequency	%
1014	-	1	0.0 %
1022	-	1	0.0 %
1024	-	1	0.0 %
Missing Data			
.	-	25185	98.8 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 294 valid cases out of 25,479 total cases.

- Mean: 1100.26
- Median: 1137.50
- Mode: 1205.00
- Minimum: 820.00
- Maximum: 1252.00
- Standard Deviation: 115.61

Location: 276-279 (width: 4; decimal: 0)

Variable Type: numeric

XMH19: EH25 17.20 1st marriage Status

Value	Label	Unweighted Frequency	%
1	Widowed 1	80	0.3 %
2	Separated 2	93	0.4 %
3	Divorced 3	106	0.4 %
Missing Data			
.	-	25200	98.9 %
Total		25,479	100%

Based upon 279 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 280-280 (width: 1; decimal: 0)

Variable Type: numeric

XFH2S: EH26 18.1 # sons with R

Value	Label	Unweighted Frequency	%
0	-	5283	20.7 %
1	-	10065	39.5 %
2	-	7122	28.0 %
3	-	1911	7.5 %

Value	Label	Unweighted Frequency	%
4	-	500	2.0 %
5	-	139	0.5 %
6	6 or more	54	0.2 %
Missing Data			
.	-	405	1.6 %
Total		25,479	100%

Based upon 25,074 valid cases out of 25,479 total cases.

- Mean: 1.32
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.01

Location: 281-281 (width: 1; decimal: 0)

Variable Type: numeric

XFH3S: EH26 18.3 # sons elsewhere

Value	Label	Unweighted Frequency	%
0	-	23085	90.6 %
1	-	1317	5.2 %
2	-	303	1.2 %
3	-	55	0.2 %
4	-	6	0.0 %
5	-	5	0.0 %
6	6 or more	1	0.0 %
Missing Data			
.	-	707	2.8 %
Total		25,479	100%

Based upon 24,772 valid cases out of 25,479 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.35

Location: 282-282 (width: 1; decimal: 0)

Variable Type: numeric

XFH4S: EH26 18.5a # sons died

Value	Label	Unweighted Frequency	%
0	-	22188	87.1 %
1	-	2054	8.1 %
2	-	373	1.5 %
3	-	94	0.4 %
4	4 or more	27	0.1 %
Missing Data			
.	-	743	2.9 %
Total		25,479	100%

Based upon 24,736 valid cases out of 25,479 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.42

Location: 283-283 (width: 1; decimal: 0)

Variable Type: numeric

XFH2D: EH26 18.2 # daughters with R

Value	Label	Unweighted Frequency	%
0	-	8260	32.4 %
1	-	9618	37.7 %
2	-	4633	18.2 %
3	-	1748	6.9 %
4	-	550	2.2 %
5	-	164	0.6 %
6	6 or more	53	0.2 %
Missing Data			
.	-	453	1.8 %
Total		25,479	100%

Based upon 25,026 valid cases out of 25,479 total cases.

- Mean: 1.10
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.07

Location: 284-284 (width: 1; decimal: 0)

Variable Type: numeric

XFH3D: EH26 18.4 # daughters elsewhere

Value	Label	Unweighted Frequency	%
0	-	20920	82.1 %
1	-	2675	10.5 %
2	-	890	3.5 %
3	-	245	1.0 %
4	-	51	0.2 %
5	-	7	0.0 %
6	6 or more	3	0.0 %
Missing Data			
.	-	688	2.7 %
Total		25,479	100%

Based upon 24,791 valid cases out of 25,479 total cases.

- Mean: 0.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.58

Location: 285-285 (width: 1; decimal: 0)

Variable Type: numeric

XFH4D: EH26 18.5b # daughters died

Value	Label	Unweighted Frequency	%
0	-	22316	87.6 %
1	-	1920	7.5 %
2	-	370	1.5 %
3	-	82	0.3 %
4	4 or more	28	0.1 %
Missing Data			
.	-	763	3.0 %
Total		25,479	100%

Based upon 24,716 valid cases out of 25,479 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.41

Location: 286-286 (width: 1; decimal: 0)

Variable Type: numeric

XFH5CM: EQ27 19.5 N children born (entered)

Value	Label	Unweighted Frequency	%
0	-	1254	4.9 %
1	-	3334	13.1 %
2	-	6815	26.7 %
3	-	5940	23.3 %
4	-	3617	14.2 %
5	-	1982	7.8 %
6	-	1059	4.2 %
7	-	549	2.2 %
8	-	298	1.2 %
9	9 or more	269	1.1 %
Missing Data			
.	-	362	1.4 %
Total		25,479	100%

Based upon 25,117 valid cases out of 25,479 total cases.

- Mean: 2.95
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 1.77

Location: 287-287 (width: 1; decimal: 0)

Variable Type: numeric

XFH5S: EQ27 19.5 N sons born (entered) [IHDS2]

Value	Label	Unweighted Frequency	%
0	-	4756	18.7 %
1	-	9163	36.0 %
2	-	7534	29.6 %
3	-	2686	10.5 %
4	-	844	3.3 %
5	-	308	1.2 %
6	-	124	0.5 %
7	-	44	0.2 %
8	-	12	0.0 %
9	9 or more	8	0.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 1.51
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 1.17

Location: 288-288 (width: 1; decimal: 0)

Variable Type: numeric

XFH5D: EQ27 19.5 N daughters born (entered) [IHDS2]

Value	Label	Unweighted Frequency	%
0	-	6624	26.0 %
1	-	9100	35.7 %
2	-	5325	20.9 %
3	-	2628	10.3 %
4	-	1091	4.3 %
5	-	451	1.8 %
6	-	160	0.6 %
7	-	69	0.3 %
8	-	24	0.1 %
9	9 or more	7	0.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 1.41
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 1.30

Location: 289-289 (width: 1; decimal: 0)

Variable Type: numeric

XFH2C: EQ27 19.2 N children with R (entered) [IHDS2]

Value	Label	Unweighted Frequency	%
0	-	2101	8.2 %
1	-	4659	18.3 %
2	-	8081	31.7 %
3	-	5962	23.4 %
4	-	2697	10.6 %
5	-	1205	4.7 %

Value	Label	Unweighted Frequency	%
6	-	509	2.0 %
7	-	168	0.7 %
8	-	66	0.3 %
9	9 or more	31	0.1 %
	Total	25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 2.38
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 1.45

Location: 290-290 (width: 1; decimal: 0)

Variable Type: numeric

XFH3C: EQ27 19.3 N children elsewhere (entered) [IHDS2]

Value	Label	Unweighted Frequency	%
0	-	20677	81.2 %
1	-	2899	11.4 %
2	-	1274	5.0 %
3	-	450	1.8 %
4	-	122	0.5 %
5	-	40	0.2 %
6	6 or more	17	0.1 %
	Total	25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 0.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.72

Location: 291-291 (width: 1; decimal: 0)

Variable Type: numeric

XFH4C: EQ27 19.4 N children died (entered) [IHDS2]

Value	Label	Unweighted Frequency	%
0	-	21270	83.5 %
1	-	2915	11.4 %

Value	Label	Unweighted Frequency	%
2	-	858	3.4 %
3	-	272	1.1 %
4	4 or more	164	0.6 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.63

Location: 292-292 (width: 1; decimal: 0)

Variable Type: numeric

XFH5C: EH26 18.6 Total # children borne

Value	Label	Unweighted Frequency	%
0	-	1615	6.3 %
1	-	3333	13.1 %
2	-	6816	26.8 %
3	-	5938	23.3 %
4	-	3620	14.2 %
5	-	1981	7.8 %
6	-	1059	4.2 %
7	-	549	2.2 %
8	-	299	1.2 %
9	9 or more	269	1.1 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 2.91
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 1.79

Location: 293-293 (width: 1; decimal: 0)

Variable Type: numeric

XFH6: EH26 18.7a # still births

Value	Label	Unweighted Frequency	%
0	-	23122	90.7 %
1	-	899	3.5 %
2	-	182	0.7 %
3	-	41	0.2 %
4	-	10	0.0 %
5	-	5	0.0 %
6	6 or more	10	0.0 %
Missing Data			
.	-	1210	4.7 %
Total		25,479	100%

Based upon 24,269 valid cases out of 25,479 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.32

Location: 294-294 (width: 1; decimal: 0)

Variable Type: numeric

XFH7: EH26 18.7b # miscarriages

Value	Label	Unweighted Frequency	%
0	-	21159	83.0 %
1	-	2166	8.5 %
2	-	566	2.2 %
3	-	165	0.6 %
4	-	67	0.3 %
5	-	18	0.1 %
6	6 or more	13	0.1 %
Missing Data			
.	-	1325	5.2 %
Total		25,479	100%

Based upon 24,154 valid cases out of 25,479 total cases.

- Mean: 0.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.54

Location: 295-295 (width: 1; decimal: 0)

Variable Type: numeric

XFH7A: EH26 18.7c # spontaneous miscarr

Value	Label	Unweighted Frequency	%
0	-	22045	86.5 %
1	-	1593	6.3 %
2	-	366	1.4 %
3	-	117	0.5 %
4	-	32	0.1 %
5	-	13	0.1 %
6	6 or more	10	0.0 %
Missing Data			
.	-	1303	5.1 %
Total		25,479	100%

Based upon 24,176 valid cases out of 25,479 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.45

Location: 296-296 (width: 1; decimal: 0)

Variable Type: numeric

XFH7B: EH26 18.7d # abortions

Value	Label	Unweighted Frequency	%
0	-	23373	91.7 %
1	-	577	2.3 %
2	-	136	0.5 %
3	-	20	0.1 %
4	-	15	0.1 %
5	5 or more	6	0.0 %
Missing Data			
.	-	1352	5.3 %
Total		25,479	100%

Based upon 24,127 valid cases out of 25,479 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00

- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.26

Location: 297-297 (width: 1; decimal: 0)

Variable Type: numeric

XFP1: EH28 20.1 Current pregnancy

Value	Label	Unweighted Frequency	%
0	No 0	23422	91.9 %
1	Yes 1	1215	4.8 %
	Missing Data		
.	-	842	3.3 %
	Total	25,479	100%

Based upon 24,637 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 298-298 (width: 1; decimal: 0)

Variable Type: numeric

XFP2A: EH28 20.2a Contraceptive usage

Value	Label	Unweighted Frequency	%
0	No 0	8661	34.0 %
1	Yes 1	14685	57.6 %
	Missing Data		
.	-	2133	8.4 %
	Total	25,479	100%

Based upon 23,346 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 299-299 (width: 1; decimal: 0)

Variable Type: numeric

XFP2B: EH28 20.2b Contraception Method1

Value	Label	Unweighted Frequency	%
1	Oral pill 1	1167	4.6 %
2	Copper T/IUD 2	597	2.3 %
3	Diaphragm/Jelly 3	30	0.1 %
4	Injectible 4	380	1.5 %

Value	Label	Unweighted Frequency	%
5	Condom 5	1671	6.6 %
6	Fem sterilization 6	9415	37.0 %
7	Male sterilization 7	278	1.1 %
8	Abstinence 8	477	1.9 %
9	Withdrawal 9	278	1.1 %
10	Hysterectomy 10	158	0.6 %
11	Others 11	0	0.0 %
Missing Data			
.	-	11028	43.3 %
Total		25,479	100%

Based upon 14,451 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 10.00

Location: 300-301 (width: 2; decimal: 0)

Variable Type: numeric

XFP2C: EH28 20.2c Contraception Method2

Value	Label	Unweighted Frequency	%
1	Oral pill 1	151	0.6 %
2	Copper T/IUD 2	51	0.2 %
3	Diaphragm/Jelly 3	7	0.0 %
4	Injectible 4	117	0.5 %
5	Condom 5	204	0.8 %
6	Fem sterilization 6	264	1.0 %
7	Male sterilization 7	83	0.3 %
8	Abstinence 8	75	0.3 %
9	Withdrawal 9	165	0.6 %
10	Hysterectomy 10	21	0.1 %
11	Others 11	0	0.0 %
Missing Data			
.	-	24341	95.5 %
Total		25,479	100%

Based upon 1,138 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 10.00

Location: 302-303 (width: 2; decimal: 0)

Variable Type: numeric

XFP3A: EH28 20.3a More children desired

Value	Label	Unweighted Frequency	%
0	No 0	8875	34.8 %
1	No, sterilized 1	9844	38.6 %
2	Not fertile 2	205	0.8 %
3	Yes 3	4038	15.8 %
	Missing Data		
.	-	2517	9.9 %
	Total	25,479	100%

Based upon 22,962 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 304-304 (width: 1; decimal: 0)

Variable Type: numeric

XFP3B: EH28 20.3b # more desired

Value	Label	Unweighted Frequency	%
1	-	2544	10.0 %
2	-	1203	4.7 %
3	-	176	0.7 %
4	-	48	0.2 %
5	-	8	0.0 %
6	-	1	0.0 %
7	-	1	0.0 %
12	-	1	0.0 %
	Missing Data		
.	-	21497	84.4 %
	Total	25,479	100%

Based upon 3,982 valid cases out of 25,479 total cases.

- Mean: 1.44
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 0.69

Location: 305-306 (width: 2; decimal: 0)

Variable Type: numeric

XFP3C: EH28 20.3c Time next childbirth

Value	Label	Unweighted Frequency	%
1	Within 2 years 1	905	3.6 %
2	After 2 years 2	1975	7.8 %
3	No preference 3	1112	4.4 %
	Missing Data		
.	-	21487	84.3 %
	Total	25,479	100%

Based upon 3,992 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 307-307 (width: 1; decimal: 0)

Variable Type: numeric

XFP4A: EH28 20.4a More ch desired Husb

Value	Label	Unweighted Frequency	%
0	No 0	13086	51.4 %
1	Yes 1	4172	16.4 %
	Missing Data		
.	-	8221	32.3 %
	Total	25,479	100%

Based upon 17,258 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 308-308 (width: 1; decimal: 0)

Variable Type: numeric

XFP4B: EH28 20.4b # more desired Husb

Value	Label	Unweighted Frequency	%
1	-	2560	10.0 %
2	-	1258	4.9 %
3	-	216	0.8 %
4	-	59	0.2 %
5	-	15	0.1 %
6	-	3	0.0 %
7	-	2	0.0 %
8	-	7	0.0 %
9	-	2	0.0 %

Value	Label	Unweighted Frequency	%
11	-	1	0.0 %
12	-	1	0.0 %
	Missing Data		
.	-	21355	83.8 %
	Total	25,479	100%

Based upon 4,124 valid cases out of 25,479 total cases.

- Mean: 1.49
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 0.81

Location: 309-310 (width: 2; decimal: 0)

Variable Type: numeric

XFP4C: EH28 20.4c Time next birth Husb

Value	Label	Unweighted Frequency	%
1	Within 2 years 1	1012	4.0 %
2	After 2 years 2	2346	9.2 %
3	No preference 3	1356	5.3 %
	Missing Data		
.	-	20765	81.5 %
	Total	25,479	100%

Based upon 4,714 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 311-311 (width: 1; decimal: 0)

Variable Type: numeric

XFP5: EH28 20.5 # children ideally

Value	Label	Unweighted Frequency	%
0	-	432	1.7 %
1	-	968	3.8 %
2	-	14297	56.1 %
3	-	5028	19.7 %
4	-	2608	10.2 %
5	-	238	0.9 %
6	-	168	0.7 %

Value	Label	Unweighted Frequency	%
7	-	16	0.1 %
8	-	15	0.1 %
10	-	3	0.0 %
12	-	2	0.0 %
Missing Data			
.	-	1704	6.7 %
Total		25,479	100%

Based upon 23,775 valid cases out of 25,479 total cases.

- Mean: 2.42
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 0.92

Location: 312-313 (width: 2; decimal: 0)

Variable Type: numeric

XFP5A: EH28 20.5a # sons ideally

Value	Label	Unweighted Frequency	%
0	-	398	1.6 %
1	-	13314	52.3 %
2	-	6878	27.0 %
3	-	752	3.0 %
4	-	129	0.5 %
5	-	23	0.1 %
6	-	6	0.0 %
7	-	2	0.0 %
8	-	2	0.0 %
Missing Data			
.	-	3975	15.6 %
Total		25,479	100%

Based upon 21,504 valid cases out of 25,479 total cases.

- Mean: 1.40
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 0.64

Location: 314-314 (width: 1; decimal: 0)

Variable Type: numeric

XFP5B: EH28 20.5b # daughters ideally

Value	Label	Unweighted Frequency	%
0	-	1117	4.4 %
1	-	17380	68.2 %
2	-	2615	10.3 %
3	-	172	0.7 %
4	-	31	0.1 %
5	-	8	0.0 %
6	-	1	0.0 %
Missing Data			
.	-	4155	16.3 %
Total		25,479	100%

Based upon 21,324 valid cases out of 25,479 total cases.

- Mean: 1.09
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.47

Location: 315-315 (width: 1; decimal: 0)

Variable Type: numeric

XLB0Y: EH29-32 Answers to last birth section

Value	Label	Unweighted Frequency	%
0	No 0	16256	63.8 %
1	Yes 1	9223	36.2 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 316-316 (width: 1; decimal: 0)

Variable Type: numeric

XLB0: EH29 21.0 Nbirths since Jan2000

Value	Label	Unweighted Frequency	%
0	None 0	16326	64.1 %
1	-	5758	22.6 %

Value	Label	Unweighted Frequency	%
2	-	3029	11.9 %
3	-	329	1.3 %
4	-	34	0.1 %
5	-	3	0.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 0.51
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.76

Location: 317-317 (width: 1; decimal: 0)

Variable Type: numeric

XLB1A: EH29 21.1a Birth ID: LB

Value	Label	Unweighted Frequency	%
1	-	2157	8.5 %
2	-	2685	10.5 %
3	-	1800	7.1 %
4	-	1009	4.0 %
5	-	644	2.5 %
6	-	373	1.5 %
7	-	223	0.9 %
8	-	132	0.5 %
9	-	59	0.2 %
10	-	37	0.1 %
11	-	18	0.1 %
12	-	9	0.0 %
13	-	5	0.0 %
Missing Data			
.	-	16328	64.1 %
Total		25,479	100%

Based upon 9,151 valid cases out of 25,479 total cases.

- Mean: 2.88
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 13.00

- Standard Deviation: 1.85

Location: 318-319 (width: 2; decimal: 0)

Variable Type: numeric

XLB1B: EH29 21.1b LB Survival

Value	Label	Unweighted Frequency	%
1	Alive 1	8938	35.1 %
2	Dead 2	251	1.0 %
	Missing Data		
.	-	16290	63.9 %
	Total	25,479	100%

Based upon 9,189 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 320-320 (width: 1; decimal: 0)

Variable Type: numeric

XLB5: EH29 21.3a LB Antenatal checkup

Value	Label	Unweighted Frequency	%
0	No 0	2023	7.9 %
1	Yes 1	7015	27.5 %
	Missing Data		
.	-	16441	64.5 %
	Total	25,479	100%

Based upon 9,038 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 321-321 (width: 1; decimal: 0)

Variable Type: numeric

XLB6A: EH29 21.3b LB checkup Gov clinic

Value	Label	Unweighted Frequency	%
0	No 0	5043	19.8 %
1	Yes 1	3992	15.7 %
	Missing Data		
.	-	16444	64.5 %
	Total	25,479	100%

Based upon 9,035 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 322-322 (width: 1; decimal: 0)

Variable Type: numeric

XLB6B: EH29 21.3c LB checkup Pvt clinic

Value	Label	Unweighted Frequency	%
0	No 0	6128	24.1 %
1	Yes 1	2906	11.4 %
	Missing Data		
.	-	16445	64.5 %
	Total	25,479	100%

Based upon 9,034 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 323-323 (width: 1; decimal: 0)

Variable Type: numeric

XLB6C: EH29 21.3d LB checkup Gov as pvt

Value	Label	Unweighted Frequency	%
0	No 0	8632	33.9 %
1	Yes 1	402	1.6 %
	Missing Data		
.	-	16445	64.5 %
	Total	25,479	100%

Based upon 9,034 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 324-324 (width: 1; decimal: 0)

Variable Type: numeric

XLB6D: EH29 21.3e LB checkup Home

Value	Label	Unweighted Frequency	%
0	No 0	8434	33.1 %
1	Yes 1	601	2.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	16444	64.5 %
Total		25,479	100%

Based upon 9,035 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 325-325 (width: 1; decimal: 0)

Variable Type: numeric

XLB7A: EH29 21.3f LB checkup doctor

Value	Label	Unweighted Frequency	%
0	No 0	3953	15.5 %
1	Yes 1	5081	19.9 %
	Missing Data		
.	-	16445	64.5 %
Total		25,479	100%

Based upon 9,034 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 326-326 (width: 1; decimal: 0)

Variable Type: numeric

XLB7B: EH29 21.3g LB checkup Nurse/ANM

Value	Label	Unweighted Frequency	%
0	No 0	5514	21.6 %
1	Yes 1	3521	13.8 %
	Missing Data		
.	-	16444	64.5 %
Total		25,479	100%

Based upon 9,035 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 327-327 (width: 1; decimal: 0)

Variable Type: numeric

XLB7C: EH29 21.3h LB checkup Midwife

Value	Label	Unweighted Frequency	%
0	No 0	8349	32.8 %
1	Yes 1	686	2.7 %
	Missing Data		
.	-	16444	64.5 %
	Total	25,479	100%

Based upon 9,035 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 328-328 (width: 1; decimal: 0)

Variable Type: numeric

XLB7D: EH29 21.3i LB checkup By other

Value	Label	Unweighted Frequency	%
0	No 0	8853	34.7 %
1	Yes 1	175	0.7 %
	Missing Data		
.	-	16451	64.6 %
	Total	25,479	100%

Based upon 9,028 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 329-329 (width: 1; decimal: 0)

Variable Type: numeric

XLB8: EH29 21.4 LB Visit by pubhealth

Value	Label	Unweighted Frequency	%
0	No 0	6551	25.7 %
1	Yes 1	2370	9.3 %
	Missing Data		
.	-	16558	65.0 %
	Total	25,479	100%

Based upon 8,921 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 330-330 (width: 1; decimal: 0)

Variable Type: numeric

XLB10: EH29 21.5 LB checkup Months

Value	Label	Unweighted Frequency	%
0	-	1198	4.7 %
1	-	389	1.5 %
2	-	1456	5.7 %
3	-	2672	10.5 %
4	-	1091	4.3 %
5	-	909	3.6 %
6	-	208	0.8 %
7	-	216	0.8 %
8	-	79	0.3 %
9	-	33	0.1 %
Missing Data			
.	-	17228	67.6 %
Total		25,479	100%

Based upon 8,251 valid cases out of 25,479 total cases.

- Mean: 2.90
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 1.81

Location: 331-331 (width: 1; decimal: 0)

Variable Type: numeric

XLB11: EH29 21.6 LB # checkups

Value	Label	Unweighted Frequency	%
0	-	1183	4.6 %
1	-	660	2.6 %
2	-	1459	5.7 %
3	-	1466	5.8 %
4	-	857	3.4 %
5	-	668	2.6 %
6	-	668	2.6 %
7	-	397	1.6 %
8	-	332	1.3 %
9	-	267	1.0 %
10	-	163	0.6 %
11	-	5	0.0 %

Value	Label	Unweighted Frequency	%
12	-	55	0.2 %
13	-	3	0.0 %
14	-	11	0.0 %
15	-	12	0.0 %
16	-	4	0.0 %
18	-	5	0.0 %
20	-	8	0.0 %
21	-	2	0.0 %
22	-	2	0.0 %
24	-	2	0.0 %
25	-	1	0.0 %
30	-	2	0.0 %
31	-	1	0.0 %
32	-	1	0.0 %
Missing Data			
.	-	17245	67.7 %
Total		25,479	100%

Based upon 8,234 valid cases out of 25,479 total cases.

- Mean: 3.63
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 32.00
- Standard Deviation: 2.94

Location: 332-333 (width: 2; decimal: 0)

Variable Type: numeric

XLB12A: EH29 21.7a LB checkup Weight

Value	Label	Unweighted Frequency	%
0	No 0	3405	13.4 %
1	Yes 1	5404	21.2 %
Missing Data			
.	-	16670	65.4 %
Total		25,479	100%

Based upon 8,809 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 334-334 (width: 1; decimal: 0)

Variable Type: numeric

XLB12B: EH29 21.7b LB checkup BP

Value	Label	Unweighted Frequency	%
0	No 0	3747	14.7 %
1	Yes 1	5068	19.9 %
	Missing Data		
.	-	16664	65.4 %
	Total	25,479	100%

Based upon 8,815 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 335-335 (width: 1; decimal: 0)

Variable Type: numeric

XLB12C: EH29 21.7c LB checkup Blood Test

Value	Label	Unweighted Frequency	%
0	No 0	3652	14.3 %
1	Yes 1	5163	20.3 %
	Missing Data		
.	-	16664	65.4 %
	Total	25,479	100%

Based upon 8,815 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 336-336 (width: 1; decimal: 0)

Variable Type: numeric

XLB12D: EH29 21.7d LB checkup Urine Test

Value	Label	Unweighted Frequency	%
0	No 0	3763	14.8 %
1	Yes 1	5050	19.8 %
	Missing Data		
.	-	16666	65.4 %
	Total	25,479	100%

Based upon 8,813 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 337-337 (width: 1; decimal: 0)

Variable Type: numeric

XLB12E: EH29 21.7e LB checkup Abdomen

Value	Label	Unweighted Frequency	%
0	No 0	3126	12.3 %
1	Yes 1	5698	22.4 %
	Missing Data		
.	-	16655	65.4 %
	Total	25,479	100%

Based upon 8,824 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 338-338 (width: 1; decimal: 0)

Variable Type: numeric

XLB12F: EH29 21.7f LB checkup Internal

Value	Label	Unweighted Frequency	%
0	No 0	6720	26.4 %
1	Yes 1	2101	8.2 %
	Missing Data		
.	-	16658	65.4 %
	Total	25,479	100%

Based upon 8,821 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 339-339 (width: 1; decimal: 0)

Variable Type: numeric

XLB12G: EH29 21.7g LB checkup Sonogram

Value	Label	Unweighted Frequency	%
0	No 0	6698	26.3 %
1	Yes 1	2067	8.1 %
	Missing Data		
.	-	16714	65.6 %
	Total	25,479	100%

Based upon 8,765 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 340-340 (width: 1; decimal: 0)

Variable Type: numeric

XLB12H: EH29 21.7h LB checkup Amnio

Value	Label	Unweighted Frequency	%
0	No 0	7969	31.3 %
1	Yes 1	727	2.9 %
	Missing Data		
.	-	16783	65.9 %
	Total	25,479	100%

Based upon 8,696 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 341-341 (width: 1; decimal: 0)

Variable Type: numeric

XLB13A: EH29 21.9a LB prob: Night blindness

Value	Label	Unweighted Frequency	%
0	No 0	8588	33.7 %
1	Yes 1	484	1.9 %
	Missing Data		
.	-	16407	64.4 %
	Total	25,479	100%

Based upon 9,072 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 342-342 (width: 1; decimal: 0)

Variable Type: numeric

XLB13B: EH29 21.9b LB prob: Blurred vision

Value	Label	Unweighted Frequency	%
0	No 0	8166	32.0 %
1	Yes 1	901	3.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	16412	64.4 %
Total		25,479	100%

Based upon 9,067 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 343-343 (width: 1; decimal: 0)

Variable Type: numeric

XLB13C: EH29 21.9c LB prob: Convulsions

Value	Label	Unweighted Frequency	%
0	No 0	7849	30.8 %
1	Yes 1	1215	4.8 %
	Missing Data		
.	-	16415	64.4 %
Total		25,479	100%

Based upon 9,064 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 344-344 (width: 1; decimal: 0)

Variable Type: numeric

XLB13E: EH29 21.9d LB prob: Fatigue

Value	Label	Unweighted Frequency	%
0	No 0	5744	22.5 %
1	Yes 1	3320	13.0 %
	Missing Data		
.	-	16415	64.4 %
Total		25,479	100%

Based upon 9,064 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 345-345 (width: 1; decimal: 0)

Variable Type: numeric

XLB13F: EH29 21.9e LB prob: Anaemia

Value	Label	Unweighted Frequency	%
0	No 0	7391	29.0 %
1	Yes 1	1673	6.6 %
	Missing Data		
.	-	16415	64.4 %
	Total	25,479	100%

Based upon 9,064 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 346-346 (width: 1; decimal: 0)

Variable Type: numeric

XLB13G: EH29 21.9f LB prob: Bleeding

Value	Label	Unweighted Frequency	%
0	No 0	8803	34.6 %
1	Yes 1	248	1.0 %
	Missing Data		
.	-	16428	64.5 %
	Total	25,479	100%

Based upon 9,051 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 347-347 (width: 1; decimal: 0)

Variable Type: numeric

XLB14: EH29 21.10 LB Iron tablets

Value	Label	Unweighted Frequency	%
0	None 0	2937	11.5 %
1	Yes < 3 months 1	2664	10.5 %
2	Yes > 3 months 2	3176	12.5 %
	Missing Data		
.	-	16702	65.6 %
	Total	25,479	100%

Based upon 8,777 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 348-348 (width: 1; decimal: 0)

Variable Type: numeric

XLB15: EH30 21.12 LB # TT injections

Value	Label	Unweighted Frequency	%
0	Did not receive 0	1328	5.2 %
1	-	816	3.2 %
2	-	4758	18.7 %
3	-	2195	8.6 %
4	-	2	0.0 %
7	-	1	0.0 %
Missing Data			
.	-	16379	64.3 %
Total		25,479	100%

Based upon 9,100 valid cases out of 25,479 total cases.

- Mean: 1.86
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.95

Location: 349-349 (width: 1; decimal: 0)

Variable Type: numeric

XLB16: EH30 21.13 LB Pre-delivery home

Value	Label	Unweighted Frequency	%
1	Your home 1	7027	27.6 %
2	Natal home 2	1788	7.0 %
3	Others 3	317	1.2 %
Missing Data			
.	-	16347	64.2 %
Total		25,479	100%

Based upon 9,132 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 350-350 (width: 1; decimal: 0)

Variable Type: numeric

XLB18: EH30 21.14 LB Place of delivery

Value	Label	Unweighted Frequency	%
1	Government hospital or clinic 1	2155	8.5 %
2	Private nursing home 2	1837	7.2 %
3	Home 3	5077	19.9 %
4	Others 4	60	0.2 %
	Missing Data		
.	-	16350	64.2 %
	Total	25,479	100%

Based upon 9,129 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 351-351 (width: 1; decimal: 0)

Variable Type: numeric

XLB21Y: EQ32 22.21 LB Any govt money for delivery [IHDS2]

Value	Label	Unweighted Frequency	%
0	None 0	0	0.0 %
1	expected 1	0	0.0 %
2	Yes 2	0	0.0 %
	Missing Data		
.	-	25479	100.0 %
	Total	25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 352-352 (width: 1; decimal: 0)

Variable Type: numeric

XLB22Y: EQ32 22.22 LB Any govt money for transport [IHDS2]

Value	Label	Unweighted Frequency	%
0	None 0	0	0.0 %
1	expected 1	0	0.0 %
2	Yes 2	0	0.0 %
	Missing Data		
.	-	25479	100.0 %
	Total	25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 353-353 (width: 1; decimal: 0)

Variable Type: numeric

XLB26A: EH30 21.15a LB delivery: doctor

Value	Label	Unweighted Frequency	%
0	No 0	5311	20.8 %
1	Yes 1	3819	15.0 %
	Missing Data		
.	-	16349	64.2 %
	Total	25,479	100%

Based upon 9,130 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 354-354 (width: 1; decimal: 0)

Variable Type: numeric

XLB26B: EH30 21.15b LB delivery: Nurse

Value	Label	Unweighted Frequency	%
0	No 0	5654	22.2 %
1	Yes 1	3477	13.6 %
	Missing Data		
.	-	16348	64.2 %
	Total	25,479	100%

Based upon 9,131 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 355-355 (width: 1; decimal: 0)

Variable Type: numeric

XLB26C: EH30 21.15c LB delivery: Midwife

Value	Label	Unweighted Frequency	%
0	No 0	5201	20.4 %
1	Yes 1	3930	15.4 %
	Missing Data		
.	-	16348	64.2 %
	Total	25,479	100%

Based upon 9,131 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 356-356 (width: 1; decimal: 0)

Variable Type: numeric

XLB26D: EH30 21.15d LB delivery: Friend

Value	Label	Unweighted Frequency	%
0	No 0	6447	25.3 %
1	Yes 1	2684	10.5 %
	Missing Data		
.	-	16348	64.2 %
	Total	25,479	100%

Based upon 9,131 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 357-357 (width: 1; decimal: 0)

Variable Type: numeric

XLB26E: EH30 21.15e LB delivery: Other

Value	Label	Unweighted Frequency	%
0	No 0	8003	31.4 %
1	Yes 1	1127	4.4 %
	Missing Data		
.	-	16349	64.2 %
	Total	25,479	100%

Based upon 9,130 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 358-358 (width: 1; decimal: 0)

Variable Type: numeric

XLB27: EH30 21.16 LB Size of child

Value	Label	Unweighted Frequency	%
1	Large 1	1234	4.8 %
2	Average 2	6119	24.0 %
3	Small 3	1478	5.8 %
4	Very small 4	257	1.0 %
	Missing Data		
.	-	16391	64.3 %
	Total	25,479	100%

Based upon 9,088 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 359-359 (width: 1; decimal: 0)

Variable Type: numeric

XLB28: EH30 21.17 LB Type of Delivery

Value	Label	Unweighted Frequency	%
1	A normal delivery 1	8143	32.0 %
2	Forceps 2	343	1.3 %
3	Cesarean 3	608	2.4 %
	Missing Data		
.	-	16385	64.3 %
	Total	25,479	100%

Based upon 9,094 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 360-360 (width: 1; decimal: 0)

Variable Type: numeric

XLB30: EH30 21.18 LB Post-natal checkup

Value	Label	Unweighted Frequency	%
0	None 0	6112	24.0 %
1	Only me 1	474	1.9 %
2	only my baby 2	984	3.9 %
3	Both 3	1503	5.9 %
	Missing Data		
.	-	16406	64.4 %
	Total	25,479	100%

Based upon 9,073 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 361-361 (width: 1; decimal: 0)

Variable Type: numeric

XLB31: EH30 21.18a LB when post-checkup

Value	Label	Unweighted Frequency	%
0	-	159	0.6 %
1	-	1039	4.1 %
2	-	307	1.2 %
3	-	122	0.5 %
4	-	60	0.2 %
5	-	66	0.3 %
6	-	34	0.1 %
7	-	85	0.3 %
8	-	77	0.3 %
9	-	19	0.1 %
10	-	95	0.4 %
11	-	7	0.0 %
12	-	15	0.1 %
13	-	3	0.0 %
14	-	3	0.0 %
15	-	242	0.9 %
16	-	2	0.0 %
17	-	5	0.0 %
18	-	3	0.0 %
20	-	96	0.4 %
21	-	7	0.0 %
22	-	5	0.0 %
23	-	4	0.0 %
24	-	11	0.0 %
25	-	28	0.1 %
26	-	4	0.0 %
27	-	1	0.0 %
29	-	2	0.0 %
30	-	454	1.8 %
31	-	8	0.0 %
32	-	5	0.0 %
33	-	1	0.0 %
34	-	1	0.0 %
35	-	12	0.0 %
36	-	3	0.0 %
39	-	1	0.0 %
40	-	35	0.1 %
41	-	1	0.0 %
42	-	2	0.0 %

Value	Label	Unweighted Frequency	%
43	-	1	0.0 %
45	-	67	0.3 %
50	-	7	0.0 %
59	-	1	0.0 %
60	-	83	0.3 %
62	-	3	0.0 %
63	-	1	0.0 %
64	-	4	0.0 %
65	-	1	0.0 %
70	-	3	0.0 %
80	-	2	0.0 %
Missing Data			
.	-	22259	87.4 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,220 valid cases out of 25,479 total cases.

- Mean: 12.52
- Median: 3.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 90.00
- Standard Deviation: 16.45

Location: 362-363 (width: 2; decimal: 0)

Variable Type: numeric

XLB32A: EH30 21.19a LB Vaginal bleeding

Value	Label	Unweighted Frequency	%
0	No 0	8272	32.5 %
1	Yes 1	656	2.6 %
Missing Data			
.	-	16551	65.0 %
Total		25,479	100%

Based upon 8,928 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 364-364 (width: 1; decimal: 0)

Variable Type: numeric

XLB32C: EH30 21.19b LB Very high fever

Value	Label	Unweighted Frequency	%
0	No 0	7936	31.1 %
1	Yes 1	958	3.8 %
	Missing Data		
.	-	16585	65.1 %
	Total	25,479	100%

Based upon 8,894 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 365-365 (width: 1; decimal: 0)

Variable Type: numeric

XLB33: EH31 21.20 LB Immunization card

Value	Label	Unweighted Frequency	%
0	No 0	4140	16.2 %
1	Yes, not seen 1	2305	9.0 %
2	Yes, seen 2	2383	9.4 %
	Missing Data		
.	-	16651	65.4 %
	Total	25,479	100%

Based upon 8,828 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 366-366 (width: 1; decimal: 0)

Variable Type: numeric

XLB34AD: EH31 21.21a LB Immun BCG date day

Value	Label	Unweighted Frequency	%
1	-	64	0.3 %
2	-	71	0.3 %
3	-	83	0.3 %
4	-	77	0.3 %
5	-	92	0.4 %
6	-	76	0.3 %
7	-	80	0.3 %
8	-	84	0.3 %

Value	Label	Unweighted Frequency	%
9	-	81	0.3 %
10	-	88	0.3 %
11	-	73	0.3 %
12	-	83	0.3 %
13	-	63	0.2 %
14	-	98	0.4 %
15	-	73	0.3 %
16	-	80	0.3 %
17	-	79	0.3 %
18	-	75	0.3 %
19	-	74	0.3 %
20	-	81	0.3 %
21	-	75	0.3 %
22	-	70	0.3 %
23	-	50	0.2 %
24	-	68	0.3 %
25	-	52	0.2 %
26	-	75	0.3 %
27	-	57	0.2 %
28	-	53	0.2 %
29	-	44	0.2 %
30	-	51	0.2 %
31	-	24	0.1 %
Missing Data			
.	-	23285	91.4 %
Total		25,479	100%

Based upon 2,194 valid cases out of 25,479 total cases.

- Mean: 14.73
- Median: 14.00
- Mode: 14.00
- Minimum: 1.00
- Maximum: 31.00
- Standard Deviation: 8.39

Location: 367-368 (*width:* 2; *decimal:* 0)

Variable Type: numeric

XLB34AM: EH31 21.21a LB Immun BCG date month

Value	Label	Unweighted Frequency	%
1	-	194	0.8 %

Value	Label	Unweighted Frequency	%
2	-	168	0.7 %
3	-	183	0.7 %
4	-	162	0.6 %
5	-	161	0.6 %
6	-	176	0.7 %
7	-	167	0.7 %
8	-	178	0.7 %
9	-	193	0.8 %
10	-	208	0.8 %
11	-	212	0.8 %
12	-	194	0.8 %
Missing Data			
.	-	23283	91.4 %
Total		25,479	100%

Based upon 2,196 valid cases out of 25,479 total cases.

- Mean: 6.67
- Median: 7.00
- Mode: 11.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.52

Location: 369-370 (width: 2; decimal: 0)

Variable Type: numeric

XLB34AY: EH31 21.21a LB Immun BCG date year

Value	Label	Unweighted Frequency	%
2000	-	141	0.6 %
2001	-	213	0.8 %
2002	-	343	1.3 %
2003	-	558	2.2 %
2004	-	808	3.2 %
2005	-	141	0.6 %
Missing Data			
.	-	23275	91.3 %
Total		25,479	100%

Based upon 2,204 valid cases out of 25,479 total cases.

- Mean: 2002.95
- Median: 2003.00

- Mode: 2004.00
- Minimum: 2000.00
- Maximum: 2005.00
- Standard Deviation: 1.32

Location: 371-374 (width: 4; decimal: 0)

Variable Type: numeric

XLB34ADATE: EH31 21.21a LB Immun BCG date integer date

Value	Label	Unweighted Frequency	%
14611	-	1	0.0 %
14614	-	2	0.0 %
14626	-	1	0.0 %
14634	-	1	0.0 %
14635	-	1	0.0 %
14640	-	1	0.0 %
14642	-	2	0.0 %
14643	-	1	0.0 %
14646	-	1	0.0 %
14647	-	1	0.0 %
14654	-	1	0.0 %
14655	-	1	0.0 %
14659	-	1	0.0 %
14663	-	1	0.0 %
14674	-	1	0.0 %
14679	-	1	0.0 %
14680	-	1	0.0 %
14682	-	1	0.0 %
14683	-	1	0.0 %
14690	-	2	0.0 %
14692	-	3	0.0 %
14693	-	1	0.0 %
14704	-	2	0.0 %
14708	-	1	0.0 %
14710	-	1	0.0 %
14713	-	1	0.0 %
14715	-	1	0.0 %
14716	-	2	0.0 %
14719	-	2	0.0 %
14722	-	1	0.0 %
14724	-	1	0.0 %
14732	-	1	0.0 %

Value	Label	Unweighted Frequency	%
14734	-	1	0.0 %
14737	-	1	0.0 %
14738	-	1	0.0 %
14740	-	1	0.0 %
14741	-	1	0.0 %
14742	-	1	0.0 %
14746	-	1	0.0 %
14747	-	2	0.0 %
14752	-	2	0.0 %
14760	-	1	0.0 %
14761	-	1	0.0 %
14768	-	1	0.0 %
14769	-	1	0.0 %
14770	-	1	0.0 %
14771	-	2	0.0 %
14774	-	2	0.0 %
14779	-	1	0.0 %
14788	-	1	0.0 %
Missing Data			
.	-	23275	91.3 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,204 valid cases out of 25,479 total cases.

- Mean: 15875.09
- Minimum: 14611.00
- Maximum: 16776.00
- Standard Deviation: 481.15

Location: 375-379 (width: 5; decimal: 0)

Variable Type: numeric

XLB34BD: EH31 21.21b Immun Polio0 day

Value	Label	Unweighted Frequency	%
1	-	29	0.1 %
2	-	27	0.1 %
3	-	29	0.1 %
4	-	34	0.1 %
5	-	43	0.2 %

Value	Label	Unweighted Frequency	%
6	-	29	0.1 %
7	-	25	0.1 %
8	-	33	0.1 %
9	-	34	0.1 %
10	-	45	0.2 %
11	-	25	0.1 %
12	-	41	0.2 %
13	-	28	0.1 %
14	-	35	0.1 %
15	-	43	0.2 %
16	-	18	0.1 %
17	-	28	0.1 %
18	-	27	0.1 %
19	-	24	0.1 %
20	-	35	0.1 %
21	-	34	0.1 %
22	-	29	0.1 %
23	-	21	0.1 %
24	-	26	0.1 %
25	-	25	0.1 %
26	-	26	0.1 %
27	-	21	0.1 %
28	-	22	0.1 %
29	-	23	0.1 %
30	-	27	0.1 %
31	-	10	0.0 %
Missing Data			
.	-	24583	96.5 %
Total		25,479	100%

Based upon 896 valid cases out of 25,479 total cases.

- Mean: 14.83
- Median: 14.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 31.00
- Standard Deviation: 8.52

Location: 380-381 (*width:* 2; *decimal:* 0)

Variable Type: numeric

XLB34BM: EH31 21.21b Immun Polio0 month

Value	Label	Unweighted Frequency	%
1	-	70	0.3 %
2	-	75	0.3 %
3	-	64	0.3 %
4	-	70	0.3 %
5	-	72	0.3 %
6	-	76	0.3 %
7	-	66	0.3 %
8	-	75	0.3 %
9	-	91	0.4 %
10	-	89	0.3 %
11	-	77	0.3 %
12	-	66	0.3 %
Missing Data			
.	-	24588	96.5 %
Total		25,479	100%

Based upon 891 valid cases out of 25,479 total cases.

- Mean: 6.64
- Median: 7.00
- Mode: 9.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.42

Location: 382-383 (width: 2; decimal: 0)

Variable Type: numeric

XLB34BY: EH31 21.21b Immun Polio0 year

Value	Label	Unweighted Frequency	%
2000	-	78	0.3 %
2001	-	83	0.3 %
2002	-	128	0.5 %
2003	-	228	0.9 %
2004	-	348	1.4 %
2005	-	55	0.2 %
Missing Data			
.	-	24559	96.4 %
Total		25,479	100%

Based upon 920 valid cases out of 25,479 total cases.

- Mean: 2002.92
- Median: 2003.00
- Mode: 2004.00
- Minimum: 2000.00
- Maximum: 2005.00
- Standard Deviation: 1.37

Location: 384-387 (width: 4; decimal: 0)

Variable Type: numeric

XLB34BDATE: EH31 21.21b Immun Polio0 date(integer)

Value	Label	Unweighted Frequency	%
14610	-	1	0.0 %
14614	-	1	0.0 %
14635	-	1	0.0 %
14638	-	1	0.0 %
14648	-	1	0.0 %
14659	-	1	0.0 %
14663	-	1	0.0 %
14674	-	1	0.0 %
14680	-	1	0.0 %
14683	-	1	0.0 %
14690	-	1	0.0 %
14692	-	1	0.0 %
14704	-	1	0.0 %
14710	-	1	0.0 %
14715	-	1	0.0 %
14716	-	1	0.0 %
14719	-	1	0.0 %
14720	-	1	0.0 %
14747	-	1	0.0 %
14749	-	1	0.0 %
14752	-	1	0.0 %
14768	-	1	0.0 %
14771	-	1	0.0 %
14774	-	1	0.0 %
14791	-	28	0.1 %
14792	-	1	0.0 %
14795	-	1	0.0 %
14797	-	1	0.0 %
14811	-	2	0.0 %

Value	Label	Unweighted Frequency	%
14818	-	2	0.0 %
14820	-	1	0.0 %
14823	-	1	0.0 %
14831	-	1	0.0 %
14834	-	1	0.0 %
14845	-	1	0.0 %
14861	-	1	0.0 %
14865	-	1	0.0 %
14869	-	1	0.0 %
14877	-	1	0.0 %
14894	-	1	0.0 %
14895	-	1	0.0 %
14899	-	1	0.0 %
14903	-	1	0.0 %
14907	-	1	0.0 %
14945	-	1	0.0 %
14950	-	1	0.0 %
14957	-	1	0.0 %
14971	-	1	0.0 %
14973	-	1	0.0 %
14980	-	1	0.0 %
Missing Data			
.	-	24559	96.4 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 920 valid cases out of 25,479 total cases.

- Mean: 15863.44
- Minimum: 14610.00
- Maximum: 16729.00
- Standard Deviation: 500.00

Location: 388-392 (*width:* 5; *decimal:* 0)

Variable Type: numeric

XLB34CD: EH31 21.21c Immun DPT1 day

Value	Label	Unweighted Frequency	%
1	-	68	0.3 %
2	-	58	0.2 %

Value	Label	Unweighted Frequency	%
3	-	85	0.3 %
4	-	69	0.3 %
5	-	84	0.3 %
6	-	64	0.3 %
7	-	80	0.3 %
8	-	73	0.3 %
9	-	93	0.4 %
10	-	89	0.3 %
11	-	86	0.3 %
12	-	77	0.3 %
13	-	73	0.3 %
14	-	82	0.3 %
15	-	72	0.3 %
16	-	79	0.3 %
17	-	79	0.3 %
18	-	77	0.3 %
19	-	76	0.3 %
20	-	80	0.3 %
21	-	92	0.4 %
22	-	73	0.3 %
23	-	58	0.2 %
24	-	70	0.3 %
25	-	53	0.2 %
26	-	49	0.2 %
27	-	51	0.2 %
28	-	68	0.3 %
29	-	44	0.2 %
30	-	46	0.2 %
31	-	18	0.1 %
Missing Data			
.	-	23313	91.5 %
Total		25,479	100%

Based upon 2,166 valid cases out of 25,479 total cases.

- Mean: 14.83
- Median: 15.00
- Mode: 9.00
- Minimum: 1.00
- Maximum: 31.00
- Standard Deviation: 8.27

Location: 393-394 (width: 2; decimal: 0)

Variable Type: numeric

XLB34CM: EH31 21.21c Immun DPT1 month

Value	Label	Unweighted Frequency	%
1	-	193	0.8 %
2	-	175	0.7 %
3	-	150	0.6 %
4	-	152	0.6 %
5	-	183	0.7 %
6	-	169	0.7 %
7	-	170	0.7 %
8	-	167	0.7 %
9	-	187	0.7 %
10	-	196	0.8 %
11	-	208	0.8 %
12	-	216	0.8 %
Missing Data			
.	-	23313	91.5 %
Total		25,479	100%

Based upon 2,166 valid cases out of 25,479 total cases.

- Mean: 6.73
- Median: 7.00
- Mode: 12.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.55

Location: 395-396 (width: 2; decimal: 0)

Variable Type: numeric

XLB34CY: EH31 21.21c Immun DPT1 year

Value	Label	Unweighted Frequency	%
2000	-	130	0.5 %
2001	-	202	0.8 %
2002	-	345	1.4 %
2003	-	564	2.2 %
2004	-	779	3.1 %
2005	-	150	0.6 %
Missing Data			
.	-	23309	91.5 %

Value	Label	Unweighted Frequency	%
	Total	25,479	100%

Based upon 2,170 valid cases out of 25,479 total cases.

- Mean: 2002.97
- Median: 2003.00
- Mode: 2004.00
- Minimum: 2000.00
- Maximum: 2005.00
- Standard Deviation: 1.31

Location: 397-400 (width: 4; decimal: 0)

Variable Type: numeric

XLB34CDATE: EH31 21.21c Immun DPT1 date(integer)

Value	Label	Unweighted Frequency	%
14613	-	1	0.0 %
14617	-	1	0.0 %
14618	-	1	0.0 %
14621	-	1	0.0 %
14642	-	1	0.0 %
14654	-	1	0.0 %
14663	-	3	0.0 %
14674	-	1	0.0 %
14678	-	1	0.0 %
14681	-	1	0.0 %
14689	-	1	0.0 %
14705	-	1	0.0 %
14706	-	1	0.0 %
14710	-	2	0.0 %
14712	-	1	0.0 %
14718	-	1	0.0 %
14719	-	1	0.0 %
14724	-	1	0.0 %
14728	-	1	0.0 %
14730	-	1	0.0 %
14732	-	1	0.0 %
14734	-	2	0.0 %
14738	-	1	0.0 %
14740	-	3	0.0 %
14741	-	1	0.0 %
14746	-	1	0.0 %

Value	Label	Unweighted Frequency	%
14747	-	2	0.0 %
14749	-	1	0.0 %
14751	-	1	0.0 %
14754	-	1	0.0 %
14755	-	1	0.0 %
14758	-	2	0.0 %
14760	-	1	0.0 %
14765	-	1	0.0 %
14766	-	1	0.0 %
14767	-	1	0.0 %
14768	-	2	0.0 %
14769	-	1	0.0 %
14770	-	1	0.0 %
14774	-	2	0.0 %
14775	-	1	0.0 %
14778	-	1	0.0 %
14780	-	1	0.0 %
14781	-	1	0.0 %
14782	-	1	0.0 %
14783	-	2	0.0 %
14788	-	1	0.0 %
14791	-	1	0.0 %
14795	-	1	0.0 %
14796	-	1	0.0 %
Missing Data			
.	-	23309	91.5 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,170 valid cases out of 25,479 total cases.

- Mean: 15883.76
- Minimum: 14613.00
- Maximum: 16782.00
- Standard Deviation: 473.83

Location: 401-405 (width: 5; decimal: 0)

Variable Type: numeric

XLB34DD: EH31 21.21d Immun DPT2 day

Value	Label	Unweighted Frequency	%
1	-	54	0.2 %
2	-	50	0.2 %
3	-	102	0.4 %
4	-	75	0.3 %
5	-	74	0.3 %
6	-	57	0.2 %
7	-	71	0.3 %
8	-	80	0.3 %
9	-	74	0.3 %
10	-	85	0.3 %
11	-	67	0.3 %
12	-	75	0.3 %
13	-	60	0.2 %
14	-	79	0.3 %
15	-	61	0.2 %
16	-	72	0.3 %
17	-	73	0.3 %
18	-	76	0.3 %
19	-	67	0.3 %
20	-	75	0.3 %
21	-	78	0.3 %
22	-	72	0.3 %
23	-	55	0.2 %
24	-	63	0.2 %
25	-	61	0.2 %
26	-	48	0.2 %
27	-	52	0.2 %
28	-	61	0.2 %
29	-	43	0.2 %
30	-	47	0.2 %
31	-	14	0.1 %
Missing Data			
.	-	23458	92.1 %
Total		25,479	100%

Based upon 2,021 valid cases out of 25,479 total cases.

- Mean: 14.88
- Median: 15.00
- Mode: 3.00

- Minimum: 1.00
- Maximum: 31.00
- Standard Deviation: 8.37

Location: 406-407 (width: 2; decimal: 0)

Variable Type: numeric

XLB34DM: EH31 21.21d Immun DPT2 month

Value	Label	Unweighted Frequency	%
1	-	189	0.7 %
2	-	166	0.7 %
3	-	166	0.7 %
4	-	145	0.6 %
5	-	121	0.5 %
6	-	177	0.7 %
7	-	167	0.7 %
8	-	160	0.6 %
9	-	172	0.7 %
10	-	162	0.6 %
11	-	203	0.8 %
12	-	191	0.7 %
Missing Data			
.	-	23460	92.1 %
Total		25,479	100%

Based upon 2,019 valid cases out of 25,479 total cases.

- Mean: 6.64
- Median: 7.00
- Mode: 11.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.56

Location: 408-409 (width: 2; decimal: 0)

Variable Type: numeric

XLB34DY: EH31 21.21d Immun DPT2 year

Value	Label	Unweighted Frequency	%
2000	-	121	0.5 %
2001	-	169	0.7 %
2002	-	327	1.3 %
2003	-	520	2.0 %
2004	-	735	2.9 %

Value	Label	Unweighted Frequency	%
2005	-	152	0.6 %
	Missing Data		
-	-	23455	92.1 %
	Total	25,479	100%

Based upon 2,024 valid cases out of 25,479 total cases.

- Mean: 2003.01
- Median: 2003.00
- Mode: 2004.00
- Minimum: 2000.00
- Maximum: 2005.00
- Standard Deviation: 1.30

Location: 410-413 (width: 4; decimal: 0)

Variable Type: numeric

XLB34DDATE: EH31 21.21d Immun DPT2 date(integer)

Value	Label	Unweighted Frequency	%
14618	-	1	0.0 %
14632	-	1	0.0 %
14651	-	1	0.0 %
14661	-	1	0.0 %
14686	-	1	0.0 %
14691	-	2	0.0 %
14699	-	1	0.0 %
14705	-	1	0.0 %
14708	-	1	0.0 %
14720	-	1	0.0 %
14724	-	1	0.0 %
14739	-	1	0.0 %
14740	-	2	0.0 %
14741	-	1	0.0 %
14746	-	1	0.0 %
14749	-	1	0.0 %
14767	-	1	0.0 %
14768	-	1	0.0 %
14769	-	3	0.0 %
14771	-	1	0.0 %
14775	-	3	0.0 %
14776	-	1	0.0 %
14781	-	1	0.0 %

Value	Label	Unweighted Frequency	%
14782	-	2	0.0 %
14783	-	1	0.0 %
14784	-	1	0.0 %
14785	-	1	0.0 %
14786	-	2	0.0 %
14791	-	5	0.0 %
14795	-	3	0.0 %
14796	-	1	0.0 %
14799	-	1	0.0 %
14802	-	1	0.0 %
14803	-	1	0.0 %
14804	-	2	0.0 %
14806	-	1	0.0 %
14808	-	1	0.0 %
14810	-	1	0.0 %
14811	-	2	0.0 %
14812	-	1	0.0 %
14815	-	1	0.0 %
14817	-	1	0.0 %
14824	-	1	0.0 %
14830	-	1	0.0 %
14831	-	1	0.0 %
14832	-	1	0.0 %
14834	-	1	0.0 %
14835	-	1	0.0 %
14838	-	1	0.0 %
14841	-	1	0.0 %
Missing Data			
.	-	23455	92.1 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,024 valid cases out of 25,479 total cases.

- Mean: 15893.26
- Minimum: 14618.00
- Maximum: 16784.00
- Standard Deviation: 468.02

Location: 414-418 (*width:* 5; *decimal:* 0)

Variable Type: numeric

XLB34ED: EH31 21.21e Immun DPT3 day

Value	Label	Unweighted Frequency	%
1	-	49	0.2 %
2	-	49	0.2 %
3	-	72	0.3 %
4	-	76	0.3 %
5	-	58	0.2 %
6	-	55	0.2 %
7	-	48	0.2 %
8	-	66	0.3 %
9	-	56	0.2 %
10	-	62	0.2 %
11	-	62	0.2 %
12	-	69	0.3 %
13	-	55	0.2 %
14	-	58	0.2 %
15	-	73	0.3 %
16	-	71	0.3 %
17	-	65	0.3 %
18	-	65	0.3 %
19	-	67	0.3 %
20	-	99	0.4 %
21	-	66	0.3 %
22	-	63	0.2 %
23	-	53	0.2 %
24	-	48	0.2 %
25	-	59	0.2 %
26	-	42	0.2 %
27	-	49	0.2 %
28	-	69	0.3 %
29	-	40	0.2 %
30	-	35	0.1 %
31	-	16	0.1 %
Missing Data			
.	-	23664	92.9 %
Total		25,479	100%

Based upon 1,815 valid cases out of 25,479 total cases.

- Mean: 15.28

- Median: 15.00
- Mode: 20.00
- Minimum: 1.00
- Maximum: 31.00
- Standard Deviation: 8.34

Location: 419-420 (width: 2; decimal: 0)

Variable Type: numeric

XLB34EM: EH31 21.21e Immun DPT3 month

Value	Label	Unweighted Frequency	%
1	-	138	0.5 %
2	-	162	0.6 %
3	-	158	0.6 %
4	-	126	0.5 %
5	-	133	0.5 %
6	-	123	0.5 %
7	-	158	0.6 %
8	-	163	0.6 %
9	-	156	0.6 %
10	-	152	0.6 %
11	-	144	0.6 %
12	-	200	0.8 %
Missing Data			
.	-	23666	92.9 %
Total		25,479	100%

Based upon 1,813 valid cases out of 25,479 total cases.

- Mean: 6.71
- Median: 7.00
- Mode: 12.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.53

Location: 421-422 (width: 2; decimal: 0)

Variable Type: numeric

XLB34EY: EH31 21.21e Immun DPT3 year

Value	Label	Unweighted Frequency	%
2000	-	104	0.4 %
2001	-	151	0.6 %
2002	-	290	1.1 %
2003	-	487	1.9 %

Value	Label	Unweighted Frequency	%
2004	-	628	2.5 %
2005	-	165	0.6 %
	Missing Data		
.	-	23654	92.8 %
	Total	25,479	100%

Based upon 1,825 valid cases out of 25,479 total cases.

- Mean: 2003.03
- Median: 2003.00
- Mode: 2004.00
- Minimum: 2000.00
- Maximum: 2005.00
- Standard Deviation: 1.31

Location: 423-426 (width: 4; decimal: 0)

Variable Type: numeric

XLB34EDATE: EH31 21.21e Immun DPT3 date(integer)

Value	Label	Unweighted Frequency	%
14691	-	1	0.0 %
14718	-	1	0.0 %
14719	-	1	0.0 %
14722	-	1	0.0 %
14728	-	1	0.0 %
14746	-	1	0.0 %
14748	-	1	0.0 %
14759	-	1	0.0 %
14771	-	1	0.0 %
14781	-	1	0.0 %
14782	-	1	0.0 %
14783	-	1	0.0 %
14789	-	2	0.0 %
14791	-	8	0.0 %
14801	-	1	0.0 %
14804	-	2	0.0 %
14806	-	1	0.0 %
14810	-	2	0.0 %
14811	-	2	0.0 %
14817	-	1	0.0 %
14819	-	1	0.0 %
14821	-	2	0.0 %

Value	Label	Unweighted Frequency	%
14825	-	1	0.0 %
14826	-	1	0.0 %
14830	-	2	0.0 %
14831	-	3	0.0 %
14839	-	2	0.0 %
14845	-	1	0.0 %
14846	-	2	0.0 %
14847	-	2	0.0 %
14852	-	1	0.0 %
14859	-	1	0.0 %
14860	-	1	0.0 %
14861	-	1	0.0 %
14862	-	2	0.0 %
14866	-	1	0.0 %
14867	-	1	0.0 %
14869	-	1	0.0 %
14873	-	2	0.0 %
14874	-	1	0.0 %
14876	-	1	0.0 %
14877	-	1	0.0 %
14884	-	1	0.0 %
14886	-	1	0.0 %
14887	-	1	0.0 %
14888	-	1	0.0 %
14903	-	1	0.0 %
14905	-	1	0.0 %
14906	-	1	0.0 %
14908	-	1	0.0 %
Missing Data			
.	-	23654	92.8 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,825 valid cases out of 25,479 total cases.

- Mean: 15904.25
- Minimum: 14691.00
- Maximum: 16753.00
- Standard Deviation: 464.47

Location: 427-431 (width: 5; decimal: 0)

Variable Type: numeric

XLB34FD: EH31 21.21f Immun Polio1 day

Value	Label	Unweighted Frequency	%
1	-	57	0.2 %
2	-	53	0.2 %
3	-	77	0.3 %
4	-	65	0.3 %
5	-	76	0.3 %
6	-	70	0.3 %
7	-	73	0.3 %
8	-	70	0.3 %
9	-	82	0.3 %
10	-	88	0.3 %
11	-	87	0.3 %
12	-	72	0.3 %
13	-	67	0.3 %
14	-	73	0.3 %
15	-	76	0.3 %
16	-	77	0.3 %
17	-	71	0.3 %
18	-	77	0.3 %
19	-	75	0.3 %
20	-	69	0.3 %
21	-	80	0.3 %
22	-	72	0.3 %
23	-	51	0.2 %
24	-	64	0.3 %
25	-	54	0.2 %
26	-	55	0.2 %
27	-	46	0.2 %
28	-	67	0.3 %
29	-	42	0.2 %
30	-	42	0.2 %
31	-	15	0.1 %
Missing Data			
.	-	23436	92.0 %
Total		25,479	100%

Based upon 2,043 valid cases out of 25,479 total cases.

- Mean: 14.90
- Median: 15.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 31.00
- Standard Deviation: 8.23

Location: 432-433 (width: 2; decimal: 0)

Variable Type: numeric

XLB34FM: EH31 21.21f Immun Polio1 month

Value	Label	Unweighted Frequency	%
1	-	186	0.7 %
2	-	165	0.6 %
3	-	148	0.6 %
4	-	149	0.6 %
5	-	175	0.7 %
6	-	161	0.6 %
7	-	159	0.6 %
8	-	155	0.6 %
9	-	175	0.7 %
10	-	173	0.7 %
11	-	197	0.8 %
12	-	202	0.8 %
Missing Data			
.	-	23434	92.0 %
Total		25,479	100%

Based upon 2,045 valid cases out of 25,479 total cases.

- Mean: 6.67
- Median: 7.00
- Mode: 12.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.55

Location: 434-435 (width: 2; decimal: 0)

Variable Type: numeric

XLB34FY: EH31 21.21f Immun Polio1 year

Value	Label	Unweighted Frequency	%
2000	-	123	0.5 %
2001	-	194	0.8 %
2002	-	327	1.3 %

Value	Label	Unweighted Frequency	%
2003	-	543	2.1 %
2004	-	721	2.8 %
2005	-	141	0.6 %
Missing Data			
.	-	23430	92.0 %
Total		25,479	100%

Based upon 2,049 valid cases out of 25,479 total cases.

- Mean: 2002.96
- Median: 2003.00
- Mode: 2004.00
- Minimum: 2000.00
- Maximum: 2005.00
- Standard Deviation: 1.31

Location: 436-439 (width: 4; decimal: 0)

Variable Type: numeric

XLB34FDATE: EH31 21.21f Immun Polio1 date(integer)

Value	Label	Unweighted Frequency	%
14617	-	1	0.0 %
14621	-	1	0.0 %
14642	-	1	0.0 %
14663	-	3	0.0 %
14664	-	1	0.0 %
14674	-	1	0.0 %
14677	-	1	0.0 %
14681	-	1	0.0 %
14689	-	1	0.0 %
14705	-	1	0.0 %
14706	-	1	0.0 %
14710	-	1	0.0 %
14716	-	1	0.0 %
14718	-	1	0.0 %
14719	-	1	0.0 %
14723	-	1	0.0 %
14728	-	1	0.0 %
14730	-	1	0.0 %
14732	-	1	0.0 %
14734	-	3	0.0 %
14738	-	2	0.0 %

Value	Label	Unweighted Frequency	%
14740	-	4	0.0 %
14746	-	1	0.0 %
14747	-	2	0.0 %
14751	-	1	0.0 %
14755	-	1	0.0 %
14767	-	1	0.0 %
14768	-	2	0.0 %
14769	-	1	0.0 %
14774	-	2	0.0 %
14775	-	1	0.0 %
14777	-	1	0.0 %
14778	-	1	0.0 %
14780	-	1	0.0 %
14781	-	1	0.0 %
14783	-	3	0.0 %
14786	-	1	0.0 %
14791	-	2	0.0 %
14795	-	2	0.0 %
14796	-	1	0.0 %
14798	-	1	0.0 %
14799	-	1	0.0 %
14801	-	1	0.0 %
14804	-	1	0.0 %
14809	-	1	0.0 %
14810	-	1	0.0 %
14811	-	1	0.0 %
14812	-	2	0.0 %
14819	-	1	0.0 %
14823	-	2	0.0 %
Missing Data			
.	-	23430	92.0 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,049 valid cases out of 25,479 total cases.

- Mean: 15877.67
- Minimum: 14617.00
- Maximum: 16785.00
- Standard Deviation: 472.79

Location: 440-444 (width: 5; decimal: 0)

Variable Type: numeric

XLB34GD: EH31 21.21g Immun Polio2 day

Value	Label	Unweighted Frequency	%
1	-	50	0.2 %
2	-	50	0.2 %
3	-	97	0.4 %
4	-	68	0.3 %
5	-	69	0.3 %
6	-	54	0.2 %
7	-	69	0.3 %
8	-	74	0.3 %
9	-	73	0.3 %
10	-	82	0.3 %
11	-	67	0.3 %
12	-	65	0.3 %
13	-	56	0.2 %
14	-	75	0.3 %
15	-	57	0.2 %
16	-	66	0.3 %
17	-	65	0.3 %
18	-	73	0.3 %
19	-	70	0.3 %
20	-	67	0.3 %
21	-	70	0.3 %
22	-	72	0.3 %
23	-	51	0.2 %
24	-	61	0.2 %
25	-	51	0.2 %
26	-	40	0.2 %
27	-	53	0.2 %
28	-	61	0.2 %
29	-	41	0.2 %
30	-	44	0.2 %
31	-	9	0.0 %
Missing Data			
.	-	23579	92.5 %
Total		25,479	100%

Based upon 1,900 valid cases out of 25,479 total cases.

- Mean: 14.82
- Median: 15.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 31.00
- Standard Deviation: 8.35

Location: 445-446 (width: 2; decimal: 0)

Variable Type: numeric

XLB34GM: EH31 21.21g Immun Polio2 month

Value	Label	Unweighted Frequency	%
1	-	183	0.7 %
2	-	154	0.6 %
3	-	159	0.6 %
4	-	138	0.5 %
5	-	115	0.5 %
6	-	164	0.6 %
7	-	160	0.6 %
8	-	159	0.6 %
9	-	153	0.6 %
10	-	154	0.6 %
11	-	178	0.7 %
12	-	184	0.7 %
Missing Data			
.	-	23578	92.5 %
Total		25,479	100%

Based upon 1,901 valid cases out of 25,479 total cases.

- Mean: 6.60
- Median: 7.00
- Mode: 12.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.57

Location: 447-448 (width: 2; decimal: 0)

Variable Type: numeric

XLB34GY: EH31 21.21g Immun Polio2 year

Value	Label	Unweighted Frequency	%
2000	-	112	0.4 %
2001	-	162	0.6 %
2002	-	311	1.2 %

Value	Label	Unweighted Frequency	%
2003	-	497	2.0 %
2004	-	686	2.7 %
2005	-	141	0.6 %
Missing Data			
.	-	23570	92.5 %
Total		25,479	100%

Based upon 1,909 valid cases out of 25,479 total cases.

- Mean: 2003.00
- Median: 2003.00
- Mode: 2004.00
- Minimum: 2000.00
- Maximum: 2005.00
- Standard Deviation: 1.30

Location: 449-452 (width: 4; decimal: 0)

Variable Type: numeric

XLB34GDATE: EH31 21.21g Immun Polio2 date(integer)

Value	Label	Unweighted Frequency	%
14642	-	1	0.0 %
14661	-	1	0.0 %
14666	-	1	0.0 %
14680	-	1	0.0 %
14691	-	1	0.0 %
14692	-	1	0.0 %
14699	-	1	0.0 %
14705	-	1	0.0 %
14720	-	1	0.0 %
14724	-	1	0.0 %
14736	-	1	0.0 %
14739	-	1	0.0 %
14740	-	1	0.0 %
14741	-	1	0.0 %
14746	-	1	0.0 %
14749	-	1	0.0 %
14768	-	1	0.0 %
14769	-	2	0.0 %
14771	-	2	0.0 %
14775	-	3	0.0 %
14776	-	1	0.0 %

Value	Label	Unweighted Frequency	%
14781	-	1	0.0 %
14782	-	2	0.0 %
14783	-	1	0.0 %
14786	-	1	0.0 %
14791	-	7	0.0 %
14795	-	3	0.0 %
14796	-	2	0.0 %
14802	-	1	0.0 %
14804	-	2	0.0 %
14808	-	1	0.0 %
14809	-	1	0.0 %
14811	-	2	0.0 %
14812	-	1	0.0 %
14813	-	1	0.0 %
14815	-	1	0.0 %
14817	-	1	0.0 %
14821	-	1	0.0 %
14823	-	1	0.0 %
14824	-	1	0.0 %
14830	-	1	0.0 %
14831	-	1	0.0 %
14832	-	1	0.0 %
14834	-	1	0.0 %
14835	-	1	0.0 %
14838	-	1	0.0 %
14841	-	1	0.0 %
14843	-	1	0.0 %
14844	-	1	0.0 %
14846	-	1	0.0 %
Missing Data			
.	-	23570	92.5 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,909 valid cases out of 25,479 total cases.

- Mean: 15889.33
- Minimum: 14642.00
- Maximum: 16713.00
- Standard Deviation: 467.02

Location: 453-457 (width: 5; decimal: 0)

Variable Type: numeric

XLB34HD: EH31 21.21h Immun Polio3 day

Value	Label	Unweighted Frequency	%
1	-	41	0.2 %
2	-	42	0.2 %
3	-	66	0.3 %
4	-	74	0.3 %
5	-	58	0.2 %
6	-	47	0.2 %
7	-	46	0.2 %
8	-	66	0.3 %
9	-	56	0.2 %
10	-	64	0.3 %
11	-	58	0.2 %
12	-	69	0.3 %
13	-	52	0.2 %
14	-	53	0.2 %
15	-	65	0.3 %
16	-	63	0.2 %
17	-	70	0.3 %
18	-	53	0.2 %
19	-	67	0.3 %
20	-	91	0.4 %
21	-	64	0.3 %
22	-	63	0.2 %
23	-	46	0.2 %
24	-	47	0.2 %
25	-	51	0.2 %
26	-	44	0.2 %
27	-	43	0.2 %
28	-	62	0.2 %
29	-	39	0.2 %
30	-	31	0.1 %
31	-	14	0.1 %
Missing Data			
.	-	23774	93.3 %
Total		25,479	100%

Based upon 1,705 valid cases out of 25,479 total cases.

- Mean: 15.26
- Median: 15.00
- Mode: 20.00
- Minimum: 1.00
- Maximum: 31.00
- Standard Deviation: 8.26

Location: 458-459 (width: 2; decimal: 0)

Variable Type: numeric

XLB34HM: EH31 21.21h Immun Polio3 month

Value	Label	Unweighted Frequency	%
1	-	128	0.5 %
2	-	146	0.6 %
3	-	161	0.6 %
4	-	121	0.5 %
5	-	131	0.5 %
6	-	114	0.4 %
7	-	146	0.6 %
8	-	150	0.6 %
9	-	158	0.6 %
10	-	135	0.5 %
11	-	136	0.5 %
12	-	179	0.7 %
Missing Data			
.	-	23774	93.3 %
Total		25,479	100%

Based upon 1,705 valid cases out of 25,479 total cases.

- Mean: 6.67
- Median: 7.00
- Mode: 12.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.51

Location: 460-461 (width: 2; decimal: 0)

Variable Type: numeric

XLB34HY: EH31 21.21h Immun Polio3 year

Value	Label	Unweighted Frequency	%
2000	-	99	0.4 %
2001	-	138	0.5 %
2002	-	272	1.1 %

Value	Label	Unweighted Frequency	%
2003	-	462	1.8 %
2004	-	582	2.3 %
2005	-	162	0.6 %
Missing Data			
.	-	23764	93.3 %
Total		25,479	100%

Based upon 1,715 valid cases out of 25,479 total cases.

- Mean: 2003.04
- Median: 2003.00
- Mode: 2004.00
- Minimum: 2000.00
- Maximum: 2005.00
- Standard Deviation: 1.31

Location: 462-465 (width: 4; decimal: 0)

Variable Type: numeric

XLB34HDATE: EH31 21.21b Immun Polio3 date(integer)

Value	Label	Unweighted Frequency	%
14691	-	1	0.0 %
14708	-	1	0.0 %
14709	-	1	0.0 %
14719	-	1	0.0 %
14722	-	1	0.0 %
14748	-	1	0.0 %
14759	-	1	0.0 %
14781	-	1	0.0 %
14783	-	1	0.0 %
14789	-	2	0.0 %
14791	-	8	0.0 %
14801	-	2	0.0 %
14804	-	1	0.0 %
14806	-	1	0.0 %
14810	-	2	0.0 %
14811	-	1	0.0 %
14817	-	1	0.0 %
14821	-	1	0.0 %
14825	-	1	0.0 %
14826	-	2	0.0 %
14830	-	1	0.0 %

Value	Label	Unweighted Frequency	%
14831	-	3	0.0 %
14835	-	1	0.0 %
14839	-	2	0.0 %
14846	-	1	0.0 %
14847	-	1	0.0 %
14851	-	1	0.0 %
14852	-	1	0.0 %
14856	-	1	0.0 %
14859	-	1	0.0 %
14860	-	1	0.0 %
14861	-	1	0.0 %
14862	-	2	0.0 %
14866	-	1	0.0 %
14867	-	1	0.0 %
14869	-	1	0.0 %
14873	-	2	0.0 %
14874	-	1	0.0 %
14876	-	1	0.0 %
14877	-	1	0.0 %
14884	-	1	0.0 %
14886	-	2	0.0 %
14887	-	1	0.0 %
14905	-	1	0.0 %
14906	-	1	0.0 %
14908	-	1	0.0 %
14909	-	1	0.0 %
14913	-	1	0.0 %
14915	-	1	0.0 %
14916	-	2	0.0 %
Missing Data			
.	-	23764	93.3 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,715 valid cases out of 25,479 total cases.

- Mean: 15905.13
- Minimum: 14691.00
- Maximum: 16791.00
- Standard Deviation: 464.27

Location: 466-470 (width: 5; decimal: 0)

Variable Type: numeric

XLB34ID: EH31 21.21i Immun Measles day

Value	Label	Unweighted Frequency	%
1	-	42	0.2 %
2	-	39	0.2 %
3	-	45	0.2 %
4	-	39	0.2 %
5	-	39	0.2 %
6	-	53	0.2 %
7	-	46	0.2 %
8	-	39	0.2 %
9	-	52	0.2 %
10	-	47	0.2 %
11	-	42	0.2 %
12	-	51	0.2 %
13	-	49	0.2 %
14	-	42	0.2 %
15	-	58	0.2 %
16	-	59	0.2 %
17	-	63	0.2 %
18	-	46	0.2 %
19	-	52	0.2 %
20	-	59	0.2 %
21	-	35	0.1 %
22	-	45	0.2 %
23	-	34	0.1 %
24	-	32	0.1 %
25	-	40	0.2 %
26	-	34	0.1 %
27	-	40	0.2 %
28	-	41	0.2 %
29	-	24	0.1 %
30	-	26	0.1 %
31	-	17	0.1 %
Missing Data			
.	-	24149	94.8 %
Total		25,479	100%

Based upon 1,330 valid cases out of 25,479 total cases.

- Mean: 15.09
- Median: 15.00
- Mode: 17.00
- Minimum: 1.00
- Maximum: 31.00
- Standard Deviation: 8.25

Location: 471-472 (width: 2; decimal: 0)

Variable Type: numeric

XLB34IM: EH31 21.21i Immun Measles month

Value	Label	Unweighted Frequency	%
1	-	104	0.4 %
2	-	107	0.4 %
3	-	109	0.4 %
4	-	100	0.4 %
5	-	118	0.5 %
6	-	109	0.4 %
7	-	123	0.5 %
8	-	122	0.5 %
9	-	103	0.4 %
10	-	99	0.4 %
11	-	102	0.4 %
12	-	132	0.5 %
Missing Data			
.	-	24151	94.8 %
Total		25,479	100%

Based upon 1,328 valid cases out of 25,479 total cases.

- Mean: 6.59
- Median: 7.00
- Mode: 12.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.45

Location: 473-474 (width: 2; decimal: 0)

Variable Type: numeric

XLB34IY: EH31 21.21i Immun Measles year

Value	Label	Unweighted Frequency	%
2000	-	53	0.2 %
2001	-	116	0.5 %
2002	-	223	0.9 %

Value	Label	Unweighted Frequency	%
2003	-	331	1.3 %
2004	-	487	1.9 %
2005	-	134	0.5 %
Missing Data			
.	-	24135	94.7 %
Total		25,479	100%

Based upon 1,344 valid cases out of 25,479 total cases.

- Mean: 2003.10
- Median: 2003.00
- Mode: 2004.00
- Minimum: 2000.00
- Maximum: 2005.00
- Standard Deviation: 1.27

Location: 475-478 (width: 4; decimal: 0)

Variable Type: numeric

XLB34IDATE: EH31 21.21i Immun Measles date(integer)

Value	Label	Unweighted Frequency	%
14632	-	1	0.0 %
14634	-	1	0.0 %
14642	-	1	0.0 %
14646	-	1	0.0 %
14656	-	1	0.0 %
14661	-	1	0.0 %
14677	-	1	0.0 %
14690	-	1	0.0 %
14717	-	1	0.0 %
14724	-	1	0.0 %
14732	-	1	0.0 %
14735	-	1	0.0 %
14741	-	1	0.0 %
14746	-	1	0.0 %
14749	-	1	0.0 %
14752	-	1	0.0 %
14773	-	3	0.0 %
14775	-	1	0.0 %
14791	-	13	0.1 %
14836	-	1	0.0 %
14844	-	1	0.0 %

Value	Label	Unweighted Frequency	%
14851	-	1	0.0 %
14856	-	1	0.0 %
14865	-	1	0.0 %
14869	-	1	0.0 %
14882	-	1	0.0 %
14888	-	1	0.0 %
14901	-	1	0.0 %
14913	-	1	0.0 %
14924	-	1	0.0 %
14929	-	1	0.0 %
14930	-	1	0.0 %
14943	-	1	0.0 %
14951	-	1	0.0 %
14957	-	1	0.0 %
14958	-	1	0.0 %
14963	-	1	0.0 %
14968	-	1	0.0 %
14975	-	1	0.0 %
14982	-	1	0.0 %
14984	-	2	0.0 %
14992	-	1	0.0 %
15000	-	1	0.0 %
15008	-	1	0.0 %
15010	-	1	0.0 %
15013	-	1	0.0 %
15019	-	1	0.0 %
15022	-	1	0.0 %
15035	-	1	0.0 %
15039	-	1	0.0 %
Missing Data			
.	-	24135	94.7 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,344 valid cases out of 25,479 total cases.

- Mean: 15927.88
- Minimum: 14632.00
- Maximum: 16798.00
- Standard Deviation: 458.21

Location: 479-483 (width: 5; decimal: 0)

Variable Type: numeric

XLB35: EH31 21.22 LB Vacc not recorded

Value	Label	Unweighted Frequency	%
0	No 0	3439	13.5 %
1	Yes 1	1365	5.4 %
	Missing Data		
.	-	20675	81.1 %
	Total	25,479	100%

Based upon 4,804 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 484-484 (width: 1; decimal: 0)

Variable Type: numeric

XLB36: EH31 21.23 LB Vacc No card

Value	Label	Unweighted Frequency	%
0	No, has vacc card 0	1155	4.5 %
1	Yes, no vacc card 1	5732	22.5 %
	Missing Data		
.	-	18592	73.0 %
	Total	25,479	100%

Based upon 6,887 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 485-485 (width: 1; decimal: 0)

Variable Type: numeric

XLB37: EH31 21.24 LB BCG given

Value	Label	Unweighted Frequency	%
0	No 0	1403	5.5 %
1	Yes 1	5219	20.5 %
	Missing Data		
.	-	18857	74.0 %
	Total	25,479	100%

Based upon 6,622 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 486-486 (width: 1; decimal: 0)

Variable Type: numeric

XLB38: EH31 21.25 LB # DPT given

Value	Label	Unweighted Frequency	%
0	-	1540	6.0 %
1	-	827	3.2 %
2	-	870	3.4 %
3	-	3134	12.3 %
4	-	92	0.4 %
5	-	41	0.2 %
6	-	27	0.1 %
7	-	5	0.0 %
8	-	21	0.1 %
9	-	7	0.0 %
Missing Data			
.	-	18915	74.2 %
Total		25,479	100%

Based upon 6,564 valid cases out of 25,479 total cases.

- Mean: 1.98
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 1.38

Location: 487-487 (width: 1; decimal: 0)

Variable Type: numeric

XLB39: EH31 21.26a LB Polio frequency

Value	Label	Unweighted Frequency	%
0	-	365	1.4 %
1	-	656	2.6 %
2	-	803	3.2 %
3	-	2181	8.6 %
4	-	585	2.3 %
5	-	509	2.0 %
6	-	500	2.0 %
7	-	121	0.5 %

Value	Label	Unweighted Frequency	%
8	-	309	1.2 %
9	-	561	2.2 %
	Missing Data		
.	-	18889	74.1 %
	Total	25,479	100%

Based upon 6,590 valid cases out of 25,479 total cases.

- Mean: 3.80
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 2.45

Location: 488-488 (width: 1; decimal: 0)

Variable Type: numeric

XLB39A: EH31 21.26b LB First polio time

Value	Label	Unweighted Frequency	%
1	< a week 1	2285	9.0 %
2	> a week 2	3613	14.2 %
	Missing Data		
.	-	19581	76.9 %
	Total	25,479	100%

Based upon 5,898 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 489-489 (width: 1; decimal: 0)

Variable Type: numeric

XLB40: EH31 21.27 LB Measles vaccine

Value	Label	Unweighted Frequency	%
0	No 0	2777	10.9 %
1	Yes 1	3844	15.1 %
	Missing Data		
.	-	18858	74.0 %
	Total	25,479	100%

Based upon 6,621 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 490-490 (width: 1; decimal: 0)

Variable Type: numeric

XLB41: EH31 21.28 LB Vaccine Centre

Value	Label	Unweighted Frequency	%
1	Public hospital, clinic or health centre 1	4809	18.9 %
2	Vaccination camp or pulse polio campaign 2	1402	5.5 %
3	Private medical clinic 3	643	2.5 %
4	Nurse or health worker came home 4	922	3.6 %
5	Govt. worker in private 5	85	0.3 %
Missing Data			
.	-	17618	69.1 %
Total		25,479	100%

Based upon 7,861 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 491-491 (width: 1; decimal: 0)

Variable Type: numeric

XLB42: EH31 21.29 LB mos. Vitamin A

Value	Label	Unweighted Frequency	%
0	-	632	2.5 %
1	-	346	1.4 %
2	-	221	0.9 %
3	-	167	0.7 %
4	-	110	0.4 %
5	-	82	0.3 %
6	-	178	0.7 %
7	-	55	0.2 %
8	-	137	0.5 %
9	-	142	0.6 %
10	-	51	0.2 %
11	-	75	0.3 %
12	-	118	0.5 %
13	-	14	0.1 %
14	-	30	0.1 %
15	-	14	0.1 %

Value	Label	Unweighted Frequency	%
16	-	30	0.1 %
17	-	14	0.1 %
18	-	35	0.1 %
19	-	24	0.1 %
20	-	17	0.1 %
21	-	10	0.0 %
22	-	9	0.0 %
23	-	8	0.0 %
24	-	93	0.4 %
25	-	9	0.0 %
26	-	10	0.0 %
27	-	15	0.1 %
28	-	11	0.0 %
29	-	7	0.0 %
30	-	17	0.1 %
31	-	4	0.0 %
32	-	6	0.0 %
33	-	3	0.0 %
34	-	8	0.0 %
35	-	3	0.0 %
36	-	35	0.1 %
37	-	4	0.0 %
38	-	6	0.0 %
39	-	6	0.0 %
40	-	2	0.0 %
41	-	3	0.0 %
43	-	2	0.0 %
44	-	3	0.0 %
45	-	2	0.0 %
47	-	1	0.0 %
48	-	5	0.0 %
49	-	3	0.0 %
50	-	3	0.0 %
59	-	1	0.0 %
Missing Data			
.	-	22686	89.0 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,793 valid cases out of 25,479 total cases.

- Mean: 7.52
- Median: 4.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 69.00
- Standard Deviation: 9.98

Location: 492-493 (width: 2; decimal: 0)

Variable Type: numeric

XLB43: EH32 21.30 LB Breastfeeding

Value	Label	Unweighted Frequency	%
0	No 0	111	0.4 %
1	Yes 1	8953	35.1 %
	Missing Data		
-		16415	64.4 %
	Total	25,479	100%

Based upon 9,064 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 494-494 (width: 1; decimal: 0)

Variable Type: numeric

XLB44: EH32 21.31 LB 1st breastfeeding

Value	Label	Unweighted Frequency	%
0	Less than 1 hour 0	2354	9.2 %
1	-	1201	4.7 %
2	-	984	3.9 %
3	-	479	1.9 %
4	-	276	1.1 %
5	-	187	0.7 %
6	-	132	0.5 %
7	-	50	0.2 %
8	-	103	0.4 %
9	-	58	0.2 %
10	-	23	0.1 %
11	-	2	0.0 %
12	-	174	0.7 %

Value	Label	Unweighted Frequency	%
13	-	6	0.0 %
14	-	13	0.1 %
15	-	6	0.0 %
16	-	15	0.1 %
17	-	3	0.0 %
18	-	18	0.1 %
19	-	2	0.0 %
20	-	17	0.1 %
21	-	2	0.0 %
22	-	12	0.0 %
24	-	801	3.1 %
25	-	4	0.0 %
26	-	16	0.1 %
27	-	9	0.0 %
28	-	9	0.0 %
30	-	16	0.1 %
32	-	3	0.0 %
34	-	1	0.0 %
35	-	1	0.0 %
36	-	200	0.8 %
38	-	1	0.0 %
40	-	4	0.0 %
42	-	3	0.0 %
44	-	1	0.0 %
45	-	2	0.0 %
46	-	2	0.0 %
48	-	415	1.6 %
50	-	2	0.0 %
52	-	1	0.0 %
55	-	1	0.0 %
56	-	1	0.0 %
60	-	19	0.1 %
62	-	5	0.0 %
66	-	1	0.0 %
68	-	1	0.0 %
70	-	1	0.0 %
72	-	525	2.1 %
Missing Data			
.	-	16619	65.2 %

Value	Label	Unweighted Frequency	%
	Total	25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 8,860 valid cases out of 25,479 total cases.

- Mean: 18.99
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 96.00
- Standard Deviation: 29.84

Location: 495-496 (width: 2; decimal: 0)

Variable Type: numeric

XLB45: EH32 21.32 LB Squeeze milk

Value	Label	Unweighted Frequency	%
0	No 0	4420	17.3 %
1	Yes 1	4497	17.6 %
	Missing Data		
.	-	16562	65.0 %
	Total	25,479	100%

Based upon 8,917 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 497-497 (width: 1; decimal: 0)

Variable Type: numeric

XLB46Y: EQ34 22.46 LB Still breastfeeding

Value	Label	Unweighted Frequency	%
0	No 0	4022	15.8 %
1	Yes 1	4956	19.5 %
	Missing Data		
.	-	16501	64.8 %
	Total	25,479	100%

Based upon 8,978 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 498-498 (width: 1; decimal: 0)

Variable Type: numeric

XLB46: EH32 21.33 LB Breastfeeding dur

Value	Label	Unweighted Frequency	%
0	-	238	0.9 %
1	-	46	0.2 %
2	-	43	0.2 %
3	-	80	0.3 %
4	-	77	0.3 %
5	-	78	0.3 %
6	-	113	0.4 %
7	-	30	0.1 %
8	-	79	0.3 %
9	-	175	0.7 %
10	-	105	0.4 %
11	-	53	0.2 %
12	-	691	2.7 %
13	-	39	0.2 %
14	-	61	0.2 %
15	-	131	0.5 %
16	-	60	0.2 %
17	-	20	0.1 %
18	-	436	1.7 %
19	-	24	0.1 %
20	-	38	0.1 %
21	-	13	0.1 %
22	-	19	0.1 %
23	-	11	0.0 %
24	-	799	3.1 %
25	-	11	0.0 %
26	-	32	0.1 %
27	-	2	0.0 %
28	-	40	0.2 %
29	-	6	0.0 %
30	-	132	0.5 %
33	-	2	0.0 %
34	-	2	0.0 %
35	-	2	0.0 %
36	-	273	1.1 %
37	-	1	0.0 %

Value	Label	Unweighted Frequency	%
38	-	3	0.0 %
40	-	6	0.0 %
42	-	4	0.0 %
43	-	1	0.0 %
44	-	1	0.0 %
46	-	1	0.0 %
47	-	1	0.0 %
48	-	42	0.2 %
66	-	1	0.0 %
Missing Data			
.	-	21457	84.2 %
Total		25,479	100%

Based upon 4,022 valid cases out of 25,479 total cases.

- Mean: 16.70
- Median: 15.00
- Mode: 24.00
- Minimum: 0.00
- Maximum: 66.00
- Standard Deviation: 10.18

Location: 499-500 (width: 2; decimal: 0)

Variable Type: numeric

XLB47AY: EH32 21.34a LB Any diet supp

Value	Label	Unweighted Frequency	%
0	supplement 0	7065	27.7 %
1	not yet 90=1	1485	5.8 %
Missing Data			
.	-	16929	66.4 %
Total		25,479	100%

Based upon 8,550 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 501-501 (width: 1; decimal: 0)

Variable Type: numeric

XLB47A: EH32 21.34a LB Age at diet supp

Value	Label	Unweighted Frequency	%
0	-	1403	5.5 %

Value	Label	Unweighted Frequency	%
1	-	197	0.8 %
2	-	205	0.8 %
3	-	355	1.4 %
4	-	509	2.0 %
5	-	525	2.1 %
6	-	1401	5.5 %
7	-	340	1.3 %
8	-	440	1.7 %
9	-	336	1.3 %
10	-	247	1.0 %
11	-	60	0.2 %
12	-	546	2.1 %
13	-	58	0.2 %
14	-	57	0.2 %
15	-	41	0.2 %
16	-	24	0.1 %
17	-	5	0.0 %
18	-	106	0.4 %
19	-	6	0.0 %
20	-	16	0.1 %
21	-	4	0.0 %
22	-	3	0.0 %
24	-	116	0.5 %
25	-	9	0.0 %
26	-	1	0.0 %
27	-	1	0.0 %
30	-	9	0.0 %
32	-	3	0.0 %
34	-	3	0.0 %
35	-	1	0.0 %
36	-	24	0.1 %
38	-	2	0.0 %
40	-	6	0.0 %
44	-	1	0.0 %
45	-	2	0.0 %
46	-	1	0.0 %
48	-	1	0.0 %
66	-	1	0.0 %
Missing Data			

Value	Label	Unweighted Frequency	%
-	-	18414	72.3 %
Total		25,479	100%

Based upon 7,065 valid cases out of 25,479 total cases.

- Mean: 6.16
- Median: 6.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 66.00
- Standard Deviation: 5.61

Location: 502-503 (width: 2; decimal: 0)

Variable Type: numeric

XLB47BY: EQ34 22.47a LB no solid foods yet

Value	Label	Unweighted Frequency	%
0	supplement 0	7255	28.5 %
1	not yet 90=1	1404	5.5 %
Missing Data			
-	-	16820	66.0 %
Total		25,479	100%

Based upon 8,659 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 504-504 (width: 1; decimal: 0)

Variable Type: numeric

XLB47B: EH32 21.34b LB Any Solid food

Value	Label	Unweighted Frequency	%
0	-	493	1.9 %
1	-	27	0.1 %
2	-	30	0.1 %
3	-	91	0.4 %
4	-	238	0.9 %
5	-	400	1.6 %
6	-	1476	5.8 %
7	-	723	2.8 %
8	-	972	3.8 %
9	-	603	2.4 %
10	-	387	1.5 %

Value	Label	Unweighted Frequency	%
11	-	141	0.6 %
12	-	959	3.8 %
13	-	52	0.2 %
14	-	75	0.3 %
15	-	74	0.3 %
16	-	78	0.3 %
17	-	10	0.0 %
18	-	152	0.6 %
19	-	5	0.0 %
20	-	28	0.1 %
21	-	3	0.0 %
22	-	4	0.0 %
24	-	133	0.5 %
25	-	15	0.1 %
26	-	3	0.0 %
28	-	3	0.0 %
30	-	27	0.1 %
32	-	4	0.0 %
33	-	1	0.0 %
34	-	3	0.0 %
36	-	27	0.1 %
37	-	5	0.0 %
38	-	2	0.0 %
40	-	8	0.0 %
44	-	2	0.0 %
66	-	1	0.0 %
Missing Data			
.	-	18224	71.5 %
Total		25,479	100%

Based upon 7,255 valid cases out of 25,479 total cases.

- Mean: 8.50
- Median: 8.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 66.00
- Standard Deviation: 5.27

Location: 505-506 (*width:* 2; *decimal:* 0)

Variable Type: numeric

XLB48: EH32 21.35 LB AWC beneficiary

Value	Label	Unweighted Frequency	%
0	No 0	6557	25.7 %
1	While pregnant 1	736	2.9 %
2	While lactating 2	514	2.0 %
3	Both 3	584	2.3 %
	Missing Data		
.	-	17088	67.1 %
	Total	25,479	100%

Based upon 8,391 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 507-507 (width: 1; decimal: 0)

Variable Type: numeric

XLB49A1: EH32 21.36a LB AWC:Immunization

Value	Label	Unweighted Frequency	%
0	No 0	6650	26.1 %
1	Yes 1	2314	9.1 %
	Missing Data		
.	-	16515	64.8 %
	Total	25,479	100%

Based upon 8,964 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 508-508 (width: 1; decimal: 0)

Variable Type: numeric

XLB49A2: EH32 21.36a LB AWC:Immun freq

Value	Label	Unweighted Frequency	%
1	Daily 1	100	0.4 %
2	At least 1/week 2	266	1.0 %
3	At least 1/fortnight 3	95	0.4 %
4	At least 1/month 4	1487	5.8 %
5	At least 1/quarter 5	275	1.1 %
6	At least 1/year 6	85	0.3 %
7	Never 7	6668	26.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	16503	64.8 %
	Total	25,479	100%

Based upon 8,976 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 509-509 (width: 1; decimal: 0)

Variable Type: numeric

XLB49B1: EH32 21.36b LB AWC:Health check

Value	Label	Unweighted Frequency	%
0	No 0	7151	28.1 %
1	Yes 1	1736	6.8 %
	Missing Data		
.	-	16592	65.1 %
	Total	25,479	100%

Based upon 8,887 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 510-510 (width: 1; decimal: 0)

Variable Type: numeric

XLB49B2: EH32 21.36b LB AWC:Checkup freq

Value	Label	Unweighted Frequency	%
1	Daily 1	52	0.2 %
2	At least 1/week 2	135	0.5 %
3	At least 1/fortnight 3	132	0.5 %
4	At least 1/month 4	1188	4.7 %
5	At least 1/quarter 5	174	0.7 %
6	At least 1/year 6	50	0.2 %
7	Never 7	7168	28.1 %
	Missing Data		
.	-	16580	65.1 %
	Total	25,479	100%

Based upon 8,899 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 511-511 (width: 1; decimal: 0)

Variable Type: numeric

XLB49C1: EH32 21.36d LB AWC:Grow monitor

Value	Label	Unweighted Frequency	%
0	No 0	6949	27.3 %
1	Yes 1	1919	7.5 %
	Missing Data		
.	-	16611	65.2 %
	Total	25,479	100%

Based upon 8,868 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 512-512 (width: 1; decimal: 0)

Variable Type: numeric

XLB49C2: EH32 21.36d LB AWC:Growth freq

Value	Label	Unweighted Frequency	%
1	Daily 1	77	0.3 %
2	At least 1/week 2	130	0.5 %
3	At least 1/fortnight 3	126	0.5 %
4	At least 1/month 4	1263	5.0 %
5	At least 1/quarter 5	249	1.0 %
6	At least 1/year 6	66	0.3 %
7	Never 7	6976	27.4 %
	Missing Data		
.	-	16592	65.1 %
	Total	25,479	100%

Based upon 8,887 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 513-513 (width: 1; decimal: 0)

Variable Type: numeric

XLB49D1: EH32 21.36e LB AWC:Educ

Value	Label	Unweighted Frequency	%
0	No 0	8034	31.5 %
1	Yes 1	829	3.3 %
	Missing Data		
.	-	16616	65.2 %
	Total	25,479	100%

Based upon 8,863 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 514-514 (width: 1; decimal: 0)

Variable Type: numeric

XLB49D2: EH32 21.36e LB AWC:Educ freq

Value	Label	Unweighted Frequency	%
1	Daily 1	585	2.3 %
2	At least 1/week 2	55	0.2 %
3	At least 1/fortnight 3	15	0.1 %
4	At least 1/month 4	85	0.3 %
5	At least 1/quarter 5	16	0.1 %
6	At least 1/year 6	70	0.3 %
7	Never 7	8062	31.6 %
	Missing Data		
.	-	16591	65.1 %
	Total	25,479	100%

Based upon 8,888 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 515-515 (width: 1; decimal: 0)

Variable Type: numeric

XLB49E1: EH32 21.36c LB AWC:Food

Value	Label	Unweighted Frequency	%
0	No 0	6935	27.2 %
1	Yes 1	1945	7.6 %
	Missing Data		
.	-	16599	65.1 %
	Total	25,479	100%

Based upon 8,880 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 516-516 (width: 1; decimal: 0)

Variable Type: numeric

XLB49E2: EH32 21.36c LB AWC:Food freq

Value	Label	Unweighted Frequency	%
1	Daily/. 1	966	3.8 %
2	Weekly/ Last month 2	280	1.1 %
3	Fortnightly/. 3	54	0.2 %
4	Monthly/. 4	477	1.9 %
5	Quarterly/ Ever 5	65	0.3 %
6	Yearly/. 6	92	0.4 %
7	Never/ Never 7	6957	27.3 %
Missing Data			
.	-	16588	65.1 %
Total		25,479	100%

Based upon 8,891 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 517-517 (width: 1; decimal: 0)

Variable Type: numeric

XOG1: EH37 24.1 Obs: Purpose

Value	Label	Unweighted Frequency	%
1	No difficulty 1	20685	81.2 %
2	Some difficulty 2	4012	15.7 %
3	A lot of difficulty 3	658	2.6 %
Missing Data			
.	-	124	0.5 %
Total		25,479	100%

Based upon 25,355 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 518-518 (width: 1; decimal: 0)

Variable Type: numeric

XOG2: EH37 24.2 Obs: Understanding

Value	Label	Unweighted Frequency	%
1	No difficulty 1	19866	78.0 %
2	Some difficulty 2	4714	18.5 %
3	A lot of difficulty 3	790	3.1 %
	Missing Data		
.	-	109	0.4 %
	Total	25,479	100%

Based upon 25,370 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 519-519 (width: 1; decimal: 0)

Variable Type: numeric

XOG3: EH37 24.3 Obs: Clarity

Value	Label	Unweighted Frequency	%
1	Rarely 1	698	2.7 %
2	Sometimes 2	8091	31.8 %
3	Ususally 3	16621	65.2 %
	Missing Data		
.	-	69	0.3 %
	Total	25,479	100%

Based upon 25,410 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 520-520 (width: 1; decimal: 0)

Variable Type: numeric

XOG5: EH37 24.4 Obs: Knows expenditure

Value	Label	Unweighted Frequency	%
1	Very little knowledge 1	1770	6.9 %
2	Somewhat 2	10611	41.6 %
3	Very knowledgeable 3	13036	51.2 %
	Missing Data		
.	-	62	0.2 %
	Total	25,479	100%

Based upon 25,417 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 521-521 (width: 1; decimal: 0)

Variable Type: numeric

XOG6: EH37 24.5 Obs: Confidence

Value	Label	Unweighted Frequency	%
1	Rarely 1	337	1.3 %
2	Sometimes 2	8016	31.5 %
3	Ususally 3	17067	67.0 %
	Missing Data		
.	-	59	0.2 %
	Total	25,479	100%

Based upon 25,420 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 522-522 (width: 1; decimal: 0)

Variable Type: numeric

XOG8DATE: EQ35 24.8 Interview completion integer date [IHDS2]

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	25479	100.0 %
	Total	25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 523-523 (width: 1; decimal: 0)

Variable Type: numeric

XOG9A: EH34 24.9 Interview end hour

Value	Label	Unweighted Frequency	%
0	-	5	0.0 %
1	-	3146	12.3 %
2	-	2851	11.2 %
3	-	2706	10.6 %
4	-	2833	11.1 %
5	-	2505	9.8 %
6	-	1504	5.9 %

Value	Label	Unweighted Frequency	%
7	-	476	1.9 %
8	-	310	1.2 %
9	-	694	2.7 %
10	-	1948	7.6 %
11	-	3014	11.8 %
12	-	3295	12.9 %
Missing Data			
.	-	192	0.8 %
Total		25,479	100%

Based upon 25,287 valid cases out of 25,479 total cases.

- Mean: 6.09
- Median: 5.00
- Mode: 12.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 3.95

Location: 524-525 (width: 2; decimal: 0)

Variable Type: numeric

XOG9B: EH34 24.9 Interview end minute

Value	Label	Unweighted Frequency	%
0	-	3872	15.2 %
1	-	3	0.0 %
2	-	39	0.2 %
3	-	14	0.1 %
4	-	7	0.0 %
5	-	1292	5.1 %
6	-	5	0.0 %
7	-	12	0.0 %
8	-	19	0.1 %
9	-	6	0.0 %
10	-	2330	9.1 %
11	-	6	0.0 %
12	-	18	0.1 %
13	-	9	0.0 %
14	-	6	0.0 %
15	-	2014	7.9 %
16	-	3	0.0 %
17	-	7	0.0 %

Value	Label	Unweighted Frequency	%
18	-	19	0.1 %
19	-	4	0.0 %
20	-	2108	8.3 %
21	-	4	0.0 %
22	-	17	0.1 %
23	-	6	0.0 %
24	-	3	0.0 %
25	-	1106	4.3 %
26	-	5	0.0 %
27	-	6	0.0 %
28	-	19	0.1 %
29	-	6	0.0 %
30	-	3754	14.7 %
31	-	2	0.0 %
32	-	18	0.1 %
33	-	4	0.0 %
34	-	4	0.0 %
35	-	1147	4.5 %
36	-	8	0.0 %
37	-	12	0.0 %
38	-	23	0.1 %
39	-	4	0.0 %
40	-	2108	8.3 %
41	-	6	0.0 %
42	-	23	0.1 %
43	-	8	0.0 %
45	-	2126	8.3 %
46	-	4	0.0 %
47	-	7	0.0 %
48	-	34	0.1 %
49	-	7	0.0 %
50	-	1741	6.8 %
Missing Data			
.	-	400	1.6 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,079 valid cases out of 25,479 total cases.

- Mean: 24.67
- Median: 25.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 59.00
- Standard Deviation: 17.18

Location: 526-527 (width: 2; decimal: 0)

Variable Type: numeric

XOG9C: EH34 24.9 Interview end time

Value	Label	Unweighted Frequency	%
1	-	5921	23.2 %
2	-	18925	74.3 %
	Missing Data		
.	-	633	2.5 %
	Total	25,479	100%

Based upon 24,846 valid cases out of 25,479 total cases.

- Mean: 1.76
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.43

Location: 528-528 (width: 1; decimal: 0)

Variable Type: numeric

XOG10: EH37 24.7 Completion status

Value	Label	Unweighted Frequency	%
1	-	25051	98.3 %
2	-	304	1.2 %
	Missing Data		
.	-	124	0.5 %
	Total	25,479	100%

Based upon 25,355 valid cases out of 25,479 total cases.

- Mean: 1.01
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.11

Location: 529-529 (width: 1; decimal: 0)

Variable Type: numeric

XFHCHK: EQ27 19 One+ live births

Value	Label	Unweighted Frequency	%
0	No 0	1895	7.4 %
1	Yes 1	22558	88.5 %
	Missing Data		
.	-	1026	4.0 %
	Total	25,479	100%

Based upon 24,453 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 530-530 (width: 1; decimal: 0)

Variable Type: numeric

XFPWHO: EH28 20 Others present

Value	Label	Unweighted Frequency	%
1	Nobody 1	12742	50.0 %
2	Adults 2	5486	21.5 %
3	Children 3	1496	5.9 %
4	Adults+Children 4	4217	16.6 %
	Missing Data		
.	-	1538	6.0 %
	Total	25,479	100%

Based upon 23,941 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 531-531 (width: 1; decimal: 0)

Variable Type: numeric

XPSUWAVES: which surveys PSU has been in

Value	Label	Unweighted Frequency	%
1	only 2012 01	0	0.0 %
10	only 2005 10	0	0.0 %
11	both 11	25479	100.0 %
	Total	25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 11.00

- Maximum: 11.00

Location: 532-533 (width: 2; decimal: 0)

Variable Type: numeric

XURBAN: Census 2001 for IHDS-I; 2011 for IHDS-II

Value	Label	Unweighted Frequency	%
0	rural 0	17614	69.1 %
1	urban 1	7865	30.9 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 534-534 (width: 1; decimal: 0)

Variable Type: numeric

XURBAN2001: Census 2001: village/town

Value	Label	Unweighted Frequency	%
0	rural 0	17623	69.2 %
1	urban 1	7856	30.8 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 535-535 (width: 1; decimal: 0)

Variable Type: numeric

XURBAN4: 4-cat urban/rural from 2001/2011 for IHDS-I/II

Value	Label	Unweighted Frequency	%
0	metro urban 0	1533	6.0 %
1	other urban 1	6323	24.8 %
2	more dev vill 2	8649	33.9 %
3	less dev vill 3	8974	35.2 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 536-536 (width: 1; decimal: 0)

Variable Type: numeric

METRO: Largest 6 metro areas 0/1

Value	Label	Unweighted Frequency	%
0	-	23443	92.0 %
1	-	2036	8.0 %
	Total	25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.27

Location: 537-537 (width: 1; decimal: 0)

Variable Type: numeric

XNEWQ: # of ew questionnaires

Value	Label	Unweighted Frequency	%
1	-	25479	100.0 %
	Total	25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

Location: 538-538 (width: 1; decimal: 0)

Variable Type: numeric

XNEWELIGIBLE: HH4 2.3-2.6 # ever-married women 15-49 in hh

Value	Label	Unweighted Frequency	%
1	-	21200	83.2 %
2	-	3412	13.4 %
3	-	715	2.8 %
4	-	116	0.5 %
5	-	29	0.1 %
6	-	5	0.0 %
7	-	2	0.0 %

Value	Label	Unweighted Frequency	%
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 1.21
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 0.52

Location: 539-539 (width: 1; decimal: 0)

Variable Type: numeric

XEWQELIGIBLE: EH19 13.3 EWoman questionnaire & ew eligible

Value	Label	Unweighted Frequency	%
0	No 0	0	0.0 %
1	Yes 1	25479	100.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 540-540 (width: 1; decimal: 0)

Variable Type: numeric

XNEWQELIGIBLE: EH19 13.3 # q for ever-married woman 15-49

Value	Label	Unweighted Frequency	%
1	-	25479	100.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

Location: 541-541 (width: 1; decimal: 0)

Variable Type: numeric

XNEWPSU: # ever-married women 15-49 in psu

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
2	-	25	0.1 %
3	-	37	0.1 %
4	-	73	0.3 %
5	-	99	0.4 %
6	-	111	0.4 %
7	-	102	0.4 %
8	-	272	1.1 %
9	-	263	1.0 %
10	-	373	1.5 %
11	-	678	2.7 %
12	-	930	3.7 %
13	-	1246	4.9 %
14	-	1638	6.4 %
15	-	1961	7.7 %
16	-	1717	6.7 %
17	-	1578	6.2 %
18	-	1650	6.5 %
19	-	1405	5.5 %
20	-	1278	5.0 %
21	-	1472	5.8 %
22	-	1158	4.5 %
23	-	994	3.9 %
24	-	1041	4.1 %
25	-	675	2.6 %
26	-	432	1.7 %
27	-	679	2.7 %
28	-	258	1.0 %
29	-	302	1.2 %
30	-	285	1.1 %
31	-	340	1.3 %
32	-	173	0.7 %
33	-	273	1.1 %
34	-	195	0.8 %
35	-	178	0.7 %
36	-	157	0.6 %
37	-	120	0.5 %
38	-	72	0.3 %
39	-	112	0.4 %

Value	Label	Unweighted Frequency	%
40	-	118	0.5 %
41	-	127	0.5 %
42	-	42	0.2 %
43	-	86	0.3 %
44	-	103	0.4 %
45	-	180	0.7 %
46	-	58	0.2 %
47	-	28	0.1 %
48	-	47	0.2 %
49	-	111	0.4 %
50	-	47	0.2 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 20.27
- Median: 18.00
- Mode: 15.00
- Minimum: 1.00
- Maximum: 62.00
- Standard Deviation: 8.49

Location: 542-543 (width: 2; decimal: 0)

Variable Type: numeric

XNEWQELIGIBLEPSU: HQ4 2.3,5,6 # eligible EW q in psu

Value	Label	Unweighted Frequency	%
Missing Data			
.	-	25479	100.0 %
Total		25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 544-544 (width: 1; decimal: 0)

Variable Type: numeric

XNEWADJQPSU: # of eligible ew qs in psu, wt by within hh coverage

Value	Label	Unweighted Frequency	%
Missing Data			
.	-	25479	100.0 %
Total		25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 545-545 (width: 1; decimal: 0)

Variable Type: numeric

XWTEW: Weight for eligible women 15-49

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 5552.69422365
- Minimum: 192.50207520
- Maximum: 312372.81250000
- Standard Deviation: 7513.21211110

Location: 546-560 (width: 15; decimal: 8)

Variable Type: numeric

XFWTEW: Weight (integer) for eligible women 15-49

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 5552.69
- Minimum: 193.00
- Maximum: 312373.00
- Standard Deviation: 7513.21

Location: 561-566 (width: 6; decimal: 0)

Variable Type: numeric

XAGERANK: HH4 2.5,6 Rank # of ever married women in hh

Value	Label	Unweighted Frequency	%
1	-	16491	64.7 %
2	-	7735	30.4 %
3	-	1067	4.2 %
4	-	158	0.6 %
5	-	23	0.1 %
6	-	3	0.0 %
7	-	2	0.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 1.41
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 0.62

Location: 567-567 (width: 1; decimal: 0)

Variable Type: numeric

XSENFEM: HH4 2.5,6 Senior female

Value	Label	Unweighted Frequency	%
0	No 0	24393	95.7 %
1	Yes 1	1086	4.3 %
	Total	25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 568-568 (width: 1; decimal: 0)

Variable Type: numeric

XONLYFEM: HH4 2.5,6 Only female

Value	Label	Unweighted Frequency	%
0	No 0	10074	39.5 %
1	Yes 1	15405	60.5 %
	Total	25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 569-569 (width: 1; decimal: 0)

Variable Type: numeric

XJUNFEM: HH4 2.5,6 Junior female

Value	Label	Unweighted Frequency	%
0	No 0	16491	64.7 %
1	Yes 1	8988	35.3 %
	Total	25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 570-570 (width: 1; decimal: 0)

Variable Type: numeric

XEWPOSITION: HQ4 2.5,6 age position in hh

Value	Label	Unweighted Frequency	%
1	married only 1	14417	56.6 %

Value	Label	Unweighted Frequency	%
2	married senior 2	974	3.8 %
3	married junior 3	8279	32.5 %
4	absent sp only/sr 4	407	1.6 %
5	absent sp junior 5	444	1.7 %
6	div/wid only/sr 6	693	2.7 %
7	div/wid junior 7	265	1.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 571-571 (width: 1; decimal: 0)

Variable Type: numeric

XABSENTSEN: HQ4 2.5,6 only/sr female, husb absent

Value	Label	Unweighted Frequency	%
0	No 0	25072	98.4 %
1	Yes 1	407	1.6 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 572-572 (width: 1; decimal: 0)

Variable Type: numeric

XABSENTJUN: HH4 2.5,6 junior female, husb absent

Value	Label	Unweighted Frequency	%
0	No 0	25035	98.3 %
1	Yes 1	444	1.7 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 573-573 (width: 1; decimal: 0)

Variable Type: numeric

XFORMERSEN: HH4 2.5,6 only/sr female, widow/separated

Value	Label	Unweighted Frequency	%
0	No 0	24786	97.3 %
1	Yes 1	693	2.7 %
	Total	25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 574-574 (width: 1; decimal: 0)

Variable Type: numeric

XFORMERJUN: HH4 2.5,6 junior female, widow/separated

Value	Label	Unweighted Frequency	%
0	No 0	25214	99.0 %
1	Yes 1	265	1.0 %
	Total	25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 575-575 (width: 1; decimal: 0)

Variable Type: numeric

XMARRIEDSEN: HH4 2.5,6 senior female, husband present

Value	Label	Unweighted Frequency	%
0	No 0	24505	96.2 %
1	Yes 1	974	3.8 %
	Total	25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 576-576 (width: 1; decimal: 0)

Variable Type: numeric

XMARRIEDJUN: HH4 2.5,6 junior female, husband present

Value	Label	Unweighted Frequency	%
0	No 0	17200	67.5 %
1	Yes 1	8279	32.5 %

Value	Label	Unweighted Frequency	%
	Total	25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 577-577 (width: 1; decimal: 0)

Variable Type: numeric

XMARRIEDONLY: HH4 2.5,6 only married female, husband present

Value	Label	Unweighted Frequency	%
0	No 0	11062	43.4 %
1	Yes 1	14417	56.6 %
	Total	25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 578-578 (width: 1; decimal: 0)

Variable Type: numeric

XFIRSTBIRTH: EH27 19.5 months since first birth

Value	Label	Unweighted Frequency	%
0	-	14	0.1 %
1	-	43	0.2 %
2	-	53	0.2 %
3	-	58	0.2 %
4	-	48	0.2 %
5	-	46	0.2 %
6	-	63	0.2 %
7	-	58	0.2 %
8	-	44	0.2 %
9	-	56	0.2 %
10	-	56	0.2 %
11	-	48	0.2 %
12	-	68	0.3 %
13	-	56	0.2 %
14	-	70	0.3 %
15	-	57	0.2 %

Value	Label	Unweighted Frequency	%
16	-	61	0.2 %
17	-	50	0.2 %
18	-	58	0.2 %
19	-	62	0.2 %
20	-	42	0.2 %
21	-	58	0.2 %
22	-	56	0.2 %
23	-	41	0.2 %
24	-	58	0.2 %
25	-	70	0.3 %
26	-	60	0.2 %
27	-	66	0.3 %
28	-	59	0.2 %
29	-	56	0.2 %
30	-	58	0.2 %
31	-	56	0.2 %
32	-	58	0.2 %
33	-	61	0.2 %
34	-	52	0.2 %
35	-	56	0.2 %
36	-	72	0.3 %
37	-	80	0.3 %
38	-	57	0.2 %
39	-	72	0.3 %
40	-	73	0.3 %
41	-	61	0.2 %
42	-	53	0.2 %
43	-	54	0.2 %
44	-	58	0.2 %
45	-	59	0.2 %
46	-	51	0.2 %
47	-	62	0.2 %
48	-	90	0.4 %
49	-	74	0.3 %
Missing Data			
.	-	1630	6.4 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 23,849 valid cases out of 25,479 total cases.

- Mean: 166.04
- Minimum: 0.00
- Maximum: 429.00
- Standard Deviation: 91.61

Location: 579-581 (width: 3; decimal: 0)

Variable Type: numeric

XLASTBIRTH: EH27 19.5 months since last birth

Value	Label	Unweighted Frequency	%
0	-	63	0.2 %
1	-	156	0.6 %
2	-	175	0.7 %
3	-	179	0.7 %
4	-	161	0.6 %
5	-	151	0.6 %
6	-	180	0.7 %
7	-	184	0.7 %
8	-	141	0.6 %
9	-	163	0.6 %
10	-	149	0.6 %
11	-	110	0.4 %
12	-	231	0.9 %
13	-	231	0.9 %
14	-	250	1.0 %
15	-	219	0.9 %
16	-	192	0.8 %
17	-	215	0.8 %
18	-	184	0.7 %
19	-	176	0.7 %
20	-	144	0.6 %
21	-	187	0.7 %
22	-	158	0.6 %
23	-	142	0.6 %
24	-	181	0.7 %
25	-	242	0.9 %
26	-	180	0.7 %
27	-	196	0.8 %
28	-	148	0.6 %

Value	Label	Unweighted Frequency	%
29	-	160	0.6 %
30	-	179	0.7 %
31	-	150	0.6 %
32	-	132	0.5 %
33	-	168	0.7 %
34	-	142	0.6 %
35	-	149	0.6 %
36	-	183	0.7 %
37	-	196	0.8 %
38	-	145	0.6 %
39	-	177	0.7 %
40	-	145	0.6 %
41	-	130	0.5 %
42	-	140	0.5 %
43	-	112	0.4 %
44	-	118	0.5 %
45	-	108	0.4 %
46	-	103	0.4 %
47	-	110	0.4 %
48	-	128	0.5 %
49	-	124	0.5 %
Missing Data			
.	-	1630	6.4 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 23,849 valid cases out of 25,479 total cases.

- Mean: 98.90
- Minimum: 0.00
- Maximum: 389.00
- Standard Deviation: 74.61

Location: 582-584 (*width:* 3; *decimal:* 0)

Variable Type: numeric

XRO0: HH4 2.1 2004 roster ID

Value	Label	Unweighted Frequency	%
1	-	2486	9.8 %
2	-	19793	77.7 %

Value	Label	Unweighted Frequency	%
3	-	1135	4.5 %
4	-	1570	6.2 %
5	-	133	0.5 %
6	-	108	0.4 %
7	-	83	0.3 %
8	-	68	0.3 %
9	-	48	0.2 %
10	-	23	0.1 %
11	-	14	0.1 %
12	-	11	0.0 %
13	-	1	0.0 %
14	-	4	0.0 %
17	-	1	0.0 %
27	-	1	0.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 2.17
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 27.00
- Standard Deviation: 0.98

Location: 585-586 (width: 2; decimal: 0)

Variable Type: numeric

XRO1: HH4 2.1 1993 roster ID

Value	Label	Unweighted Frequency	%
1	-	1122	4.4 %
2	-	18452	72.4 %
3	-	1448	5.7 %
4	-	3279	12.9 %
5	-	270	1.1 %
6	-	218	0.9 %
7	-	186	0.7 %
8	-	203	0.8 %
9	-	133	0.5 %
10	-	63	0.2 %
11	-	29	0.1 %
12	-	29	0.1 %

Value	Label	Unweighted Frequency	%
13	-	16	0.1 %
14	-	9	0.0 %
15	-	6	0.0 %
16	-	7	0.0 %
17	-	4	0.0 %
18	-	1	0.0 %
22	-	3	0.0 %
24	-	1	0.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 2.52
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 24.00
- Standard Deviation: 1.41

Location: 587-588 (width: 2; decimal: 0)

Variable Type: numeric

XRO1ID1993: HH4 2.1 1993 member ID

Value	Label	Unweighted Frequency	%
0	-	1111	4.4 %
1	-	58	0.2 %
2	-	3526	13.8 %
3	-	398	1.6 %
4	-	1326	5.2 %
5	-	123	0.5 %
6	-	177	0.7 %
7	-	132	0.5 %
8	-	131	0.5 %
9	-	120	0.5 %
10	-	64	0.3 %
11	-	32	0.1 %
12	-	35	0.1 %
13	-	20	0.1 %
14	-	12	0.0 %
15	-	16	0.1 %
16	-	8	0.0 %
17	-	7	0.0 %

Value	Label	Unweighted Frequency	%
18	-	4	0.0 %
19	-	2	0.0 %
21	-	1	0.0 %
23	-	3	0.0 %
25	-	1	0.0 %
Missing Data			
.	-	18172	71.3 %
Total		25,479	100%

Based upon 7,307 valid cases out of 25,479 total cases.

- Mean: 2.86
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 25.00
- Standard Deviation: 2.53

Location: 589-590 (width: 2; decimal: 0)

Variable Type: numeric

XRO3: HH4 2.3 Sex - revised

Value	Label	Unweighted Frequency	%
1	Male 1	0	0.0 %
2	Female 2	25479	100.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 591-591 (width: 1; decimal: 0)

Variable Type: numeric

XRO4: HH4 2.4 Relationship to head

Value	Label	Unweighted Frequency	%
1	Head 1	1141	4.5 %
2	Wife 2	18306	71.8 %
3	Daughter 3	283	1.1 %
4	Daughter-in-law 4	5296	20.8 %
5	Grandchild 5	1	0.0 %
6	Mother 6	44	0.2 %
7	Sister 7	35	0.1 %

Value	Label	Unweighted Frequency	%
8	Mother-in-law 8	0	0.0 %
9	Niece 9	4	0.0 %
10	Sister in law 10	278	1.1 %
11	Other relatives 11	90	0.4 %
12	-	1	0.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 592-593 (width: 2; decimal: 0)

Variable Type: numeric

XRO5: HH4 2.5 Age

Value	Label	Unweighted Frequency	%
15	-	19	0.1 %
16	-	46	0.2 %
17	-	68	0.3 %
18	-	249	1.0 %
19	-	280	1.1 %
20	-	695	2.7 %
21	-	433	1.7 %
22	-	801	3.1 %
23	-	657	2.6 %
24	-	722	2.8 %
25	-	1286	5.0 %
26	-	818	3.2 %
27	-	695	2.7 %
28	-	1203	4.7 %
29	-	643	2.5 %
30	-	1766	6.9 %
31	-	574	2.3 %
32	-	1218	4.8 %
33	-	765	3.0 %
34	-	734	2.9 %
35	-	1868	7.3 %
36	-	916	3.6 %
37	-	677	2.7 %
38	-	1233	4.8 %

Value	Label	Unweighted Frequency	%
39	-	551	2.2 %
40	-	1680	6.6 %
41	-	389	1.5 %
42	-	893	3.5 %
43	-	503	2.0 %
44	-	380	1.5 %
45	-	1168	4.6 %
46	-	475	1.9 %
47	-	365	1.4 %
48	-	511	2.0 %
49	-	198	0.8 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 33.21
- Median: 33.00
- Mode: 35.00
- Minimum: 15.00
- Maximum: 49.00
- Standard Deviation: 7.91

Location: 594-595 (width: 2; decimal: 0)

Variable Type: numeric

XRO6: HH4 2.6 Marital Status

Value	Label	Unweighted Frequency	%
0	Sp absent 0	786	3.1 %
1	Married 1	23735	93.2 %
2	Unmarried 2	0	0.0 %
3	Widowed 3	798	3.1 %
4	Sep/Div 4	160	0.6 %
5	No gauna 5	0	0.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 596-596 (width: 1; decimal: 0)

Variable Type: numeric

XRO8: HH4 2.7 Spouse's ID

Value	Label	Unweighted Frequency	%
1	-	18296	71.8 %
2	-	1069	4.2 %
3	-	3283	12.9 %
4	-	239	0.9 %
5	-	175	0.7 %
6	-	156	0.6 %
7	-	184	0.7 %
8	-	119	0.5 %
9	-	57	0.2 %
10	-	29	0.1 %
11	-	25	0.1 %
12	-	11	0.0 %
13	-	8	0.0 %
14	-	5	0.0 %
15	-	6	0.0 %
16	-	4	0.0 %
17	-	1	0.0 %
21	-	3	0.0 %
50	-	758	3.0 %
51	-	45	0.2 %
52	-	3	0.0 %
54	-	1	0.0 %
69	Other nonres 69	139	0.5 %
75	Died 75	798	3.1 %
Missing Data			
.	-	65	0.3 %
Total		25,479	100%

Based upon 25,414 valid cases out of 25,479 total cases.

- Mean: 5.77
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 75.00
- Standard Deviation: 15.90

Location: 597-598 (*width:* 2; *decimal:* 0)

Variable Type: numeric

XAP1Y: EQ36 25.3 Anthropometry data

Value	Label	Unweighted Frequency	%
0	-	829	3.3 %
1	-	24650	96.7 %
	Total	25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 0.97
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.18

Location: 599-599 (width: 1; decimal: 0)

Variable Type: numeric

XAP3: EQ36 25.3 Anthropometry Birth ID [IHDS2]

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	25479	100.0 %
	Total	25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 600-600 (width: 1; decimal: 0)

Variable Type: numeric

XAP5: EQ36 25.5 Anthropometry Height 1st

Value	Label	Unweighted Frequency	%
37	-	1	0.0 %
48	-	1	0.0 %
50	-	1	0.0 %
51	-	2	0.0 %
52	-	2	0.0 %
53	-	2	0.0 %
54	-	2	0.0 %
55	-	1	0.0 %
56	-	2	0.0 %
57	-	1	0.0 %
59	-	1	0.0 %
77	-	1	0.0 %
78	-	1	0.0 %
82	-	1	0.0 %

Value	Label	Unweighted Frequency	%
84	-	1	0.0 %
86	-	1	0.0 %
96	-	1	0.0 %
97	-	1	0.0 %
99	-	1	0.0 %
100	-	7	0.0 %
101	-	2	0.0 %
102	-	2	0.0 %
104	-	4	0.0 %
105	-	2	0.0 %
106	-	2	0.0 %
107	-	1	0.0 %
108	-	2	0.0 %
109	-	1	0.0 %
110	-	3	0.0 %
111	-	4	0.0 %
113	-	1	0.0 %
114	-	3	0.0 %
115	-	2	0.0 %
116	-	2	0.0 %
117	-	2	0.0 %
118	-	1	0.0 %
119	-	4	0.0 %
120	-	8	0.0 %
121	-	4	0.0 %
122	-	1	0.0 %
123	-	3	0.0 %
124	-	4	0.0 %
125	-	11	0.0 %
126	-	3	0.0 %
127	-	6	0.0 %
128	-	10	0.0 %
129	-	4	0.0 %
130	-	14	0.1 %
131	-	7	0.0 %
132	-	28	0.1 %
Missing Data			
.	-	898	3.5 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 24,581 valid cases out of 25,479 total cases.

- Mean: 151.31
- Median: 152.00
- Mode: 152.00
- Minimum: 37.00
- Maximum: 197.00
- Standard Deviation: 6.95

Location: 601-603 (width: 3; decimal: 0)

Variable Type: numeric

XAP6: EQ36 25.6 Anthropometry Height 2nd [IHDS2]

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	25479	100.0 %
	Total	25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 604-604 (width: 1; decimal: 0)

Variable Type: numeric

XAP7: EQ36 25.7 Anthropometry Position

Value	Label	Unweighted Frequency	%
1	Lying 1	1	0.0 %
2	Standing 2	24649	96.7 %
	Missing Data		
.	-	829	3.3 %
	Total	25,479	100%

Based upon 24,650 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 605-605 (width: 1; decimal: 0)

Variable Type: numeric

XAP8: EQ36 25.8 Anthropometry Weight 1st

Value	Label	Unweighted Frequency	%
4.19999980927	-	1	0.0 %
4.30000019074	-	1	0.0 %
4.44999980927	-	1	0.0 %

Value	Label	Unweighted Frequency	%
4.500000000000	-	1	0.0 %
4.69999980927	-	1	0.0 %
5.000000000000	-	1	0.0 %
5.09999990464	-	1	0.0 %
5.69999980927	-	1	0.0 %
5.90000009537	-	1	0.0 %
5.90999984742	-	1	0.0 %
6.500000000000	-	1	0.0 %
6.90000009537	-	2	0.0 %
7.07999992371	-	1	0.0 %
7.19999980927	-	1	0.0 %
7.40000009537	-	1	0.0 %
8.000000000000	-	1	0.0 %
8.10000038147	-	1	0.0 %
8.19999980927	-	1	0.0 %
8.21000003815	-	1	0.0 %
8.60000038147	-	1	0.0 %
9.000000000000	-	1	0.0 %
9.69999980927	-	1	0.0 %
10.19999980927	-	1	0.0 %
10.500000000000	-	1	0.0 %
10.69999980927	-	1	0.0 %
11.19999980927	-	1	0.0 %
11.30000019074	-	1	0.0 %
12.80000019074	-	1	0.0 %
13.10000038147	-	1	0.0 %
14.10000038147	-	2	0.0 %
14.500000000000	-	1	0.0 %
14.69999980927	-	2	0.0 %
15.000000000000	-	1	0.0 %
15.19999980927	-	1	0.0 %
15.30000019074	-	1	0.0 %
15.39999961854	-	1	0.0 %
15.60000038147	-	1	0.0 %
15.80000019074	-	1	0.0 %
16.000000000000	-	1	0.0 %
16.10000038147	-	1	0.0 %
16.39999961854	-	1	0.0 %
16.500000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
16.70000076294	-	2	0.0 %
16.89999961854	-	1	0.0 %
17.0000000000000	-	1	0.0 %
17.10000038147	-	1	0.0 %
17.5000000000000	-	1	0.0 %
17.60000038147	-	1	0.0 %
18.5000000000000	-	2	0.0 %
19.0000000000000	-	1	0.0 %
Missing Data			
.	-	839	3.3 %
		Total	25,479
			100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 24,640 valid cases out of 25,479 total cases.

- Mean: 49.29893458929
- Minimum: 4.19999980927
- Maximum: 652.00000000000
- Standard Deviation: 16.75746504793

Location: 606-620 (*width:* 15; *decimal:* 11)

Variable Type: numeric

XAP9: EQ36 25.9 Anthropometry Weight 2nd

Value	Label	Unweighted Frequency	%
4.44000005722	-	1	0.0 %
4.50000000000	-	1	0.0 %
5.09999990464	-	1	0.0 %
5.30000019074	-	1	0.0 %
5.69999980927	-	1	0.0 %
5.90999984742	-	1	0.0 %
6.40000009537	-	1	0.0 %
7.07999992371	-	1	0.0 %
7.09999990464	-	1	0.0 %
7.19999980927	-	1	0.0 %
8.00000000000	-	1	0.0 %
8.10000038147	-	1	0.0 %
8.19999980927	-	1	0.0 %
8.60000038147	-	1	0.0 %
9.00000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
9.69999980927	-	1	0.0 %
10.30000019074	-	1	0.0 %
10.500000000000	-	1	0.0 %
10.80000019074	-	1	0.0 %
11.19999980927	-	2	0.0 %
13.10000038147	-	1	0.0 %
14.10000038147	-	1	0.0 %
14.60000038147	-	1	0.0 %
14.69999980927	-	1	0.0 %
15.10000038147	-	1	0.0 %
15.19999980927	-	1	0.0 %
15.30000019074	-	1	0.0 %
15.39999961854	-	1	0.0 %
15.69999980927	-	2	0.0 %
16.10000038147	-	2	0.0 %
16.20000076294	-	1	0.0 %
16.39999961854	-	1	0.0 %
16.500000000000	-	1	0.0 %
16.79999923707	-	1	0.0 %
17.000000000000	-	2	0.0 %
17.10000038147	-	1	0.0 %
17.60000038147	-	1	0.0 %
17.70000076294	-	1	0.0 %
18.500000000000	-	1	0.0 %
19.000000000000	-	1	0.0 %
19.10000038147	-	1	0.0 %
19.20000076294	-	1	0.0 %
19.60000038147	-	1	0.0 %
20.20000076294	-	1	0.0 %
21.000000000000	-	1	0.0 %
21.20000076294	-	2	0.0 %
22.000000000000	-	2	0.0 %
22.89999961854	-	2	0.0 %
23.70000076294	-	1	0.0 %
24.10000038147	-	2	0.0 %
	Missing Data		
.	-	839	3.3 %
	Total	25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 24,640 valid cases out of 25,479 total cases.

- Mean: 49.56365379254
- Minimum: 4.44000005722
- Maximum: 652.0000000000000
- Standard Deviation: 19.21905953993

Location: 621-635 (width: 15; decimal: 11)

Variable Type: numeric

XHAZ: Height for age zscore from zanthro(US) months>=24

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	25479	100.0 %
	Total	25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 636-636 (width: 1; decimal: 0)

Variable Type: numeric

XHAZFLAG: Height for age zscore out of bounds

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	25479	100.0 %
	Total	25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 637-637 (width: 1; decimal: 0)

Variable Type: numeric

XLAZ: Length for age zscore from zanthro(US) months<=36

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	25479	100.0 %
	Total	25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 638-638 (width: 1; decimal: 0)

Variable Type: numeric

XLAZFLAG: Length for age zscore out of bounds

Value	Label	Unweighted Frequency	%
.	Missing Data		
.	-	25479	100.0 %
	Total	25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 639-639 (width: 1; decimal: 0)

Variable Type: numeric

XWAZ: Weight for age zscore from zanthro(US)

Value	Label	Unweighted Frequency	%
.	Missing Data		
.	-	25479	100.0 %
	Total	25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 640-640 (width: 1; decimal: 0)

Variable Type: numeric

XWAZFLAG: Weight for age zscore out of bounds

Value	Label	Unweighted Frequency	%
.	Missing Data		
.	-	25479	100.0 %
	Total	25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 641-641 (width: 1; decimal: 0)

Variable Type: numeric

XWHZ: Weight for height zscore from zanthro(US)

Value	Label	Unweighted Frequency	%
.	Missing Data		
.	-	25479	100.0 %
	Total	25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 642-642 (width: 1; decimal: 0)

Variable Type: numeric

XWHZFLAG: Weight for height zscore out of bounds

Value	Label	Unweighted Frequency	%
.	Missing Data	25479	100.0 %
	Total	25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 643-643 (width: 1; decimal: 0)

Variable Type: numeric

XBMI: BMI from zanthro(US)

Value	Label	Unweighted Frequency	%
.	Missing Data	25479	100.0 %
	Total	25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 644-644 (width: 1; decimal: 0)

Variable Type: numeric

XBAZ: BMI for age zscore from zanthro(US) months>=24

Value	Label	Unweighted Frequency	%
.	Missing Data	25479	100.0 %
	Total	25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 645-645 (width: 1; decimal: 0)

Variable Type: numeric

XBAZFLAG: BMI for age zscore out of bounds

Value	Label	Unweighted Frequency	%
.	Missing Data	25479	100.0 %
	Total	25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 646-646 (width: 1; decimal: 0)

Variable Type: numeric

XAGE: Age in months estimate

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	25479	100.0 %
	Total	25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 647-647 (width: 1; decimal: 0)

Variable Type: numeric

XAGEFROM: Age estimate from birth history or roster

Value	Label	Unweighted Frequency	%
-1	bhdate>intvw -1	0	0.0 %
1	bh: date 1	0	0.0 %
2	bh: age 2	0	0.0 %
3	ro5 3	0	0.0 %
	Missing Data		
.	-	25479	100.0 %
	Total	25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 648-649 (width: 2; decimal: 0)

Variable Type: numeric

XEWELIGIBLE: HH4 2.3,.5,.6 Person is eligible for EW q

Value	Label	Unweighted Frequency	%
0	No 0	0	0.0 %
1	Yes 1	25479	100.0 %
	Total	25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 650-650 (width: 1; decimal: 0)

Variable Type: numeric

XWKANY: Any work exc. animal

Value	Label	Unweighted Frequency	%
0	none 0	13360	52.4 %
1	missing hours 1	46	0.2 %
2	<240hrs 2	1191	4.7 %

Value	Label	Unweighted Frequency	%
3	parttime 3	8847	34.7 %
4	ft yr 4	2035	8.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 651-651 (width: 1; decimal: 0)

Variable Type: numeric

XWKANYPLUS: Any work incl. animal care

Value	Label	Unweighted Frequency	%
0	none 0	10598	41.6 %
1	missing hours 1	162	0.6 %
2	<240hrs 2	412	1.6 %
3	parttime 3	12272	48.2 %
4	ft yr 4	2035	8.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 652-652 (width: 1; decimal: 0)

Variable Type: numeric

XWKANIMAL: Care of animals

Value	Label	Unweighted Frequency	%
0	none 0	17128	67.2 %
1	missing hours 1	0	0.0 %
2	<240hrs 2	2498	9.8 %
3	parttime 3	5853	23.0 %
4	ft yr 4	0	0.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 653-653 (width: 1; decimal: 0)

Variable Type: numeric

XWKBUSINESS: Family business work

Value	Label	Unweighted Frequency	%
0	none 0	24342	95.5 %
1	missing hours 1	1	0.0 %
2	<240hrs 2	199	0.8 %
3	parttime 3	738	2.9 %
4	ft yr 4	199	0.8 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 654-654 (width: 1; decimal: 0)

Variable Type: numeric

XWKAGLAB: Farm wage labour

Value	Label	Unweighted Frequency	%
0	none 0	21331	83.7 %
1	missing hours 1	0	0.0 %
2	<240hrs 2	227	0.9 %
3	parttime 3	3568	14.0 %
4	ft yr 4	353	1.4 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 655-655 (width: 1; decimal: 0)

Variable Type: numeric

XWKFARM: Farm cultivation

Value	Label	Unweighted Frequency	%
0	none 0	18110	71.1 %
1	missing hours 1	54	0.2 %
2	<240hrs 2	1472	5.8 %
3	parttime 3	5539	21.7 %
4	ft yr 4	304	1.2 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 656-656 (width: 1; decimal: 0)

Variable Type: numeric

XWKNONAG: Nonfarm wage labour

Value	Label	Unweighted Frequency	%
0	none 0	24131	94.7 %
1	missing hours 1	0	0.0 %
2	<240hrs 2	106	0.4 %
3	parttime 3	1061	4.2 %
4	ft yr 4	181	0.7 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 657-657 (width: 1; decimal: 0)

Variable Type: numeric

XWKSALARY: Employed with monthly salary

Value	Label	Unweighted Frequency	%
0	none 0	24312	95.4 %
1	missing hours 1	0	0.0 %
2	<240hrs 2	83	0.3 %
3	parttime 3	570	2.2 %
4	ft yr 4	514	2.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 658-658 (width: 1; decimal: 0)

Variable Type: numeric

XAN7Y: HH10 5.7 Animal care: Primary

Value	Label	Unweighted Frequency	%
0	No 0	6787	26.6 %

Value	Label	Unweighted Frequency	%
1	Yes 1	4603	18.1 %
	Missing Data		
-		14089	55.3 %
	Total	25,479	100%

Based upon 11,390 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 659-659 (width: 1; decimal: 0)

Variable Type: numeric

XWKHOURS: HH work hours /year (farm, business, wage|salary)

Value	Label	Unweighted Frequency	%
4	-	2	0.0 %
5	-	1	0.0 %
6	-	2	0.0 %
7	-	1	0.0 %
9	-	1	0.0 %
10	-	6	0.0 %
12	-	2	0.0 %
14	-	1	0.0 %
15	-	8	0.0 %
16	-	2	0.0 %
18	-	1	0.0 %
20	-	22	0.1 %
21	-	1	0.0 %
24	-	3	0.0 %
25	-	3	0.0 %
28	-	1	0.0 %
30	-	33	0.1 %
32	-	1	0.0 %
35	-	1	0.0 %
36	-	1	0.0 %
40	-	42	0.2 %
42	-	1	0.0 %
45	-	5	0.0 %
48	-	6	0.0 %
49	-	1	0.0 %
50	-	20	0.1 %

Value	Label	Unweighted Frequency	%
54	-	1	0.0 %
56	-	2	0.0 %
60	-	86	0.3 %
64	-	2	0.0 %
70	-	10	0.0 %
72	-	3	0.0 %
75	-	12	0.0 %
76	-	2	0.0 %
80	-	47	0.2 %
84	-	2	0.0 %
85	-	1	0.0 %
88	-	1	0.0 %
90	-	62	0.2 %
96	-	2	0.0 %
100	-	64	0.3 %
105	-	2	0.0 %
108	-	3	0.0 %
110	-	3	0.0 %
112	-	1	0.0 %
120	-	130	0.5 %
125	-	11	0.0 %
130	-	2	0.0 %
135	-	8	0.0 %
140	-	18	0.1 %
Missing Data			
.	-	13408	52.6 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,071 valid cases out of 25,479 total cases.

- Mean: 1159.19
- Minimum: 4.00
- Maximum: 4000.00
- Standard Deviation: 812.03

Location: 660-663 (width: 4; decimal: 0)

Variable Type: numeric

XNFHOURS: HH12-14 7.9+ hours per year all businesses

Value	Label	Unweighted Frequency	%
15	-	1	0.0 %
20	-	2	0.0 %
24	-	2	0.0 %
30	-	6	0.0 %
32	-	1	0.0 %
35	-	1	0.0 %
36	-	1	0.0 %
40	-	2	0.0 %
42	-	1	0.0 %
45	-	5	0.0 %
48	-	8	0.0 %
50	-	2	0.0 %
60	-	18	0.1 %
70	-	5	0.0 %
72	-	4	0.0 %
75	-	5	0.0 %
76	-	1	0.0 %
80	-	16	0.1 %
84	-	2	0.0 %
90	-	16	0.1 %
92	-	1	0.0 %
96	-	2	0.0 %
98	-	1	0.0 %
100	-	14	0.1 %
104	-	2	0.0 %
108	-	1	0.0 %
120	-	16	0.1 %
125	-	1	0.0 %
130	-	1	0.0 %
132	-	1	0.0 %
150	-	11	0.0 %
160	-	4	0.0 %
175	-	1	0.0 %
180	-	20	0.1 %
198	-	1	0.0 %
200	-	18	0.1 %
208	-	1	0.0 %
210	-	4	0.0 %
240	-	28	0.1 %

Value	Label	Unweighted Frequency	%
243	-	1	0.0 %
250	-	2	0.0 %
270	-	7	0.0 %
280	-	4	0.0 %
295	-	1	0.0 %
300	-	29	0.1 %
310	-	1	0.0 %
320	-	2	0.0 %
325	-	1	0.0 %
330	-	1	0.0 %
340	-	3	0.0 %
Missing Data			
.	-	24343	95.5 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,136 valid cases out of 25,479 total cases.

- Mean: 1120.37
- Median: 890.00
- Mode: 600.00
- Minimum: 15.00
- Maximum: 4000.00
- Standard Deviation: 949.33

Location: 664-667 (width: 4; decimal: 0)

Variable Type: numeric

XAGLABOURS: HH11 6.6, ag labour: hours/year

Value	Label	Unweighted Frequency	%
6	-	2	0.0 %
12	-	1	0.0 %
16	-	2	0.0 %
18	-	1	0.0 %
24	-	1	0.0 %
30	-	2	0.0 %
54	-	1	0.0 %
56	-	3	0.0 %
60	-	3	0.0 %
64	-	5	0.0 %
72	-	1	0.0 %

Value	Label	Unweighted Frequency	%
80	-	15	0.1 %
88	-	1	0.0 %
90	-	2	0.0 %
96	-	6	0.0 %
100	-	2	0.0 %
104	-	1	0.0 %
105	-	1	0.0 %
108	-	1	0.0 %
120	-	24	0.1 %
128	-	1	0.0 %
140	-	3	0.0 %
144	-	1	0.0 %
150	-	8	0.0 %
160	-	49	0.2 %
168	-	1	0.0 %
175	-	3	0.0 %
176	-	1	0.0 %
180	-	24	0.1 %
192	-	1	0.0 %
200	-	30	0.1 %
210	-	21	0.1 %
216	-	4	0.0 %
220	-	1	0.0 %
224	-	3	0.0 %
230	-	1	0.0 %
240	-	153	0.6 %
245	-	2	0.0 %
248	-	1	0.0 %
250	-	5	0.0 %
256	-	3	0.0 %
270	-	11	0.0 %
280	-	26	0.1 %
285	-	1	0.0 %
288	-	2	0.0 %
290	-	1	0.0 %
295	-	1	0.0 %
300	-	19	0.1 %
304	-	3	0.0 %
315	-	4	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	21331	83.7 %
	Total	25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,148 valid cases out of 25,479 total cases.

- Mean: 1011.54
- Median: 900.00
- Mode: 800.00
- Minimum: 6.00
- Maximum: 4000.00
- Standard Deviation: 616.42

Location: 668-671 (width: 4; decimal: 0)

Variable Type: numeric

XNONAGHOURS: HH11 6.6, nonag labour: hours/year

Value	Label	Unweighted Frequency	%
6	-	1	0.0 %
16	-	3	0.0 %
25	-	1	0.0 %
30	-	1	0.0 %
32	-	2	0.0 %
40	-	4	0.0 %
45	-	1	0.0 %
48	-	3	0.0 %
50	-	1	0.0 %
56	-	1	0.0 %
60	-	1	0.0 %
64	-	6	0.0 %
70	-	1	0.0 %
72	-	1	0.0 %
75	-	1	0.0 %
80	-	9	0.0 %
88	-	1	0.0 %
96	-	2	0.0 %
112	-	2	0.0 %
120	-	14	0.1 %
130	-	1	0.0 %
136	-	3	0.0 %

Value	Label	Unweighted Frequency	%
144	-	4	0.0 %
150	-	3	0.0 %
160	-	15	0.1 %
168	-	1	0.0 %
180	-	5	0.0 %
184	-	1	0.0 %
190	-	1	0.0 %
200	-	12	0.0 %
210	-	1	0.0 %
224	-	2	0.0 %
225	-	1	0.0 %
240	-	52	0.2 %
250	-	2	0.0 %
256	-	1	0.0 %
265	-	1	0.0 %
270	-	2	0.0 %
280	-	7	0.0 %
285	-	1	0.0 %
288	-	1	0.0 %
300	-	8	0.0 %
315	-	1	0.0 %
320	-	10	0.0 %
350	-	2	0.0 %
352	-	1	0.0 %
360	-	14	0.1 %
365	-	1	0.0 %
380	-	1	0.0 %
390	-	1	0.0 %
Missing Data			
.	-	24131	94.7 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,348 valid cases out of 25,479 total cases.

- Mean: 1157.75
- Median: 1080.00
- Mode: 1200.00
- Minimum: 6.00
- Maximum: 4000.00

- Standard Deviation: 759.92

Location: 672-675 (width: 4; decimal: 0)

Variable Type: numeric

XSALARYHOURS: HH11 6.6, salary position: hours/year

Value	Label	Unweighted Frequency	%
8	-	1	0.0 %
16	-	1	0.0 %
20	-	1	0.0 %
24	-	2	0.0 %
25	-	1	0.0 %
28	-	2	0.0 %
30	-	3	0.0 %
35	-	4	0.0 %
36	-	2	0.0 %
40	-	5	0.0 %
42	-	4	0.0 %
48	-	5	0.0 %
49	-	2	0.0 %
50	-	2	0.0 %
56	-	1	0.0 %
60	-	9	0.0 %
72	-	1	0.0 %
75	-	2	0.0 %
78	-	1	0.0 %
80	-	2	0.0 %
84	-	1	0.0 %
85	-	1	0.0 %
90	-	2	0.0 %
96	-	1	0.0 %
100	-	2	0.0 %
102	-	1	0.0 %
105	-	1	0.0 %
110	-	1	0.0 %
120	-	7	0.0 %
125	-	2	0.0 %
128	-	1	0.0 %
150	-	4	0.0 %
160	-	1	0.0 %
175	-	1	0.0 %

Value	Label	Unweighted Frequency	%
180	-	2	0.0 %
200	-	2	0.0 %
208	-	1	0.0 %
270	-	1	0.0 %
280	-	2	0.0 %
300	-	3	0.0 %
320	-	2	0.0 %
330	-	1	0.0 %
335	-	1	0.0 %
360	-	8	0.0 %
378	-	1	0.0 %
400	-	8	0.0 %
450	-	3	0.0 %
480	-	2	0.0 %
500	-	2	0.0 %
520	-	3	0.0 %
Missing Data			
.	-	24313	95.4 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,166 valid cases out of 25,479 total cases.

- Mean: 1751.90
- Median: 1800.00
- Mode: 2400.00
- Minimum: 8.00
- Maximum: 4000.00
- Standard Deviation: 840.19

Location: 676-679 (width: 4; decimal: 0)

Variable Type: numeric

XWKDAYS: HH work days /year (farm, business, wage|salary)

Value	Label	Unweighted Frequency	%
1	-	3	0.0 %
2	-	4	0.0 %
3	-	3	0.0 %
4	-	2	0.0 %
5	-	10	0.0 %
6	-	5	0.0 %

Value	Label	Unweighted Frequency	%
7	-	8	0.0 %
8	-	5	0.0 %
9	-	2	0.0 %
10	-	44	0.2 %
12	-	7	0.0 %
14	-	2	0.0 %
15	-	47	0.2 %
16	-	2	0.0 %
18	-	7	0.0 %
19	-	1	0.0 %
20	-	135	0.5 %
21	-	2	0.0 %
22	-	1	0.0 %
24	-	5	0.0 %
25	-	56	0.2 %
26	-	1	0.0 %
27	-	3	0.0 %
28	-	1	0.0 %
29	-	1	0.0 %
30	-	297	1.2 %
32	-	6	0.0 %
33	-	1	0.0 %
35	-	30	0.1 %
36	-	2	0.0 %
38	-	5	0.0 %
40	-	184	0.7 %
44	-	1	0.0 %
45	-	63	0.2 %
48	-	3	0.0 %
50	-	258	1.0 %
52	-	4	0.0 %
54	-	1	0.0 %
55	-	19	0.1 %
56	-	1	0.0 %
58	-	1	0.0 %
60	-	573	2.2 %
61	-	4	0.0 %
62	-	2	0.0 %
65	-	22	0.1 %

Value	Label	Unweighted Frequency	%
66	-	2	0.0 %
67	-	1	0.0 %
68	-	2	0.0 %
70	-	146	0.6 %
72	-	2	0.0 %
Missing Data			
.	-	13408	52.6 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,071 valid cases out of 25,479 total cases.

- Mean: 173.32
- Median: 160.00
- Mode: 300.00
- Minimum: 1.00
- Maximum: 365.00
- Standard Deviation: 95.04

Location: 680-682 (width: 3; decimal: 0)

Variable Type: numeric

XNFDAYS: HH12-14 7.8+ days per year all businesses

Value	Label	Unweighted Frequency	%
4	-	1	0.0 %
6	-	1	0.0 %
7	-	2	0.0 %
8	-	2	0.0 %
10	-	12	0.0 %
12	-	14	0.1 %
14	-	1	0.0 %
15	-	28	0.1 %
16	-	1	0.0 %
18	-	2	0.0 %
20	-	31	0.1 %
22	-	2	0.0 %
23	-	1	0.0 %
24	-	1	0.0 %
25	-	8	0.0 %
26	-	3	0.0 %
28	-	1	0.0 %

Value	Label	Unweighted Frequency	%
30	-	17	0.1 %
33	-	1	0.0 %
35	-	6	0.0 %
40	-	6	0.0 %
46	-	1	0.0 %
50	-	17	0.1 %
52	-	1	0.0 %
60	-	35	0.1 %
65	-	1	0.0 %
70	-	8	0.0 %
75	-	2	0.0 %
80	-	13	0.1 %
81	-	1	0.0 %
84	-	1	0.0 %
90	-	32	0.1 %
96	-	2	0.0 %
100	-	76	0.3 %
104	-	1	0.0 %
105	-	2	0.0 %
110	-	3	0.0 %
115	-	1	0.0 %
120	-	50	0.2 %
125	-	1	0.0 %
130	-	6	0.0 %
135	-	2	0.0 %
140	-	7	0.0 %
150	-	43	0.2 %
156	-	2	0.0 %
160	-	6	0.0 %
165	-	1	0.0 %
170	-	5	0.0 %
175	-	1	0.0 %
180	-	46	0.2 %
Missing Data			
.	-	24343	95.5 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,136 valid cases out of 25,479 total cases.

- Mean: 195.23
- Median: 200.00
- Mode: 300.00
- Minimum: 4.00
- Maximum: 365.00
- Standard Deviation: 110.72

Location: 683-685 (width: 3; decimal: 0)

Variable Type: numeric

XNFEARN: HQ12-4 7. ind net business earn est.

Value	Label	Unweighted Frequency	%
-5875.9936523	-	1	0.0 %
0.0000000	-	24353	95.6 %
30.4416676	-	1	0.0 %
52.8305588	-	1	0.0 %
60.7142830	-	1	0.0 %
121.4285660	-	1	0.0 %
136.4318237	-	1	0.0 %
159.8133850	-	1	0.0 %
186.3636322	-	1	0.0 %
202.1212158	-	1	0.0 %
296.5380249	-	1	0.0 %
303.1818237	-	1	0.0 %
313.0651855	-	1	0.0 %
324.8376465	-	1	0.0 %
336.5259705	-	1	0.0 %
341.1564636	-	1	0.0 %
346.9387512	-	1	0.0 %
351.2500000	-	1	0.0 %
354.6485596	-	1	0.0 %
372.7272644	-	1	0.0 %
378.2692261	-	1	0.0 %
388.2503052	-	1	0.0 %
391.2023621	-	1	0.0 %
415.3175659	-	1	0.0 %
416.3265076	-	1	0.0 %
443.6807251	-	1	0.0 %
454.7727356	-	1	0.0 %
464.8897095	-	1	0.0 %
491.8239441	-	1	0.0 %

Value	Label	Unweighted Frequency	%
498.3811035	-	1	0.0 %
505.3030396	-	5	0.0 %
533.3333740	-	1	0.0 %
533.7519531	-	1	0.0 %
535.0267334	-	1	0.0 %
538.9898682	-	3	0.0 %
572.4444580	-	1	0.0 %
573.5872192	-	1	0.0 %
585.4166870	-	1	0.0 %
606.3636475	-	3	0.0 %
631.3845825	-	1	0.0 %
672.4989624	-	1	0.0 %
674.9093018	-	1	0.0 %
690.3113403	-	1	0.0 %
702.5000000	-	1	0.0 %
707.4242554	-	2	0.0 %
752.6785889	-	1	0.0 %
757.9545288	-	2	0.0 %
767.5488892	-	1	0.0 %
789.7142944	-	1	0.0 %
790.3125000	-	1	0.0 %
	Total	25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 967.9082276
- Minimum: -5875.9936523
- Maximum: 1163304.8750000
- Standard Deviation: 11115.8070360

Location: 686-700 (width: 15; decimal: 7)

Variable Type: numeric

XANEARN: HQ11 ind animal net earn est.

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 1216.20753182
- Minimum: -79102.48437500
- Maximum: 282523.59375000
- Standard Deviation: 6954.21497414

Location: 701-715 (width: 15; decimal: 8)

Variable Type: numeric

XSALARYEARN: HQ13 7.8+ salary position: annual wages

Value	Label	Unweighted Frequency	%
0.00000000	-	24313	95.4 %
38.61271667	-	1	0.0 %
137.44242859	-	1	0.0 %
202.12121582	-	1	0.0 %
268.82122803	-	1	0.0 %
303.18182373	-	1	0.0 %
323.39395142	-	1	0.0 %
335.52120972	-	2	0.0 %
373.92425537	-	1	0.0 %
404.24243164	-	6	0.0 %
464.87878418	-	1	0.0 %
505.30303955	-	2	0.0 %
556.02313232	-	1	0.0 %
565.93939209	-	1	0.0 %
606.36364746	-	7	0.0 %
646.78790283	-	1	0.0 %
673.06365967	-	1	0.0 %
693.87750244	-	1	0.0 %
707.42425537	-	6	0.0 %
727.63635254	-	2	0.0 %
733.70001221	-	1	0.0 %
757.95452881	-	1	0.0 %
805.09088135	-	1	0.0 %
808.48486328	-	4	0.0 %
859.01513672	-	1	0.0 %
875.18487549	-	1	0.0 %
878.12500000	-	1	0.0 %
909.54547119	-	7	0.0 %
1010.60607910	-	8	0.0 %
1066.66662598	-	1	0.0 %
1077.30603027	-	1	0.0 %
1118.18176270	-	1	0.0 %
1137.94238281	-	1	0.0 %
1162.19702149	-	1	0.0 %
1212.72729492	-	2	0.0 %
1227.13037109	-	1	0.0 %
1263.25756836	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1307.36840820	-	1	0.0 %
1313.78784180	-	1	0.0 %
1347.22680664	-	2	0.0 %
1394.81262207	-	1	0.0 %
1515.90905762	-	2	0.0 %
1616.96972656	-	1	0.0 %
1647.28796387	-	1	0.0 %
1736.61962891	-	1	0.0 %
1811.03710938	-	1	0.0 %
1819.09094238	-	1	0.0 %
1846.79992676	-	1	0.0 %
1993.09094238	-	1	0.0 %
2020.84020996	-	1	0.0 %
	Total	25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 2365.71787683
- Minimum: 0.00000000
- Maximum: 520183.46875000
- Standard Deviation: 17873.05133828

Location: 716-730 (*width:* 15; *decimal:* 8)

Variable Type: numeric

XNONAGEARN: HQ13 7.8+ nonag labour: annual wages

Value	Label	Unweighted Frequency	%
0.00000000	-	24131	94.7 %
110.08695984	-	1	0.0 %
139.77272034	-	1	0.0 %
170.37037659	-	1	0.0 %
202.12121582	-	1	0.0 %
206.16363525	-	1	0.0 %
276.81817627	-	1	0.0 %
277.55099487	-	1	0.0 %
279.54544067	-	1	0.0 %
282.96969605	-	1	0.0 %
303.18182373	-	1	0.0 %
351.25000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
386.12716675	-	1	0.0 %
485.09091187	-	2	0.0 %
491.75000000	-	1	0.0 %
505.30303955	-	1	0.0 %
525.51513672	-	1	0.0 %
545.72729492	-	1	0.0 %
565.93939209	-	1	0.0 %
596.36358643	-	1	0.0 %
606.36364746	-	4	0.0 %
652.27270508	-	1	0.0 %
675.72253418	-	1	0.0 %
707.42425537	-	1	0.0 %
745.45452881	-	1	0.0 %
806.14288330	-	1	0.0 %
808.48486328	-	1	0.0 %
840.82427979	-	1	0.0 %
909.54547119	-	1	0.0 %
922.56268311	-	1	0.0 %
1051.03027344	-	2	0.0 %
1053.75000000	-	1	0.0 %
1061.13635254	-	1	0.0 %
1111.66662598	-	1	0.0 %
1118.18176270	-	1	0.0 %
1156.13330078	-	1	0.0 %
1184.57141113	-	1	0.0 %
1212.72729492	-	5	0.0 %
1301.02038574	-	1	0.0 %
1317.18750000	-	2	0.0 %
1391.87145996	-	1	0.0 %
1414.84851074	-	2	0.0 %
1421.48571777	-	1	0.0 %
1463.06298828	-	1	0.0 %
1471.44250488	-	2	0.0 %
1480.71435547	-	2	0.0 %
1515.90905762	-	4	0.0 %
1561.22436524	-	1	0.0 %
1576.54553223	-	4	0.0 %
1616.96972656	-	2	0.0 %
	Total	25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 678.63612212
- Minimum: 0.00000000
- Maximum: 115221.23437500
- Standard Deviation: 3915.18495423

Location: 731-745 (width: 15; decimal: 8)

Variable Type: numeric

XAGLBEARN: HQ13 7.8+ ag labour: annual earnings

Value	Label	Unweighted Frequency	%
0.000000000	-	21331	83.7 %
49.821426392	-	1	0.0 %
50.530303955	-	1	0.0 %
84.941177368	-	1	0.0 %
149.090896607	-	1	0.0 %
192.857147217	-	1	0.0 %
260.204071045	-	1	0.0 %
282.969696045	-	1	0.0 %
323.393951416	-	1	0.0 %
351.250000000	-	1	0.0 %
363.409088135	-	1	0.0 %
395.156250000	-	1	0.0 %
404.242431641	-	2	0.0 %
421.500000000	-	2	0.0 %
424.454559326	-	2	0.0 %
465.909057617	-	1	0.0 %
485.090911865	-	1	0.0 %
491.354461670	-	1	0.0 %
493.571441651	-	1	0.0 %
505.303039551	-	3	0.0 %
511.111114502	-	1	0.0 %
520.408142090	-	1	0.0 %
559.090881348	-	3	0.0 %
565.939392090	-	1	0.0 %
570.781250000	-	1	0.0 %
586.764709473	-	1	0.0 %
592.285705567	-	1	0.0 %
606.363647461	-	2	0.0 %
607.142822266	-	1	0.0 %

Value	Label	Unweighted Frequency	%
613.333374024	-	1	0.0 %
632.250000000	-	2	0.0 %
633.636352540	-	1	0.0 %
640.000000000	-	2	0.0 %
681.481506348	-	1	0.0 %
698.863586426	-	2	0.0 %
702.500000000	-	3	0.0 %
707.424255372	-	1	0.0 %
745.454528809	-	2	0.0 %
748.459350586	-	1	0.0 %
757.954528809	-	3	0.0 %
790.312500000	-	1	0.0 %
806.142883301	-	1	0.0 %
808.484863282	-	4	0.0 %
832.653015137	-	1	0.0 %
843.000000000	-	2	0.0 %
848.909118653	-	1	0.0 %
849.479797364	-	1	0.0 %
851.851867676	-	1	0.0 %
871.578979493	-	1	0.0 %
871.757873536	-	1	0.0 %
	Total	25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 1332.966243536
- Minimum: 0.000000000
- Maximum: 59495.796875000
- Standard Deviation: 3980.374148534

Location: 746-760 (width: 15; decimal: 9)

Variable Type: numeric

XWKEARNPLUS: Earnings est.: sum ws farm business animal

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 9522.0661373
- Minimum: -79102.4843750
- Maximum: 1752224.5000000
- Standard Deviation: 29621.6475044

Location: 761-775 (width: 15; decimal: 7)

Variable Type: numeric

XWKEARN: Earnings est.: sum w/s farm business

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 8305.8586012
- Minimum: -35778.4492188
- Maximum: 1751688.1250000
- Standard Deviation: 28693.5709375

Location: 776-790 (width: 15; decimal: 7)

Variable Type: numeric

XUNEARNED: indiv: other hh income

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 85361.114696
- Minimum: -192569.656250
- Maximum: 12032845.000000
- Standard Deviation: 141066.628179

Location: 791-805 (width: 15; decimal: 6)

Variable Type: numeric

XSPRO0: HH4 2.1 2004 spouse roster ID

Value	Label	Unweighted Frequency	%
1	-	19283	75.7 %
2	-	818	3.2 %
3	-	1487	5.8 %
4	-	100	0.4 %
5	-	82	0.3 %
6	-	53	0.2 %
7	-	53	0.2 %
8	-	46	0.2 %
9	-	15	0.1 %
10	-	7	0.0 %
11	-	9	0.0 %
12	-	1	0.0 %
13	-	3	0.0 %
26	-	1	0.0 %
Missing Data			
.	-	3521	13.8 %
Total		25,479	100%

Based upon 21,958 valid cases out of 25,479 total cases.

- Mean: 1.26

- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 26.00
- Standard Deviation: 0.87

Location: 806-807 (width: 2; decimal: 0)

Variable Type: numeric

XSPRO1: HH4 2.1 1993 spouse roster ID

Value	Label	Unweighted Frequency	%
1	-	18296	71.8 %
2	-	1069	4.2 %
3	-	3283	12.9 %
4	-	239	0.9 %
5	-	175	0.7 %
6	-	156	0.6 %
7	-	184	0.7 %
8	-	119	0.5 %
9	-	57	0.2 %
10	-	29	0.1 %
11	-	25	0.1 %
12	-	11	0.0 %
13	-	8	0.0 %
14	-	5	0.0 %
15	-	6	0.0 %
16	-	4	0.0 %
17	-	1	0.0 %
21	-	3	0.0 %
50	-	758	3.0 %
51	-	45	0.2 %
52	-	3	0.0 %
54	-	1	0.0 %
Missing Data			
.	-	1002	3.9 %
Total		25,479	100%

Based upon 24,477 valid cases out of 25,479 total cases.

- Mean: 3.16
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 54.00

- Standard Deviation: 8.76

Location: 808-809 (width: 2; decimal: 0)

Variable Type: numeric

XSPRO3: HH4 2.3 Sex - revised

Value	Label	Unweighted Frequency	%
1	Male 1	24474	96.1 %
2	Female 2	3	0.0 %
	Missing Data		
.	-	1002	3.9 %
	Total	25,479	100%

Based upon 24,477 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 810-810 (width: 1; decimal: 0)

Variable Type: numeric

XSPRO4: HH4 2.4 Relationship to head

Value	Label	Unweighted Frequency	%
1	Head 1	18306	71.8 %
2	Wife 2	428	1.7 %
3	Daughter 3	5207	20.4 %
4	Daughter-in-law 4	158	0.6 %
5	Grandchild 5	49	0.2 %
6	Mother 6	16	0.1 %
7	Sister 7	258	1.0 %
8	Mother-in-law 8	0	0.0 %
9	Niece 9	28	0.1 %
10	Sister in law 10	20	0.1 %
11	Other relatives 11	7	0.0 %
	Missing Data		
.	-	1002	3.9 %
	Total	25,479	100%

Based upon 24,477 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 11.00

Location: 811-812 (width: 2; decimal: 0)

Variable Type: numeric

XSPRO5: HH4 2.5 Age

Value	Label	Unweighted Frequency	%
15	-	1	0.0 %
16	-	2	0.0 %
17	-	7	0.0 %
18	-	32	0.1 %
19	-	28	0.1 %
20	-	111	0.4 %
21	-	122	0.5 %
22	-	269	1.1 %
23	-	222	0.9 %
24	-	351	1.4 %
25	-	705	2.8 %
26	-	530	2.1 %
27	-	506	2.0 %
28	-	856	3.4 %
29	-	385	1.5 %
30	-	1532	6.0 %
31	-	383	1.5 %
32	-	1099	4.3 %
33	-	541	2.1 %
34	-	563	2.2 %
35	-	2065	8.1 %
36	-	746	2.9 %
37	-	573	2.2 %
38	-	1087	4.3 %
39	-	360	1.4 %
40	-	2212	8.7 %
41	-	329	1.3 %
42	-	1023	4.0 %
43	-	410	1.6 %
44	-	425	1.7 %
45	-	1929	7.6 %
46	-	538	2.1 %
47	-	403	1.6 %
48	-	741	2.9 %
49	-	256	1.0 %
50	-	1337	5.2 %
51	-	198	0.8 %

Value	Label	Unweighted Frequency	%
52	-	425	1.7 %
53	-	166	0.7 %
54	-	153	0.6 %
55	-	433	1.7 %
56	-	91	0.4 %
57	-	64	0.3 %
58	-	64	0.3 %
59	-	19	0.1 %
60	-	90	0.4 %
61	-	5	0.0 %
62	-	20	0.1 %
63	-	9	0.0 %
64	-	7	0.0 %
Missing Data			
.	-	1002	3.9 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 24,477 valid cases out of 25,479 total cases.

- Mean: 38.25
- Median: 38.00
- Mode: 40.00
- Minimum: 15.00
- Maximum: 80.00
- Standard Deviation: 8.79

Location: 813-814 (*width:* 2; *decimal:* 0)

Variable Type: numeric

XSPRO6: HH4 2.6 Marital Status

Value	Label	Unweighted Frequency	%
0	Sp absent 0	789	3.1 %
1	Married 1	23672	92.9 %
2	Unmarried 2	0	0.0 %
3	Widowed 3	0	0.0 %
4	Sep/Div 4	15	0.1 %
5	No gauna 5	0	0.0 %
Missing Data			
.	-	1003	3.9 %
Total		25,479	100%

Based upon 24,476 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 815-815 (width: 1; decimal: 0)

Variable Type: numeric

XSPRO8: HH4 2.7 spouse Spouse's ID

Value	Label	Unweighted Frequency	%
1	-	411	1.6 %
2	-	18362	72.1 %
3	-	1334	5.2 %
4	-	3252	12.8 %
5	-	247	1.0 %
6	-	202	0.8 %
7	-	177	0.7 %
8	-	200	0.8 %
9	-	132	0.5 %
10	-	59	0.2 %
11	-	29	0.1 %
12	-	27	0.1 %
13	-	14	0.1 %
14	-	9	0.0 %
15	-	6	0.0 %
16	-	7	0.0 %
17	-	4	0.0 %
18	-	1	0.0 %
22	-	3	0.0 %
24	-	1	0.0 %
69	Other nonres 69	0	0.0 %
75	Died 75	0	0.0 %
Missing Data			
.	-	1002	3.9 %
Total		25,479	100%

Based upon 24,477 valid cases out of 25,479 total cases.

- Mean: 2.55
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 24.00
- Standard Deviation: 1.40

Location: 816-817 (*width:* 2; *decimal:* 0)

Variable Type: numeric

XSPRO9: HH4 2.8 spouse Father's ID

Value	Label	Unweighted Frequency	%
1	-	4262	16.7 %
2	-	41	0.2 %
3	-	103	0.4 %
4	-	131	0.5 %
5	-	290	1.1 %
6	-	200	0.8 %
7	-	138	0.5 %
8	-	57	0.2 %
9	-	47	0.2 %
10	-	23	0.1 %
11	-	15	0.1 %
12	-	14	0.1 %
13	-	6	0.0 %
14	-	2	0.0 %
15	-	3	0.0 %
16	-	1	0.0 %
19	-	1	0.0 %
21	-	1	0.0 %
28	-	1	0.0 %
50	-	52	0.2 %
51	-	2	0.0 %
69	Other nonres 69	39	0.2 %
75	Died 75	3159	12.4 %
Missing Data			
.	-	16891	66.3 %
Total		25,479	100%

Based upon 8,588 valid cases out of 25,479 total cases.

- Mean: 29.44
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 75.00
- Standard Deviation: 35.29

Location: 818-819 (*width:* 2; *decimal:* 0)

Variable Type: numeric

XSPRO10: HH4 2.9 spouse Mother's ID

Value	Label	Unweighted Frequency	%
1	-	599	2.4 %
2	-	3770	14.8 %
3	-	265	1.0 %
4	-	399	1.6 %
5	-	797	3.1 %
6	-	750	2.9 %
7	-	409	1.6 %
8	-	248	1.0 %
9	-	140	0.5 %
10	-	92	0.4 %
11	-	46	0.2 %
12	-	47	0.2 %
13	-	33	0.1 %
14	-	17	0.1 %
15	-	8	0.0 %
16	-	5	0.0 %
17	-	4	0.0 %
18	-	2	0.0 %
19	-	2	0.0 %
20	-	2	0.0 %
21	-	1	0.0 %
22	-	2	0.0 %
50	-	21	0.1 %
51	-	3	0.0 %
69	Other nonres 69	30	0.1 %
75	Died 75	894	3.5 %
Missing Data			
.	-	16893	66.3 %
Total		25,479	100%

Based upon 8,586 valid cases out of 25,479 total cases.

- Mean: 11.48
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 75.00
- Standard Deviation: 22.27

Location: 820-821 (*width:* 2; *decimal:* 0)

Variable Type: numeric

XSPWKANY: Spouse: Any work exc. animal

Value	Label	Unweighted Frequency	%
0	none 0	1036	4.1 %
1	missing hours 1	227	0.9 %
2	<240hrs 2	256	1.0 %
3	parttime 3	9781	38.4 %
4	ft yr 4	12370	48.5 %
Missing Data			
.	-	1809	7.1 %
Total		25,479	100%

Based upon 23,670 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 822-822 (width: 1; decimal: 0)

Variable Type: numeric

XSPWKANYPLUS: Spouse: Any work incl. animal care

Value	Label	Unweighted Frequency	%
0	none 0	851	3.3 %
1	missing hours 1	182	0.7 %
2	<240hrs 2	132	0.5 %
3	parttime 3	10135	39.8 %
4	ft yr 4	12370	48.5 %
Missing Data			
.	-	1809	7.1 %
Total		25,479	100%

Based upon 23,670 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 823-823 (width: 1; decimal: 0)

Variable Type: numeric

XSPWKANIMAL: Spouse: Care of animals

Value	Label	Unweighted Frequency	%
0	none 0	16999	66.7 %
1	missing hours 1	0	0.0 %
2	<240hrs 2	2875	11.3 %

Value	Label	Unweighted Frequency	%
3	parttime 3	3796	14.9 %
4	ft yr 4	0	0.0 %
	Missing Data		
.	-	1809	7.1 %
	Total	25,479	100%

Based upon 23,670 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 824-824 (width: 1; decimal: 0)

Variable Type: numeric

XSPWKBUSINESS: Spouse: Family business work

Value	Label	Unweighted Frequency	%
0	none 0	19475	76.4 %
1	missing hours 1	4	0.0 %
2	<240hrs 2	205	0.8 %
3	parttime 3	1707	6.7 %
4	ft yr 4	2279	8.9 %
	Missing Data		
.	-	1809	7.1 %
	Total	25,479	100%

Based upon 23,670 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 825-825 (width: 1; decimal: 0)

Variable Type: numeric

XSPWKAGLAB: Spouse: Farm wage labour

Value	Label	Unweighted Frequency	%
0	none 0	18193	71.4 %
1	missing hours 1	0	0.0 %
2	<240hrs 2	161	0.6 %
3	parttime 3	4371	17.2 %
4	ft yr 4	945	3.7 %
	Missing Data		
.	-	1809	7.1 %

Value	Label	Unweighted Frequency	%
Total		25,479	100%

Based upon 23,670 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 826-826 (width: 1; decimal: 0)

Variable Type: numeric

XSPWKFARM: Spouse: Farm cultivation

Value	Label	Unweighted Frequency	%
0	none 0	14401	56.5 %
1	missing hours 1	522	2.0 %
2	<240hrs 2	1149	4.5 %
3	parttime 3	6683	26.2 %
4	ft yr 4	915	3.6 %
Missing Data			
.	-	1809	7.1 %
Total		25,479	100%

Based upon 23,670 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 827-827 (width: 1; decimal: 0)

Variable Type: numeric

XSPWKNONAG: Spouse: Nonfarm wage labour

Value	Label	Unweighted Frequency	%
0	none 0	18027	70.8 %
1	missing hours 1	0	0.0 %
2	<240hrs 2	129	0.5 %
3	parttime 3	3548	13.9 %
4	ft yr 4	1966	7.7 %
Missing Data			
.	-	1809	7.1 %
Total		25,479	100%

Based upon 23,670 valid cases out of 25,479 total cases.

- Minimum: 0.00

- Maximum: 4.00

Location: 828-828 (width: 1; decimal: 0)

Variable Type: numeric

XSPWKNONREGA: HQ13 7.3 spouse Nonag (not NREGA) wage labour (5cat)

Value	Label	Unweighted Frequency	%
0	none 0	0	0.0 %
1	missing hours 1	0	0.0 %
2	<240hrs 2	0	0.0 %
3	parttime 3	0	0.0 %
4	ft yr 4	0	0.0 %
Missing Data			
.	-	25479	100.0 %
Total		25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 829-829 (width: 1; decimal: 0)

Variable Type: numeric

XSPWKNREGA: HQ13 7.3 spouse NREGA wage labour (5cat)

Value	Label	Unweighted Frequency	%
0	none 0	0	0.0 %
1	missing hours 1	0	0.0 %
2	<240hrs 2	0	0.0 %
3	parttime 3	0	0.0 %
4	ft yr 4	0	0.0 %
Missing Data			
.	-	25479	100.0 %
Total		25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 830-830 (width: 1; decimal: 0)

Variable Type: numeric

XSPWKSALARY: Spouse: Salaried position

Value	Label	Unweighted Frequency	%
0	none 0	18116	71.1 %
1	missing hours 1	0	0.0 %
2	<240hrs 2	84	0.3 %
3	parttime 3	1219	4.8 %

Value	Label	Unweighted Frequency	%
4	ft yr 4	4251	16.7 %
	Missing Data		
-	-	1809	7.1 %
	Total	25,479	100%

Based upon 23,670 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 831-831 (width: 1; decimal: 0)

Variable Type: numeric

XAN1: HH10 5.1 any animals

Value	Label	Unweighted Frequency	%
0	No 0	13555	53.2 %
1	Yes 1	11924	46.8 %
	Total	25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 832-832 (width: 1; decimal: 0)

Variable Type: numeric

XNF1: HH12 7.2,15,24 Any hh business

Value	Label	Unweighted Frequency	%
0	No 0	19910	78.1 %
1	Yes 1	5569	21.9 %
	Total	25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 833-833 (width: 1; decimal: 0)

Variable Type: numeric

XGROUPS: HH3 1.13-15 Caste & religion

Value	Label	Unweighted Frequency	%
1	Brahmin 1	0	0.0 %

Value	Label	Unweighted Frequency	%
2	Forward caste 2	0	0.0 %
3	OBC 3	0	0.0 %
4	Dalit 4	0	0.0 %
5	Adivasi 5	0	0.0 %
6	Muslim 6	0	0.0 %
7	Christian, Sikh, Jain 7	0	0.0 %
Missing Data			
99	MASKED BY ICPSR	25479	100.0 %
Total		25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 834-835 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 99

XGROUPS6: HH3 1.13-15 Caste/religion 6cats

Value	Label	Unweighted Frequency	%
1	Brahmin 1	0	0.0 %
2	Forward caste 2	5496	21.6 %
3	OBC 3	8886	34.9 %
4	Dalit 4	5437	21.3 %
5	Adivasi 5	1998	7.8 %
6	Muslim 6	2870	11.3 %
7	Christian, Sikh, Jain 7	792	3.1 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 2.00

- Maximum: 7.00

Location: 836-836 (width: 1; decimal: 0)

Variable Type: numeric

XAN7: HH10 5.7 Animal care: Primary ID

Value	Label	Unweighted Frequency	%
1	-	4342	17.0 %
2	-	5156	20.2 %
3	-	876	3.4 %
4	-	430	1.7 %
5	-	147	0.6 %

Value	Label	Unweighted Frequency	%
6	-	139	0.5 %
7	-	114	0.4 %
8	-	68	0.3 %
9	-	45	0.2 %
10	-	17	0.1 %
11	-	13	0.1 %
12	-	21	0.1 %
13	-	9	0.0 %
14	-	3	0.0 %
15	-	2	0.0 %
16	-	4	0.0 %
17	-	2	0.0 %
20	-	1	0.0 %
25	-	1	0.0 %
Missing Data			
.	-	14089	55.3 %
Total		25,479	100%

Based upon 11,390 valid cases out of 25,479 total cases.

- Mean: 2.04
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 25.00
- Standard Deviation: 1.52

Location: 837-838 (width: 2; decimal: 0)

Variable Type: numeric

XDIST11: Census 2011: district id smstate=0'

Value	Label	Unweighted Frequency	%
0	-	907	3.6 %
6	-	62	0.2 %
8	-	93	0.4 %
9	-	14	0.1 %
10	-	68	0.3 %
12	-	45	0.2 %
13	-	36	0.1 %
21	-	79	0.3 %
22	-	31	0.1 %
23	-	74	0.3 %

Value	Label	Unweighted Frequency	%
24	-	171	0.7 %
26	-	84	0.3 %
27	-	199	0.8 %
28	-	95	0.4 %
30	-	102	0.4 %
31	-	28	0.1 %
32	-	83	0.3 %
33	-	106	0.4 %
35	-	145	0.6 %
36	-	68	0.3 %
37	-	71	0.3 %
38	-	66	0.3 %
39	-	6	0.0 %
40	-	7	0.0 %
41	-	111	0.4 %
42	-	33	0.1 %
43	-	223	0.9 %
48	-	28	0.1 %
49	-	64	0.3 %
50	-	23	0.1 %
51	-	56	0.2 %
52	-	40	0.2 %
53	-	96	0.4 %
54	-	34	0.1 %
60	-	45	0.2 %
63	-	24	0.1 %
64	-	60	0.2 %
66	-	56	0.2 %
67	-	27	0.1 %
68	-	74	0.3 %
69	-	26	0.1 %
70	-	125	0.5 %
71	-	25	0.1 %
72	-	75	0.3 %
73	-	85	0.3 %
74	-	43	0.2 %
76	-	153	0.6 %
77	-	96	0.4 %
78	-	38	0.1 %

Value	Label	Unweighted Frequency	%
80	-	74	0.3 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 337.67
- Minimum: 0.00
- Maximum: 633.00
- Standard Deviation: 203.63

Location: 839-841 (width: 3; decimal: 0)

Variable Type: numeric

XMP1A: EQ8 4.1a Marry daughter natal vill

Value	Label	Unweighted Frequency	%
0	No 0	13147	51.6 %
1	Yes 1	12253	48.1 %
	Missing Data		
.	-	79	0.3 %
Total		25,479	100%

Based upon 25,400 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 842-842 (width: 1; decimal: 0)

Variable Type: numeric

XMP1B: EQ8 4.1b Marry daughter cousin

Value	Label	Unweighted Frequency	%
0	No 0	16221	63.7 %
1	Yes 1	9176	36.0 %
	Missing Data		
.	-	82	0.3 %
Total		25,479	100%

Based upon 25,397 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 843-843 (width: 1; decimal: 0)

Variable Type: numeric

XMP1C: EQ8 4.1c Widow remarriage [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	0	0.0 %
1	Yes 1	0	0.0 %
	Missing Data		
.	-	25479	100.0 %
	Total	25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 844-844 (width: 1; decimal: 0)

Variable Type: numeric

XMP2A: EQ8 4.2a Intercaste marriage [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	0	0.0 %
1	Yes 1	0	0.0 %
	Missing Data		
.	-	25479	100.0 %
	Total	25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 845-845 (width: 1; decimal: 0)

Variable Type: numeric

XMP2B: EQ8 4.2b Divorce in community [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	0	0.0 %
1	Yes 1	0	0.0 %
	Missing Data		
.	-	25479	100.0 %
	Total	25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 846-846 (width: 1; decimal: 0)

Variable Type: numeric

XMP3A: EQ8 4.3a Boy's wed exp-lower

Value	Label	Unweighted Frequency	%
0.0000000	-	39	0.2 %

Value	Label	Unweighted Frequency	%
404.2424308	-	1	0.0 %
866.9724690	-	1	0.0 %
878.1250186	-	1	0.0 %
931.8181389	-	1	0.0 %
990.9909995	-	1	0.0 %
1627.2727282	-	1	0.0 %
1703.7037639	-	7	0.0 %
1734.6938016	-	1	0.0 %
1743.5157834	-	3	0.0 %
1756.2500373	-	1	0.0 %
1777.7777778	-	2	0.0 %
1863.6362778	-	4	0.0 %
1922.0056329	-	1	0.0 %
1948.1268694	-	9	0.0 %
1955.8822895	-	1	0.0 %
1974.2857795	-	1	0.0 %
2021.2121539	-	6	0.0 %
2590.5045189	-	1	0.0 %
2600.9174070	-	1	0.0 %
2894.3660563	-	1	0.0 %
2922.1903041	-	1	0.0 %
3156.9229420	-	1	0.0 %
3321.4284512	-	1	0.0 %
3407.4075278	-	6	0.0 %
3467.8898760	-	3	0.0 %
3469.3876032	-	1	0.0 %
3487.0315667	-	3	0.0 %
3512.5000746	-	4	0.0 %
3521.3675752	-	1	0.0 %
3555.5555556	-	3	0.0 %
3585.5854354	-	1	0.0 %
3592.9205151	-	1	0.0 %
3631.5790271	-	3	0.0 %
3727.2725556	-	5	0.0 %
3808.6954824	-	1	0.0 %
3840.7077965	-	3	0.0 %
3861.2717269	-	2	0.0 %
3896.2537388	-	12	0.0 %
4042.4243078	-	6	0.0 %

Value	Label	Unweighted Frequency	%
4091.0664258	-	1	0.0 %
4259.2594097	-	1	0.0 %
4285.8791127	-	4	0.0 %
4480.6917997	-	3	0.0 %
4486.4864287	-	2	0.0 %
4659.0906945	-	1	0.0 %
4675.5044866	-	9	0.0 %
4677.8709579	-	1	0.0 %
4735.3844130	-	2	0.0 %
4870.3171735	-	9	0.0 %
	Missing Data		
.	-	140	0.5 %
	Total	25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,339 valid cases out of 25,479 total cases.

- Mean: 105591.3815636
- Minimum: 0.0000000
- Maximum: 3764368.0017807
- Standard Deviation: 126648.2645399

Location: 847-861 (*width:* 15; *decimal:* 7)

Variable Type: numeric

XMP3B: EQ8 4.3b Boy's wed exp-upper

Value	Label	Unweighted Frequency	%
0.0000000	-	30	0.1 %
404.2424308	-	1	0.0 %
1053.7500224	-	1	0.0 %
1118.1817667	-	1	0.0 %
1189.1891994	-	1	0.0 %
1703.7037639	-	4	0.0 %
1777.7777778	-	1	0.0 %
1863.6362778	-	1	0.0 %
1955.8822895	-	1	0.0 %
2021.2121539	-	2	0.0 %
2133.3333333	-	1	0.0 %
2142.9395564	-	1	0.0 %
2236.3635334	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2440.9090922	-	1	0.0 %
2795.4544167	-	1	0.0 %
2922.1903041	-	5	0.0 %
3031.8182308	-	1	0.0 %
3407.4075278	-	2	0.0 %
3467.8898760	-	1	0.0 %
3585.5854354	-	1	0.0 %
3592.9205151	-	1	0.0 %
3631.5790271	-	1	0.0 %
3727.2725556	-	1	0.0 %
3896.2537388	-	3	0.0 %
4042.4243078	-	3	0.0 %
4390.6250932	-	1	0.0 %
4486.4864287	-	1	0.0 %
4870.3171735	-	2	0.0 %
5053.0303847	-	2	0.0 %
5111.1112916	-	5	0.0 %
5201.8348140	-	1	0.0 %
5230.5473501	-	2	0.0 %
5268.7501119	-	3	0.0 %
5282.0513628	-	1	0.0 %
5333.3333333	-	6	0.0 %
5447.3685407	-	2	0.0 %
5590.9088334	-	5	0.0 %
5613.4451495	-	1	0.0 %
5649.5679213	-	1	0.0 %
5713.0432236	-	1	0.0 %
5761.0616947	-	4	0.0 %
5844.3806083	-	7	0.0 %
5962.9631736	-	1	0.0 %
6039.1932952	-	5	0.0 %
6063.6364617	-	5	0.0 %
6234.0059821	-	2	0.0 %
6313.8458840	-	1	0.0 %
6355.2632975	-	1	0.0 %
6428.8186691	-	7	0.0 %
6623.6313560	-	4	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-	-	120	0.5 %
	Total	25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,359 valid cases out of 25,479 total cases.

- Mean: 135399.1249911
- Minimum: 0.0000000
- Maximum: 3861271.7268537
- Standard Deviation: 167051.7962910

Location: 862-876 (width: 15; decimal: 7)

Variable Type: numeric

XMP4A: EQ8 4.4a Girl's wed exp-lower

Value	Label	Unweighted Frequency	%
0.0000000	-	26	0.1 %
404.2424308	-	1	0.0 %
526.8750112	-	1	0.0 %
866.9724690	-	1	0.0 %
974.0634347	-	1	0.0 %
1490.9090222	-	1	0.0 %
1627.2727282	-	1	0.0 %
1703.7037639	-	4	0.0 %
1734.6938016	-	1	0.0 %
1756.2500373	-	2	0.0 %
1815.7895136	-	1	0.0 %
1863.6362778	-	1	0.0 %
1871.1483832	-	1	0.0 %
1955.8822895	-	1	0.0 %
1974.2857795	-	1	0.0 %
2021.2121539	-	1	0.0 %
2422.0183274	-	1	0.0 %
2555.5556458	-	1	0.0 %
3031.8182308	-	1	0.0 %
3407.4075278	-	2	0.0 %
3467.8898760	-	2	0.0 %
3487.0315667	-	1	0.0 %
3512.5000746	-	7	0.0 %
3555.5555556	-	3	0.0 %

Value	Label	Unweighted Frequency	%
3727.2725556	-	3	0.0 %
3896.2537388	-	5	0.0 %
3911.7645790	-	1	0.0 %
4042.4243078	-	6	0.0 %
4259.2594097	-	1	0.0 %
4486.4864287	-	2	0.0 %
4735.3844130	-	1	0.0 %
4982.1426768	-	1	0.0 %
5111.1112916	-	3	0.0 %
5201.8348140	-	4	0.0 %
5241.3791093	-	1	0.0 %
5243.2432038	-	1	0.0 %
5268.7501119	-	9	0.0 %
5333.3333333	-	1	0.0 %
5374.2857655	-	2	0.0 %
5486.4862773	-	1	0.0 %
5536.3637984	-	1	0.0 %
5590.9088334	-	3	0.0 %
5649.5679213	-	1	0.0 %
5713.0432236	-	1	0.0 %
5761.0616947	-	1	0.0 %
5844.3806083	-	6	0.0 %
5945.9459970	-	1	0.0 %
6039.1932952	-	1	0.0 %
6063.6364617	-	4	0.0 %
6222.2222222	-	1	0.0 %
	Missing Data		
.	-	148	0.6 %
	Total	25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,331 valid cases out of 25,479 total cases.

- Mean: 160315.1586756
- Minimum: 0.0000000
- Maximum: 3773778.9217851
- Standard Deviation: 170352.6127259

Location: 877-891 (width: 15; decimal: 7)

Variable Type: numeric

XMP4B: EQ8 4.4b Girl's wed exp-upper

Value	Label	Unweighted Frequency	%
0.0000000	-	19	0.1 %
404.2424308	-	1	0.0 %
702.5000149	-	1	0.0 %
1490.9090222	-	1	0.0 %
1703.7037639	-	2	0.0 %
1756.2500373	-	1	0.0 %
1955.8822895	-	1	0.0 %
2021.2121539	-	1	0.0 %
2171.7143575	-	1	0.0 %
2440.9090922	-	1	0.0 %
2555.5556458	-	1	0.0 %
2795.4544167	-	1	0.0 %
3031.8182308	-	1	0.0 %
3407.4075278	-	2	0.0 %
3469.3876032	-	1	0.0 %
3512.5000746	-	1	0.0 %
3555.5555556	-	1	0.0 %
3911.7645790	-	1	0.0 %
4042.4243078	-	1	0.0 %
4444.4444444	-	1	0.0 %
4486.4864287	-	1	0.0 %
4870.3171735	-	1	0.0 %
5053.0303847	-	2	0.0 %
5111.1112916	-	1	0.0 %
5243.2432038	-	1	0.0 %
5268.7501119	-	10	0.0 %
5333.3333333	-	1	0.0 %
5590.9088334	-	2	0.0 %
5761.0616947	-	1	0.0 %
5844.3806083	-	4	0.0 %
5945.9459970	-	1	0.0 %
5962.9631736	-	1	0.0 %
6063.6364617	-	3	0.0 %
6313.8458840	-	1	0.0 %
6814.8150555	-	2	0.0 %
6818.4440430	-	1	0.0 %
6935.7797520	-	2	0.0 %

Value	Label	Unweighted Frequency	%
7025.0001492	-	3	0.0 %
7111.1111111	-	1	0.0 %
7165.7143541	-	1	0.0 %
7315.3150364	-	1	0.0 %
7381.8183978	-	1	0.0 %
7454.5451112	-	3	0.0 %
7484.5935326	-	1	0.0 %
7617.3909648	-	1	0.0 %
7792.5074777	-	4	0.0 %
7897.1431181	-	1	0.0 %
7987.3201646	-	1	0.0 %
8084.8486156	-	5	0.0 %
8303.5711281	-	1	0.0 %
	Missing Data		
.	-	117	0.5 %
	Total	25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,362 valid cases out of 25,479 total cases.

- Mean: 207629.3170137
- Minimum: 0.0000000
- Maximum: 3861271.7268537
- Standard Deviation: 228131.9562921

Location: 892-906 (width: 15; decimal: 7)

Variable Type: numeric

XMP5A: EQ8 4.5 # invited by bride [IHDS2]

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	25479	100.0 %
	Total	25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 907-907 (width: 1; decimal: 0)

Variable Type: numeric

XMP5B: EQ8 4.5 # invited by groom [IHDS2]

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	25479	100.0 %
	Total	25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 908-908 (width: 1; decimal: 0)

Variable Type: numeric

XMP6A: EQ8 4.6a Wed Gift: gold

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	1630	6.4 %
2	Sometimes 2	4586	18.0 %
3	Usually 3	19169	75.2 %
	Missing Data		
.	-	94	0.4 %
	Total	25,479	100%

Based upon 25,385 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 909-909 (width: 1; decimal: 0)

Variable Type: numeric

XMP6B: EQ8 4.6b Wed Gift: silver

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	3617	14.2 %
2	Sometimes 2	5150	20.2 %
3	Usually 3	16623	65.2 %
	Missing Data		
.	-	89	0.3 %
	Total	25,479	100%

Based upon 25,390 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 910-910 (width: 1; decimal: 0)

Variable Type: numeric

XMP6C: EQ8 4.6c Wed Gift: land

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	24100	94.6 %
2	Sometimes 2	1071	4.2 %
3	Usually 3	216	0.8 %
	Missing Data		
.	-	92	0.4 %
	Total	25,479	100%

Based upon 25,387 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 911-911 (width: 1; decimal: 0)

Variable Type: numeric

XMP6D: EQ8 4.6d Wed Gift: car

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	24116	94.7 %
2	Sometimes 2	1130	4.4 %
3	Usually 3	144	0.6 %
	Missing Data		
.	-	89	0.3 %
	Total	25,479	100%

Based upon 25,390 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 912-912 (width: 1; decimal: 0)

Variable Type: numeric

XMP6E: EQ8 4.6e Wed Gift: scooter

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	17695	69.4 %
2	Sometimes 2	5028	19.7 %
3	Usually 3	2667	10.5 %
	Missing Data		
.	-	89	0.3 %
	Total	25,479	100%

Based upon 25,390 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 913-913 (width: 1; decimal: 0)

Variable Type: numeric

XMP6F: EQ8 4.6f Wed Gift: TV

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	12253	48.1 %
2	Sometimes 2	6927	27.2 %
3	Usually 3	6205	24.4 %
	Missing Data		
.	-	94	0.4 %
	Total	25,479	100%

Based upon 25,385 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 914-914 (width: 1; decimal: 0)

Variable Type: numeric

XMP6G: EQ8 4.6g Wed Gift: Fridge

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	16422	64.5 %
2	Sometimes 2	5556	21.8 %
3	Usually 3	3396	13.3 %
	Missing Data		
.	-	105	0.4 %
	Total	25,479	100%

Based upon 25,374 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 915-915 (width: 1; decimal: 0)

Variable Type: numeric

XMP6H: EQ8 4.6h Wed Gift: Mobile [IHDS2]

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	0	0.0 %
2	Sometimes 2	0	0.0 %
3	Usually 3	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	25479	100.0 %
	Total	25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 916-916 (width: 1; decimal: 0)

Variable Type: numeric

XMP6I: EQ8 4.6i Wed Gift: Furniture

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	6699	26.3 %
2	Sometimes 2	5020	19.7 %
3	Usually 3	13661	53.6 %
	Missing Data		
.	-	99	0.4 %
	Total	25,479	100%

Based upon 25,380 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 917-917 (width: 1; decimal: 0)

Variable Type: numeric

XMP6J: EQ8 4.6j Wed Gift: Pressure cook

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	9950	39.1 %
2	Sometimes 2	5050	19.8 %
3	Usually 3	10373	40.7 %
	Missing Data		
.	-	106	0.4 %
	Total	25,479	100%

Based upon 25,373 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 918-918 (width: 1; decimal: 0)

Variable Type: numeric

XMP6K: EQ8 4.6k Wed Gift: Utensils

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	2113	8.3 %
2	Sometimes 2	2209	8.7 %
3	Usually 3	21042	82.6 %
	Missing Data		
.	-	115	0.5 %
	Total	25,479	100%

Based upon 25,364 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 919-919 (width: 1; decimal: 0)

Variable Type: numeric

XMP6L: EQ8 4.6I Wed Gift: Mixer/Grinder

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	14908	58.5 %
2	Sometimes 2	5014	19.7 %
3	Usually 3	5411	21.2 %
	Missing Data		
.	-	146	0.6 %
	Total	25,479	100%

Based upon 25,333 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 920-920 (width: 1; decimal: 0)

Variable Type: numeric

XMP6M: EQ8 4.6m Wed Gift: Bedding

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	3235	12.7 %
2	Sometimes 2	3306	13.0 %
3	Usually 3	18824	73.9 %
	Missing Data		
.	-	114	0.4 %
	Total	25,479	100%

Based upon 25,365 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 921-921 (width: 1; decimal: 0)

Variable Type: numeric

XMP6N: EQ8 4.6n Wed Gift: Watch

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	3788	14.9 %
2	Sometimes 2	5319	20.9 %
3	Usually 3	16255	63.8 %
	Missing Data		
.	-	117	0.5 %
	Total	25,479	100%

Based upon 25,362 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 922-922 (width: 1; decimal: 0)

Variable Type: numeric

XMP6O: EQ8 4.6o Wed Gift: Bicycle

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	17048	66.9 %
2	Sometimes 2	4477	17.6 %
3	Usually 3	3833	15.0 %
	Missing Data		
.	-	121	0.5 %
	Total	25,479	100%

Based upon 25,358 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 923-923 (width: 1; decimal: 0)

Variable Type: numeric

XMP6P: EQ8 4.6p Wed Gift: Sewing m/c

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	14169	55.6 %
2	Sometimes 2	5198	20.4 %
3	Usually 3	5982	23.5 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	130	0.5 %
	Total	25,479	100%

Based upon 25,349 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 924-924 (width: 1; decimal: 0)

Variable Type: numeric

XMP6Q: EQ8 4.6q Wed Gift: Livestock

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	19457	76.4 %
2	Sometimes 2	4174	16.4 %
3	Usually 3	1718	6.7 %
	Missing Data		
.	-	130	0.5 %
	Total	25,479	100%

Based upon 25,349 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 925-925 (width: 1; decimal: 0)

Variable Type: numeric

XMP6Q1: EH8 4.5q Wed Gift: Tractor [IHDS1 only]

Value	Label	Unweighted Frequency	%
0	Rarely/Never 0	0	0.0 %
1	rarely/never 1	25112	98.6 %
2	sometimes 2	119	0.5 %
3	often 3	85	0.3 %
	Missing Data		
.	-	163	0.6 %
	Total	25,479	100%

Based upon 25,316 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 926-926 (width: 1; decimal: 0)

Variable Type: numeric

XMP6R: EQ8 4.6r Wed Gift: Washing machine [IHDS2]

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	0	0.0 %
2	Sometimes 2	0	0.0 %
3	Usually 3	0	0.0 %
	Missing Data		
.	-	25479	100.0 %
	Total	25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 927-927 (width: 1; decimal: 0)

Variable Type: numeric

XMP6S: EQ8 4.6s Wed Gift: LPG [IHDS2]

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	0	0.0 %
2	Sometimes 2	0	0.0 %
3	Usually 3	0	0.0 %
	Missing Data		
.	-	25479	100.0 %
	Total	25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 928-928 (width: 1; decimal: 0)

Variable Type: numeric

XMP6T: EQ8 4.6t Wed Gift: Flat [IHDS2]

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	0	0.0 %
2	Sometimes 2	0	0.0 %
3	Usually 3	0	0.0 %
	Missing Data		
.	-	25479	100.0 %
	Total	25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 929-929 (width: 1; decimal: 0)

Variable Type: numeric

XMP6U: EQ8 4.6u Wed Gift: Cash

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	9333	36.6 %
2	Sometimes 2	5617	22.0 %
3	Usually 3	10250	40.2 %
	Missing Data		
.	-	279	1.1 %
	Total	25,479	100%

Based upon 25,200 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 930-930 (width: 1; decimal: 0)

Variable Type: numeric

XMP6V: EQ8 4.6v Wed Gift: Computer [IHDS2]

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	0	0.0 %
2	Sometimes 2	0	0.0 %
3	Usually 3	0	0.0 %
	Missing Data		
.	-	25479	100.0 %
	Total	25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 931-931 (width: 1; decimal: 0)

Variable Type: numeric

XMP7A: EQ8 4.7a Wed Gift: Cash amount low [IHDS2]

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	25479	100.0 %
	Total	25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 932-932 (width: 1; decimal: 0)

Variable Type: numeric

XMP7B: EQ8 4.7b Wed Gift: Cash amount high [IHDS2]

Value	Label	Unweighted Frequency	%
	Missing Data		
-		25479	100.0 %
	Total	25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 933-933 (width: 1; decimal: 0)

Variable Type: numeric

XMP7MID: EQ8 4.7a Wed Gift: Cash amount midpoint

Value	Label	Unweighted Frequency	%
0.0000000	-	8904	34.9 %
1.7435158	-	1	0.0 %
1.7589285	-	1	0.0 %
1.7914286	-	1	0.0 %
1.8157895	-	1	0.0 %
1.8288288	-	1	0.0 %
1.9306359	-	1	0.0 %
2.0212122	-	2	0.0 %
3.3333332	-	1	0.0 %
3.5125001	-	1	0.0 %
3.5555556	-	1	0.0 %
3.58555854	-	1	0.0 %
4.4864864	-	1	0.0 %
8.5185188	-	4	0.0 %
12.5515324	-	1	0.0 %
15.85558560	-	1	0.0 %
17.0370376	-	4	0.0 %
18.2882876	-	2	0.0 %
18.6363628	-	3	0.0 %
18.7407414	-	12	0.0 %
19.8198200	-	3	0.0 %
20.1171164	-	1	0.0 %
20.2121215	-	32	0.1 %
20.4999991	-	1	0.0 %
21.2369945	-	3	0.0 %
21.8018020	-	1	0.0 %
22.4324321	-	1	0.0 %
25.5555565	-	27	0.1 %
34.0740753	-	2	0.0 %

Value	Label	Unweighted Frequency	%
35.7777790	-	8	0.0 %
37.2727256	-	3	0.0 %
37.6200004	-	1	0.0 %
38.1315798	-	1	0.0 %
38.4054039	-	2	0.0 %
38.7387408	-	1	0.0 %
39.6396400	-	5	0.0 %
40.4242431	-	74	0.3 %
40.5433531	-	1	0.0 %
42.4454552	-	1	0.0 %
42.5925941	-	90	0.4 %
43.4342871	-	1	0.0 %
47.1081075	-	18	0.1 %
49.4074092	-	1	0.0 %
51.1111129	-	1	0.0 %
52.8148167	-	3	0.0 %
56.2894749	-	1	0.0 %
60.6363646	-	4	0.0 %
62.7000006	-	1	0.0 %
76.6666694	-	1	0.0 %
85.1851882	-	7	0.0 %
	Missing Data		
.	-	234	0.9 %
	Total	25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,245 valid cases out of 25,479 total cases.

- Mean: 38536.8815450
- Minimum: 0.0000000
- Maximum: 3504273.5524745
- Standard Deviation: 92921.8989776

Location: 934-948 (width: 15; decimal: 7)

Variable Type: numeric

XQC1: EQ17 11.1 Visit Hospital

Value	Label	Unweighted Frequency	%
0	No 0	2492	9.8 %
1	Yes 1	22987	90.2 %

Value	Label	Unweighted Frequency	%
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 949-949 (width: 1; decimal: 0)

Variable Type: numeric

XQC2: EQ17 11.2 Med treatment who [IHDS1 ~= IHDS2]

Value	Label	Unweighted Frequency	%
1	Govt Doc/Nurse 1	6648	26.1 %
2	Govt Doc/Nurse in Pvt 2	1148	4.5 %
3	Pvt Doc/Nurse 3	14011	55.0 %
4	Chemist4	863	3.4 %
5	Vaidhya/Hakim 5	313	1.2 %
6	Witch craft 6	0	0.0 %
7	Others 7	0	0.0 %
Missing Data			
.	-	2496	9.8 %
Total		25,479	100%

Based upon 22,983 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 950-950 (width: 1; decimal: 0)

Variable Type: numeric

XQC3: EQ17 11.3 Med treatment where

Value	Label	Unweighted Frequency	%
1	Same Village/Town 1	11888	46.7 %
2	Another Village 2	5535	21.7 %
3	Other Town 3	3258	12.8 %
4	District Town 4	2257	8.9 %
Missing Data			
.	-	2541	10.0 %
Total		25,479	100%

Based upon 22,938 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 951-951 (width: 1; decimal: 0)

Variable Type: numeric

XQC4: EQ17 11.4 Illness type

Value	Label	Unweighted Frequency	%
1	Fever 1	12589	49.4 %
2	Cough/Cold 2	2595	10.2 %
3	Diarrhea 3	1221	4.8 %
4	Others 4	6394	25.1 %
	Missing Data		
.	-	2680	10.5 %
	Total	25,479	100%

Based upon 22,799 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 952-952 (width: 1; decimal: 0)

Variable Type: numeric

XQC5M: EQ17 11.5 Med treatment Month

Value	Label	Unweighted Frequency	%
1	-	3483	13.7 %
2	-	2647	10.4 %
3	-	2246	8.8 %
4	-	2066	8.1 %
5	-	1518	6.0 %
6	-	1242	4.9 %
7	-	848	3.3 %
8	-	1035	4.1 %
9	-	1102	4.3 %
10	-	1409	5.5 %
11	-	1777	7.0 %
12	-	2633	10.3 %
	Missing Data		
.	-	3473	13.6 %
	Total	25,479	100%

Based upon 22,006 valid cases out of 25,479 total cases.

- Mean: 5.83
- Median: 5.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.90

Location: 953-954 (width: 2; decimal: 0)

Variable Type: numeric

XQC5Y: EQ17 11.5 Med treatment Year

Value	Label	Unweighted Frequency	%
1986	-	1	0.0 %
1990	-	4	0.0 %
1992	-	4	0.0 %
1993	-	4	0.0 %
1994	-	11	0.0 %
1995	-	9	0.0 %
1996	-	4	0.0 %
1997	-	14	0.1 %
2000	-	114	0.4 %
2001	-	116	0.5 %
2002	-	313	1.2 %
2003	-	575	2.3 %
2004	-	9293	36.5 %
2005	-	12152	47.7 %
Missing Data			
.	-	2865	11.2 %
Total		25,479	100%

Based upon 22,614 valid cases out of 25,479 total cases.

- Mean: 2004.43
- Median: 2005.00
- Mode: 2005.00
- Minimum: 1986.00
- Maximum: 2005.00
- Standard Deviation: 0.88

Location: 955-958 (width: 4; decimal: 0)

Variable Type: numeric

XQC6: EQ17 11.6 Med treatment sex

Value	Label	Unweighted Frequency	%
1	Female 1	3350	13.1 %

Value	Label	Unweighted Frequency	%
2	Male 2	18131	71.2 %
3	Both 3	1305	5.1 %
	Missing Data		
.	-	2693	10.6 %
	Total	25,479	100%

Based upon 22,786 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 959-959 (width: 1; decimal: 0)

Variable Type: numeric

XQC7: EQ17 11.7 Doctor's behaviour

Value	Label	Unweighted Frequency	%
1	Nicely 1	16862	66.2 %
2	Somewhat nicely 2	5815	22.8 %
3	Not nicely 3	189	0.7 %
	Missing Data		
.	-	2613	10.3 %
	Total	25,479	100%

Based upon 22,866 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 960-960 (width: 1; decimal: 0)

Variable Type: numeric

XQC8: EQ17 11.8 Med treat wait time

Value	Label	Unweighted Frequency	%
0	-	2321	9.1 %
1	-	70	0.3 %
2	-	203	0.8 %
3	-	58	0.2 %
4	-	21	0.1 %
5	-	3275	12.9 %
6	-	41	0.2 %
7	-	43	0.2 %
8	-	20	0.1 %

Value	Label	Unweighted Frequency	%
9	-	8	0.0 %
10	-	4812	18.9 %
11	-	3	0.0 %
12	-	11	0.0 %
13	-	2	0.0 %
14	-	1	0.0 %
15	-	2280	8.9 %
16	-	1	0.0 %
17	-	2	0.0 %
18	-	1	0.0 %
20	-	2111	8.3 %
21	-	1	0.0 %
24	-	3	0.0 %
25	-	283	1.1 %
26	-	2	0.0 %
30	-	4035	15.8 %
35	-	88	0.3 %
36	-	5	0.0 %
37	-	1	0.0 %
40	-	263	1.0 %
45	-	191	0.7 %
48	-	2	0.0 %
50	-	31	0.1 %
51	-	5	0.0 %
52	-	1	0.0 %
55	-	2	0.0 %
56	-	1	0.0 %
57	-	1	0.0 %
58	-	1	0.0 %
60	-	1749	6.9 %
61	-	3	0.0 %
62	-	1	0.0 %
65	-	6	0.0 %
70	-	23	0.1 %
72	-	1	0.0 %
75	-	2	0.0 %
80	-	26	0.1 %
90	-	116	0.5 %
98	-	1	0.0 %

Value	Label	Unweighted Frequency	%
100	-	7	0.0 %
101	-	2	0.0 %
	Missing Data		
.	-	2810	11.0 %
	Total	25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 22,669 valid cases out of 25,479 total cases.

- Mean: 21.95
- Median: 15.00
- Mode: 10.00
- Minimum: 0.00
- Maximum: 480.00
- Standard Deviation: 27.94

Location: 961-963 (width: 3; decimal: 0)

Variable Type: numeric

XQC9: EQ17 11.9 Med treat accompanied

Value	Label	Unweighted Frequency	%
1	Alone 1	8209	32.2 %
2	husband 2	9576	37.6 %
3	older men 3	657	2.6 %
4	older women 4	1110	4.4 %
5	younger women 5	1031	4.0 %
6	Adolescent/Younger men 6	1072	4.2 %
7	Other combination 7	1236	4.9 %
	Missing Data		
.	-	2588	10.2 %
	Total	25,479	100%

Based upon 22,891 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 964-964 (width: 1; decimal: 0)

Variable Type: numeric

XQC11: EQ17 11.11 Health facility ID

Value	Label	Unweighted Frequency	%
	Missing Data		

Value	Label	Unweighted Frequency	%
-		25479	100.0 %
Total		25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 965-965 (width: 1; decimal: 0)

Variable Type: numeric

XSTLAB01: H1sp: State name (2001 census)

Value	Label	Unweighted Frequency	%
-		25479	100.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

Location: 966-966 (width: 1; decimal: 0)

Variable Type: character

XDILAB01: Census: 2001 district name

Value	Label	Unweighted Frequency	%
-		25479	100.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

Location: 967-967 (width: 1; decimal: 0)

Variable Type: character

XSAMPTYPE: NCAER: 2004 IHDS sample type

Value	Label	Unweighted Frequency	%
0	HDPI 1 only 0	0	0.0 %
1	full reint 1	0	0.0 %
2	partial reint 2	0	0.0 %
3	missing list 3	0	0.0 %
4	refresh/extend 4	0	0.0 %
5	urban 5	0	0.0 %
6	Karn. restudy 6	0	0.0 %
7	reint 2nd 7	0	0.0 %
	Missing Data		
-		25479	100.0 %
Total		25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 968-968 (width: 1; decimal: 0)

Variable Type: numeric

XPRICE2004: Sector specific price indices for 2004-5 [IHDS2]

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	25479	100.0 %
	Total	25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 969-969 (width: 1; decimal: 0)

Variable Type: numeric

XPRICE2012: Sector specific price indices for 2011-12, adj for int date [IHDS2]

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	25479	100.0 %
	Total	25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 970-970 (width: 1; decimal: 0)

Variable Type: numeric

XDEFLATOR: Deflator for converting 2012 prices, CPI based, month adj.

Value	Label	Unweighted Frequency	%
0.4457831382751	-	179	0.7 %
0.4654255211353	-	20	0.1 %
0.4709141254425	-	802	3.1 %
0.4780292809010	-	284	1.1 %
0.4920634925365	-	36	0.1 %
0.4947526156902	-	1442	5.7 %
0.5042372941971	-	316	1.2 %
0.5045454502106	-	205	0.8 %
0.5065122842789	-	1630	6.4 %
0.5087976455688	-	17	0.1 %
0.5112782120705	-	928	3.6 %
0.5133135914803	-	378	1.5 %
0.5162790417671	-	233	0.9 %
0.5172413587570	-	42	0.2 %

Value	Label	Unweighted Frequency	%
0.5179640650749	-	1036	4.1 %
0.5182482004166	-	751	2.9 %
0.5185185074806	-	163	0.6 %
0.5202898383141	-	630	2.5 %
0.5207373499870	-	355	1.4 %
0.5251141786575	-	219	0.9 %
0.5285714268684	-	48	0.2 %
0.5299538969994	-	47	0.2 %
0.5312976837158	-	205	0.8 %
0.5344311594963	-	548	2.2 %
0.5355450510979	-	49	0.2 %
0.5365853905678	-	536	2.1 %
0.5418719053268	-	788	3.1 %
0.5450236797333	-	369	1.4 %
0.5463414788246	-	35	0.1 %
0.5467980504036	-	668	2.6 %
0.5501567125320	-	175	0.7 %
0.5507246255875	-	277	1.1 %
0.5566502213478	-	163	0.6 %
0.5577889680862	-	204	0.8 %
0.5578778386116	-	14	0.1 %
0.5582137107849	-	552	2.2 %
0.5625000000000	-	870	3.4 %
0.5665024518967	-	118	0.5 %
0.5670102834702	-	128	0.5 %
0.5679611563683	-	818	3.2 %
0.5685279369354	-	291	1.1 %
0.5687204003334	-	70	0.3 %
0.5693950057030	-	1031	4.0 %
0.5707316994667	-	320	1.3 %
0.5721649527550	-	384	1.5 %
0.5723684430122	-	55	0.2 %
0.5735537409782	-	597	2.3 %
0.5736842155457	-	1	0.0 %
0.5764706134796	-	1884	7.4 %
0.5767195820808	-	210	0.8 %
	Total	25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 0.5462861163280
- Median: 0.5467980504036
- Mode: 0.5764706134796
- Minimum: 0.4457831382751
- Maximum: 0.6335282921791
- Standard Deviation: 0.0390125507434

Location: 971-985 (width: 15; decimal: 13)

Variable Type: numeric

XAPDD: HH29 23. Day of anthropometry interview

Value	Label	Unweighted Frequency	%
1	-	31	0.1 %
2	-	32	0.1 %
3	-	33	0.1 %
4	-	45	0.2 %
5	-	47	0.2 %
6	-	46	0.2 %
7	-	48	0.2 %
8	-	42	0.2 %
9	-	44	0.2 %
10	-	46	0.2 %
11	-	48	0.2 %
12	-	51	0.2 %
13	-	52	0.2 %
14	-	55	0.2 %
15	-	68	0.3 %
16	-	64	0.3 %
17	-	60	0.2 %
18	-	42	0.2 %
19	-	50	0.2 %
20	-	45	0.2 %
21	-	43	0.2 %
22	-	42	0.2 %
23	-	43	0.2 %
24	-	37	0.1 %
25	-	39	0.2 %
26	-	53	0.2 %
27	-	42	0.2 %

Value	Label	Unweighted Frequency	%
28	-	58	0.2 %
29	-	41	0.2 %
30	-	31	0.1 %
31	-	17	0.1 %
Missing Data			
.	-	24084	94.5 %
Total		25,479	100%

Based upon 1,395 valid cases out of 25,479 total cases.

- Mean: 15.86
- Median: 16.00
- Mode: 15.00
- Minimum: 1.00
- Maximum: 31.00
- Standard Deviation: 8.29

Location: 986-987 (width: 2; decimal: 0)

Variable Type: numeric

XAPDM: HH29 23. Month of anthropometry interview

Value	Label	Unweighted Frequency	%
1	-	402	1.6 %
2	-	282	1.1 %
3	-	112	0.4 %
4	-	102	0.4 %
5	-	47	0.2 %
6	-	26	0.1 %
7	-	21	0.1 %
8	-	19	0.1 %
9	-	15	0.1 %
10	-	5	0.0 %
11	-	106	0.4 %
12	-	257	1.0 %
Missing Data			
.	-	24085	94.5 %
Total		25,479	100%

Based upon 1,394 valid cases out of 25,479 total cases.

- Mean: 4.90
- Median: 3.00
- Mode: 1.00

- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 4.37

Location: 988-989 (width: 2; decimal: 0)

Variable Type: numeric

XAPDY: HH29 23. Year of anthropometry interview

Value	Label	Unweighted Frequency	%
2004	-	364	1.4 %
2005	-	1030	4.0 %
	Missing Data		
.	-	24085	94.5 %
	Total	25,479	100%

Based upon 1,394 valid cases out of 25,479 total cases.

- Mean: 2004.74
- Median: 2005.00
- Mode: 2005.00
- Minimum: 2004.00
- Maximum: 2005.00
- Standard Deviation: 0.44

Location: 990-993 (width: 4; decimal: 0)

Variable Type: numeric

XAPDATE: HH29 23. Date (integer) of anthropometry interview

Value	Label	Unweighted Frequency	%
16076	-	1	0.0 %
16108	-	1	0.0 %
16377	-	2	0.0 %
16378	-	4	0.0 %
16379	-	1	0.0 %
16380	-	3	0.0 %
16381	-	1	0.0 %
16382	-	1	0.0 %
16383	-	3	0.0 %
16384	-	3	0.0 %
16385	-	4	0.0 %
16390	-	1	0.0 %
16391	-	1	0.0 %
16392	-	3	0.0 %
16393	-	1	0.0 %

Value	Label	Unweighted Frequency	%
16394	-	4	0.0 %
16395	-	8	0.0 %
16396	-	6	0.0 %
16397	-	4	0.0 %
16398	-	2	0.0 %
16399	-	1	0.0 %
16400	-	6	0.0 %
16401	-	13	0.1 %
16402	-	8	0.0 %
16403	-	15	0.1 %
16404	-	8	0.0 %
16405	-	3	0.0 %
16406	-	2	0.0 %
16408	-	1	0.0 %
16409	-	4	0.0 %
16410	-	7	0.0 %
16411	-	14	0.1 %
16412	-	9	0.0 %
16413	-	4	0.0 %
16414	-	8	0.0 %
16415	-	3	0.0 %
16416	-	11	0.0 %
16417	-	7	0.0 %
16418	-	5	0.0 %
16419	-	7	0.0 %
16420	-	17	0.1 %
16421	-	16	0.1 %
16422	-	10	0.0 %
16423	-	2	0.0 %
16424	-	2	0.0 %
16425	-	6	0.0 %
16426	-	6	0.0 %
16427	-	4	0.0 %
16428	-	13	0.1 %
16429	-	15	0.1 %
Missing Data			
.	-	24085	94.5 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,394 valid cases out of 25,479 total cases.

- Mean: 16474.93
- Median: 16461.00
- Mode: 16451.00
- Minimum: 16076.00
- Maximum: 16788.00
- Standard Deviation: 63.45

Location: 994-998 (width: 5; decimal: 0)

Variable Type: numeric

XPOORT: Poverty using 2004-5 Tendulkar cutoffs

Value	Label	Unweighted Frequency	%
0	nonpoor 0	19765	77.6 %
1	poor 1	5693	22.3 %
	Missing Data		
.	-	21	0.1 %
	Total	25,479	100%

Based upon 25,458 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 999-999 (width: 1; decimal: 0)

Variable Type: numeric

XFH0: EH27 any fertility history

Value	Label	Unweighted Frequency	%
0	No 0	1626	6.4 %
1	Yes 1	23853	93.6 %
	Total	25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1000-1000 (width: 1; decimal: 0)

Variable Type: numeric

XCD3CM: EH 0.2 imputed date of interview (century month calendar)

Value	Label	Unweighted Frequency	%
1258	-	4	0.0 %

Value	Label	Unweighted Frequency	%
1259	-	665	2.6 %
1260	-	2183	8.6 %
1261	-	4248	16.7 %
1262	-	3795	14.9 %
1263	-	3008	11.8 %
1264	-	2871	11.3 %
1265	-	2749	10.8 %
1266	-	1628	6.4 %
1267	-	1021	4.0 %
1268	-	816	3.2 %
1269	-	715	2.8 %
1270	-	120	0.5 %
1271	-	30	0.1 %
Missing Data			
.	-	1626	6.4 %
Total		25,479	100%

Based upon 23,853 valid cases out of 25,479 total cases.

- Mean: 1263.22
- Median: 1263.00
- Mode: 1261.00
- Minimum: 1258.00
- Maximum: 1271.00
- Standard Deviation: 2.50

Location: 1001-1004 (width: 4; decimal: 0)

Variable Type: numeric

XDIST01: District ID corrected Census 2001

Value	Label	Unweighted Frequency	%
0	-	907	3.6 %
1	-	888	3.5 %
2	-	1530	6.0 %
3	-	650	2.6 %
4	-	911	3.6 %
5	-	1454	5.7 %
6	-	966	3.8 %
7	-	903	3.5 %
8	-	1020	4.0 %
9	-	1113	4.4 %
10	-	1003	3.9 %

Value	Label	Unweighted Frequency	%
11	-	888	3.5 %
12	-	1179	4.6 %
13	-	921	3.6 %
14	-	667	2.6 %
15	-	844	3.3 %
16	-	684	2.7 %
17	-	703	2.8 %
18	-	605	2.4 %
19	-	583	2.3 %
20	-	588	2.3 %
21	-	558	2.2 %
22	-	535	2.1 %
23	-	436	1.7 %
24	-	501	2.0 %
25	-	465	1.8 %
26	-	456	1.8 %
27	-	446	1.8 %
28	-	111	0.4 %
29	-	321	1.3 %
30	-	364	1.4 %
31	-	201	0.8 %
32	-	308	1.2 %
33	-	24	0.1 %
34	-	106	0.4 %
35	-	125	0.5 %
36	-	104	0.4 %
37	-	62	0.2 %
38	-	26	0.1 %
39	-	19	0.1 %
40	-	29	0.1 %
41	-	43	0.2 %
42	-	97	0.4 %
44	-	70	0.3 %
45	-	73	0.3 %
46	-	27	0.1 %
47	-	61	0.2 %
48	-	44	0.2 %
49	-	112	0.4 %
50	-	41	0.2 %

Value	Label	Unweighted Frequency	%
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 14.90
- Median: 12.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 68.00
- Standard Deviation: 12.86

Location: 1005-1006 (width: 2; decimal: 0)

Variable Type: numeric

XWTHH: hh weight in IHDS1 or 2, not for ew analyses

Value	Label	Unweighted Frequency	%
220.00238037	-	13	0.1 %
289.22222900	-	23	0.1 %
292.30133057	-	7	0.0 %
454.32699585	-	184	0.7 %
460.03591919	-	14	0.1 %
495.76773071	-	16	0.1 %
504.02832031	-	12	0.0 %
522.31689453	-	10	0.0 %
538.93060303	-	15	0.1 %
541.10852051	-	6	0.0 %
543.16546631	-	23	0.1 %
557.93231201	-	17	0.1 %
588.45904541	-	16	0.1 %
589.21545410	-	16	0.1 %
604.79016113	-	20	0.1 %
611.10021973	-	17	0.1 %
615.75543213	-	11	0.0 %
616.30712891	-	15	0.1 %
617.47839356	-	11	0.0 %
618.94610596	-	13	0.1 %
621.04852295	-	14	0.1 %
629.24487305	-	12	0.0 %
640.28082275	-	11	0.0 %
643.34521484	-	29	0.1 %

Value	Label	Unweighted Frequency	%
645.11938477	-	15	0.1 %
651.55328369	-	7	0.0 %
653.67071533	-	18	0.1 %
654.36553955	-	8	0.0 %
657.88287354	-	9	0.0 %
659.53619385	-	14	0.1 %
662.03973389	-	11	0.0 %
662.09661865	-	27	0.1 %
672.37213135	-	15	0.1 %
687.08380127	-	5	0.0 %
687.18878174	-	9	0.0 %
687.80535889	-	13	0.1 %
711.63549805	-	16	0.1 %
714.06817627	-	18	0.1 %
722.07824707	-	11	0.0 %
756.45068359	-	23	0.1 %
791.66040039	-	16	0.1 %
796.65240479	-	13	0.1 %
802.84265137	-	16	0.1 %
806.21655274	-	13	0.1 %
817.54956055	-	19	0.1 %
818.28155518	-	21	0.1 %
818.35534668	-	7	0.0 %
820.61145020	-	9	0.0 %
831.96655274	-	13	0.1 %
844.23736572	-	17	0.1 %
	Total	25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 4765.96148679
- Minimum: 220.00238037
- Maximum: 308216.37500000
- Standard Deviation: 5471.09283182

Location: 1007-1021 (*width:* 15; *decimal:* 8)

Variable Type: numeric

XID11: HH3 1.14 Religion, adjusted after 2012

Value	Label	Unweighted Frequency	%
1	Hindu 1	20781	81.6 %
2	Muslim 2	2925	11.5 %
3	Christian 3	616	2.4 %
4	Sikh 4	648	2.5 %
5	Buddhist 5	185	0.7 %
6	Jain 6	69	0.3 %
7	Tribal 7	242	0.9 %
8	Others 8	11	0.0 %
9	None 9	2	0.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 1022-1022 (width: 1; decimal: 0)

Variable Type: numeric

XID13: HH3 1.13 Caste category

Value	Label	Unweighted Frequency	%
1	Brahmin 1	0	0.0 %
2	Forward 2	0	0.0 %
3	OBC 3	0	0.0 %
4	SC 4	0	0.0 %
5	ST 5	0	0.0 %
6	Others 6	0	0.0 %
Missing Data			
99	MASKED BY ICPSR	25479	100.0 %
Total		25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 1023-1024 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 99

XASSETS: HH22+EH 30 hh goods & housing

Value	Label	Unweighted Frequency	%
Missing Data			
.	-	25479	100.0 %
Total		25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 1025-1025 (width: 1; decimal: 0)

Variable Type: numeric

XASSETS2005: Total hh assets (0-30) as in IHDS1

Value	Label	Unweighted Frequency	%
0	-	58	0.2 %
1	-	165	0.6 %
2	-	394	1.5 %
3	-	761	3.0 %
4	-	1180	4.6 %
5	-	1498	5.9 %
6	-	1592	6.2 %
7	-	1584	6.2 %
8	-	1459	5.7 %
9	-	1489	5.8 %
10	-	1443	5.7 %
11	-	1397	5.5 %
12	-	1372	5.4 %
13	-	1299	5.1 %
14	-	1232	4.8 %
15	-	1140	4.5 %
16	-	1106	4.3 %
17	-	1023	4.0 %
18	-	967	3.8 %
19	-	941	3.7 %
20	-	804	3.2 %
21	-	749	2.9 %
22	-	610	2.4 %
23	-	424	1.7 %
24	-	343	1.3 %
25	-	217	0.9 %
26	-	108	0.4 %
27	-	73	0.3 %
28	-	31	0.1 %
29	-	15	0.1 %
30	-	5	0.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 11.93
- Median: 11.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 6.01

Location: 1026-1027 (width: 2; decimal: 0)

Variable Type: numeric

XASSETS5: Total hh assets, quintiles

Value	Label	Unweighted Frequency	%
0	Neg,<1000 0	0	0.0 %
1	Poorest 1	4056	15.9 %
2	2nd quintile 2	4635	18.2 %
3	Middle q 3	5701	22.4 %
4	4th quintile 4	5800	22.8 %
5	Richest 5	5287	20.8 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1028-1028 (width: 1; decimal: 0)

Variable Type: numeric

XCOTOTAL: HH19 12. Annual consumption expenditures

Based upon 25,458 valid cases out of 25,479 total cases.

- Mean: 97965.5176512
- Minimum: 686.9387454
- Maximum: 1772069.5585457
- Standard Deviation: 90181.7391701

Location: 1029-1043 (width: 15; decimal: 7)

Variable Type: numeric

XCOTOTAL5: HH19 12. Annual hh consumption quintiles

Value	Label	Unweighted Frequency	%
1	-	3969	15.6 %
2	-	4732	18.6 %
3	-	5229	20.5 %
4	-	5513	21.6 %
5	-	6015	23.6 %
Missing Data			

Value	Label	Unweighted Frequency	%
-	-	21	0.1 %
Total		25,479	100%

Based upon 25,458 valid cases out of 25,479 total cases.

- Mean: 3.19
- Median: 3.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.39

Location: 1044-1044 (width: 1; decimal: 0)

Variable Type: numeric

XINCOME: HH Annual income Rs2012

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 94883.180831
- Minimum: -209026.781250
- Maximum: 12032845.000000
- Standard Deviation: 147619.431439

Location: 1045-1059 (width: 15; decimal: 6)

Variable Type: numeric

XINCOME5: HH tot income quint 0=neg

Value	Label	Unweighted Frequency	%
0	Neg,<1000 0	419	1.6 %
1	Poorest 1	4159	16.3 %
2	2nd quintile 2	4891	19.2 %
3	Middle q 3	5050	19.8 %
4	4th quintile 4	5349	21.0 %
5	Richest 5	5611	22.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 1060-1060 (width: 1; decimal: 0)

Variable Type: numeric

XPOOR: Below poverty line

Value	Label	Unweighted Frequency	%
0	-	19765	77.6 %
1	-	5693	22.3 %
	Missing Data		
.	-	21	0.1 %
	Total	25,479	100%

Based upon 25,458 valid cases out of 25,479 total cases.

- Mean: 0.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

Location: 1061-1061 (width: 1; decimal: 0)

Variable Type: numeric

XPOOR1: Poverty using 2004-5 Tendulkar cutoffs

Value	Label	Unweighted Frequency	%
0	nonpoor 0	19765	77.6 %
1	poor 1	5693	22.3 %
	Missing Data		
.	-	21	0.1 %
	Total	25,479	100%

Based upon 25,458 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1062-1062 (width: 1; decimal: 0)

Variable Type: numeric

XPOORI: Below poverty line using 2005 definition

Value	Label	Unweighted Frequency	%
0	nonpoor 0	19937	78.2 %
1	poor 1	5542	21.8 %
	Total	25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1063-1063 (width: 1; decimal: 0)

Variable Type: numeric

XPOVLINE2005: Poverty line 2005, Tendulkar

Value	Label	Unweighted Frequency	%
292.95001220704	-	883	3.5 %
322.41000366211	-	603	2.4 %
324.17001342774	-	1765	6.9 %
325.79000854493	-	1041	4.1 %
327.77999877930	-	1396	5.5 %
351.85998535157	-	651	2.6 %
353.92999267579	-	729	2.9 %
354.35998535157	-	728	2.9 %
356.29998779297	-	36	0.1 %
362.25000000000	-	1655	6.5 %
365.83999633790	-	1736	6.8 %
366.55999755860	-	304	1.2 %
374.57000732422	-	1042	4.1 %
378.83999633790	-	262	1.0 %
382.82000732422	-	941	3.7 %
387.64001464844	-	602	2.4 %
391.26000976563	-	271	1.1 %
394.27999877930	-	758	3.0 %
410.38000488282	-	806	3.2 %
414.76000976563	-	949	3.7 %
430.11999511719	-	642	2.5 %
435.00000000000	-	264	1.0 %
449.32000732422	-	691	2.7 %
451.23999023438	-	209	0.8 %
466.16000366211	-	337	1.3 %
478.01998901368	-	221	0.9 %
483.26000976563	-	650	2.6 %
504.48999023438	-	308	1.2 %
528.48999023438	-	359	1.4 %
541.15997314454	-	418	1.6 %
542.89001464844	-	418	1.6 %
547.41998291016	-	635	2.5 %
553.77001953125	-	157	0.6 %
559.39001464844	-	353	1.4 %
559.63000488282	-	498	2.0 %
560.00000000000	-	158	0.6 %

Value	Label	Unweighted Frequency	%
570.15002441407	-	369	1.4 %
599.65997314454	-	483	1.9 %
612.90997314454	-	260	1.0 %
637.66998291016	-	65	0.3 %
665.90002441407	-	826	3.2 %
	Total	25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 414.42955372883
- Median: 378.83999633790
- Mode: 324.17001342774
- Minimum: 292.95001220704
- Maximum: 665.90002441407
- Standard Deviation: 94.20327067500

Location: 1064-1078 (width: 15; decimal: 11)

Variable Type: numeric

XFM1: HH6 4.3 Any owned or cultivated

Value	Label	Unweighted Frequency	%
0	No 0	13666	53.6 %
1	Yes 1	11813	46.4 %
	Total	25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1079-1079 (width: 1; decimal: 0)

Variable Type: numeric

XNWKANY: HH9-14 # in hh Any work exc. animal

Value	Label	Unweighted Frequency	%
0	-	705	2.8 %
1	-	9533	37.4 %
2	-	8607	33.8 %
3	-	3624	14.2 %
4	-	1896	7.4 %
5	-	666	2.6 %
6	-	279	1.1 %
7	-	103	0.4 %
8	-	45	0.2 %

Value	Label	Unweighted Frequency	%
9	-	10	0.0 %
10	-	7	0.0 %
12	-	3	0.0 %
13	-	1	0.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 2.02
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 13.00
- Standard Deviation: 1.25

Location: 1080-1081 (width: 2; decimal: 0)

Variable Type: numeric

XNWKANYPLUS: HH9-14 # in hh Any work incl. animal care

Value	Label	Unweighted Frequency	%
0	-	432	1.7 %
1	-	7214	28.3 %
2	-	8466	33.2 %
3	-	4428	17.4 %
4	-	2857	11.2 %
5	-	1244	4.9 %
6	-	507	2.0 %
7	-	190	0.7 %
8	-	92	0.4 %
9	-	32	0.1 %
10	-	10	0.0 %
11	-	3	0.0 %
12	-	2	0.0 %
13	-	2	0.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 2.38
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 13.00
- Standard Deviation: 1.42

Location: 1082-1083 (width: 2; decimal: 0)

Variable Type: numeric

XNWKAGLAB: HH11 6.3 # in hh Farm wage labour

Value	Label	Unweighted Frequency	%
0	-	18440	72.4 %
1	-	3114	12.2 %
2	-	2654	10.4 %
3	-	766	3.0 %
4	-	358	1.4 %
5	-	95	0.4 %
6	-	38	0.1 %
7	-	9	0.0 %
8	-	3	0.0 %
10	-	2	0.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 0.51
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 0.98

Location: 1084-1085 (width: 2; decimal: 0)

Variable Type: numeric

XNWKANIMAL: HH10 5.5 # in hh Care of animals

Value	Label	Unweighted Frequency	%
0	-	14514	57.0 %
1	-	8063	31.6 %
2	-	2244	8.8 %
3	-	434	1.7 %
4	-	166	0.7 %
5	-	42	0.2 %
6	-	12	0.0 %
7	-	2	0.0 %
8	-	2	0.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 0.58
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 0.81

Location: 1086-1086 (width: 1; decimal: 0)

Variable Type: numeric

XNWKBUSINESS: HH12+ 7.7+ # in hh Family business work

Value	Label	Unweighted Frequency	%
0	-	20350	79.9 %
1	-	3429	13.5 %
2	-	1301	5.1 %
3	-	287	1.1 %
4	-	88	0.3 %
5	-	15	0.1 %
6	-	7	0.0 %
7	-	2	0.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.66

Location: 1087-1087 (width: 1; decimal: 0)

Variable Type: numeric

XNWKFARM: HH9 4.28 # in hh Farm cultivation

Value	Label	Unweighted Frequency	%
0	-	15712	61.7 %
1	-	2236	8.8 %
2	-	3963	15.6 %
3	-	1876	7.4 %
4	-	1040	4.1 %
5	-	390	1.5 %
6	-	174	0.7 %
7	-	55	0.2 %
8	-	19	0.1 %

Value	Label	Unweighted Frequency	%
9	-	7	0.0 %
10	-	5	0.0 %
11	-	1	0.0 %
12	-	1	0.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 0.93
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 1.41

Location: 1088-1089 (width: 2; decimal: 0)

Variable Type: numeric

XNWKNONAG: HH11 6.3 # in hh Nonfarm wage labour

Value	Label	Unweighted Frequency	%
0	-	18522	72.7 %
1	-	5008	19.7 %
2	-	1496	5.9 %
3	-	338	1.3 %
4	-	87	0.3 %
5	-	19	0.1 %
6	-	5	0.0 %
7	-	3	0.0 %
8	-	1	0.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 0.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 0.71

Location: 1090-1090 (width: 1; decimal: 0)

Variable Type: numeric

XNWKSALARY: HH11 6.3 # in hh Employed with monthly salary

Value	Label	Unweighted Frequency	%
0	-	18087	71.0 %
1	-	5970	23.4 %
2	-	1152	4.5 %
3	-	222	0.9 %
4	-	38	0.1 %
5	-	6	0.0 %
6	-	4	0.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 0.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.63

Location: 1091-1091 (width: 1; decimal: 0)

Variable Type: numeric

XNPERSONS: HH4 2.0 # in hh

Value	Label	Unweighted Frequency	%
1	-	47	0.2 %
2	-	809	3.2 %
3	-	2542	10.0 %
4	-	5449	21.4 %
5	-	5736	22.5 %
6	-	4200	16.5 %
7	-	2569	10.1 %
8	-	1483	5.8 %
9	-	939	3.7 %
10	-	576	2.3 %
11	-	354	1.4 %
12	-	245	1.0 %
13	-	178	0.7 %
14	-	106	0.4 %
15	-	108	0.4 %
16	-	29	0.1 %
17	-	25	0.1 %
18	-	27	0.1 %
19	-	13	0.1 %

Value	Label	Unweighted Frequency	%
20	-	12	0.0 %
21	21 or more	32	0.1 %
	Total	25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 5.64
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 21.00
- Standard Deviation: 2.43

Location: 1092-1093 (width: 2; decimal: 0)

Variable Type: numeric

XNNR: HH5 3.2 # of nonresident family members

Value	Label	Unweighted Frequency	%
0	-	22488	88.3 %
1	-	2205	8.7 %
2	-	612	2.4 %
3	-	122	0.5 %
4	-	44	0.2 %
5	-	6	0.0 %
6	6 or more	2	0.0 %
	Total	25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.49

Location: 1094-1094 (width: 1; decimal: 0)

Variable Type: numeric

XNCHILDM: HH4 2.5 # 0-14 boys in hh

Value	Label	Unweighted Frequency	%
0	-	9171	36.0 %
1	-	9277	36.4 %
2	-	4977	19.5 %
3	-	1475	5.8 %

Value	Label	Unweighted Frequency	%
4	-	420	1.6 %
5	-	115	0.5 %
6	6 or more	44	0.2 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 1.03
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.02

Location: 1095-1095 (width: 1; decimal: 0)

Variable Type: numeric

XNCILDHF: HH4 2.5 # 0-14 girls in hh

Value	Label	Unweighted Frequency	%
0	-	10783	42.3 %
1	-	8547	33.5 %
2	-	3975	15.6 %
3	-	1513	5.9 %
4	-	470	1.8 %
5	-	130	0.5 %
6	6 or more	61	0.2 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 0.94
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.06

Location: 1096-1096 (width: 1; decimal: 0)

Variable Type: numeric

XNTEENM: HH4 2.5 # 15-21 boys in hh

Value	Label	Unweighted Frequency	%
0	-	18038	70.8 %
1	-	5722	22.5 %
2	-	1523	6.0 %

Value	Label	Unweighted Frequency	%
3	3 or more	196	0.8 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 0.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.63

Location: 1097-1097 (width: 1; decimal: 0)

Variable Type: numeric

XNTEENF: HH4 2.5 # 15-21 girls in hh

Value	Label	Unweighted Frequency	%
0	-	17895	70.2 %
1	-	6069	23.8 %
2	-	1313	5.2 %
3	3 or more	202	0.8 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 0.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.62

Location: 1098-1098 (width: 1; decimal: 0)

Variable Type: numeric

XNADULTS: HH4 2.5 # 22+ in hh

Value	Label	Unweighted Frequency	%
0	-	23	0.1 %
1	-	1031	4.0 %
2	-	12284	48.2 %
3	-	5253	20.6 %
4	-	3714	14.6 %
5	-	1562	6.1 %
6	-	919	3.6 %
7	-	355	1.4 %

Value	Label	Unweighted Frequency	%
8	-	189	0.7 %
9	-	68	0.3 %
10	-	45	0.2 %
11	-	15	0.1 %
12	12 or more	21	0.1 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 2.94
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 1.44

Location: 1099-1100 (width: 2; decimal: 0)

Variable Type: numeric

XNADULTM: HH4 2.5 # men 21+ in hh

Value	Label	Unweighted Frequency	%
0	-	1020	4.0 %
1	-	15639	61.4 %
2	-	5885	23.1 %
3	-	2138	8.4 %
4	-	611	2.4 %
5	-	132	0.5 %
6	6 or more	54	0.2 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 1.46
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.86

Location: 1101-1101 (width: 1; decimal: 0)

Variable Type: numeric

XNADULTF: HH4 2.5 # women 21+ in hh

Value	Label	Unweighted Frequency	%
0	-	364	1.4 %

Value	Label	Unweighted Frequency	%
1	-	15541	61.0 %
2	-	7208	28.3 %
3	-	1823	7.2 %
4	-	424	1.7 %
5	-	87	0.3 %
6	6 or more	32	0.1 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 1.48
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.77

Location: 1102-1102 (width: 1; decimal: 0)

Variable Type: numeric

XNELDERM: HH4 2.5 # 60+ men in hh

Value	Label	Unweighted Frequency	%
0	-	21262	83.4 %
1	-	4155	16.3 %
2	2 or more	62	0.2 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.38

Location: 1103-1103 (width: 1; decimal: 0)

Variable Type: numeric

XNELDERF: HH4 2.5 # 60+ women in hh

Value	Label	Unweighted Frequency	%
0	-	20439	80.2 %
1	-	4964	19.5 %
2	2 or more	76	0.3 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.41

Location: 1104-1104 (width: 1; decimal: 0)

Variable Type: numeric

XNMARRIEDF: HH4 2.6 # married women in hh

Value	Label	Unweighted Frequency	%
0	-	769	3.0 %
1	-	18040	70.8 %
2	-	5048	19.8 %
3	-	1272	5.0 %
4	-	284	1.1 %
5	-	50	0.2 %
6	6 or more	16	0.1 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 1.31
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.69

Location: 1105-1105 (width: 1; decimal: 0)

Variable Type: numeric

XNMARRIEDM: HH4 2.6 # married men in hh

Value	Label	Unweighted Frequency	%
0	-	1277	5.0 %
1	-	18053	70.9 %
2	-	4721	18.5 %
3	-	1130	4.4 %
4	-	243	1.0 %
5	-	43	0.2 %
6	6 or more	12	0.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 1.26
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.68

Location: 1106-1106 (width: 1; decimal: 0)

Variable Type: numeric

XHHEDUC: HH17 ed5 Highest adult(21+) educ

Value	Label	Unweighted Frequency	%
0	none, <1 0	5137	20.2 %
1	1st class 1	107	0.4 %
2	2nd class 2	430	1.7 %
3	3rd class 3	574	2.3 %
4	4th class 4	866	3.4 %
5	5th class 5	1894	7.4 %
6	6th class 6	807	3.2 %
7	7th class 7	1433	5.6 %
8	8th class 8	1936	7.6 %
9	9th class 9	2426	9.5 %
10	Secondary 10	3332	13.1 %
11	11th Class 11	572	2.2 %
12	High Secondary 12	2356	9.2 %
13	-	131	0.5 %
14	-	201	0.8 %
15	Bachelors 15	3246	12.7 %
16	Above Bachelors 16	0	0.0 %
55	<1st class 55	0	0.0 %
Missing Data			
.	-	31	0.1 %
Total		25,479	100%

Based upon 25,448 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 15.00

Location: 1107-1108 (width: 2; decimal: 0)

Variable Type: numeric

XHHEDUC7: HH17 ed5 Highest adult educ 7cat

Value	Label	Unweighted Frequency	%
0	none 0	5137	20.2 %
3	1-4 3	1977	7.8 %
5	primary 5	1894	7.4 %
8	6-9 8	6602	25.9 %
10	Secondary(&11) 10	3904	15.3 %
12	Higher sec(&13,14) 12	2688	10.5 %
15	graduate 15	3246	12.7 %
16	some post-grad 16	0	0.0 %
Missing Data			
.	-	31	0.1 %
Total		25,479	100%

Based upon 25,448 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 15.00

Location: 1109-1110 (width: 2; decimal: 0)

Variable Type: numeric

XHHEDUCF: HH17 ed5 Highest female 21+ ed

Value	Label	Unweighted Frequency	%
0	none, <1 0	11487	45.1 %
1	1st class 1	95	0.4 %
2	2nd class 2	418	1.6 %
3	3rd class 3	540	2.1 %
4	4th class 4	859	3.4 %
5	5th class 5	1983	7.8 %
6	6th class 6	678	2.7 %
7	7th class 7	1269	5.0 %
8	8th class 8	1531	6.0 %
9	9th class 9	1409	5.5 %
10	Secondary 10	2107	8.3 %
11	11th Class 11	235	0.9 %
12	High Secondary 12	1209	4.7 %
13	-	52	0.2 %
14	-	82	0.3 %
15	Bachelors 15	1423	5.6 %
16	Above Bachelors 16	0	0.0 %
55	<1st class 55	0	0.0 %
Missing Data			

Value	Label	Unweighted Frequency	%
-	-	102	0.4 %
Total		25,479	100%

Based upon 25,377 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 15.00

Location: 1111-1112 (width: 2; decimal: 0)

Variable Type: numeric

XHHEDUCM: HH17 ed5 Highest male 21+ ed

Value	Label	Unweighted Frequency	%
0	none, <1 0	5359	21.0 %
1	1st class 1	124	0.5 %
2	2nd class 2	498	2.0 %
3	3rd class 3	624	2.4 %
4	4th class 4	915	3.6 %
5	5th class 5	1853	7.3 %
6	6th class 6	778	3.1 %
7	7th class 7	1356	5.3 %
8	8th class 8	1920	7.5 %
9	9th class 9	2286	9.0 %
10	Secondary 10	3153	12.4 %
11	11th Class 11	520	2.0 %
12	High Secondary 12	2059	8.1 %
13	-	115	0.5 %
14	-	162	0.6 %
15	Bachelors 15	2697	10.6 %
16	Above Bachelors 16	0	0.0 %
55	<1st class 55	0	0.0 %
Missing Data			
-	-	1060	4.2 %
Total		25,479	100%

Based upon 24,419 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 15.00

Location: 1113-1114 (width: 2; decimal: 0)

Variable Type: numeric

XHHLITERATE: HH17 10.2 Any adult (or head) in hh literate

Value	Label	Unweighted Frequency	%
0	No 0	5147	20.2 %
1	Yes 1	20311	79.7 %
	Missing Data		
.	-	21	0.1 %
	Total	25,479	100%

Based upon 25,458 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1115-1115 (width: 1; decimal: 0)

Variable Type: numeric

XED2: HH17 10.2 Educ: Literacy

Value	Label	Unweighted Frequency	%
0	No 0	11924	46.8 %
1	Yes 1	13504	53.0 %
	Missing Data		
.	-	51	0.2 %
	Total	25,479	100%

Based upon 25,428 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1116-1116 (width: 1; decimal: 0)

Variable Type: numeric

XED3: HH17 10.7 Educ: English ability

Value	Label	Unweighted Frequency	%
0	No 0	21669	85.0 %
1	Little 1	2794	11.0 %
2	Fluent 2	477	1.9 %
	Missing Data		
.	-	539	2.1 %
	Total	25,479	100%

Based upon 24,940 valid cases out of 25,479 total cases.

- Minimum: 0.00

- Maximum: 2.00

Location: 1117-1117 (width: 1; decimal: 0)

Variable Type: numeric

XED4: HH17 10.3 Educ: Attended school

Value	Label	Unweighted Frequency	%
0	No 0	11724	46.0 %
1	Yes 1	13642	53.5 %
	Missing Data		
.	-	113	0.4 %
	Total	25,479	100%

Based upon 25,366 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1118-1118 (width: 1; decimal: 0)

Variable Type: numeric

XED5: HH17 10.4 Educ: Enrolled now

Value	Label	Unweighted Frequency	%
0	No 0	13685	53.7 %
1	Yes 1	43	0.2 %
	Missing Data		
.	-	11751	46.1 %
	Total	25,479	100%

Based upon 13,728 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1119-1119 (width: 1; decimal: 0)

Variable Type: numeric

XED6: HH17 10.5 Educ: Completed Years

Value	Label	Unweighted Frequency	%
0	none, <1 0	11876	46.6 %
1	1st class 1	95	0.4 %
2	2nd class 2	427	1.7 %
3	3rd class 3	558	2.2 %
4	4th class 4	907	3.6 %
5	5th class 5	2114	8.3 %

Value	Label	Unweighted Frequency	%
6	6th class 6	683	2.7 %
7	7th class 7	1308	5.1 %
8	8th class 8	1579	6.2 %
9	9th class 9	1423	5.6 %
10	Secondary 10	2082	8.2 %
11	11th Class 11	199	0.8 %
12	High Secondary 12	1025	4.0 %
13	-	39	0.2 %
14	-	45	0.2 %
15	Bachelors 15	1006	3.9 %
16	Above Bachelors 16	0	0.0 %
55	<1st class 55	0	0.0 %
Missing Data			
.	-	113	0.4 %
Total		25,479	100%

Based upon 25,366 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 15.00

Location: 1120-1121 (width: 2; decimal: 0)

Variable Type: numeric

XEDUC7: HH17 10.4,6 Educ: Completed Years, 7cats

Value	Label	Unweighted Frequency	%
0	none 0	11876	46.6 %
3	1-4 3	1987	7.8 %
5	primary 5	2114	8.3 %
8	6-9 8	4993	19.6 %
10	Secondary(&11) 10	2281	9.0 %
12	Higher sec(&13,14) 12	1109	4.4 %
15	graduate 15	1006	3.9 %
16	some post-grad 16	0	0.0 %
Missing Data			
.	-	113	0.4 %
Total		25,479	100%

Based upon 25,366 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 15.00

Location: 1122-1123 (width: 2; decimal: 0)

Variable Type: numeric

XTA2Y: HQ34 26.2 Was a test child

Value	Label	Unweighted Frequency	%
0	No 0	25471	100.0 %
1	Yes 1	8	0.0 %
	Total	25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1124-1124 (width: 1; decimal: 0)

Variable Type: numeric

XFM39AY: HQ10 5.39a Farm work: is decision maker

Value	Label	Unweighted Frequency	%
0	No 0	11262	44.2 %
1	Yes 1	541	2.1 %
	Missing Data		
.	-	13676	53.7 %
	Total	25,479	100%

Based upon 11,803 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1125-1125 (width: 1; decimal: 0)

Variable Type: numeric

XFMHOURS: HQ10 5.37-38 Farm: hours/year max=4000

Value	Label	Unweighted Frequency	%
4	-	2	0.0 %
5	-	1	0.0 %
7	-	1	0.0 %
8	-	2	0.0 %
9	-	1	0.0 %
10	-	6	0.0 %
12	-	2	0.0 %
14	-	1	0.0 %
15	-	10	0.0 %

Value	Label	Unweighted Frequency	%
16	-	1	0.0 %
18	-	2	0.0 %
20	-	29	0.1 %
21	-	1	0.0 %
24	-	4	0.0 %
25	-	4	0.0 %
28	-	1	0.0 %
30	-	43	0.2 %
32	-	2	0.0 %
35	-	1	0.0 %
36	-	1	0.0 %
40	-	53	0.2 %
45	-	7	0.0 %
48	-	7	0.0 %
49	-	1	0.0 %
50	-	21	0.1 %
54	-	1	0.0 %
56	-	1	0.0 %
60	-	103	0.4 %
64	-	4	0.0 %
70	-	9	0.0 %
72	-	2	0.0 %
75	-	19	0.1 %
76	-	1	0.0 %
80	-	57	0.2 %
84	-	1	0.0 %
88	-	2	0.0 %
90	-	75	0.3 %
96	-	2	0.0 %
100	-	83	0.3 %
105	-	3	0.0 %
108	-	4	0.0 %
110	-	2	0.0 %
112	-	1	0.0 %
120	-	189	0.7 %
125	-	15	0.1 %
126	-	2	0.0 %
130	-	2	0.0 %
132	-	1	0.0 %

Value	Label	Unweighted Frequency	%
135	-	10	0.0 %
138	-	1	0.0 %
	Missing Data		
.	-	18165	71.3 %
	Total	25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,314 valid cases out of 25,479 total cases.

- Mean: 675.18
- Minimum: 4.00
- Maximum: 4000.00
- Standard Deviation: 580.13

Location: 1126-1129 (width: 4; decimal: 0)

Variable Type: numeric

XWSDAYS: HH11 6.5+ Working days -person total

Value	Label	Unweighted Frequency	%
1	-	3	0.0 %
2	-	2	0.0 %
3	-	2	0.0 %
4	-	1	0.0 %
5	-	2	0.0 %
6	-	5	0.0 %
7	-	5	0.0 %
8	-	7	0.0 %
9	-	2	0.0 %
10	-	18	0.1 %
12	-	5	0.0 %
13	-	1	0.0 %
15	-	23	0.1 %
16	-	3	0.0 %
18	-	4	0.0 %
20	-	55	0.2 %
21	-	1	0.0 %
22	-	2	0.0 %
24	-	1	0.0 %
25	-	24	0.1 %
27	-	2	0.0 %

Value	Label	Unweighted Frequency	%
28	-	5	0.0 %
30	-	190	0.7 %
31	-	1	0.0 %
32	-	4	0.0 %
35	-	23	0.1 %
36	-	1	0.0 %
38	-	3	0.0 %
40	-	111	0.4 %
42	-	1	0.0 %
45	-	47	0.2 %
47	-	1	0.0 %
48	-	1	0.0 %
50	-	131	0.5 %
52	-	2	0.0 %
55	-	8	0.0 %
56	-	1	0.0 %
58	-	2	0.0 %
60	-	326	1.3 %
61	-	1	0.0 %
62	-	1	0.0 %
63	-	1	0.0 %
65	-	18	0.1 %
67	-	1	0.0 %
70	-	55	0.2 %
75	-	30	0.1 %
80	-	141	0.6 %
84	-	4	0.0 %
85	-	6	0.0 %
90	-	347	1.4 %
Missing Data			
.	-	19242	75.5 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 6,237 valid cases out of 25,479 total cases.

- Mean: 166.49
- Median: 150.00
- Mode: 300.00
- Minimum: 1.00

- Maximum: 365.00
- Standard Deviation: 93.23

Location: 1130-1132 (width: 3; decimal: 0)

Variable Type: numeric

XFMEARN: HQ7-10 ind crop net earnings est.

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 2960.6301295
- Minimum: -35778.4492188
- Maximum: 1751688.1250000
- Standard Deviation: 19591.9974993

Location: 1133-1147 (width: 15; decimal: 7)

Variable Type: numeric

XWSEARN: HQ13 7.10 annual w/s earnings -person total

Value	Label	Unweighted Frequency	%
0.00000000	-	19242	75.5 %
38.61271667	-	1	0.0 %
49.82142639	-	1	0.0 %
50.53030396	-	1	0.0 %
84.94117737	-	1	0.0 %
110.08695984	-	1	0.0 %
139.77272034	-	1	0.0 %
192.85714722	-	1	0.0 %
276.81817627	-	1	0.0 %
279.54544067	-	1	0.0 %
282.96969605	-	1	0.0 %
323.39395142	-	1	0.0 %
351.25000000	-	2	0.0 %
363.40908814	-	1	0.0 %
386.12716675	-	1	0.0 %
404.24243164	-	2	0.0 %
424.45455933	-	1	0.0 %
491.35446167	-	1	0.0 %
493.57144165	-	1	0.0 %
505.30303955	-	2	0.0 %
511.11111450	-	1	0.0 %
520.40814209	-	1	0.0 %
556.02313232	-	1	0.0 %
559.09088135	-	3	0.0 %
570.78125000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
586.76470947	-	1	0.0 %
596.36358643	-	1	0.0 %
606.36364746	-	2	0.0 %
607.14282227	-	1	0.0 %
613.33337402	-	1	0.0 %
633.63635254	-	1	0.0 %
640.00000000	-	2	0.0 %
652.27270508	-	1	0.0 %
675.72253418	-	1	0.0 %
681.48150635	-	1	0.0 %
693.87750244	-	1	0.0 %
702.50000000	-	3	0.0 %
707.42425537	-	2	0.0 %
733.70001221	-	1	0.0 %
745.45452881	-	2	0.0 %
748.45935059	-	1	0.0 %
757.95452881	-	2	0.0 %
790.31250000	-	1	0.0 %
805.09088135	-	1	0.0 %
806.14288330	-	1	0.0 %
808.48486328	-	2	0.0 %
832.65301514	-	1	0.0 %
843.00000000	-	1	0.0 %
849.47979736	-	1	0.0 %
851.85186768	-	1	0.0 %
	Total	25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 4377.32024289
- Minimum: 0.00000000
- Maximum: 520183.46875000
- Standard Deviation: 18453.28607313

Location: 1148-1162 (*width:* 15; *decimal:* 8)

Variable Type: numeric

XSPED2: HH17 10.2 Educ: Literacy

Value	Label	Unweighted Frequency	%
0	No 0	5910	23.2 %
1	Yes 1	17725	69.6 %
	Missing Data		
.	-	1844	7.2 %
	Total	25,479	100%

Based upon 23,635 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1163-1163 (width: 1; decimal: 0)

Variable Type: numeric

XSPED3: HH17 10.7 Educ: English ability

Value	Label	Unweighted Frequency	%
0	No 0	17610	69.1 %
1	Little 1	4482	17.6 %
2	Fluent 2	1011	4.0 %
	Missing Data		
.	-	2376	9.3 %
	Total	25,479	100%

Based upon 23,103 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 1164-1164 (width: 1; decimal: 0)

Variable Type: numeric

XSPED4: HH17 10.3 Educ: Attended school

Value	Label	Unweighted Frequency	%
0	No 0	5734	22.5 %
1	Yes 1	17845	70.0 %
	Missing Data		
.	-	1900	7.5 %
	Total	25,479	100%

Based upon 23,579 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1165-1165 (width: 1; decimal: 0)

Variable Type: numeric

XSPED5: HH17 10.4 Educ: Enrolled now

Value	Label	Unweighted Frequency	%
0	No 0	17910	70.3 %
1	Yes 1	43	0.2 %
	Missing Data		
.	-	7526	29.5 %
	Total	25,479	100%

Based upon 17,953 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1166-1166 (width: 1; decimal: 0)

Variable Type: numeric

XSPED6: HH17 10.5 Educ: Completed Years

Value	Label	Unweighted Frequency	%
0	none, <1 0	5873	23.1 %
1	1st class 1	143	0.6 %
2	2nd class 2	543	2.1 %
3	3rd class 3	692	2.7 %
4	4th class 4	1024	4.0 %
5	5th class 5	2040	8.0 %
6	6th class 6	827	3.2 %
7	7th class 7	1443	5.7 %
8	8th class 8	1984	7.8 %
9	9th class 9	2168	8.5 %
10	Secondary 10	3182	12.5 %
11	11th Class 11	454	1.8 %
12	High Secondary 12	1687	6.6 %
13	-	60	0.2 %
14	-	83	0.3 %
15	Bachelors 15	2045	8.0 %
16	Above Bachelors 16	0	0.0 %
55	<1st class 55	0	0.0 %
	Missing Data		
.	-	1231	4.8 %
	Total	25,479	100%

Based upon 24,248 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 15.00

Location: 1167-1168 (width: 2; decimal: 0)

Variable Type: numeric

XSPEDUC7: HH17 10.4,6 Spouse educ: Completed Years, 7cats

Value	Label	Unweighted Frequency	%
0	none 0	5873	23.1 %
3	1-4 3	2402	9.4 %
5	primary 5	2040	8.0 %
8	6-9 8	6422	25.2 %
10	Secondary(&11) 10	3636	14.3 %
12	Higher sec(&13,14) 12	1830	7.2 %
15	graduate 15	2045	8.0 %
16	some post-grad 16	0	0.0 %
Missing Data			
-	-	1231	4.8 %
Total		25,479	100%

Based upon 24,248 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 15.00

Location: 1169-1170 (width: 2; decimal: 0)

Variable Type: numeric

CD1: EQ2 1 Agree to interview

Value	Label	Unweighted Frequency	%
1	-	25479	100.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

Location: 1171-1171 (width: 1; decimal: 0)

Variable Type: numeric

CD2: EQ2 2 Agree to youth interview [IHDS2]

Value	Label	Unweighted Frequency	%
1	-	23593	92.6 %
2	-	1886	7.4 %
	Total	25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 1.07
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.26

Location: 1172-1172 (width: 1; decimal: 0)

Variable Type: numeric

CD3D: EQ2 3 Interview day

Value	Label	Unweighted Frequency	%
1	-	820	3.2 %
2	-	838	3.3 %
3	-	860	3.4 %
4	-	824	3.2 %
5	-	827	3.2 %
6	-	836	3.3 %
7	-	860	3.4 %
8	-	853	3.3 %
9	-	923	3.6 %
10	-	915	3.6 %
11	-	885	3.5 %
12	-	986	3.9 %
13	-	877	3.4 %
14	-	853	3.3 %
15	-	764	3.0 %
16	-	798	3.1 %
17	-	846	3.3 %
18	-	873	3.4 %
19	-	805	3.2 %
20	-	783	3.1 %
21	-	762	3.0 %
22	-	781	3.1 %

Value	Label	Unweighted Frequency	%
23	-	755	3.0 %
24	-	815	3.2 %
25	-	818	3.2 %
26	-	834	3.3 %
27	-	809	3.2 %
28	-	758	3.0 %
29	-	843	3.3 %
30	-	803	3.2 %
31	-	474	1.9 %
Missing Data			
.	-	1	0.0 %
Total		25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 15.56
- Median: 15.00
- Mode: 12.00
- Minimum: 1.00
- Maximum: 31.00
- Standard Deviation: 8.79

Location: 1173-1174 (width: 2; decimal: 0)

Variable Type: numeric

CD3M: EQ2 3 Interview month

Value	Label	Unweighted Frequency	%
1	-	1640	6.4 %
2	-	2350	9.2 %
3	-	2359	9.3 %
4	-	3038	11.9 %
5	-	3620	14.2 %
6	-	4051	15.9 %
7	-	2642	10.4 %
8	-	1947	7.6 %
9	-	892	3.5 %
10	-	493	1.9 %
11	-	1089	4.3 %
12	-	1358	5.3 %
Total		25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 5.62
- Median: 5.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.90

Location: 1175-1176 (width: 2; decimal: 0)

Variable Type: numeric

CD3Y: EQ2 3 Interview year

Value	Label	Unweighted Frequency	%
2011	-	2685	10.5 %
2012	-	22776	89.4 %
2013	-	18	0.1 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 2011.90
- Median: 2012.00
- Mode: 2012.00
- Minimum: 2011.00
- Maximum: 2013.00
- Standard Deviation: 0.31

Location: 1177-1180 (width: 4; decimal: 0)

Variable Type: numeric

CD3DATE: EQ2 3 Interview integer date

Value	Label	Unweighted Frequency	%
18647	-	1	0.0 %
18657	-	1	0.0 %
18695	-	1	0.0 %
18880	-	1	0.0 %
18906	-	1	0.0 %
18907	-	2	0.0 %
18908	-	6	0.0 %
18909	-	4	0.0 %
18910	-	37	0.1 %
18911	-	43	0.2 %
18912	-	40	0.2 %
18913	-	26	0.1 %
18914	-	16	0.1 %
18915	-	21	0.1 %

Value	Label	Unweighted Frequency	%
18916	-	36	0.1 %
18917	-	34	0.1 %
18918	-	30	0.1 %
18919	-	29	0.1 %
18920	-	18	0.1 %
18921	-	11	0.0 %
18922	-	1	0.0 %
18932	-	2	0.0 %
18933	-	14	0.1 %
18934	-	14	0.1 %
18935	-	22	0.1 %
18936	-	11	0.0 %
18937	-	13	0.1 %
18938	-	12	0.0 %
18939	-	5	0.0 %
18940	-	14	0.1 %
18941	-	19	0.1 %
18942	-	26	0.1 %
18943	-	36	0.1 %
18944	-	35	0.1 %
18945	-	22	0.1 %
18946	-	23	0.1 %
18947	-	33	0.1 %
18948	-	54	0.2 %
18949	-	56	0.2 %
18950	-	53	0.2 %
18951	-	55	0.2 %
18952	-	56	0.2 %
18953	-	37	0.1 %
18954	-	49	0.2 %
18955	-	48	0.2 %
18956	-	45	0.2 %
18957	-	52	0.2 %
18958	-	57	0.2 %
18959	-	49	0.2 %
18960	-	36	0.1 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 19109.76
- Minimum: 18647.00
- Maximum: 19429.00
- Standard Deviation: 83.64

Location: 1181-1185 (width: 5; decimal: 0)

Variable Type: numeric

CD4A: EQ2 4 Interview start hour

Value	Label	Unweighted Frequency	%
1	-	2706	10.6 %
2	-	2663	10.5 %
3	-	2554	10.0 %
4	-	2043	8.0 %
5	-	1324	5.2 %
6	-	635	2.5 %
7	-	625	2.5 %
8	-	1309	5.1 %
9	-	2214	8.7 %
10	-	3208	12.6 %
11	-	3004	11.8 %
12	-	3039	11.9 %
Missing Data			
.	-	155	0.6 %
Total		25,479	100%

Based upon 25,324 valid cases out of 25,479 total cases.

- Mean: 6.74
- Median: 8.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.93

Location: 1186-1187 (width: 2; decimal: 0)

Variable Type: numeric

CD4B: EQ2 4 Interview start minute

Value	Label	Unweighted Frequency	%
0	-	4073	16.0 %

Value	Label	Unweighted Frequency	%
1	-	85	0.3 %
2	-	145	0.6 %
3	-	73	0.3 %
4	-	50	0.2 %
5	-	1294	5.1 %
6	-	53	0.2 %
7	-	68	0.3 %
8	-	107	0.4 %
9	-	59	0.2 %
10	-	2406	9.4 %
11	-	55	0.2 %
12	-	117	0.5 %
13	-	60	0.2 %
14	-	41	0.2 %
15	-	2223	8.7 %
16	-	75	0.3 %
17	-	83	0.3 %
18	-	94	0.4 %
19	-	53	0.2 %
20	-	2070	8.1 %
21	-	54	0.2 %
22	-	97	0.4 %
23	-	69	0.3 %
24	-	57	0.2 %
25	-	809	3.2 %
26	-	62	0.2 %
27	-	60	0.2 %
28	-	78	0.3 %
29	-	38	0.1 %
30	-	3429	13.5 %
31	-	55	0.2 %
32	-	122	0.5 %
33	-	57	0.2 %
34	-	44	0.2 %
35	-	1022	4.0 %
36	-	61	0.2 %
37	-	71	0.3 %
38	-	104	0.4 %
39	-	25	0.1 %

Value	Label	Unweighted Frequency	%
40	-	1577	6.2 %
41	-	63	0.2 %
42	-	108	0.4 %
43	-	49	0.2 %
44	-	37	0.1 %
45	-	1418	5.6 %
46	-	60	0.2 %
47	-	68	0.3 %
48	-	91	0.4 %
49	-	36	0.1 %
Missing Data			
.	-	155	0.6 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,324 valid cases out of 25,479 total cases.

- Mean: 22.63
- Median: 20.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 59.00
- Standard Deviation: 16.76

Location: 1188-1189 (width: 2; decimal: 0)

Variable Type: numeric

CD4C: EQ2 4 AM/PM Int. time

Value	Label	Unweighted Frequency	%
1	-	10524	41.3 %
2	-	14809	58.1 %
Missing Data			
.	-	146	0.6 %
Total		25,479	100%

Based upon 25,333 valid cases out of 25,479 total cases.

- Mean: 1.58
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.49

Location: 1190-1190 (width: 1; decimal: 0)

Variable Type: numeric

EW1NO: EQ questionnaire: eh/supp

Value	Label	Unweighted Frequency	%
1	Ed Health Q 1	25459	99.9 %
2	Supplement Q 2	20	0.1 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1191-1191 (width: 1; decimal: 0)

Variable Type: numeric

EW3Y: EQ19 14.3 has EW questionnaire

Value	Label	Unweighted Frequency	%
0	No 0	0	0.0 %
1	Yes 1	25479	100.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1192-1192 (width: 1; decimal: 0)

Variable Type: numeric

EW4A: EQ19 14.4a in 2005

Value	Label	Unweighted Frequency	%
0	No 0	6	0.0 %
1	Yes 1	25473	100.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1193-1193 (width: 1; decimal: 0)

Variable Type: numeric

EW5: EQ19 14.5 Rel to HH head

Value	Label	Unweighted Frequency	%
1	Head 1	2505	9.8 %
2	Wife 2	19538	76.7 %
3	Daughter 3	193	0.8 %
4	Daughter-in-law 4	2795	11.0 %
5	Grandchild 5	0	0.0 %
6	Mother 6	195	0.8 %
7	Sister 7	38	0.1 %
8	Mother-in-law 8	10	0.0 %
9	Niece 9	0	0.0 %
10	Sister in law 10	163	0.6 %
11	Other relatives 11	40	0.2 %
12	-	1	0.0 %
Missing Data			
-	-	1	0.0 %
Total		25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 1194-1195 (*width:* 2; *decimal:* 0)

Variable Type: numeric

EW6: EQ19 14.6 Age

Value	Label	Unweighted Frequency	%
20	-	3	0.0 %
21	-	13	0.1 %
22	-	25	0.1 %
23	-	55	0.2 %
24	-	107	0.4 %
25	-	293	1.1 %
26	-	332	1.3 %
27	-	463	1.8 %
28	-	710	2.8 %
29	-	489	1.9 %
30	-	1163	4.6 %
31	-	509	2.0 %
32	-	1117	4.4 %
33	-	611	2.4 %
34	-	657	2.6 %

Value	Label	Unweighted Frequency	%
35	-	1477	5.8 %
36	-	925	3.6 %
37	-	866	3.4 %
38	-	1120	4.4 %
39	-	666	2.6 %
40	-	1685	6.6 %
41	-	566	2.2 %
42	-	1375	5.4 %
43	-	764	3.0 %
44	-	582	2.3 %
45	-	1705	6.7 %
46	-	724	2.8 %
47	-	772	3.0 %
48	-	963	3.8 %
49	-	507	2.0 %
50	-	1128	4.4 %
51	-	373	1.5 %
52	-	720	2.8 %
53	-	345	1.4 %
54	-	297	1.2 %
55	-	697	2.7 %
56	-	188	0.7 %
57	-	87	0.3 %
58	-	115	0.5 %
59	-	29	0.1 %
60	-	160	0.6 %
61	-	7	0.0 %
62	-	33	0.1 %
63	-	5	0.0 %
64	-	8	0.0 %
65	-	25	0.1 %
66	-	2	0.0 %
67	-	3	0.0 %
68	-	3	0.0 %
69	-	1	0.0 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 40.47
- Median: 40.00
- Mode: 45.00
- Minimum: 20.00
- Maximum: 78.00
- Standard Deviation: 8.36

Location: 1196-1197 (width: 2; decimal: 0)

Variable Type: numeric

EW7D: EQ19 14.7a Day of birth

Value	Label	Unweighted Frequency	%
	Missing Data		
99	MASKED BY ICPSR	6747	26.5 %
.	-	18732	73.5 %
	Total	25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 1198-1199 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 99, .

EW7M: EQ19 14.7b Month of birth

Value	Label	Unweighted Frequency	%
1	-	528	2.1 %
2	-	602	2.4 %
3	-	703	2.8 %
4	-	786	3.1 %
5	-	963	3.8 %
6	-	933	3.7 %
7	-	793	3.1 %
8	-	775	3.0 %
9	-	587	2.3 %
10	-	602	2.4 %
11	-	472	1.9 %
12	-	470	1.8 %
	Missing Data		
.	-	17265	67.8 %
	Total	25,479	100%

Based upon 8,214 valid cases out of 25,479 total cases.

- Mean: 6.24
- Median: 6.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.13

Location: 1200-1201 (width: 2; decimal: 0)

Variable Type: numeric

EW7Y: EQ19 14.7c Year of birth

Value	Label	Unweighted Frequency	%
1925	-	1	0.0 %
1938	-	2	0.0 %
1940	-	1	0.0 %
1941	-	1	0.0 %
1943	-	2	0.0 %
1945	-	2	0.0 %
1946	-	3	0.0 %
1947	-	7	0.0 %
1948	-	3	0.0 %
1949	-	12	0.0 %
1950	-	11	0.0 %
1951	-	68	0.3 %
1952	-	29	0.1 %
1953	-	68	0.3 %
1954	-	58	0.2 %
1955	-	86	0.3 %
1956	-	309	1.2 %
1957	-	225	0.9 %
1958	-	197	0.8 %
1959	-	317	1.2 %
1960	-	303	1.2 %
1961	-	509	2.0 %
1962	-	369	1.4 %
1963	-	494	1.9 %
1964	-	437	1.7 %
1965	-	495	1.9 %
1966	-	783	3.1 %
1967	-	508	2.0 %
1968	-	456	1.8 %
1969	-	642	2.5 %

Value	Label	Unweighted Frequency	%
1970	-	574	2.3 %
1971	-	821	3.2 %
1972	-	613	2.4 %
1973	-	610	2.4 %
1974	-	538	2.1 %
1975	-	620	2.4 %
1976	-	791	3.1 %
1977	-	536	2.1 %
1978	-	434	1.7 %
1979	-	595	2.3 %
1980	-	472	1.9 %
1981	-	597	2.3 %
1982	-	440	1.7 %
1983	-	417	1.6 %
1984	-	348	1.4 %
1985	-	279	1.1 %
1986	-	168	0.7 %
1987	-	118	0.5 %
1988	-	163	0.6 %
1989	-	26	0.1 %
Missing Data			
.	-	9901	38.9 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 15,578 valid cases out of 25,479 total cases.

- Mean: 1971.37
- Median: 1971.00
- Mode: 1971.00
- Minimum: 1925.00
- Maximum: 1997.00
- Standard Deviation: 8.45

Location: 1202-1205 (width: 4; decimal: 0)

Variable Type: numeric

EW7DATE: EQ19 14.7 Integer date of birth

Based upon 15,574 valid cases out of 25,479 total cases.

- Mean: 4330.49
- Minimum: -12710.00

- Maximum: 13695.00
- Standard Deviation: 3085.11

Location: 1206-1211 (width: 6; decimal: 0)

Variable Type: numeric

EW8: EQ20 14.8 Education

Value	Label	Unweighted Frequency	%
0	-	11480	45.1 %
1	-	102	0.4 %
2	-	443	1.7 %
3	-	658	2.6 %
4	-	875	3.4 %
5	-	2407	9.4 %
6	-	607	2.4 %
7	-	1331	5.2 %
8	-	1680	6.6 %
9	-	1470	5.8 %
10	-	1984	7.8 %
11	-	231	0.9 %
12	-	1036	4.1 %
13	-	48	0.2 %
14	-	98	0.4 %
15	-	1029	4.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 4.33
- Median: 4.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 4.65

Location: 1212-1213 (width: 2; decimal: 0)

Variable Type: numeric

EW9: EQ20 14.9 # children

Value	Label	Unweighted Frequency	%
0	-	525	2.1 %
1	-	2085	8.2 %
2	-	8229	32.3 %
3	-	7123	28.0 %

Value	Label	Unweighted Frequency	%
4	-	3911	15.3 %
5	-	1906	7.5 %
6	-	964	3.8 %
7	-	437	1.7 %
8	-	192	0.8 %
9	9 or more	104	0.4 %
Missing Data			
.	-	3	0.0 %
Total		25,479	100%

Based upon 25,476 valid cases out of 25,479 total cases.

- Mean: 3.00
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 1.50

Location: 1214-1214 (width: 1; decimal: 0)

Variable Type: numeric

EW10: EQ20 14.10 General health

Value	Label	Unweighted Frequency	%
1	Very good 1	5498	21.6 %
2	Good 2	13341	52.4 %
3	OK 3	4240	16.6 %
4	Poor 4	2200	8.6 %
5	Very poor 5	109	0.4 %
Missing Data			
.	-	91	0.4 %
Total		25,479	100%

Based upon 25,388 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1215-1215 (width: 1; decimal: 0)

Variable Type: numeric

EW11: EQ20 14.11 Childhood residence [IHDS2]

Value	Label	Unweighted Frequency	%
1	Same Village/Town 1	4406	17.3 %

Value	Label	Unweighted Frequency	%
2	Another Village 2	16544	64.9 %
3	Another Town 3	4117	16.2 %
4	Metro City 4	233	0.9 %
	Missing Data		
.	-	179	0.7 %
	Total	25,479	100%

Based upon 25,300 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1216-1216 (width: 1; decimal: 0)

Variable Type: numeric

EW12A: EQ20 14.12a Mother alive [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	8905	35.0 %
1	Yes 1	16566	65.0 %
	Missing Data		
.	-	8	0.0 %
	Total	25,479	100%

Based upon 25,471 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1217-1217 (width: 1; decimal: 0)

Variable Type: numeric

EW12B: EQ20 14.12b Father alive [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	14341	56.3 %
1	Yes 1	11129	43.7 %
	Missing Data		
.	-	9	0.0 %
	Total	25,479	100%

Based upon 25,470 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1218-1218 (width: 1; decimal: 0)

Variable Type: numeric

EW12C: EQ20 14.12c Mo-in-law alive [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	12786	50.2 %
1	Yes 1	12678	49.8 %
	Missing Data		
.	-	15	0.1 %
	Total	25,479	100%

Based upon 25,464 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1219-1219 (width: 1; decimal: 0)

Variable Type: numeric

EW12D: EQ20 14.12d Fa-in-law alive [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	17818	69.9 %
1	Yes 1	7644	30.0 %
	Missing Data		
.	-	17	0.1 %
	Total	25,479	100%

Based upon 25,462 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1220-1220 (width: 1; decimal: 0)

Variable Type: numeric

EW13A: EQ20 14.13a Mo in hh [IHDS2]

Value	Label	Unweighted Frequency	%
1	same HH 1	865	3.4 %
2	Another HH 2	15696	61.6 %
	Missing Data		
.	-	8918	35.0 %
	Total	25,479	100%

Based upon 16,561 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1221-1221 (width: 1; decimal: 0)

Variable Type: numeric

EW13B: EQ20 14.13b Fa in hh [IHDS2]

Value	Label	Unweighted Frequency	%
1	same HH 1	460	1.8 %
2	Another HH 2	10664	41.9 %
	Missing Data		
.	-	14355	56.3 %
	Total	25,479	100%

Based upon 11,124 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1222-1222 (width: 1; decimal: 0)

Variable Type: numeric

EW13C: EQ20 14.13c Mo-in-law in hh [IHDS2]

Value	Label	Unweighted Frequency	%
1	same HH 1	6053	23.8 %
2	Another HH 2	6623	26.0 %
	Missing Data		
.	-	12803	50.2 %
	Total	25,479	100%

Based upon 12,676 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1223-1223 (width: 1; decimal: 0)

Variable Type: numeric

EW13D: EQ20 14.13d Fa-in-law in hh [IHDS2]

Value	Label	Unweighted Frequency	%
1	same HH 1	3460	13.6 %
2	Another HH 2	4182	16.4 %
	Missing Data		
.	-	17837	70.0 %
	Total	25,479	100%

Based upon 7,642 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1224-1224 (width: 1; decimal: 0)

Variable Type: numeric

EW14A: EQ20 14.14a Mo attended school [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	20336	79.8 %
1	Yes 1	5043	19.8 %
	Missing Data		
.	-	100	0.4 %
	Total	25,479	100%

Based upon 25,379 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1225-1225 (width: 1; decimal: 0)

Variable Type: numeric

EW14B: EQ20 14.14b Fa attended school [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	15457	60.7 %
1	Yes 1	9874	38.8 %
	Missing Data		
.	-	148	0.6 %
	Total	25,479	100%

Based upon 25,331 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1226-1226 (width: 1; decimal: 0)

Variable Type: numeric

EW14C: EQ20 14.14c Mo-in-law attended school [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	21459	84.2 %
1	Yes 1	3862	15.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-	-	158	0.6 %
Total		25,479	100%

Based upon 25,321 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1227-1227 (width: 1; decimal: 0)

Variable Type: numeric

EW14D: EQ20 14.14d Fa-in-law attended school [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	16530	64.9 %
1	Yes 1	8824	34.6 %
	Missing Data		
-	-	125	0.5 %
Total		25,479	100%

Based upon 25,354 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1228-1228 (width: 1; decimal: 0)

Variable Type: numeric

EW15A: EQ20 14.15a Mo educ [IHDS2]

Value	Label	Unweighted Frequency	%
0	none, <1 0	20346	79.9 %
1	1st class 1	34	0.1 %
2	2nd class 2	373	1.5 %
3	3rd class 3	400	1.6 %
4	4th class 4	635	2.5 %
5	5th class 5	1334	5.2 %
6	6th class 6	222	0.9 %
7	7th class 7	498	2.0 %
8	8th class 8	537	2.1 %
9	9th class 9	174	0.7 %
10	Secondary 10	569	2.2 %
11	11th Class 11	31	0.1 %
12	High Secondary 12	104	0.4 %

Value	Label	Unweighted Frequency	%
13	-	7	0.0 %
14	-	6	0.0 %
15	Bachelors 15	69	0.3 %
16	Above Bachelors 16	16	0.1 %
55	<1st class 55	0	0.0 %
Missing Data			
.	-	124	0.5 %
Total		25,479	100%

Based upon 25,355 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 16.00

Location: 1229-1230 (*width:* 2; *decimal:* 0)

Variable Type: numeric

EW15B: EQ20 14.15b Fa educ [IHDS2]

Value	Label	Unweighted Frequency	%
0	none, <1 0	15450	60.6 %
1	1st class 1	34	0.1 %
2	2nd class 2	348	1.4 %
3	3rd class 3	444	1.7 %
4	4th class 4	818	3.2 %
5	5th class 5	2113	8.3 %
6	6th class 6	341	1.3 %
7	7th class 7	828	3.2 %
8	8th class 8	1163	4.6 %
9	9th class 9	342	1.3 %
10	Secondary 10	2019	7.9 %
11	11th Class 11	121	0.5 %
12	High Secondary 12	616	2.4 %
13	-	29	0.1 %
14	-	16	0.1 %
15	Bachelors 15	425	1.7 %
16	Above Bachelors 16	172	0.7 %
55	<1st class 55	0	0.0 %
Missing Data			
.	-	200	0.8 %
Total		25,479	100%

Based upon 25,279 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 16.00

Location: 1231-1232 (width: 2; decimal: 0)

Variable Type: numeric

EW15C: EQ20 14.15c Mo-in-law educ [IHDS2]

Value	Label	Unweighted Frequency	%
0	none, <1 0	21520	84.5 %
1	1st class 1	40	0.2 %
2	2nd class 2	347	1.4 %
3	3rd class 3	374	1.5 %
4	4th class 4	574	2.3 %
5	5th class 5	1031	4.0 %
6	6th class 6	180	0.7 %
7	7th class 7	323	1.3 %
8	8th class 8	350	1.4 %
9	9th class 9	99	0.4 %
10	Secondary 10	299	1.2 %
11	11th Class 11	21	0.1 %
12	High Secondary 12	66	0.3 %
13	-	2	0.0 %
14	-	3	0.0 %
15	Bachelors 15	53	0.2 %
16	Above Bachelors 16	10	0.0 %
55	<1st class 55	0	0.0 %
Missing Data			
.	-	187	0.7 %
Total		25,479	100%

Based upon 25,292 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 16.00

Location: 1233-1234 (width: 2; decimal: 0)

Variable Type: numeric

EW15D: EQ20 14.15d Fa-in-law educ [IHDS2]

Value	Label	Unweighted Frequency	%
0	none, <1 0	16523	64.8 %
1	1st class 1	64	0.3 %

Value	Label	Unweighted Frequency	%
2	2nd class 2	498	2.0 %
3	3rd class 3	529	2.1 %
4	4th class 4	964	3.8 %
5	5th class 5	1950	7.7 %
6	6th class 6	321	1.3 %
7	7th class 7	721	2.8 %
8	8th class 8	964	3.8 %
9	9th class 9	336	1.3 %
10	Secondary 10	1409	5.5 %
11	11th Class 11	111	0.4 %
12	High Secondary 12	410	1.6 %
13	-	16	0.1 %
14	-	18	0.1 %
15	Bachelors 15	330	1.3 %
16	Above Bachelors 16	151	0.6 %
55	<1st class 55	0	0.0 %
Missing Data			
.	-	164	0.6 %
Total		25,479	100%

Based upon 25,315 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 16.00

Location: 1235-1236 (width: 2; decimal: 0)

Variable Type: numeric

EW16A: EQ20 14.16a Mo literate [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	20240	79.4 %
1	Yes 1	5142	20.2 %
Missing Data			
.	-	97	0.4 %
Total		25,479	100%

Based upon 25,382 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1237-1237 (width: 1; decimal: 0)

Variable Type: numeric

EW16B: EQ20 14.16b Fa literate [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	15416	60.5 %
1	Yes 1	9916	38.9 %
	Missing Data		
.	-	147	0.6 %
	Total	25,479	100%

Based upon 25,332 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1238-1238 (width: 1; decimal: 0)

Variable Type: numeric

EW16C: EQ20 14.16c Mo-in-law literate [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	21472	84.3 %
1	Yes 1	3850	15.1 %
	Missing Data		
.	-	157	0.6 %
	Total	25,479	100%

Based upon 25,322 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1239-1239 (width: 1; decimal: 0)

Variable Type: numeric

EW16D: EQ20 14.16d Fa-in-law literate [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	16558	65.0 %
1	Yes 1	8779	34.5 %
	Missing Data		
.	-	142	0.6 %
	Total	25,479	100%

Based upon 25,337 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1240-1240 (width: 1; decimal: 0)

Variable Type: numeric

EW17A: EQ20 14.17a # brothers [IHDS2]

Value	Label	Unweighted Frequency	%
0	-	2437	9.6 %
1	-	7157	28.1 %
2	-	8178	32.1 %
3	-	4390	17.2 %
4	-	2030	8.0 %
5	-	844	3.3 %
6	-	273	1.1 %
7	-	89	0.3 %
8	-	19	0.1 %
9	-	6	0.0 %
10	-	4	0.0 %
11	-	1	0.0 %
Missing Data			
.	-	51	0.2 %
Total		25,479	100%

Based upon 25,428 valid cases out of 25,479 total cases.

- Mean: 2.03
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 1.33

Location: 1241-1242 (width: 2; decimal: 0)

Variable Type: numeric

EW17B: EQ20 14.17b # sisters [IHDS2]

Value	Label	Unweighted Frequency	%
0	-	4180	16.4 %
1	-	7005	27.5 %
2	-	6317	24.8 %
3	-	4194	16.5 %
4	-	2218	8.7 %
5	-	958	3.8 %
6	-	374	1.5 %
7	-	122	0.5 %

Value	Label	Unweighted Frequency	%
8	-	26	0.1 %
9	-	6	0.0 %
10	-	2	0.0 %
Missing Data			
.	-	77	0.3 %
Total		25,479	100%

Based upon 25,402 valid cases out of 25,479 total cases.

- Mean: 1.94
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 1.48

Location: 1243-1244 (width: 2; decimal: 0)

Variable Type: numeric

EW17C: EQ20 14.17c Husband: # brothers

Value	Label	Unweighted Frequency	%
0	-	3954	15.5 %
1	-	7351	28.9 %
2	-	6609	25.9 %
3	-	4092	16.1 %
4	-	2086	8.2 %
5	-	829	3.3 %
6	-	326	1.3 %
7	-	110	0.4 %
8	-	25	0.1 %
9	-	8	0.0 %
10	-	2	0.0 %
11	-	1	0.0 %
Missing Data			
.	-	86	0.3 %
Total		25,479	100%

Based upon 25,393 valid cases out of 25,479 total cases.

- Mean: 1.90
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 11.00

- Standard Deviation: 1.44

Location: 1245-1246 (width: 2; decimal: 0)

Variable Type: numeric

EW17D: EQ20 14.17d Husband: # sisters

Value	Label	Unweighted Frequency	%
0	-	4283	16.8 %
1	-	7324	28.7 %
2	-	6561	25.8 %
3	-	3852	15.1 %
4	-	2121	8.3 %
5	-	850	3.3 %
6	-	266	1.0 %
7	-	88	0.3 %
8	-	34	0.1 %
9	-	7	0.0 %
10	-	1	0.0 %
Missing Data			
.	-	92	0.4 %
Total		25,479	100%

Based upon 25,387 valid cases out of 25,479 total cases.

- Mean: 1.86
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 1.43

Location: 1247-1248 (width: 2; decimal: 0)

Variable Type: numeric

EW18A: EQ20 14.18a Brother highest educ [IHDS2]

Value	Label	Unweighted Frequency	%
0	none, <1 0	4737	18.6 %
1	1st class 1	24	0.1 %
2	2nd class 2	175	0.7 %
3	3rd class 3	259	1.0 %
4	4th class 4	354	1.4 %
5	5th class 5	1713	6.7 %
6	6th class 6	459	1.8 %
7	7th class 7	919	3.6 %

Value	Label	Unweighted Frequency	%
8	8th class 8	1828	7.2 %
9	9th class 9	1355	5.3 %
10	Secondary 10	4737	18.6 %
11	11th Class 11	293	1.1 %
12	High Secondary 12	2996	11.8 %
13	-	177	0.7 %
14	-	181	0.7 %
15	Bachelors 15	2374	9.3 %
16	Above Bachelors 16	1145	4.5 %
55	<1st class 55	0	0.0 %
Missing Data			
.	-	1753	6.9 %
Total		25,479	100%

Based upon 23,726 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 16.00

Location: 1249-1250 (width: 2; decimal: 0)

Variable Type: numeric

EW18B: EQ20 14.18b Sister highest educ [IHDS2]

Value	Label	Unweighted Frequency	%
0	none, <1 0	9524	37.4 %
1	1st class 1	34	0.1 %
2	2nd class 2	206	0.8 %
3	3rd class 3	355	1.4 %
4	4th class 4	478	1.9 %
5	5th class 5	1915	7.5 %
6	6th class 6	493	1.9 %
7	7th class 7	1064	4.2 %
8	8th class 8	1473	5.8 %
9	9th class 9	893	3.5 %
10	Secondary 10	2612	10.3 %
11	11th Class 11	191	0.7 %
12	High Secondary 12	1463	5.7 %
13	-	80	0.3 %
14	-	77	0.3 %
15	Bachelors 15	1064	4.2 %
16	Above Bachelors 16	495	1.9 %

Value	Label	Unweighted Frequency	%
55	<1st class 55	0	0.0 %
	Missing Data		
-		3062	12.0 %
	Total	25,479	100%

Based upon 22,417 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 16.00

Location: 1251-1252 (width: 2; decimal: 0)

Variable Type: numeric

EW18C: EQ20 14.18c Brother-in-law highest educ

Value	Label	Unweighted Frequency	%
0	none, <1 0	6052	23.8 %
1	1st class 1	38	0.1 %
2	2nd class 2	208	0.8 %
3	3rd class 3	329	1.3 %
4	4th class 4	501	2.0 %
5	5th class 5	1720	6.8 %
6	6th class 6	486	1.9 %
7	7th class 7	997	3.9 %
8	8th class 8	1821	7.1 %
9	9th class 9	1253	4.9 %
10	Secondary 10	3601	14.1 %
11	11th Class 11	314	1.2 %
12	High Secondary 12	2179	8.6 %
13	-	112	0.4 %
14	-	135	0.5 %
15	Bachelors 15	2862	11.2 %
16	Above Bachelors 16	0	0.0 %
55	<1st class 55	0	0.0 %
	Missing Data		
-		2871	11.3 %
	Total	25,479	100%

Based upon 22,608 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 15.00

Location: 1253-1254 (width: 2; decimal: 0)

Variable Type: numeric

EW18D: EQ20 14.18d Sister-in-law highest educ

Value	Label	Unweighted Frequency	%
0	none, <1 0	11101	43.6 %
1	1st class 1	46	0.2 %
2	2nd class 2	234	0.9 %
3	3rd class 3	330	1.3 %
4	4th class 4	496	1.9 %
5	5th class 5	1961	7.7 %
6	6th class 6	444	1.7 %
7	7th class 7	946	3.7 %
8	8th class 8	1374	5.4 %
9	9th class 9	689	2.7 %
10	Secondary 10	2256	8.9 %
11	11th Class 11	114	0.4 %
12	High Secondary 12	1034	4.1 %
13	-	48	0.2 %
14	-	63	0.2 %
15	Bachelors 15	1188	4.7 %
16	Above Bachelors 16	0	0.0 %
55	<1st class 55	0	0.0 %
Missing Data			
.	-	3155	12.4 %
Total		25,479	100%

Based upon 22,324 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 15.00

Location: 1255-1256 (width: 2; decimal: 0)

Variable Type: numeric

HB1: EQ21 15.1 Belief Daily milk

Value	Label	Unweighted Frequency	%
0	No 0	18612	73.0 %
1	Yes 1	6026	23.7 %
Missing Data			
.	-	841	3.3 %
Total		25,479	100%

Based upon 24,638 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1257-1257 (width: 1; decimal: 0)

Variable Type: numeric

HB2: EQ21 15.2 Belief Male sterilisn

Value	Label	Unweighted Frequency	%
0	No 0	8488	33.3 %
1	Yes 1	11574	45.4 %
	Missing Data		
.	-	5417	21.3 %
	Total	25,479	100%

Based upon 20,062 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1258-1258 (width: 1; decimal: 0)

Variable Type: numeric

HB3: EQ21 15.3 Belief 1st thin milk

Value	Label	Unweighted Frequency	%
1	Good 1	21187	83.2 %
2	Harmful 2	3392	13.3 %
3	Does not matter 3	822	3.2 %
	Missing Data		
.	-	78	0.3 %
	Total	25,479	100%

Based upon 25,401 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1259-1259 (width: 1; decimal: 0)

Variable Type: numeric

HB4: EQ21 15.4 Belief Chulha smoke

Value	Label	Unweighted Frequency	%
1	Good 1	1383	5.4 %
2	Harmful 2	21248	83.4 %

Value	Label	Unweighted Frequency	%
3	Does not matter 3	2754	10.8 %
	Missing Data		
.	-	94	0.4 %
	Total	25,479	100%

Based upon 25,385 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1260-1260 (width: 1; decimal: 0)

Variable Type: numeric

HB5: EQ21 15.5 Belief Diarrhea

Value	Label	Unweighted Frequency	%
1	Less than usual 1	4195	16.5 %
2	More than usual 2	15783	61.9 %
3	About the same 3	4050	15.9 %
4	Doesn't matter 4	324	1.3 %
	Missing Data		
.	-	1127	4.4 %
	Total	25,479	100%

Based upon 24,352 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1261-1261 (width: 1; decimal: 0)

Variable Type: numeric

HB6: EQ21 15.6 Belief Impure water [IHDS2]

Value	Label	Unweighted Frequency	%
1	TB 1	3148	12.4 %
2	Typhoid 2	13473	52.9 %
3	Cancer 3	2007	7.9 %
4	More then one 4	6241	24.5 %
	Missing Data		
.	-	610	2.4 %
	Total	25,479	100%

Based upon 24,869 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1262-1262 (width: 1; decimal: 0)

Variable Type: numeric

HB7: EQ21 15.7 Belief Malaria [IHDS2]

Value	Label	Unweighted Frequency	%
1	Contact 1	232	0.9 %
2	Water 2	1283	5.0 %
3	Mosquitos 3	21512	84.4 %
4	More then one 4	2204	8.7 %
	Missing Data		
.	-	248	1.0 %
	Total	25,479	100%

Based upon 25,231 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1263-1263 (width: 1; decimal: 0)

Variable Type: numeric

HB8: EQ21 15.8 Belief pregnancy [IHDS1!=IHDS2]

Value	Label	Unweighted Frequency	%
1	Just before her period begins 1	3134	12.3 %
2	During her period 2	2956	11.6 %
3	Right after her period has ended 3	11904	46.7 %
4	Half way between two periods 4	3110	12.2 %
5	Timing makes no difference 5	326	1.3 %
	Missing Data		
.	-	4049	15.9 %
	Total	25,479	100%

Based upon 21,430 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1264-1264 (width: 1; decimal: 0)

Variable Type: numeric

AI1: EQ21 16.1 AIDS Awareness

Value	Label	Unweighted Frequency	%
0	No 0	10164	39.9 %
1	Yes 1	15300	60.0 %
	Missing Data		
.	-	15	0.1 %
	Total	25,479	100%

Based upon 25,464 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1265-1265 (width: 1; decimal: 0)

Variable Type: numeric

AI1A: EQ21 16.1a AIDS Needle

Value	Label	Unweighted Frequency	%
0	No 0	325	1.3 %
1	Yes 1	14479	56.8 %
	Missing Data		
.	-	10675	41.9 %
	Total	25,479	100%

Based upon 14,804 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1266-1266 (width: 1; decimal: 0)

Variable Type: numeric

AI1B: EQ21 16.1b AIDS Mosquito bite

Value	Label	Unweighted Frequency	%
0	No 0	8068	31.7 %
1	Yes 1	5877	23.1 %
	Missing Data		
.	-	11534	45.3 %
	Total	25,479	100%

Based upon 13,945 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1267-1267 (width: 1; decimal: 0)

Variable Type: numeric

AI1C: EQ21 16.1c AIDS Transfusion

Value	Label	Unweighted Frequency	%
0	No 0	241	0.9 %
1	Yes 1	14605	57.3 %
	Missing Data		
.	-	10633	41.7 %
	Total	25,479	100%

Based upon 14,846 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1268-1268 (width: 1; decimal: 0)

Variable Type: numeric

AI1D: EQ21 16.1d AIDS Sex

Value	Label	Unweighted Frequency	%
0	No 0	208	0.8 %
1	Yes 1	14800	58.1 %
	Missing Data		
.	-	10471	41.1 %
	Total	25,479	100%

Based upon 15,008 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1269-1269 (width: 1; decimal: 0)

Variable Type: numeric

AI1E: EQ21 16.1e AIDS Food sharing

Value	Label	Unweighted Frequency	%
0	No 0	10355	40.6 %
1	Yes 1	3794	14.9 %
	Missing Data		
.	-	11330	44.5 %
	Total	25,479	100%

Based upon 14,149 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1270-1270 (width: 1; decimal: 0)

Variable Type: numeric

AI1F: EQ21 16.1f AIDS Clothing sharing [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	10632	41.7 %
1	Yes 1	3331	13.1 %
	Missing Data		
.	-	11516	45.2 %
	Total	25,479	100%

Based upon 13,963 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1271-1271 (width: 1; decimal: 0)

Variable Type: numeric

AI2: EQ21 16.2 AIDS Information source [IHDS2]

Value	Label	Unweighted Frequency	%
1	Radio/TV 1	9566	37.5 %
2	Newspaper/Magazine 2	722	2.8 %
3	School 3	466	1.8 %
4	Hoardings/Pamphlets 4	182	0.7 %
5	Doctor/Nurse/Health worker 5	1760	6.9 %
6	Husband 6	308	1.2 %
7	Friends/Relatives 7	1767	6.9 %
8	Others 8	511	2.0 %
	Missing Data		
.	-	10197	40.0 %
	Total	25,479	100%

Based upon 15,282 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 1272-1272 (width: 1; decimal: 0)

Variable Type: numeric

AI3: EQ21 16.3 AIDS Known person

Value	Label	Unweighted Frequency	%
0	No 0	13418	52.7 %

Value	Label	Unweighted Frequency	%
1	Yes 1	1855	7.3 %
	Missing Data		
.	-	10206	40.1 %
	Total	25,479	100%

Based upon 15,273 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1273-1273 (width: 1; decimal: 0)

Variable Type: numeric

AI4: EQ21 16.4 AIDS Test [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	10978	43.1 %
1	Yes 1	3044	11.9 %
	Missing Data		
.	-	11457	45.0 %
	Total	25,479	100%

Based upon 14,022 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1274-1274 (width: 1; decimal: 0)

Variable Type: numeric

GR1A: EQ22 17.1a Cooking Respondent

Value	Label	Unweighted Frequency	%
0	No 0	1123	4.4 %
1	Yes 1	24308	95.4 %
	Missing Data		
.	-	48	0.2 %
	Total	25,479	100%

Based upon 25,431 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1275-1275 (width: 1; decimal: 0)

Variable Type: numeric

GR1B: EQ22 17.1b Cooking Husband

Value	Label	Unweighted Frequency	%
0	No 0	12590	49.4 %
1	Yes 1	12677	49.8 %
	Missing Data		
.	-	212	0.8 %
	Total	25,479	100%

Based upon 25,267 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1276-1276 (width: 1; decimal: 0)

Variable Type: numeric

GR1C: EQ22 17.1c Cooking Sr male

Value	Label	Unweighted Frequency	%
0	No 0	23469	92.1 %
1	Yes 1	1887	7.4 %
	Missing Data		
.	-	123	0.5 %
	Total	25,479	100%

Based upon 25,356 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1277-1277 (width: 1; decimal: 0)

Variable Type: numeric

GR1D: EQ22 17.1d Cooking Sr female

Value	Label	Unweighted Frequency	%
0	No 0	21719	85.2 %
1	Yes 1	3648	14.3 %
	Missing Data		
.	-	112	0.4 %
	Total	25,479	100%

Based upon 25,367 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1278-1278 (width: 1; decimal: 0)

Variable Type: numeric

GR1E: EQ22 17.1e Cooking Other

Value	Label	Unweighted Frequency	%
0	No 0	21360	83.8 %
1	Yes 1	3776	14.8 %
	Missing Data		
.	-	343	1.3 %
	Total	25,479	100%

Based upon 25,136 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1279-1279 (width: 1; decimal: 0)

Variable Type: numeric

GR1F: EQ22 17.1f Cooking No One

Value	Label	Unweighted Frequency	%
0	No 0	25433	99.8 %
1	Yes 1	27	0.1 %
	Missing Data		
.	-	19	0.1 %
	Total	25,479	100%

Based upon 25,460 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1280-1280 (width: 1; decimal: 0)

Variable Type: numeric

GR1G: EQ22 17.1g Cooking Most Say

Value	Label	Unweighted Frequency	%
1	Respondent 1	19043	74.7 %
2	Husband 2	3741	14.7 %
3	Sr. Male 3	348	1.4 %
4	Sr. Female 4	1288	5.1 %
5	Other 5	941	3.7 %
	Missing Data		
.	-	118	0.5 %

Value	Label	Unweighted Frequency	%
	Total	25,479	100%

Based upon 25,361 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1281-1281 (width: 1; decimal: 0)

Variable Type: numeric

GR2A: EQ22 17.2a Purchase Respondent

Value	Label	Unweighted Frequency	%
0	No 0	4640	18.2 %
1	Yes 1	20657	81.1 %
	Missing Data		
.	-	182	0.7 %
	Total	25,479	100%

Based upon 25,297 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1282-1282 (width: 1; decimal: 0)

Variable Type: numeric

GR2B: EQ22 17.2b Purchase Husband

Value	Label	Unweighted Frequency	%
0	No 0	3005	11.8 %
1	Yes 1	22199	87.1 %
	Missing Data		
.	-	275	1.1 %
	Total	25,479	100%

Based upon 25,204 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1283-1283 (width: 1; decimal: 0)

Variable Type: numeric

GR2C: EQ22 17.2c Purchase Sr male

Value	Label	Unweighted Frequency	%
0	No 0	21959	86.2 %
1	Yes 1	3289	12.9 %
	Missing Data		
.	-	231	0.9 %
	Total	25,479	100%

Based upon 25,248 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1284-1284 (width: 1; decimal: 0)

Variable Type: numeric

GR2D: EQ22 17.2d Purchase Sr female

Value	Label	Unweighted Frequency	%
0	No 0	21912	86.0 %
1	Yes 1	3348	13.1 %
	Missing Data		
.	-	219	0.9 %
	Total	25,479	100%

Based upon 25,260 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1285-1285 (width: 1; decimal: 0)

Variable Type: numeric

GR2E: EQ22 17.2e Purchase Other

Value	Label	Unweighted Frequency	%
0	No 0	21551	84.6 %
1	Yes 1	3475	13.6 %
	Missing Data		
.	-	453	1.8 %
	Total	25,479	100%

Based upon 25,026 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1286-1286 (width: 1; decimal: 0)

Variable Type: numeric

GR2F: EQ22 17.2f Purchase No One

Value	Label	Unweighted Frequency	%
0	No 0	25309	99.3 %
1	Yes 1	29	0.1 %
	Missing Data		
.	-	141	0.6 %
	Total	25,479	100%

Based upon 25,338 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1287-1287 (width: 1; decimal: 0)

Variable Type: numeric

GR2G: EQ22 17.2g Purchase Most Say

Value	Label	Unweighted Frequency	%
1	Respondent 1	3379	13.3 %
2	Husband 2	19088	74.9 %
3	Sr. Male 3	1492	5.9 %
4	Sr. Female 4	531	2.1 %
5	Other 5	762	3.0 %
	Missing Data		
.	-	227	0.9 %
	Total	25,479	100%

Based upon 25,252 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1288-1288 (width: 1; decimal: 0)

Variable Type: numeric

GR3A: EQ22 17.3a # children Respondent

Value	Label	Unweighted Frequency	%
0	No 0	1815	7.1 %
1	Yes 1	22506	88.3 %
	Missing Data		
.	-	1158	4.5 %
	Total	25,479	100%

Based upon 24,321 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1289-1289 (width: 1; decimal: 0)

Variable Type: numeric

GR3B: EQ22 17.3b # children Husband

Value	Label	Unweighted Frequency	%
0	No 0	2036	8.0 %
1	Yes 1	22214	87.2 %
	Missing Data		
.	-	1229	4.8 %
	Total	25,479	100%

Based upon 24,250 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1290-1290 (width: 1; decimal: 0)

Variable Type: numeric

GR3C: EQ22 17.3c # children Sr male

Value	Label	Unweighted Frequency	%
0	No 0	23212	91.1 %
1	Yes 1	1050	4.1 %
	Missing Data		
.	-	1217	4.8 %
	Total	25,479	100%

Based upon 24,262 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1291-1291 (width: 1; decimal: 0)

Variable Type: numeric

GR3D: EQ22 17.3d # children Sr female

Value	Label	Unweighted Frequency	%
0	No 0	22641	88.9 %
1	Yes 1	1631	6.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	1207	4.7 %
Total		25,479	100%

Based upon 24,272 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1292-1292 (width: 1; decimal: 0)

Variable Type: numeric

GR3E: EQ22 17.3e # children Other

Value	Label	Unweighted Frequency	%
0	No 0	23304	91.5 %
1	Yes 1	726	2.8 %
	Missing Data		
.	-	1449	5.7 %
Total		25,479	100%

Based upon 24,030 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1293-1293 (width: 1; decimal: 0)

Variable Type: numeric

GR3F: EQ22 17.3f # children No One

Value	Label	Unweighted Frequency	%
0	No 0	24320	95.5 %
1	Yes 1	28	0.1 %
	Missing Data		
.	-	1131	4.4 %
Total		25,479	100%

Based upon 24,348 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1294-1294 (width: 1; decimal: 0)

Variable Type: numeric

GR3G: EQ22 17.3g # children Most Say

Value	Label	Unweighted Frequency	%
1	Respondent 1	6414	25.2 %
2	Husband 2	17283	67.8 %
3	Sr. Male 3	212	0.8 %
4	Sr. Female 4	283	1.1 %
5	Other 5	66	0.3 %
Missing Data			
.	-	1221	4.8 %
Total		25,479	100%

Based upon 24,258 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1295-1295 (width: 1; decimal: 0)

Variable Type: numeric

GR4A: EQ22 17.4a If sick Respondent [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	3158	12.4 %
1	Yes 1	22263	87.4 %
Missing Data			
.	-	58	0.2 %
Total		25,479	100%

Based upon 25,421 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1296-1296 (width: 1; decimal: 0)

Variable Type: numeric

GR4B: EQ22 17.4b If sick Husband [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	3757	14.7 %
1	Yes 1	21554	84.6 %
Missing Data			
.	-	168	0.7 %
Total		25,479	100%

Based upon 25,311 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1297-1297 (width: 1; decimal: 0)

Variable Type: numeric

GR4C: EQ22 17.4c If sick Sr male [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	23076	90.6 %
1	Yes 1	2292	9.0 %
	Missing Data		
.	-	111	0.4 %
	Total	25,479	100%

Based upon 25,368 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1298-1298 (width: 1; decimal: 0)

Variable Type: numeric

GR4D: EQ22 17.4d If sick Sr female [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	22413	88.0 %
1	Yes 1	2962	11.6 %
	Missing Data		
.	-	104	0.4 %
	Total	25,479	100%

Based upon 25,375 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1299-1299 (width: 1; decimal: 0)

Variable Type: numeric

GR4E: EQ22 17.4e If sick Other [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	22478	88.2 %
1	Yes 1	2662	10.4 %
	Missing Data		
.	-	339	1.3 %
	Total	25,479	100%

Based upon 25,140 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1300-1300 (width: 1; decimal: 0)

Variable Type: numeric

GR4F: EQ22 17.4f If sick No One [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	25429	99.8 %
1	Yes 1	27	0.1 %
	Missing Data		
.	-	23	0.1 %
	Total	25,479	100%

Based upon 25,456 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1301-1301 (width: 1; decimal: 0)

Variable Type: numeric

GR4G: EQ22 17.4g If sick Most Say [IHDS2]

Value	Label	Unweighted Frequency	%
1	Respondent 1	6840	26.8 %
2	Husband 2	16780	65.9 %
3	Sr. Male 3	650	2.6 %
4	Sr. Female 4	529	2.1 %
5	Other 5	561	2.2 %
	Missing Data		
.	-	119	0.5 %
	Total	25,479	100%

Based upon 25,360 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1302-1302 (width: 1; decimal: 0)

Variable Type: numeric

GR5A: EQ22 17.5a Buy land Respondent [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	5183	20.3 %
1	Yes 1	19855	77.9 %
	Missing Data		
.	-	441	1.7 %
	Total	25,479	100%

Based upon 25,038 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1303-1303 (width: 1; decimal: 0)

Variable Type: numeric

GR5B: EQ22 17.5b Buy land Husband [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	2502	9.8 %
1	Yes 1	22445	88.1 %
	Missing Data		
.	-	532	2.1 %
	Total	25,479	100%

Based upon 24,947 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1304-1304 (width: 1; decimal: 0)

Variable Type: numeric

GR5C: EQ22 17.5c Buy land Sr male [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	21032	82.5 %
1	Yes 1	3967	15.6 %
	Missing Data		
.	-	480	1.9 %
	Total	25,479	100%

Based upon 24,999 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1305-1305 (width: 1; decimal: 0)

Variable Type: numeric

GR5D: EQ22 17.5d Buy land Sr female [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	21238	83.4 %
1	Yes 1	3774	14.8 %
	Missing Data		
.	-	467	1.8 %
	Total	25,479	100%

Based upon 25,012 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1306-1306 (width: 1; decimal: 0)

Variable Type: numeric

GR5E: EQ22 17.5e Buy land Other [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	21434	84.1 %
1	Yes 1	3345	13.1 %
	Missing Data		
.	-	700	2.7 %
	Total	25,479	100%

Based upon 24,779 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1307-1307 (width: 1; decimal: 0)

Variable Type: numeric

GR5F: EQ22 17.5f Buy land No One [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	25043	98.3 %
1	Yes 1	29	0.1 %
	Missing Data		
.	-	407	1.6 %
	Total	25,479	100%

Based upon 25,072 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1308-1308 (width: 1; decimal: 0)

Variable Type: numeric

GR5G: EQ22 17.5g Buy land Most Say [IHDS2]

Value	Label	Unweighted Frequency	%
1	Respondent 1	2607	10.2 %
2	Husband 2	19115	75.0 %
3	Sr. Male 3	2118	8.3 %
4	Sr. Female 4	560	2.2 %
5	Other 5	582	2.3 %
Missing Data			
.	-	497	2.0 %
Total		25,479	100%

Based upon 24,982 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1309-1309 (width: 1; decimal: 0)

Variable Type: numeric

GR6A: EQ22 17.6a Wedding expense Respondent [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	3769	14.8 %
1	Yes 1	21591	84.7 %
Missing Data			
.	-	119	0.5 %
Total		25,479	100%

Based upon 25,360 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1310-1310 (width: 1; decimal: 0)

Variable Type: numeric

GR6B: EQ22 17.6b Wedding expense Husband [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	2995	11.8 %
1	Yes 1	22266	87.4 %
Missing Data			
.	-	218	0.9 %

Value	Label	Unweighted Frequency	%
	Total	25,479	100%

Based upon 25,261 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1311-1311 (width: 1; decimal: 0)

Variable Type: numeric

GR6C: EQ22 17.6c Wedding expense Sr male [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	21484	84.3 %
1	Yes 1	3831	15.0 %
	Missing Data		
.	-	164	0.6 %
	Total	25,479	100%

Based upon 25,315 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1312-1312 (width: 1; decimal: 0)

Variable Type: numeric

GR6D: EQ22 17.6d Wedding expense Sr female [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	21348	83.8 %
1	Yes 1	3973	15.6 %
	Missing Data		
.	-	158	0.6 %
	Total	25,479	100%

Based upon 25,321 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1313-1313 (width: 1; decimal: 0)

Variable Type: numeric

GR6E: EQ22 17.6e Wedding expense Other [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	21958	86.2 %
1	Yes 1	3118	12.2 %
	Missing Data		
.	-	403	1.6 %
	Total	25,479	100%

Based upon 25,076 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1314-1314 (width: 1; decimal: 0)

Variable Type: numeric

GR6F: EQ22 17.6f Wedding expense No One [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	25370	99.6 %
1	Yes 1	34	0.1 %
	Missing Data		
.	-	75	0.3 %
	Total	25,479	100%

Based upon 25,404 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1315-1315 (width: 1; decimal: 0)

Variable Type: numeric

GR6G: EQ22 17.6g Wedding expense Most Say [IHDS2]

Value	Label	Unweighted Frequency	%
1	Respondent 1	4740	18.6 %
2	Husband 2	17608	69.1 %
3	Sr. Male 3	1800	7.1 %
4	Sr. Female 4	779	3.1 %
5	Other 5	381	1.5 %
	Missing Data		
.	-	171	0.7 %
	Total	25,479	100%

Based upon 25,308 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1316-1316 (width: 1; decimal: 0)

Variable Type: numeric

GR7A: EQ22 17.7a Child ill Respondent

Value	Label	Unweighted Frequency	%
0	No 0	2001	7.9 %
1	Yes 1	22933	90.0 %
	Missing Data		
.	-	545	2.1 %
	Total	25,479	100%

Based upon 24,934 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1317-1317 (width: 1; decimal: 0)

Variable Type: numeric

GR7B: EQ22 17.7b Child ill Husband

Value	Label	Unweighted Frequency	%
0	No 0	3398	13.3 %
1	Yes 1	21432	84.1 %
	Missing Data		
.	-	649	2.5 %
	Total	25,479	100%

Based upon 24,830 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1318-1318 (width: 1; decimal: 0)

Variable Type: numeric

GR7C: EQ22 17.7c Child ill Sr male

Value	Label	Unweighted Frequency	%
0	No 0	22403	87.9 %
1	Yes 1	2480	9.7 %
	Missing Data		
.	-	596	2.3 %
	Total	25,479	100%

Based upon 24,883 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1319-1319 (width: 1; decimal: 0)

Variable Type: numeric

GR7D: EQ22 17.7d Child ill Sr female

Value	Label	Unweighted Frequency	%
0	No 0	21979	86.3 %
1	Yes 1	2911	11.4 %
	Missing Data		
.	-	589	2.3 %
	Total	25,479	100%

Based upon 24,890 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1320-1320 (width: 1; decimal: 0)

Variable Type: numeric

GR7E: EQ22 17.7e Child ill Other

Value	Label	Unweighted Frequency	%
0	No 0	22316	87.6 %
1	Yes 1	2331	9.1 %
	Missing Data		
.	-	832	3.3 %
	Total	25,479	100%

Based upon 24,647 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1321-1321 (width: 1; decimal: 0)

Variable Type: numeric

GR7F: EQ22 17.7f Child ill No One

Value	Label	Unweighted Frequency	%
0	No 0	24936	97.9 %
1	Yes 1	33	0.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	510	2.0 %
Total		25,479	100%

Based upon 24,969 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1322-1322 (width: 1; decimal: 0)

Variable Type: numeric

GR7G: EQ22 17.7g Child ill Most Say

Value	Label	Unweighted Frequency	%
1	Respondent 1	8087	31.7 %
2	Husband 2	15407	60.5 %
3	Sr. Male 3	677	2.7 %
4	Sr. Female 4	407	1.6 %
5	Other 5	299	1.2 %
Missing Data			
.	-	602	2.4 %
Total		25,479	100%

Based upon 24,877 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1323-1323 (width: 1; decimal: 0)

Variable Type: numeric

GR8A: EQ22 17.8a Child's wed R

Value	Label	Unweighted Frequency	%
0	No 0	2586	10.1 %
1	Yes 1	22233	87.3 %
Missing Data			
.	-	660	2.6 %
Total		25,479	100%

Based upon 24,819 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1324-1324 (width: 1; decimal: 0)

Variable Type: numeric

GR8B: EQ22 17.8b Child's wed Husband

Value	Label	Unweighted Frequency	%
0	No 0	2340	9.2 %
1	Yes 1	22384	87.9 %
	Missing Data		
.	-	755	3.0 %
	Total	25,479	100%

Based upon 24,724 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1325-1325 (width: 1; decimal: 0)

Variable Type: numeric

GR8C: EQ22 17.8c Child's wed Sr male

Value	Label	Unweighted Frequency	%
0	No 0	21281	83.5 %
1	Yes 1	3479	13.7 %
	Missing Data		
.	-	719	2.8 %
	Total	25,479	100%

Based upon 24,760 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1326-1326 (width: 1; decimal: 0)

Variable Type: numeric

GR8D: EQ22 17.8d Child's wed Sr female

Value	Label	Unweighted Frequency	%
0	No 0	21157	83.0 %
1	Yes 1	3618	14.2 %
	Missing Data		
.	-	704	2.8 %
	Total	25,479	100%

Based upon 24,775 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1327-1327 (width: 1; decimal: 0)

Variable Type: numeric

GR8E: EQ22 17.8e Child's wed Other

Value	Label	Unweighted Frequency	%
0	No 0	21183	83.1 %
1	Yes 1	3335	13.1 %
	Missing Data		
.	-	961	3.8 %
	Total	25,479	100%

Based upon 24,518 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1328-1328 (width: 1; decimal: 0)

Variable Type: numeric

GR8F: EQ22 17.8f Child's wed No One

Value	Label	Unweighted Frequency	%
0	No 0	24823	97.4 %
1	Yes 1	43	0.2 %
	Missing Data		
.	-	613	2.4 %
	Total	25,479	100%

Based upon 24,866 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1329-1329 (width: 1; decimal: 0)

Variable Type: numeric

GR8G: EQ22 17.8g Child's wed Most Say

Value	Label	Unweighted Frequency	%
1	Respondent 1	3890	15.3 %
2	Husband 2	18682	73.3 %
3	Sr. Male 3	1229	4.8 %
4	Sr. Female 4	390	1.5 %
5	Other 5	540	2.1 %
	Missing Data		
.	-	748	2.9 %

Value	Label	Unweighted Frequency	%
	Total	25,479	100%

Based upon 24,731 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1330-1330 (width: 1; decimal: 0)

Variable Type: numeric

GR9AY: EQ23 17.9a Permission health centre

Value	Label	Unweighted Frequency	%
0	No 0	5900	23.2 %
1	Yes 1	19374	76.0 %
	Missing Data		
.	-	205	0.8 %
	Total	25,479	100%

Based upon 25,274 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1331-1331 (width: 1; decimal: 0)

Variable Type: numeric

GR9B: EQ23 17.9b Perm husband: health centre

Value	Label	Unweighted Frequency	%
0	Dont ask 0	3866	15.2 %
1	Ask 1	18162	71.3 %
	Missing Data		
.	-	3451	13.5 %
	Total	25,479	100%

Based upon 22,028 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1332-1332 (width: 1; decimal: 0)

Variable Type: numeric

GR9C: EQ23 17.9c Perm Sr male: health centre

Value	Label	Unweighted Frequency	%
0	Dont ask 0	19187	75.3 %
1	Ask 1	2386	9.4 %
	Missing Data		
.	-	3906	15.3 %
	Total	25,479	100%

Based upon 21,573 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1333-1333 (width: 1; decimal: 0)

Variable Type: numeric

GR9D: EQ23 17.9d Perm Sr Female: health centre

Value	Label	Unweighted Frequency	%
0	Dont ask 0	18145	71.2 %
1	Ask 1	3459	13.6 %
	Missing Data		
.	-	3875	15.2 %
	Total	25,479	100%

Based upon 21,604 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1334-1334 (width: 1; decimal: 0)

Variable Type: numeric

GR9E: EQ23 17.9e Perm others health centre

Value	Label	Unweighted Frequency	%
0	Dont ask 0	18849	74.0 %
1	Ask 1	2317	9.1 %
	Missing Data		
.	-	4313	16.9 %
	Total	25,479	100%

Based upon 21,166 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1335-1335 (width: 1; decimal: 0)

Variable Type: numeric

GR9F: EQ23 17.9f Visit health centre alone

Value	Label	Unweighted Frequency	%
0	Not alone 0	6335	24.9 %
1	Goes alone 1	18837	73.9 %
	Missing Data		
.	-	307	1.2 %
	Total	25,479	100%

Based upon 25,172 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1336-1336 (width: 1; decimal: 0)

Variable Type: numeric

GR10AY: EQ23 17.10a Permission Friend home

Value	Label	Unweighted Frequency	%
0	No 0	8033	31.5 %
1	Yes 1	17306	67.9 %
	Missing Data		
.	-	140	0.5 %
	Total	25,479	100%

Based upon 25,339 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1337-1337 (width: 1; decimal: 0)

Variable Type: numeric

GR10B: EQ23 17.10b Perm husband Friend home

Value	Label	Unweighted Frequency	%
0	Dont ask 0	5055	19.8 %
1	Ask 1	16092	63.2 %
	Missing Data		
.	-	4332	17.0 %
	Total	25,479	100%

Based upon 21,147 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1338-1338 (width: 1; decimal: 0)

Variable Type: numeric

GR10C: EQ23 17.10c Perm Sr male Friend home

Value	Label	Unweighted Frequency	%
0	Dont ask 0	18601	73.0 %
1	Ask 1	2147	8.4 %
	Missing Data		
.	-	4731	18.6 %
	Total	25,479	100%

Based upon 20,748 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1339-1339 (width: 1; decimal: 0)

Variable Type: numeric

GR10D: EQ23 17.10d Perm Sr Female Friend home

Value	Label	Unweighted Frequency	%
0	Dont ask 0	17663	69.3 %
1	Ask 1	3113	12.2 %
	Missing Data		
.	-	4703	18.5 %
	Total	25,479	100%

Based upon 20,776 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1340-1340 (width: 1; decimal: 0)

Variable Type: numeric

GR10E: EQ23 17.10e Perm others Friend home

Value	Label	Unweighted Frequency	%
0	Dont ask 0	18395	72.2 %
1	Ask 1	1966	7.7 %
	Missing Data		
.	-	5118	20.1 %
	Total	25,479	100%

Based upon 20,361 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1341-1341 (width: 1; decimal: 0)

Variable Type: numeric

GR10F: EQ23 17.10f Visit Friend home alone

Value	Label	Unweighted Frequency	%
0	Not alone 0	4874	19.1 %
1	Goes alone 1	20231	79.4 %
	Missing Data		
.	-	374	1.5 %
	Total	25,479	100%

Based upon 25,105 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1342-1342 (width: 1; decimal: 0)

Variable Type: numeric

GR11AY: EQ23 17.11a Permission Kirana shop

Value	Label	Unweighted Frequency	%
0	No 0	9613	37.7 %
1	Yes 1	12217	47.9 %
	Missing Data		
.	-	3649	14.3 %
	Total	25,479	100%

Based upon 21,830 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1343-1343 (width: 1; decimal: 0)

Variable Type: numeric

GR11B: EQ23 17.11b Perm husband Kirana shop

Value	Label	Unweighted Frequency	%
0	Dont ask 0	6488	25.5 %
1	Ask 1	11222	44.0 %
	Missing Data		
.	-	7769	30.5 %
	Total	25,479	100%

Based upon 17,710 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1344-1344 (width: 1; decimal: 0)

Variable Type: numeric

GR11C: EQ23 17.11c Perm Sr male Kirana shop

Value	Label	Unweighted Frequency	%
0	Dont ask 0	15965	62.7 %
1	Ask 1	1447	5.7 %
	Missing Data		
.	-	8067	31.7 %
	Total	25,479	100%

Based upon 17,412 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1345-1345 (width: 1; decimal: 0)

Variable Type: numeric

GR11D: EQ23 17.11d Perm Sr Female Kirana shop

Value	Label	Unweighted Frequency	%
0	Dont ask 0	15411	60.5 %
1	Ask 1	2023	7.9 %
	Missing Data		
.	-	8045	31.6 %
	Total	25,479	100%

Based upon 17,434 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1346-1346 (width: 1; decimal: 0)

Variable Type: numeric

GR11E: EQ23 17.11e Perm others Kirana shop

Value	Label	Unweighted Frequency	%
0	Dont ask 0	15630	61.3 %
1	Ask 1	1542	6.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	8307	32.6 %
Total		25,479	100%

Based upon 17,172 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1347-1347 (width: 1; decimal: 0)

Variable Type: numeric

GR11F: EQ23 17.11f Visit Kirana shop alone

Value	Label	Unweighted Frequency	%
0	Not alone 0	4114	16.1 %
1	Goes alone 1	20103	78.9 %
	Missing Data		
.	-	1262	5.0 %
Total		25,479	100%

Based upon 24,217 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1348-1348 (width: 1; decimal: 0)

Variable Type: numeric

GR12AY: EQ23 17.12a Permission bus trip [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	4196	16.5 %
1	Yes 1	20448	80.3 %
	Missing Data		
.	-	835	3.3 %
Total		25,479	100%

Based upon 24,644 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1349-1349 (width: 1; decimal: 0)

Variable Type: numeric

GR12B: EQ23 17.12b Perm husband bus trip [IHDS2]

Value	Label	Unweighted Frequency	%
0	Dont ask 0	3161	12.4 %
1	Ask 1	19293	75.7 %
	Missing Data		
.	-	3025	11.9 %
	Total	25,479	100%

Based upon 22,454 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1350-1350 (width: 1; decimal: 0)

Variable Type: numeric

GR12C: EQ23 17.12c Perm Sr male bus trip [IHDS2]

Value	Label	Unweighted Frequency	%
0	Dont ask 0	19389	76.1 %
1	Ask 1	2541	10.0 %
	Missing Data		
.	-	3549	13.9 %
	Total	25,479	100%

Based upon 21,930 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1351-1351 (width: 1; decimal: 0)

Variable Type: numeric

GR12D: EQ23 17.12d Perm Sr female bus trip [IHDS2]

Value	Label	Unweighted Frequency	%
0	Dont ask 0	18415	72.3 %
1	Ask 1	3543	13.9 %
	Missing Data		
.	-	3521	13.8 %
	Total	25,479	100%

Based upon 21,958 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1352-1352 (width: 1; decimal: 0)

Variable Type: numeric

GR12E: EQ23 17.12e Perm others bus trip [IHDS2]

Value	Label	Unweighted Frequency	%
0	Dont ask 0	19097	75.0 %
1	Ask 1	2424	9.5 %
	Missing Data		
.	-	3958	15.5 %
	Total	25,479	100%

Based upon 21,521 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1353-1353 (width: 1; decimal: 0)

Variable Type: numeric

GR12F: EQ23 17.12f Bus trip alone [IHDS2]

Value	Label	Unweighted Frequency	%
0	Not alone 0	11160	43.8 %
1	Goes alone 1	13930	54.7 %
	Missing Data		
.	-	389	1.5 %
	Total	25,479	100%

Based upon 25,090 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1354-1354 (width: 1; decimal: 0)

Variable Type: numeric

GR13A: EQ23 17.13 Been to metro city [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	20073	78.8 %
1	Yes 1	5374	21.1 %
	Missing Data		
.	-	32	0.1 %
	Total	25,479	100%

Based upon 25,447 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1355-1355 (width: 1; decimal: 0)

Variable Type: numeric

GR14A: EQ23 17.14 Been to a town [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	2703	10.6 %
1	Yes 1	14446	56.7 %
	Missing Data		
.	-	8330	32.7 %
	Total	25,479	100%

Based upon 17,149 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1356-1356 (width: 1; decimal: 0)

Variable Type: numeric

GR15A: EQ23 17.15 Been to a village [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	1091	4.3 %
1	Yes 1	6540	25.7 %
	Missing Data		
.	-	17848	70.0 %
	Total	25,479	100%

Based upon 7,631 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1357-1357 (width: 1; decimal: 0)

Variable Type: numeric

GR16A: EQ23 17.16 Been to another stated [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	20275	79.6 %
1	Yes 1	5175	20.3 %
	Missing Data		
.	-	29	0.1 %
	Total	25,479	100%

Based upon 25,450 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1358-1358 (width: 1; decimal: 0)

Variable Type: numeric

GR17A: EQ23 17.17 Been abroad [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	25031	98.2 %
1	Yes 1	410	1.6 %
	Missing Data		
.	-	38	0.1 %
	Total	25,479	100%

Based upon 25,441 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1359-1359 (width: 1; decimal: 0)

Variable Type: numeric

GR18A: EQ23 17.18a Member Mahila Mandal [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	23753	93.2 %
1	Yes 1	1698	6.7 %
	Missing Data		
.	-	28	0.1 %
	Total	25,479	100%

Based upon 25,451 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1360-1360 (width: 1; decimal: 0)

Variable Type: numeric

GR18B: EQ23 17.18b Member Self-help [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	21370	83.9 %
1	Yes 1	4081	16.0 %
	Missing Data		
.	-	28	0.1 %
	Total	25,479	100%

Based upon 25,451 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1361-1361 (width: 1; decimal: 0)

Variable Type: numeric

GR18C: EQ23 17.18c Member Savings group [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	23359	91.7 %
1	Yes 1	2092	8.2 %
	Missing Data		
.	-	28	0.1 %
	Total	25,479	100%

Based upon 25,451 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1362-1362 (width: 1; decimal: 0)

Variable Type: numeric

GR18D: EQ23 17.18d Member Political org [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	25214	99.0 %
1	Yes 1	228	0.9 %
	Missing Data		
.	-	37	0.1 %
	Total	25,479	100%

Based upon 25,442 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1363-1363 (width: 1; decimal: 0)

Variable Type: numeric

GR19: EQ23 17.19 Attended panchayat [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	22834	89.6 %
1	Yes 1	2586	10.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	59	0.2 %
Total		25,479	100%

Based upon 25,420 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1364-1364 (width: 1; decimal: 0)

Variable Type: numeric

GR20: EQ24 17.20 Purdah Practice

Value	Label	Unweighted Frequency	%
0	No 0	11098	43.6 %
1	Yes 1	14359	56.4 %
	Missing Data		
.	-	22	0.1 %
Total		25,479	100%

Based upon 25,457 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1365-1365 (width: 1; decimal: 0)

Variable Type: numeric

GR21: EQ24 17.21 Purdah only relatives [IHDS2]

Value	Label	Unweighted Frequency	%
1	Relatives 1	2242	8.8 %
2	Other people 2	1439	5.6 %
3	Both 3	10560	41.4 %
	Missing Data		
.	-	11238	44.1 %
Total		25,479	100%

Based upon 14,241 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1366-1366 (width: 1; decimal: 0)

Variable Type: numeric

GR22: EQ24 17.22 Family outing

Value	Label	Unweighted Frequency	%
0	No 0	11500	45.1 %
1	Yes 1	13569	53.3 %
	Missing Data		
.	-	410	1.6 %
	Total	25,479	100%

Based upon 25,069 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1367-1367 (width: 1; decimal: 0)

Variable Type: numeric

GR23A: EQ24 17.23a Shopping Respondent

Value	Label	Unweighted Frequency	%
0	No 0	9023	35.4 %
1	Yes 1	16418	64.4 %
	Missing Data		
.	-	38	0.1 %
	Total	25,479	100%

Based upon 25,441 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1368-1368 (width: 1; decimal: 0)

Variable Type: numeric

GR23B: EQ24 17.23b Shopping Adult men

Value	Label	Unweighted Frequency	%
0	No 0	6641	26.1 %
1	Yes 1	18796	73.8 %
	Missing Data		
.	-	42	0.2 %
	Total	25,479	100%

Based upon 25,437 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1369-1369 (width: 1; decimal: 0)

Variable Type: numeric

GR23C: EQ24 17.23c Shopping Adult women

Value	Label	Unweighted Frequency	%
0	No 0	21772	85.5 %
1	Yes 1	3663	14.4 %
	Missing Data		
.	-	44	0.2 %
	Total	25,479	100%

Based upon 25,435 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1370-1370 (width: 1; decimal: 0)

Variable Type: numeric

GR23D: EQ24 17.23d Shopping Children

Value	Label	Unweighted Frequency	%
0	No 0	17515	68.7 %
1	Yes 1	7922	31.1 %
	Missing Data		
.	-	42	0.2 %
	Total	25,479	100%

Based upon 25,437 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1371-1371 (width: 1; decimal: 0)

Variable Type: numeric

GR24A: EQ24 17.24a Homework Respondent

Value	Label	Unweighted Frequency	%
0	No 0	10707	42.0 %
1	Yes 1	8807	34.6 %
	Missing Data		
.	-	5965	23.4 %
	Total	25,479	100%

Based upon 19,514 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1372-1372 (width: 1; decimal: 0)

Variable Type: numeric

GR24B: EQ24 17.24b Homework Adult men

Value	Label	Unweighted Frequency	%
0	No 0	11651	45.7 %
1	Yes 1	7586	29.8 %
	Missing Data		
.	-	6242	24.5 %
	Total	25,479	100%

Based upon 19,237 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1373-1373 (width: 1; decimal: 0)

Variable Type: numeric

GR24C: EQ24 17.24c Homework Adult women

Value	Label	Unweighted Frequency	%
0	No 0	16382	64.3 %
1	Yes 1	1884	7.4 %
	Missing Data		
.	-	7213	28.3 %
	Total	25,479	100%

Based upon 18,266 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1374-1374 (width: 1; decimal: 0)

Variable Type: numeric

GR24D: EQ24 17.24d Homework Children

Value	Label	Unweighted Frequency	%
0	No 0	13556	53.2 %
1	Yes 1	5402	21.2 %
	Missing Data		
.	-	6521	25.6 %
	Total	25,479	100%

Based upon 18,958 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1375-1375 (width: 1; decimal: 0)

Variable Type: numeric

GR25: EQ24 17.25 Family meal taking

Value	Label	Unweighted Frequency	%
1	Eat together 1	15293	60.0 %
2	Women first 2	564	2.2 %
3	Men first 3	6166	24.2 %
4	Varies, Other 4	3358	13.2 %
	Missing Data		
.	-	98	0.4 %
	Total	25,479	100%

Based upon 25,381 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1376-1376 (width: 1; decimal: 0)

Variable Type: numeric

GR26: EQ24 17.26 Cash-in-hand

Value	Label	Unweighted Frequency	%
0	No 0	1647	6.5 %
1	Yes 1	23794	93.4 %
	Missing Data		
.	-	38	0.1 %
	Total	25,479	100%

Based upon 25,441 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1377-1377 (width: 1; decimal: 0)

Variable Type: numeric

GR27A: EQ24 17.27a Family bank account

Value	Label	Unweighted Frequency	%
0	No 0	7314	28.7 %
1	Yes 1	18093	71.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	72	0.3 %
Total		25,479	100%

Based upon 25,407 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1378-1378 (width: 1; decimal: 0)

Variable Type: numeric

GR27B: EQ24 17.27b Resp account holder

Value	Label	Unweighted Frequency	%
0	No 0	7275	28.6 %
1	Yes 1	10745	42.2 %
	Missing Data		
.	-	7459	29.3 %
Total		25,479	100%

Based upon 18,020 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1379-1379 (width: 1; decimal: 0)

Variable Type: numeric

GR28: EQ24 17.28 House papers: Woman

Value	Label	Unweighted Frequency	%
0	No 0	19791	77.7 %
1	Yes 1	4745	18.6 %
	Missing Data		
.	-	943	3.7 %
Total		25,479	100%

Based upon 24,536 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1380-1380 (width: 1; decimal: 0)

Variable Type: numeric

GR29A: EQ24 17.29a Discuss: Work/farm

Value	Label	Unweighted Frequency	%
0	Never 0	4546	17.8 %
1	Sometimes 1	9629	37.8 %
2	Often 2	10270	40.3 %
	Missing Data		
.	-	1034	4.1 %
	Total	25,479	100%

Based upon 24,445 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 1381-1381 (width: 1; decimal: 0)

Variable Type: numeric

GR29B: EQ24 17.29b Discuss: Expenditure

Value	Label	Unweighted Frequency	%
0	Never 0	2188	8.6 %
1	Sometimes 1	9164	36.0 %
2	Often 2	13071	51.3 %
	Missing Data		
.	-	1056	4.1 %
	Total	25,479	100%

Based upon 24,423 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 1382-1382 (width: 1; decimal: 0)

Variable Type: numeric

GR29C: EQ24 17.29c Discuss: Politics

Value	Label	Unweighted Frequency	%
0	Never 0	6963	27.3 %
1	Sometimes 1	11962	46.9 %
2	Often 2	5489	21.5 %
	Missing Data		
.	-	1065	4.2 %
	Total	25,479	100%

Based upon 24,414 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 1383-1383 (width: 1; decimal: 0)

Variable Type: numeric

GR30: EQ24 17.30 Natal family visit [IHDS1~=IHDS2]

Value	Label	Unweighted Frequency	%
0	Lives in natal place 0	204	0.8 %
1	Daily/Weekly 1	1693	6.6 %
2	Monthly 2	5013	19.7 %
3	few times a year 3	11062	43.4 %
4	Once a year 4	5492	21.6 %
5	< once a year 5	1149	4.5 %
Missing Data			
.	-	866	3.4 %
Total		25,479	100%

Based upon 24,613 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 1384-1384 (width: 1; decimal: 0)

Variable Type: numeric

GR31: EQ24 17.31 Natal family freq [IHDS2]

Value	Label	Unweighted Frequency	%
0	Lives in natal place 0	215	0.8 %
1	Daily/Weekly 1	1644	6.5 %
2	Monthly 2	5099	20.0 %
3	few times a year 3	11374	44.6 %
4	Once a year 4	4982	19.6 %
5	< once a year 5	1317	5.2 %
Missing Data			
.	-	848	3.3 %
Total		25,479	100%

Based upon 24,631 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 1385-1385 (width: 1; decimal: 0)

Variable Type: numeric

GR32: EQ24 17.32 Natal family talk [IHDS2]

Value	Label	Unweighted Frequency	%
0	Lives in natal place 0	219	0.9 %
1	Daily/Weekly 1	12459	48.9 %
2	Monthly 2	8546	33.5 %
3	2-3 times in a year 3	1967	7.7 %
4	Once a year 4	413	1.6 %
5	< once a year 5	553	2.2 %
Missing Data			
.	-	1322	5.2 %
Total		25,479	100%

Based upon 24,157 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 1386-1386 (width: 1; decimal: 0)

Variable Type: numeric

GR33: EQ24 17.33 Natal family nearby

Value	Label	Unweighted Frequency	%
0	No 0	10486	41.2 %
1	Yes, or lives with 1	14005	55.0 %
Missing Data			
.	-	988	3.9 %
Total		25,479	100%

Based upon 24,491 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1387-1387 (width: 1; decimal: 0)

Variable Type: numeric

GR34: EQ25 17.34 Beat if leaves w/o permit

Value	Label	Unweighted Frequency	%
0	No 0	12273	48.2 %
1	Yes 1	13145	51.6 %
Missing Data			
.	-	61	0.2 %
Total		25,479	100%

Based upon 25,418 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1388-1388 (width: 1; decimal: 0)

Variable Type: numeric

GR35: EQ25 17.35 Beat if extramarital

Value	Label	Unweighted Frequency	%
0	No 0	4005	15.7 %
1	Yes 1	21407	84.0 %
	Missing Data		
.	-	67	0.3 %
	Total	25,479	100%

Based upon 25,412 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1389-1389 (width: 1; decimal: 0)

Variable Type: numeric

GR36: EQ25 17.36 Beat if no dowry

Value	Label	Unweighted Frequency	%
0	No 0	16993	66.7 %
1	Yes 1	8421	33.1 %
	Missing Data		
.	-	65	0.3 %
	Total	25,479	100%

Based upon 25,414 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1390-1390 (width: 1; decimal: 0)

Variable Type: numeric

GR37: EQ25 17.37 Beat if House neglect

Value	Label	Unweighted Frequency	%
0	No 0	14383	56.5 %
1	Yes 1	11028	43.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	68	0.3 %
Total		25,479	100%

Based upon 25,411 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1391-1391 (width: 1; decimal: 0)

Variable Type: numeric

GR38: EQ25 17.38 Beat if not respectful [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	13197	51.8 %
1	Yes 1	12216	47.9 %
	Missing Data		
.	-	66	0.3 %
Total		25,479	100%

Based upon 25,413 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1392-1392 (width: 1; decimal: 0)

Variable Type: numeric

GR39: EQ25 17.39 Beat if bad cooking

Value	Label	Unweighted Frequency	%
0	No 0	17143	67.3 %
1	Yes 1	8239	32.3 %
	Missing Data		
.	-	97	0.4 %
Total		25,479	100%

Based upon 25,382 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1393-1393 (width: 1; decimal: 0)

Variable Type: numeric

GR40: EQ25 17.40 Widow support

Value	Label	Unweighted Frequency	%
1	Natal families 1	6648	26.1 %
2	Husbands families 2	5981	23.5 %
3	Both 3	12059	47.3 %
4	Neither 4	699	2.7 %
	Missing Data		
.	-	92	0.4 %
	Total	25,479	100%

Based upon 25,387 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1394-1394 (width: 1; decimal: 0)

Variable Type: numeric

GR41: EQ25 17.41 Live with in old age

Value	Label	Unweighted Frequency	%
1	Son 1	20931	82.2 %
2	Daughter 2	1620	6.4 %
3	Both 3	1065	4.2 %
4	Others/No one 4	712	2.8 %
	Missing Data		
.	-	1151	4.5 %
	Total	25,479	100%

Based upon 24,328 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1395-1395 (width: 1; decimal: 0)

Variable Type: numeric

GR42: EQ25 17.42 Would live w daughter

Value	Label	Unweighted Frequency	%
0	No 0	13555	53.2 %
1	Yes 1	4368	17.1 %
	Missing Data		
.	-	7556	29.7 %
	Total	25,479	100%

Based upon 17,923 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1396-1396 (width: 1; decimal: 0)

Variable Type: numeric

GR43: EQ25 17.43 Financial support

Value	Label	Unweighted Frequency	%
1	Son 1	19890	78.1 %
2	Daughter 2	1737	6.8 %
3	Both 3	1882	7.4 %
4	Others/No one 4	1262	5.0 %
	Missing Data		
.	-	708	2.8 %
	Total	25,479	100%

Based upon 24,771 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1397-1397 (width: 1; decimal: 0)

Variable Type: numeric

GR44: EQ25 17.44 Support: daughter

Value	Label	Unweighted Frequency	%
0	No 0	12034	47.2 %
1	Yes 1	4911	19.3 %
	Missing Data		
.	-	8534	33.5 %
	Total	25,479	100%

Based upon 16,945 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1398-1398 (width: 1; decimal: 0)

Variable Type: numeric

GR45: EQ25 17.45 Harassment of girls

Value	Label	Unweighted Frequency	%
1	Rarely 1	18097	71.0 %
2	Sometimes 2	5034	19.8 %
3	Often 3	1891	7.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	457	1.8 %
	Total	25,479	100%

Based upon 25,022 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1399-1399 (width: 1; decimal: 0)

Variable Type: numeric

GR46: EQ25 17.46 Worked for wage [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	13849	54.4 %
1	Yes 1	11591	45.5 %
	Missing Data		
.	-	39	0.2 %
	Total	25,479	100%

Based upon 25,440 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1400-1400 (width: 1; decimal: 0)

Variable Type: numeric

GR46A: EQ25 17.46a Worked for NREGA [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	7265	28.5 %
1	Yes 1	4153	16.3 %
	Missing Data		
.	-	14061	55.2 %
	Total	25,479	100%

Based upon 11,418 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1401-1401 (width: 1; decimal: 0)

Variable Type: numeric

GR46B: EQ25 17.46b Working for wage [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	4047	15.9 %
1	Yes 1	7487	29.4 %
	Missing Data		
.	-	13945	54.7 %
	Total	25,479	100%

Based upon 11,534 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1402-1402 (width: 1; decimal: 0)

Variable Type: numeric

GR47: EQ25 17.47 Working: who decides [IHDS2]

Value	Label	Unweighted Frequency	%
1	Self 1	10590	41.6 %
2	Husband 2	10624	41.7 %
3	Senior male 3	156	0.6 %
4	Senior female 4	102	0.4 %
5	Others 5	61	0.2 %
	Missing Data		
.	-	3946	15.5 %
	Total	25,479	100%

Based upon 21,533 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1403-1403 (width: 1; decimal: 0)

Variable Type: numeric

GR48: EQ25 17.48 Willing to work [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	7746	30.4 %
1	Yes 1	9836	38.6 %
	Missing Data		
.	-	7897	31.0 %
	Total	25,479	100%

Based upon 17,582 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1404-1404 (width: 1; decimal: 0)

Variable Type: numeric

GR49: EQ25 17.49 Allowed to work [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	6838	26.8 %
1	Yes 1	9435	37.0 %
	Missing Data		
.	-	9206	36.1 %
	Total	25,479	100%

Based upon 16,273 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1405-1405 (width: 1; decimal: 0)

Variable Type: numeric

MH1A: EQ26 18.1a Age at marriage

Value	Label	Unweighted Frequency	%
9	9 or younger	431	1.7 %
10	-	298	1.2 %
11	-	160	0.6 %
12	-	686	2.7 %
13	-	828	3.2 %
14	-	1510	5.9 %
15	-	2997	11.8 %
16	-	3486	13.7 %
17	-	2844	11.2 %
18	-	4258	16.7 %
19	-	1904	7.5 %
20	-	2252	8.8 %
21	-	1007	4.0 %
22	-	899	3.5 %
23	-	557	2.2 %
24	-	394	1.5 %
25	-	387	1.5 %
26	-	171	0.7 %
27	-	125	0.5 %

Value	Label	Unweighted Frequency	%
28	-	100	0.4 %
29	-	59	0.2 %
30	-	41	0.2 %
31	-	11	0.0 %
32	-	22	0.1 %
33	-	6	0.0 %
34	-	4	0.0 %
35	-	13	0.1 %
36	-	3	0.0 %
37	-	4	0.0 %
38	-	2	0.0 %
39	-	1	0.0 %
40	-	1	0.0 %
41	41 or older	6	0.0 %
Missing Data			
.	-	12	0.0 %
Total		25,479	100%

Based upon 25,467 valid cases out of 25,479 total cases.

- Mean: 17.46
- Median: 17.00
- Mode: 18.00
- Minimum: 9.00
- Maximum: 41.00
- Standard Deviation: 3.50

Location: 1406-1407 (width: 2; decimal: 0)

Variable Type: numeric

MH1BM: EQ26 18.1b Month of marriage

Value	Label	Unweighted Frequency	%
1	-	798	3.1 %
2	-	1857	7.3 %
3	-	1852	7.3 %
4	-	2851	11.2 %
5	-	4594	18.0 %
6	-	2369	9.3 %
7	-	884	3.5 %
8	-	424	1.7 %
9	-	411	1.6 %
10	-	514	2.0 %

Value	Label	Unweighted Frequency	%
11	-	790	3.1 %
12	-	796	3.1 %
	Missing Data		
.	-	7339	28.8 %
	Total	25,479	100%

Based upon 18,140 valid cases out of 25,479 total cases.

- Mean: 5.25
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.73

Location: 1408-1409 (width: 2; decimal: 0)

Variable Type: numeric

MH1BY: EQ26 18.1b Year of marriage

Value	Label	Unweighted Frequency	%
1951	-	3	0.0 %
1955	-	1	0.0 %
1956	-	2	0.0 %
1957	-	3	0.0 %
1958	-	2	0.0 %
1959	-	5	0.0 %
1960	-	5	0.0 %
1961	-	3	0.0 %
1962	-	5	0.0 %
1963	-	8	0.0 %
1964	-	13	0.1 %
1965	-	16	0.1 %
1966	-	24	0.1 %
1967	-	32	0.1 %
1968	-	41	0.2 %
1969	-	49	0.2 %
1970	-	64	0.3 %
1971	-	96	0.4 %
1972	-	116	0.5 %
1973	-	111	0.4 %
1974	-	154	0.6 %
1975	-	219	0.9 %

Value	Label	Unweighted Frequency	%
1976	-	247	1.0 %
1977	-	279	1.1 %
1978	-	307	1.2 %
1979	-	340	1.3 %
1980	-	377	1.5 %
1981	-	450	1.8 %
1982	-	495	1.9 %
1983	-	465	1.8 %
1984	-	543	2.1 %
1985	-	562	2.2 %
1986	-	598	2.3 %
1987	-	525	2.1 %
1988	-	654	2.6 %
1989	-	538	2.1 %
1990	-	725	2.8 %
1991	-	600	2.4 %
1992	-	628	2.5 %
1993	-	579	2.3 %
1994	-	614	2.4 %
1995	-	577	2.3 %
1996	-	643	2.5 %
1997	-	570	2.2 %
1998	-	563	2.2 %
1999	-	555	2.2 %
2000	-	515	2.0 %
2001	-	539	2.1 %
2002	-	540	2.1 %
2003	-	417	1.6 %
Missing Data			
.	-	9537	37.4 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 15,942 valid cases out of 25,479 total cases.

- Mean: 1989.85
- Median: 1990.00
- Mode: 1990.00
- Minimum: 1951.00
- Maximum: 2011.00

- Standard Deviation: 8.84

Location: 1410-1413 (width: 4; decimal: 0)

Variable Type: numeric

MH1BMONT: EQ26 18.1b century month of marriage

Value	Label	Unweighted Frequency	%
614	-	1	0.0 %
615	-	1	0.0 %
617	-	1	0.0 %
664	-	1	0.0 %
677	-	1	0.0 %
678	-	1	0.0 %
688	-	1	0.0 %
689	-	2	0.0 %
699	-	1	0.0 %
700	-	1	0.0 %
710	-	3	0.0 %
712	-	1	0.0 %
713	-	1	0.0 %
723	-	1	0.0 %
725	-	4	0.0 %
736	-	1	0.0 %
737	-	1	0.0 %
738	-	1	0.0 %
747	-	1	0.0 %
748	-	1	0.0 %
749	-	1	0.0 %
750	-	1	0.0 %
754	-	1	0.0 %
757	-	1	0.0 %
758	-	1	0.0 %
760	-	2	0.0 %
761	-	4	0.0 %
768	-	1	0.0 %
769	-	1	0.0 %
770	-	1	0.0 %
771	-	1	0.0 %
772	-	2	0.0 %
773	-	6	0.0 %
775	-	1	0.0 %

Value	Label	Unweighted Frequency	%
780	-	1	0.0 %
782	-	1	0.0 %
783	-	2	0.0 %
784	-	3	0.0 %
785	-	6	0.0 %
786	-	1	0.0 %
789	-	1	0.0 %
791	-	1	0.0 %
793	-	3	0.0 %
795	-	2	0.0 %
796	-	10	0.0 %
797	-	7	0.0 %
799	-	1	0.0 %
802	-	1	0.0 %
804	-	2	0.0 %
806	-	3	0.0 %
Missing Data			
-	-	9537	37.4 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 15,942 valid cases out of 25,479 total cases.

- Mean: 1082.55
- Minimum: 614.00
- Maximum: 1343.00
- Standard Deviation: 106.18

Location: 1414-1417 (*width:* 4; *decimal:* 0)

Variable Type: numeric

MH1C: EQ26 18.1c Age at Gauna

Value	Label	Unweighted Frequency	%
9	9 or younger	34	0.1 %
10	-	47	0.2 %
11	-	69	0.3 %
12	-	353	1.4 %
13	-	643	2.5 %
14	-	1343	5.3 %
15	-	2982	11.7 %

Value	Label	Unweighted Frequency	%
16	-	3739	14.7 %
17	-	3236	12.7 %
18	-	4603	18.1 %
19	-	2119	8.3 %
20	-	2384	9.4 %
21	-	1065	4.2 %
22	-	917	3.6 %
23	-	570	2.2 %
24	-	400	1.6 %
25	-	389	1.5 %
26	-	174	0.7 %
27	-	126	0.5 %
28	-	104	0.4 %
29	-	58	0.2 %
30	-	41	0.2 %
31	-	12	0.0 %
32	-	22	0.1 %
33	-	6	0.0 %
34	-	4	0.0 %
35	-	13	0.1 %
36	-	3	0.0 %
37	-	4	0.0 %
38	-	2	0.0 %
39	-	1	0.0 %
40	-	1	0.0 %
41	41 or older	6	0.0 %
Missing Data			
.	-	9	0.0 %
Total		25,479	100%

Based upon 25,470 valid cases out of 25,479 total cases.

- Mean: 17.85
- Median: 18.00
- Mode: 18.00
- Minimum: 9.00
- Maximum: 41.00
- Standard Deviation: 3.14

Location: 1418-1419 (*width:* 2; *decimal:* 0)

Variable Type: numeric

MH1DM: EQ26 18.1d Month of Gauna

Value	Label	Unweighted Frequency	%
1	-	824	3.2 %
2	-	1903	7.5 %
3	-	1951	7.7 %
4	-	2727	10.7 %
5	-	4144	16.3 %
6	-	2239	8.8 %
7	-	894	3.5 %
8	-	470	1.8 %
9	-	453	1.8 %
10	-	595	2.3 %
11	-	962	3.8 %
12	-	952	3.7 %
Missing Data			
.	-	7365	28.9 %
Total		25,479	100%

Based upon 18,114 valid cases out of 25,479 total cases.

- Mean: 5.39
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.89

Location: 1420-1421 (width: 2; decimal: 0)

Variable Type: numeric

MH1DY: EQ26 18.1d Year of Gauna

Value	Label	Unweighted Frequency	%
1951	-	1	0.0 %
1953	-	1	0.0 %
1956	-	1	0.0 %
1957	-	1	0.0 %
1958	-	3	0.0 %
1959	-	2	0.0 %
1960	-	1	0.0 %
1961	-	1	0.0 %
1962	-	4	0.0 %
1963	-	4	0.0 %

Value	Label	Unweighted Frequency	%
1964	-	8	0.0 %
1965	-	7	0.0 %
1966	-	13	0.1 %
1967	-	16	0.1 %
1968	-	25	0.1 %
1969	-	31	0.1 %
1970	-	49	0.2 %
1971	-	88	0.3 %
1972	-	115	0.5 %
1973	-	104	0.4 %
1974	-	150	0.6 %
1975	-	194	0.8 %
1976	-	241	0.9 %
1977	-	257	1.0 %
1978	-	310	1.2 %
1979	-	342	1.3 %
1980	-	393	1.5 %
1981	-	440	1.7 %
1982	-	507	2.0 %
1983	-	460	1.8 %
1984	-	539	2.1 %
1985	-	550	2.2 %
1986	-	592	2.3 %
1987	-	534	2.1 %
1988	-	663	2.6 %
1989	-	544	2.1 %
1990	-	724	2.8 %
1991	-	611	2.4 %
1992	-	641	2.5 %
1993	-	559	2.2 %
1994	-	623	2.4 %
1995	-	585	2.3 %
1996	-	649	2.5 %
1997	-	582	2.3 %
1998	-	578	2.3 %
1999	-	573	2.2 %
2000	-	517	2.0 %
2001	-	554	2.2 %
2002	-	550	2.2 %

Value	Label	Unweighted Frequency	%
2003	-	435	1.7 %
	Missing Data		
-		9565	37.5 %
	Total	25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 15,914 valid cases out of 25,479 total cases.

- Mean: 1990.15
- Median: 1991.00
- Mode: 1990.00
- Minimum: 1951.00
- Maximum: 2013.00
- Standard Deviation: 8.62

Location: 1422-1425 (width: 4; decimal: 0)

Variable Type: numeric

MH1DMONTH: EQ26 18.1b century month of gauna

Value	Label	Unweighted Frequency	%
617	-	1	0.0 %
639	-	1	0.0 %
677	-	1	0.0 %
695	-	1	0.0 %
699	-	1	0.0 %
700	-	1	0.0 %
707	-	1	0.0 %
710	-	1	0.0 %
712	-	1	0.0 %
723	-	1	0.0 %
737	-	1	0.0 %
747	-	1	0.0 %
748	-	2	0.0 %
750	-	1	0.0 %
757	-	1	0.0 %
760	-	1	0.0 %
761	-	2	0.0 %
768	-	1	0.0 %
769	-	1	0.0 %
771	-	1	0.0 %
772	-	1	0.0 %

Value	Label	Unweighted Frequency	%
773	-	2	0.0 %
775	-	1	0.0 %
776	-	1	0.0 %
780	-	1	0.0 %
782	-	1	0.0 %
785	-	2	0.0 %
786	-	1	0.0 %
789	-	1	0.0 %
791	-	1	0.0 %
793	-	1	0.0 %
794	-	1	0.0 %
795	-	2	0.0 %
796	-	3	0.0 %
797	-	4	0.0 %
799	-	1	0.0 %
802	-	1	0.0 %
804	-	2	0.0 %
805	-	2	0.0 %
806	-	2	0.0 %
807	-	1	0.0 %
808	-	1	0.0 %
809	-	6	0.0 %
810	-	1	0.0 %
813	-	1	0.0 %
816	-	1	0.0 %
817	-	1	0.0 %
818	-	3	0.0 %
819	-	2	0.0 %
820	-	5	0.0 %
Missing Data			
.	-	9565	37.5 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 15,914 valid cases out of 25,479 total cases.

- Mean: 1086.25
- Minimum: 617.00
- Maximum: 1361.00
- Standard Deviation: 103.49

Location: 1426-1429 (width: 4; decimal: 0)

Variable Type: numeric

MH1E: EQ26 18.1e Age at Menarche

Value	Label	Unweighted Frequency	%
9	9 or younger	73	0.3 %
10	-	175	0.7 %
11	-	435	1.7 %
12	-	3228	12.7 %
13	-	5723	22.5 %
14	-	7995	31.4 %
15	-	5134	20.1 %
16	-	1789	7.0 %
17	-	513	2.0 %
18	-	271	1.1 %
19	-	50	0.2 %
20	-	27	0.1 %
21	-	15	0.1 %
22	-	6	0.0 %
23	-	5	0.0 %
24	-	3	0.0 %
25	-	1	0.0 %
27	-	1	0.0 %
28	-	1	0.0 %
Missing Data			
.	-	34	0.1 %
Total		25,479	100%

Based upon 25,445 valid cases out of 25,479 total cases.

- Mean: 13.90
- Median: 14.00
- Mode: 14.00
- Minimum: 9.00
- Maximum: 28.00
- Standard Deviation: 1.44

Location: 1430-1431 (width: 2; decimal: 0)

Variable Type: numeric

MH1F: EQ26 18.1f Menarche after wed

Value	Label	Unweighted Frequency	%
1	Before marriage 1	22471	88.2 %

Value	Label	Unweighted Frequency	%
2	Before gauna 2	1397	5.5 %
3	After gauna 3	1596	6.3 %
	Missing Data		
.	-	15	0.1 %
	Total	25,479	100%

Based upon 25,464 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1432-1432 (width: 1; decimal: 0)

Variable Type: numeric

MH2: EQ26 18.2 Marriage status

Value	Label	Unweighted Frequency	%
1	Married 1	23477	92.1 %
2	Widowed 2	1837	7.2 %
3	Separated 3	118	0.5 %
4	Divorced 4	47	0.2 %
5	No gauna 5	0	0.0 %
	Total	25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1433-1433 (width: 1; decimal: 0)

Variable Type: numeric

MH3: EQ26 18.3 Knew husb before wed

Value	Label	Unweighted Frequency	%
1	wedding/gauna 1	17147	67.3 %
2	<one month 2	3510	13.8 %
3	<one year 3	2071	8.1 %
4	>one year 4	1200	4.7 %
5	Since childhood 5	1505	5.9 %
	Missing Data		
.	-	46	0.2 %
	Total	25,479	100%

Based upon 25,433 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1434-1434 (width: 1; decimal: 0)

Variable Type: numeric

MH4A: EQ26 18.4a Marriage choice

Value	Label	Unweighted Frequency	%
1	Respondent 1	1100	4.3 %
2	Joint 2	5350	21.0 %
3	Parents/relatives 3	18942	74.3 %
4	Others 4	50	0.2 %
	Missing Data		
.	-	37	0.1 %
	Total	25,479	100%

Based upon 25,442 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1435-1435 (width: 1; decimal: 0)

Variable Type: numeric

MH4B: EQ26 18.4b Choice R say

Value	Label	Unweighted Frequency	%
0	No 0	11786	46.3 %
1	Yes 1	7114	27.9 %
	Missing Data		
.	-	6579	25.8 %
	Total	25,479	100%

Based upon 18,900 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1436-1436 (width: 1; decimal: 0)

Variable Type: numeric

MH5A: EQ26 18.5a Had met husband [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	20089	78.8 %
1	Yes 1	5251	20.6 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	139	0.5 %
Total		25,479	100%

Based upon 25,340 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1437-1437 (width: 1; decimal: 0)

Variable Type: numeric

MH5B: EQ26 18.5b Had talked to husband [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	23454	92.1 %
1	Yes 1	1883	7.4 %
	Missing Data		
.	-	142	0.6 %
Total		25,479	100%

Based upon 25,337 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1438-1438 (width: 1; decimal: 0)

Variable Type: numeric

MH5C: EQ26 18.5c Had seen husband photo [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	20634	81.0 %
1	Yes 1	4703	18.5 %
	Missing Data		
.	-	142	0.6 %
Total		25,479	100%

Based upon 25,337 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1439-1439 (width: 1; decimal: 0)

Variable Type: numeric

MH5D: EQ26 18.5d Had emailed husband [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	25162	98.8 %
1	Yes 1	171	0.7 %
	Missing Data		
.	-	146	0.6 %
	Total	25,479	100%

Based upon 25,333 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1440-1440 (width: 1; decimal: 0)

Variable Type: numeric

MH6: EQ26 18.6 Husband same vill

Value	Label	Unweighted Frequency	%
0	No 0	22467	88.2 %
1	Yes 1	2887	11.3 %
	Missing Data		
.	-	125	0.5 %
	Total	25,479	100%

Based upon 25,354 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1441-1441 (width: 1; decimal: 0)

Variable Type: numeric

MH7: EQ26 18.7 Husband same caste

Value	Label	Unweighted Frequency	%
0	No 0	1253	4.9 %
1	Yes 1	24086	94.5 %
	Missing Data		
.	-	140	0.5 %
	Total	25,479	100%

Based upon 25,339 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1442-1442 (width: 1; decimal: 0)

Variable Type: numeric

MH8A: EQ26 18.8a Live after marriage

Value	Label	Unweighted Frequency	%
1	his family 1	24806	97.4 %
2	her family 2	206	0.8 %
3	alone 3	374	1.5 %
	Missing Data		
.	-	93	0.4 %
	Total	25,479	100%

Based upon 25,386 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1443-1443 (width: 1; decimal: 0)

Variable Type: numeric

MH8B: EQ26 18.8b Years with inlaws [IHDS2]

Value	Label	Unweighted Frequency	%
0	-	216	0.8 %
1	-	852	3.3 %
2	-	776	3.0 %
3	-	673	2.6 %
4	-	586	2.3 %
5	-	1120	4.4 %
6	-	507	2.0 %
7	-	421	1.7 %
8	-	517	2.0 %
9	-	272	1.1 %
10	-	1091	4.3 %
11	-	123	0.5 %
12	-	391	1.5 %
13	-	108	0.4 %
14	-	81	0.3 %
15	-	546	2.1 %
16	-	96	0.4 %
17	-	77	0.3 %
18	-	103	0.4 %
19	-	34	0.1 %
20	-	375	1.5 %
21	-	11	0.0 %

Value	Label	Unweighted Frequency	%
22	-	53	0.2 %
23	-	21	0.1 %
24	-	31	0.1 %
25	-	109	0.4 %
26	-	13	0.1 %
27	-	13	0.1 %
28	-	15	0.1 %
29	-	4	0.0 %
30	-	84	0.3 %
31	-	3	0.0 %
32	-	7	0.0 %
33	-	6	0.0 %
34	-	2	0.0 %
35	-	19	0.1 %
36	-	4	0.0 %
38	-	1	0.0 %
40	-	16	0.1 %
41	-	3	0.0 %
45	-	2	0.0 %
47	-	1	0.0 %
50	-	1	0.0 %
90	until they died 90	7659	30.1 %
91	still together 91	7546	29.6 %
Missing Data			
.	-	890	3.5 %
Total		25,479	100%

Based upon 24,589 valid cases out of 25,479 total cases.

- Mean: 59.09
- Median: 90.00
- Mode: 90.00
- Minimum: 0.00
- Maximum: 91.00
- Standard Deviation: 40.19

Location: 1444-1445 (*width:* 2; *decimal:* 0)

Variable Type: numeric

MH9: EQ26 18.9 Distance natal family

Value	Label	Unweighted Frequency	%
1	-	10138	39.8 %

Value	Label	Unweighted Frequency	%
2	-	6640	26.1 %
3	-	3338	13.1 %
4	-	1503	5.9 %
5	-	900	3.5 %
6	-	481	1.9 %
7	-	218	0.9 %
8	-	319	1.3 %
9	-	91	0.4 %
10	-	194	0.8 %
11	-	43	0.2 %
12	-	199	0.8 %
13	-	23	0.1 %
14	-	26	0.1 %
15	-	71	0.3 %
16	-	6	0.0 %
17	-	2	0.0 %
18	-	16	0.1 %
19	-	3	0.0 %
20	-	41	0.2 %
21	-	1	0.0 %
22	-	5	0.0 %
23	-	1	0.0 %
24	-	128	0.5 %
25	-	9	0.0 %
26	-	6	0.0 %
27	-	1	0.0 %
28	-	2	0.0 %
29	-	1	0.0 %
30	-	147	0.6 %
32	-	1	0.0 %
35	-	2	0.0 %
36	-	17	0.1 %
38	-	1	0.0 %
40	-	2	0.0 %
43	-	1	0.0 %
45	-	7	0.0 %
48	-	38	0.1 %
50	-	3	0.0 %
54	-	1	0.0 %

Value	Label	Unweighted Frequency	%
60	-	54	0.2 %
66	-	1	0.0 %
70	-	1	0.0 %
72	-	12	0.0 %
75	-	1	0.0 %
81	-	1	0.0 %
84	-	2	0.0 %
88	-	1	0.0 %
90	-	16	0.1 %
91	-	3	0.0 %
Missing Data			
.	-	750	2.9 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 24,729 valid cases out of 25,479 total cases.

- Mean: 3.17
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 99.00
- Standard Deviation: 6.20

Location: 1446-1447 (*width:* 2; *decimal:* 0)

Variable Type: numeric

MH10: EQ26 18.10 Natal fam married husb fam

Value	Label	Unweighted Frequency	%
0	None 0	21409	84.0 %
1	Sister 1	2330	9.1 %
2	Aunt 2	563	2.2 %
3	Both 3	186	0.7 %
4	Others 4	699	2.7 %
Missing Data			
.	-	292	1.1 %
Total		25,479	100%

Based upon 25,187 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 1448-1448 (width: 1; decimal: 0)

Variable Type: numeric

MH11: EQ26 18.11 Natal fam married same vill

Value	Label	Unweighted Frequency	%
0	None 0	21860	85.8 %
1	Sister 1	1811	7.1 %
2	Aunt 2	459	1.8 %
3	Both 3	187	0.7 %
4	Others 4	802	3.1 %
Missing Data			
.	-	360	1.4 %
Total		25,479	100%

Based upon 25,119 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 1449-1449 (width: 1; decimal: 0)

Variable Type: numeric

MH12: EQ26 18.12 Husband blood rel

Value	Label	Unweighted Frequency	%
0	No relation 0	13684	53.7 %
1	Uncle 1	500	2.0 %
2	Cousin 2	1085	4.3 %
3	Others 3	368	1.4 %
9	Not permitted 9	7994	31.4 %
Missing Data			
.	-	1848	7.3 %
Total		25,479	100%

Based upon 23,631 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 9.00

Location: 1450-1450 (width: 1; decimal: 0)

Variable Type: numeric

MH13: EQ27 18.13 Econ stat husb fam

Value	Label	Unweighted Frequency	%
1	Same 1	18766	73.7 %

Value	Label	Unweighted Frequency	%
2	Natal Better 2	4396	17.3 %
3	Natal worse 3	2238	8.8 %
	Missing Data		
.	-	79	0.3 %
	Total	25,479	100%

Based upon 25,400 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1451-1451 (width: 1; decimal: 0)

Variable Type: numeric

MH14: EQ27 18.14 Husb Marriage 1+

Value	Label	Unweighted Frequency	%
1	Once 1	24562	96.4 %
2	More than once 2	899	3.5 %
	Missing Data		
.	-	18	0.1 %
	Total	25,479	100%

Based upon 25,461 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1452-1452 (width: 1; decimal: 0)

Variable Type: numeric

MH15: EQ27 18.15 R Marriage 1+

Value	Label	Unweighted Frequency	%
1	Once 1	25114	98.6 %
2	More than once 2	334	1.3 %
	Missing Data		
.	-	31	0.1 %
	Total	25,479	100%

Based upon 25,448 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1453-1453 (width: 1; decimal: 0)

Variable Type: numeric

MH16: EQ27 18.16 R # marriages

Value	Label	Unweighted Frequency	%
2	-	327	1.3 %
3	-	7	0.0 %
	Missing Data		
.	-	25145	98.7 %
	Total	25,479	100%

Based upon 334 valid cases out of 25,479 total cases.

- Mean: 2.02
- Median: 2.00
- Mode: 2.00
- Minimum: 2.00
- Maximum: 3.00
- Standard Deviation: 0.14

Location: 1454-1454 (width: 1; decimal: 0)

Variable Type: numeric

MH17A: EQ27 18.17a 1st marriage Age

Value	Label	Unweighted Frequency	%
9	9 or younger	28	0.1 %
10	-	13	0.1 %
11	-	4	0.0 %
12	-	33	0.1 %
13	-	23	0.1 %
14	-	37	0.1 %
15	-	51	0.2 %
16	-	44	0.2 %
17	-	26	0.1 %
18	-	41	0.2 %
19	-	7	0.0 %
20	-	9	0.0 %
21	-	1	0.0 %
22	-	6	0.0 %
23	-	4	0.0 %
24	-	2	0.0 %
31	-	1	0.0 %
	Missing Data		
.	-	25149	98.7 %
	Total	25,479	100%

Based upon 330 valid cases out of 25,479 total cases.

- Mean: 14.92
- Median: 15.00
- Mode: 15.00
- Minimum: 9.00
- Maximum: 31.00
- Standard Deviation: 3.34

Location: 1455-1456 (width: 2; decimal: 0)

Variable Type: numeric

MH17BM: EQ27 18.17b 1st marriage Month

Value	Label	Unweighted Frequency	%
1	-	10	0.0 %
2	-	15	0.1 %
3	-	20	0.1 %
4	-	36	0.1 %
5	-	59	0.2 %
6	-	26	0.1 %
7	-	11	0.0 %
8	-	4	0.0 %
9	-	4	0.0 %
10	-	4	0.0 %
11	-	11	0.0 %
12	-	5	0.0 %
Missing Data			
.	-	25274	99.2 %
Total		25,479	100%

Based upon 205 valid cases out of 25,479 total cases.

- Mean: 5.18
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.54

Location: 1457-1458 (width: 2; decimal: 0)

Variable Type: numeric

MH17BY: EQ27 18.17b 1st marriage Year

Value	Label	Unweighted Frequency	%
1963	-	1	0.0 %
1964	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1967	-	3	0.0 %
1968	-	3	0.0 %
1969	-	3	0.0 %
1970	-	3	0.0 %
1971	-	2	0.0 %
1972	-	3	0.0 %
1974	-	2	0.0 %
1975	-	2	0.0 %
1976	-	8	0.0 %
1977	-	5	0.0 %
1978	-	5	0.0 %
1979	-	4	0.0 %
1980	-	9	0.0 %
1981	-	10	0.0 %
1982	-	4	0.0 %
1983	-	5	0.0 %
1984	-	4	0.0 %
1985	-	8	0.0 %
1986	-	10	0.0 %
1987	-	7	0.0 %
1988	-	10	0.0 %
1989	-	7	0.0 %
1990	-	7	0.0 %
1991	-	7	0.0 %
1992	-	4	0.0 %
1993	-	5	0.0 %
1994	-	4	0.0 %
1995	-	2	0.0 %
1996	-	9	0.0 %
1997	-	2	0.0 %
1998	-	5	0.0 %
1999	-	4	0.0 %
2000	-	9	0.0 %
2002	-	2	0.0 %
2003	-	2	0.0 %
Missing Data			
.	-	25298	99.3 %
Total		25,479	100%

Based upon 181 valid cases out of 25,479 total cases.

- Mean: 1985.55
- Median: 1986.00
- Minimum: 1963.00
- Maximum: 2003.00
- Standard Deviation: 9.21

Location: 1459-1462 (width: 4; decimal: 0)

Variable Type: numeric

MH17BMONT: EQ26 18.1b century month of 1st marriage

Value	Label	Unweighted Frequency	%
761	-	1	0.0 %
772	-	1	0.0 %
805	-	1	0.0 %
808	-	1	0.0 %
809	-	1	0.0 %
820	-	2	0.0 %
821	-	1	0.0 %
830	-	1	0.0 %
833	-	2	0.0 %
842	-	1	0.0 %
844	-	2	0.0 %
855	-	1	0.0 %
856	-	1	0.0 %
869	-	2	0.0 %
872	-	1	0.0 %
891	-	2	0.0 %
905	-	2	0.0 %
914	-	1	0.0 %
915	-	1	0.0 %
916	-	2	0.0 %
917	-	3	0.0 %
923	-	1	0.0 %
924	-	1	0.0 %
925	-	1	0.0 %
927	-	1	0.0 %
929	-	2	0.0 %
938	-	1	0.0 %
939	-	1	0.0 %
941	-	2	0.0 %
943	-	1	0.0 %

Value	Label	Unweighted Frequency	%
950	-	1	0.0 %
952	-	1	0.0 %
953	-	2	0.0 %
963	-	2	0.0 %
965	-	5	0.0 %
966	-	2	0.0 %
975	-	1	0.0 %
976	-	3	0.0 %
977	-	3	0.0 %
978	-	2	0.0 %
982	-	1	0.0 %
985	-	1	0.0 %
988	-	2	0.0 %
989	-	1	0.0 %
1000	-	2	0.0 %
1001	-	2	0.0 %
1002	-	1	0.0 %
1009	-	1	0.0 %
1010	-	1	0.0 %
1018	-	1	0.0 %
Missing Data			
.	-	25298	99.3 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 181 valid cases out of 25,479 total cases.

- Mean: 1031.17
- Median: 1037.00
- Mode: 1205.00
- Minimum: 761.00
- Maximum: 1246.00
- Standard Deviation: 110.68

Location: 1463-1466 (width: 4; decimal: 0)

Variable Type: numeric

MH18A: EQ27 18.18a 1st marriage Age gauna

Value	Label	Unweighted Frequency	%
9	9 or younger	3	0.0 %
10	-	3	0.0 %

Value	Label	Unweighted Frequency	%
11	-	6	0.0 %
12	-	19	0.1 %
13	-	19	0.1 %
14	-	31	0.1 %
15	-	56	0.2 %
16	-	53	0.2 %
17	-	29	0.1 %
18	-	51	0.2 %
19	-	8	0.0 %
20	-	11	0.0 %
21	-	1	0.0 %
22	-	5	0.0 %
23	-	3	0.0 %
24	-	3	0.0 %
29	-	1	0.0 %
31	-	1	0.0 %
Missing Data			
.	-	25176	98.8 %
Total		25,479	100%

Based upon 303 valid cases out of 25,479 total cases.

- Mean: 15.96
- Median: 16.00
- Mode: 15.00
- Minimum: 9.00
- Maximum: 31.00
- Standard Deviation: 2.86

Location: 1467-1468 (width: 2; decimal: 0)

Variable Type: numeric

MH18BM: EQ27 18.18b 1st marriage Month gauna

Value	Label	Unweighted Frequency	%
1	-	13	0.1 %
2	-	15	0.1 %
3	-	22	0.1 %
4	-	29	0.1 %
5	-	50	0.2 %
6	-	20	0.1 %
7	-	15	0.1 %
8	-	4	0.0 %

Value	Label	Unweighted Frequency	%
9	-	3	0.0 %
10	-	5	0.0 %
11	-	15	0.1 %
12	-	6	0.0 %
Missing Data			
.	-	25282	99.2 %
Total		25,479	100%

Based upon 197 valid cases out of 25,479 total cases.

- Mean: 5.31
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.82

Location: 1469-1470 (width: 2; decimal: 0)

Variable Type: numeric

MH18BY: EQ27 18.18b 1st marriage Year gauna

Value	Label	Unweighted Frequency	%
1915	-	2	0.0 %
1916	-	1	0.0 %
1917	-	2	0.0 %
1967	-	2	0.0 %
1968	-	1	0.0 %
1969	-	2	0.0 %
1970	-	2	0.0 %
1971	-	3	0.0 %
1972	-	4	0.0 %
1974	-	1	0.0 %
1975	-	1	0.0 %
1976	-	6	0.0 %
1977	-	5	0.0 %
1978	-	5	0.0 %
1979	-	2	0.0 %
1980	-	8	0.0 %
1981	-	10	0.0 %
1982	-	3	0.0 %
1983	-	4	0.0 %
1984	-	5	0.0 %

Value	Label	Unweighted Frequency	%
1985	-	6	0.0 %
1986	-	6	0.0 %
1987	-	8	0.0 %
1988	-	8	0.0 %
1989	-	5	0.0 %
1990	-	6	0.0 %
1991	-	9	0.0 %
1992	-	5	0.0 %
1993	-	5	0.0 %
1994	-	5	0.0 %
1995	-	4	0.0 %
1996	-	7	0.0 %
1997	-	2	0.0 %
1998	-	4	0.0 %
1999	-	4	0.0 %
2000	-	9	0.0 %
2002	-	2	0.0 %
2003	-	3	0.0 %
2004	-	1	0.0 %
Missing Data			
.	-	25311	99.3 %
Total		25,479	100%

Based upon 168 valid cases out of 25,479 total cases.

- Mean: 1984.66
- Median: 1987.00
- Mode: 1981.00
- Minimum: 1915.00
- Maximum: 2004.00
- Standard Deviation: 14.94

Location: 1471-1474 (width: 4; decimal: 0)

Variable Type: numeric

MH18BMONT: EQ26 18.1b century month of 1st gauna

Value	Label	Unweighted Frequency	%
185	-	2	0.0 %
201	-	1	0.0 %
206	-	1	0.0 %
208	-	1	0.0 %
805	-	1	0.0 %

Value	Label	Unweighted Frequency	%
809	-	1	0.0 %
820	-	1	0.0 %
831	-	1	0.0 %
832	-	1	0.0 %
844	-	1	0.0 %
845	-	1	0.0 %
855	-	1	0.0 %
856	-	2	0.0 %
866	-	1	0.0 %
867	-	1	0.0 %
869	-	1	0.0 %
872	-	1	0.0 %
891	-	1	0.0 %
905	-	1	0.0 %
914	-	1	0.0 %
915	-	1	0.0 %
916	-	1	0.0 %
917	-	2	0.0 %
923	-	1	0.0 %
924	-	1	0.0 %
925	-	1	0.0 %
928	-	1	0.0 %
929	-	2	0.0 %
938	-	1	0.0 %
939	-	1	0.0 %
940	-	1	0.0 %
941	-	1	0.0 %
943	-	1	0.0 %
953	-	1	0.0 %
954	-	1	0.0 %
962	-	1	0.0 %
963	-	1	0.0 %
965	-	4	0.0 %
966	-	2	0.0 %
974	-	2	0.0 %
976	-	2	0.0 %
977	-	2	0.0 %
978	-	2	0.0 %
981	-	1	0.0 %

Value	Label	Unweighted Frequency	%
982	-	1	0.0 %
985	-	2	0.0 %
989	-	1	0.0 %
1000	-	1	0.0 %
1001	-	2	0.0 %
1002	-	1	0.0 %
Missing Data			
.	-	25311	99.3 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 168 valid cases out of 25,479 total cases.

- Mean: 1020.46
- Median: 1047.50
- Mode: 1205.00
- Minimum: 185.00
- Maximum: 1253.00
- Standard Deviation: 179.37

Location: 1475-1478 (width: 4; decimal: 0)

Variable Type: numeric

MH19: EQ27 18.19 1st marriage Status

Value	Label	Unweighted Frequency	%
1	Widowed 1	107	0.4 %
2	Separated 2	93	0.4 %
3	Divorced 3	130	0.5 %
Missing Data			
.	-	25149	98.7 %
Total		25,479	100%

Based upon 330 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1479-1479 (width: 1; decimal: 0)

Variable Type: numeric

FH2S: EQ27 19.2 N sons with R

Value	Label	Unweighted Frequency	%
0	-	4963	19.5 %

Value	Label	Unweighted Frequency	%
1	-	10978	43.1 %
2	-	7232	28.4 %
3	-	1717	6.7 %
4	-	420	1.6 %
5	-	100	0.4 %
6	6 or more	36	0.1 %
Missing Data			
.	-	33	0.1 %
Total		25,479	100%

Based upon 25,446 valid cases out of 25,479 total cases.

- Mean: 1.30
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.95

Location: 1480-1480 (width: 1; decimal: 0)

Variable Type: numeric

FH3S: EQ27 19.3 N sons elsewhere

Value	Label	Unweighted Frequency	%
0	-	20641	81.0 %
1	-	3457	13.6 %
2	-	1068	4.2 %
3	-	207	0.8 %
4	-	53	0.2 %
5	-	15	0.1 %
6	6 or more	5	0.0 %
Missing Data			
.	-	33	0.1 %
Total		25,479	100%

Based upon 25,446 valid cases out of 25,479 total cases.

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.61

Location: 1481-1481 (width: 1; decimal: 0)

Variable Type: numeric

FH4S: EQ27 19.4 N sons died

Value	Label	Unweighted Frequency	%
0	-	22009	86.4 %
1	-	2676	10.5 %
2	-	546	2.1 %
3	-	149	0.6 %
4	4 or more	66	0.3 %
Missing Data			
.	-	33	0.1 %
Total		25,479	100%

Based upon 25,446 valid cases out of 25,479 total cases.

- Mean: 0.18
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.50

Location: 1482-1482 (width: 1; decimal: 0)

Variable Type: numeric

FH5SM: EQ27 19.5 N sons born (entered)

Value	Label	Unweighted Frequency	%
0	-	2712	10.6 %
1	-	9247	36.3 %
2	-	8576	33.7 %
3	-	3112	12.2 %
4	-	1104	4.3 %
5	-	426	1.7 %
6	6 or more	269	1.1 %
Missing Data			
.	-	33	0.1 %
Total		25,479	100%

Based upon 25,446 valid cases out of 25,479 total cases.

- Mean: 1.73
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 6.00

- Standard Deviation: 1.15

Location: 1483-1483 (width: 1; decimal: 0)

Variable Type: numeric

FH2D: EQ27 19.2 N daughters with R

Value	Label	Unweighted Frequency	%
0	-	10454	41.0 %
1	-	8939	35.1 %
2	-	4032	15.8 %
3	-	1415	5.6 %
4	-	438	1.7 %
5	-	128	0.5 %
6	6 or more	40	0.2 %
Missing Data			
.	-	33	0.1 %
Total		25,479	100%

Based upon 25,446 valid cases out of 25,479 total cases.

- Mean: 0.94
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.03

Location: 1484-1484 (width: 1; decimal: 0)

Variable Type: numeric

FH3D: EQ27 19.3 N daughters elsewhere

Value	Label	Unweighted Frequency	%
0	-	16998	66.7 %
1	-	5215	20.5 %
2	-	2220	8.7 %
3	-	741	2.9 %
4	-	223	0.9 %
5	-	39	0.2 %
6	6 or more	10	0.0 %
Missing Data			
.	-	33	0.1 %
Total		25,479	100%

Based upon 25,446 valid cases out of 25,479 total cases.

- Mean: 0.51
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.86

Location: 1485-1485 (width: 1; decimal: 0)

Variable Type: numeric

FH4D: EQ27 19.4 N daughters died

Value	Label	Unweighted Frequency	%
0	-	22252	87.3 %
1	-	2452	9.6 %
2	-	564	2.2 %
3	-	128	0.5 %
4	4 or more	50	0.2 %
Missing Data			
.	-	33	0.1 %
Total		25,479	100%

Based upon 25,446 valid cases out of 25,479 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.48

Location: 1486-1486 (width: 1; decimal: 0)

Variable Type: numeric

FH5DM: EQ27 19.5 N daughters born (entered)

Value	Label	Unweighted Frequency	%
0	-	4966	19.5 %
1	-	9252	36.3 %
2	-	5825	22.9 %
3	-	3013	11.8 %
4	-	1408	5.5 %
5	-	583	2.3 %
6	6 or more	399	1.6 %
Missing Data			
.	-	33	0.1 %
Total		25,479	100%

Based upon 25,446 valid cases out of 25,479 total cases.

- Mean: 1.61
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.34

Location: 1487-1487 (width: 1; decimal: 0)

Variable Type: numeric

FH2CM: EQ27 19.2 N children with R (entered)

Value	Label	Unweighted Frequency	%
0	-	2016	7.9 %
1	-	5235	20.5 %
2	-	9014	35.4 %
3	-	5404	21.2 %
4	-	2296	9.0 %
5	-	932	3.7 %
6	-	355	1.4 %
7	-	129	0.5 %
8	-	51	0.2 %
9	9 or more	14	0.1 %
.	Missing Data		
.	-	33	0.1 %
Total		25,479	100%

Based upon 25,446 valid cases out of 25,479 total cases.

- Mean: 2.24
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 1.35

Location: 1488-1488 (width: 1; decimal: 0)

Variable Type: numeric

FH3CM: EQ27 19.3 N children elsewhere (entered)

Value	Label	Unweighted Frequency	%
0	-	14827	58.2 %
1	-	5269	20.7 %
2	-	3045	12.0 %
3	-	1442	5.7 %

Value	Label	Unweighted Frequency	%
4	-	564	2.2 %
5	-	212	0.8 %
6	6 or more	87	0.3 %
Missing Data			
.	-	33	0.1 %
Total		25,479	100%

Based upon 25,446 valid cases out of 25,479 total cases.

- Mean: 0.77
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.14

Location: 1489-1489 (width: 1; decimal: 0)

Variable Type: numeric

FH4CM: EQ27 19.4 N children died (entered)

Value	Label	Unweighted Frequency	%
0	-	19930	78.2 %
1	-	3584	14.1 %
2	-	1221	4.8 %
3	-	427	1.7 %
4	4 or more	284	1.1 %
Missing Data			
.	-	33	0.1 %
Total		25,479	100%

Based upon 25,446 valid cases out of 25,479 total cases.

- Mean: 0.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.74

Location: 1490-1490 (width: 1; decimal: 0)

Variable Type: numeric

FH5CM: EQ27 19.5 N children born (entered)

Value	Label	Unweighted Frequency	%
0	-	429	1.7 %

Value	Label	Unweighted Frequency	%
1	-	1708	6.7 %
2	-	7422	29.1 %
3	-	6575	25.8 %
4	-	4065	16.0 %
5	-	2312	9.1 %
6	-	1286	5.0 %
7	-	728	2.9 %
8	-	458	1.8 %
9	9 or more	463	1.8 %
Missing Data			
.	-	33	0.1 %
Total		25,479	100%

Based upon 25,446 valid cases out of 25,479 total cases.

- Mean: 3.33
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 1.77

Location: 1491-1491 (width: 1; decimal: 0)

Variable Type: numeric

FH5S: EQ27 19.5 N sons born (entered) [IHDS2]

Value	Label	Unweighted Frequency	%
0	-	2712	10.6 %
1	-	9247	36.3 %
2	-	8576	33.7 %
3	-	3112	12.2 %
4	-	1104	4.3 %
5	-	426	1.7 %
6	-	169	0.7 %
7	-	64	0.3 %
8	-	26	0.1 %
9	9 or more	10	0.0 %
Missing Data			
.	-	33	0.1 %
Total		25,479	100%

Based upon 25,446 valid cases out of 25,479 total cases.

- Mean: 1.73
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 1.18

Location: 1492-1492 (width: 1; decimal: 0)

Variable Type: numeric

FH5D: EQ27 19.5 N daughters born (entered) [IHDS2]

Value	Label	Unweighted Frequency	%
0	-	4966	19.5 %
1	-	9252	36.3 %
2	-	5825	22.9 %
3	-	3013	11.8 %
4	-	1408	5.5 %
5	-	583	2.3 %
6	-	258	1.0 %
7	-	94	0.4 %
8	-	33	0.1 %
9	9 or more	14	0.1 %
Missing Data			
.	-	33	0.1 %
Total		25,479	100%

Based upon 25,446 valid cases out of 25,479 total cases.

- Mean: 1.61
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 1.37

Location: 1493-1493 (width: 1; decimal: 0)

Variable Type: numeric

FH2C: EQ27 19.2 N children with R (entered) [IHDS2]

Value	Label	Unweighted Frequency	%
0	-	2015	7.9 %
1	-	5235	20.5 %
2	-	9016	35.4 %
3	-	5404	21.2 %
4	-	2296	9.0 %

Value	Label	Unweighted Frequency	%
5	-	932	3.7 %
6	-	355	1.4 %
7	-	129	0.5 %
8	-	50	0.2 %
9	9 or more	14	0.1 %
Missing Data			
.	-	33	0.1 %
Total		25,479	100%

Based upon 25,446 valid cases out of 25,479 total cases.

- Mean: 2.24
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 1.35

Location: 1494-1494 (width: 1; decimal: 0)

Variable Type: numeric

FH3C: EQ27 19.3 N children elsewhere (entered) [IHDS2]

Value	Label	Unweighted Frequency	%
0	-	14828	58.2 %
1	-	5269	20.7 %
2	-	3044	11.9 %
3	-	1442	5.7 %
4	-	564	2.2 %
5	-	212	0.8 %
6	6 or more	87	0.3 %
Missing Data			
.	-	33	0.1 %
Total		25,479	100%

Based upon 25,446 valid cases out of 25,479 total cases.

- Mean: 0.77
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 1.14

Location: 1495-1495 (width: 1; decimal: 0)

Variable Type: numeric

FH4C: EQ27 19.4 N children died (entered) [IHDS2]

Value	Label	Unweighted Frequency	%
0	-	19930	78.2 %
1	-	3584	14.1 %
2	-	1221	4.8 %
3	-	427	1.7 %
4	4 or more	284	1.1 %
Missing Data			
.	-	33	0.1 %
Total		25,479	100%

Based upon 25,446 valid cases out of 25,479 total cases.

- Mean: 0.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.74

Location: 1496-1496 (width: 1; decimal: 0)

Variable Type: numeric

FH5C: EQ27 19.5 N children born (calc son+daughter/2+3+4)

Value	Label	Unweighted Frequency	%
0	-	428	1.7 %
1	-	1708	6.7 %
2	-	7424	29.1 %
3	-	6575	25.8 %
4	-	4065	16.0 %
5	-	2312	9.1 %
6	-	1286	5.0 %
7	-	728	2.9 %
8	-	458	1.8 %
9	9 or more	462	1.8 %
Missing Data			
.	-	33	0.1 %
Total		25,479	100%

Based upon 25,446 valid cases out of 25,479 total cases.

- Mean: 3.33
- Median: 3.00

- Mode: 2.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 1.77

Location: 1497-1497 (width: 1; decimal: 0)

Variable Type: numeric

FH6: EQ27 19.6 # still births

Value	Label	Unweighted Frequency	%
0	-	22406	87.9 %
1	-	1183	4.6 %
2	-	322	1.3 %
3	-	69	0.3 %
4	-	23	0.1 %
5	-	6	0.0 %
6	6 or more	4	0.0 %
Missing Data			
.	-	1466	5.8 %
Total		25,479	100%

Based upon 24,013 valid cases out of 25,479 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.38

Location: 1498-1498 (width: 1; decimal: 0)

Variable Type: numeric

FH7: EQ27 19.7 # miscarriages

Value	Label	Unweighted Frequency	%
0	-	20465	80.3 %
1	-	2177	8.5 %
2	-	726	2.8 %
3	-	246	1.0 %
4	-	84	0.3 %
5	-	30	0.1 %
6	6 or more	15	0.1 %
Missing Data			
.	-	1736	6.8 %
Total		25,479	100%

Based upon 23,743 valid cases out of 25,479 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.61

Location: 1499-1499 (width: 1; decimal: 0)

Variable Type: numeric

FH7A: EQ27 19.7a # spontaneous miscarr

Value	Label	Unweighted Frequency	%
0	-	21063	82.7 %
1	-	1813	7.1 %
2	-	522	2.0 %
3	-	159	0.6 %
4	-	51	0.2 %
5	-	20	0.1 %
6	6 or more	10	0.0 %
Missing Data			
.	-	1841	7.2 %
Total		25,479	100%

Based upon 23,638 valid cases out of 25,479 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.52

Location: 1500-1500 (width: 1; decimal: 0)

Variable Type: numeric

FH7B: EQ27 19.7b # abortions

Value	Label	Unweighted Frequency	%
0	-	22641	88.9 %
1	-	531	2.1 %
2	-	169	0.7 %
3	-	53	0.2 %
4	-	17	0.1 %
5	5 or more	8	0.0 %
Missing Data			

Value	Label	Unweighted Frequency	%
.	-	2060	8.1 %
Total		25,479	100%

Based upon 23,419 valid cases out of 25,479 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.30

Location: 1501-1501 (width: 1; decimal: 0)

Variable Type: numeric

FP1: EQ29 21.1 Current pregnancy

Value	Label	Unweighted Frequency	%
0	No 0	23152	90.9 %
1	Yes 1	361	1.4 %
	Missing Data		
.	-	1966	7.7 %
Total		25,479	100%

Based upon 23,513 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1502-1502 (width: 1; decimal: 0)

Variable Type: numeric

FP2A: EQ29 21.2a Contraceptive usage

Value	Label	Unweighted Frequency	%
0	No 0	4807	18.9 %
1	Yes 1	18187	71.4 %
	Missing Data		
.	-	2485	9.8 %
Total		25,479	100%

Based upon 22,994 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1503-1503 (width: 1; decimal: 0)

Variable Type: numeric

FP2B: EQ29 21.2b Contraception Method1

Value	Label	Unweighted Frequency	%
1	Oral pill 1	855	3.4 %
2	Copper T/IUD 2	242	0.9 %
3	Diaphragm/Jelly 3	5	0.0 %
4	Injectible 4	24	0.1 %
5	Condom 5	797	3.1 %
6	Fem sterilization 6	12951	50.8 %
7	Male sterilization 7	300	1.2 %
8	Abstinence 8	1534	6.0 %
9	Withdrawal 9	351	1.4 %
10	Hysterectomy 10	464	1.8 %
11	Others 11	287	1.1 %
Missing Data			
-	-	7669	30.1 %
Total		25,479	100%

Based upon 17,810 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 11.00

Location: 1504-1505 (*width:* 2; *decimal:* 0)

Variable Type: numeric

FP2C: EQ29 21.2b Contraception Method2

Value	Label	Unweighted Frequency	%
1	Oral pill 1	60	0.2 %
2	Copper T/IUD 2	31	0.1 %
3	Diaphragm/Jelly 3	3	0.0 %
4	Injectible 4	5	0.0 %
5	Condom 5	177	0.7 %
6	Fem sterilization 6	18	0.1 %
7	Male sterilization 7	7	0.0 %
8	Abstinence 8	124	0.5 %
9	Withdrawal 9	268	1.1 %
10	Hysterectomy 10	33	0.1 %
11	Others 11	28	0.1 %
Missing Data			
-	-	24725	97.0 %
Total		25,479	100%

Based upon 754 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 11.00

Location: 1506-1507 (width: 2; decimal: 0)

Variable Type: numeric

FP3A: EQ29 21.3a More children desired

Value	Label	Unweighted Frequency	%
0	No 0	6320	24.8 %
1	No, sterilized 1	10934	42.9 %
2	Not fertile 2	3577	14.0 %
3	Yes 3	1296	5.1 %
	Missing Data		
.	-	3352	13.2 %
	Total	25,479	100%

Based upon 22,127 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 1508-1508 (width: 1; decimal: 0)

Variable Type: numeric

FP3B: EQ29 21.3b # more desired [IHDS1~=IHDS2]

Value	Label	Unweighted Frequency	%
1	-	321	1.3 %
2	-	122	0.5 %
3	-	9	0.0 %
4	-	6	0.0 %
5	-	4	0.0 %
	Missing Data		
.	-	25017	98.2 %
	Total	25,479	100%

Based upon 462 valid cases out of 25,479 total cases.

- Mean: 1.38
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.68

Location: 1509-1509 (width: 1; decimal: 0)

Variable Type: numeric

FP3C: EQ29 21.3c Time next childbirth

Value	Label	Unweighted Frequency	%
1	Within 2 years 1	473	1.9 %
2	After 2 years 2	338	1.3 %
3	No preference 3	449	1.8 %
	Missing Data		
.	-	24219	95.1 %
	Total	25,479	100%

Based upon 1,260 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1510-1510 (width: 1; decimal: 0)

Variable Type: numeric

FP4A: EQ29 21.4a More ch desired Husb

Value	Label	Unweighted Frequency	%
0	No 0	6187	24.3 %
1	Yes 1	1340	5.3 %
	Missing Data		
.	-	17952	70.5 %
	Total	25,479	100%

Based upon 7,527 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1511-1511 (width: 1; decimal: 0)

Variable Type: numeric

FP4B: EQ29 21.4b # more desired Husb [IHDS1~=IHDS2]

Value	Label	Unweighted Frequency	%
1	-	334	1.3 %
2	-	122	0.5 %
3	-	14	0.1 %
4	-	6	0.0 %
5	-	3	0.0 %
7	-	1	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	24999	98.1 %
Total		25,479	100%

Based upon 480 valid cases out of 25,479 total cases.

- Mean: 1.39
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 0.71

Location: 1512-1512 (width: 1; decimal: 0)

Variable Type: numeric

FP4C: EQ29 21.4c Time next birth Husb

Value	Label	Unweighted Frequency	%
1	Within 2 years 1	525	2.1 %
2	After 2 years 2	341	1.3 %
3	No preference 3	429	1.7 %
.	Missing Data		
.	-	24184	94.9 %
Total		25,479	100%

Based upon 1,295 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1513-1513 (width: 1; decimal: 0)

Variable Type: numeric

FP5: EQ29 21.5 # children ideally

Value	Label	Unweighted Frequency	%
0	-	182	0.7 %
1	-	894	3.5 %
2	-	14165	55.6 %
3	-	5209	20.4 %
4	-	3145	12.3 %
5	-	369	1.4 %
6	-	183	0.7 %
7	-	18	0.1 %
8	-	34	0.1 %
9	-	6	0.0 %

Value	Label	Unweighted Frequency	%
10	-	8	0.0 %
11	-	1	0.0 %
12	-	5	0.0 %
18	-	8	0.0 %
20	-	1	0.0 %
Missing Data			
.	-	1251	4.9 %
Total		25,479	100%

Based upon 24,228 valid cases out of 25,479 total cases.

- Mean: 2.52
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 1.00

Location: 1514-1515 (width: 2; decimal: 0)

Variable Type: numeric

FP5A: EQ29 21.5a # sons ideally

Value	Label	Unweighted Frequency	%
0	-	112	0.4 %
1	-	13828	54.3 %
2	-	7744	30.4 %
3	-	617	2.4 %
4	-	128	0.5 %
5	-	20	0.1 %
6	-	9	0.0 %
7	-	2	0.0 %
8	-	4	0.0 %
10	-	4	0.0 %
11	-	1	0.0 %
Missing Data			
.	-	3010	11.8 %
Total		25,479	100%

Based upon 22,469 valid cases out of 25,479 total cases.

- Mean: 1.42
- Median: 1.00
- Mode: 1.00

- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 0.62

Location: 1516-1517 (width: 2; decimal: 0)

Variable Type: numeric

FP5B: EQ29 21.5b # daughters ideally

Value	Label	Unweighted Frequency	%
0	-	451	1.8 %
1	-	18050	70.8 %
2	-	3494	13.7 %
3	-	211	0.8 %
4	-	61	0.2 %
5	-	17	0.1 %
6	-	6	0.0 %
7	-	1	0.0 %
10	-	3	0.0 %
11	-	2	0.0 %
15	-	1	0.0 %
Missing Data			
.	-	3182	12.5 %
Total		25,479	100%

Based upon 22,297 valid cases out of 25,479 total cases.

- Mean: 1.17
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 0.51

Location: 1518-1519 (width: 2; decimal: 0)

Variable Type: numeric

FP5C: EQ29 21.5c Prefer boy for extra child [IHDS2]

Value	Label	Unweighted Frequency	%
1	Boy 1	6054	23.8 %
2	Girl 2	1383	5.4 %
3	No preference 3	13940	54.7 %
Missing Data			
.	-	4102	16.1 %
Total		25,479	100%

Based upon 21,377 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1520-1520 (width: 1; decimal: 0)

Variable Type: numeric

LB0Y: EH29-32 Answers to last birth section

Value	Label	Unweighted Frequency	%
0	No 0	19547	76.7 %
1	Yes 1	5932	23.3 %
	Total	25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1521-1521 (width: 1; decimal: 0)

Variable Type: numeric

LB0: EQ30 22.0 Nbirths since Jan2005

Value	Label	Unweighted Frequency	%
0	None 0	19581	76.9 %
1	-	3174	12.5 %
2	-	1885	7.4 %
3	-	706	2.8 %
4	-	121	0.5 %
5	-	10	0.0 %
6	-	2	0.0 %
	Total	25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 0.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.79

Location: 1522-1522 (width: 1; decimal: 0)

Variable Type: numeric

LB1A: EQ30 22.1a Birth ID: LB

Value	Label	Unweighted Frequency	%
1	-	346	1.4 %
2	-	1849	7.3 %
3	-	1432	5.6 %
4	-	905	3.6 %
5	-	557	2.2 %
6	-	319	1.3 %
7	-	203	0.8 %
8	-	128	0.5 %
9	-	79	0.3 %
10	-	49	0.2 %
11	-	21	0.1 %
12	-	5	0.0 %
13	-	2	0.0 %
14	-	1	0.0 %
15	-	2	0.0 %
Missing Data			
.	-	19581	76.9 %
Total		25,479	100%

Based upon 5,898 valid cases out of 25,479 total cases.

- Mean: 3.50
- Median: 3.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 15.00
- Standard Deviation: 1.92

Location: 1523-1524 (*width:* 2; *decimal:* 0)

Variable Type: numeric

LB1B: EQ30 22.1b LB Survival

Value	Label	Unweighted Frequency	%
1	Alive 1	5706	22.4 %
2	Dead 2	191	0.7 %
Missing Data			
.	-	19582	76.9 %
Total		25,479	100%

Based upon 5,897 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1525-1525 (width: 1; decimal: 0)

Variable Type: numeric

LB2: EQ30 22.2 LB registration card [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	1168	4.6 %
1	Yes 1	4502	17.7 %
	Missing Data		
.	-	19809	77.7 %
	Total	25,479	100%

Based upon 5,670 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1526-1526 (width: 1; decimal: 0)

Variable Type: numeric

LB3: EQ30 22.3 LB where card made [IHDS2]

Value	Label	Unweighted Frequency	%
1	Government Doctor/Hospital 1	1949	7.6 %
2	Private Doctor/Nursing home 2	733	2.9 %
3	ANM 3	871	3.4 %
4	Anganwadi worker 4	782	3.1 %
5	ASHA 5	130	0.5 %
6	Others 6	34	0.1 %
	Missing Data		
.	-	20980	82.3 %
	Total	25,479	100%

Based upon 4,499 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1527-1527 (width: 1; decimal: 0)

Variable Type: numeric

LB4: EQ30 22.4 LB registration card help [IHDS2]

Value	Label	Unweighted Frequency	%
1	ANM 1	1453	5.7 %
2	Anganwadi worker 2	979	3.8 %
3	ASHA 3	554	2.2 %

Value	Label	Unweighted Frequency	%
4	Others 4	591	2.3 %
5	No one 5	905	3.6 %
	Missing Data		
.	-	20997	82.4 %
	Total	25,479	100%

Based upon 4,482 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1528-1528 (width: 1; decimal: 0)

Variable Type: numeric

LB5: EQ30 22.5 LB Antenatal checkup

Value	Label	Unweighted Frequency	%
0	No 0	986	3.9 %
1	Yes 1	4689	18.4 %
	Missing Data		
.	-	19804	77.7 %
	Total	25,479	100%

Based upon 5,675 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1529-1529 (width: 1; decimal: 0)

Variable Type: numeric

LB6A: EQ30 22.6a LB checkup Gov clinic

Value	Label	Unweighted Frequency	%
0	No 0	2659	10.4 %
1	Yes 1	2929	11.5 %
	Missing Data		
.	-	19891	78.1 %
	Total	25,479	100%

Based upon 5,588 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1530-1530 (width: 1; decimal: 0)

Variable Type: numeric

LB6B: EQ30 22.6b LB checkup Pvt clinic

Value	Label	Unweighted Frequency	%
0	No 0	3561	14.0 %
1	Yes 1	2027	8.0 %
	Missing Data		
.	-	19891	78.1 %
	Total	25,479	100%

Based upon 5,588 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1531-1531 (width: 1; decimal: 0)

Variable Type: numeric

LB6C: EQ30 22.6c LB checkup Gov as pvt

Value	Label	Unweighted Frequency	%
0	No 0	5128	20.1 %
1	Yes 1	460	1.8 %
	Missing Data		
.	-	19891	78.1 %
	Total	25,479	100%

Based upon 5,588 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1532-1532 (width: 1; decimal: 0)

Variable Type: numeric

LB6D: EQ30 22.6d LB checkup Home

Value	Label	Unweighted Frequency	%
0	No 0	5222	20.5 %
1	Yes 1	366	1.4 %
	Missing Data		
.	-	19891	78.1 %
	Total	25,479	100%

Based upon 5,588 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1533-1533 (width: 1; decimal: 0)

Variable Type: numeric

LB7A: EQ30 22.7a LB checkup doctor

Value	Label	Unweighted Frequency	%
0	No 0	1273	5.0 %
1	Yes 1	3426	13.4 %
	Missing Data		
.	-	20780	81.6 %
	Total	25,479	100%

Based upon 4,699 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1534-1534 (width: 1; decimal: 0)

Variable Type: numeric

LB7B: EQ30 22.7b LB checkup Nurse/ANM

Value	Label	Unweighted Frequency	%
0	No 0	1485	5.8 %
1	Yes 1	3205	12.6 %
	Missing Data		
.	-	20789	81.6 %
	Total	25,479	100%

Based upon 4,690 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1535-1535 (width: 1; decimal: 0)

Variable Type: numeric

LB7C: EQ30 22.7c LB checkup Midwife

Value	Label	Unweighted Frequency	%
0	No 0	4340	17.0 %
1	Yes 1	350	1.4 %
	Missing Data		
.	-	20789	81.6 %
	Total	25,479	100%

Based upon 4,690 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1536-1536 (width: 1; decimal: 0)

Variable Type: numeric

LB7D: EQ30 22.7d LB checkup By other

Value	Label	Unweighted Frequency	%
0	No 0	4538	17.8 %
1	Yes 1	148	0.6 %
	Missing Data		
.	-	20793	81.6 %
	Total	25,479	100%

Based upon 4,686 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1537-1537 (width: 1; decimal: 0)

Variable Type: numeric

LB8: EQ30 22.8 LB Visit by pub health

Value	Label	Unweighted Frequency	%
0	No 0	3857	15.1 %
1	Yes 1	1711	6.7 %
	Missing Data		
.	-	19911	78.1 %
	Total	25,479	100%

Based upon 5,568 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1538-1538 (width: 1; decimal: 0)

Variable Type: numeric

LB9: EQ30 22.9 LB Who visited [IHDS2]

Value	Label	Unweighted Frequency	%
1	Government Doctor 1	209	0.8 %
2	ANM 2	721	2.8 %
3	Anganwadi worker 3	483	1.9 %
4	ASHA 4	369	1.4 %
5	Private Doctor/Nurse 5	113	0.4 %

Value	Label	Unweighted Frequency	%
6	Others 6	32	0.1 %
	Missing Data		
-		23552	92.4 %
	Total	25,479	100%

Based upon 1,927 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1539-1539 (width: 1; decimal: 0)

Variable Type: numeric

LB10: EQ30 22.10 LB checkup Months

Value	Label	Unweighted Frequency	%
0	-	13	0.1 %
1	-	331	1.3 %
2	-	1177	4.6 %
3	-	1891	7.4 %
4	-	558	2.2 %
5	-	382	1.5 %
6	-	114	0.4 %
7	-	81	0.3 %
8	-	34	0.1 %
9	-	41	0.2 %
	Missing Data		
-		20857	81.9 %
	Total	25,479	100%

Based upon 4,622 valid cases out of 25,479 total cases.

- Mean: 3.11
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 1.42

Location: 1540-1540 (width: 1; decimal: 0)

Variable Type: numeric

LB11: EQ30 22.11 LB # checkups

Value	Label	Unweighted Frequency	%
0	-	988	3.9 %

Value	Label	Unweighted Frequency	%
1	-	350	1.4 %
2	-	1042	4.1 %
3	-	943	3.7 %
4	-	553	2.2 %
5	-	460	1.8 %
6	-	403	1.6 %
7	-	206	0.8 %
8	-	208	0.8 %
9	-	286	1.1 %
10	-	97	0.4 %
11	-	2	0.0 %
12	-	17	0.1 %
13	-	4	0.0 %
15	-	19	0.1 %
16	-	2	0.0 %
18	-	4	0.0 %
19	-	1	0.0 %
20	-	2	0.0 %
Missing Data			
.	-	19892	78.1 %
Total		25,479	100%

Based upon 5,587 valid cases out of 25,479 total cases.

- Mean: 3.50
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 2.88

Location: 1541-1542 (*width:* 2; *decimal:* 0)

Variable Type: numeric

LB12A: EQ31 22.12a LB checkup Weight

Value	Label	Unweighted Frequency	%
0	No 0	1507	5.9 %
1	Yes 1	3832	15.0 %
Missing Data			
.	-	20140	79.0 %
Total		25,479	100%

Based upon 5,339 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1543-1543 (width: 1; decimal: 0)

Variable Type: numeric

LB12B: EQ31 22.12b LB checkup BP

Value	Label	Unweighted Frequency	%
0	No 0	1688	6.6 %
1	Yes 1	3649	14.3 %
	Missing Data		
.	-	20142	79.1 %
	Total	25,479	100%

Based upon 5,337 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1544-1544 (width: 1; decimal: 0)

Variable Type: numeric

LB12C: EQ31 22.12c LB checkup Blood Test

Value	Label	Unweighted Frequency	%
0	No 0	1671	6.6 %
1	Yes 1	3666	14.4 %
	Missing Data		
.	-	20142	79.1 %
	Total	25,479	100%

Based upon 5,337 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1545-1545 (width: 1; decimal: 0)

Variable Type: numeric

LB12D: EQ31 22.12d LB checkup Urine Test

Value	Label	Unweighted Frequency	%
0	No 0	1661	6.5 %
1	Yes 1	3675	14.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	20143	79.1 %
Total		25,479	100%

Based upon 5,336 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1546-1546 (width: 1; decimal: 0)

Variable Type: numeric

LB12E: EQ31 22.12e LB checkup Abdomen

Value	Label	Unweighted Frequency	%
0	No 0	1412	5.5 %
1	Yes 1	3925	15.4 %
	Missing Data		
.	-	20142	79.1 %
Total		25,479	100%

Based upon 5,337 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1547-1547 (width: 1; decimal: 0)

Variable Type: numeric

LB12F: EQ31 22.12f LB checkup Internal

Value	Label	Unweighted Frequency	%
0	No 0	3339	13.1 %
1	Yes 1	1998	7.8 %
	Missing Data		
.	-	20142	79.1 %
Total		25,479	100%

Based upon 5,337 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1548-1548 (width: 1; decimal: 0)

Variable Type: numeric

LB12G: EQ31 22.12g LB checkup Sonogram

Value	Label	Unweighted Frequency	%
0	No 0	2997	11.8 %
1	Yes 1	2340	9.2 %
	Missing Data		
.	-	20142	79.1 %
	Total	25,479	100%

Based upon 5,337 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1549-1549 (width: 1; decimal: 0)

Variable Type: numeric

LB12H: EQ31 22.12h LB checkup Amnio

Value	Label	Unweighted Frequency	%
0	No 0	4681	18.4 %
1	Yes 1	656	2.6 %
	Missing Data		
.	-	20142	79.1 %
	Total	25,479	100%

Based upon 5,337 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1550-1550 (width: 1; decimal: 0)

Variable Type: numeric

LB13A: EQ31 22.13a LB prob: Night blindness

Value	Label	Unweighted Frequency	%
0	No 0	5284	20.7 %
1	Yes 1	367	1.4 %
	Missing Data		
.	-	19828	77.8 %
	Total	25,479	100%

Based upon 5,651 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1551-1551 (width: 1; decimal: 0)

Variable Type: numeric

LB13B: EQ31 22.13b LB prob: Blurred vision

Value	Label	Unweighted Frequency	%
0	No 0	4994	19.6 %
1	Yes 1	657	2.6 %
	Missing Data		
.	-	19828	77.8 %
	Total	25,479	100%

Based upon 5,651 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1552-1552 (width: 1; decimal: 0)

Variable Type: numeric

LB13C: EQ31 22.13c LB prob: Convulsions

Value	Label	Unweighted Frequency	%
0	No 0	4915	19.3 %
1	Yes 1	735	2.9 %
	Missing Data		
.	-	19829	77.8 %
	Total	25,479	100%

Based upon 5,650 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1553-1553 (width: 1; decimal: 0)

Variable Type: numeric

LB13D: EQ31 22.13d LB prob: Swelling [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	4362	17.1 %
1	Yes 1	1288	5.1 %
	Missing Data		
.	-	19829	77.8 %
	Total	25,479	100%

Based upon 5,650 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1554-1554 (width: 1; decimal: 0)

Variable Type: numeric

LB13E: EQ31 22.13e LB prob: Fatigue

Value	Label	Unweighted Frequency	%
0	No 0	3176	12.5 %
1	Yes 1	2472	9.7 %
	Missing Data		
.	-	19831	77.8 %
	Total	25,479	100%

Based upon 5,648 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1555-1555 (width: 1; decimal: 0)

Variable Type: numeric

LB13F: EQ31 22.13f LB prob: Anaemia

Value	Label	Unweighted Frequency	%
0	No 0	3992	15.7 %
1	Yes 1	1657	6.5 %
	Missing Data		
.	-	19830	77.8 %
	Total	25,479	100%

Based upon 5,649 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1556-1556 (width: 1; decimal: 0)

Variable Type: numeric

LB13G: EQ31 22.13g LB prob: Bleeding

Value	Label	Unweighted Frequency	%
0	No 0	5403	21.2 %
1	Yes 1	246	1.0 %
	Missing Data		
.	-	19830	77.8 %
	Total	25,479	100%

Based upon 5,649 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1557-1557 (width: 1; decimal: 0)

Variable Type: numeric

LB13H: EQ31 22.13h LB prob: High BP [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	5115	20.1 %
1	Yes 1	534	2.1 %
	Missing Data		
.	-	19830	77.8 %
	Total	25,479	100%

Based upon 5,649 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1558-1558 (width: 1; decimal: 0)

Variable Type: numeric

LB13I: EQ31 22.13i LB prob: Giddiness [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	3472	13.6 %
1	Yes 1	2177	8.5 %
	Missing Data		
.	-	19830	77.8 %
	Total	25,479	100%

Based upon 5,649 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1559-1559 (width: 1; decimal: 0)

Variable Type: numeric

LB13J: EQ31 22.13j LB prob: No fetal movement [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	5399	21.2 %
1	Yes 1	242	0.9 %
	Missing Data		
.	-	19838	77.9 %
	Total	25,479	100%

Based upon 5,641 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1560-1560 (width: 1; decimal: 0)

Variable Type: numeric

LB14: EQ31 22.14 LB Iron tablets

Value	Label	Unweighted Frequency	%
0	None 0	1358	5.3 %
1	Yes < 3 months 1	1717	6.7 %
2	Yes > 3 months 2	2252	8.8 %
	Missing Data		
.	-	20152	79.1 %
	Total	25,479	100%

Based upon 5,327 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 1561-1561 (width: 1; decimal: 0)

Variable Type: numeric

LB15: EQ31 22.15 LB # TT injections

Value	Label	Unweighted Frequency	%
0	Did not receive 0	599	2.4 %
1	-	340	1.3 %
2	-	3432	13.5 %
3	-	1160	4.6 %
4	-	24	0.1 %
5	-	6	0.0 %
6	-	3	0.0 %
8	-	5	0.0 %
9	-	1	0.0 %
	Missing Data		
.	-	19909	78.1 %
	Total	25,479	100%

Based upon 5,570 valid cases out of 25,479 total cases.

- Mean: 1.95
- Median: 2.00
- Mode: 2.00

- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 0.88

Location: 1562-1562 (width: 1; decimal: 0)

Variable Type: numeric

LB16: EQ31 22.16 LB Pre-delivery home

Value	Label	Unweighted Frequency	%
1	Your home 1	4634	18.2 %
2	Natal home 2	833	3.3 %
3	Others 3	49	0.2 %
	Missing Data		
.	-	19963	78.4 %
	Total	25,479	100%

Based upon 5,516 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1563-1563 (width: 1; decimal: 0)

Variable Type: numeric

LB17A: EQ31 22.17a LB Water broke early [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	5456	21.4 %
1	Yes 1	193	0.8 %
	Missing Data		
.	-	19830	77.8 %
	Total	25,479	100%

Based upon 5,649 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1564-1564 (width: 1; decimal: 0)

Variable Type: numeric

LB17B: EQ31 22.17b LB Baby stuck [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	5398	21.2 %
1	Yes 1	250	1.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	19831	77.8 %
Total		25,479	100%

Based upon 5,648 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1565-1565 (width: 1; decimal: 0)

Variable Type: numeric

LB17C: EQ31 22.17c LB Long labor [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	4583	18.0 %
1	Yes 1	1065	4.2 %
	Missing Data		
.	-	19831	77.8 %
Total		25,479	100%

Based upon 5,648 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1566-1566 (width: 1; decimal: 0)

Variable Type: numeric

LB17D: EQ31 22.17d LB Wrong position [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	5429	21.3 %
1	Yes 1	220	0.9 %
	Missing Data		
.	-	19830	77.8 %
Total		25,479	100%

Based upon 5,649 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1567-1567 (width: 1; decimal: 0)

Variable Type: numeric

LB17E: EQ31 22.17e LB Placenta delayed [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	5445	21.4 %
1	Yes 1	204	0.8 %
	Missing Data		
.	-	19830	77.8 %
	Total	25,479	100%

Based upon 5,649 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1568-1568 (width: 1; decimal: 0)

Variable Type: numeric

LB17F: EQ31 22.17f LB Birth vaginal bleeding [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	5174	20.3 %
1	Yes 1	474	1.9 %
	Missing Data		
.	-	19831	77.8 %
	Total	25,479	100%

Based upon 5,648 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1569-1569 (width: 1; decimal: 0)

Variable Type: numeric

LB17G: EQ31 22.17g LB Premature [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	4784	18.8 %
1	Yes 1	864	3.4 %
	Missing Data		
.	-	19831	77.8 %
	Total	25,479	100%

Based upon 5,648 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1570-1570 (width: 1; decimal: 0)

Variable Type: numeric

LB17H: EQ31 22.17h LB Other problem [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	5464	21.4 %
1	Yes 1	169	0.7 %
	Missing Data		
.	-	19846	77.9 %
	Total	25,479	100%

Based upon 5,633 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1571-1571 (width: 1; decimal: 0)

Variable Type: numeric

LB18: EQ31 22.18 LB Place of delivery

Value	Label	Unweighted Frequency	%
1	Government hospital or clinic 1	2097	8.2 %
2	Private nursing home 2	1308	5.1 %
3	Home 3	2208	8.7 %
4	Others 4	30	0.1 %
	Missing Data		
.	-	19836	77.9 %
	Total	25,479	100%

Based upon 5,643 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1572-1572 (width: 1; decimal: 0)

Variable Type: numeric

LB19A: EQ31 22.19a LB Urged medical: doctor [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	1734	6.8 %
1	Yes 1	1713	6.7 %
	Missing Data		
.	-	22032	86.5 %
	Total	25,479	100%

Based upon 3,447 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1573-1573 (width: 1; decimal: 0)

Variable Type: numeric

LB19B: EQ31 22.19b LB Urged medical: nurse [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	2007	7.9 %
1	Yes 1	1440	5.7 %
	Missing Data		
.	-	22032	86.5 %
	Total	25,479	100%

Based upon 3,447 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1574-1574 (width: 1; decimal: 0)

Variable Type: numeric

LB19C: EQ31 22.19c LB Urged medical: health worker [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	2915	11.4 %
1	Yes 1	532	2.1 %
	Missing Data		
.	-	22032	86.5 %
	Total	25,479	100%

Based upon 3,447 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1575-1575 (width: 1; decimal: 0)

Variable Type: numeric

LB19D: EQ31 22.19d LB Urged medical: anganwadi [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	2814	11.0 %
1	Yes 1	633	2.5 %
	Missing Data		
.	-	22032	86.5 %
	Total	25,479	100%

Based upon 3,447 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1576-1576 (width: 1; decimal: 0)

Variable Type: numeric

LB19E: EQ31 22.19e LB Urged medical: ASHA [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	2730	10.7 %
1	Yes 1	717	2.8 %
	Missing Data		
.	-	22032	86.5 %
	Total	25,479	100%

Based upon 3,447 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1577-1577 (width: 1; decimal: 0)

Variable Type: numeric

LB19F: EQ31 22.19f LB Urged medical: NGO [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	3396	13.3 %
1	Yes 1	51	0.2 %
	Missing Data		
.	-	22032	86.5 %
	Total	25,479	100%

Based upon 3,447 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1578-1578 (width: 1; decimal: 0)

Variable Type: numeric

LB19G: EQ31 22.19g LB Urged medical: husband [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	417	1.6 %
1	Yes 1	3030	11.9 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	22032	86.5 %
Total		25,479	100%

Based upon 3,447 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1579-1579 (width: 1; decimal: 0)

Variable Type: numeric

LB19H: EQ31 22.19h LB Urged medical: family [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	774	3.0 %
1	Yes 1	2673	10.5 %
	Missing Data		
.	-	22032	86.5 %
Total		25,479	100%

Based upon 3,447 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1580-1580 (width: 1; decimal: 0)

Variable Type: numeric

LB19I: EQ31 22.19i LB Urged medical: friends [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	2768	10.9 %
1	Yes 1	679	2.7 %
	Missing Data		
.	-	22032	86.5 %
Total		25,479	100%

Based upon 3,447 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1581-1581 (width: 1; decimal: 0)

Variable Type: numeric

LB19J: EQ31 22.19j LB Urged medical: self [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	1490	5.8 %
1	Yes 1	1957	7.7 %
	Missing Data		
.	-	22032	86.5 %
	Total	25,479	100%

Based upon 3,447 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1582-1582 (width: 1; decimal: 0)

Variable Type: numeric

LB19K: EQ31 22.19k LB Urged medical: others [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	3203	12.6 %
1	Yes 1	244	1.0 %
	Missing Data		
.	-	22032	86.5 %
	Total	25,479	100%

Based upon 3,447 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1583-1583 (width: 1; decimal: 0)

Variable Type: numeric

LB20: EQ32 22.20 LB Govt worker accompanied [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	2311	9.1 %
1	Yes 1	1162	4.6 %
	Missing Data		
.	-	22006	86.4 %
	Total	25,479	100%

Based upon 3,473 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1584-1584 (width: 1; decimal: 0)

Variable Type: numeric

LB21: EQ32 22.21 LB Govt money for delivery [IHDS2]

Value	Label	Unweighted Frequency	%
0	none 0	2172	8.5 %
140	-	1	0.0 %
150	-	2	0.0 %
175	-	1	0.0 %
200	-	7	0.0 %
250	-	5	0.0 %
300	-	15	0.1 %
350	-	2	0.0 %
400	-	4	0.0 %
430	-	1	0.0 %
500	-	78	0.3 %
600	-	39	0.2 %
650	-	1	0.0 %
700	-	100	0.4 %
750	-	11	0.0 %
800	-	21	0.1 %
900	-	5	0.0 %
950	-	1	0.0 %
1000	-	153	0.6 %
1100	-	8	0.0 %
1200	-	15	0.1 %
1250	-	1	0.0 %
1300	-	8	0.0 %
1400	-	596	2.3 %
1450	-	2	0.0 %
1500	-	22	0.1 %
1600	-	25	0.1 %
1650	-	6	0.0 %
1700	-	31	0.1 %
1800	-	3	0.0 %
2000	-	5	0.0 %
2200	-	1	0.0 %
2470	-	1	0.0 %
3000	-	2	0.0 %
4000	-	3	0.0 %
5000	-	3	0.0 %
6000	-	41	0.2 %

Value	Label	Unweighted Frequency	%
6700	-	1	0.0 %
7000	-	1	0.0 %
	Missing Data		
.	-	22085	86.7 %
	Total	25,479	100%

Based upon 3,394 valid cases out of 25,479 total cases.

- Mean: 486.50
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7000.00
- Standard Deviation: 883.76

Location: 1585-1588 (width: 4; decimal: 0)

Variable Type: numeric

LB21Y: EQ32 22.21 LB Any govt money for delivery [IHDS2]

Value	Label	Unweighted Frequency	%
0	None 0	2172	8.5 %
1	expected 1	33	0.1 %
2	Yes 2	1222	4.8 %
	Missing Data		
.	-	22052	86.5 %
	Total	25,479	100%

Based upon 3,427 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 1589-1589 (width: 1; decimal: 0)

Variable Type: numeric

LB22: EQ32 22.22 LB Govt money for transport [IHDS2]

Value	Label	Unweighted Frequency	%
0	none 0	3208	12.6 %
6	-	1	0.0 %
50	-	4	0.0 %
60	-	3	0.0 %
100	-	9	0.0 %
110	-	2	0.0 %
150	-	7	0.0 %

Value	Label	Unweighted Frequency	%
160	-	1	0.0 %
200	-	30	0.1 %
250	-	4	0.0 %
300	-	19	0.1 %
350	-	1	0.0 %
400	-	7	0.0 %
500	-	20	0.1 %
600	-	6	0.0 %
700	-	11	0.0 %
750	-	1	0.0 %
800	-	4	0.0 %
900	-	2	0.0 %
1000	-	9	0.0 %
1100	-	1	0.0 %
1400	-	18	0.1 %
1500	-	2	0.0 %
2000	-	2	0.0 %
2500	-	1	0.0 %
3000	-	2	0.0 %
5000	-	1	0.0 %
6000	-	2	0.0 %
Missing Data			
.	-	22101	86.7 %
Total		25,479	100%

Based upon 3,378 valid cases out of 25,479 total cases.

- Mean: 33.57
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6000.00
- Standard Deviation: 241.80

Location: 1590-1593 (width: 4; decimal: 0)

Variable Type: numeric

LB22Y: EQ32 22.22 LB Any govt money for transport [IHDS2]

Value	Label	Unweighted Frequency	%
0	None 0	3208	12.6 %
1	expected 1	34	0.1 %
2	Yes 2	170	0.7 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	22067	86.6 %
	Total	25,479	100%

Based upon 3,412 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 1594-1594 (width: 1; decimal: 0)

Variable Type: numeric

LB23: EQ32 22.23 LB Transport type [IHDS2]

Value	Label	Unweighted Frequency	%
1	Walking 1	128	0.5 %
2	Cycle 2	45	0.2 %
3	Rickshaw/Cart/Tonga 3	444	1.7 %
4	Motorcycle/Scooter 4	224	0.9 %
5	Auto/Tempo/Tractor 5	905	3.6 %
6	Jeep/Car 6	1051	4.1 %
7	Ambulance 7	178	0.7 %
8	Taxi 8	213	0.8 %
9	Bus 9	186	0.7 %
10	Others 10	66	0.3 %
	Missing Data		
.	-	22039	86.5 %
	Total	25,479	100%

Based upon 3,440 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 10.00

Location: 1595-1596 (width: 2; decimal: 0)

Variable Type: numeric

LB24: EQ32 22.24 LB Arranged transport [IHDS2]

Value	Label	Unweighted Frequency	%
1	Doctor 1	28	0.1 %
2	A Nurse/ANM 2	26	0.1 %
3	A Health Worker 3	2	0.0 %
4	An Anganwadi Worker 4	8	0.0 %

Value	Label	Unweighted Frequency	%
5	An ASHA Worker 5	126	0.5 %
6	A NGO/CBO worker 6	2	0.0 %
7	Husband 7	2283	9.0 %
8	Family/Relatives 8	840	3.3 %
9	Friends 9	7	0.0 %
10	Self 10	30	0.1 %
11	Others 11	11	0.0 %
Missing Data			
.	-	22116	86.8 %
Total		25,479	100%

Based upon 3,363 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 11.00

Location: 1597-1598 (width: 2; decimal: 0)

Variable Type: numeric

LB25: EQ32 22.25 LB Why home delivery [IHDS2]

Value	Label	Unweighted Frequency	%
1	Costs too much 1	239	0.9 %
2	Not open/No provider available 2	42	0.2 %
3	Poor quality service 3	73	0.3 %
4	Too far/No transport 4	179	0.7 %
5	Not necessary 5	523	2.1 %
6	Not customary 6	81	0.3 %
7	Better care at home 7	608	2.4 %
8	Family did not allow 8	123	0.5 %
9	Lack of knowledge 9	62	0.2 %
10	Others 10	269	1.1 %
Missing Data			
.	-	23280	91.4 %
Total		25,479	100%

Based upon 2,199 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 10.00

Location: 1599-1600 (width: 2; decimal: 0)

Variable Type: numeric

LB26A: EQ32 22.26a LB delivery: doctor

Value	Label	Unweighted Frequency	%
0	No 0	2480	9.7 %
1	Yes 1	2957	11.6 %
	Missing Data		
.	-	20042	78.7 %
	Total	25,479	100%

Based upon 5,437 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1601-1601 (width: 1; decimal: 0)

Variable Type: numeric

LB26B: EQ32 22.26b LB delivery: Nurse

Value	Label	Unweighted Frequency	%
0	No 0	2456	9.6 %
1	Yes 1	2982	11.7 %
	Missing Data		
.	-	20041	78.7 %
	Total	25,479	100%

Based upon 5,438 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1602-1602 (width: 1; decimal: 0)

Variable Type: numeric

LB26C: EQ32 22.26c LB delivery: Midwife

Value	Label	Unweighted Frequency	%
0	No 0	3223	12.6 %
1	Yes 1	2213	8.7 %
	Missing Data		
.	-	20043	78.7 %
	Total	25,479	100%

Based upon 5,436 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1603-1603 (width: 1; decimal: 0)

Variable Type: numeric

LB26D: EQ32 22.26d LB delivery: Friend

Value	Label	Unweighted Frequency	%
0	No 0	3045	12.0 %
1	Yes 1	2390	9.4 %
	Missing Data		
.	-	20044	78.7 %
	Total	25,479	100%

Based upon 5,435 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1604-1604 (width: 1; decimal: 0)

Variable Type: numeric

LB26E: EQ32 22.26e LB delivery: Others

Value	Label	Unweighted Frequency	%
0	No 0	4838	19.0 %
1	Yes 1	597	2.3 %
	Missing Data		
.	-	20044	78.7 %
	Total	25,479	100%

Based upon 5,435 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1605-1605 (width: 1; decimal: 0)

Variable Type: numeric

LB27: EQ32 22.27 LB Size of child

Value	Label	Unweighted Frequency	%
1	Large 1	487	1.9 %
2	Average 2	4283	16.8 %
3	Small 3	755	3.0 %
4	Very small 4	95	0.4 %
	Missing Data		
.	-	19859	77.9 %
	Total	25,479	100%

Based upon 5,620 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1606-1606 (width: 1; decimal: 0)

Variable Type: numeric

LB28: EQ32 22.28 LB Type of Delivery

Value	Label	Unweighted Frequency	%
1	A normal delivery 1	4913	19.3 %
2	Forceps 2	147	0.6 %
3	Cesarean 3	557	2.2 %
	Missing Data		
.	-	19862	78.0 %
	Total	25,479	100%

Based upon 5,617 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1607-1607 (width: 1; decimal: 0)

Variable Type: numeric

LB29: EQ32 22.29 LB Birth certificate [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	2525	9.9 %
1	Yes 1	3059	12.0 %
	Missing Data		
.	-	19895	78.1 %
	Total	25,479	100%

Based upon 5,584 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1608-1608 (width: 1; decimal: 0)

Variable Type: numeric

LB30: EQ32 22.30 LB Post-natal checkup

Value	Label	Unweighted Frequency	%
0	None 0	2259	8.9 %
1	Only me 1	391	1.5 %

Value	Label	Unweighted Frequency	%
2	only my baby 2	994	3.9 %
3	Both 3	1979	7.8 %
	Missing Data		
.	-	19856	77.9 %
	Total	25,479	100%

Based upon 5,623 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 1609-1609 (width: 1; decimal: 0)

Variable Type: numeric

LB31: EQ32 22.31 LB when post-checkup

Value	Label	Unweighted Frequency	%
0	-	558	2.2 %
1	-	1355	5.3 %
2	-	279	1.1 %
3	-	107	0.4 %
4	-	47	0.2 %
5	-	78	0.3 %
6	-	21	0.1 %
7	-	73	0.3 %
8	-	57	0.2 %
9	-	30	0.1 %
10	-	35	0.1 %
11	-	1	0.0 %
12	-	11	0.0 %
13	-	3	0.0 %
14	-	4	0.0 %
15	-	84	0.3 %
16	-	1	0.0 %
17	-	3	0.0 %
18	-	2	0.0 %
20	-	38	0.1 %
21	-	5	0.0 %
22	-	4	0.0 %
23	-	1	0.0 %
24	-	8	0.0 %
25	-	17	0.1 %

Value	Label	Unweighted Frequency	%
26	-	2	0.0 %
27	-	1	0.0 %
28	-	5	0.0 %
29	-	2	0.0 %
30	-	239	0.9 %
32	-	2	0.0 %
35	-	7	0.0 %
36	-	1	0.0 %
38	-	1	0.0 %
40	-	18	0.1 %
41	-	2	0.0 %
42	-	2	0.0 %
45	-	118	0.5 %
46	-	1	0.0 %
50	-	5	0.0 %
56	-	1	0.0 %
58	-	1	0.0 %
60	-	42	0.2 %
62	-	1	0.0 %
64	-	1	0.0 %
65	-	2	0.0 %
70	-	1	0.0 %
90	-	8	0.0 %
Missing Data			
.	-	22194	87.1 %
Total		25,479	100%

Based upon 3,285 valid cases out of 25,479 total cases.

- Mean: 7.83
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 90.00
- Standard Deviation: 14.03

Location: 1610-1611 (*width:* 2; *decimal:* 0)

Variable Type: numeric

LB32A: EQ32 22.32a LB Vaginal bleeding

Value	Label	Unweighted Frequency	%
0	No 0	5024	19.7 %

Value	Label	Unweighted Frequency	%
1	Yes 1	552	2.2 %
	Missing Data		
.	-	19903	78.1 %
	Total	25,479	100%

Based upon 5,576 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1612-1612 (width: 1; decimal: 0)

Variable Type: numeric

LB32B: EQ32 22.32b LB Back pain [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	4399	17.3 %
1	Yes 1	1177	4.6 %
	Missing Data		
.	-	19903	78.1 %
	Total	25,479	100%

Based upon 5,576 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1613-1613 (width: 1; decimal: 0)

Variable Type: numeric

LB32C: EQ32 22.32c LB Very high fever

Value	Label	Unweighted Frequency	%
0	No 0	4739	18.6 %
1	Yes 1	836	3.3 %
	Missing Data		
.	-	19904	78.1 %
	Total	25,479	100%

Based upon 5,575 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1614-1614 (width: 1; decimal: 0)

Variable Type: numeric

LB32D: EQ32 22.32d LB Pelvic inflammation [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	5333	20.9 %
1	Yes 1	243	1.0 %
	Missing Data		
.	-	19903	78.1 %
	Total	25,479	100%

Based upon 5,576 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1615-1615 (width: 1; decimal: 0)

Variable Type: numeric

LB32E: EQ32 22.32e LB Foul smelling discharge [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	5278	20.7 %
1	Yes 1	298	1.2 %
	Missing Data		
.	-	19903	78.1 %
	Total	25,479	100%

Based upon 5,576 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1616-1616 (width: 1; decimal: 0)

Variable Type: numeric

LB32F: EQ32 22.32f LB any others [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	5402	21.2 %
1	Yes 1	165	0.6 %
	Missing Data		
.	-	19912	78.2 %
	Total	25,479	100%

Based upon 5,567 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1617-1617 (width: 1; decimal: 0)

Variable Type: numeric

LB33: EQ33 22.33 LB Immunization card

Value	Label	Unweighted Frequency	%
0	No 0	1811	7.1 %
1	Yes, not seen 1	2376	9.3 %
2	Yes, seen 2	1533	6.0 %
Missing Data			
.	-	19759	77.6 %
Total		25,479	100%

Based upon 5,720 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 1618-1618 (width: 1; decimal: 0)

Variable Type: numeric

LB34AD: EQ33 22.34a LB Immun BCG day

Value	Label	Unweighted Frequency	%
1	-	49	0.2 %
2	-	48	0.2 %
3	-	52	0.2 %
4	-	44	0.2 %
5	-	47	0.2 %
6	-	49	0.2 %
7	-	69	0.3 %
8	-	41	0.2 %
9	-	48	0.2 %
10	-	66	0.3 %
11	-	30	0.1 %
12	-	44	0.2 %
13	-	51	0.2 %
14	-	52	0.2 %
15	-	49	0.2 %
16	-	42	0.2 %
17	-	39	0.2 %
18	-	56	0.2 %
19	-	49	0.2 %
20	-	58	0.2 %

Value	Label	Unweighted Frequency	%
21	-	47	0.2 %
22	-	46	0.2 %
23	-	50	0.2 %
24	-	44	0.2 %
25	-	47	0.2 %
26	-	23	0.1 %
27	-	37	0.1 %
28	-	33	0.1 %
29	-	36	0.1 %
30	-	32	0.1 %
31	-	21	0.1 %
Missing Data			
.	-	24080	94.5 %
Total		25,479	100%

Based upon 1,399 valid cases out of 25,479 total cases.

- Mean: 14.93
- Median: 15.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 31.00
- Standard Deviation: 8.53

Location: 1619-1620 (width: 2; decimal: 0)

Variable Type: numeric

LB34AM: EQ33 22.34a LB Immun BCG month

Value	Label	Unweighted Frequency	%
1	-	122	0.5 %
2	-	109	0.4 %
3	-	110	0.4 %
4	-	106	0.4 %
5	-	104	0.4 %
6	-	107	0.4 %
7	-	109	0.4 %
8	-	104	0.4 %
9	-	117	0.5 %
10	-	127	0.5 %
11	-	145	0.6 %
12	-	141	0.6 %
Missing Data			

Value	Label	Unweighted Frequency	%
-		24078	94.5 %
Total		25,479	100%

Based upon 1,401 valid cases out of 25,479 total cases.

- Mean: 6.75
- Median: 7.00
- Mode: 11.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.57

Location: 1621-1622 (width: 2; decimal: 0)

Variable Type: numeric

LB34AY: EQ33 22.34a LB Immun BCG year

Value	Label	Unweighted Frequency	%
2006	-	116	0.5 %
2007	-	201	0.8 %
2008	-	198	0.8 %
2009	-	195	0.8 %
2010	-	241	0.9 %
2011	-	280	1.1 %
2012	-	66	0.3 %
Missing Data			
-		24182	94.9 %
Total		25,479	100%

Based upon 1,297 valid cases out of 25,479 total cases.

- Mean: 2009.04
- Median: 2009.00
- Mode: 2011.00
- Minimum: 2006.00
- Maximum: 2012.00
- Standard Deviation: 1.76

Location: 1623-1626 (width: 4; decimal: 0)

Variable Type: numeric

LB34ADATE: EQ33 22.34a LB Immun BCG integer date

Value	Label	Unweighted Frequency	%
16805	-	3	0.0 %
16807	-	1	0.0 %
16809	-	1	0.0 %

Value	Label	Unweighted Frequency	%
16810	-	1	0.0 %
16811	-	1	0.0 %
16813	-	1	0.0 %
16816	-	1	0.0 %
16819	-	1	0.0 %
16823	-	1	0.0 %
16824	-	1	0.0 %
16829	-	1	0.0 %
16835	-	1	0.0 %
16838	-	1	0.0 %
16842	-	1	0.0 %
16843	-	1	0.0 %
16847	-	1	0.0 %
16852	-	1	0.0 %
16854	-	1	0.0 %
16859	-	1	0.0 %
16862	-	1	0.0 %
16864	-	1	0.0 %
16868	-	2	0.0 %
16869	-	1	0.0 %
16871	-	1	0.0 %
16876	-	1	0.0 %
16880	-	2	0.0 %
16882	-	1	0.0 %
16889	-	1	0.0 %
16894	-	1	0.0 %
16896	-	1	0.0 %
16900	-	1	0.0 %
16904	-	1	0.0 %
16908	-	1	0.0 %
16924	-	1	0.0 %
16926	-	1	0.0 %
16931	-	2	0.0 %
16932	-	1	0.0 %
16934	-	1	0.0 %
16936	-	1	0.0 %
16939	-	1	0.0 %
16940	-	1	0.0 %
16944	-	1	0.0 %

Value	Label	Unweighted Frequency	%
16951	-	1	0.0 %
16952	-	1	0.0 %
16960	-	1	0.0 %
16961	-	1	0.0 %
16962	-	1	0.0 %
16964	-	1	0.0 %
16965	-	1	0.0 %
16966	-	2	0.0 %
Missing Data			
.	-	24182	94.9 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,297 valid cases out of 25,479 total cases.

- Mean: 18098.13
- Minimum: 16805.00
- Maximum: 19274.00
- Standard Deviation: 644.25

Location: 1627-1631 (width: 5; decimal: 0)

Variable Type: numeric

LB34BD: EQ33 22.34b LB Immun Polio0 day

Value	Label	Unweighted Frequency	%
1	-	44	0.2 %
2	-	36	0.1 %
3	-	44	0.2 %
4	-	37	0.1 %
5	-	40	0.2 %
6	-	46	0.2 %
7	-	56	0.2 %
8	-	35	0.1 %
9	-	45	0.2 %
10	-	48	0.2 %
11	-	22	0.1 %
12	-	41	0.2 %
13	-	41	0.2 %
14	-	44	0.2 %
15	-	42	0.2 %

Value	Label	Unweighted Frequency	%
16	-	37	0.1 %
17	-	28	0.1 %
18	-	45	0.2 %
19	-	39	0.2 %
20	-	45	0.2 %
21	-	38	0.1 %
22	-	42	0.2 %
23	-	37	0.1 %
24	-	30	0.1 %
25	-	37	0.1 %
26	-	17	0.1 %
27	-	30	0.1 %
28	-	31	0.1 %
29	-	29	0.1 %
30	-	27	0.1 %
31	-	17	0.1 %
Missing Data			
.	-	24329	95.5 %
Total		25,479	100%

Based upon 1,150 valid cases out of 25,479 total cases.

- Mean: 14.76
- Median: 14.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 31.00
- Standard Deviation: 8.56

Location: 1632-1633 (width: 2; decimal: 0)

Variable Type: numeric

LB34BM: EQ33 22.34b LB Immun Polio0 month

Value	Label	Unweighted Frequency	%
1	-	99	0.4 %
2	-	91	0.4 %
3	-	94	0.4 %
4	-	78	0.3 %
5	-	88	0.3 %
6	-	85	0.3 %
7	-	94	0.4 %
8	-	78	0.3 %

Value	Label	Unweighted Frequency	%
9	-	103	0.4 %
10	-	110	0.4 %
11	-	121	0.5 %
12	-	110	0.4 %
	Missing Data		
.	-	24328	95.5 %
	Total	25,479	100%

Based upon 1,151 valid cases out of 25,479 total cases.

- Mean: 6.76
- Median: 7.00
- Mode: 11.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.56

Location: 1634-1635 (width: 2; decimal: 0)

Variable Type: numeric

LB34BY: EQ33 22.34b LB Immun Polio0 year

Value	Label	Unweighted Frequency	%
2006	-	97	0.4 %
2007	-	170	0.7 %
2008	-	155	0.6 %
2009	-	158	0.6 %
2010	-	205	0.8 %
2011	-	237	0.9 %
2012	-	49	0.2 %
	Missing Data		
.	-	24408	95.8 %
	Total	25,479	100%

Based upon 1,071 valid cases out of 25,479 total cases.

- Mean: 2009.04
- Median: 2009.00
- Mode: 2011.00
- Minimum: 2006.00
- Maximum: 2012.00
- Standard Deviation: 1.76

Location: 1636-1639 (width: 4; decimal: 0)

Variable Type: numeric

LB34BDATE: EQ33 22.34b LB Immun Polio0 integer date

Value	Label	Unweighted Frequency	%
16805	-	3	0.0 %
16807	-	1	0.0 %
16811	-	1	0.0 %
16813	-	1	0.0 %
16816	-	1	0.0 %
16819	-	1	0.0 %
16823	-	1	0.0 %
16824	-	1	0.0 %
16829	-	1	0.0 %
16835	-	1	0.0 %
16838	-	1	0.0 %
16843	-	1	0.0 %
16851	-	1	0.0 %
16854	-	1	0.0 %
16859	-	1	0.0 %
16861	-	2	0.0 %
16864	-	1	0.0 %
16868	-	2	0.0 %
16869	-	1	0.0 %
16875	-	1	0.0 %
16876	-	1	0.0 %
16880	-	1	0.0 %
16882	-	1	0.0 %
16894	-	1	0.0 %
16896	-	1	0.0 %
16900	-	2	0.0 %
16908	-	1	0.0 %
16924	-	1	0.0 %
16926	-	1	0.0 %
16931	-	1	0.0 %
16932	-	1	0.0 %
16934	-	1	0.0 %
16940	-	1	0.0 %
16951	-	1	0.0 %
16952	-	1	0.0 %
16962	-	1	0.0 %
16964	-	1	0.0 %

Value	Label	Unweighted Frequency	%
16965	-	1	0.0 %
16966	-	2	0.0 %
16967	-	1	0.0 %
16972	-	1	0.0 %
16973	-	1	0.0 %
16980	-	1	0.0 %
16981	-	1	0.0 %
16986	-	1	0.0 %
16987	-	3	0.0 %
16992	-	1	0.0 %
17000	-	1	0.0 %
17001	-	1	0.0 %
17010	-	1	0.0 %
Missing Data			
.	-	24408	95.8 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,071 valid cases out of 25,479 total cases.

- Mean: 18097.74
- Minimum: 16805.00
- Maximum: 19224.00
- Standard Deviation: 647.15

Location: 1640-1644 (width: 5; decimal: 0)

Variable Type: numeric

LB34CD: EQ33 22.34c LB Immun DPT1 day

Value	Label	Unweighted Frequency	%
1	-	39	0.2 %
2	-	47	0.2 %
3	-	53	0.2 %
4	-	39	0.2 %
5	-	52	0.2 %
6	-	45	0.2 %
7	-	52	0.2 %
8	-	54	0.2 %
9	-	48	0.2 %
10	-	48	0.2 %

Value	Label	Unweighted Frequency	%
11	-	45	0.2 %
12	-	55	0.2 %
13	-	56	0.2 %
14	-	60	0.2 %
15	-	50	0.2 %
16	-	47	0.2 %
17	-	49	0.2 %
18	-	55	0.2 %
19	-	51	0.2 %
20	-	57	0.2 %
21	-	46	0.2 %
22	-	46	0.2 %
23	-	53	0.2 %
24	-	39	0.2 %
25	-	40	0.2 %
26	-	40	0.2 %
27	-	42	0.2 %
28	-	36	0.1 %
29	-	20	0.1 %
30	-	22	0.1 %
31	-	14	0.1 %
Missing Data			
.	-	24079	94.5 %
Total		25,479	100%

Based upon 1,400 valid cases out of 25,479 total cases.

- Mean: 14.88
- Median: 15.00
- Mode: 14.00
- Minimum: 1.00
- Maximum: 31.00
- Standard Deviation: 8.20

Location: 1645-1646 (width: 2; decimal: 0)

Variable Type: numeric

LB34CM: EQ33 22.34c LB Immun DPT1 month

Value	Label	Unweighted Frequency	%
1	-	136	0.5 %
2	-	113	0.4 %
3	-	134	0.5 %

Value	Label	Unweighted Frequency	%
4	-	101	0.4 %
5	-	104	0.4 %
6	-	96	0.4 %
7	-	109	0.4 %
8	-	101	0.4 %
9	-	107	0.4 %
10	-	132	0.5 %
11	-	115	0.5 %
12	-	156	0.6 %
Missing Data			
.	-	24075	94.5 %
Total		25,479	100%

Based upon 1,404 valid cases out of 25,479 total cases.

- Mean: 6.59
- Median: 7.00
- Mode: 12.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.63

Location: 1647-1648 (width: 2; decimal: 0)

Variable Type: numeric

LB34CY: EQ33 22.34c LB Immun DPT1 year

Value	Label	Unweighted Frequency	%
2006	-	117	0.5 %
2007	-	195	0.8 %
2008	-	193	0.8 %
2009	-	192	0.8 %
2010	-	233	0.9 %
2011	-	290	1.1 %
2012	-	85	0.3 %
Missing Data			
.	-	24174	94.9 %
Total		25,479	100%

Based upon 1,305 valid cases out of 25,479 total cases.

- Mean: 2009.10
- Median: 2009.00
- Mode: 2011.00

- Minimum: 2006.00
- Maximum: 2012.00
- Standard Deviation: 1.79

Location: 1649-1652 (*width:* 4; *decimal:* 0)

Variable Type: numeric

LB34CDATE: EQ33 22.34c LB Immun DPT1 integer date

Value	Label	Unweighted Frequency	%
16813	-	2	0.0 %
16817	-	1	0.0 %
16818	-	1	0.0 %
16819	-	3	0.0 %
16826	-	1	0.0 %
16836	-	1	0.0 %
16838	-	1	0.0 %
16840	-	1	0.0 %
16842	-	1	0.0 %
16847	-	1	0.0 %
16855	-	1	0.0 %
16859	-	1	0.0 %
16862	-	1	0.0 %
16868	-	1	0.0 %
16870	-	1	0.0 %
16871	-	2	0.0 %
16881	-	1	0.0 %
16882	-	1	0.0 %
16883	-	2	0.0 %
16884	-	2	0.0 %
16887	-	3	0.0 %
16891	-	1	0.0 %
16896	-	1	0.0 %
16897	-	1	0.0 %
16904	-	1	0.0 %
16907	-	1	0.0 %
16908	-	1	0.0 %
16910	-	1	0.0 %
16915	-	1	0.0 %
16917	-	1	0.0 %
16923	-	1	0.0 %
16924	-	2	0.0 %
16925	-	1	0.0 %

Value	Label	Unweighted Frequency	%
16931	-	1	0.0 %
16932	-	1	0.0 %
16942	-	1	0.0 %
16943	-	1	0.0 %
16951	-	2	0.0 %
16952	-	1	0.0 %
16966	-	1	0.0 %
16967	-	1	0.0 %
16969	-	1	0.0 %
16970	-	1	0.0 %
16971	-	1	0.0 %
16972	-	1	0.0 %
16973	-	1	0.0 %
16976	-	1	0.0 %
16981	-	1	0.0 %
16985	-	1	0.0 %
16987	-	1	0.0 %
Missing Data			
.	-	24175	94.9 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,304 valid cases out of 25,479 total cases.

- Mean: 18114.86
- Minimum: 16813.00
- Maximum: 19274.00
- Standard Deviation: 650.32

Location: 1653-1657 (width: 5; decimal: 0)

Variable Type: numeric

LB34DD: EQ33 22.34d LB Immun DPT2 day

Value	Label	Unweighted Frequency	%
1	-	33	0.1 %
2	-	31	0.1 %
3	-	43	0.2 %
4	-	62	0.2 %
5	-	51	0.2 %
6	-	50	0.2 %

Value	Label	Unweighted Frequency	%
7	-	49	0.2 %
8	-	50	0.2 %
9	-	45	0.2 %
10	-	49	0.2 %
11	-	46	0.2 %
12	-	45	0.2 %
13	-	44	0.2 %
14	-	51	0.2 %
15	-	39	0.2 %
16	-	58	0.2 %
17	-	48	0.2 %
18	-	63	0.2 %
19	-	62	0.2 %
20	-	49	0.2 %
21	-	38	0.1 %
22	-	40	0.2 %
23	-	46	0.2 %
24	-	36	0.1 %
25	-	32	0.1 %
26	-	34	0.1 %
27	-	34	0.1 %
28	-	31	0.1 %
29	-	22	0.1 %
30	-	28	0.1 %
31	-	15	0.1 %
Missing Data			
.	-	24155	94.8 %
Total		25,479	100%

Based upon 1,324 valid cases out of 25,479 total cases.

- Mean: 14.83
- Median: 15.00
- Mode: 18.00
- Minimum: 1.00
- Maximum: 31.00
- Standard Deviation: 8.18

Location: 1658-1659 (*width:* 2; *decimal:* 0)

Variable Type: numeric

LB34DM: EQ33 22.34d LB Immun DPT2 month

Value	Label	Unweighted Frequency	%
1	-	129	0.5 %
2	-	132	0.5 %
3	-	114	0.4 %
4	-	123	0.5 %
5	-	106	0.4 %
6	-	104	0.4 %
7	-	97	0.4 %
8	-	93	0.4 %
9	-	95	0.4 %
10	-	97	0.4 %
11	-	98	0.4 %
12	-	139	0.5 %
Missing Data			
.	-	24152	94.8 %
Total		25,479	100%

Based upon 1,327 valid cases out of 25,479 total cases.

- Mean: 6.31
- Median: 6.00
- Mode: 12.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.60

Location: 1660-1661 (width: 2; decimal: 0)

Variable Type: numeric

LB34DY: EQ33 22.34d LB Immun DPT2 year

Value	Label	Unweighted Frequency	%
2006	-	108	0.4 %
2007	-	186	0.7 %
2008	-	181	0.7 %
2009	-	189	0.7 %
2010	-	228	0.9 %
2011	-	263	1.0 %
2012	-	91	0.4 %
Missing Data			
.	-	24233	95.1 %
Total		25,479	100%

Based upon 1,246 valid cases out of 25,479 total cases.

- Mean: 2009.12
- Median: 2009.00
- Mode: 2011.00
- Minimum: 2006.00
- Maximum: 2012.00
- Standard Deviation: 1.79

Location: 1662-1665 (width: 4; decimal: 0)

Variable Type: numeric

LB34DDATE: EQ33 22.34d LB Immun DPT2 integer date

Value	Label	Unweighted Frequency	%
16804	-	1	0.0 %
16805	-	2	0.0 %
16806	-	1	0.0 %
16808	-	1	0.0 %
16810	-	1	0.0 %
16814	-	1	0.0 %
16819	-	1	0.0 %
16833	-	1	0.0 %
16842	-	1	0.0 %
16846	-	1	0.0 %
16847	-	1	0.0 %
16848	-	1	0.0 %
16849	-	1	0.0 %
16850	-	1	0.0 %
16853	-	1	0.0 %
16854	-	2	0.0 %
16867	-	1	0.0 %
16868	-	1	0.0 %
16869	-	1	0.0 %
16875	-	1	0.0 %
16882	-	1	0.0 %
16889	-	1	0.0 %
16895	-	1	0.0 %
16896	-	2	0.0 %
16903	-	1	0.0 %
16904	-	1	0.0 %
16905	-	1	0.0 %
16908	-	1	0.0 %
16909	-	1	0.0 %
16910	-	1	0.0 %

Value	Label	Unweighted Frequency	%
16911	-	1	0.0 %
16913	-	1	0.0 %
16914	-	1	0.0 %
16918	-	1	0.0 %
16924	-	2	0.0 %
16925	-	1	0.0 %
16929	-	2	0.0 %
16932	-	1	0.0 %
16936	-	2	0.0 %
16938	-	2	0.0 %
16940	-	1	0.0 %
16945	-	1	0.0 %
16946	-	1	0.0 %
16947	-	1	0.0 %
16952	-	1	0.0 %
16954	-	1	0.0 %
16959	-	1	0.0 %
16966	-	1	0.0 %
16967	-	1	0.0 %
16977	-	1	0.0 %
Missing Data			
.	-	24235	95.1 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,244 valid cases out of 25,479 total cases.

- Mean: 18111.44
- Minimum: 16804.00
- Maximum: 19240.00
- Standard Deviation: 649.89

Location: 1666-1670 (*width:* 5; *decimal:* 0)

Variable Type: numeric

LB34ED: EQ33 22.34e LB Immun DPT3 day

Value	Label	Unweighted Frequency	%
1	-	35	0.1 %
2	-	39	0.2 %
3	-	32	0.1 %

Value	Label	Unweighted Frequency	%
4	-	53	0.2 %
5	-	48	0.2 %
6	-	37	0.1 %
7	-	49	0.2 %
8	-	49	0.2 %
9	-	49	0.2 %
10	-	35	0.1 %
11	-	42	0.2 %
12	-	46	0.2 %
13	-	38	0.1 %
14	-	45	0.2 %
15	-	42	0.2 %
16	-	45	0.2 %
17	-	54	0.2 %
18	-	57	0.2 %
19	-	37	0.1 %
20	-	39	0.2 %
21	-	51	0.2 %
22	-	32	0.1 %
23	-	44	0.2 %
24	-	37	0.1 %
25	-	35	0.1 %
26	-	30	0.1 %
27	-	40	0.2 %
28	-	33	0.1 %
29	-	21	0.1 %
30	-	24	0.1 %
31	-	7	0.0 %
Missing Data			
.	-	24254	95.2 %
Total		25,479	100%

Based upon 1,225 valid cases out of 25,479 total cases.

- Mean: 14.86
- Median: 15.00
- Mode: 18.00
- Minimum: 1.00
- Maximum: 31.00
- Standard Deviation: 8.24

Location: 1671-1672 (*width:* 2; *decimal:* 0)

Variable Type: numeric

LB34EM: EQ33 22.34e LB Immun DPT3 month

Value	Label	Unweighted Frequency	%
1	-	122	0.5 %
2	-	125	0.5 %
3	-	134	0.5 %
4	-	86	0.3 %
5	-	98	0.4 %
6	-	103	0.4 %
7	-	93	0.4 %
8	-	89	0.3 %
9	-	94	0.4 %
10	-	97	0.4 %
11	-	96	0.4 %
12	-	91	0.4 %
Missing Data			
.	-	24251	95.2 %
Total		25,479	100%

Based upon 1,228 valid cases out of 25,479 total cases.

- Mean: 6.15
- Median: 6.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.52

Location: 1673-1674 (width: 2; decimal: 0)

Variable Type: numeric

LB34EY: EQ33 22.34e LB Immun DPT3 year

Value	Label	Unweighted Frequency	%
2006	-	109	0.4 %
2007	-	164	0.6 %
2008	-	167	0.7 %
2009	-	180	0.7 %
2010	-	213	0.8 %
2011	-	242	0.9 %
2012	-	86	0.3 %
Missing Data			
.	-	24318	95.4 %
Total		25,479	100%

Based upon 1,161 valid cases out of 25,479 total cases.

- Mean: 2009.11
- Median: 2009.00
- Mode: 2011.00
- Minimum: 2006.00
- Maximum: 2012.00
- Standard Deviation: 1.80

Location: 1675-1678 (width: 4; decimal: 0)

Variable Type: numeric

LB34EDATE: EQ33 22.34e LB Immun DPT3 integer date

Value	Label	Unweighted Frequency	%
16810	-	1	0.0 %
16811	-	1	0.0 %
16813	-	1	0.0 %
16817	-	1	0.0 %
16818	-	1	0.0 %
16819	-	1	0.0 %
16826	-	2	0.0 %
16838	-	1	0.0 %
16848	-	1	0.0 %
16852	-	1	0.0 %
16853	-	1	0.0 %
16854	-	2	0.0 %
16855	-	1	0.0 %
16856	-	2	0.0 %
16861	-	1	0.0 %
16863	-	1	0.0 %
16868	-	3	0.0 %
16869	-	1	0.0 %
16876	-	1	0.0 %
16877	-	1	0.0 %
16881	-	1	0.0 %
16884	-	2	0.0 %
16896	-	2	0.0 %
16910	-	3	0.0 %
16924	-	2	0.0 %
16928	-	1	0.0 %
16930	-	1	0.0 %
16938	-	2	0.0 %
16945	-	1	0.0 %

Value	Label	Unweighted Frequency	%
16946	-	1	0.0 %
16948	-	1	0.0 %
16950	-	1	0.0 %
16952	-	1	0.0 %
16956	-	1	0.0 %
16959	-	2	0.0 %
16960	-	1	0.0 %
16964	-	1	0.0 %
16968	-	1	0.0 %
16972	-	1	0.0 %
16973	-	2	0.0 %
16980	-	1	0.0 %
16982	-	2	0.0 %
16985	-	1	0.0 %
16987	-	2	0.0 %
16988	-	1	0.0 %
16991	-	1	0.0 %
16994	-	1	0.0 %
16995	-	1	0.0 %
17001	-	1	0.0 %
17004	-	1	0.0 %
Missing Data			
.	-	24319	95.4 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,160 valid cases out of 25,479 total cases.

- Mean: 18106.16
- Minimum: 16810.00
- Maximum: 19318.00
- Standard Deviation: 650.08

Location: 1679-1683 (width: 5; decimal: 0)

Variable Type: numeric

LB34FD: EQ33 22.34f LB Immun Polio1 day

Value	Label	Unweighted Frequency	%
1	-	37	0.1 %
2	-	44	0.2 %

Value	Label	Unweighted Frequency	%
3	-	50	0.2 %
4	-	37	0.1 %
5	-	46	0.2 %
6	-	43	0.2 %
7	-	53	0.2 %
8	-	50	0.2 %
9	-	52	0.2 %
10	-	48	0.2 %
11	-	44	0.2 %
12	-	49	0.2 %
13	-	55	0.2 %
14	-	57	0.2 %
15	-	50	0.2 %
16	-	45	0.2 %
17	-	48	0.2 %
18	-	50	0.2 %
19	-	46	0.2 %
20	-	57	0.2 %
21	-	46	0.2 %
22	-	43	0.2 %
23	-	49	0.2 %
24	-	38	0.1 %
25	-	38	0.1 %
26	-	38	0.1 %
27	-	41	0.2 %
28	-	33	0.1 %
29	-	24	0.1 %
30	-	21	0.1 %
31	-	12	0.0 %
Missing Data			
.	-	24135	94.7 %
Total		25,479	100%

Based upon 1,344 valid cases out of 25,479 total cases.

- Mean: 14.91
- Median: 15.00
- Minimum: 1.00
- Maximum: 31.00
- Standard Deviation: 8.19

Location: 1684-1685 (width: 2; decimal: 0)

Variable Type: numeric

LB34FM: EQ33 22.34f LB Immun Polio1 month

Value	Label	Unweighted Frequency	%
1	-	126	0.5 %
2	-	114	0.4 %
3	-	122	0.5 %
4	-	99	0.4 %
5	-	99	0.4 %
6	-	90	0.4 %
7	-	114	0.4 %
8	-	96	0.4 %
9	-	108	0.4 %
10	-	118	0.5 %
11	-	110	0.4 %
12	-	151	0.6 %
Missing Data			
.	-	24132	94.7 %
Total		25,479	100%

Based upon 1,347 valid cases out of 25,479 total cases.

- Mean: 6.60
- Median: 7.00
- Mode: 12.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.62

Location: 1686-1687 (width: 2; decimal: 0)

Variable Type: numeric

LB34FY: EQ33 22.34f LB Immun Polio1 year

Value	Label	Unweighted Frequency	%
2006	-	113	0.4 %
2007	-	190	0.7 %
2008	-	190	0.7 %
2009	-	183	0.7 %
2010	-	231	0.9 %
2011	-	270	1.1 %
2012	-	79	0.3 %
Missing Data			
.	-	24223	95.1 %

Value	Label	Unweighted Frequency	%
	Total	25,479	100%

Based upon 1,256 valid cases out of 25,479 total cases.

- Mean: 2009.08
- Median: 2009.00
- Mode: 2011.00
- Minimum: 2006.00
- Maximum: 2012.00
- Standard Deviation: 1.78

Location: 1688-1691 (width: 4; decimal: 0)

Variable Type: numeric

LB34FDATE: EQ33 22.34f LB Immun Polio1 integer date

Value	Label	Unweighted Frequency	%
16813	-	2	0.0 %
16817	-	1	0.0 %
16818	-	1	0.0 %
16819	-	2	0.0 %
16826	-	1	0.0 %
16836	-	1	0.0 %
16838	-	1	0.0 %
16840	-	1	0.0 %
16842	-	1	0.0 %
16847	-	1	0.0 %
16855	-	1	0.0 %
16859	-	2	0.0 %
16862	-	1	0.0 %
16871	-	2	0.0 %
16873	-	1	0.0 %
16880	-	1	0.0 %
16882	-	1	0.0 %
16883	-	1	0.0 %
16884	-	2	0.0 %
16887	-	2	0.0 %
16889	-	1	0.0 %
16891	-	1	0.0 %
16896	-	1	0.0 %
16897	-	1	0.0 %
16904	-	1	0.0 %
16907	-	1	0.0 %

Value	Label	Unweighted Frequency	%
16908	-	1	0.0 %
16910	-	1	0.0 %
16915	-	1	0.0 %
16917	-	1	0.0 %
16924	-	2	0.0 %
16925	-	1	0.0 %
16931	-	1	0.0 %
16932	-	1	0.0 %
16942	-	1	0.0 %
16951	-	2	0.0 %
16952	-	1	0.0 %
16954	-	1	0.0 %
16959	-	1	0.0 %
16962	-	1	0.0 %
16966	-	1	0.0 %
16967	-	1	0.0 %
16969	-	1	0.0 %
16970	-	1	0.0 %
16971	-	1	0.0 %
16972	-	1	0.0 %
16976	-	1	0.0 %
16981	-	1	0.0 %
16985	-	1	0.0 %
16987	-	1	0.0 %
Missing Data			
.	-	24224	95.1 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,255 valid cases out of 25,479 total cases.

- Mean: 18106.14
- Minimum: 16813.00
- Maximum: 19276.00
- Standard Deviation: 648.18

Location: 1692-1696 (*width:* 5; *decimal:* 0)

Variable Type: numeric

LB34GD: EQ33 22.34g LB Immun Polio2 day

Value	Label	Unweighted Frequency	%
1	-	33	0.1 %
2	-	32	0.1 %
3	-	41	0.2 %
4	-	56	0.2 %
5	-	51	0.2 %
6	-	52	0.2 %
7	-	46	0.2 %
8	-	53	0.2 %
9	-	40	0.2 %
10	-	45	0.2 %
11	-	43	0.2 %
12	-	37	0.1 %
13	-	47	0.2 %
14	-	52	0.2 %
15	-	33	0.1 %
16	-	53	0.2 %
17	-	51	0.2 %
18	-	57	0.2 %
19	-	60	0.2 %
20	-	45	0.2 %
21	-	39	0.2 %
22	-	38	0.1 %
23	-	50	0.2 %
24	-	35	0.1 %
25	-	33	0.1 %
26	-	39	0.2 %
27	-	30	0.1 %
28	-	30	0.1 %
29	-	25	0.1 %
30	-	23	0.1 %
31	-	13	0.1 %
Missing Data			
.	-	24197	95.0 %
Total		25,479	100%

Based upon 1,282 valid cases out of 25,479 total cases.

- Mean: 14.86
- Median: 15.00
- Mode: 19.00

- Minimum: 1.00
- Maximum: 31.00
- Standard Deviation: 8.20

Location: 1697-1698 (width: 2; decimal: 0)

Variable Type: numeric

LB34GM: EQ33 22.34g LB Immun Polio2 month

Value	Label	Unweighted Frequency	%
1	-	121	0.5 %
2	-	126	0.5 %
3	-	108	0.4 %
4	-	111	0.4 %
5	-	111	0.4 %
6	-	93	0.4 %
7	-	89	0.3 %
8	-	97	0.4 %
9	-	94	0.4 %
10	-	100	0.4 %
11	-	94	0.4 %
12	-	139	0.5 %
Missing Data			
.	-	24196	95.0 %
Total		25,479	100%

Based upon 1,283 valid cases out of 25,479 total cases.

- Mean: 6.39
- Median: 6.00
- Mode: 12.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.60

Location: 1699-1700 (width: 2; decimal: 0)

Variable Type: numeric

LB34GY: EQ33 22.34g LB Immun Polio2 year

Value	Label	Unweighted Frequency	%
2006	-	110	0.4 %
2007	-	181	0.7 %
2008	-	178	0.7 %
2009	-	180	0.7 %
2010	-	218	0.9 %

Value	Label	Unweighted Frequency	%
2011	-	257	1.0 %
2012	-	85	0.3 %
	Missing Data		
.	-	24270	95.3 %
	Total	25,479	100%

Based upon 1,209 valid cases out of 25,479 total cases.

- Mean: 2009.10
- Median: 2009.00
- Mode: 2011.00
- Minimum: 2006.00
- Maximum: 2012.00
- Standard Deviation: 1.79

Location: 1701-1704 (width: 4; decimal: 0)

Variable Type: numeric

LB34GDATE: EQ33 22.34g LB Immun Polio2 integer date

Value	Label	Unweighted Frequency	%
16804	-	1	0.0 %
16805	-	2	0.0 %
16806	-	1	0.0 %
16808	-	1	0.0 %
16809	-	1	0.0 %
16810	-	1	0.0 %
16814	-	1	0.0 %
16819	-	1	0.0 %
16827	-	1	0.0 %
16833	-	1	0.0 %
16842	-	1	0.0 %
16846	-	1	0.0 %
16848	-	1	0.0 %
16849	-	1	0.0 %
16850	-	1	0.0 %
16853	-	1	0.0 %
16854	-	2	0.0 %
16868	-	1	0.0 %
16869	-	1	0.0 %
16875	-	1	0.0 %
16882	-	1	0.0 %
16889	-	1	0.0 %

Value	Label	Unweighted Frequency	%
16895	-	1	0.0 %
16896	-	2	0.0 %
16898	-	1	0.0 %
16903	-	1	0.0 %
16904	-	1	0.0 %
16905	-	1	0.0 %
16908	-	1	0.0 %
16909	-	1	0.0 %
16910	-	1	0.0 %
16911	-	1	0.0 %
16914	-	1	0.0 %
16924	-	2	0.0 %
16925	-	1	0.0 %
16929	-	1	0.0 %
16932	-	1	0.0 %
16936	-	1	0.0 %
16938	-	2	0.0 %
16940	-	1	0.0 %
16945	-	1	0.0 %
16946	-	1	0.0 %
16947	-	1	0.0 %
16952	-	1	0.0 %
16959	-	1	0.0 %
16962	-	1	0.0 %
16967	-	1	0.0 %
16971	-	1	0.0 %
16977	-	1	0.0 %
16980	-	1	0.0 %
Missing Data			
.	-	24270	95.3 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,209 valid cases out of 25,479 total cases.

- Mean: 18105.86
- Minimum: 16804.00
- Maximum: 19334.00
- Standard Deviation: 651.29

Location: 1705-1709 (*width:* 5; *decimal:* 0)

Variable Type: numeric

LB34HD: EQ33 22.34h LB Immun Polio3 day

Value	Label	Unweighted Frequency	%
1	-	30	0.1 %
2	-	38	0.1 %
3	-	35	0.1 %
4	-	48	0.2 %
5	-	48	0.2 %
6	-	30	0.1 %
7	-	51	0.2 %
8	-	48	0.2 %
9	-	41	0.2 %
10	-	33	0.1 %
11	-	40	0.2 %
12	-	43	0.2 %
13	-	36	0.1 %
14	-	44	0.2 %
15	-	40	0.2 %
16	-	40	0.2 %
17	-	47	0.2 %
18	-	58	0.2 %
19	-	38	0.1 %
20	-	39	0.2 %
21	-	49	0.2 %
22	-	31	0.1 %
23	-	48	0.2 %
24	-	38	0.1 %
25	-	37	0.1 %
26	-	27	0.1 %
27	-	35	0.1 %
28	-	24	0.1 %
29	-	20	0.1 %
30	-	27	0.1 %
31	-	7	0.0 %
Missing Data			
.	-	24309	95.4 %
Total		25,479	100%

Based upon 1,170 valid cases out of 25,479 total cases.

- Mean: 14.93
- Median: 15.00
- Mode: 18.00
- Minimum: 1.00
- Maximum: 31.00
- Standard Deviation: 8.23

Location: 1710-1711 (width: 2; decimal: 0)

Variable Type: numeric

LB34HM: EQ33 22.34h LB Immun Polio3 month

Value	Label	Unweighted Frequency	%
1	-	115	0.5 %
2	-	109	0.4 %
3	-	125	0.5 %
4	-	95	0.4 %
5	-	87	0.3 %
6	-	106	0.4 %
7	-	88	0.3 %
8	-	82	0.3 %
9	-	94	0.4 %
10	-	87	0.3 %
11	-	96	0.4 %
12	-	86	0.3 %
Missing Data			
.	-	24309	95.4 %
Total		25,479	100%

Based upon 1,170 valid cases out of 25,479 total cases.

- Mean: 6.18
- Median: 6.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.50

Location: 1712-1713 (width: 2; decimal: 0)

Variable Type: numeric

LB34HY: EQ33 22.34h LB Immun Polio3 year

Value	Label	Unweighted Frequency	%
2006	-	102	0.4 %
2007	-	162	0.6 %
2008	-	163	0.6 %

Value	Label	Unweighted Frequency	%
2009	-	171	0.7 %
2010	-	196	0.8 %
2011	-	241	0.9 %
2012	-	73	0.3 %
	Missing Data		
.	-	24371	95.7 %
	Total	25,479	100%

Based upon 1,108 valid cases out of 25,479 total cases.

- Mean: 2009.09
- Median: 2009.00
- Mode: 2011.00
- Minimum: 2006.00
- Maximum: 2012.00
- Standard Deviation: 1.79

Location: 1714-1717 (width: 4; decimal: 0)

Variable Type: numeric

LB34HDATE: EQ33 22.34h LB Immun Polio3 integer date

Value	Label	Unweighted Frequency	%
16810	-	1	0.0 %
16811	-	1	0.0 %
16813	-	1	0.0 %
16817	-	1	0.0 %
16818	-	1	0.0 %
16826	-	2	0.0 %
16838	-	1	0.0 %
16848	-	1	0.0 %
16851	-	1	0.0 %
16852	-	1	0.0 %
16853	-	1	0.0 %
16854	-	2	0.0 %
16856	-	1	0.0 %
16861	-	1	0.0 %
16863	-	1	0.0 %
16868	-	3	0.0 %
16869	-	2	0.0 %
16876	-	1	0.0 %
16877	-	1	0.0 %
16880	-	1	0.0 %

Value	Label	Unweighted Frequency	%
16881	-	1	0.0 %
16884	-	2	0.0 %
16887	-	1	0.0 %
16896	-	2	0.0 %
16903	-	1	0.0 %
16910	-	3	0.0 %
16924	-	2	0.0 %
16925	-	1	0.0 %
16928	-	1	0.0 %
16938	-	2	0.0 %
16945	-	1	0.0 %
16946	-	1	0.0 %
16950	-	1	0.0 %
16952	-	1	0.0 %
16956	-	1	0.0 %
16959	-	2	0.0 %
16960	-	1	0.0 %
16964	-	1	0.0 %
16968	-	1	0.0 %
16972	-	1	0.0 %
16973	-	2	0.0 %
16982	-	2	0.0 %
16987	-	2	0.0 %
16994	-	1	0.0 %
16995	-	1	0.0 %
17001	-	1	0.0 %
17004	-	1	0.0 %
17015	-	2	0.0 %
17023	-	1	0.0 %
17031	-	1	0.0 %
Missing Data			
.	-	24372	95.7 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,107 valid cases out of 25,479 total cases.

- Mean: 18100.04
- Minimum: 16810.00

- Maximum: 19318.00
- Standard Deviation: 647.18

Location: 1718-1722 (*width:* 5; *decimal:* 0)

Variable Type: numeric

LB34ID: EQ33 22.34i LB Immun Measls day

Value	Label	Unweighted Frequency	%
1	-	24	0.1 %
2	-	37	0.1 %
3	-	34	0.1 %
4	-	30	0.1 %
5	-	36	0.1 %
6	-	39	0.2 %
7	-	34	0.1 %
8	-	44	0.2 %
9	-	26	0.1 %
10	-	45	0.2 %
11	-	23	0.1 %
12	-	26	0.1 %
13	-	31	0.1 %
14	-	23	0.1 %
15	-	43	0.2 %
16	-	42	0.2 %
17	-	32	0.1 %
18	-	45	0.2 %
19	-	32	0.1 %
20	-	43	0.2 %
21	-	38	0.1 %
22	-	32	0.1 %
23	-	37	0.1 %
24	-	33	0.1 %
25	-	32	0.1 %
26	-	16	0.1 %
27	-	38	0.1 %
28	-	29	0.1 %
29	-	19	0.1 %
30	-	15	0.1 %
31	-	6	0.0 %
Missing Data		24495	96.1 %
.	-		

Value	Label	Unweighted Frequency	%
	Total	25,479	100%

Based upon 984 valid cases out of 25,479 total cases.

- Mean: 15.06
- Median: 15.00
- Minimum: 1.00
- Maximum: 31.00
- Standard Deviation: 8.30

Location: 1723-1724 (width: 2; decimal: 0)

Variable Type: numeric

LB34IM: EQ33 22.34i LB Immun Measls month

Value	Label	Unweighted Frequency	%
1	-	75	0.3 %
2	-	72	0.3 %
3	-	82	0.3 %
4	-	83	0.3 %
5	-	63	0.2 %
6	-	81	0.3 %
7	-	91	0.4 %
8	-	98	0.4 %
9	-	89	0.3 %
10	-	102	0.4 %
11	-	88	0.3 %
12	-	65	0.3 %
	Missing Data		
.	-	24490	96.1 %
	Total	25,479	100%

Based upon 989 valid cases out of 25,479 total cases.

- Mean: 6.66
- Median: 7.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.36

Location: 1725-1726 (width: 2; decimal: 0)

Variable Type: numeric

LB34IY: EQ33 22.34i LB Immun Measls year

Value	Label	Unweighted Frequency	%
2006	-	100	0.4 %
2007	-	122	0.5 %
2008	-	157	0.6 %
2009	-	153	0.6 %
2010	-	170	0.7 %
2011	-	202	0.8 %
2012	-	66	0.3 %
Missing Data			
.	-	24509	96.2 %
Total		25,479	100%

Based upon 970 valid cases out of 25,479 total cases.

- Mean: 2009.07
- Median: 2009.00
- Mode: 2011.00
- Minimum: 2006.00
- Maximum: 2012.00
- Standard Deviation: 1.79

Location: 1727-1730 (width: 4; decimal: 0)

Variable Type: numeric

LB34IDATE: EQ33 22.34i LB Immun Measls integer date

Value	Label	Unweighted Frequency	%
16803	-	1	0.0 %
16819	-	1	0.0 %
16822	-	1	0.0 %
16824	-	1	0.0 %
16825	-	1	0.0 %
16833	-	1	0.0 %
16834	-	1	0.0 %
16838	-	1	0.0 %
16847	-	1	0.0 %
16854	-	2	0.0 %
16865	-	1	0.0 %
16866	-	1	0.0 %
16876	-	2	0.0 %
16881	-	2	0.0 %
16883	-	2	0.0 %
16887	-	1	0.0 %
16888	-	1	0.0 %

Value	Label	Unweighted Frequency	%
16889	-	1	0.0 %
16893	-	1	0.0 %
16895	-	2	0.0 %
16896	-	1	0.0 %
16903	-	4	0.0 %
16910	-	2	0.0 %
16911	-	1	0.0 %
16924	-	1	0.0 %
16929	-	1	0.0 %
16937	-	1	0.0 %
16938	-	1	0.0 %
16946	-	1	0.0 %
16948	-	1	0.0 %
16959	-	2	0.0 %
16962	-	1	0.0 %
16966	-	2	0.0 %
16970	-	1	0.0 %
16971	-	1	0.0 %
16972	-	1	0.0 %
16973	-	1	0.0 %
16975	-	1	0.0 %
16982	-	1	0.0 %
16987	-	1	0.0 %
16991	-	1	0.0 %
16994	-	2	0.0 %
17001	-	1	0.0 %
17005	-	1	0.0 %
17006	-	1	0.0 %
17007	-	1	0.0 %
17008	-	1	0.0 %
17009	-	1	0.0 %
17015	-	3	0.0 %
17024	-	1	0.0 %
Missing Data			
.	-	24510	96.2 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 969 valid cases out of 25,479 total cases.

- Mean: 18108.54
- Minimum: 16803.00
- Maximum: 19328.00
- Standard Deviation: 658.25

Location: 1731-1735 (width: 5; decimal: 0)

Variable Type: numeric

LB35: EQ33 22.35 LB Vacc not recorded

Value	Label	Unweighted Frequency	%
0	No 0	1087	4.3 %
1	Yes 1	314	1.2 %
	Missing Data		
.	-	24078	94.5 %
	Total	25,479	100%

Based upon 1,401 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1736-1736 (width: 1; decimal: 0)

Variable Type: numeric

LB36: EQ33 22.36 LB Vacc No card

Value	Label	Unweighted Frequency	%
0	No, has vacc card 0	353	1.4 %
1	Yes, no vacc card 1	3839	15.1 %
	Missing Data		
.	-	21287	83.5 %
	Total	25,479	100%

Based upon 4,192 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1737-1737 (width: 1; decimal: 0)

Variable Type: numeric

LB37: EQ33 22.37 LB BCG given

Value	Label	Unweighted Frequency	%
0	No 0	230	0.9 %
1	Yes 1	3551	13.9 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	21698	85.2 %
	Total	25,479	100%

Based upon 3,781 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1738-1738 (width: 1; decimal: 0)

Variable Type: numeric

LB38: EQ33 22.38 LB # DPT given

Value	Label	Unweighted Frequency	%
0	-	400	1.6 %
1	-	461	1.8 %
2	-	587	2.3 %
3	-	2200	8.6 %
4	-	69	0.3 %
5	-	42	0.2 %
6	-	6	0.0 %
7	-	2	0.0 %
8	-	5	0.0 %
9	-	12	0.0 %
	Missing Data		
.	-	21695	85.1 %
	Total	25,479	100%

Based upon 3,784 valid cases out of 25,479 total cases.

- Mean: 2.36
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 1.19

Location: 1739-1739 (width: 1; decimal: 0)

Variable Type: numeric

LB39: EQ33 22.39 LB Polio frequency

Value	Label	Unweighted Frequency	%
0	-	89	0.3 %
1	-	320	1.3 %

Value	Label	Unweighted Frequency	%
2	-	407	1.6 %
3	-	1349	5.3 %
4	-	387	1.5 %
5	-	249	1.0 %
6	-	153	0.6 %
7	-	86	0.3 %
8	-	155	0.6 %
9	-	628	2.5 %
Missing Data			
.	-	21656	85.0 %
Total		25,479	100%

Based upon 3,823 valid cases out of 25,479 total cases.

- Mean: 4.29
- Median: 3.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 2.65

Location: 1740-1740 (width: 1; decimal: 0)

Variable Type: numeric

LB39A: EQ33 22.39a LB First polio time

Value	Label	Unweighted Frequency	%
1	< a week 1	2232	8.8 %
2	> a week 2	1536	6.0 %
Missing Data			
.	-	21711	85.2 %
Total		25,479	100%

Based upon 3,768 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1741-1741 (width: 1; decimal: 0)

Variable Type: numeric

LB40: EQ33 22.40 LB Measles vaccine

Value	Label	Unweighted Frequency	%
0	No 0	895	3.5 %
1	Yes 1	2909	11.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	21675	85.1 %
	Total	25,479	100%

Based upon 3,804 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1742-1742 (width: 1; decimal: 0)

Variable Type: numeric

LB41: EQ33 22.41 LB Vaccine Centre

Value	Label	Unweighted Frequency	%
1	Public hospital, clinic or health centre 1	2946	11.6 %
2	Vaccination camp or pulse polio campaign 2	686	2.7 %
3	Private medical clinic 3	351	1.4 %
4	Nurse or health worker came home 4	676	2.7 %
5	Govt. worker in private 5	375	1.5 %
	Missing Data		
.	-	20445	80.2 %
	Total	25,479	100%

Based upon 5,034 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 1743-1743 (width: 1; decimal: 0)

Variable Type: numeric

LB42: EQ33 22.42 LB mos. Vitamin A

Value	Label	Unweighted Frequency	%
0	-	170	0.7 %
1	-	166	0.7 %
2	-	156	0.6 %
3	-	129	0.5 %
4	-	68	0.3 %
5	-	61	0.2 %
6	-	143	0.6 %
7	-	44	0.2 %
8	-	68	0.3 %

Value	Label	Unweighted Frequency	%
9	-	273	1.1 %
10	-	85	0.3 %
11	-	27	0.1 %
12	-	153	0.6 %
13	-	13	0.1 %
14	-	26	0.1 %
15	-	25	0.1 %
16	-	15	0.1 %
17	-	15	0.1 %
18	-	43	0.2 %
19	-	17	0.1 %
20	-	19	0.1 %
21	-	9	0.0 %
22	-	11	0.0 %
23	-	5	0.0 %
24	-	129	0.5 %
25	-	5	0.0 %
26	-	15	0.1 %
27	-	10	0.0 %
28	-	13	0.1 %
29	-	5	0.0 %
30	-	22	0.1 %
31	-	2	0.0 %
32	-	8	0.0 %
33	-	5	0.0 %
34	-	7	0.0 %
35	-	8	0.0 %
36	-	102	0.4 %
37	-	5	0.0 %
38	-	10	0.0 %
39	-	6	0.0 %
40	-	10	0.0 %
41	-	6	0.0 %
42	-	6	0.0 %
43	-	3	0.0 %
44	-	2	0.0 %
45	-	5	0.0 %
46	-	4	0.0 %
47	-	3	0.0 %

Value	Label	Unweighted Frequency	%
48	-	84	0.3 %
49	-	5	0.0 %
	Missing Data		
.	-	23090	90.6 %
	Total	25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,389 valid cases out of 25,479 total cases.

- Mean: 16.49
- Median: 9.00
- Mode: 9.00
- Minimum: 0.00
- Maximum: 98.00
- Standard Deviation: 18.46

Location: 1744-1745 (width: 2; decimal: 0)

Variable Type: numeric

LB43: EQ34 22.43 LB Ever breastfed

Value	Label	Unweighted Frequency	%
0	No 0	39	0.2 %
1	Yes 1	5627	22.1 %
	Missing Data		
.	-	19813	77.8 %
	Total	25,479	100%

Based upon 5,666 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1746-1746 (width: 1; decimal: 0)

Variable Type: numeric

LB44: EQ34 22.44 LB 1st breastfeeding

Value	Label	Unweighted Frequency	%
0	Less than 1 hour 0	1346	5.3 %
1	-	1603	6.3 %
2	-	798	3.1 %
3	-	328	1.3 %
4	-	148	0.6 %
5	-	127	0.5 %

Value	Label	Unweighted Frequency	%
6	-	70	0.3 %
7	-	23	0.1 %
8	-	47	0.2 %
9	-	21	0.1 %
10	-	29	0.1 %
11	-	1	0.0 %
12	-	100	0.4 %
13	-	6	0.0 %
14	-	2	0.0 %
15	-	7	0.0 %
16	-	3	0.0 %
18	-	4	0.0 %
20	-	5	0.0 %
22	-	1	0.0 %
24	-	336	1.3 %
25	-	3	0.0 %
26	-	4	0.0 %
27	-	2	0.0 %
28	-	5	0.0 %
29	-	1	0.0 %
30	-	14	0.1 %
32	-	3	0.0 %
36	-	62	0.2 %
40	-	2	0.0 %
42	-	1	0.0 %
45	-	1	0.0 %
46	-	2	0.0 %
48	-	141	0.6 %
50	-	1	0.0 %
52	-	1	0.0 %
55	-	1	0.0 %
60	-	20	0.1 %
68	-	1	0.0 %
71	-	1	0.0 %
72	-	70	0.3 %
74	-	1	0.0 %
75	-	1	0.0 %
76	-	1	0.0 %
80	-	1	0.0 %

Value	Label	Unweighted Frequency	%
91	-	1	0.0 %
94	-	1	0.0 %
96	four days or more 96	172	0.7 %
	Missing Data		
.	-	19960	78.3 %
	Total	25,479	100%

Based upon 5,519 valid cases out of 25,479 total cases.

- Mean: 9.11
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 96.00
- Standard Deviation: 20.43

Location: 1747-1748 (width: 2; decimal: 0)

Variable Type: numeric

LB45: EQ34 22.45 LB Squeeze milk

Value	Label	Unweighted Frequency	%
0	No 0	2924	11.5 %
1	Yes 1	2596	10.2 %
	Missing Data		
.	-	19959	78.3 %
	Total	25,479	100%

Based upon 5,520 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1749-1749 (width: 1; decimal: 0)

Variable Type: numeric

LB46Y: EQ34 22.46 LB Still breastfeeding

Value	Label	Unweighted Frequency	%
0	No 0	3862	15.2 %
1	Yes 1	1569	6.2 %
	Missing Data		
.	-	20048	78.7 %
	Total	25,479	100%

Based upon 5,431 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1750-1750 (*width:* 1; *decimal:* 0)

Variable Type: numeric

LB46: EQ34 22.46 LB Breastfeeding dur

Value	Label	Unweighted Frequency	%
0	-	104	0.4 %
1	-	92	0.4 %
2	-	114	0.4 %
3	-	155	0.6 %
4	-	99	0.4 %
5	-	163	0.6 %
6	-	627	2.5 %
7	-	109	0.4 %
8	-	116	0.5 %
9	-	88	0.3 %
10	-	45	0.2 %
11	-	30	0.1 %
12	-	412	1.6 %
13	-	15	0.1 %
14	-	18	0.1 %
15	-	81	0.3 %
16	-	46	0.2 %
17	-	7	0.0 %
18	-	353	1.4 %
19	-	15	0.1 %
20	-	33	0.1 %
21	-	3	0.0 %
22	-	4	0.0 %
23	-	2	0.0 %
24	-	556	2.2 %
25	-	11	0.0 %
26	-	14	0.1 %
27	-	7	0.0 %
28	-	21	0.1 %
29	-	1	0.0 %
30	-	112	0.4 %
32	-	8	0.0 %
33	-	1	0.0 %

Value	Label	Unweighted Frequency	%
34	-	2	0.0 %
35	-	1	0.0 %
36	-	284	1.1 %
38	-	6	0.0 %
40	-	6	0.0 %
42	-	5	0.0 %
45	-	5	0.0 %
46	-	1	0.0 %
48	-	55	0.2 %
50	-	2	0.0 %
54	-	1	0.0 %
56	-	1	0.0 %
60	-	21	0.1 %
62	-	1	0.0 %
72	-	5	0.0 %
84	-	1	0.0 %
90	-	3	0.0 %
Missing Data			
.	-	21617	84.8 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,862 valid cases out of 25,479 total cases.

- Mean: 15.17
- Median: 12.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 90.00
- Standard Deviation: 12.03

Location: 1751-1752 (*width:* 2; *decimal:* 0)

Variable Type: numeric

LB47AY: EQ34 22.47a LB no milk supplements yet

Value	Label	Unweighted Frequency	%
0	supplement 0	4810	18.9 %
1	not yet 90=1	532	2.1 %
Missing Data			
.	-	20137	79.0 %
Total		25,479	100%

Based upon 5,342 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1753-1753 (width: 1; decimal: 0)

Variable Type: numeric

LB47A: EQ34 22.47a LB Age at diet supp

Value	Label	Unweighted Frequency	%
0	-	314	1.2 %
1	-	173	0.7 %
2	-	133	0.5 %
3	-	271	1.1 %
4	-	283	1.1 %
5	-	321	1.3 %
6	-	1460	5.7 %
7	-	612	2.4 %
8	-	374	1.5 %
9	-	206	0.8 %
10	-	121	0.5 %
11	-	26	0.1 %
12	-	275	1.1 %
13	-	19	0.1 %
14	-	6	0.0 %
15	-	14	0.1 %
16	-	8	0.0 %
18	-	66	0.3 %
19	-	4	0.0 %
20	-	4	0.0 %
22	-	2	0.0 %
23	-	1	0.0 %
24	-	67	0.3 %
25	-	5	0.0 %
26	-	4	0.0 %
28	-	4	0.0 %
30	-	7	0.0 %
31	-	3	0.0 %
36	-	19	0.1 %
37	-	3	0.0 %
40	-	1	0.0 %
48	-	3	0.0 %

Value	Label	Unweighted Frequency	%
60	-	1	0.0 %
	Missing Data		
-	-	20669	81.1 %
	Total	25,479	100%

Based upon 4,810 valid cases out of 25,479 total cases.

- Mean: 6.66
- Median: 6.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 4.85

Location: 1754-1755 (width: 2; decimal: 0)

Variable Type: numeric

LB47BY: EQ34 22.47a LB no solid foods yet

Value	Label	Unweighted Frequency	%
0	supplement 0	5017	19.7 %
1	not yet 90=1	377	1.5 %
	Missing Data		
-	-	20085	78.8 %
	Total	25,479	100%

Based upon 5,394 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1756-1756 (width: 1; decimal: 0)

Variable Type: numeric

LB47B: EQ34 22.47b LB Age at Solid food

Value	Label	Unweighted Frequency	%
0	-	30	0.1 %
1	-	19	0.1 %
2	-	7	0.0 %
3	-	18	0.1 %
4	-	29	0.1 %
5	-	98	0.4 %
6	-	1004	3.9 %
7	-	689	2.7 %
8	-	810	3.2 %

Value	Label	Unweighted Frequency	%
9	-	526	2.1 %
10	-	365	1.4 %
11	-	91	0.4 %
12	-	962	3.8 %
13	-	34	0.1 %
14	-	32	0.1 %
15	-	81	0.3 %
16	-	31	0.1 %
17	-	4	0.0 %
18	-	73	0.3 %
19	-	4	0.0 %
20	-	7	0.0 %
22	-	2	0.0 %
24	-	64	0.3 %
25	-	7	0.0 %
26	-	7	0.0 %
27	-	1	0.0 %
28	-	1	0.0 %
30	-	3	0.0 %
31	-	3	0.0 %
32	-	2	0.0 %
35	-	1	0.0 %
36	-	5	0.0 %
37	-	3	0.0 %
38	-	2	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
Missing Data			
.	-	20462	80.3 %
Total		25,479	100%

Based upon 5,017 valid cases out of 25,479 total cases.

- Mean: 9.15
- Median: 8.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 49.00
- Standard Deviation: 3.91

Location: 1757-1758 (*width:* 2; *decimal:* 0)

Variable Type: numeric

LB48: EQ34 22.48 LB AWC beneficiary

Value	Label	Unweighted Frequency	%
0	No 0	2658	10.4 %
1	While pregnant 1	1055	4.1 %
2	While lactating 2	348	1.4 %
3	Both 3	1526	6.0 %
	Missing Data		
.	-	19892	78.1 %
	Total	25,479	100%

Based upon 5,587 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 1759-1759 (width: 1; decimal: 0)

Variable Type: numeric

LB49A1: EQ34 22.49a LB AWC:Immunization

Value	Label	Unweighted Frequency	%
0	No 0	3160	12.4 %
1	Yes 1	2467	9.7 %
	Missing Data		
.	-	19852	77.9 %
	Total	25,479	100%

Based upon 5,627 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1760-1760 (width: 1; decimal: 0)

Variable Type: numeric

LB49A2: EQ34 22.49a LB AWC:Immun freq

Value	Label	Unweighted Frequency	%
1	Daily 1	29	0.1 %
2	At least 1/week 2	278	1.1 %
3	At least 1/fortnight 3	179	0.7 %
4	At least 1/month 4	1292	5.1 %
5	At least 1/quarter 5	465	1.8 %
6	At least 1/year 6	198	0.8 %
7	Never 7	3164	12.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	19874	78.0 %
	Total	25,479	100%

Based upon 5,605 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 1761-1761 (width: 1; decimal: 0)

Variable Type: numeric

LB49B1: EQ34 22.49b LB AWC:Health check

Value	Label	Unweighted Frequency	%
0	No 0	3874	15.2 %
1	Yes 1	1754	6.9 %
	Missing Data		
.	-	19851	77.9 %
	Total	25,479	100%

Based upon 5,628 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1762-1762 (width: 1; decimal: 0)

Variable Type: numeric

LB49B2: EQ34 22.49b LB AWC:Checkup freq

Value	Label	Unweighted Frequency	%
1	Daily 1	17	0.1 %
2	At least 1/week 2	230	0.9 %
3	At least 1/fortnight 3	144	0.6 %
4	At least 1/month 4	1059	4.2 %
5	At least 1/quarter 5	188	0.7 %
6	At least 1/year 6	98	0.4 %
7	Never 7	3878	15.2 %
	Missing Data		
.	-	19865	78.0 %
	Total	25,479	100%

Based upon 5,614 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 1763-1763 (width: 1; decimal: 0)

Variable Type: numeric

LB49C1: EQ34 22.49c LB AWC:Grow monitor

Value	Label	Unweighted Frequency	%
0	No 0	3382	13.3 %
1	Yes 1	2245	8.8 %
	Missing Data		
.	-	19852	77.9 %
	Total	25,479	100%

Based upon 5,627 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1764-1764 (width: 1; decimal: 0)

Variable Type: numeric

LB49C2: EQ34 22.49c LB AWC:Growth freq

Value	Label	Unweighted Frequency	%
1	Daily 1	29	0.1 %
2	At least 1/week 2	272	1.1 %
3	At least 1/fortnight 3	159	0.6 %
4	At least 1/month 4	1377	5.4 %
5	At least 1/quarter 5	225	0.9 %
6	At least 1/year 6	157	0.6 %
7	Never 7	3389	13.3 %
	Missing Data		
.	-	19871	78.0 %
	Total	25,479	100%

Based upon 5,608 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 1765-1765 (width: 1; decimal: 0)

Variable Type: numeric

LB49D1: EQ34 22.49d LB AWC:Educ

Value	Label	Unweighted Frequency	%
0	No 0	3981	15.6 %
1	Yes 1	1646	6.5 %
	Missing Data		
.	-	19852	77.9 %
	Total	25,479	100%

Based upon 5,627 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1766-1766 (width: 1; decimal: 0)

Variable Type: numeric

LB49D2: EQ34 22.49d LB AWC:Educ freq

Value	Label	Unweighted Frequency	%
1	Daily 1	958	3.8 %
2	At least 1/week 2	225	0.9 %
3	At least 1/fortnight 3	48	0.2 %
4	At least 1/month 4	248	1.0 %
5	At least 1/quarter 5	52	0.2 %
6	At least 1/year 6	84	0.3 %
7	Never 7	4000	15.7 %
	Missing Data		
.	-	19864	78.0 %
	Total	25,479	100%

Based upon 5,615 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 1767-1767 (width: 1; decimal: 0)

Variable Type: numeric

LB49E1: EQ34 22.49e LB AWC:Food

Value	Label	Unweighted Frequency	%
0	No 0	3298	12.9 %
1	Yes 1	2327	9.1 %
	Missing Data		
.	-	19854	77.9 %
	Total	25,479	100%

Based upon 5,625 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1768-1768 (width: 1; decimal: 0)

Variable Type: numeric

LB49E2: EQ34 22.49e LB AWC:Food freq [IHDS1 ~= IHDS2]

Value	Label	Unweighted Frequency	%
1	Daily/. 1	0	0.0 %
2	Weekly/ Last month 2	775	3.0 %
3	Fortnightly/. 3	0	0.0 %
4	Monthly/. 4	0	0.0 %
5	Quarterly/ Ever 5	1493	5.9 %
6	Yearly/. 6	0	0.0 %
7	Never/ Never 7	3334	13.1 %
Missing Data			
.	-	19877	78.0 %
Total		25,479	100%

Based upon 5,602 valid cases out of 25,479 total cases.

- Minimum: 2.00
- Maximum: 7.00

Location: 1769-1769 (width: 1; decimal: 0)

Variable Type: numeric

OG1: EQ35 24.1 Obs: Purpose

Value	Label	Unweighted Frequency	%
1	No difficulty 1	22452	88.1 %
2	Some difficulty 2	2624	10.3 %
3	A lot of difficulty 3	324	1.3 %
Missing Data			
.	-	79	0.3 %
Total		25,479	100%

Based upon 25,400 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1770-1770 (width: 1; decimal: 0)

Variable Type: numeric

OG2: EQ35 24.2 Obs: Understanding

Value	Label	Unweighted Frequency	%
1	No difficulty 1	21492	84.4 %
2	Some difficulty 2	3534	13.9 %
3	A lot of difficulty 3	376	1.5 %
	Missing Data		
.	-	77	0.3 %
	Total	25,479	100%

Based upon 25,402 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1771-1771 (width: 1; decimal: 0)

Variable Type: numeric

OG3: EQ35 24.3 Obs: Looked at interviewer

Value	Label	Unweighted Frequency	%
1	Rarely 1	1173	4.6 %
2	Sometimes 2	4060	15.9 %
3	Ususally 3	20158	79.1 %
	Missing Data		
.	-	88	0.3 %
	Total	25,479	100%

Based upon 25,391 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1772-1772 (width: 1; decimal: 0)

Variable Type: numeric

OG4: EQ35 24.4 Obs: Clarity [IHDS2]

Value	Label	Unweighted Frequency	%
1	Rarely 1	966	3.8 %
2	Sometimes 2	4196	16.5 %
3	Ususally 3	20229	79.4 %
	Missing Data		
.	-	88	0.3 %
	Total	25,479	100%

Based upon 25,391 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1773-1773 (width: 1; decimal: 0)

Variable Type: numeric

OG5: EQ35 24.5 Obs: Knows expenditure

Value	Label	Unweighted Frequency	%
1	Very little knowledge 1	2996	11.8 %
2	Somewhat 2	7015	27.5 %
3	Very knowledgeable 3	15356	60.3 %
	Missing Data		
.	-	112	0.4 %
	Total	25,479	100%

Based upon 25,367 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1774-1774 (width: 1; decimal: 0)

Variable Type: numeric

OG6: EQ35 24.6 Obs: Confidence

Value	Label	Unweighted Frequency	%
1	Rarely 1	1361	5.3 %
2	Sometimes 2	4364	17.1 %
3	Usually 3	19665	77.2 %
	Missing Data		
.	-	89	0.3 %
	Total	25,479	100%

Based upon 25,390 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1775-1775 (width: 1; decimal: 0)

Variable Type: numeric

OG7: EQ35 24.7 Obs: Reliability [IHDS2]

Value	Label	Unweighted Frequency	%
1	Good 1	22384	87.9 %

Value	Label	Unweighted Frequency	%
2	Somewhat 2	2508	9.8 %
3	Poor 3	468	1.8 %
	Missing Data		
.	-	119	0.5 %
	Total	25,479	100%

Based upon 25,360 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 1776-1776 (width: 1; decimal: 0)

Variable Type: numeric

OG8D: EQ35 24.8 Interview completion day [IHDS2]

Value	Label	Unweighted Frequency	%
1	-	811	3.2 %
2	-	844	3.3 %
3	-	853	3.3 %
4	-	823	3.2 %
5	-	833	3.3 %
6	-	828	3.2 %
7	-	857	3.4 %
8	-	856	3.4 %
9	-	932	3.7 %
10	-	905	3.6 %
11	-	881	3.5 %
12	-	985	3.9 %
13	-	878	3.4 %
14	-	861	3.4 %
15	-	762	3.0 %
16	-	802	3.1 %
17	-	844	3.3 %
18	-	878	3.4 %
19	-	806	3.2 %
20	-	775	3.0 %
21	-	774	3.0 %
22	-	775	3.0 %
23	-	752	3.0 %
24	-	810	3.2 %
25	-	817	3.2 %

Value	Label	Unweighted Frequency	%
26	-	837	3.3 %
27	-	812	3.2 %
28	-	758	3.0 %
29	-	851	3.3 %
30	-	799	3.1 %
31	-	479	1.9 %
Missing Data			
.	-	1	0.0 %
Total		25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 15.58
- Median: 15.00
- Mode: 12.00
- Minimum: 1.00
- Maximum: 31.00
- Standard Deviation: 8.79

Location: 1777-1778 (width: 2; decimal: 0)

Variable Type: numeric

OG8M: EQ35 24.8 Interview completion month [IHDS2]

Value	Label	Unweighted Frequency	%
1	-	1640	6.4 %
2	-	2349	9.2 %
3	-	2360	9.3 %
4	-	3036	11.9 %
5	-	3621	14.2 %
6	-	4052	15.9 %
7	-	2640	10.4 %
8	-	1950	7.7 %
9	-	892	3.5 %
10	-	493	1.9 %
11	-	1088	4.3 %
12	-	1358	5.3 %
Total		25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 5.62
- Median: 5.00
- Mode: 6.00

- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.90

Location: 1779-1780 (width: 2; decimal: 0)

Variable Type: numeric

OG8Y: EQ35 24.8 Interview completion year [IHDS2]

Value	Label	Unweighted Frequency	%
2011	-	2685	10.5 %
2012	-	22776	89.4 %
2013	-	18	0.1 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 2011.90
- Median: 2012.00
- Mode: 2012.00
- Minimum: 2011.00
- Maximum: 2013.00
- Standard Deviation: 0.31

Location: 1781-1784 (width: 4; decimal: 0)

Variable Type: numeric

OG8DATE: EQ35 24.8 Interview completion integer date [IHDS2]

Value	Label	Unweighted Frequency	%
18647	-	1	0.0 %
18657	-	1	0.0 %
18695	-	1	0.0 %
18880	-	1	0.0 %
18906	-	1	0.0 %
18907	-	2	0.0 %
18908	-	6	0.0 %
18909	-	3	0.0 %
18910	-	36	0.1 %
18911	-	44	0.2 %
18912	-	40	0.2 %
18913	-	26	0.1 %
18914	-	16	0.1 %
18915	-	21	0.1 %
18916	-	34	0.1 %
18917	-	37	0.1 %

Value	Label	Unweighted Frequency	%
18918	-	30	0.1 %
18919	-	28	0.1 %
18920	-	18	0.1 %
18921	-	11	0.0 %
18922	-	2	0.0 %
18932	-	2	0.0 %
18933	-	14	0.1 %
18934	-	13	0.1 %
18935	-	21	0.1 %
18936	-	13	0.1 %
18937	-	12	0.0 %
18938	-	12	0.0 %
18939	-	6	0.0 %
18940	-	13	0.1 %
18941	-	19	0.1 %
18942	-	24	0.1 %
18943	-	33	0.1 %
18944	-	37	0.1 %
18945	-	25	0.1 %
18946	-	22	0.1 %
18947	-	32	0.1 %
18948	-	51	0.2 %
18949	-	60	0.2 %
18950	-	52	0.2 %
18951	-	54	0.2 %
18952	-	59	0.2 %
18953	-	38	0.1 %
18954	-	47	0.2 %
18955	-	50	0.2 %
18956	-	43	0.2 %
18957	-	53	0.2 %
18958	-	57	0.2 %
18959	-	50	0.2 %
18960	-	36	0.1 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 19109.78
- Minimum: 18647.00
- Maximum: 19429.00
- Standard Deviation: 83.63

Location: 1785-1789 (width: 5; decimal: 0)

Variable Type: numeric

OG9A: EQ35 24.9 Interview end hour

Value	Label	Unweighted Frequency	%
1	-	2935	11.5 %
2	-	2909	11.4 %
3	-	2644	10.4 %
4	-	2573	10.1 %
5	-	2268	8.9 %
6	-	1474	5.8 %
7	-	781	3.1 %
8	-	510	2.0 %
9	-	1023	4.0 %
10	-	1965	7.7 %
11	-	3002	11.8 %
12	-	3207	12.6 %
Missing Data			
.	-	188	0.7 %
Total		25,479	100%

Based upon 25,291 valid cases out of 25,479 total cases.

- Mean: 6.21
- Median: 5.00
- Mode: 12.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.92

Location: 1790-1791 (width: 2; decimal: 0)

Variable Type: numeric

OG9B: EQ35 24.9 Interview end minute

Value	Label	Unweighted Frequency	%
0	-	4620	18.1 %
1	-	99	0.4 %
2	-	185	0.7 %
3	-	93	0.4 %
4	-	52	0.2 %

Value	Label	Unweighted Frequency	%
5	-	1079	4.2 %
6	-	72	0.3 %
7	-	79	0.3 %
8	-	122	0.5 %
9	-	73	0.3 %
10	-	1662	6.5 %
11	-	53	0.2 %
12	-	86	0.3 %
13	-	69	0.3 %
14	-	45	0.2 %
15	-	1570	6.2 %
16	-	68	0.3 %
17	-	75	0.3 %
18	-	86	0.3 %
19	-	34	0.1 %
20	-	1746	6.9 %
21	-	54	0.2 %
22	-	103	0.4 %
23	-	48	0.2 %
24	-	47	0.2 %
25	-	671	2.6 %
26	-	54	0.2 %
27	-	65	0.3 %
28	-	73	0.3 %
29	-	43	0.2 %
30	-	4028	15.8 %
31	-	55	0.2 %
32	-	105	0.4 %
33	-	48	0.2 %
34	-	50	0.2 %
35	-	753	3.0 %
36	-	74	0.3 %
37	-	73	0.3 %
38	-	139	0.5 %
39	-	63	0.2 %
40	-	1587	6.2 %
41	-	64	0.3 %
42	-	115	0.5 %
43	-	73	0.3 %

Value	Label	Unweighted Frequency	%
44	-	52	0.2 %
45	-	1633	6.4 %
46	-	70	0.3 %
47	-	79	0.3 %
48	-	149	0.6 %
49	-	72	0.3 %
Missing Data			
.	-	190	0.7 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,289 valid cases out of 25,479 total cases.

- Mean: 24.07
- Median: 25.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 59.00
- Standard Deviation: 17.84

Location: 1792-1793 (width: 2; decimal: 0)

Variable Type: numeric

OG9C: EQ35 24.9 AM/PM Int. time

Value	Label	Unweighted Frequency	%
1	-	6793	26.7 %
2	-	18527	72.7 %
Missing Data			
.	-	159	0.6 %
Total		25,479	100%

Based upon 25,320 valid cases out of 25,479 total cases.

- Mean: 1.73
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.44

Location: 1794-1794 (width: 1; decimal: 0)

Variable Type: numeric

OG10: EQ35 24.10 Completion status

Value	Label	Unweighted Frequency	%
1	-	25205	98.9 %
2	-	226	0.9 %
	Missing Data		
.	-	48	0.2 %
	Total	25,479	100%

Based upon 25,431 valid cases out of 25,479 total cases.

- Mean: 1.01
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.09

Location: 1795-1795 (width: 1; decimal: 0)

Variable Type: numeric

FHCHK: EQ27 19 One+ live births

Value	Label	Unweighted Frequency	%
0	No 0	453	1.8 %
1	Yes 1	25023	98.2 %
	Missing Data		
.	-	3	0.0 %
	Total	25,479	100%

Based upon 25,476 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1796-1796 (width: 1; decimal: 0)

Variable Type: numeric

BHED: EQ28 20 Birth: Total Boys & Girls [IHDS2]

Value	Label	Unweighted Frequency	%
0	-	8	0.0 %
1	-	981	3.9 %
2	-	3150	12.4 %
3	-	4962	19.5 %
4	-	4138	16.2 %
5	-	3255	12.8 %
6	-	2352	9.2 %
7	-	1830	7.2 %

Value	Label	Unweighted Frequency	%
8	-	1280	5.0 %
9	-	921	3.6 %
10	-	661	2.6 %
11	-	468	1.8 %
12	-	343	1.3 %
13	-	252	1.0 %
14	-	139	0.5 %
15	-	100	0.4 %
16	-	72	0.3 %
17	-	46	0.2 %
18	-	28	0.1 %
19	-	16	0.1 %
20	-	9	0.0 %
21	-	7	0.0 %
22	-	2	0.0 %
24	-	2	0.0 %
25	-	1	0.0 %
Missing Data			
.	-	456	1.8 %
Total		25,479	100%

Based upon 25,023 valid cases out of 25,479 total cases.

- Mean: 5.04
- Median: 4.00
- Mode: 3.00
- Minimum: 0.00
- Maximum: 25.00
- Standard Deviation: 2.97

Location: 1797-1798 (width: 2; decimal: 0)

Variable Type: numeric

FPWHO: EQ29 21 Others present

Value	Label	Unweighted Frequency	%
1	Nobody 1	17171	67.4 %
2	Adults 2	3109	12.2 %
3	Children 3	1525	6.0 %
4	Adults+Children 4	2428	9.5 %
Missing Data			
.	-	1246	4.9 %
Total		25,479	100%

Based upon 24,233 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 1799-1799 (width: 1; decimal: 0)

Variable Type: numeric

PSUWAVES: which surveys PSU has been in

Value	Label	Unweighted Frequency	%
1	only 2012 01	0	0.0 %
10	only 2005 10	0	0.0 %
11	both 11	25479	100.0 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 11.00
- Maximum: 11.00

Location: 1800-1801 (width: 2; decimal: 0)

Variable Type: numeric

URBAN: Census 2001 for IHDS-I; 2011 for IHDS-II

Value	Label	Unweighted Frequency	%
0	rural 0	17614	69.1 %
1	urban 1	7865	30.9 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1802-1802 (width: 1; decimal: 0)

Variable Type: numeric

URBAN2001: Census 2001: village/town

Value	Label	Unweighted Frequency	%
0	rural 0	17614	69.1 %
1	urban 1	7865	30.9 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 1803-1803 (width: 1; decimal: 0)

Variable Type: numeric

URBAN2011: Urban residence from census 2011

Value	Label	Unweighted Frequency	%
0	rural 0	17041	66.9 %
1	urban 1	8438	33.1 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 1804-1804 (width: 1; decimal: 0)

Variable Type: numeric

URBAN4: 4-cat urban/rural from 2001/2011 for IHDS-I/II

Value	Label	Unweighted Frequency	%
0	metro urban 0	1533	6.0 %
1	other urban 1	6323	24.8 %
2	more dev vill 2	8649	33.9 %
3	less dev vill 3	8974	35.2 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 0.00

- Maximum: 3.00

Location: 1805-1805 (width: 1; decimal: 0)

Variable Type: numeric

URBAN4_2001: 4-cat urban/rural from 2001 census & IHDS-I vill q

Value	Label	Unweighted Frequency	%
0	metro urban 0	1533	6.0 %
1	other urban 1	6323	24.8 %
2	more dev vill 2	8649	33.9 %
3	less dev vill 3	8974	35.2 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 1806-1806 (width: 1; decimal: 0)

Variable Type: numeric

URBAN4_2011: 4-cat urban/rural from 2011 census & IHDS-II vill q

Value	Label	Unweighted Frequency	%
0	metro urban 0	1533	6.0 %
1	other urban 1	6920	27.2 %
2	more dev vill 2	8025	31.5 %
3	less dev vill 3	9001	35.3 %
	Total	25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 1807-1807 (width: 1; decimal: 0)

Variable Type: numeric

METRO6: Largest 6 metro areas 1-6

Value	Label	Unweighted Frequency	%
1	Mumbai 1	418	1.6 %
2	Delhi 2	466	1.8 %
3	Kolkata 3	698	2.7 %
4	Chennai 4	142	0.6 %
5	Bangalore 5	87	0.3 %
6	Hyderabad 6	225	0.9 %
	Missing Data		
.	-	23443	92.0 %
	Total	25,479	100%

Based upon 2,036 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 1808-1808 (width: 1; decimal: 0)

Variable Type: numeric

NEWQ: # completed woman q, incl. not eligibles

Value	Label	Unweighted Frequency	%
1	-	21119	82.9 %

Value	Label	Unweighted Frequency	%
2	-	4360	17.1 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 1.17
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.38

Location: 1809-1809 (width: 1; decimal: 0)

Variable Type: numeric

NEWELIGIBLE: HQ4 2,3,5,6 # eligible women in hh

Value	Label	Unweighted Frequency	%
0	-	2326	9.1 %
1	-	19062	74.8 %
2	-	3378	13.3 %
3	-	590	2.3 %
4	-	103	0.4 %
5	-	13	0.1 %
6	-	5	0.0 %
7	-	1	0.0 %
Missing Data			
.	-	1	0.0 %
Total		25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 1.10
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.60

Location: 1810-1810 (width: 1; decimal: 0)

Variable Type: numeric

EWQELIGIBLE: HH4 2,3,5,6 EW q and 15-49 ever married

Value	Label	Unweighted Frequency	%
0	No 0	4235	16.6 %
1	Yes 1	21243	83.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	1	0.0 %
	Total	25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1811-1811 (width: 1; decimal: 0)

Variable Type: numeric

NEWQELIGIBLE: HQ4 2.3,5,6 # EW q of eligible women in hh

Value	Label	Unweighted Frequency	%
0	-	2679	10.5 %
1	-	20040	78.7 %
2	-	2759	10.8 %
	Missing Data		
.	-	1	0.0 %
	Total	25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.46

Location: 1812-1812 (width: 1; decimal: 0)

Variable Type: numeric

NEWPSU: HQ4 2.3,5,6 # eligible women in psu

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
1	-	2	0.0 %
2	-	39	0.2 %
3	-	54	0.2 %
4	-	84	0.3 %
5	-	121	0.5 %
6	-	189	0.7 %
7	-	278	1.1 %
8	-	543	2.1 %

Value	Label	Unweighted Frequency	%
9	-	567	2.2 %
10	-	1002	3.9 %
11	-	1202	4.7 %
12	-	1233	4.8 %
13	-	1373	5.4 %
14	-	1242	4.9 %
15	-	1137	4.5 %
16	-	1445	5.7 %
17	-	1102	4.3 %
18	-	1275	5.0 %
19	-	1120	4.4 %
20	-	1179	4.6 %
21	-	1047	4.1 %
22	-	1015	4.0 %
23	-	1019	4.0 %
24	-	814	3.2 %
25	-	779	3.1 %
26	-	705	2.8 %
27	-	628	2.5 %
28	-	383	1.5 %
29	-	487	1.9 %
30	-	342	1.3 %
31	-	204	0.8 %
32	-	359	1.4 %
33	-	241	0.9 %
34	-	268	1.1 %
35	-	147	0.6 %
36	-	168	0.7 %
37	-	112	0.4 %
38	-	174	0.7 %
39	-	114	0.4 %
40	-	99	0.4 %
41	-	120	0.5 %
42	-	166	0.7 %
43	-	85	0.3 %
44	-	61	0.2 %
45	-	84	0.3 %
46	-	102	0.4 %
47	-	57	0.2 %

Value	Label	Unweighted Frequency	%
48	-	56	0.2 %
49	-	58	0.2 %
	Missing Data		
.	-	1	0.0 %
	Total	25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 20.18
- Median: 18.00
- Mode: 16.00
- Minimum: 0.00
- Maximum: 81.00
- Standard Deviation: 9.83

Location: 1813-1814 (*width:* 2; *decimal:* 0)

Variable Type: numeric

NEWQELIGIBLEPSU: HQ4 2,3,5,6 # eligible EW q in psu

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
1	-	10	0.0 %
2	-	52	0.2 %
3	-	63	0.2 %
4	-	164	0.6 %
5	-	190	0.7 %
6	-	320	1.3 %
7	-	566	2.2 %
8	-	759	3.0 %
9	-	960	3.8 %
10	-	1474	5.8 %
11	-	1683	6.6 %
12	-	1445	5.7 %
13	-	1567	6.2 %
14	-	1362	5.3 %
15	-	1632	6.4 %
16	-	1329	5.2 %
17	-	1362	5.3 %
18	-	1411	5.5 %
19	-	1222	4.8 %

Value	Label	Unweighted Frequency	%
20	-	1102	4.3 %
21	-	886	3.5 %
22	-	804	3.2 %
23	-	692	2.7 %
24	-	603	2.4 %
25	-	478	1.9 %
26	-	244	1.0 %
27	-	330	1.3 %
28	-	347	1.4 %
29	-	388	1.5 %
30	-	281	1.1 %
31	-	244	1.0 %
32	-	124	0.5 %
33	-	124	0.5 %
34	-	95	0.4 %
35	-	120	0.5 %
36	-	97	0.4 %
37	-	144	0.6 %
38	-	76	0.3 %
39	-	31	0.1 %
40	-	111	0.4 %
41	-	32	0.1 %
42	-	89	0.3 %
43	-	141	0.6 %
45	-	38	0.1 %
46	-	48	0.2 %
47	-	69	0.3 %
50	-	59	0.2 %
51	-	31	0.1 %
53	-	31	0.1 %
Missing Data			
.	-	1	0.0 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 17.41
- Median: 16.00

- Mode: 11.00
- Minimum: 0.00
- Maximum: 70.00
- Standard Deviation: 8.39

Location: 1815-1816 (*width:* 2; *decimal:* 0)

Variable Type: numeric

NEWADJQPSU: # of eligible ew qs in psu, wt by within hh coverage

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
1	-	10	0.0 %
2	-	46	0.2 %
3	-	59	0.2 %
4	-	117	0.5 %
5	-	171	0.7 %
6	-	250	1.0 %
7	-	384	1.5 %
8	-	684	2.7 %
9	-	677	2.7 %
10	-	1218	4.8 %
11	-	1325	5.2 %
12	-	1500	5.9 %
13	-	1101	4.3 %
14	-	1303	5.1 %
15	-	1354	5.3 %
16	-	1404	5.5 %
17	-	1181	4.6 %
18	-	1204	4.7 %
19	-	1439	5.6 %
20	-	952	3.7 %
21	-	977	3.8 %
22	-	1076	4.2 %
23	-	1038	4.1 %
24	-	706	2.8 %
25	-	553	2.2 %
26	-	558	2.2 %
27	-	454	1.8 %
28	-	411	1.6 %
29	-	275	1.1 %
30	-	300	1.2 %
31	-	261	1.0 %

Value	Label	Unweighted Frequency	%
32	-	295	1.2 %
33	-	252	1.0 %
34	-	202	0.8 %
35	-	184	0.7 %
36	-	116	0.5 %
37	-	74	0.3 %
38	-	140	0.5 %
39	-	93	0.4 %
40	-	142	0.6 %
41	-	103	0.4 %
42	-	123	0.5 %
43	-	87	0.3 %
44	-	79	0.3 %
45	-	30	0.1 %
46	-	103	0.4 %
47	-	61	0.2 %
48	-	38	0.1 %
49	-	53	0.2 %
Missing Data			
.	-	1	0.0 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 19.17
- Median: 17.00
- Mode: 12.00
- Minimum: 0.00
- Maximum: 77.00
- Standard Deviation: 9.51

Location: 1817-1818 (*width:* 2; *decimal:* 0)

Variable Type: numeric

WTEW2012: Weight for eligible women, IHDS2 (with zero wts)

Value	Label	Unweighted Frequency	%
173.33035278	-	11	0.0 %
281.69775391	-	6	0.0 %
307.88104248	-	11	0.0 %
430.33734131	-	19	0.1 %

Value	Label	Unweighted Frequency	%
446.88879395	-	12	0.0 %
478.11508179	-	11	0.0 %
516.40484619	-	7	0.0 %
519.23907471	-	10	0.0 %
545.59106445	-	88	0.3 %
555.54949951	-	9	0.0 %
566.57531738	-	16	0.1 %
575.90167236	-	9	0.0 %
581.96380615	-	8	0.0 %
584.56182861	-	7	0.0 %
606.21234131	-	6	0.0 %
615.76208496	-	2	0.0 %
623.53265381	-	3	0.0 %
640.58135986	-	8	0.0 %
653.21228027	-	9	0.0 %
654.70928955	-	7	0.0 %
661.49938965	-	12	0.0 %
662.02984619	-	17	0.1 %
666.83349609	-	4	0.0 %
673.25067139	-	15	0.1 %
727.45477295	-	5	0.0 %
750.18768311	-	5	0.0 %
767.65539551	-	16	0.1 %
772.55694580	-	24	0.1 %
775.05523682	-	8	0.0 %
778.30126953	-	21	0.1 %
778.85864258	-	1	0.0 %
780.17370606	-	13	0.1 %
782.11621094	-	10	0.0 %
782.65515137	-	20	0.1 %
796.85839844	-	10	0.0 %
806.32989502	-	22	0.1 %
807.32373047	-	5	0.0 %
818.38659668	-	2	0.0 %
823.13519287	-	13	0.1 %
833.28143311	-	21	0.1 %
836.88385010	-	5	0.0 %
859.83959961	-	8	0.0 %
860.41564941	-	18	0.1 %

Value	Label	Unweighted Frequency	%
875.76348877	-	15	0.1 %
879.40679932	-	7	0.0 %
892.33538818	-	8	0.0 %
893.77758789	-	1	0.0 %
898.69134522	-	24	0.1 %
899.19665527	-	16	0.1 %
906.15228272	-	11	0.0 %
Missing Data			
.	-	4236	16.6 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 21,243 valid cases out of 25,479 total cases.

- Mean: 6878.62679057
- Minimum: 173.33035278
- Maximum: 174590.39062500
- Standard Deviation: 6751.72302016

Location: 1819-1833 (width: 15; decimal: 8)

Variable Type: numeric

AGERANK: HQ4 2.5,6 Rank # of ever married woman within hh

Value	Label	Unweighted Frequency	%
1	-	19165	75.2 %
2	-	5840	22.9 %
3	-	431	1.7 %
4	-	36	0.1 %
5	-	5	0.0 %
8	-	1	0.0 %
Missing Data			
.	-	1	0.0 %
Total		25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 1.27
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 0.49

Location: 1834-1834 (width: 1; decimal: 0)

Variable Type: numeric

SENFEM: HQ4 2.5,6 Senior female

Value	Label	Unweighted Frequency	%
0	No 0	21679	85.1 %
1	Yes 1	3799	14.9 %
	Missing Data		
.	-	1	0.0 %
	Total	25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1835-1835 (width: 1; decimal: 0)

Variable Type: numeric

ONLYFEM: HQ4 2.5,6 Only female

Value	Label	Unweighted Frequency	%
0	No 0	10112	39.7 %
1	Yes 1	15366	60.3 %
	Missing Data		
.	-	1	0.0 %
	Total	25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1836-1836 (width: 1; decimal: 0)

Variable Type: numeric

JUNFEM: HQ4 2.5,6 Junior female

Value	Label	Unweighted Frequency	%
0	No 0	19165	75.2 %
1	Yes 1	6313	24.8 %
	Missing Data		
.	-	1	0.0 %
	Total	25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1837-1837 (width: 1; decimal: 0)

Variable Type: numeric

EWPOSITION: HQ4 2.5,6 age position in hh

Value	Label	Unweighted Frequency	%
1	married only 1	13657	53.6 %
2	married senior 2	3107	12.2 %
3	married junior 3	5554	21.8 %
4	absent sp only/sr 4	745	2.9 %
5	absent sp junior 5	413	1.6 %
6	div/wid only/sr 6	1656	6.5 %
7	div/wid junior 7	346	1.4 %
Missing Data			
.	-	1	0.0 %
Total		25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 1838-1838 (width: 1; decimal: 0)

Variable Type: numeric

ABSENTSEN: HQ4 2.5,6 only/sr female, husb absent

Value	Label	Unweighted Frequency	%
0	No 0	24733	97.1 %
1	Yes 1	745	2.9 %
Missing Data			
.	-	1	0.0 %
Total		25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1839-1839 (width: 1; decimal: 0)

Variable Type: numeric

ABSENTJUN: HQ4 2.5,6 junior female, husb absent

Value	Label	Unweighted Frequency	%
0	No 0	25065	98.4 %
1	Yes 1	413	1.6 %
	Missing Data		
.	-	1	0.0 %
	Total	25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1840-1840 (width: 1; decimal: 0)

Variable Type: numeric

FORMERSEN: HQ4 2.5,6 only/sr female, widow/separated

Value	Label	Unweighted Frequency	%
0	No 0	23822	93.5 %
1	Yes 1	1656	6.5 %
	Missing Data		
.	-	1	0.0 %
	Total	25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1841-1841 (width: 1; decimal: 0)

Variable Type: numeric

FORMERJUN: HQ4 2.5,6 junior female, widow/separated

Value	Label	Unweighted Frequency	%
0	No 0	25132	98.6 %
1	Yes 1	346	1.4 %
	Missing Data		
.	-	1	0.0 %
	Total	25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1842-1842 (width: 1; decimal: 0)

Variable Type: numeric

MARRIEDSEN: HQ4 2.5,6 senior female, husband present

Value	Label	Unweighted Frequency	%
0	No 0	22371	87.8 %
1	Yes 1	3107	12.2 %
	Missing Data		
.	-	1	0.0 %
	Total	25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1843-1843 (width: 1; decimal: 0)

Variable Type: numeric

MARRIEDJUN: HQ4 2.5,6 junior female, husband present

Value	Label	Unweighted Frequency	%
0	No 0	19924	78.2 %
1	Yes 1	5554	21.8 %
	Missing Data		
.	-	1	0.0 %
	Total	25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1844-1844 (width: 1; decimal: 0)

Variable Type: numeric

MARRIEDONLY: HQ4 2.5,6 only married female, husband present

Value	Label	Unweighted Frequency	%
0	No 0	11821	46.4 %
1	Yes 1	13657	53.6 %
	Missing Data		
.	-	1	0.0 %
	Total	25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 1845-1845 (width: 1; decimal: 0)

Variable Type: numeric

FIRSTBIRTH: EH27 19.5 months since first birth

Value	Label	Unweighted Frequency	%
0	-	15	0.1 %
1	-	4	0.0 %
2	-	7	0.0 %
3	-	2	0.0 %
4	-	7	0.0 %
5	-	1	0.0 %
6	-	3	0.0 %
7	-	1	0.0 %
8	-	3	0.0 %
9	-	2	0.0 %
10	-	1	0.0 %
11	-	1	0.0 %
12	-	2	0.0 %
13	-	3	0.0 %
14	-	4	0.0 %
15	-	2	0.0 %
16	-	4	0.0 %
17	-	4	0.0 %
18	-	6	0.0 %
19	-	2	0.0 %
20	-	5	0.0 %
21	-	6	0.0 %
22	-	12	0.0 %
23	-	4	0.0 %
24	-	3	0.0 %
25	-	6	0.0 %
26	-	4	0.0 %
27	-	5	0.0 %
28	-	8	0.0 %
30	-	6	0.0 %
31	-	5	0.0 %
32	-	5	0.0 %
33	-	4	0.0 %
34	-	6	0.0 %
35	-	7	0.0 %

Value	Label	Unweighted Frequency	%
36	-	8	0.0 %
37	-	7	0.0 %
38	-	7	0.0 %
39	-	7	0.0 %
40	-	6	0.0 %
41	-	8	0.0 %
42	-	11	0.0 %
43	-	8	0.0 %
44	-	3	0.0 %
45	-	7	0.0 %
46	-	11	0.0 %
47	-	5	0.0 %
48	-	10	0.0 %
49	-	11	0.0 %
50	-	7	0.0 %
Missing Data			
.	-	1992	7.8 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 23,487 valid cases out of 25,479 total cases.

- Mean: 236.40
- Minimum: 0.00
- Maximum: 678.00
- Standard Deviation: 97.80

Location: 1846-1848 (width: 3; decimal: 0)

Variable Type: numeric

LASTBIRTH: EH27 19.5 months since last birth

Value	Label	Unweighted Frequency	%
0	-	73	0.3 %
1	-	78	0.3 %
2	-	102	0.4 %
3	-	83	0.3 %
4	-	104	0.4 %
5	-	108	0.4 %
6	-	128	0.5 %
7	-	106	0.4 %

Value	Label	Unweighted Frequency	%
8	-	116	0.5 %
9	-	97	0.4 %
10	-	90	0.4 %
11	-	79	0.3 %
12	-	111	0.4 %
13	-	110	0.4 %
14	-	114	0.4 %
15	-	103	0.4 %
16	-	104	0.4 %
17	-	98	0.4 %
18	-	175	0.7 %
19	-	78	0.3 %
20	-	73	0.3 %
21	-	77	0.3 %
22	-	89	0.3 %
23	-	76	0.3 %
24	-	107	0.4 %
25	-	99	0.4 %
26	-	81	0.3 %
27	-	86	0.3 %
28	-	74	0.3 %
29	-	94	0.4 %
30	-	184	0.7 %
31	-	66	0.3 %
32	-	90	0.4 %
33	-	69	0.3 %
34	-	62	0.2 %
35	-	73	0.3 %
36	-	86	0.3 %
37	-	69	0.3 %
38	-	59	0.2 %
39	-	65	0.3 %
40	-	55	0.2 %
41	-	56	0.2 %
42	-	173	0.7 %
43	-	69	0.3 %
44	-	64	0.3 %
45	-	56	0.2 %
46	-	53	0.2 %

Value	Label	Unweighted Frequency	%
47	-	55	0.2 %
48	-	86	0.3 %
49	-	72	0.3 %
	Missing Data		
.	-	1992	7.8 %
	Total	25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 23,487 valid cases out of 25,479 total cases.

- Mean: 143.92
- Minimum: 0.00
- Maximum: 654.00
- Standard Deviation: 91.66

Location: 1849-1851 (width: 3; decimal: 0)

Variable Type: numeric

RO0: HQ4 2.0 Roster ID IHDS2

Value	Label	Unweighted Frequency	%
1	-	2486	9.8 %
2	-	19792	77.7 %
3	-	1135	4.5 %
4	-	1570	6.2 %
5	-	133	0.5 %
6	-	108	0.4 %
7	-	83	0.3 %
8	-	68	0.3 %
9	-	48	0.2 %
10	-	23	0.1 %
11	-	14	0.1 %
12	-	11	0.0 %
13	-	1	0.0 %
14	-	4	0.0 %
17	-	1	0.0 %
27	-	1	0.0 %
	Missing Data		
.	-	1	0.0 %
	Total	25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 2.17
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 27.00
- Standard Deviation: 0.98

Location: 1852-1853 (width: 2; decimal: 0)

Variable Type: numeric

RO1: HQ4 2.1 Roster ID IHDS1

Value	Label	Unweighted Frequency	%
1	-	1122	4.4 %
2	-	18449	72.4 %
3	-	1448	5.7 %
4	-	3277	12.9 %
5	-	270	1.1 %
6	-	218	0.9 %
7	-	186	0.7 %
8	-	203	0.8 %
9	-	133	0.5 %
10	-	63	0.2 %
11	-	29	0.1 %
12	-	29	0.1 %
13	-	16	0.1 %
14	-	9	0.0 %
15	-	6	0.0 %
16	-	7	0.0 %
17	-	4	0.0 %
18	-	1	0.0 %
22	-	3	0.0 %
24	-	1	0.0 %
Missing Data			
.	-	5	0.0 %
Total		25,479	100%

Based upon 25,474 valid cases out of 25,479 total cases.

- Mean: 2.52
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 24.00
- Standard Deviation: 1.41

Location: 1854-1855 (width: 2; decimal: 0)

Variable Type: numeric

RO1ID1993: HH4 2.1 1993 member ID

Value	Label	Unweighted Frequency	%
	Missing Data		
-		25479	100.0 %
	Total	25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 1856-1856 (width: 1; decimal: 0)

Variable Type: numeric

RO3: HQ4 2.3 Sex

Value	Label	Unweighted Frequency	%
1	Male 1	0	0.0 %
2	Female 2	25478	100.0 %
	Missing Data		
-		1	0.0 %
	Total	25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 1857-1857 (width: 1; decimal: 0)

Variable Type: numeric

RO4: HQ4 2.4 Relationship to head

Value	Label	Unweighted Frequency	%
1	Head 1	2505	9.8 %
2	Wife 2	19538	76.7 %
3	Daughter 3	193	0.8 %
4	Daughter-in-law 4	2795	11.0 %
5	Grandchild 5	0	0.0 %
6	Mother 6	195	0.8 %
7	Sister 7	38	0.1 %
8	Mother-in-law 8	10	0.0 %
9	Niece 9	0	0.0 %
10	Sister in law 10	163	0.6 %
11	Other relatives 11	40	0.2 %
12	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	1	0.0 %
	Total	25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 12.00

Location: 1858-1859 (width: 2; decimal: 0)

Variable Type: numeric

RO5: HQ4 2.5 Age

Value	Label	Unweighted Frequency	%
20	-	3	0.0 %
21	-	13	0.1 %
22	-	25	0.1 %
23	-	55	0.2 %
24	-	107	0.4 %
25	-	293	1.1 %
26	-	332	1.3 %
27	-	463	1.8 %
28	-	710	2.8 %
29	-	489	1.9 %
30	-	1163	4.6 %
31	-	509	2.0 %
32	-	1117	4.4 %
33	-	611	2.4 %
34	-	657	2.6 %
35	-	1477	5.8 %
36	-	925	3.6 %
37	-	866	3.4 %
38	-	1120	4.4 %
39	-	666	2.6 %
40	-	1685	6.6 %
41	-	566	2.2 %
42	-	1375	5.4 %
43	-	764	3.0 %
44	-	582	2.3 %
45	-	1705	6.7 %
46	-	724	2.8 %

Value	Label	Unweighted Frequency	%
47	-	772	3.0 %
48	-	963	3.8 %
49	-	506	2.0 %
50	-	1128	4.4 %
51	-	373	1.5 %
52	-	720	2.8 %
53	-	345	1.4 %
54	-	297	1.2 %
55	-	697	2.7 %
56	-	188	0.7 %
57	-	87	0.3 %
58	-	115	0.5 %
59	-	29	0.1 %
60	-	160	0.6 %
61	-	7	0.0 %
62	-	33	0.1 %
63	-	5	0.0 %
64	-	8	0.0 %
65	-	25	0.1 %
66	-	2	0.0 %
67	-	3	0.0 %
68	-	3	0.0 %
69	-	1	0.0 %
Missing Data			
.	-	1	0.0 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 40.47
- Median: 40.00
- Mode: 45.00
- Minimum: 20.00
- Maximum: 78.00
- Standard Deviation: 8.36

Location: 1860-1861 (*width:* 2; *decimal:* 0)

Variable Type: numeric

RO6: HQ4 2.6 Marital Status

Value	Label	Unweighted Frequency	%
0	Sp absent 0	1158	4.5 %
1	Married 1	22318	87.6 %
2	Unmarried 2	0	0.0 %
3	Widowed 3	1837	7.2 %
4	Sep/Div 4	165	0.6 %
5	No gauna 5	0	0.0 %
Missing Data			
.	-	1	0.0 %
Total		25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 1862-1862 (width: 1; decimal: 0)

Variable Type: numeric

RO8: HQ4 2.8 Spouse's ID

Value	Label	Unweighted Frequency	%
1	-	19537	76.7 %
2	-	859	3.4 %
3	-	1524	6.0 %
4	-	110	0.4 %
5	-	85	0.3 %
6	-	59	0.2 %
7	-	56	0.2 %
8	-	44	0.2 %
9	-	19	0.1 %
10	-	8	0.0 %
11	-	10	0.0 %
12	-	1	0.0 %
13	-	4	0.0 %
14	-	1	0.0 %
26	-	1	0.0 %
50	-	1140	4.5 %
51	-	26	0.1 %
52	-	5	0.0 %
53	-	1	0.0 %
54	-	1	0.0 %
69	Other nonres 69	150	0.6 %

Value	Label	Unweighted Frequency	%
75	Died 75	1837	7.2 %
	Missing Data		
-	-	1	0.0 %
	Total	25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 9.23
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 75.00
- Standard Deviation: 21.58

Location: 1863-1864 (width: 2; decimal: 0)

Variable Type: numeric

AP1Y: EQ36 25.3 Anthropometry data

Value	Label	Unweighted Frequency	%
0	-	467	1.8 %
1	-	25011	98.2 %
	Missing Data		
-	-	1	0.0 %
	Total	25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 0.98
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.13

Location: 1865-1865 (width: 1; decimal: 0)

Variable Type: numeric

AP3: EQ36 25.3 Anthropometry Birth ID [IHDS2]

Value	Label	Unweighted Frequency	%
1	-	4	0.0 %
5	-	1	0.0 %
	Missing Data		
-	-	25474	100.0 %
	Total	25,479	100%

Based upon 5 valid cases out of 25,479 total cases.

- Mean: 1.80
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.79

Location: 1866-1866 (width: 1; decimal: 0)

Variable Type: numeric

AP5: EQ36 25.5 Anthropometry Height 1st

Value	Label	Unweighted Frequency	%
37.000000000000	-	1	0.0 %
40.000000000000	-	1	0.0 %
41.40000152588	-	1	0.0 %
45.000000000000	-	1	0.0 %
45.500000000000	-	2	0.0 %
48.000000000000	-	1	0.0 %
49.500000000000	-	1	0.0 %
50.000000000000	-	1	0.0 %
50.09999847413	-	1	0.0 %
50.20000076294	-	1	0.0 %
51.59999847413	-	1	0.0 %
52.000000000000	-	3	0.0 %
54.000000000000	-	2	0.0 %
54.40000152588	-	1	0.0 %
54.70000076294	-	1	0.0 %
55.000000000000	-	1	0.0 %
55.29999923707	-	1	0.0 %
56.000000000000	-	2	0.0 %
56.20000076294	-	1	0.0 %
56.500000000000	-	1	0.0 %
56.59999847413	-	1	0.0 %
57.500000000000	-	1	0.0 %
58.000000000000	-	1	0.0 %
59.000000000000	-	3	0.0 %
59.20000076294	-	1	0.0 %
60.000000000000	-	1	0.0 %
60.20000076294	-	1	0.0 %
60.29999923707	-	1	0.0 %
60.500000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
61.000000000000	-	1	0.0 %
61.09999847413	-	1	0.0 %
61.70000076294	-	1	0.0 %
62.000000000000	-	1	0.0 %
63.000000000000	-	1	0.0 %
65.000000000000	-	1	0.0 %
67.500000000000	-	1	0.0 %
68.19999694825	-	1	0.0 %
70.500000000000	-	1	0.0 %
72.500000000000	-	1	0.0 %
77.000000000000	-	1	0.0 %
90.59999847413	-	1	0.0 %
90.80000305176	-	1	0.0 %
90.90000152588	-	1	0.0 %
94.40000152588	-	1	0.0 %
100.90000152588	-	1	0.0 %
102.19999694825	-	1	0.0 %
103.19999694825	-	1	0.0 %
105.000000000000	-	1	0.0 %
109.40000152588	-	1	0.0 %
110.500000000000	-	1	0.0 %
	Missing Data		
.	-	504	2.0 %
	Total	25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 24,975 valid cases out of 25,479 total cases.

- Mean: 151.74608634269
- Minimum: 37.000000000000
- Maximum: 199.500000000000
- Standard Deviation: 8.00454237521

Location: 1867-1881 (width: 15; decimal: 11)

Variable Type: numeric

AP6: EQ36 25.6 Anthropometry Height 2nd [IHDS2]

Value	Label	Unweighted Frequency	%
38.000000000000	-	1	0.0 %
40.000000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
41.40000152588	-	1	0.0 %
45.00000000000	-	1	0.0 %
45.50000000000	-	2	0.0 %
48.29999923707	-	1	0.0 %
49.50000000000	-	1	0.0 %
50.00000000000	-	1	0.0 %
50.09999847413	-	1	0.0 %
50.20000076294	-	1	0.0 %
51.59999847413	-	1	0.0 %
52.00000000000	-	2	0.0 %
52.09999847413	-	1	0.0 %
54.00000000000	-	2	0.0 %
54.20000076294	-	1	0.0 %
54.79999923707	-	1	0.0 %
55.00000000000	-	1	0.0 %
55.29999923707	-	1	0.0 %
56.00000000000	-	2	0.0 %
56.20000076294	-	1	0.0 %
56.50000000000	-	2	0.0 %
57.50000000000	-	1	0.0 %
58.00000000000	-	1	0.0 %
59.00000000000	-	2	0.0 %
59.09999847413	-	1	0.0 %
59.29999923707	-	1	0.0 %
60.00000000000	-	1	0.0 %
60.20000076294	-	1	0.0 %
60.29999923707	-	1	0.0 %
60.50000000000	-	1	0.0 %
61.00000000000	-	1	0.0 %
61.09999847413	-	1	0.0 %
61.79999923707	-	1	0.0 %
62.00000000000	-	1	0.0 %
63.00000000000	-	1	0.0 %
65.00000000000	-	1	0.0 %
67.50000000000	-	1	0.0 %
68.19999694825	-	1	0.0 %
70.50000000000	-	1	0.0 %
72.50000000000	-	1	0.0 %
77.00000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
90.59999847413	-	1	0.0 %
90.80000305176	-	1	0.0 %
90.90000152588	-	1	0.0 %
94.40000152588	-	1	0.0 %
100.90000152588	-	1	0.0 %
102.19999694825	-	1	0.0 %
103.19999694825	-	1	0.0 %
105.000000000000	-	1	0.0 %
109.500000000000	-	1	0.0 %
	Missing Data		
.	-	504	2.0 %
	Total	25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 24,975 valid cases out of 25,479 total cases.

- Mean: 151.76272697288
- Minimum: 38.00000000000
- Maximum: 199.50000000000
- Standard Deviation: 8.00125017827

Location: 1882-1896 (width: 15; decimal: 11)

Variable Type: numeric

AP7: EQ36 25.7 Anthropometry Position

Value	Label	Unweighted Frequency	%
1	Lying 1	196	0.8 %
2	Standing 2	24803	97.3 %
	Missing Data		
.	-	480	1.9 %
	Total	25,479	100%

Based upon 24,999 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1897-1897 (width: 1; decimal: 0)

Variable Type: numeric

AP8: EQ36 25.8 Anthropometry Weight 1st

Value	Label	Unweighted Frequency	%
2.000000000000	-	1	0.0 %
3.29999995232	-	1	0.0 %
5.000000000000	-	1	0.0 %
6.90000009537	-	1	0.0 %
7.09999990464	-	1	0.0 %
7.40000009537	-	1	0.0 %
9.30000019074	-	2	0.0 %
10.000000000000	-	1	0.0 %
11.89999961854	-	1	0.0 %
14.000000000000	-	1	0.0 %
15.19999980927	-	1	0.0 %
16.000000000000	-	1	0.0 %
18.29999923707	-	1	0.0 %
18.39999961854	-	1	0.0 %
19.89999961854	-	1	0.0 %
20.29999923707	-	1	0.0 %
20.39999961854	-	1	0.0 %
21.10000038147	-	2	0.0 %
21.500000000000	-	1	0.0 %
21.60000038147	-	1	0.0 %
22.10000038147	-	1	0.0 %
22.20000076294	-	1	0.0 %
22.29999923707	-	1	0.0 %
23.89999961854	-	1	0.0 %
24.29999923707	-	1	0.0 %
24.39999961854	-	1	0.0 %
24.60000038147	-	1	0.0 %
24.79999923707	-	1	0.0 %
25.000000000000	-	1	0.0 %
25.70000076294	-	1	0.0 %
25.89999961854	-	1	0.0 %
26.000000000000	-	1	0.0 %
26.39999961854	-	3	0.0 %
26.79999923707	-	1	0.0 %
26.89999961854	-	2	0.0 %
27.000000000000	-	2	0.0 %
27.29999923707	-	1	0.0 %
27.500000000000	-	3	0.0 %
27.60000038147	-	1	0.0 %

Value	Label	Unweighted Frequency	%
27.70000076294	-	1	0.0 %
28.00000000000	-	1	0.0 %
28.10000038147	-	2	0.0 %
28.20000076294	-	2	0.0 %
28.29999923707	-	3	0.0 %
28.39999961854	-	1	0.0 %
28.50000000000	-	3	0.0 %
28.60000038147	-	2	0.0 %
28.70000076294	-	3	0.0 %
28.79999923707	-	1	0.0 %
28.89999961854	-	2	0.0 %
Missing Data			
.	-	480	1.9 %
	Total	25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 24,999 valid cases out of 25,479 total cases.

- Mean: 52.17460695850
- Minimum: 2.00000000000
- Maximum: 150.00000000000
- Standard Deviation: 11.52771481672

Location: 1898-1912 (*width:* 15; *decimal:* 11)

Variable Type: numeric

AP9: EQ36 25.9 Anthropometry Weight 2nd

Value	Label	Unweighted Frequency	%
2.00000000000	-	1	0.0 %
3.2999995232	-	1	0.0 %
5.00000000000	-	1	0.0 %
6.90000009537	-	1	0.0 %
7.0999990464	-	1	0.0 %
7.69999980927	-	1	0.0 %
9.30000019074	-	2	0.0 %
10.00000000000	-	1	0.0 %
11.89999961854	-	1	0.0 %
14.00000000000	-	1	0.0 %
15.19999980927	-	1	0.0 %
16.00000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
18.20000076294	-	1	0.0 %
18.39999961854	-	1	0.0 %
19.89999961854	-	1	0.0 %
20.29999923707	-	1	0.0 %
21.000000000000	-	1	0.0 %
21.10000038147	-	1	0.0 %
21.500000000000	-	1	0.0 %
21.60000038147	-	1	0.0 %
22.10000038147	-	1	0.0 %
22.20000076294	-	1	0.0 %
22.29999923707	-	1	0.0 %
23.89999961854	-	1	0.0 %
24.000000000000	-	1	0.0 %
24.39999961854	-	1	0.0 %
24.60000038147	-	1	0.0 %
24.79999923707	-	1	0.0 %
25.000000000000	-	1	0.0 %
25.70000076294	-	1	0.0 %
26.000000000000	-	2	0.0 %
26.39999961854	-	2	0.0 %
26.60000038147	-	1	0.0 %
26.79999923707	-	1	0.0 %
26.89999961854	-	2	0.0 %
27.000000000000	-	2	0.0 %
27.29999923707	-	1	0.0 %
27.500000000000	-	3	0.0 %
27.60000038147	-	1	0.0 %
27.70000076294	-	1	0.0 %
28.000000000000	-	1	0.0 %
28.10000038147	-	2	0.0 %
28.20000076294	-	3	0.0 %
28.29999923707	-	3	0.0 %
28.39999961854	-	1	0.0 %
28.500000000000	-	2	0.0 %
28.60000038147	-	2	0.0 %
28.70000076294	-	1	0.0 %
28.79999923707	-	4	0.0 %
28.89999961854	-	2	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-	-	480	1.9 %
	Total	25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 24,999 valid cases out of 25,479 total cases.

- Mean: 52.18298729343
- Minimum: 2.00000000000
- Maximum: 150.00000000000
- Standard Deviation: 11.52652128323

Location: 1913-1927 (width: 15; decimal: 11)

Variable Type: numeric

HAZ: Height for age zscore from zanthro(US) months>=24

Value	Label	Unweighted Frequency	%
-5.990756034851	-	4	0.0 %
-5.915774822235	-	1	0.0 %
-5.840760707855	-	4	0.0 %
-5.773221015930	-	1	0.0 %
-5.750701427460	-	1	0.0 %
-5.690635681152	-	2	0.0 %
-5.540381431580	-	3	0.0 %
-5.510315895081	-	1	0.0 %
-5.472725868225	-	1	0.0 %
-5.465206623077	-	1	0.0 %
-5.389999866486	-	1	0.0 %
-5.314761161804	-	1	0.0 %
-5.239490985870	-	3	0.0 %
-5.209374427795	-	2	0.0 %
-5.164189338684	-	1	0.0 %
-5.134060382843	-	1	0.0 %
-5.088856220245	-	9	0.0 %
-5.081320762634	-	2	0.0 %
-5.066250801086	-	1	0.0 %
-5.058714389801	-	1	0.0 %
-5.028567790985	-	1	0.0 %
-5.013491630554	-	7	0.0 %
-4.998414039612	-	7	0.0 %

Value	Label	Unweighted Frequency	%
-4.990877151489	-	2	0.0 %
-4.983337402344	-	4	0.0 %
-4.968257427216	-	8	0.0 %
-4.960716724396	-	1	0.0 %
-4.953178405762	-	12	0.0 %
-4.938096046448	-	4	0.0 %
-4.923012256622	-	1	0.0 %
-4.877758026123	-	1	0.0 %
-4.862668991089	-	1	0.0 %
-4.809851169586	-	1	0.0 %
-4.787211418152	-	8	0.0 %
-4.779663562775	-	1	0.0 %
-4.764568805695	-	1	0.0 %
-4.757019996643	-	2	0.0 %
-4.741921424866	-	1	0.0 %
-4.711722850800	-	4	0.0 %
-4.704171657562	-	1	0.0 %
-4.666414260864	-	1	0.0 %
-4.636203289032	-	2	0.0 %
-4.621094703674	-	2	0.0 %
-4.560653209686	-	2	0.0 %
-4.553098201752	-	1	0.0 %
-4.530425071716	-	1	0.0 %
-4.522866725922	-	1	0.0 %
-4.485072135925	-	9	0.0 %
-4.469951629639	-	1	0.0 %
-4.454832077026	-	2	0.0 %
Missing Data			
.	-	586	2.3 %
	Total	25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 24,893 valid cases out of 25,479 total cases.

- Mean: -1.744283215465
- Minimum: -5.990756034851
- Maximum: 5.648394584656
- Standard Deviation: 1.024784480573

Location: 1928-1942 (width: 15; decimal: 12)

Variable Type: numeric

HAZFLAG: Height for age zscore out of bounds

Value	Label	Unweighted Frequency	%
0	-	24893	97.7 %
1	-	81	0.3 %
	Missing Data		
.	-	505	2.0 %
	Total	25,479	100%

Based upon 24,974 valid cases out of 25,479 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.06

Location: 1943-1943 (width: 1; decimal: 0)

Variable Type: numeric

LAZ: Length for age zscore from zanthro(US) months<=36

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	25479	100.0 %
	Total	25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 1944-1944 (width: 1; decimal: 0)

Variable Type: numeric

LAZFLAG: Length for age zscore out of bounds

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
	Missing Data		
.	-	25478	100.0 %
	Total	25,479	100%

Based upon 1 valid cases out of 25,479 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00

- Maximum: 1.00
- Standard Deviation: 0.00

Location: 1945-1945 (width: 1; decimal: 0)

Variable Type: numeric

WAZ: Weight for age zscore from zanthro(US)

Value	Label	Unweighted Frequency	%
-5.984291076660	-	8	0.0 %
-5.960588932037	-	3	0.0 %
-5.936980247498	-	5	0.0 %
-5.890041351318	-	10	0.0 %
-5.890040397644	-	1	0.0 %
-5.843470573425	-	14	0.1 %
-5.820322513580	-	2	0.0 %
-5.797265052795	-	10	0.0 %
-5.774295806885	-	1	0.0 %
-5.751418113708	-	13	0.1 %
-5.728629112244	-	1	0.0 %
-5.705929279327	-	8	0.0 %
-5.705927371979	-	2	0.0 %
-5.683317184448	-	1	0.0 %
-5.660791397095	-	9	0.0 %
-5.638354301453	-	1	0.0 %
-5.616003990173	-	18	0.1 %
-5.593739986420	-	2	0.0 %
-5.571561813354	-	13	0.1 %
-5.549467086792	-	1	0.0 %
-5.527461051941	-	1	0.0 %
-5.527459144592	-	6	0.0 %
-5.505535602570	-	2	0.0 %
-5.483695983887	-	12	0.0 %
-5.461939811707	-	1	0.0 %
-5.440264701843	-	17	0.1 %
-5.418675899506	-	1	0.0 %
-5.418674468994	-	1	0.0 %
-5.397166252136	-	13	0.1 %
-5.375739574432	-	5	0.0 %
-5.375738143921	-	1	0.0 %
-5.354394435883	-	11	0.0 %
-5.333128452301	-	2	0.0 %

Value	Label	Unweighted Frequency	%
-5.311944484711	-	16	0.1 %
-5.269816398621	-	10	0.0 %
-5.248871326447	-	1	0.0 %
-5.228003501892	-	15	0.1 %
-5.207215785980	-	2	0.0 %
-5.186505794525	-	8	0.0 %
-5.165873527527	-	2	0.0 %
-5.145318031311	-	17	0.1 %
-5.124838352203	-	4	0.0 %
-5.104437351227	-	1	0.0 %
-5.104435920715	-	16	0.1 %
-5.084109783173	-	1	0.0 %
-5.063858985901	-	16	0.1 %
-5.043683528900	-	5	0.0 %
-5.023581027985	-	13	0.1 %
-5.003554821014	-	3	0.0 %
-4.983602046967	-	24	0.1 %
Missing Data			
.	-	722	2.8 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 24,757 valid cases out of 25,479 total cases.

- Mean: -1.074974668381
- Minimum: -5.984291076660
- Maximum: 3.018458604813
- Standard Deviation: 1.541722564441

Location: 1946-1960 (*width:* 15; *decimal:* 12)

Variable Type: numeric

WAZFLAG: Weight for age zscore out of bounds

Value	Label	Unweighted Frequency	%
0	-	24757	97.2 %
1	-	242	0.9 %
Missing Data			
.	-	480	1.9 %
Total		25,479	100%

Based upon 24,999 valid cases out of 25,479 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Location: 1961-1961 (width: 1; decimal: 0)

Variable Type: numeric

WHZ: Weight for height zscore from zanthro(US)

Value	Label	Unweighted Frequency	%
-2.183432102203	-	1	0.0 %
-2.125210762024	-	1	0.0 %
-1.033201098442	-	1	0.0 %
0.054320804775	-	1	0.0 %
1.216039776802	-	1	0.0 %
2.308288574219	-	1	0.0 %
2.649771690369	-	1	0.0 %
2.663913726807	-	1	0.0 %
2.882117033005	-	1	0.0 %
2.955819129944	-	1	0.0 %
3.202720165253	-	1	0.0 %
3.270397186279	-	1	0.0 %
3.342792749405	-	1	0.0 %
3.353401660919	-	1	0.0 %
3.363931179047	-	1	0.0 %
3.382713556290	-	1	0.0 %
3.426955223083	-	1	0.0 %
3.430101871490	-	1	0.0 %
3.433887958527	-	1	0.0 %
3.492317676544	-	1	0.0 %
3.500377416611	-	1	0.0 %
3.568895101547	-	1	0.0 %
3.952861547470	-	1	0.0 %
5.592836380005	-	1	0.0 %
	Missing Data		
.	-	25455	99.9 %
	Total	25,479	100%

Based upon 24 valid cases out of 25,479 total cases.

- Mean: 2.487609018572
- Median: 3.306594967842
- Minimum: -2.183432102203
- Maximum: 5.592836380005
- Standard Deviation: 1.926125500533

Location: 1962-1976 (width: 15; decimal: 12)

Variable Type: numeric

WHZFLAG: Weight for height zscore out of bounds

Value	Label	Unweighted Frequency	%
0	-	24	0.1 %
1	-	3	0.0 %
	Missing Data		
.	-	25452	99.9 %
	Total	25,479	100%

Based upon 27 valid cases out of 25,479 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

Location: 1977-1977 (width: 1; decimal: 0)

Variable Type: numeric

BMI: BMI from zanthro(US)

Based upon 24,892 valid cases out of 25,479 total cases.

- Mean: 22.95804670998
- Minimum: 13.32379913331
- Maximum: 887.500000000000
- Standard Deviation: 12.20399609298

Location: 1978-1992 (width: 15; decimal: 11)

Variable Type: numeric

BAZ: BMI for age zscore from zanthro(US) months>=24

Based upon 24,891 valid cases out of 25,479 total cases.

- Mean: -0.142052015737
- Minimum: -5.977853775024
- Maximum: 2.787230253220
- Standard Deviation: 1.314630265310

Location: 1993-2007 (width: 15; decimal: 12)

Variable Type: numeric

BAZFLAG: BMI for age zscore out of bounds

Value	Label	Unweighted Frequency	%
0	-	24891	97.7 %
1	-	71	0.3 %
	Missing Data		
.	-	517	2.0 %
	Total	25,479	100%

Based upon 24,962 valid cases out of 25,479 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.05

Location: 2008-2008 (width: 1; decimal: 0)

Variable Type: numeric

AGE: Age in months estimate

Value	Label	Unweighted Frequency	%
6	-	1	0.0 %
123	-	1	0.0 %
246	-	3	0.0 %
258	-	13	0.1 %
267	-	1	0.0 %
270	-	24	0.1 %
282	-	55	0.2 %
294	-	107	0.4 %
306	-	293	1.1 %
318	-	332	1.3 %
330	-	463	1.8 %
342	-	710	2.8 %
354	-	488	1.9 %
366	-	1163	4.6 %
378	-	509	2.0 %
390	-	1117	4.4 %
402	-	611	2.4 %
414	-	657	2.6 %
426	-	1477	5.8 %
438	-	925	3.6 %

Value	Label	Unweighted Frequency	%
450	-	866	3.4 %
462	-	1120	4.4 %
474	-	666	2.6 %
486	-	1685	6.6 %
498	-	566	2.2 %
510	-	1375	5.4 %
522	-	764	3.0 %
534	-	582	2.3 %
546	-	1704	6.7 %
558	-	724	2.8 %
570	-	772	3.0 %
582	-	963	3.8 %
594	-	506	2.0 %
606	-	1128	4.4 %
618	-	373	1.5 %
630	-	720	2.8 %
642	-	345	1.4 %
654	-	297	1.2 %
666	-	697	2.7 %
678	-	188	0.7 %
690	-	87	0.3 %
702	-	115	0.5 %
714	-	29	0.1 %
726	-	160	0.6 %
738	-	7	0.0 %
750	-	33	0.1 %
762	-	5	0.0 %
774	-	8	0.0 %
786	-	25	0.1 %
798	-	2	0.0 %
Missing Data			
.	-	1	0.0 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 491.58
- Median: 486.00

- Mode: 546.00
- Minimum: 6.00
- Maximum: 942.00
- Standard Deviation: 100.35

Location: 2009-2011 (width: 3; decimal: 0)

Variable Type: numeric

AGEFROM: Age estimate from birth history or roster

Value	Label	Unweighted Frequency	%
-1	bhdate>intvw -1	0	0.0 %
1	bh: date 1	2	0.0 %
2	bh: age 2	2	0.0 %
3	ro5 3	25474	100.0 %
Missing Data			
.	-	1	0.0 %
Total		25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 2012-2013 (width: 2; decimal: 0)

Variable Type: numeric

EWELIGIBLE: HH4 2,3,5,6 Woman 15-49 ever married

Value	Label	Unweighted Frequency	%
0	No 0	4235	16.6 %
1	Yes 1	21243	83.4 %
Missing Data			
.	-	1	0.0 %
Total		25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2014-2014 (width: 1; decimal: 0)

Variable Type: numeric

WKANY: HQ work participation (farm, business, wage|salary)

Value	Label	Unweighted Frequency	%
0	none 0	11126	43.7 %

Value	Label	Unweighted Frequency	%
1	missing hours 1	108	0.4 %
2	<240hrs 2	1919	7.5 %
3	parttime 3	9831	38.6 %
4	ft yr 4	2494	9.8 %
	Missing Data		
.	-	1	0.0 %
	Total	25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 2015-2015 (width: 1; decimal: 0)

Variable Type: numeric

WKANYPLUS: HQ work participation (farm business w/s animal)

Value	Label	Unweighted Frequency	%
0	none 0	8726	34.2 %
1	missing hours 1	80	0.3 %
2	<240hrs 2	1504	5.9 %
3	parttime 3	12674	49.7 %
4	ft yr 4	2494	9.8 %
	Missing Data		
.	-	1	0.0 %
	Total	25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 2016-2016 (width: 1; decimal: 0)

Variable Type: numeric

WKANIMAL: HQ11 an5+ work participation animals

Value	Label	Unweighted Frequency	%
0	none 0	15577	61.1 %
1	missing hours 1	14	0.1 %
2	<240hrs 2	2535	9.9 %
3	parttime 3	7352	28.9 %
4	ft yr 4	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	1	0.0 %
	Total	25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 2017-2017 (width: 1; decimal: 0)

Variable Type: numeric

WKBUSINESS: HQ14-16 nf12+ work participation business

Value	Label	Unweighted Frequency	%
0	none 0	23891	93.8 %
1	missing hours 1	68	0.3 %
2	<240hrs 2	200	0.8 %
3	parttime 3	1046	4.1 %
4	ft yr 4	273	1.1 %
	Missing Data		
.	-	1	0.0 %
	Total	25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 2018-2018 (width: 1; decimal: 0)

Variable Type: numeric

WKAGLAB: HQ13 7.3 Farm wage labour (5cat)

Value	Label	Unweighted Frequency	%
0	none 0	21145	83.0 %
1	missing hours 1	4	0.0 %
2	<240hrs 2	429	1.7 %
3	parttime 3	3590	14.1 %
4	ft yr 4	310	1.2 %
	Missing Data		
.	-	1	0.0 %
	Total	25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 2019-2019 (width: 1; decimal: 0)

Variable Type: numeric

WKFARM: HQ14-16 fm12+ work participation farm

Value	Label	Unweighted Frequency	%
0	none 0	17042	66.9 %
1	missing hours 1	67	0.3 %
2	<240hrs 2	2567	10.1 %
3	parttime 3	5580	21.9 %
4	ft yr 4	222	0.9 %
Missing Data			
.	-	1	0.0 %
Total		25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 2020-2020 (width: 1; decimal: 0)

Variable Type: numeric

WKNONAG: HQ13 7.3 Nonag wage labour (5cat)

Value	Label	Unweighted Frequency	%
0	none 0	21934	86.1 %
1	missing hours 1	2	0.0 %
2	<240hrs 2	1163	4.6 %
3	parttime 3	2133	8.4 %
4	ft yr 4	246	1.0 %
Missing Data			
.	-	1	0.0 %
Total		25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 2021-2021 (width: 1; decimal: 0)

Variable Type: numeric

WKNONNREGA: HQ13 7.3 Nonnrega wage labour (5cat) [IHDS2]

Value	Label	Unweighted Frequency	%
0	none 0	24110	94.6 %
1	missing hours 1	0	0.0 %
2	<240hrs 2	91	0.4 %
3	parttime 3	1045	4.1 %
4	ft yr 4	232	0.9 %
Missing Data			
.	-	1	0.0 %
Total		25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 2022-2022 (width: 1; decimal: 0)

Variable Type: numeric

WKSALARY: HQ13 7.3 Salary position (5cat)

Value	Label	Unweighted Frequency	%
0	none 0	23785	93.4 %
1	missing hours 1	4	0.0 %
2	<240hrs 2	31	0.1 %
3	parttime 3	761	3.0 %
4	ft yr 4	897	3.5 %
Missing Data			
.	-	1	0.0 %
Total		25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 2023-2023 (width: 1; decimal: 0)

Variable Type: numeric

WKNREGA: HQ13 7.3 NREGA work (5cat) [IHDS2]

Value	Label	Unweighted Frequency	%
0	none 0	23098	90.7 %
1	missing hours 1	2	0.0 %
2	<240hrs 2	1166	4.6 %
3	parttime 3	1212	4.8 %

Value	Label	Unweighted Frequency	%
4	ft yr 4	0	0.0 %
	Missing Data		
.	-	1	0.0 %
	Total	25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 2024-2024 (width: 1; decimal: 0)

Variable Type: numeric

AN7Y: HQ11 6.7 Animal care: is decision maker

Value	Label	Unweighted Frequency	%
0	No 0	5996	23.5 %
1	Yes 1	5718	22.4 %
	Missing Data		
.	-	13765	54.0 %
	Total	25,479	100%

Based upon 11,714 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2025-2025 (width: 1; decimal: 0)

Variable Type: numeric

NF15Y: HQ14 8.15 Busns1: is decision maker [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	5211	20.5 %
1	Yes 1	521	2.0 %
	Missing Data		
.	-	19747	77.5 %
	Total	25,479	100%

Based upon 5,732 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2026-2026 (width: 1; decimal: 0)

Variable Type: numeric

NF35Y: HQ15 8.35 Business #2: is decision maker [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	521	2.0 %
1	Yes 1	106	0.4 %
	Missing Data		
.	-	24852	97.5 %
	Total	25,479	100%

Based upon 627 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2027-2027 (width: 1; decimal: 0)

Variable Type: numeric

NF55Y: HQ15 8.55 Business #2: is decision maker [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	57	0.2 %
1	Yes 1	8	0.0 %
	Missing Data		
.	-	25414	99.7 %
	Total	25,479	100%

Based upon 65 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2028-2028 (width: 1; decimal: 0)

Variable Type: numeric

WKHOURS: HQ work hours /year (farm, business, wage|salary)

Value	Label	Unweighted Frequency	%
2	-	1	0.0 %
3	-	1	0.0 %
4	-	2	0.0 %
5	-	4	0.0 %
7	-	1	0.0 %
8	-	3	0.0 %
9	-	1	0.0 %
10	-	13	0.1 %
12	-	5	0.0 %

Value	Label	Unweighted Frequency	%
14	-	1	0.0 %
15	-	6	0.0 %
16	-	3	0.0 %
18	-	2	0.0 %
20	-	41	0.2 %
24	-	4	0.0 %
25	-	5	0.0 %
30	-	57	0.2 %
32	-	6	0.0 %
34	-	1	0.0 %
35	-	7	0.0 %
36	-	3	0.0 %
38	-	2	0.0 %
40	-	49	0.2 %
42	-	3	0.0 %
44	-	2	0.0 %
45	-	13	0.1 %
48	-	4	0.0 %
50	-	63	0.2 %
52	-	1	0.0 %
56	-	10	0.0 %
57	-	1	0.0 %
60	-	138	0.5 %
64	-	9	0.0 %
65	-	1	0.0 %
69	-	1	0.0 %
70	-	6	0.0 %
72	-	7	0.0 %
75	-	18	0.1 %
76	-	1	0.0 %
80	-	91	0.4 %
84	-	1	0.0 %
88	-	4	0.0 %
90	-	71	0.3 %
96	-	10	0.0 %
100	-	145	0.6 %
104	-	3	0.0 %
105	-	8	0.0 %
106	-	1	0.0 %

Value	Label	Unweighted Frequency	%
108	-	1	0.0 %
110	-	1	0.0 %
	Missing Data		
.	-	11235	44.1 %
	Total	25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 14,244 valid cases out of 25,479 total cases.

- Mean: 1133.43
- Minimum: 2.00
- Maximum: 4000.00
- Standard Deviation: 848.98

Location: 2029-2032 (width: 4; decimal: 0)

Variable Type: numeric

NFHOURS: HQ14-16 nf12+ hours per year all businesses

Value	Label	Unweighted Frequency	%
3	-	1	0.0 %
10	-	2	0.0 %
15	-	1	0.0 %
18	-	1	0.0 %
20	-	4	0.0 %
30	-	1	0.0 %
40	-	6	0.0 %
50	-	9	0.0 %
60	-	14	0.1 %
75	-	1	0.0 %
80	-	8	0.0 %
90	-	8	0.0 %
96	-	1	0.0 %
100	-	18	0.1 %
102	-	1	0.0 %
118	-	1	0.0 %
120	-	22	0.1 %
140	-	1	0.0 %
144	-	2	0.0 %
150	-	17	0.1 %
160	-	5	0.0 %

Value	Label	Unweighted Frequency	%
170	-	1	0.0 %
180	-	26	0.1 %
190	-	1	0.0 %
200	-	44	0.2 %
210	-	3	0.0 %
230	-	1	0.0 %
240	-	20	0.1 %
249	-	1	0.0 %
250	-	2	0.0 %
260	-	2	0.0 %
270	-	8	0.0 %
280	-	5	0.0 %
288	-	1	0.0 %
290	-	1	0.0 %
295	-	1	0.0 %
300	-	46	0.2 %
314	-	1	0.0 %
315	-	2	0.0 %
320	-	3	0.0 %
330	-	1	0.0 %
340	-	1	0.0 %
350	-	2	0.0 %
351	-	1	0.0 %
358	-	1	0.0 %
360	-	31	0.1 %
365	-	3	0.0 %
384	-	1	0.0 %
390	-	1	0.0 %
400	-	49	0.2 %
Missing Data			
.	-	23960	94.0 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,519 valid cases out of 25,479 total cases.

- Mean: 1188.71
- Median: 900.00
- Mode: 600.00
- Minimum: 3.00

- Maximum: 4000.00
- Standard Deviation: 956.57

Location: 2033-2036 (width: 4; decimal: 0)

Variable Type: numeric

AGLABOURS: HQ13 7.5, ag labour: hours/year

Value	Label	Unweighted Frequency	%
8	-	1	0.0 %
12	-	3	0.0 %
16	-	1	0.0 %
20	-	1	0.0 %
24	-	3	0.0 %
32	-	5	0.0 %
40	-	8	0.0 %
42	-	1	0.0 %
48	-	6	0.0 %
56	-	8	0.0 %
60	-	9	0.0 %
63	-	1	0.0 %
64	-	9	0.0 %
70	-	4	0.0 %
72	-	5	0.0 %
75	-	2	0.0 %
80	-	31	0.1 %
84	-	1	0.0 %
90	-	6	0.0 %
96	-	8	0.0 %
100	-	2	0.0 %
104	-	1	0.0 %
105	-	3	0.0 %
108	-	2	0.0 %
112	-	1	0.0 %
120	-	72	0.3 %
125	-	1	0.0 %
126	-	1	0.0 %
128	-	3	0.0 %
132	-	2	0.0 %
135	-	1	0.0 %
136	-	1	0.0 %
140	-	2	0.0 %

Value	Label	Unweighted Frequency	%
144	-	4	0.0 %
150	-	8	0.0 %
154	-	1	0.0 %
160	-	92	0.4 %
165	-	1	0.0 %
168	-	2	0.0 %
175	-	2	0.0 %
176	-	7	0.0 %
180	-	32	0.1 %
184	-	2	0.0 %
192	-	2	0.0 %
200	-	35	0.1 %
208	-	4	0.0 %
210	-	23	0.1 %
216	-	4	0.0 %
224	-	1	0.0 %
225	-	2	0.0 %
Missing Data			
.	-	21150	83.0 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,329 valid cases out of 25,479 total cases.

- Mean: 911.44
- Minimum: 8.00
- Maximum: 3200.00
- Standard Deviation: 613.24

Location: 2037-2040 (width: 4; decimal: 0)

Variable Type: numeric

NONAGHOURS: HQ13 7.5, nonag labour: hours/year

Value	Label	Unweighted Frequency	%
8	-	5	0.0 %
9	-	1	0.0 %
10	-	1	0.0 %
12	-	2	0.0 %
16	-	14	0.1 %
18	-	2	0.0 %

Value	Label	Unweighted Frequency	%
21	-	1	0.0 %
24	-	13	0.1 %
25	-	3	0.0 %
28	-	2	0.0 %
30	-	6	0.0 %
32	-	15	0.1 %
36	-	1	0.0 %
40	-	33	0.1 %
42	-	6	0.0 %
44	-	1	0.0 %
45	-	2	0.0 %
48	-	25	0.1 %
50	-	11	0.0 %
56	-	43	0.2 %
60	-	31	0.1 %
63	-	3	0.0 %
64	-	35	0.1 %
70	-	5	0.0 %
72	-	16	0.1 %
75	-	10	0.0 %
78	-	1	0.0 %
80	-	91	0.4 %
82	-	1	0.0 %
84	-	5	0.0 %
88	-	13	0.1 %
90	-	18	0.1 %
91	-	1	0.0 %
96	-	45	0.2 %
100	-	37	0.1 %
102	-	1	0.0 %
104	-	11	0.0 %
105	-	5	0.0 %
112	-	33	0.1 %
120	-	173	0.7 %
125	-	6	0.0 %
128	-	5	0.0 %
135	-	2	0.0 %
136	-	8	0.0 %
140	-	13	0.1 %

Value	Label	Unweighted Frequency	%
144	-	21	0.1 %
150	-	35	0.1 %
152	-	4	0.0 %
156	-	1	0.0 %
160	-	123	0.5 %
Missing Data			
.	-	21937	86.1 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,542 valid cases out of 25,479 total cases.

- Mean: 678.74
- Minimum: 8.00
- Maximum: 4000.00
- Standard Deviation: 709.31

Location: 2041-2044 (width: 4; decimal: 0)

Variable Type: numeric

SALARYHOURS: HQ13 7.5, salary position: hours/year

Value	Label	Unweighted Frequency	%
12	-	1	0.0 %
30	-	1	0.0 %
48	-	1	0.0 %
60	-	3	0.0 %
80	-	1	0.0 %
90	-	1	0.0 %
96	-	1	0.0 %
120	-	4	0.0 %
144	-	1	0.0 %
150	-	2	0.0 %
156	-	1	0.0 %
160	-	5	0.0 %
180	-	3	0.0 %
200	-	3	0.0 %
210	-	2	0.0 %
216	-	1	0.0 %
240	-	7	0.0 %
270	-	2	0.0 %

Value	Label	Unweighted Frequency	%
280	-	1	0.0 %
288	-	2	0.0 %
300	-	7	0.0 %
320	-	1	0.0 %
360	-	7	0.0 %
365	-	2	0.0 %
384	-	1	0.0 %
400	-	4	0.0 %
405	-	1	0.0 %
420	-	1	0.0 %
425	-	2	0.0 %
450	-	7	0.0 %
480	-	10	0.0 %
500	-	2	0.0 %
525	-	1	0.0 %
540	-	1	0.0 %
560	-	2	0.0 %
575	-	1	0.0 %
576	-	2	0.0 %
580	-	2	0.0 %
600	-	19	0.1 %
620	-	2	0.0 %
624	-	1	0.0 %
630	-	1	0.0 %
680	-	1	0.0 %
700	-	1	0.0 %
716	-	1	0.0 %
720	-	18	0.1 %
730	-	11	0.0 %
750	-	8	0.0 %
800	-	10	0.0 %
810	-	3	0.0 %
Missing Data			
.	-	23790	93.4 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,689 valid cases out of 25,479 total cases.

- Mean: 1976.12
- Median: 2100.00
- Mode: 2920.00
- Minimum: 12.00
- Maximum: 4000.00
- Standard Deviation: 812.39

Location: 2045-2048 (width: 4; decimal: 0)

Variable Type: numeric

NONNREGAHOURLS: HQ13 7.5, nonnrega labour: hours/year [IHDS2]

Value	Label	Unweighted Frequency	%
16	-	1	0.0 %
24	-	2	0.0 %
32	-	3	0.0 %
40	-	2	0.0 %
48	-	2	0.0 %
50	-	3	0.0 %
56	-	3	0.0 %
60	-	6	0.0 %
64	-	4	0.0 %
70	-	2	0.0 %
72	-	1	0.0 %
80	-	4	0.0 %
90	-	2	0.0 %
96	-	1	0.0 %
100	-	2	0.0 %
112	-	1	0.0 %
120	-	11	0.0 %
140	-	2	0.0 %
150	-	2	0.0 %
160	-	10	0.0 %
165	-	1	0.0 %
168	-	2	0.0 %
180	-	6	0.0 %
192	-	1	0.0 %
200	-	12	0.0 %
208	-	1	0.0 %
210	-	2	0.0 %
224	-	1	0.0 %
225	-	1	0.0 %
240	-	36	0.1 %

Value	Label	Unweighted Frequency	%
256	-	1	0.0 %
280	-	4	0.0 %
300	-	8	0.0 %
320	-	8	0.0 %
336	-	1	0.0 %
350	-	1	0.0 %
360	-	9	0.0 %
384	-	1	0.0 %
400	-	33	0.1 %
420	-	3	0.0 %
430	-	1	0.0 %
440	-	1	0.0 %
450	-	6	0.0 %
455	-	1	0.0 %
480	-	48	0.2 %
488	-	1	0.0 %
490	-	1	0.0 %
500	-	6	0.0 %
520	-	1	0.0 %
525	-	1	0.0 %
Missing Data			
.	-	24111	94.6 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,368 valid cases out of 25,479 total cases.

- Mean: 1272.54
- Median: 1200.00
- Mode: 1200.00
- Minimum: 16.00
- Maximum: 4000.00
- Standard Deviation: 759.86

Location: 2049-2052 (width: 4; decimal: 0)

Variable Type: numeric

NREGAHHOURS: HQ13 7.5, NREGA position: hours/year [IHDS2]

Value	Label	Unweighted Frequency	%
8	-	5	0.0 %
9	-	1	0.0 %

Value	Label	Unweighted Frequency	%
10	-	1	0.0 %
12	-	2	0.0 %
16	-	14	0.1 %
18	-	2	0.0 %
21	-	1	0.0 %
24	-	11	0.0 %
25	-	3	0.0 %
28	-	2	0.0 %
30	-	6	0.0 %
32	-	16	0.1 %
36	-	1	0.0 %
40	-	33	0.1 %
42	-	6	0.0 %
44	-	1	0.0 %
45	-	2	0.0 %
48	-	25	0.1 %
50	-	8	0.0 %
52	-	1	0.0 %
56	-	43	0.2 %
60	-	28	0.1 %
63	-	3	0.0 %
64	-	34	0.1 %
70	-	3	0.0 %
72	-	17	0.1 %
75	-	10	0.0 %
78	-	1	0.0 %
80	-	92	0.4 %
82	-	1	0.0 %
84	-	5	0.0 %
88	-	13	0.1 %
90	-	18	0.1 %
91	-	1	0.0 %
96	-	51	0.2 %
100	-	36	0.1 %
102	-	1	0.0 %
104	-	13	0.1 %
105	-	5	0.0 %
112	-	34	0.1 %
120	-	169	0.7 %

Value	Label	Unweighted Frequency	%
125	-	6	0.0 %
128	-	4	0.0 %
135	-	2	0.0 %
136	-	8	0.0 %
140	-	11	0.0 %
144	-	20	0.1 %
150	-	33	0.1 %
152	-	3	0.0 %
156	-	2	0.0 %
Missing Data			
.	-	23101	90.7 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,378 valid cases out of 25,479 total cases.

- Mean: 285.03
- Median: 240.00
- Mode: 240.00
- Minimum: 8.00
- Maximum: 1520.00
- Standard Deviation: 221.34

Location: 2053-2056 (width: 4; decimal: 0)

Variable Type: numeric

WKDAYS: HQ work days /year (farm, business, wage|salary)

Value	Label	Unweighted Frequency	%
1	-	3	0.0 %
2	-	5	0.0 %
3	-	7	0.0 %
4	-	8	0.0 %
5	-	19	0.1 %
6	-	4	0.0 %
7	-	11	0.0 %
8	-	15	0.1 %
9	-	5	0.0 %
10	-	81	0.3 %
11	-	5	0.0 %
12	-	13	0.1 %
13	-	4	0.0 %

Value	Label	Unweighted Frequency	%
14	-	8	0.0 %
15	-	74	0.3 %
16	-	2	0.0 %
17	-	3	0.0 %
18	-	5	0.0 %
19	-	2	0.0 %
20	-	194	0.8 %
21	-	3	0.0 %
22	-	5	0.0 %
23	-	1	0.0 %
24	-	6	0.0 %
25	-	81	0.3 %
26	-	2	0.0 %
27	-	5	0.0 %
28	-	3	0.0 %
29	-	4	0.0 %
30	-	439	1.7 %
31	-	1	0.0 %
32	-	10	0.0 %
34	-	3	0.0 %
35	-	51	0.2 %
36	-	7	0.0 %
38	-	2	0.0 %
39	-	7	0.0 %
40	-	268	1.1 %
41	-	1	0.0 %
42	-	6	0.0 %
43	-	2	0.0 %
44	-	3	0.0 %
45	-	71	0.3 %
46	-	2	0.0 %
48	-	11	0.0 %
49	-	5	0.0 %
50	-	318	1.2 %
51	-	2	0.0 %
52	-	4	0.0 %
53	-	4	0.0 %
Missing Data			
.	-	11223	44.0 %

Value	Label	Unweighted Frequency	%
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 14,256 valid cases out of 25,479 total cases.

- Mean: 182.47
- Minimum: 1.00
- Maximum: 365.00
- Standard Deviation: 105.97

Location: 2057-2059 (width: 3; decimal: 0)

Variable Type: numeric

NFDAYS: HQ14-16 nf12+ days per year all businesses

Value	Label	Unweighted Frequency	%
3	-	1	0.0 %
5	-	2	0.0 %
6	-	1	0.0 %
8	-	1	0.0 %
10	-	5	0.0 %
12	-	1	0.0 %
15	-	5	0.0 %
16	-	1	0.0 %
17	-	1	0.0 %
20	-	10	0.0 %
25	-	3	0.0 %
30	-	27	0.1 %
35	-	1	0.0 %
40	-	9	0.0 %
45	-	2	0.0 %
48	-	3	0.0 %
50	-	26	0.1 %
59	-	1	0.0 %
60	-	37	0.1 %
65	-	1	0.0 %
70	-	4	0.0 %
72	-	1	0.0 %
75	-	3	0.0 %
80	-	12	0.0 %
83	-	1	0.0 %

Value	Label	Unweighted Frequency	%
90	-	45	0.2 %
99	-	1	0.0 %
100	-	101	0.4 %
110	-	2	0.0 %
117	-	1	0.0 %
120	-	31	0.1 %
125	-	1	0.0 %
130	-	4	0.0 %
135	-	1	0.0 %
140	-	5	0.0 %
144	-	2	0.0 %
145	-	1	0.0 %
150	-	82	0.3 %
157	-	1	0.0 %
160	-	4	0.0 %
165	-	2	0.0 %
168	-	1	0.0 %
170	-	7	0.0 %
175	-	1	0.0 %
180	-	64	0.3 %
185	-	1	0.0 %
190	-	6	0.0 %
195	-	3	0.0 %
200	-	151	0.6 %
205	-	2	0.0 %
Missing Data			
.	-	23955	94.0 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,524 valid cases out of 25,479 total cases.

- Mean: 224.44
- Median: 250.00
- Mode: 300.00
- Minimum: 3.00
- Maximum: 365.00
- Standard Deviation: 100.38

Location: 2060-2062 (*width:* 3; *decimal:* 0)

Variable Type: numeric

AGLABDAYS: HQ13 7.5 ag labour: days/year [IHDS2]

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
2	-	4	0.0 %
3	-	2	0.0 %
4	-	5	0.0 %
5	-	7	0.0 %
6	-	4	0.0 %
7	-	8	0.0 %
8	-	13	0.1 %
9	-	5	0.0 %
10	-	44	0.2 %
12	-	10	0.0 %
13	-	1	0.0 %
14	-	2	0.0 %
15	-	63	0.2 %
16	-	3	0.0 %
17	-	1	0.0 %
18	-	6	0.0 %
20	-	121	0.5 %
21	-	2	0.0 %
22	-	10	0.0 %
23	-	2	0.0 %
24	-	2	0.0 %
25	-	39	0.2 %
26	-	4	0.0 %
27	-	5	0.0 %
29	-	1	0.0 %
30	-	285	1.1 %
32	-	8	0.0 %
34	-	3	0.0 %
35	-	40	0.2 %
36	-	4	0.0 %
37	-	2	0.0 %
38	-	4	0.0 %
39	-	2	0.0 %
40	-	102	0.4 %
42	-	3	0.0 %
45	-	50	0.2 %

Value	Label	Unweighted Frequency	%
46	-	1	0.0 %
48	-	1	0.0 %
50	-	151	0.6 %
54	-	2	0.0 %
55	-	11	0.0 %
56	-	1	0.0 %
57	-	1	0.0 %
58	-	2	0.0 %
60	-	347	1.4 %
61	-	1	0.0 %
62	-	3	0.0 %
65	-	15	0.1 %
66	-	1	0.0 %
Missing Data			
.	-	21147	83.0 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,332 valid cases out of 25,479 total cases.

- Mean: 118.64
- Median: 100.00
- Mode: 120.00
- Minimum: 1.00
- Maximum: 365.00
- Standard Deviation: 76.95

Location: 2063-2065 (width: 3; decimal: 0)

Variable Type: numeric

NONAGDAYS: HQ13 7.5 nonag labour: days/year [IHDS2]

Value	Label	Unweighted Frequency	%
1	-	5	0.0 %
2	-	16	0.1 %
3	-	17	0.1 %
4	-	17	0.1 %
5	-	35	0.1 %
6	-	27	0.1 %
7	-	51	0.2 %
8	-	38	0.1 %
9	-	14	0.1 %

Value	Label	Unweighted Frequency	%
10	-	105	0.4 %
11	-	14	0.1 %
12	-	48	0.2 %
13	-	13	0.1 %
14	-	32	0.1 %
15	-	165	0.6 %
16	-	7	0.0 %
17	-	9	0.0 %
18	-	22	0.1 %
19	-	4	0.0 %
20	-	175	0.7 %
21	-	16	0.1 %
22	-	15	0.1 %
23	-	7	0.0 %
24	-	12	0.0 %
25	-	81	0.3 %
26	-	17	0.1 %
27	-	8	0.0 %
28	-	20	0.1 %
29	-	5	0.0 %
30	-	326	1.3 %
31	-	2	0.0 %
32	-	4	0.0 %
33	-	4	0.0 %
34	-	6	0.0 %
35	-	49	0.2 %
36	-	7	0.0 %
37	-	4	0.0 %
38	-	2	0.0 %
39	-	4	0.0 %
40	-	138	0.5 %
41	-	3	0.0 %
42	-	18	0.1 %
43	-	1	0.0 %
44	-	3	0.0 %
45	-	46	0.2 %
46	-	4	0.0 %
47	-	3	0.0 %
48	-	7	0.0 %

Value	Label	Unweighted Frequency	%
50	-	198	0.8 %
51	-	5	0.0 %
	Missing Data		
.	-	21935	86.1 %
	Total	25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,544 valid cases out of 25,479 total cases.

- Mean: 94.07
- Median: 50.00
- Mode: 30.00
- Minimum: 1.00
- Maximum: 365.00
- Standard Deviation: 94.36

Location: 2066-2068 (width: 3; decimal: 0)

Variable Type: numeric

SALARYDAYS: HQ13 7.5 salary position: days/year [IHDS2]

Value	Label	Unweighted Frequency	%
10	-	1	0.0 %
12	-	1	0.0 %
15	-	3	0.0 %
20	-	7	0.0 %
24	-	1	0.0 %
25	-	1	0.0 %
27	-	1	0.0 %
30	-	7	0.0 %
36	-	1	0.0 %
40	-	1	0.0 %
45	-	1	0.0 %
48	-	4	0.0 %
50	-	4	0.0 %
60	-	17	0.1 %
70	-	3	0.0 %
78	-	1	0.0 %
80	-	2	0.0 %
85	-	2	0.0 %
90	-	14	0.1 %
96	-	1	0.0 %

Value	Label	Unweighted Frequency	%
100	-	12	0.0 %
110	-	2	0.0 %
115	-	2	0.0 %
120	-	19	0.1 %
130	-	1	0.0 %
140	-	3	0.0 %
143	-	1	0.0 %
144	-	3	0.0 %
150	-	34	0.1 %
156	-	1	0.0 %
160	-	2	0.0 %
175	-	2	0.0 %
180	-	36	0.1 %
190	-	3	0.0 %
192	-	1	0.0 %
200	-	57	0.2 %
208	-	1	0.0 %
210	-	8	0.0 %
212	-	1	0.0 %
217	-	1	0.0 %
219	-	1	0.0 %
220	-	23	0.1 %
224	-	1	0.0 %
225	-	7	0.0 %
230	-	9	0.0 %
240	-	23	0.1 %
250	-	61	0.2 %
252	-	1	0.0 %
260	-	14	0.1 %
265	-	4	0.0 %
Missing Data			
.	-	23787	93.4 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,692 valid cases out of 25,479 total cases.

- Mean: 298.07
- Median: 320.00

- Mode: 365.00
- Minimum: 10.00
- Maximum: 365.00
- Standard Deviation: 82.62

Location: 2069-2071 (width: 3; decimal: 0)

Variable Type: numeric

NONREGADAYS: HQ13 7.5 nonnrega labour: days/year [IHDS2]

Value	Label	Unweighted Frequency	%
2	-	1	0.0 %
3	-	2	0.0 %
4	-	3	0.0 %
5	-	2	0.0 %
6	-	2	0.0 %
7	-	4	0.0 %
8	-	4	0.0 %
9	-	1	0.0 %
10	-	8	0.0 %
12	-	1	0.0 %
15	-	8	0.0 %
20	-	16	0.1 %
21	-	2	0.0 %
24	-	1	0.0 %
25	-	11	0.0 %
26	-	1	0.0 %
28	-	1	0.0 %
30	-	41	0.2 %
31	-	1	0.0 %
32	-	1	0.0 %
35	-	4	0.0 %
40	-	10	0.0 %
42	-	1	0.0 %
45	-	3	0.0 %
48	-	1	0.0 %
50	-	31	0.1 %
55	-	2	0.0 %
60	-	60	0.2 %
65	-	1	0.0 %
70	-	19	0.1 %
73	-	1	0.0 %
75	-	2	0.0 %

Value	Label	Unweighted Frequency	%
80	-	24	0.1 %
85	-	1	0.0 %
90	-	40	0.2 %
96	-	1	0.0 %
100	-	77	0.3 %
105	-	2	0.0 %
110	-	6	0.0 %
120	-	62	0.2 %
125	-	2	0.0 %
127	-	1	0.0 %
130	-	13	0.1 %
135	-	1	0.0 %
137	-	1	0.0 %
140	-	10	0.0 %
144	-	1	0.0 %
145	-	1	0.0 %
150	-	122	0.5 %
157	-	2	0.0 %
Missing Data			
.	-	24111	94.6 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,368 valid cases out of 25,479 total cases.

- Mean: 178.03
- Median: 180.00
- Mode: 300.00
- Minimum: 2.00
- Maximum: 365.00
- Standard Deviation: 95.46

Location: 2072-2074 (width: 3; decimal: 0)

Variable Type: numeric

NREGADAYS: HQ13 7.5 NREGA position: days/year [IHDS2]

Value	Label	Unweighted Frequency	%
1	-	5	0.0 %
2	-	16	0.1 %
3	-	15	0.1 %
4	-	18	0.1 %

Value	Label	Unweighted Frequency	%
5	-	35	0.1 %
6	-	27	0.1 %
7	-	50	0.2 %
8	-	38	0.1 %
9	-	14	0.1 %
10	-	102	0.4 %
11	-	14	0.1 %
12	-	55	0.2 %
13	-	15	0.1 %
14	-	33	0.1 %
15	-	165	0.6 %
16	-	6	0.0 %
17	-	9	0.0 %
18	-	20	0.1 %
19	-	3	0.0 %
20	-	176	0.7 %
21	-	16	0.1 %
22	-	16	0.1 %
23	-	9	0.0 %
24	-	13	0.1 %
25	-	79	0.3 %
26	-	23	0.1 %
27	-	9	0.0 %
28	-	23	0.1 %
29	-	6	0.0 %
30	-	317	1.2 %
31	-	2	0.0 %
32	-	5	0.0 %
33	-	3	0.0 %
34	-	4	0.0 %
35	-	50	0.2 %
36	-	8	0.0 %
37	-	2	0.0 %
38	-	2	0.0 %
39	-	3	0.0 %
40	-	144	0.6 %
41	-	3	0.0 %
42	-	20	0.1 %
43	-	1	0.0 %

Value	Label	Unweighted Frequency	%
44	-	4	0.0 %
45	-	48	0.2 %
46	-	3	0.0 %
47	-	3	0.0 %
48	-	6	0.0 %
49	-	1	0.0 %
50	-	194	0.8 %
Missing Data			
.	-	23099	90.7 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,380 valid cases out of 25,479 total cases.

- Mean: 38.58
- Median: 30.00
- Mode: 30.00
- Minimum: 1.00
- Maximum: 200.00
- Standard Deviation: 28.38

Location: 2075-2077 (width: 3; decimal: 0)

Variable Type: numeric

NFEARN: HQ12-4 7. ind net business earn est.

Value	Label	Unweighted Frequency	%
-16000.000000	-	1	0.0 %
-6140.000000	-	1	0.0 %
-2657.3076172	-	1	0.0 %
-2640.000000	-	1	0.0 %
-1224.4897461	-	1	0.0 %
-1048.5437012	-	1	0.0 %
-1000.000000	-	1	0.0 %
-309.1836853	-	1	0.0 %
0.0000000	-	23968	94.1 %
26.1343021	-	1	0.0 %
32.2580643	-	1	0.0 %
38.0952377	-	1	0.0 %
48.7804871	-	1	0.0 %
56.6037750	-	1	0.0 %
121.2903214	-	1	0.0 %

Value	Label	Unweighted Frequency	%
126.3157883	-	1	0.0 %
128.5714264	-	1	0.0 %
150.0000000	-	1	0.0 %
165.5172424	-	1	0.0 %
210.5263214	-	1	0.0 %
266.6666565	-	1	0.0 %
297.7215271	-	1	0.0 %
300.0000000	-	1	0.0 %
303.7974548	-	1	0.0 %
313.0434875	-	1	0.0 %
347.8260803	-	1	0.0 %
375.0000000	-	1	0.0 %
400.0000000	-	2	0.0 %
466.6666565	-	1	0.0 %
491.8032837	-	1	0.0 %
500.0000000	-	1	0.0 %
507.0422668	-	1	0.0 %
528.0000000	-	1	0.0 %
600.0000000	-	2	0.0 %
617.2839355	-	1	0.0 %
624.0000000	-	1	0.0 %
666.6666870	-	1	0.0 %
698.1132202	-	1	0.0 %
743.8016357	-	1	0.0 %
750.0000000	-	1	0.0 %
753.7688599	-	1	0.0 %
785.6567383	-	1	0.0 %
791.2088013	-	1	0.0 %
791.7525635	-	1	0.0 %
810.0000000	-	1	0.0 %
857.1428833	-	2	0.0 %
909.0908813	-	1	0.0 %
911.3923950	-	1	0.0 %
917.0731812	-	1	0.0 %
925.9259033	-	1	0.0 %
	Missing Data		
.	-	1	0.0 %
	Total	25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 1840.3350858
- Minimum: -16000.0000000
- Maximum: 2708000.0000000
- Standard Deviation: 24663.2220244

Location: 2078-2092 (width: 15; decimal: 7)

Variable Type: numeric

ANEARN: HQ11 ind animal net earn est.

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 1315.54882246
- Minimum: -70425.00000000
- Maximum: 243480.00000000
- Standard Deviation: 7211.86751740

Location: 2093-2107 (width: 15; decimal: 8)

Variable Type: numeric

SALARYEARN: HQ13 7.8+ salary position: annual wages

Value	Label	Unweighted Frequency	%
0	-	23790	93.4 %
100	-	2	0.0 %
200	-	1	0.0 %
250	-	1	0.0 %
350	-	1	0.0 %
480	-	1	0.0 %
500	-	1	0.0 %
560	-	1	0.0 %
600	-	6	0.0 %
800	-	2	0.0 %
900	-	2	0.0 %
1000	-	7	0.0 %
1150	-	1	0.0 %
1200	-	5	0.0 %
1300	-	1	0.0 %
1344	-	1	0.0 %
1400	-	1	0.0 %
1440	-	1	0.0 %
1500	-	7	0.0 %
1600	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1680	-	1	0.0 %
1800	-	5	0.0 %
1860	-	1	0.0 %
1980	-	1	0.0 %
2000	-	4	0.0 %
2250	-	1	0.0 %
2300	-	1	0.0 %
2400	-	8	0.0 %
2500	-	1	0.0 %
2560	-	1	0.0 %
2640	-	1	0.0 %
2660	-	1	0.0 %
2700	-	1	0.0 %
2880	-	2	0.0 %
3000	-	12	0.0 %
3200	-	1	0.0 %
3300	-	5	0.0 %
3360	-	1	0.0 %
3380	-	1	0.0 %
3400	-	1	0.0 %
3420	-	1	0.0 %
3500	-	1	0.0 %
3600	-	7	0.0 %
3700	-	1	0.0 %
3800	-	1	0.0 %
3840	-	1	0.0 %
3860	-	1	0.0 %
3900	-	1	0.0 %
4000	-	6	0.0 %
4056	-	1	0.0 %
Missing Data			
.	-	1	0.0 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 4276.03
- Minimum: 0.00

- Maximum: 600000.00
- Standard Deviation: 28186.66

Location: 2108-2113 (width: 6; decimal: 0)

Variable Type: numeric

NONAGEARN: HQ13 7.8+ nonag labour: annual wages

Value	Label	Unweighted Frequency	%
0	-	21936	86.1 %
100	-	2	0.0 %
120	-	2	0.0 %
130	-	1	0.0 %
132	-	2	0.0 %
160	-	1	0.0 %
180	-	1	0.0 %
200	-	2	0.0 %
208	-	1	0.0 %
220	-	1	0.0 %
240	-	9	0.0 %
244	-	1	0.0 %
248	-	1	0.0 %
250	-	1	0.0 %
280	-	3	0.0 %
288	-	1	0.0 %
300	-	10	0.0 %
308	-	1	0.0 %
345	-	1	0.0 %
375	-	2	0.0 %
390	-	2	0.0 %
400	-	10	0.0 %
416	-	1	0.0 %
420	-	1	0.0 %
450	-	4	0.0 %
476	-	1	0.0 %
480	-	2	0.0 %
490	-	2	0.0 %
500	-	8	0.0 %
520	-	3	0.0 %
528	-	1	0.0 %
550	-	1	0.0 %
560	-	1	0.0 %

Value	Label	Unweighted Frequency	%
600	-	20	0.1 %
610	-	3	0.0 %
612	-	1	0.0 %
625	-	3	0.0 %
630	-	1	0.0 %
640	-	1	0.0 %
650	-	4	0.0 %
660	-	1	0.0 %
700	-	16	0.1 %
720	-	10	0.0 %
732	-	5	0.0 %
750	-	7	0.0 %
780	-	1	0.0 %
792	-	5	0.0 %
800	-	17	0.1 %
825	-	1	0.0 %
832	-	1	0.0 %
Missing Data			
.	-	1	0.0 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 1498.16
- Minimum: 0.00
- Maximum: 264000.00
- Standard Deviation: 7198.52

Location: 2114-2119 (*width:* 6; *decimal:* 0)

Variable Type: numeric

AGLABEARN: HQ13 7.8+ ag labour: annual earnings

Value	Label	Unweighted Frequency	%
0	-	21146	83.0 %
70	-	1	0.0 %
100	-	2	0.0 %
120	-	1	0.0 %
150	-	1	0.0 %
160	-	1	0.0 %

Value	Label	Unweighted Frequency	%
180	-	1	0.0 %
200	-	4	0.0 %
240	-	2	0.0 %
250	-	1	0.0 %
270	-	1	0.0 %
300	-	2	0.0 %
320	-	3	0.0 %
350	-	2	0.0 %
360	-	1	0.0 %
400	-	6	0.0 %
420	-	1	0.0 %
450	-	2	0.0 %
490	-	1	0.0 %
500	-	11	0.0 %
540	-	1	0.0 %
560	-	3	0.0 %
600	-	6	0.0 %
620	-	1	0.0 %
630	-	1	0.0 %
700	-	5	0.0 %
720	-	2	0.0 %
750	-	11	0.0 %
800	-	8	0.0 %
840	-	2	0.0 %
900	-	18	0.1 %
940	-	1	0.0 %
960	-	4	0.0 %
980	-	2	0.0 %
1000	-	29	0.1 %
1050	-	8	0.0 %
1056	-	1	0.0 %
1080	-	2	0.0 %
1100	-	3	0.0 %
1120	-	1	0.0 %
1200	-	33	0.1 %
1250	-	3	0.0 %
1260	-	2	0.0 %
1300	-	2	0.0 %
1320	-	4	0.0 %

Value	Label	Unweighted Frequency	%
1350	-	1	0.0 %
1360	-	1	0.0 %
1400	-	21	0.1 %
1440	-	4	0.0 %
1470	-	1	0.0 %
Missing Data			
.	-	1	0.0 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 1965.65
- Minimum: 0.00
- Maximum: 83700.00
- Standard Deviation: 5893.88

Location: 2120-2124 (width: 5; decimal: 0)

Variable Type: numeric

WKEARNPLUS: Earnings est.: sum ws farm business animal

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 15040.0809346
- Minimum: -166372.0468750
- Maximum: 4918931.0000000
- Standard Deviation: 53344.4644890

Location: 2125-2139 (width: 15; decimal: 7)

Variable Type: numeric

WKEARN: Earnings est.: sum w\\$ farm business

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 15040.0809346
- Minimum: -166372.0468750
- Maximum: 4918931.0000000
- Standard Deviation: 53344.4644890

Location: 2140-2154 (width: 15; decimal: 7)

Variable Type: numeric

UNEARNED: ind: other hh income

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 117315.540304
- Minimum: -1037040.000000

- Maximum: 10805000.000000
- Standard Deviation: 207458.475993

Location: 2155-2169 (width: 15; decimal: 6)

Variable Type: numeric

SPRO0: HQ4 2.1 spouse IHDS2 roster ID

Value	Label	Unweighted Frequency	%
1	-	19537	76.7 %
2	-	859	3.4 %
3	-	1524	6.0 %
4	-	110	0.4 %
5	-	85	0.3 %
6	-	59	0.2 %
7	-	56	0.2 %
8	-	44	0.2 %
9	-	19	0.1 %
10	-	8	0.0 %
11	-	10	0.0 %
12	-	1	0.0 %
13	-	4	0.0 %
14	-	1	0.0 %
26	-	1	0.0 %
50	-	1140	4.5 %
51	-	26	0.1 %
52	-	5	0.0 %
53	-	1	0.0 %
54	-	1	0.0 %
Missing Data			
.	-	1988	7.8 %
Total		25,479	100%

Based upon 23,491 valid cases out of 25,479 total cases.

- Mean: 3.70
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 54.00
- Standard Deviation: 10.66

Location: 2170-2171 (width: 2; decimal: 0)

Variable Type: numeric

SPRO1: HQ4 2.1 spouse IHDS1 roster ID

Value	Label	Unweighted Frequency	%
1	-	16935	66.5 %
2	-	988	3.9 %
3	-	3057	12.0 %
4	-	222	0.9 %
5	-	170	0.7 %
6	-	145	0.6 %
7	-	177	0.7 %
8	-	111	0.4 %
9	-	53	0.2 %
10	-	27	0.1 %
11	-	23	0.1 %
12	-	10	0.0 %
13	-	8	0.0 %
14	-	4	0.0 %
15	-	6	0.0 %
16	-	4	0.0 %
17	-	1	0.0 %
21	-	3	0.0 %
Missing Data			
.	-	3535	13.9 %
Total		25,479	100%

Based upon 21,944 valid cases out of 25,479 total cases.

- Mean: 1.56
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 21.00
- Standard Deviation: 1.36

Location: 2172-2173 (width: 2; decimal: 0)

Variable Type: numeric

SPRO3: HQ4 2.3 spouse Sex

Value	Label	Unweighted Frequency	%
1	Male 1	23491	92.2 %
2	Female 2	0	0.0 %
Missing Data			
.	-	1988	7.8 %
Total		25,479	100%

Based upon 23,491 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 2174-2174 (width: 1; decimal: 0)

Variable Type: numeric

SPRO4: HQ4 2.4 spouse Relationship to head

Value	Label	Unweighted Frequency	%
1	Head 1	19538	76.7 %
2	Wife 2	83	0.3 %
3	Daughter 3	2418	9.5 %
4	Daughter-in-law 4	75	0.3 %
5	Grandchild 5	10	0.0 %
6	Mother 6	32	0.1 %
7	Sister 7	130	0.5 %
8	Mother-in-law 8	3	0.0 %
9	Niece 9	14	0.1 %
10	Sister in law 10	10	0.0 %
11	Other relatives 11	5	0.0 %
Missing Data			
.	-	3161	12.4 %
Total		25,479	100%

Based upon 22,318 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 11.00

Location: 2175-2176 (width: 2; decimal: 0)

Variable Type: numeric

SPRO5: HQ4 2.5 spouse Age

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
4	-	1	0.0 %
13	-	1	0.0 %
20	-	2	0.0 %
22	-	4	0.0 %
23	-	3	0.0 %
24	-	5	0.0 %
25	-	30	0.1 %
26	-	44	0.2 %

Value	Label	Unweighted Frequency	%
27	-	82	0.3 %
28	-	198	0.8 %
29	-	138	0.5 %
30	-	462	1.8 %
31	-	234	0.9 %
32	-	641	2.5 %
33	-	388	1.5 %
34	-	372	1.5 %
35	-	1173	4.6 %
36	-	671	2.6 %
37	-	632	2.5 %
38	-	909	3.6 %
39	-	480	1.9 %
40	-	1494	5.9 %
41	-	493	1.9 %
42	-	1281	5.0 %
43	-	582	2.3 %
44	-	499	2.0 %
45	-	1718	6.7 %
46	-	693	2.7 %
47	-	856	3.4 %
48	-	895	3.5 %
49	-	428	1.7 %
50	-	1398	5.5 %
51	-	428	1.7 %
52	-	1019	4.0 %
53	-	436	1.7 %
54	-	387	1.5 %
55	-	1057	4.1 %
56	-	453	1.8 %
57	-	433	1.7 %
58	-	463	1.8 %
59	-	209	0.8 %
60	-	688	2.7 %
61	-	146	0.6 %
62	-	286	1.1 %
63	-	112	0.4 %
64	-	80	0.3 %
65	-	246	1.0 %

Value	Label	Unweighted Frequency	%
66	-	42	0.2 %
67	-	35	0.1 %
	Missing Data		
.	-	1994	7.8 %
	Total	25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 23,485 valid cases out of 25,479 total cases.

- Mean: 45.37
- Median: 45.00
- Mode: 45.00
- Minimum: 1.00
- Maximum: 86.00
- Standard Deviation: 9.11

Location: 2177-2178 (width: 2; decimal: 0)

Variable Type: numeric

SPRO6: HQ4 2.6 spouse Marital Status

Value	Label	Unweighted Frequency	%
0	Sp absent 0	0	0.0 %
1	Married 1	23466	92.1 %
2	Unmarried 2	0	0.0 %
3	Widowed 3	1	0.0 %
4	Sep/Div 4	24	0.1 %
5	No gauna 5	0	0.0 %
	Missing Data		
.	-	1988	7.8 %
	Total	25,479	100%

Based upon 23,491 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2179-2179 (width: 1; decimal: 0)

Variable Type: numeric

SPRO8: HQ4 2.8 spouse Spouse's ID

Value	Label	Unweighted Frequency	%
1	-	883	3.5 %
2	-	19681	77.2 %

Value	Label	Unweighted Frequency	%
3	-	1013	4.0 %
4	-	1526	6.0 %
5	-	89	0.3 %
6	-	89	0.3 %
7	-	65	0.3 %
8	-	56	0.2 %
9	-	43	0.2 %
10	-	20	0.1 %
11	-	10	0.0 %
12	-	8	0.0 %
13	-	1	0.0 %
14	-	4	0.0 %
27	-	1	0.0 %
69	Other nonres 69	0	0.0 %
75	Died 75	0	0.0 %
Missing Data			
.	-	1990	7.8 %
Total		25,479	100%

Based upon 23,489 valid cases out of 25,479 total cases.

- Mean: 2.22
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 27.00
- Standard Deviation: 0.90

Location: 2180-2181 (*width:* 2; *decimal:* 0)

Variable Type: numeric

SPRO9: HQ4 2.9 spouse Father's ID

Value	Label	Unweighted Frequency	%
1	-	1964	7.7 %
2	-	9	0.0 %
3	-	51	0.2 %
4	-	118	0.5 %
5	-	250	1.0 %
6	-	193	0.8 %
7	-	99	0.4 %
8	-	60	0.2 %
9	-	30	0.1 %

Value	Label	Unweighted Frequency	%
10	-	15	0.1 %
11	-	7	0.0 %
12	-	3	0.0 %
13	-	3	0.0 %
14	-	2	0.0 %
17	-	1	0.0 %
18	-	1	0.0 %
20	-	1	0.0 %
23	-	1	0.0 %
32	-	1	0.0 %
50	-	38	0.1 %
51	-	5	0.0 %
69	Other nonres 69	4097	16.1 %
75	Died 75	14998	58.9 %
Missing Data			
.	-	3532	13.9 %
Total		25,479	100%

Based upon 21,947 valid cases out of 25,479 total cases.

- Mean: 64.55
- Median: 75.00
- Mode: 75.00
- Minimum: 1.00
- Maximum: 75.00
- Standard Deviation: 23.94

Location: 2182-2183 (width: 2; decimal: 0)

Variable Type: numeric

SPRO10: HQ4 2.10 spouse Mother's ID

Value	Label	Unweighted Frequency	%
1	-	452	1.8 %
2	-	1603	6.3 %
3	-	189	0.7 %
4	-	380	1.5 %
5	-	794	3.1 %
6	-	685	2.7 %
7	-	371	1.5 %
8	-	212	0.8 %
9	-	106	0.4 %
10	-	71	0.3 %

Value	Label	Unweighted Frequency	%
11	-	49	0.2 %
12	-	20	0.1 %
13	-	15	0.1 %
14	-	3	0.0 %
15	-	3	0.0 %
16	-	1	0.0 %
17	-	2	0.0 %
18	-	1	0.0 %
19	-	3	0.0 %
20	-	3	0.0 %
21	-	1	0.0 %
22	-	1	0.0 %
26	-	1	0.0 %
33	-	1	0.0 %
50	-	24	0.1 %
51	-	4	0.0 %
69	Other nonres 69	6419	25.2 %
75	Died 75	10392	40.8 %
Missing Data			
.	-	3673	14.4 %
Total		25,479	100%

Based upon 21,806 valid cases out of 25,479 total cases.

- Mean: 57.09
- Median: 69.00
- Mode: 75.00
- Minimum: 1.00
- Maximum: 75.00
- Standard Deviation: 28.85

Location: 2184-2185 (width: 2; decimal: 0)

Variable Type: numeric

SPWKANY: HQ spouse work participation (farm, business, wage|salary)

Value	Label	Unweighted Frequency	%
0	none 0	1244	4.9 %
1	missing hours 1	474	1.9 %
2	<240hrs 2	519	2.0 %
3	parttime 3	9324	36.6 %
4	ft yr 4	10757	42.2 %
Missing Data			

Value	Label	Unweighted Frequency	%
.	-	3161	12.4 %
Total		25,479	100%

Based upon 22,318 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 2186-2186 (width: 1; decimal: 0)

Variable Type: numeric

SPWKANYPLUS: HQ spouse work participation (farm, business, wage|salary, animal)

Value	Label	Unweighted Frequency	%
0	none 0	1077	4.2 %
1	missing hours 1	416	1.6 %
2	<240hrs 2	414	1.6 %
3	parttime 3	9654	37.9 %
4	ft yr 4	10757	42.2 %
Missing Data			
.	-	3161	12.4 %
Total		25,479	100%

Based upon 22,318 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 2187-2187 (width: 1; decimal: 0)

Variable Type: numeric

SPWKANIMAL: HQ11 spouse an5+ work participation animals

Value	Label	Unweighted Frequency	%
0	none 0	14623	57.4 %
1	missing hours 1	7	0.0 %
2	<240hrs 2	3409	13.4 %
3	parttime 3	4279	16.8 %
4	ft yr 4	0	0.0 %
Missing Data			
.	-	3161	12.4 %
Total		25,479	100%

Based upon 22,318 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 2188-2188 (width: 1; decimal: 0)

Variable Type: numeric

SPWKBUSINESS: HQ14-16 spouse nf12+ work participation business

Value	Label	Unweighted Frequency	%
0	none 0	18261	71.7 %
1	missing hours 1	444	1.7 %
2	<240hrs 2	158	0.6 %
3	parttime 3	1547	6.1 %
4	ft yr 4	1908	7.5 %
Missing Data			
.	-	3161	12.4 %
Total		25,479	100%

Based upon 22,318 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 2189-2189 (width: 1; decimal: 0)

Variable Type: numeric

SPWKAGLAB: HQ13 7.3 spouse Farm wage labour (5cat)

Value	Label	Unweighted Frequency	%
0	none 0	17916	70.3 %
1	missing hours 1	6	0.0 %
2	<240hrs 2	351	1.4 %
3	parttime 3	3438	13.5 %
4	ft yr 4	607	2.4 %
Missing Data			
.	-	3161	12.4 %
Total		25,479	100%

Based upon 22,318 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 2190-2190 (width: 1; decimal: 0)

Variable Type: numeric

SPWKFARM: HQ14-16 spouse fm12+ work participation farm

Value	Label	Unweighted Frequency	%
0	none 0	13006	51.0 %
1	missing hours 1	391	1.5 %
2	<240hrs 2	1862	7.3 %
3	parttime 3	6401	25.1 %
4	ft yr 4	658	2.6 %
Missing Data			
.	-	3161	12.4 %
Total		25,479	100%

Based upon 22,318 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 2191-2191 (width: 1; decimal: 0)

Variable Type: numeric

SPWKNONAG: HQ13 7.3 spouse Nonag wage labour (5cat)

Value	Label	Unweighted Frequency	%
0	none 0	15068	59.1 %
1	missing hours 1	9	0.0 %
2	<240hrs 2	1052	4.1 %
3	parttime 3	4134	16.2 %
4	ft yr 4	2055	8.1 %
Missing Data			
.	-	3161	12.4 %
Total		25,479	100%

Based upon 22,318 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 2192-2192 (width: 1; decimal: 0)

Variable Type: numeric

SPWKNONNREGA: HQ13 7.3 spouse Nonag (not NREGA) wage labour (5cat)

Value	Label	Unweighted Frequency	%
0	none 0	16643	65.3 %
1	missing hours 1	8	0.0 %
2	<240hrs 2	164	0.6 %
3	parttime 3	3511	13.8 %

Value	Label	Unweighted Frequency	%
4	ft yr 4	1992	7.8 %
	Missing Data		
.	-	3161	12.4 %
	Total	25,479	100%

Based upon 22,318 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 2193-2193 (width: 1; decimal: 0)

Variable Type: numeric

SPWKNREGA: HQ13 7.3 spouse NREGA wage labour (5cat)

Value	Label	Unweighted Frequency	%
0	none 0	19906	78.1 %
1	missing hours 1	3	0.0 %
2	<240hrs 2	1372	5.4 %
3	parttime 3	1035	4.1 %
4	ft yr 4	2	0.0 %
	Missing Data		
.	-	3161	12.4 %
	Total	25,479	100%

Based upon 22,318 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 2194-2194 (width: 1; decimal: 0)

Variable Type: numeric

SPWKSALARY: HQ13 7.3 spouse Salary position (5cat)

Value	Label	Unweighted Frequency	%
0	none 0	17477	68.6 %
1	missing hours 1	6	0.0 %
2	<240hrs 2	26	0.1 %
3	parttime 3	830	3.3 %
4	ft yr 4	3979	15.6 %
	Missing Data		
.	-	3161	12.4 %
	Total	25,479	100%

Based upon 22,318 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 2195-2195 (width: 1; decimal: 0)

Variable Type: numeric

SPWKHOURS: HQ work spouse hours /year (farm, business, wage|salary)

Value	Label	Unweighted Frequency	%
3	-	1	0.0 %
4	-	1	0.0 %
5	-	2	0.0 %
9	-	1	0.0 %
10	-	2	0.0 %
12	-	1	0.0 %
14	-	1	0.0 %
15	-	2	0.0 %
16	-	1	0.0 %
18	-	1	0.0 %
20	-	6	0.0 %
24	-	1	0.0 %
25	-	2	0.0 %
30	-	11	0.0 %
40	-	16	0.1 %
44	-	1	0.0 %
48	-	1	0.0 %
50	-	7	0.0 %
54	-	1	0.0 %
60	-	26	0.1 %
64	-	4	0.0 %
70	-	4	0.0 %
80	-	29	0.1 %
85	-	1	0.0 %
88	-	2	0.0 %
90	-	19	0.1 %
92	-	1	0.0 %
95	-	1	0.0 %
96	-	2	0.0 %
100	-	32	0.1 %
105	-	3	0.0 %
106	-	1	0.0 %

Value	Label	Unweighted Frequency	%
108	-	1	0.0 %
110	-	2	0.0 %
112	-	2	0.0 %
116	-	1	0.0 %
120	-	51	0.2 %
125	-	4	0.0 %
127	-	1	0.0 %
130	-	1	0.0 %
132	-	1	0.0 %
135	-	2	0.0 %
136	-	1	0.0 %
140	-	6	0.0 %
144	-	4	0.0 %
150	-	38	0.1 %
156	-	1	0.0 %
160	-	38	0.1 %
168	-	1	0.0 %
170	-	2	0.0 %
Missing Data			
.	-	4879	19.1 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 20,600 valid cases out of 25,479 total cases.

- Mean: 2013.13
- Minimum: 3.00
- Maximum: 4000.00
- Standard Deviation: 939.39

Location: 2196-2199 (width: 4; decimal: 0)

Variable Type: numeric

SPWKDAYS: HQ work spouse days /year (farm, business, wage|salary)

Value	Label	Unweighted Frequency	%
2	-	3	0.0 %
3	-	4	0.0 %
4	-	2	0.0 %
5	-	11	0.0 %
6	-	1	0.0 %

Value	Label	Unweighted Frequency	%
8	-	5	0.0 %
10	-	25	0.1 %
11	-	3	0.0 %
12	-	5	0.0 %
14	-	1	0.0 %
15	-	13	0.1 %
16	-	2	0.0 %
17	-	1	0.0 %
18	-	2	0.0 %
20	-	47	0.2 %
22	-	2	0.0 %
23	-	1	0.0 %
24	-	1	0.0 %
25	-	17	0.1 %
26	-	2	0.0 %
27	-	1	0.0 %
28	-	4	0.0 %
29	-	1	0.0 %
30	-	110	0.4 %
31	-	1	0.0 %
32	-	1	0.0 %
33	-	1	0.0 %
35	-	16	0.1 %
36	-	3	0.0 %
38	-	2	0.0 %
39	-	1	0.0 %
40	-	86	0.3 %
42	-	1	0.0 %
44	-	1	0.0 %
45	-	29	0.1 %
46	-	1	0.0 %
47	-	1	0.0 %
48	-	4	0.0 %
49	-	1	0.0 %
50	-	91	0.4 %
51	-	2	0.0 %
52	-	1	0.0 %
54	-	2	0.0 %
55	-	16	0.1 %

Value	Label	Unweighted Frequency	%
57	-	1	0.0 %
58	-	2	0.0 %
60	-	210	0.8 %
61	-	1	0.0 %
62	-	6	0.0 %
63	-	1	0.0 %
Missing Data			
.	-	4865	19.1 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 20,614 valid cases out of 25,479 total cases.

- Mean: 262.32
- Minimum: 2.00
- Maximum: 365.00
- Standard Deviation: 90.47

Location: 2200-2202 (width: 3; decimal: 0)

Variable Type: numeric

AN1: HQ11 6.1 HH Owns livestock

Value	Label	Unweighted Frequency	%
0	No 0	13715	53.8 %
1	Yes 1	11763	46.2 %
Missing Data			
.	-	1	0.0 %
Total		25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2203-2203 (width: 1; decimal: 0)

Variable Type: numeric

NF1: HQ14 8.1 Any nonfarm business, corrected

Value	Label	Unweighted Frequency	%
0	No 0	19744	77.5 %
1	Yes 1	5734	22.5 %
Missing Data			

Value	Label	Unweighted Frequency	%
.	-	1	0.0 %
Total		25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2204-2204 (width: 1; decimal: 0)

Variable Type: numeric

GROUPS: HQ3 1.13-15 Caste & religion

Value	Label	Unweighted Frequency	%
1	Brahmin 1	0	0.0 %
2	Forward caste 2	0	0.0 %
3	OBC 3	0	0.0 %
4	Dalit 4	0	0.0 %
5	Adivasi 5	0	0.0 %
6	Muslim 6	0	0.0 %
7	Christian, Sikh, Jain 7	0	0.0 %
Missing Data			
99	MASKED BY ICPSR	25470	100.0 %
.	-	9	0.0 %
Total		25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 2205-2206 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 99 , .

GROUPS6: HQ3 1.13-15 Caste/religion 6cats

Value	Label	Unweighted Frequency	%
1	Brahmin 1	0	0.0 %
2	Forward caste 2	5671	22.3 %
3	OBC 3	8644	33.9 %
4	Dalit 4	5467	21.5 %
5	Adivasi 5	2090	8.2 %
6	Muslim 6	2871	11.3 %
7	Christian, Sikh, Jain 7	727	2.9 %
Missing Data			
.	-	9	0.0 %

Value	Label	Unweighted Frequency	%
	Total	25,479	100%

Based upon 25,470 valid cases out of 25,479 total cases.

- Minimum: 2.00
- Maximum: 7.00

Location: 2207-2207 (width: 1; decimal: 0)

Variable Type: numeric

AN7: HQ11 6.7 Animal care: Primary ID

Value	Label	Unweighted Frequency	%
1	-	4945	19.4 %
2	-	5193	20.4 %
3	-	730	2.9 %
4	-	366	1.4 %
5	-	157	0.6 %
6	-	114	0.4 %
7	-	86	0.3 %
8	-	54	0.2 %
9	-	17	0.1 %
10	-	15	0.1 %
11	-	13	0.1 %
12	-	7	0.0 %
13	-	3	0.0 %
14	-	3	0.0 %
15	-	3	0.0 %
16	-	2	0.0 %
17	-	2	0.0 %
18	-	3	0.0 %
32	-	1	0.0 %
Missing Data			
.	-	13765	54.0 %
	Total	25,479	100%

Based upon 11,714 valid cases out of 25,479 total cases.

- Mean: 1.90
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 32.00
- Standard Deviation: 1.36

Location: 2208-2209 (width: 2; decimal: 0)

Variable Type: numeric

DIST11: Census 2011: district id smstate=0'

Value	Label	Unweighted Frequency	%
0	-	907	3.6 %
6	-	62	0.2 %
8	-	93	0.4 %
9	-	14	0.1 %
10	-	68	0.3 %
12	-	45	0.2 %
13	-	36	0.1 %
21	-	79	0.3 %
22	-	31	0.1 %
23	-	74	0.3 %
24	-	171	0.7 %
26	-	84	0.3 %
27	-	199	0.8 %
28	-	95	0.4 %
30	-	102	0.4 %
31	-	28	0.1 %
32	-	83	0.3 %
33	-	106	0.4 %
35	-	145	0.6 %
36	-	68	0.3 %
37	-	71	0.3 %
38	-	66	0.3 %
39	-	6	0.0 %
40	-	7	0.0 %
41	-	111	0.4 %
42	-	33	0.1 %
43	-	223	0.9 %
48	-	28	0.1 %
49	-	64	0.3 %
50	-	23	0.1 %
51	-	56	0.2 %
52	-	40	0.2 %
53	-	96	0.4 %
54	-	34	0.1 %
60	-	45	0.2 %

Value	Label	Unweighted Frequency	%
63	-	24	0.1 %
64	-	60	0.2 %
66	-	56	0.2 %
67	-	27	0.1 %
68	-	74	0.3 %
69	-	26	0.1 %
70	-	125	0.5 %
71	-	25	0.1 %
72	-	75	0.3 %
73	-	85	0.3 %
74	-	43	0.2 %
76	-	153	0.6 %
77	-	96	0.4 %
78	-	38	0.1 %
80	-	74	0.3 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 337.67
- Minimum: 0.00
- Maximum: 633.00
- Standard Deviation: 203.63

Location: 2210-2212 (width: 3; decimal: 0)

Variable Type: numeric

MP1A: EQ8 4.1a Marry daughter natal vill

Value	Label	Unweighted Frequency	%
0	No 0	11452	44.9 %
1	Yes 1	13917	54.6 %
Missing Data			
.	-	110	0.4 %
Total		25,479	100%

Based upon 25,369 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2213-2213 (width: 1; decimal: 0)

Variable Type: numeric

MP1B: EQ8 4.1b Marry daughter cousin

Value	Label	Unweighted Frequency	%
0	No 0	15590	61.2 %
1	Yes 1	9781	38.4 %
	Missing Data		
.	-	108	0.4 %
	Total	25,479	100%

Based upon 25,371 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2214-2214 (width: 1; decimal: 0)

Variable Type: numeric

MP1C: EQ8 4.1c Widow remarriage [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	8632	33.9 %
1	Yes 1	16372	64.3 %
	Missing Data		
.	-	475	1.9 %
	Total	25,479	100%

Based upon 25,004 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2215-2215 (width: 1; decimal: 0)

Variable Type: numeric

MP2A: EQ8 4.2a Intercaste marriage [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	17318	68.0 %
1	Yes 1	7143	28.0 %
	Missing Data		
.	-	1018	4.0 %
	Total	25,479	100%

Based upon 24,461 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2216-2216 (width: 1; decimal: 0)

Variable Type: numeric

MP2B: EQ8 4.2b Divorce in community [IHDS2]

Value	Label	Unweighted Frequency	%
0	No 0	17586	69.0 %
1	Yes 1	6664	26.2 %
	Missing Data		
.	-	1229	4.8 %
	Total	25,479	100%

Based upon 24,250 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2217-2217 (width: 1; decimal: 0)

Variable Type: numeric

MP3A: EQ8 4.3a Boy's wed exp-lower

Value	Label	Unweighted Frequency	%
0	-	29	0.1 %
88	-	1	0.0 %
1000	-	17	0.1 %
1100	-	1	0.0 %
2000	-	11	0.0 %
3000	-	9	0.0 %
4000	-	16	0.1 %
5000	-	91	0.4 %
6000	-	6	0.0 %
7000	-	7	0.0 %
8000	-	14	0.1 %
9000	-	2	0.0 %
10000	-	334	1.3 %
11000	-	1	0.0 %
12000	-	11	0.0 %
13000	-	1	0.0 %
15000	-	77	0.3 %
17000	-	1	0.0 %
19000	-	1	0.0 %
20000	-	610	2.4 %
25000	-	174	0.7 %

Value	Label	Unweighted Frequency	%
30000	-	798	3.1 %
33000	-	1	0.0 %
35000	-	51	0.2 %
36000	-	1	0.0 %
40000	-	921	3.6 %
45000	-	17	0.1 %
50000	-	3121	12.2 %
51000	-	2	0.0 %
55000	-	15	0.1 %
56000	-	1	0.0 %
60000	-	813	3.2 %
65000	-	22	0.1 %
67000	-	1	0.0 %
70000	-	850	3.3 %
75000	-	130	0.5 %
80000	-	1271	5.0 %
85000	-	40	0.2 %
87000	-	1	0.0 %
88000	-	2	0.0 %
90000	-	378	1.5 %
95000	-	24	0.1 %
100000	-	7699	30.2 %
105000	-	1	0.0 %
108000	-	1	0.0 %
110000	-	13	0.1 %
115000	-	5	0.0 %
120000	-	59	0.2 %
125000	-	9	0.0 %
130000	-	10	0.0 %
	Missing Data		
.	-	53	0.2 %
	Total	25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,426 valid cases out of 25,479 total cases.

- Mean: 138507.76
- Median: 100000.00
- Mode: 100000.00

- Minimum: 0.00
- Maximum: 8000000.00
- Standard Deviation: 162452.48

Location: 2218-2224 (width: 7; decimal: 0)

Variable Type: numeric

MP3B: EQ8 4.3b Boy's wed exp-upper

Value	Label	Unweighted Frequency	%
0	-	22	0.1 %
1000	-	2	0.0 %
1100	-	1	0.0 %
1200	-	1	0.0 %
2000	-	3	0.0 %
3000	-	6	0.0 %
4000	-	2	0.0 %
5000	-	46	0.2 %
6000	-	24	0.1 %
7000	-	12	0.0 %
8000	-	13	0.1 %
9000	-	8	0.0 %
10000	-	123	0.5 %
11000	-	2	0.0 %
12000	-	18	0.1 %
13000	-	2	0.0 %
14000	-	1	0.0 %
15000	-	93	0.4 %
16000	-	4	0.0 %
17000	-	1	0.0 %
18000	-	1	0.0 %
20000	-	249	1.0 %
22000	-	5	0.0 %
25000	-	179	0.7 %
30000	-	460	1.8 %
31000	-	1	0.0 %
32000	-	2	0.0 %
35000	-	96	0.4 %
37000	-	1	0.0 %
40000	-	604	2.4 %
42000	-	1	0.0 %
44000	-	1	0.0 %
45000	-	46	0.2 %

Value	Label	Unweighted Frequency	%
46000	-	1	0.0 %
50000	-	1437	5.6 %
52000	-	2	0.0 %
55000	-	26	0.1 %
60000	-	1352	5.3 %
62000	-	1	0.0 %
65000	-	31	0.1 %
68000	-	1	0.0 %
70000	-	766	3.0 %
72000	-	1	0.0 %
75000	-	155	0.6 %
80000	-	1106	4.3 %
83000	-	1	0.0 %
85000	-	49	0.2 %
86000	-	1	0.0 %
87000	-	1	0.0 %
88000	-	2	0.0 %
Missing Data			
.	-	71	0.3 %
	Total	25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,408 valid cases out of 25,479 total cases.

- Mean: 188277.13
- Median: 150000.00
- Mode: 100000.00
- Minimum: 0.00
- Maximum: 9000000.00
- Standard Deviation: 209056.68

Location: 2225-2231 (width: 7; decimal: 0)

Variable Type: numeric

MP4A: EQ8 4.4a Girl's wed exp-lower

Value	Label	Unweighted Frequency	%
0	-	24	0.1 %
88	-	1	0.0 %
800	-	1	0.0 %
1000	-	8	0.0 %

Value	Label	Unweighted Frequency	%
1100	-	1	0.0 %
2000	-	10	0.0 %
2500	-	1	0.0 %
3000	-	9	0.0 %
4000	-	8	0.0 %
5000	-	53	0.2 %
6000	-	5	0.0 %
7000	-	11	0.0 %
8000	-	13	0.1 %
9000	-	1	0.0 %
10000	-	166	0.7 %
11000	-	1	0.0 %
12000	-	10	0.0 %
14000	-	4	0.0 %
15000	-	65	0.3 %
16000	-	1	0.0 %
17000	-	1	0.0 %
17500	-	1	0.0 %
18000	-	1	0.0 %
20000	-	269	1.1 %
22000	-	2	0.0 %
25000	-	99	0.4 %
30000	-	358	1.4 %
35000	-	43	0.2 %
40000	-	466	1.8 %
42000	-	2	0.0 %
44000	-	1	0.0 %
45000	-	24	0.1 %
48000	-	1	0.0 %
50000	-	1282	5.0 %
51000	-	1	0.0 %
52000	-	1	0.0 %
55000	-	11	0.0 %
56000	-	1	0.0 %
60000	-	615	2.4 %
65000	-	11	0.0 %
70000	-	765	3.0 %
75000	-	80	0.3 %
80000	-	1065	4.2 %

Value	Label	Unweighted Frequency	%
85000	-	26	0.1 %
88000	-	1	0.0 %
90000	-	469	1.8 %
95000	-	36	0.1 %
98000	-	1	0.0 %
100000	-	5524	21.7 %
100005	-	1	0.0 %
	Missing Data		
.	-	60	0.2 %
	Total	25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,419 valid cases out of 25,479 total cases.

- Mean: 215983.00
- Median: 150000.00
- Mode: 100000.00
- Minimum: 0.00
- Maximum: 8000000.00
- Standard Deviation: 233210.83

Location: 2232-2238 (*width:* 7; *decimal:* 0)

Variable Type: numeric

MP4B: EQ8 4.4b Girl's wed exp-upper

Value	Label	Unweighted Frequency	%
0	-	22	0.1 %
1000	-	2	0.0 %
1100	-	1	0.0 %
2000	-	1	0.0 %
3000	-	7	0.0 %
4000	-	4	0.0 %
5000	-	24	0.1 %
6000	-	22	0.1 %
7000	-	10	0.0 %
8000	-	11	0.0 %
9000	-	7	0.0 %
10000	-	51	0.2 %
11000	-	2	0.0 %
12000	-	18	0.1 %

Value	Label	Unweighted Frequency	%
15000	-	55	0.2 %
16000	-	7	0.0 %
17000	-	3	0.0 %
18000	-	2	0.0 %
19000	-	1	0.0 %
20000	-	146	0.6 %
21000	-	1	0.0 %
22000	-	2	0.0 %
24000	-	1	0.0 %
25000	-	84	0.3 %
26000	-	1	0.0 %
27000	-	1	0.0 %
30000	-	227	0.9 %
31000	-	2	0.0 %
32000	-	2	0.0 %
33000	-	1	0.0 %
35000	-	65	0.3 %
40000	-	239	0.9 %
42000	-	3	0.0 %
45000	-	38	0.1 %
48000	-	2	0.0 %
50000	-	653	2.6 %
52000	-	4	0.0 %
55000	-	10	0.0 %
56000	-	1	0.0 %
60000	-	617	2.4 %
65000	-	20	0.1 %
70000	-	517	2.0 %
72000	-	1	0.0 %
75000	-	67	0.3 %
80000	-	896	3.5 %
85000	-	33	0.1 %
88000	-	1	0.0 %
90000	-	611	2.4 %
92000	-	1	0.0 %
93000	-	1	0.0 %
	Missing Data		
.	-	73	0.3 %

Value	Label	Unweighted Frequency	%
	Total	25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,406 valid cases out of 25,479 total cases.

- Mean: 288917.03
- Median: 200000.00
- Mode: 200000.00
- Minimum: 0.00
- Maximum: 9000000.00
- Standard Deviation: 305726.91

Location: 2239-2245 (width: 7; decimal: 0)

Variable Type: numeric

MP5A: EQ8 4.5 # invited by bride [IHDS2]

Value	Label	Unweighted Frequency	%
0	-	58	0.2 %
4	-	3	0.0 %
5	-	4	0.0 %
8	-	1	0.0 %
10	-	16	0.1 %
12	-	3	0.0 %
15	-	8	0.0 %
17	-	1	0.0 %
18	-	1	0.0 %
20	-	44	0.2 %
25	-	34	0.1 %
30	-	90	0.4 %
35	-	29	0.1 %
36	-	2	0.0 %
38	-	1	0.0 %
40	-	96	0.4 %
45	-	6	0.0 %
50	-	554	2.2 %
51	-	1	0.0 %
55	-	2	0.0 %
60	-	161	0.6 %
65	-	1	0.0 %
70	-	136	0.5 %
75	-	38	0.1 %

Value	Label	Unweighted Frequency	%
80	-	280	1.1 %
85	-	4	0.0 %
90	-	77	0.3 %
95	-	5	0.0 %
100	-	2985	11.7 %
102	-	1	0.0 %
105	-	1	0.0 %
106	-	1	0.0 %
110	-	10	0.0 %
115	-	1	0.0 %
120	-	86	0.3 %
125	-	40	0.2 %
130	-	9	0.0 %
140	-	8	0.0 %
150	-	2067	8.1 %
160	-	15	0.1 %
170	-	16	0.1 %
175	-	6	0.0 %
180	-	29	0.1 %
185	-	1	0.0 %
190	-	3	0.0 %
200	-	4767	18.7 %
210	-	6	0.0 %
215	-	2	0.0 %
220	-	11	0.0 %
225	-	4	0.0 %
Missing Data			
.	-	126	0.5 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,353 valid cases out of 25,479 total cases.

- Mean: 336.55
- Median: 250.00
- Mode: 200.00
- Minimum: 0.00
- Maximum: 9000.00
- Standard Deviation: 369.11

Location: 2246-2249 (*width:* 4; *decimal:* 0)

Variable Type: numeric

MP5B: EQ8 4.5 # invited by groom [IHDS2]

Value	Label	Unweighted Frequency	%
0	-	32	0.1 %
2	-	2	0.0 %
3	-	1	0.0 %
5	-	4	0.0 %
7	-	2	0.0 %
8	-	3	0.0 %
10	-	14	0.1 %
11	-	1	0.0 %
15	-	6	0.0 %
16	-	1	0.0 %
20	-	33	0.1 %
22	-	2	0.0 %
24	-	1	0.0 %
25	-	43	0.2 %
28	-	1	0.0 %
30	-	67	0.3 %
35	-	20	0.1 %
40	-	106	0.4 %
45	-	11	0.0 %
50	-	567	2.2 %
55	-	7	0.0 %
60	-	284	1.1 %
65	-	5	0.0 %
70	-	172	0.7 %
72	-	1	0.0 %
75	-	40	0.2 %
80	-	328	1.3 %
85	-	14	0.1 %
88	-	1	0.0 %
90	-	126	0.5 %
92	-	1	0.0 %
95	-	6	0.0 %
100	-	3101	12.2 %
102	-	1	0.0 %
105	-	3	0.0 %
110	-	25	0.1 %
115	-	2	0.0 %

Value	Label	Unweighted Frequency	%
120	-	137	0.5 %
125	-	50	0.2 %
130	-	37	0.1 %
135	-	4	0.0 %
140	-	6	0.0 %
145	-	1	0.0 %
150	-	2605	10.2 %
155	-	1	0.0 %
160	-	28	0.1 %
165	-	2	0.0 %
170	-	31	0.1 %
175	-	7	0.0 %
180	-	34	0.1 %
Missing Data			
.	-	130	0.5 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,349 valid cases out of 25,479 total cases.

- Mean: 317.87
- Median: 250.00
- Mode: 200.00
- Minimum: 0.00
- Maximum: 9000.00
- Standard Deviation: 360.15

Location: 2250-2253 (width: 4; decimal: 0)

Variable Type: numeric

MP6A: EQ8 4.6a Wed Gift: gold

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	984	3.9 %
2	Sometimes 2	1944	7.6 %
3	Usually 3	22503	88.3 %
Missing Data			
.	-	48	0.2 %
Total		25,479	100%

Based upon 25,431 valid cases out of 25,479 total cases.

- Minimum: 1.00

- Maximum: 3.00

Location: 2254-2254 (width: 1; decimal: 0)

Variable Type: numeric

MP6B: EQ8 4.6b Wed Gift: silver

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	3114	12.2 %
2	Sometimes 2	3397	13.3 %
3	Usually 3	18917	74.2 %
	Missing Data		
.	-	51	0.2 %
	Total	25,479	100%

Based upon 25,428 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 2255-2255 (width: 1; decimal: 0)

Variable Type: numeric

MP6C: EQ8 4.6c Wed Gift: land

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	23474	92.1 %
2	Sometimes 2	1423	5.6 %
3	Usually 3	531	2.1 %
	Missing Data		
.	-	51	0.2 %
	Total	25,479	100%

Based upon 25,428 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 2256-2256 (width: 1; decimal: 0)

Variable Type: numeric

MP6D: EQ8 4.6d Wed Gift: car

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	21508	84.4 %
2	Sometimes 2	3341	13.1 %
3	Usually 3	579	2.3 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	51	0.2 %
Total		25,479	100%

Based upon 25,428 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 2257-2257 (width: 1; decimal: 0)

Variable Type: numeric

MP6E: EQ8 4.6e Wed Gift: scooter

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	13053	51.2 %
2	Sometimes 2	7920	31.1 %
3	Usually 3	4456	17.5 %
.	Missing Data		
.	-	50	0.2 %
Total		25,479	100%

Based upon 25,429 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 2258-2258 (width: 1; decimal: 0)

Variable Type: numeric

MP6F: EQ8 4.6f Wed Gift: TV

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	9134	35.8 %
2	Sometimes 2	7230	28.4 %
3	Usually 3	9064	35.6 %
.	Missing Data		
.	-	51	0.2 %
Total		25,479	100%

Based upon 25,428 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 2259-2259 (width: 1; decimal: 0)

Variable Type: numeric

MP6G: EQ8 4.6g Wed Gift: Fridge

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	11151	43.8 %
2	Sometimes 2	7589	29.8 %
3	Usually 3	6687	26.2 %
	Missing Data		
.	-	52	0.2 %
	Total	25,479	100%

Based upon 25,427 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 2260-2260 (width: 1; decimal: 0)

Variable Type: numeric

MP6H: EQ8 4.6h Wed Gift: Mobile [IHDS2]

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	13072	51.3 %
2	Sometimes 2	5796	22.7 %
3	Usually 3	6555	25.7 %
	Missing Data		
.	-	56	0.2 %
	Total	25,479	100%

Based upon 25,423 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 2261-2261 (width: 1; decimal: 0)

Variable Type: numeric

MP6I: EQ8 4.6i Wed Gift: Furniture

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	4938	19.4 %
2	Sometimes 2	3615	14.2 %
3	Usually 3	16872	66.2 %
	Missing Data		
.	-	54	0.2 %
	Total	25,479	100%

Based upon 25,425 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 2262-2262 (width: 1; decimal: 0)

Variable Type: numeric

MP6J: EQ8 4.6j Wed Gift: Pressure cook

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	5914	23.2 %
2	Sometimes 2	4072	16.0 %
3	Usually 3	15434	60.6 %
	Missing Data		
.	-	59	0.2 %
	Total	25,479	100%

Based upon 25,420 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 2263-2263 (width: 1; decimal: 0)

Variable Type: numeric

MP6K: EQ8 4.6k Wed Gift: Utensils

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	2424	9.5 %
2	Sometimes 2	1894	7.4 %
3	Usually 3	21105	82.8 %
	Missing Data		
.	-	56	0.2 %
	Total	25,479	100%

Based upon 25,423 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 2264-2264 (width: 1; decimal: 0)

Variable Type: numeric

MP6L: EQ8 4.6l Wed Gift: Mixer/Grinder

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	9722	38.2 %

Value	Label	Unweighted Frequency	%
2	Sometimes 2	6069	23.8 %
3	Usually 3	9626	37.8 %
	Missing Data		
.	-	62	0.2 %
	Total	25,479	100%

Based upon 25,417 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 2265-2265 (width: 1; decimal: 0)

Variable Type: numeric

MP6M: EQ8 4.6m Wed Gift: Bedding

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	2462	9.7 %
2	Sometimes 2	2164	8.5 %
3	Usually 3	20792	81.6 %
	Missing Data		
.	-	61	0.2 %
	Total	25,479	100%

Based upon 25,418 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 2266-2266 (width: 1; decimal: 0)

Variable Type: numeric

MP6N: EQ8 4.6n Wed Gift: Watch

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	4789	18.8 %
2	Sometimes 2	3547	13.9 %
3	Usually 3	17082	67.0 %
	Missing Data		
.	-	61	0.2 %
	Total	25,479	100%

Based upon 25,418 valid cases out of 25,479 total cases.

- Minimum: 1.00

- Maximum: 3.00

Location: 2267-2267 (width: 1; decimal: 0)

Variable Type: numeric

MP6O: EQ8 4.6o Wed Gift: Bicycle

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	17515	68.7 %
2	Sometimes 2	3906	15.3 %
3	Usually 3	3994	15.7 %
	Missing Data		
.	-	64	0.3 %
	Total	25,479	100%

Based upon 25,415 valid cases out of 25,479 total cases.

- Minimum: 1.00

- Maximum: 3.00

Location: 2268-2268 (width: 1; decimal: 0)

Variable Type: numeric

MP6P: EQ8 4.6p Wed Gift: Sewing m/c

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	12896	50.6 %
2	Sometimes 2	6732	26.4 %
3	Usually 3	5785	22.7 %
	Missing Data		
.	-	66	0.3 %
	Total	25,479	100%

Based upon 25,413 valid cases out of 25,479 total cases.

- Minimum: 1.00

- Maximum: 3.00

Location: 2269-2269 (width: 1; decimal: 0)

Variable Type: numeric

MP6Q: EQ8 4.6q Wed Gift: Livestock

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	19585	76.9 %
2	Sometimes 2	3746	14.7 %
3	Usually 3	2086	8.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	62	0.2 %
Total		25,479	100%

Based upon 25,417 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 2270-2270 (width: 1; decimal: 0)

Variable Type: numeric

MP6Q1: EH8 4.5q Wed Gift: Tractor [IHDS1 only]

Value	Label	Unweighted Frequency	%
0	Rarely/Never 0	0	0.0 %
1	rarely/never 1	0	0.0 %
2	sometimes 2	0	0.0 %
3	often 3	0	0.0 %
	Missing Data		
.	-	25479	100.0 %
Total		25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 2271-2271 (width: 1; decimal: 0)

Variable Type: numeric

MP6R: EQ8 4.6r Wed Gift: Washing machine [IHDS2]

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	15905	62.4 %
2	Sometimes 2	5786	22.7 %
3	Usually 3	3723	14.6 %
	Missing Data		
.	-	65	0.3 %
Total		25,479	100%

Based upon 25,414 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 2272-2272 (width: 1; decimal: 0)

Variable Type: numeric

MP6S: EQ8 4.6s Wed Gift: LPG [IHDS2]

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	15895	62.4 %
2	Sometimes 2	5359	21.0 %
3	Usually 3	4156	16.3 %
	Missing Data		
.	-	69	0.3 %
	Total	25,479	100%

Based upon 25,410 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 2273-2273 (width: 1; decimal: 0)

Variable Type: numeric

MP6T: EQ8 4.6t Wed Gift: Flat [IHDS2]

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	23411	91.9 %
2	Sometimes 2	1465	5.7 %
3	Usually 3	532	2.1 %
	Missing Data		
.	-	71	0.3 %
	Total	25,479	100%

Based upon 25,408 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 2274-2274 (width: 1; decimal: 0)

Variable Type: numeric

MP6U: EQ8 4.6u Wed Gift: Cash

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	9570	37.6 %
2	Sometimes 2	3893	15.3 %
3	Usually 3	11945	46.9 %
	Missing Data		
.	-	71	0.3 %
	Total	25,479	100%

Based upon 25,408 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 2275-2275 (width: 1; decimal: 0)

Variable Type: numeric

MP6V: EQ8 4.6v Wed Gift: Computer [IHDS2]

Value	Label	Unweighted Frequency	%
1	Rarely/Never 1	23028	90.4 %
2	Sometimes 2	1876	7.4 %
3	Usually 3	451	1.8 %
Missing Data			
-	-	124	0.5 %
Total		25,479	100%

Based upon 25,355 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 2276-2276 (width: 1; decimal: 0)

Variable Type: numeric

MP7A: EQ8 4.7a Wed Gift: Cash amount low [IHDS2]

Value	Label	Unweighted Frequency	%
0	-	9604	37.7 %
10	-	1	0.0 %
20	-	1	0.0 %
21	-	1	0.0 %
40	-	1	0.0 %
50	-	27	0.1 %
51	-	5	0.0 %
56	-	1	0.0 %
100	-	38	0.1 %
101	-	7	0.0 %
150	-	1	0.0 %
151	-	3	0.0 %
200	-	18	0.1 %
201	-	1	0.0 %
250	-	1	0.0 %
300	-	3	0.0 %
350	-	1	0.0 %
400	-	12	0.0 %

Value	Label	Unweighted Frequency	%
500	-	127	0.5 %
501	-	8	0.0 %
551	-	2	0.0 %
600	-	1	0.0 %
800	-	3	0.0 %
1000	-	222	0.9 %
1001	-	3	0.0 %
1100	-	129	0.5 %
1151	-	1	0.0 %
1200	-	5	0.0 %
1500	-	14	0.1 %
1501	-	2	0.0 %
2000	-	132	0.5 %
2100	-	103	0.4 %
2500	-	6	0.0 %
3000	-	79	0.3 %
3100	-	3	0.0 %
3500	-	1	0.0 %
4000	-	116	0.5 %
4500	-	2	0.0 %
5000	-	661	2.6 %
5001	-	1	0.0 %
5100	-	42	0.2 %
6000	-	30	0.1 %
7000	-	26	0.1 %
8000	-	74	0.3 %
8800	-	1	0.0 %
9000	-	11	0.0 %
10000	-	1445	5.7 %
10300	-	1	0.0 %
11000	-	242	0.9 %
12000	-	17	0.1 %
	Missing Data		
.	-	120	0.5 %
	Total	25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,359 valid cases out of 25,479 total cases.

- Mean: 46243.67
- Median: 10000.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4000000.00
- Standard Deviation: 118489.16

Location: 2277-2283 (width: 7; decimal: 0)

Variable Type: numeric

MP7B: EQ8 4.7b Wed Gift: Cash amount high [IHDS2]

Value	Label	Unweighted Frequency	%
0	-	9604	37.7 %
50	-	1	0.0 %
51	-	4	0.0 %
100	-	18	0.1 %
101	-	6	0.0 %
150	-	1	0.0 %
151	-	2	0.0 %
200	-	32	0.1 %
250	-	3	0.0 %
300	-	9	0.0 %
400	-	5	0.0 %
500	-	85	0.3 %
501	-	3	0.0 %
551	-	1	0.0 %
600	-	3	0.0 %
700	-	1	0.0 %
800	-	3	0.0 %
900	-	1	0.0 %
1000	-	112	0.4 %
1001	-	7	0.0 %
1051	-	1	0.0 %
1100	-	26	0.1 %
1151	-	1	0.0 %
1200	-	12	0.0 %
1300	-	1	0.0 %
1500	-	21	0.1 %
1501	-	2	0.0 %
1700	-	2	0.0 %
2000	-	132	0.5 %
2100	-	73	0.3 %

Value	Label	Unweighted Frequency	%
2111	-	1	0.0 %
2200	-	6	0.0 %
2500	-	10	0.0 %
3000	-	91	0.4 %
3100	-	3	0.0 %
3500	-	1	0.0 %
4000	-	66	0.3 %
5000	-	290	1.1 %
5001	-	1	0.0 %
5100	-	110	0.4 %
5500	-	1	0.0 %
6000	-	139	0.5 %
6500	-	1	0.0 %
7000	-	50	0.2 %
7100	-	1	0.0 %
8000	-	44	0.2 %
8800	-	1	0.0 %
9000	-	15	0.1 %
10000	-	663	2.6 %
11000	-	137	0.5 %
Missing Data			
.	-	120	0.5 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,359 valid cases out of 25,479 total cases.

- Mean: 67934.04
- Median: 20000.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6060000.00
- Standard Deviation: 167538.71

Location: 2284-2290 (*width:* 7; *decimal:* 0)

Variable Type: numeric

MP7MID: EQ8 4.7a Wed Gift: Cash amount midpoint

Value	Label	Unweighted Frequency	%
0.0	-	9604	37.7 %

Value	Label	Unweighted Frequency	%
35.0	-	1	0.0 %
36.0	-	1	0.0 %
51.0	-	3	0.0 %
55.0	-	1	0.0 %
75.0	-	10	0.0 %
100.0	-	7	0.0 %
101.0	-	6	0.0 %
125.0	-	7	0.0 %
125.5	-	1	0.0 %
128.0	-	1	0.0 %
150.0	-	20	0.1 %
151.0	-	2	0.0 %
175.0	-	4	0.0 %
200.0	-	4	0.0 %
225.0	-	1	0.0 %
250.0	-	5	0.0 %
270.0	-	1	0.0 %
275.0	-	7	0.0 %
275.5	-	1	0.0 %
300.0	-	10	0.0 %
325.5	-	1	0.0 %
350.0	-	1	0.0 %
400.0	-	4	0.0 %
425.0	-	1	0.0 %
450.0	-	9	0.0 %
500.0	-	57	0.2 %
501.0	-	3	0.0 %
525.0	-	1	0.0 %
550.0	-	6	0.0 %
551.0	-	1	0.0 %
600.0	-	5	0.0 %
650.0	-	2	0.0 %
700.0	-	1	0.0 %
750.0	-	40	0.2 %
751.0	-	4	0.0 %
800.0	-	8	0.0 %
800.5	-	1	0.0 %
801.0	-	1	0.0 %
850.0	-	1	0.0 %

Value	Label	Unweighted Frequency	%
900.0	-	2	0.0 %
1000.0	-	63	0.2 %
1001.0	-	3	0.0 %
1050.0	-	4	0.0 %
1100.0	-	23	0.1 %
1150.0	-	2	0.0 %
1151.0	-	1	0.0 %
1200.0	-	2	0.0 %
1250.0	-	25	0.1 %
1350.0	-	1	0.0 %
	Missing Data		
.	-	120	0.5 %
	Total	25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,359 valid cases out of 25,479 total cases.

- Mean: 57088.85
- Minimum: 0.00
- Maximum: 4500000.00
- Standard Deviation: 139225.54

Location: 2291-2299 (width: 9; decimal: 1)

Variable Type: numeric

QC1: EQ17 11.1 Visit Hospital

Value	Label	Unweighted Frequency	%
0	No 0	1218	4.8 %
1	Yes 1	24236	95.1 %
	Missing Data		
.	-	25	0.1 %
	Total	25,479	100%

Based upon 25,454 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2300-2300 (width: 1; decimal: 0)

Variable Type: numeric

QC2: EQ17 11.2 Med treatment who [IHDS1 ~= IHDS2]

Value	Label	Unweighted Frequency	%
1	Govt Doc/Nurse 1	7472	29.3 %
2	Govt Doc/Nurse in Pvt 2	1772	7.0 %
3	Pvt Doc/Nurse 3	14074	55.2 %
4	Chemist4	640	2.5 %
5	Vaidhya/Hakim 5	0	0.0 %
6	Witch craft 6	0	0.0 %
7	Others 7	233	0.9 %
Missing Data			
.	-	1288	5.1 %
Total		25,479	100%

Based upon 24,191 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 2301-2301 (width: 1; decimal: 0)

Variable Type: numeric

QC3: EQ17 11.3 Med treatment where

Value	Label	Unweighted Frequency	%
1	Same Village/Town 1	13917	54.6 %
2	Another Village 2	4790	18.8 %
3	Other Town 3	3843	15.1 %
4	District Town 4	1614	6.3 %
Missing Data			
.	-	1315	5.2 %
Total		25,479	100%

Based upon 24,164 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2302-2302 (width: 1; decimal: 0)

Variable Type: numeric

QC4: EQ17 11.4 Illness type

Value	Label	Unweighted Frequency	%
1	Fever 1	15900	62.4 %
2	Cough/Cold 2	2132	8.4 %
3	Diarrhea 3	708	2.8 %

Value	Label	Unweighted Frequency	%
4	Others 4	5379	21.1 %
	Missing Data		
-	-	1360	5.3 %
	Total	25,479	100%

Based upon 24,119 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 2303-2303 (width: 1; decimal: 0)

Variable Type: numeric

QC5M: EQ17 11.5 Med treatment Month

Value	Label	Unweighted Frequency	%
1	-	2602	10.2 %
2	-	2440	9.6 %
3	-	2707	10.6 %
4	-	2310	9.1 %
5	-	2354	9.2 %
6	-	1696	6.7 %
7	-	1296	5.1 %
8	-	1402	5.5 %
9	-	1365	5.4 %
10	-	1364	5.4 %
11	-	1308	5.1 %
12	-	1368	5.4 %
	Missing Data		
-	-	3267	12.8 %
	Total	25,479	100%

Based upon 22,212 valid cases out of 25,479 total cases.

- Mean: 5.57
- Median: 5.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 3.41

Location: 2304-2305 (width: 2; decimal: 0)

Variable Type: numeric

QC5Y: EQ17 11.5 Med treatment Year

Value	Label	Unweighted Frequency	%
1999	-	8	0.0 %
2000	-	14	0.1 %
2001	-	42	0.2 %
2002	-	23	0.1 %
2003	-	5	0.0 %
2004	-	12	0.0 %
2005	-	9	0.0 %
2006	-	39	0.2 %
2007	-	113	0.4 %
2008	-	287	1.1 %
2009	-	674	2.6 %
2010	-	1700	6.7 %
2011	-	7624	29.9 %
2012	-	12503	49.1 %
Missing Data			
.	-	2426	9.5 %
Total		25,479	100%

Based upon 23,053 valid cases out of 25,479 total cases.

- Mean: 2011.30
- Median: 2012.00
- Mode: 2012.00
- Minimum: 1999.00
- Maximum: 2012.00
- Standard Deviation: 1.15

Location: 2306-2309 (width: 4; decimal: 0)

Variable Type: numeric

QC6: EQ17 11.6 Med treatment sex

Value	Label	Unweighted Frequency	%
1	Female 1	3501	13.7 %
2	Male 2	18018	70.7 %
3	Both 3	2588	10.2 %
Missing Data			
.	-	1372	5.4 %
Total		25,479	100%

Based upon 24,107 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 2310-2310 (width: 1; decimal: 0)

Variable Type: numeric

QC7: EQ17 11.7 Doctor's behaviour

Value	Label	Unweighted Frequency	%
1	Nicely 1	21131	82.9 %
2	Somewhat nicely 2	2721	10.7 %
3	Not nicely 3	286	1.1 %
Missing Data			
-		1341	5.3 %
Total		25,479	100%

Based upon 24,138 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 2311-2311 (width: 1; decimal: 0)

Variable Type: numeric

QC8: EQ17 11.8 Med treat wait time

Value	Label	Unweighted Frequency	%
0	-	1324	5.2 %
1	-	81	0.3 %
2	-	215	0.8 %
3	-	53	0.2 %
4	-	9	0.0 %
5	-	2542	10.0 %
6	-	19	0.1 %
7	-	39	0.2 %
8	-	57	0.2 %
9	-	12	0.0 %
10	-	4664	18.3 %
11	-	2	0.0 %
12	-	12	0.0 %
13	-	7	0.0 %
14	-	1	0.0 %
15	-	1992	7.8 %
16	-	13	0.1 %
18	-	3	0.0 %
20	-	2394	9.4 %
21	-	1	0.0 %

Value	Label	Unweighted Frequency	%
25	-	231	0.9 %
26	-	1	0.0 %
28	-	1	0.0 %
30	-	5467	21.5 %
31	-	2	0.0 %
34	-	2	0.0 %
35	-	143	0.6 %
36	-	7	0.0 %
38	-	1	0.0 %
40	-	298	1.2 %
43	-	2	0.0 %
44	-	1	0.0 %
45	-	303	1.2 %
46	-	1	0.0 %
50	-	60	0.2 %
55	-	4	0.0 %
60	-	2840	11.1 %
61	-	1	0.0 %
65	-	7	0.0 %
66	-	4	0.0 %
70	-	18	0.1 %
75	-	34	0.1 %
80	-	39	0.2 %
85	-	6	0.0 %
90	-	194	0.8 %
95	-	4	0.0 %
100	-	3	0.0 %
105	-	2	0.0 %
110	-	4	0.0 %
115	-	2	0.0 %
Missing Data			
.	-	1362	5.3 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 24,117 valid cases out of 25,479 total cases.

- Mean: 28.70
- Median: 20.00

- Mode: 30.00
- Minimum: 0.00
- Maximum: 760.00
- Standard Deviation: 34.37

Location: 2312-2314 (width: 3; decimal: 0)

Variable Type: numeric

QC9: EQ17 11.9 Med treat accompanied

Value	Label	Unweighted Frequency	%
1	Alone 1	9208	36.1 %
2	husband 2	11019	43.2 %
3	older men 3	567	2.2 %
4	older women 4	672	2.6 %
5	younger women 5	883	3.5 %
6	Adolescent/Younger men 6	1015	4.0 %
7	Other combination 7	722	2.8 %
Missing Data			
.	-	1393	5.5 %
Total		25,479	100%

Based upon 24,086 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 2315-2315 (width: 1; decimal: 0)

Variable Type: numeric

QC11: EQ17 11.11 Health facility ID

Value	Label	Unweighted Frequency	%
1	-	2861	11.2 %
2	-	2337	9.2 %
3	-	16	0.1 %
9	-	19313	75.8 %
Missing Data			
.	-	952	3.7 %
Total		25,479	100%

Based upon 24,527 valid cases out of 25,479 total cases.

- Mean: 7.40
- Median: 9.00
- Mode: 9.00
- Minimum: 1.00

- Maximum: 9.00
- Standard Deviation: 3.10

Location: 2316-2316 (width: 1; decimal: 0)

Variable Type: numeric

STLAB01: H1sp: State name (2001 census)

Value	Label	Unweighted Frequency	%
[MASKED BY ICPSR]	-	25479	100.0 %
	Total	25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

Location: 2317-2333 (width: 17; decimal: 0)

Variable Type: character

DILAB01: Census: 2001 district name

Value	Label	Unweighted Frequency	%
[MASKED BY ICPSR]	-	25479	100.0 %
	Total	25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

Location: 2334-2350 (width: 17; decimal: 0)

Variable Type: character

SAMPTYPE: NCAER: 2004 IHDS sample type

Value	Label	Unweighted Frequency	%
0	HDPI 1 only 0	0	0.0 %
1	full reint 1	6938	27.2 %
2	partial reint 2	1641	6.4 %
3	missing list 3	1797	7.1 %
4	refresh/extend 4	5955	23.4 %
5	urban 5	7721	30.3 %
6	Karn. restudy 6	441	1.7 %
7	reint 2nd 7	986	3.9 %
	Total	25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 1.00

- Maximum: 7.00

Location: 2351-2351 (width: 1; decimal: 0)

Variable Type: numeric

PRICE2004: Sector specific price indices for 2004-5 [IHDS2]

Value	Label	Unweighted Frequency	%
109	-	265	1.0 %
110	-	1156	4.5 %
111	-	1921	7.5 %
112	-	989	3.9 %
113	-	601	2.4 %
114	-	277	1.1 %
115	-	1515	5.9 %
117	-	1164	4.6 %
120	-	550	2.2 %
310	-	36	0.1 %
320	-	1031	4.0 %
324	-	1009	4.0 %
325	-	742	2.9 %
330	-	1978	7.8 %
333	-	870	3.4 %
337	-	78	0.3 %
340	-	1730	6.8 %
343	-	1884	7.4 %
346	-	1036	4.1 %
347	-	1006	3.9 %
348	-	260	1.0 %
350	-	2365	9.3 %
351	-	445	1.7 %
355	-	751	2.9 %
357	-	864	3.4 %
359	-	914	3.6 %
360	-	42	0.2 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 265.65
- Median: 330.00
- Mode: 350.00
- Minimum: 109.00
- Maximum: 360.00
- Standard Deviation: 107.64

Location: 2352-2354 (width: 3; decimal: 0)

Variable Type: numeric

PRICE2012: Sector specific price indices for 2011-12, adj for int date [IHDS2]

Value	Label	Unweighted Frequency	%
176	-	54	0.2 %
179	-	200	0.8 %
181	-	40	0.2 %
182	-	34	0.1 %
186	-	663	2.6 %
189	-	210	0.8 %
190	-	1	0.0 %
194	-	512	2.0 %
195	-	506	2.0 %
196	-	762	3.0 %
197	-	291	1.1 %
199	-	204	0.8 %
203	-	1737	6.8 %
205	-	355	1.4 %
206	-	818	3.2 %
207	-	277	1.1 %
210	-	48	0.2 %
211	-	488	1.9 %
215	-	233	0.9 %
217	-	402	1.6 %
219	-	219	0.9 %
220	-	205	0.8 %
249	-	179	0.7 %
513	-	697	2.7 %
552	-	1054	4.1 %
562	-	1031	4.0 %
582	-	78	0.3 %
592	-	870	3.4 %
595	-	1884	7.4 %
601	-	270	1.1 %
605	-	597	2.3 %
608	-	55	0.2 %
615	-	536	2.1 %
622	-	14	0.1 %
627	-	552	2.2 %
630	-	36	0.1 %
638	-	175	0.7 %

Value	Label	Unweighted Frequency	%
655	-	205	0.8 %
665	-	928	3.6 %
667	-	1442	5.7 %
668	-	1584	6.2 %
675	-	163	0.6 %
676	-	378	1.5 %
682	-	17	0.1 %
685	-	751	2.9 %
690	-	630	2.5 %
691	-	1630	6.4 %
696	-	42	0.2 %
708	-	316	1.2 %
722	-	802	3.1 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 493.21
- Median: 595.00
- Mode: 595.00
- Minimum: 176.00
- Maximum: 752.00
- Standard Deviation: 210.07

Location: 2355-2357 (width: 3; decimal: 0)

Variable Type: numeric

DEFLATOR: Deflator for converting 2012 prices, CPI based, month adj.

Value	Label	Unweighted Frequency	%
0.4457831382751	-	179	0.7 %
0.4654255211353	-	20	0.1 %
0.4709141254425	-	802	3.1 %
0.4780292809010	-	284	1.1 %
0.4920634925365	-	36	0.1 %
0.4947526156902	-	1442	5.7 %
0.5042372941971	-	316	1.2 %
0.5045454502106	-	205	0.8 %
0.5065122842789	-	1630	6.4 %
0.5087976455688	-	17	0.1 %
0.5112782120705	-	928	3.6 %

Value	Label	Unweighted Frequency	%
0.5133135914803	-	378	1.5 %
0.5162790417671	-	233	0.9 %
0.5172413587570	-	42	0.2 %
0.5179640650749	-	1036	4.1 %
0.5182482004166	-	751	2.9 %
0.5185185074806	-	163	0.6 %
0.5202898383141	-	630	2.5 %
0.5207373499870	-	355	1.4 %
0.5251141786575	-	219	0.9 %
0.5285714268684	-	48	0.2 %
0.5299538969994	-	47	0.2 %
0.5312976837158	-	205	0.8 %
0.5344311594963	-	548	2.2 %
0.5355450510979	-	49	0.2 %
0.5365853905678	-	536	2.1 %
0.5418719053268	-	788	3.1 %
0.5450236797333	-	369	1.4 %
0.5463414788246	-	35	0.1 %
0.5467980504036	-	668	2.6 %
0.5501567125320	-	175	0.7 %
0.5507246255875	-	277	1.1 %
0.5566502213478	-	163	0.6 %
0.5577889680862	-	204	0.8 %
0.5578778386116	-	14	0.1 %
0.5582137107849	-	552	2.2 %
0.5625000000000	-	870	3.4 %
0.5665024518967	-	118	0.5 %
0.5670102834702	-	128	0.5 %
0.5679611563683	-	818	3.2 %
0.5685279369354	-	291	1.1 %
0.5687204003334	-	70	0.3 %
0.5693950057030	-	1031	4.0 %
0.5707316994667	-	320	1.3 %
0.5721649527550	-	384	1.5 %
0.5723684430122	-	55	0.2 %
0.5735537409782	-	597	2.3 %
0.5736842155457	-	1	0.0 %
0.5764706134796	-	1884	7.4 %
0.5767195820808	-	210	0.8 %

Value	Label	Unweighted Frequency	%
	Total	25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 0.5462861163280
- Median: 0.5467980504036
- Mode: 0.5764706134796
- Minimum: 0.4457831382751
- Maximum: 0.6335282921791
- Standard Deviation: 0.0390125507434

Location: 2358-2372 (width: 15; decimal: 13)

Variable Type: numeric

HHFAM2012: 2012 subfamily for this 2005 individual

Value	Label	Unweighted Frequency	%
	Missing Data		
-		25479	100.0 %
	Total	25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 2373-2373 (width: 1; decimal: 0)

Variable Type: numeric

APD: HH29 23.dt Anthropometry date

Value	Label	Unweighted Frequency	%
-		25479	100.0 %
	Total	25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

Location: 2374-2374 (width: 1; decimal: 0)

Variable Type: character

APDD: HH29 23. Day of anthropometry interview

Value	Label	Unweighted Frequency	%
	Missing Data		
-		25479	100.0 %
	Total	25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 2375-2375 (width: 1; decimal: 0)

Variable Type: numeric

APDM: HH29 23. Month of anthropometry interview

Value	Label	Unweighted Frequency	%
	Missing Data		
-		25479	100.0 %
	Total	25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 2376-2376 (width: 1; decimal: 0)

Variable Type: numeric

APDY: HH29 23. Year of anthropometry interview

Value	Label	Unweighted Frequency	%
	Missing Data		
-		25479	100.0 %
	Total	25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 2377-2377 (width: 1; decimal: 0)

Variable Type: numeric

APDDATE: HH29 23. Date (integer) of anthropometry interview

Value	Label	Unweighted Frequency	%
	Missing Data		
-		25479	100.0 %
	Total	25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 2378-2378 (width: 1; decimal: 0)

Variable Type: numeric

POORT: Poverty using 2004-5 Tendulkar cutoffs

Value	Label	Unweighted Frequency	%
0	nonpoor 0	0	0.0 %
1	poor 1	0	0.0 %
	Missing Data		
-		25479	100.0 %
	Total	25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 2379-2379 (width: 1; decimal: 0)

Variable Type: numeric

FH0: EH27 any fertility history

Value	Label	Unweighted Frequency	%
0	No 0	0	0.0 %
1	Yes 1	0	0.0 %
	Missing Data		
.	-	25479	100.0 %
	Total	25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 2380-2380 (width: 1; decimal: 0)

Variable Type: numeric

CD3CM: EH2 0.2 imputed date of interview (century month calendar)

Value	Label	Unweighted Frequency	%
1333	-	2	0.0 %
1335	-	1	0.0 %
1341	-	1	0.0 %
1342	-	355	1.4 %
1343	-	990	3.9 %
1344	-	1336	5.2 %
1345	-	1638	6.4 %
1346	-	2340	9.2 %
1347	-	2350	9.2 %
1348	-	3038	11.9 %
1349	-	3620	14.2 %
1350	-	4051	15.9 %
1351	-	2642	10.4 %
1352	-	1947	7.6 %
1353	-	891	3.5 %
1354	-	138	0.5 %
1355	-	99	0.4 %
1356	-	22	0.1 %
1358	-	10	0.0 %
1359	-	8	0.0 %
	Total	25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 1348.37
- Median: 1349.00
- Mode: 1350.00
- Minimum: 1333.00
- Maximum: 1359.00
- Standard Deviation: 2.75

Location: 2381-2384 (width: 4; decimal: 0)

Variable Type: numeric

IDHH: Household id, unique 10 byte string

Based upon 25,479 valid cases out of 25,479 total cases.

Location: 2385-2394 (width: 10; decimal: 0)

Variable Type: character

DIST01: District ID corrected Census 2001

Value	Label	Unweighted Frequency	%
0	-	907	3.6 %
1	-	888	3.5 %
2	-	1530	6.0 %
3	-	650	2.6 %
4	-	911	3.6 %
5	-	1454	5.7 %
6	-	966	3.8 %
7	-	903	3.5 %
8	-	1020	4.0 %
9	-	1113	4.4 %
10	-	1003	3.9 %
11	-	888	3.5 %
12	-	1179	4.6 %
13	-	921	3.6 %
14	-	667	2.6 %
15	-	844	3.3 %
16	-	684	2.7 %
17	-	703	2.8 %
18	-	605	2.4 %
19	-	583	2.3 %
20	-	588	2.3 %
21	-	558	2.2 %
22	-	535	2.1 %
23	-	436	1.7 %
24	-	501	2.0 %
25	-	465	1.8 %

Value	Label	Unweighted Frequency	%
26	-	456	1.8 %
27	-	446	1.8 %
28	-	111	0.4 %
29	-	321	1.3 %
30	-	364	1.4 %
31	-	201	0.8 %
32	-	308	1.2 %
33	-	24	0.1 %
34	-	106	0.4 %
35	-	125	0.5 %
36	-	104	0.4 %
37	-	62	0.2 %
38	-	26	0.1 %
39	-	19	0.1 %
40	-	29	0.1 %
41	-	43	0.2 %
42	-	97	0.4 %
44	-	70	0.3 %
45	-	73	0.3 %
46	-	27	0.1 %
47	-	61	0.2 %
48	-	44	0.2 %
49	-	112	0.4 %
50	-	41	0.2 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 14.90
- Median: 12.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 68.00
- Standard Deviation: 12.86

Location: 2395-2396 (width: 2; decimal: 0)

Variable Type: numeric

WTHH: hh weight in IHDS1 or 2, not for ew analyses

Value	Label	Unweighted Frequency	%
154.07142257	-	13	0.1 %
225.35821216	-	7	0.0 %
282.22428900	-	16	0.1 %
430.33734940	-	44	0.2 %
478.11506790	-	14	0.1 %
519.23909381	-	16	0.1 %
545.59105431	-	200	0.8 %
555.54952639	-	14	0.1 %
557.02727204	-	10	0.0 %
616.92266652	-	14	0.1 %
661.49941759	-	13	0.1 %
662.02983480	-	18	0.1 %
673.25068445	-	15	0.1 %
683.02152015	-	15	0.1 %
699.68059789	-	11	0.0 %
706.24298156	-	21	0.1 %
709.16265817	-	15	0.1 %
726.25070837	-	11	0.0 %
728.16213394	-	17	0.1 %
732.45597765	-	12	0.0 %
751.46333333	-	23	0.1 %
767.60402544	-	26	0.1 %
772.55692174	-	27	0.1 %
775.05524383	-	10	0.0 %
791.94525272	-	13	0.1 %
802.01369120	-	14	0.1 %
806.32990123	-	29	0.1 %
810.76027458	-	23	0.1 %
823.13520058	-	16	0.1 %
828.59711659	-	11	0.0 %
830.55080801	-	11	0.0 %
846.30270655	-	18	0.1 %
860.41562902	-	20	0.1 %
861.59948131	-	15	0.1 %
875.76350400	-	17	0.1 %
878.01088435	-	9	0.0 %
895.05963110	-	7	0.0 %
897.61763447	-	17	0.1 %
898.69133115	-	35	0.1 %

Value	Label	Unweighted Frequency	%
901.80821378	-	24	0.1 %
910.69536020	-	11	0.0 %
911.02835815	-	17	0.1 %
926.57204300	-	20	0.1 %
928.84006734	-	18	0.1 %
931.22369214	-	12	0.0 %
931.63200771	-	9	0.0 %
963.41449458	-	16	0.1 %
978.24645886	-	15	0.1 %
978.46783820	-	16	0.1 %
991.30264186	-	8	0.0 %
	Total	25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 6095.52486468
- Minimum: 154.07142257
- Maximum: 156647.54687500
- Standard Deviation: 5672.79485870

Location: 2397-2411 (*width:* 15; *decimal:* 8)

Variable Type: numeric

ID11: HQ3 1.11 Religion

Value	Label	Unweighted Frequency	%
1	Hindu 1	20941	82.2 %
2	Muslim 2	2927	11.5 %
3	Christian 3	645	2.5 %
4	Sikh 4	589	2.3 %
5	Buddhist 5	177	0.7 %
6	Jain 6	61	0.2 %
7	Tribal 7	104	0.4 %
8	Others 8	24	0.1 %
9	None 9	10	0.0 %
	Missing Data		
.	-	1	0.0 %
	Total	25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 2412-2412 (width: 1; decimal: 0)

Variable Type: numeric

ID13: HQ3 1.13 Caste category [as in IHDS1]

Value	Label	Unweighted Frequency	%
1	Brahmin 1	0	0.0 %
2	Forward 2	0	0.0 %
3	OBC 3	0	0.0 %
4	SC 4	0	0.0 %
5	ST 5	0	0.0 %
6	Others 6	0	0.0 %
Missing Data			
99	MASKED BY ICPSR	25438	99.8 %
.	-	41	0.2 %
Total		25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 2413-2414 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 99, .

ASSETS: Total hh assets (0-33) [IHDS2]

Value	Label	Unweighted Frequency	%
0	-	3	0.0 %
1	-	40	0.2 %
2	-	97	0.4 %
3	-	261	1.0 %
4	-	462	1.8 %
5	-	641	2.5 %
6	-	732	2.9 %
7	-	913	3.6 %
8	-	988	3.9 %
9	-	1000	3.9 %
10	-	1036	4.1 %
11	-	1044	4.1 %
12	-	1093	4.3 %
13	-	1189	4.7 %
14	-	1170	4.6 %
15	-	1231	4.8 %

Value	Label	Unweighted Frequency	%
16	-	1383	5.4 %
17	-	1355	5.3 %
18	-	1306	5.1 %
19	-	1394	5.5 %
20	-	1392	5.5 %
21	-	1311	5.1 %
22	-	1194	4.7 %
23	-	1113	4.4 %
24	-	996	3.9 %
25	-	692	2.7 %
26	-	511	2.0 %
27	-	363	1.4 %
28	-	215	0.8 %
29	-	149	0.6 %
30	-	107	0.4 %
31	-	58	0.2 %
32	-	26	0.1 %
33	-	6	0.0 %
Missing Data			
.	-	8	0.0 %
Total		25,479	100%

Based upon 25,471 valid cases out of 25,479 total cases.

- Mean: 15.79
- Median: 16.00
- Mode: 19.00
- Minimum: 0.00
- Maximum: 33.00
- Standard Deviation: 6.44

Location: 2415-2416 (*width:* 2; *decimal:* 0)

Variable Type: numeric

ASSETS2005: Total hh assets (0-30) as in IHDS1

Value	Label	Unweighted Frequency	%
0	-	3	0.0 %
1	-	40	0.2 %
2	-	97	0.4 %
3	-	261	1.0 %
4	-	462	1.8 %
5	-	644	2.5 %

Value	Label	Unweighted Frequency	%
6	-	733	2.9 %
7	-	921	3.6 %
8	-	1007	4.0 %
9	-	1043	4.1 %
10	-	1127	4.4 %
11	-	1175	4.6 %
12	-	1251	4.9 %
13	-	1294	5.1 %
14	-	1330	5.2 %
15	-	1456	5.7 %
16	-	1432	5.6 %
17	-	1388	5.4 %
18	-	1477	5.8 %
19	-	1458	5.7 %
20	-	1377	5.4 %
21	-	1252	4.9 %
22	-	1187	4.7 %
23	-	1047	4.1 %
24	-	722	2.8 %
25	-	516	2.0 %
26	-	384	1.5 %
27	-	189	0.7 %
28	-	136	0.5 %
29	-	52	0.2 %
30	-	10	0.0 %
Missing Data			
.	-	8	0.0 %
Total		25,479	100%

Based upon 25,471 valid cases out of 25,479 total cases.

- Mean: 15.18
- Median: 15.00
- Mode: 18.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 6.01

Location: 2417-2418 (width: 2; decimal: 0)

Variable Type: numeric

ASSETS5: Total hh assets, quintiles

Value	Label	Unweighted Frequency	%
0	Neg.<1000 0	0	0.0 %
1	Poorest 1	4137	16.2 %
2	2nd quintile 2	4173	16.4 %
3	Middle q 3	6328	24.8 %
4	4th quintile 4	5403	21.2 %
5	Richest 5	5430	21.3 %
Missing Data			
.	-	8	0.0 %
Total		25,479	100%

Based upon 25,471 valid cases out of 25,479 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 2419-2419 (width: 1; decimal: 0)

Variable Type: numeric

COTOTAL: HQ23-25 14. Annual hh consumption expenditure

Based upon 25,473 valid cases out of 25,479 total cases.

- Mean: 124758.5856514
- Minimum: 2832.0000000
- Maximum: 3508748.0000000
- Standard Deviation: 120310.3737291

Location: 2420-2434 (width: 15; decimal: 7)

Variable Type: numeric

COTOTAL5: HQ23-25 14. Annual hh consumption quintiles

Value	Label	Unweighted Frequency	%
1	-	3182	12.5 %
2	-	4688	18.4 %
3	-	5418	21.3 %
4	-	5853	23.0 %
5	-	6332	24.9 %
Missing Data			
.	-	6	0.0 %
Total		25,479	100%

Based upon 25,473 valid cases out of 25,479 total cases.

- Mean: 3.29
- Median: 3.00

- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.35

Location: 2435-2435 (width: 1; decimal: 0)

Variable Type: numeric

INCOME: HQ Annual income

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 132350.426546
- Minimum: -1037040.000000
- Maximum: 11360000.000000
- Standard Deviation: 226404.729932

Location: 2436-2450 (width: 15; decimal: 6)

Variable Type: numeric

INCOME5: HQ tot income quint 0=neg

Value	Label	Unweighted Frequency	%
0	Neg,<1000 0	333	1.3 %
1	Poorest 1	3630	14.2 %
2	2nd quintile 2	4437	17.4 %
3	Middle q 3	5319	20.9 %
4	4th quintile 4	5682	22.3 %
5	Richest 5	6078	23.9 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 2451-2451 (width: 1; decimal: 0)

Variable Type: numeric

POOR: Poverty using 2005/2012 Tendulkar cutoffs in IHDS1/2

Value	Label	Unweighted Frequency	%
0	-	21279	83.5 %
1	-	4194	16.5 %
Missing Data			
.	-	6	0.0 %
Total		25,479	100%

Based upon 25,473 valid cases out of 25,479 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

Location: 2452-2452 (width: 1; decimal: 0)

Variable Type: numeric

POOR1: Poverty using 2004-5 Tendulkar cutoffs

Value	Label	Unweighted Frequency	%
0	nonpoor 0	0	0.0 %
1	poor 1	0	0.0 %
Missing Data			
.	-	25479	100.0 %
Total		25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 2453-2453 (width: 1; decimal: 0)

Variable Type: numeric

POOR2: Poverty using 2012 Tendulkar cutoffs [IHDS2]

Value	Label	Unweighted Frequency	%
0	nonpoor 0	21279	83.5 %
1	poor 1	4194	16.5 %
Missing Data			
.	-	6	0.0 %
Total		25,479	100%

Based upon 25,473 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2454-2454 (width: 1; decimal: 0)

Variable Type: numeric

POOR1: Below poverty line using 2005 definition

Value	Label	Unweighted Frequency	%
0	nonpoor 0	0	0.0 %
1	poor 1	0	0.0 %
Missing Data			
.	-	25479	100.0 %

Value	Label	Unweighted Frequency	%
Total		25,479	100%

Based upon 0 valid cases out of 25,479 total cases.

Location: 2455-2455 (width: 1; decimal: 0)

Variable Type: numeric

POVLINE2005: Poverty line 2005, Tendulkar

Value	Label	Unweighted Frequency	%
385.45001220704	-	38	0.1 %
398.92001342774	-	594	2.3 %
404.79000854493	-	304	1.2 %
407.77999877930	-	1041	4.1 %
408.41000366211	-	1396	5.5 %
417.83999633790	-	1760	6.9 %
433.42999267579	-	1608	6.3 %
435.14001464844	-	212	0.8 %
441.69000244141	-	554	2.2 %
445.38000488282	-	933	3.7 %
450.48999023438	-	78	0.3 %
478.000000000000	-	1343	5.3 %
484.89001464844	-	1563	6.1 %
486.23999023438	-	1736	6.8 %
497.30999755860	-	359	1.4 %
501.57998657227	-	722	2.8 %
503.32000732422	-	42	0.2 %
506.17001342774	-	26	0.1 %
513.70001220704	-	167	0.7 %
520.40002441407	-	758	3.0 %
522.29998779297	-	271	1.1 %
526.17999267579	-	264	1.0 %
529.41998291016	-	949	3.7 %
531.34997558594	-	209	0.8 %
531.500000000000	-	35	0.1 %
532.11999511719	-	74	0.3 %
532.26000976563	-	369	1.4 %
537.30999755860	-	634	2.5 %
541.39001464844	-	30	0.1 %
543.51000976563	-	760	3.0 %
547.14001464844	-	78	0.3 %

Value	Label	Unweighted Frequency	%
555.78997802735	-	34	0.1 %
559.77001953125	-	668	2.6 %
563.15997314454	-	421	1.7 %
568.15002441407	-	499	2.0 %
572.51000976563	-	699	2.7 %
578.10998535157	-	36	0.1 %
584.70001220704	-	361	1.4 %
588.05999755860	-	488	1.9 %
600.03002929688	-	123	0.5 %
602.39001464844	-	650	2.6 %
602.89001464844	-	157	0.6 %
605.73999023438	-	184	0.7 %
608.76000976563	-	110	0.4 %
618.45001220704	-	23	0.1 %
626.40997314454	-	124	0.5 %
631.84997558594	-	795	3.1 %
639.27001953125	-	7	0.0 %
641.13000488282	-	35	0.1 %
642.46997070313	-	267	1.0 %
	Total	25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 502.35217723415
- Median: 486.23999023438
- Mode: 417.83999633790
- Minimum: 385.45001220704
- Maximum: 745.72998046875
- Standard Deviation: 72.92325969371

Location: 2456-2470 (width: 15; decimal: 11)

Variable Type: numeric

POVLINE2012: Poverty cut off Tendulkar Method, adj for interview date [IHDS2]

Value	Label	Unweighted Frequency	%
695	-	1028	4.0 %
738	-	1	0.0 %
748	-	292	1.1 %
761	-	3	0.0 %
768	-	1697	6.7 %

Value	Label	Unweighted Frequency	%
771	-	532	2.1 %
778	-	711	2.8 %
783	-	868	3.4 %
798	-	1	0.0 %
800	-	581	2.3 %
817	-	2	0.0 %
836	-	864	3.4 %
847	-	77	0.3 %
849	-	10	0.0 %
855	-	2	0.0 %
860	-	559	2.2 %
861	-	367	1.4 %
880	-	738	2.9 %
891	-	63	0.2 %
897	-	178	0.7 %
899	-	289	1.1 %
902	-	914	3.6 %
905	-	1032	4.1 %
911	-	305	1.2 %
913	-	710	2.8 %
923	-	277	1.1 %
930	-	14	0.1 %
932	-	546	2.1 %
934	-	2	0.0 %
935	-	175	0.7 %
937	-	662	2.6 %
941	-	684	2.7 %
955	-	6	0.0 %
959	-	197	0.8 %
967	-	1535	6.0 %
972	-	191	0.7 %
974	-	219	0.9 %
976	-	42	0.2 %
979	-	850	3.3 %
981	-	762	3.0 %
982	-	32	0.1 %
986	-	4	0.0 %
987	-	476	1.9 %
988	-	38	0.1 %

Value	Label	Unweighted Frequency	%
1001	-	3	0.0 %
1002	-	503	2.0 %
1003	-	169	0.7 %
1008	-	14	0.1 %
1009	-	216	0.8 %
1010	-	78	0.3 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 933.66
- Median: 935.00
- Mode: 768.00
- Minimum: 695.00
- Maximum: 1380.00
- Standard Deviation: 127.39

Location: 2471-2474 (width: 4; decimal: 0)

Variable Type: numeric

FM1: HQ7 5.1 HH any owned or cultivated

Value	Label	Unweighted Frequency	%
0	No 0	13481	52.9 %
1	Yes 1	11998	47.1 %
Total		25,479	100%

Based upon 25,479 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2475-2475 (width: 1; decimal: 0)

Variable Type: numeric

NWKANY: HQ10-16 N wk (>=240hrs): any job

Value	Label	Unweighted Frequency	%
0	-	1449	5.7 %
1	-	8132	31.9 %
2	-	8903	34.9 %
3	-	4053	15.9 %
4	-	1922	7.5 %
5	-	649	2.5 %

Value	Label	Unweighted Frequency	%
6	-	247	1.0 %
7	-	77	0.3 %
8	-	31	0.1 %
9	-	5	0.0 %
10	-	6	0.0 %
11	-	2	0.0 %
12	-	1	0.0 %
13	-	1	0.0 %
Missing Data			
.	-	1	0.0 %
Total		25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 2.02
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 13.00
- Standard Deviation: 1.25

Location: 2476-2477 (width: 2; decimal: 0)

Variable Type: numeric

NWKANYPLUS: HQ10-16 N wk (>=240hrs): any job or animal care

Value	Label	Unweighted Frequency	%
0	-	971	3.8 %
1	-	6676	26.2 %
2	-	9443	37.1 %
3	-	4656	18.3 %
4	-	2414	9.5 %
5	-	826	3.2 %
6	-	324	1.3 %
7	-	108	0.4 %
8	-	39	0.2 %
9	-	8	0.0 %
10	-	7	0.0 %
11	-	3	0.0 %
12	-	2	0.0 %
13	-	1	0.0 %
Missing Data			
.	-	1	0.0 %

Value	Label	Unweighted Frequency	%
Total		25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 2.22
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 13.00
- Standard Deviation: 1.28

Location: 2478-2479 (width: 2; decimal: 0)

Variable Type: numeric

NWKAGLAB: HQ13 7.3 N wk (>=240hrs): farm wage

Value	Label	Unweighted Frequency	%
0	-	19160	75.2 %
1	-	3075	12.1 %
2	-	2194	8.6 %
3	-	674	2.6 %
4	-	265	1.0 %
5	-	81	0.3 %
6	-	22	0.1 %
7	-	6	0.0 %
8	-	1	0.0 %
Missing Data			
.	-	1	0.0 %
Total		25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 0.44
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 0.90

Location: 2480-2480 (width: 1; decimal: 0)

Variable Type: numeric

NWKANIMAL: HQ11 an5 N wk (often): animal

Value	Label	Unweighted Frequency	%
0	-	13893	54.5 %
1	-	8072	31.7 %

Value	Label	Unweighted Frequency	%
2	-	2738	10.7 %
3	-	577	2.3 %
4	-	164	0.6 %
5	-	26	0.1 %
6	-	4	0.0 %
7	-	2	0.0 %
8	-	2	0.0 %
Missing Data			
.	-	1	0.0 %
Total		25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 0.63
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 0.83

Location: 2481-2481 (*width:* 1; *decimal:* 0)

Variable Type: numeric

NWKBUSINESS: HQ14-16 nf12,13 N wk (>=240hrs): business

Value	Label	Unweighted Frequency	%
0	-	20592	80.8 %
1	-	2953	11.6 %
2	-	1381	5.4 %
3	-	386	1.5 %
4	-	126	0.5 %
5	-	33	0.1 %
6	-	6	0.0 %
7	-	1	0.0 %
Missing Data			
.	-	1	0.0 %
Total		25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 0.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00

- Standard Deviation: 0.71

Location: 2482-2482 (width: 1; decimal: 0)

Variable Type: numeric

NWKFARM: HQ10 fm37,38 N wk (>=240hrs): farm

Value	Label	Unweighted Frequency	%
0	-	16643	65.3 %
1	-	2464	9.7 %
2	-	3525	13.8 %
3	-	1580	6.2 %
4	-	784	3.1 %
5	-	295	1.2 %
6	-	123	0.5 %
7	-	36	0.1 %
8	-	16	0.1 %
9	-	4	0.0 %
10	-	5	0.0 %
11	-	2	0.0 %
12	-	1	0.0 %
Missing Data			
.	-	1	0.0 %
Total		25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 0.79
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 1.30

Location: 2483-2484 (width: 2; decimal: 0)

Variable Type: numeric

NWKNONAG: HQ13 7.3 N wk (>=240hrs): nonag wage

Value	Label	Unweighted Frequency	%
0	-	16571	65.0 %
1	-	5845	22.9 %
2	-	2294	9.0 %
3	-	582	2.3 %
4	-	132	0.5 %
5	-	38	0.1 %

Value	Label	Unweighted Frequency	%
6	-	11	0.0 %
7	-	5	0.0 %
	Missing Data		
.	-	1	0.0 %
	Total	25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 0.51
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.82

Location: 2485-2485 (width: 1; decimal: 0)

Variable Type: numeric

NWKNONNREGA: HQ13 7.3 N wk (>=240hrs): nonag wage not NREGA [IHDS2]

Value	Label	Unweighted Frequency	%
0	-	17762	69.7 %
1	-	5419	21.3 %
2	-	1697	6.7 %
3	-	453	1.8 %
4	-	102	0.4 %
5	-	33	0.1 %
6	-	7	0.0 %
7	-	5	0.0 %
	Missing Data		
.	-	1	0.0 %
	Total	25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 0.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.76

Location: 2486-2486 (width: 1; decimal: 0)

Variable Type: numeric

NWKNREGA: HQ13 7.3 N wk (>=240hrs): NREGA [IHDS2]

Value	Label	Unweighted Frequency	%
0	-	23352	91.7 %
1	-	1588	6.2 %
2	-	480	1.9 %
3	-	43	0.2 %
4	-	10	0.0 %
5	-	2	0.0 %
6	-	3	0.0 %
Missing Data			
.	-	1	0.0 %
Total		25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.39

Location: 2487-2487 (*width:* 1; *decimal:* 0)

Variable Type: numeric

NWKNREGA4: HQ13 7.3 N wk, any hours: NREGA [IHDS2]

Value	Label	Unweighted Frequency	%
0	-	21401	84.0 %
1	-	2508	9.8 %
2	-	1280	5.0 %
3	-	201	0.8 %
4	-	67	0.3 %
5	-	13	0.1 %
6	-	7	0.0 %
8	-	1	0.0 %
Missing Data			
.	-	1	0.0 %
Total		25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00

- Standard Deviation: 0.62

Location: 2488-2488 (width: 1; decimal: 0)

Variable Type: numeric

NWKSALARY: HQ13 7.3 N wk (>=240hrs): salary position

Value	Label	Unweighted Frequency	%
0	-	17446	68.5 %
1	-	5972	23.4 %
2	-	1637	6.4 %
3	-	325	1.3 %
4	-	79	0.3 %
5	-	17	0.1 %
6	-	1	0.0 %
7	-	1	0.0 %
Missing Data			
.	-	1	0.0 %
Total		25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 0.42
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.71

Location: 2489-2489 (width: 1; decimal: 0)

Variable Type: numeric

NPERSONS: HQ4 2.0 N in hh

Value	Label	Unweighted Frequency	%
1	-	188	0.7 %
2	-	1492	5.9 %
3	-	3267	12.8 %
4	-	5827	22.9 %
5	-	5397	21.2 %
6	-	3836	15.1 %
7	-	2202	8.6 %
8	-	1282	5.0 %
9	-	733	2.9 %
10	-	486	1.9 %
11	-	290	1.1 %

Value	Label	Unweighted Frequency	%
12	-	180	0.7 %
13	-	98	0.4 %
14	-	70	0.3 %
15	-	48	0.2 %
16	-	17	0.1 %
17	-	18	0.1 %
18	-	13	0.1 %
19	-	10	0.0 %
20	-	12	0.0 %
21	21 or more	12	0.0 %
Missing Data			
.	-	1	0.0 %
Total		25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 5.23
- Median: 5.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 21.00
- Standard Deviation: 2.28

Location: 2490-2491 (*width:* 2; *decimal:* 0)

Variable Type: numeric

NNR: HQ5 3.0 # hh nonresidents

Value	Label	Unweighted Frequency	%
0	-	19357	76.0 %
1	-	4267	16.7 %
2	-	1387	5.4 %
3	-	340	1.3 %
4	-	97	0.4 %
5	-	21	0.1 %
6	6 or more	9	0.0 %
Missing Data			
.	-	1	0.0 %
Total		25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 0.34
- Median: 0.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.70

Location: 2492-2492 (width: 1; decimal: 0)

Variable Type: numeric

NCHILDM: HQ4 2.5 # 0-14 boys in hh

Value	Label	Unweighted Frequency	%
0	-	12166	47.7 %
1	-	8341	32.7 %
2	-	3786	14.9 %
3	-	908	3.6 %
4	-	207	0.8 %
5	-	52	0.2 %
6	6 or more	18	0.1 %
Missing Data			
.	-	1	0.0 %
Total		25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 0.78
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.92

Location: 2493-2493 (width: 1; decimal: 0)

Variable Type: numeric

NCHILDF: HQ4 2.5 # 0-14 girls in hh

Value	Label	Unweighted Frequency	%
0	-	13752	54.0 %
1	-	7287	28.6 %
2	-	2967	11.6 %
3	-	1041	4.1 %
4	-	303	1.2 %
5	-	96	0.4 %
6	6 or more	32	0.1 %
Missing Data			
.	-	1	0.0 %
Total		25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 0.72
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.97

Location: 2494-2494 (width: 1; decimal: 0)

Variable Type: numeric

NTEENM: HQ4 2.5 # 15-20 boys in hh

Value	Label	Unweighted Frequency	%
0	-	18050	70.8 %
1	-	6045	23.7 %
2	-	1261	4.9 %
3	3 or more	122	0.5 %
Missing Data			
.	-	1	0.0 %
Total		25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 0.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.60

Location: 2495-2495 (width: 1; decimal: 0)

Variable Type: numeric

NTEENF: HQ4 2.5 # 15-20 girls in hh

Value	Label	Unweighted Frequency	%
0	-	18275	71.7 %
1	-	5760	22.6 %
2	-	1281	5.0 %
3	3 or more	162	0.6 %
Missing Data			
.	-	1	0.0 %
Total		25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 0.35

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.60

Location: 2496-2496 (width: 1; decimal: 0)

Variable Type: numeric

NADULTS: HQ4 2.5 N 21+ in hh

Value	Label	Unweighted Frequency	%
1	-	1079	4.2 %
2	-	10690	42.0 %
3	-	6144	24.1 %
4	-	4136	16.2 %
5	-	1795	7.0 %
6	-	999	3.9 %
7	-	337	1.3 %
8	-	164	0.6 %
9	-	70	0.3 %
10	-	32	0.1 %
11	-	17	0.1 %
12	12 or more	15	0.1 %
Missing Data			
.	-	1	0.0 %
Total		25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 3.04
- Median: 3.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 1.42

Location: 2497-2498 (width: 2; decimal: 0)

Variable Type: numeric

NADULTM: HQ4 2.5 # 21+ men in hh

Value	Label	Unweighted Frequency	%
0	-	1556	6.1 %
1	-	14221	55.8 %
2	-	6603	25.9 %
3	-	2404	9.4 %

Value	Label	Unweighted Frequency	%
4	-	522	2.0 %
5	-	120	0.5 %
6	6 or more	52	0.2 %
Missing Data			
.	-	1	0.0 %
Total		25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 1.48
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.88

Location: 2499-2499 (width: 1; decimal: 0)

Variable Type: numeric

NADULTF: HQ4 2.5 N 21+ women in hh

Value	Label	Unweighted Frequency	%
0	-	2	0.0 %
1	-	14734	57.8 %
2	-	7976	31.3 %
3	-	2155	8.5 %
4	-	491	1.9 %
5	-	94	0.4 %
6	6 or more	26	0.1 %
Missing Data			
.	-	1	0.0 %
Total		25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 1.56
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.77

Location: 2500-2500 (width: 1; decimal: 0)

Variable Type: numeric

NELDERM: HQ4 2.5 # 60+ men in hh

Value	Label	Unweighted Frequency	%
0	-	20717	81.3 %
1	-	4674	18.3 %
2	2 or more	87	0.3 %
Missing Data			
.	-	1	0.0 %
Total		25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.40

Location: 2501-2501 (width: 1; decimal: 0)

Variable Type: numeric

NELDERF: HQ4 2.5 # 60+ men in hh

Value	Label	Unweighted Frequency	%
0	-	20313	79.7 %
1	-	5071	19.9 %
2	2 or more	94	0.4 %
Missing Data			
.	-	1	0.0 %
Total		25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 0.21
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.41

Location: 2502-2502 (width: 1; decimal: 0)

Variable Type: numeric

NMARRIEDF: HQ4 2.6 N married women in hh

Value	Label	Unweighted Frequency	%
0	-	1285	5.0 %
1	-	17724	69.6 %
2	-	4991	19.6 %

Value	Label	Unweighted Frequency	%
3	-	1212	4.8 %
4	-	205	0.8 %
5	-	51	0.2 %
6	6 or more	10	0.0 %
Missing Data			
.	-	1	0.0 %
Total		25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 1.27
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.69

Location: 2503-2503 (width: 1; decimal: 0)

Variable Type: numeric

NMARRIEDM: HQ4 2.6 N married men in hh

Value	Label	Unweighted Frequency	%
0	-	2177	8.5 %
1	-	17584	69.0 %
2	-	4514	17.7 %
3	-	996	3.9 %
4	-	170	0.7 %
5	-	30	0.1 %
6	6 or more	7	0.0 %
Missing Data			
.	-	1	0.0 %
Total		25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 1.20
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.68

Location: 2504-2504 (width: 1; decimal: 0)

Variable Type: numeric

HHEDUC: 11.6 Highest adult educ [max=15]

Value	Label	Unweighted Frequency	%
0	none, <1 0	3967	15.6 %
1	1st class 1	65	0.3 %
2	2nd class 2	320	1.3 %
3	3rd class 3	446	1.8 %
4	4th class 4	640	2.5 %
5	5th class 5	1847	7.2 %
6	6th class 6	624	2.4 %
7	7th class 7	1381	5.4 %
8	8th class 8	1917	7.5 %
9	9th class 9	2472	9.7 %
10	Secondary 10	3061	12.0 %
11	11th Class 11	718	2.8 %
12	High Secondary 12	2737	10.7 %
13	-	300	1.2 %
14	-	541	2.1 %
15	Bachelors 15	4442	17.4 %
16	Above Bachelors 16	0	0.0 %
55	<1st class 55	0	0.0 %
Missing Data			
.	-	1	0.0 %
Total		25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 15.00

Location: 2505-2506 (width: 2; decimal: 0)

Variable Type: numeric

HHEDUC7: HQ19 11.6 Highest adult educ, 7 categories

Value	Label	Unweighted Frequency	%
0	none 0	3967	15.6 %
3	1-4 3	1471	5.8 %
5	primary 5	1847	7.2 %
8	6-9 8	6394	25.1 %
10	Secondary(&11) 10	3779	14.8 %
12	Higher sec(&13,14) 12	3578	14.0 %
15	graduate 15	4442	17.4 %

Value	Label	Unweighted Frequency	%
16	some post-grad 16	0	0.0 %
	Missing Data		
.	-	1	0.0 %
	Total	25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 15.00

Location: 2507-2508 (width: 2; decimal: 0)

Variable Type: numeric

HHEDUCF: 11.6 Highest female adult educ [max=15]

Value	Label	Unweighted Frequency	%
0	none, <1 0	9278	36.4 %
1	1st class 1	86	0.3 %
2	2nd class 2	378	1.5 %
3	3rd class 3	577	2.3 %
4	4th class 4	780	3.1 %
5	5th class 5	2166	8.5 %
6	6th class 6	627	2.5 %
7	7th class 7	1334	5.2 %
8	8th class 8	1736	6.8 %
9	9th class 9	1714	6.7 %
10	Secondary 10	2217	8.7 %
11	11th Class 11	324	1.3 %
12	High Secondary 12	1628	6.4 %
13	-	167	0.7 %
14	-	299	1.2 %
15	Bachelors 15	2167	8.5 %
16	Above Bachelors 16	0	0.0 %
55	<1st class 55	0	0.0 %
	Missing Data		
.	-	1	0.0 %
	Total	25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 15.00

Location: 2509-2510 (width: 2; decimal: 0)

Variable Type: numeric

HHEDUCM: 11.6 Highest male adult educ [max=15]

Value	Label	Unweighted Frequency	%
0	none, <1 0	4158	16.3 %
1	1st class 1	89	0.3 %
2	2nd class 2	422	1.7 %
3	3rd class 3	493	1.9 %
4	4th class 4	734	2.9 %
5	5th class 5	1753	6.9 %
6	6th class 6	627	2.5 %
7	7th class 7	1349	5.3 %
8	8th class 8	1864	7.3 %
9	9th class 9	2321	9.1 %
10	Secondary 10	2999	11.8 %
11	11th Class 11	644	2.5 %
12	High Secondary 12	2344	9.2 %
13	-	246	1.0 %
14	-	397	1.6 %
15	Bachelors 15	3476	13.6 %
16	Above Bachelors 16	0	0.0 %
55	<1st class 55	0	0.0 %
Missing Data			
.	-	1563	6.1 %
Total		25,479	100%

Based upon 23,916 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 15.00

Location: 2511-2512 (width: 2; decimal: 0)

Variable Type: numeric

HHLITERATE: HQ19 11.2 Any adult (or head) in hh literate

Value	Label	Unweighted Frequency	%
0	No 0	4070	16.0 %
1	Yes 1	21408	84.0 %
Missing Data			
.	-	1	0.0 %
Total		25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2513-2513 (width: 1; decimal: 0)

Variable Type: numeric

ED2: HQ19 11.2 Educ: Literacy

Value	Label	Unweighted Frequency	%
0	No 0	11605	45.5 %
1	Yes 1	13873	54.4 %
	Missing Data		
.	-	1	0.0 %
	Total	25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2514-2514 (width: 1; decimal: 0)

Variable Type: numeric

ED3: HQ19 11.3 Educ: English ability

Value	Label	Unweighted Frequency	%
0	No 0	21191	83.2 %
1	Little 1	3611	14.2 %
2	Fluent 2	674	2.6 %
	Missing Data		
.	-	3	0.0 %
	Total	25,479	100%

Based upon 25,476 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 2515-2515 (width: 1; decimal: 0)

Variable Type: numeric

ED4: HQ19 11.4 Educ: Attended school

Value	Label	Unweighted Frequency	%
0	No 0	11341	44.5 %
1	Yes 1	14137	55.5 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	1	0.0 %
	Total	25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2516-2516 (width: 1; decimal: 0)

Variable Type: numeric

ED5: HQ19 11.5 Educ: Enrolled now

Value	Label	Unweighted Frequency	%
0	No 0	14122	55.4 %
1	Yes 1	15	0.1 %
	Missing Data		
.	-	11342	44.5 %
	Total	25,479	100%

Based upon 14,137 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2517-2517 (width: 1; decimal: 0)

Variable Type: numeric

ED6: HQ19 11.6 Educ: Completed Years, never,<1=0

Value	Label	Unweighted Frequency	%
0	none, <1 0	11478	45.0 %
1	1st class 1	102	0.4 %
2	2nd class 2	443	1.7 %
3	3rd class 3	658	2.6 %
4	4th class 4	875	3.4 %
5	5th class 5	2407	9.4 %
6	6th class 6	608	2.4 %
7	7th class 7	1331	5.2 %
8	8th class 8	1680	6.6 %
9	9th class 9	1470	5.8 %
10	Secondary 10	1984	7.8 %
11	11th Class 11	231	0.9 %

Value	Label	Unweighted Frequency	%
12	High Secondary 12	1036	4.1 %
13	-	48	0.2 %
14	-	98	0.4 %
15	Bachelors 15	1029	4.0 %
16	Above Bachelors 16	0	0.0 %
55	<1st class 55	0	0.0 %
Missing Data			
.	-	1	0.0 %
Total		25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 15.00

Location: 2518-2519 (width: 2; decimal: 0)

Variable Type: numeric

EDUC7: HQ19 11.4,6 Educ: Completed Years, 7cats

Value	Label	Unweighted Frequency	%
0	none 0	11478	45.0 %
3	1-4 3	2078	8.2 %
5	primary 5	2407	9.4 %
8	6-9 8	5089	20.0 %
10	Secondary(&11) 10	2215	8.7 %
12	Higher sec(&13,14) 12	1182	4.6 %
15	graduate 15	1029	4.0 %
16	some post-grad 16	0	0.0 %
Missing Data			
.	-	1	0.0 %
Total		25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 15.00

Location: 2520-2521 (width: 2; decimal: 0)

Variable Type: numeric

TA2Y: HQ34 26.2 Was a test child

Value	Label	Unweighted Frequency	%
0	No 0	25463	99.9 %
1	Yes 1	15	0.1 %
	Missing Data		
.	-	1	0.0 %
	Total	25,479	100%

Based upon 25,478 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2522-2522 (width: 1; decimal: 0)

Variable Type: numeric

FM39AY: HQ10 5.39a Farm work: is decision maker

Value	Label	Unweighted Frequency	%
0	No 0	10227	40.1 %
1	Yes 1	929	3.6 %
	Missing Data		
.	-	14323	56.2 %
	Total	25,479	100%

Based upon 11,156 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2523-2523 (width: 1; decimal: 0)

Variable Type: numeric

FMHOURS: HQ10 5.37-38 Farm: hours/year max=4000

Value	Label	Unweighted Frequency	%
2	-	2	0.0 %
3	-	1	0.0 %
4	-	3	0.0 %
5	-	4	0.0 %
7	-	1	0.0 %
8	-	4	0.0 %
9	-	1	0.0 %
10	-	17	0.1 %
12	-	4	0.0 %
14	-	1	0.0 %

Value	Label	Unweighted Frequency	%
15	-	10	0.0 %
16	-	5	0.0 %
18	-	4	0.0 %
20	-	51	0.2 %
24	-	4	0.0 %
25	-	7	0.0 %
30	-	90	0.4 %
32	-	4	0.0 %
34	-	1	0.0 %
35	-	10	0.0 %
36	-	5	0.0 %
38	-	2	0.0 %
40	-	72	0.3 %
42	-	2	0.0 %
44	-	1	0.0 %
45	-	16	0.1 %
48	-	3	0.0 %
50	-	75	0.3 %
52	-	1	0.0 %
56	-	6	0.0 %
57	-	1	0.0 %
60	-	203	0.8 %
63	-	1	0.0 %
64	-	4	0.0 %
65	-	1	0.0 %
69	-	1	0.0 %
70	-	12	0.0 %
72	-	4	0.0 %
75	-	22	0.1 %
80	-	133	0.5 %
81	-	1	0.0 %
85	-	2	0.0 %
90	-	98	0.4 %
95	-	1	0.0 %
96	-	4	0.0 %
100	-	198	0.8 %
105	-	14	0.1 %
108	-	1	0.0 %
110	-	2	0.0 %

Value	Label	Unweighted Frequency	%
112	-	4	0.0 %
	Missing Data		
-	-	17110	67.2 %
	Total	25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 8,369 valid cases out of 25,479 total cases.

- Mean: 557.63
- Minimum: 2.00
- Maximum: 3600.00
- Standard Deviation: 516.70

Location: 2524-2527 (width: 4; decimal: 0)

Variable Type: numeric

WSDAYS: HQ13 7.7 Working days -person total

Value	Label	Unweighted Frequency	%
1	-	4	0.0 %
2	-	7	0.0 %
3	-	10	0.0 %
4	-	9	0.0 %
5	-	19	0.1 %
6	-	10	0.0 %
7	-	27	0.1 %
8	-	22	0.1 %
9	-	11	0.0 %
10	-	69	0.3 %
11	-	5	0.0 %
12	-	28	0.1 %
13	-	10	0.0 %
14	-	21	0.1 %
15	-	114	0.4 %
16	-	3	0.0 %
17	-	6	0.0 %
18	-	10	0.0 %
19	-	3	0.0 %
20	-	141	0.6 %
21	-	7	0.0 %
22	-	14	0.1 %

Value	Label	Unweighted Frequency	%
23	-	5	0.0 %
24	-	7	0.0 %
25	-	71	0.3 %
26	-	13	0.1 %
27	-	8	0.0 %
28	-	12	0.0 %
29	-	2	0.0 %
30	-	325	1.3 %
31	-	1	0.0 %
32	-	10	0.0 %
33	-	1	0.0 %
34	-	4	0.0 %
35	-	51	0.2 %
36	-	13	0.1 %
37	-	11	0.0 %
38	-	10	0.0 %
39	-	7	0.0 %
40	-	147	0.6 %
41	-	4	0.0 %
42	-	20	0.1 %
43	-	4	0.0 %
44	-	4	0.0 %
45	-	74	0.3 %
46	-	3	0.0 %
47	-	2	0.0 %
48	-	10	0.0 %
49	-	1	0.0 %
50	-	230	0.9 %
Missing Data			
.	-	17248	67.7 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 8,231 valid cases out of 25,479 total cases.

- Mean: 163.96
- Minimum: 1.00
- Maximum: 365.00
- Standard Deviation: 110.69

Location: 2528-2530 (*width:* 3; *decimal:* 0)

Variable Type: numeric

FMEARN: HQ7-10 ind crop net earnings est.

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 4144.3528519
- Minimum: -180123.7656250
- Maximum: 4891111.0000000
- Standard Deviation: 37169.4054517

Location: 2531-2545 (width: 15; decimal: 7)

Variable Type: numeric

WSEARN: HQ13 7.10 annual w/s earnings -person total

Value	Label	Unweighted Frequency	%
0	-	17251	67.7 %
70	-	1	0.0 %
100	-	5	0.0 %
120	-	1	0.0 %
130	-	1	0.0 %
132	-	1	0.0 %
150	-	1	0.0 %
180	-	1	0.0 %
200	-	4	0.0 %
220	-	1	0.0 %
240	-	5	0.0 %
250	-	2	0.0 %
270	-	1	0.0 %
280	-	2	0.0 %
288	-	1	0.0 %
300	-	4	0.0 %
320	-	2	0.0 %
345	-	1	0.0 %
350	-	1	0.0 %
375	-	1	0.0 %
390	-	1	0.0 %
400	-	5	0.0 %
420	-	2	0.0 %
450	-	2	0.0 %
476	-	1	0.0 %
480	-	2	0.0 %
500	-	7	0.0 %
520	-	1	0.0 %

Value	Label	Unweighted Frequency	%
540	-	1	0.0 %
550	-	1	0.0 %
560	-	1	0.0 %
600	-	17	0.1 %
625	-	3	0.0 %
630	-	1	0.0 %
650	-	2	0.0 %
660	-	1	0.0 %
700	-	10	0.0 %
720	-	3	0.0 %
732	-	1	0.0 %
750	-	9	0.0 %
760	-	1	0.0 %
780	-	1	0.0 %
792	-	1	0.0 %
800	-	16	0.1 %
825	-	1	0.0 %
840	-	4	0.0 %
854	-	5	0.0 %
880	-	1	0.0 %
890	-	1	0.0 %
900	-	20	0.1 %
Missing Data			
.	-	1	0.0 %
Total		25,479	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 25,478 valid cases out of 25,479 total cases.

- Mean: 7739.84
- Minimum: 0.00
- Maximum: 600000.00
- Standard Deviation: 29166.54

Location: 2546-2551 (*width:* 6; *decimal:* 0)

Variable Type: numeric

SPED2: HQ19 11.2 Spouse educ: Literacy

Value	Label	Unweighted Frequency	%
0	No 0	5564	21.8 %

Value	Label	Unweighted Frequency	%
1	Yes 1	16748	65.7 %
	Missing Data		
.	-	3167	12.4 %
	Total	25,479	100%

Based upon 22,312 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2552-2552 (width: 1; decimal: 0)

Variable Type: numeric

SPED3: HQ19 11.3 Spouse educ: English ability

Value	Label	Unweighted Frequency	%
0	No 0	15894	62.4 %
1	Little 1	4991	19.6 %
2	Fluent 2	1426	5.6 %
	Missing Data		
.	-	3168	12.4 %
	Total	25,479	100%

Based upon 22,311 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 2553-2553 (width: 1; decimal: 0)

Variable Type: numeric

SPED4: HQ19 11.4 Spouse educ: Attended school

Value	Label	Unweighted Frequency	%
0	No 0	5340	21.0 %
1	Yes 1	16972	66.6 %
	Missing Data		
.	-	3167	12.4 %
	Total	25,479	100%

Based upon 22,312 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2554-2554 (width: 1; decimal: 0)

Variable Type: numeric

SPED5: HQ19 11.5 Spouse educ: Enrolled now

Value	Label	Unweighted Frequency	%
0	No 0	16962	66.6 %
1	Yes 1	7	0.0 %
	Missing Data		
.	-	8510	33.4 %
	Total	25,479	100%

Based upon 16,969 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 2555-2555 (width: 1; decimal: 0)

Variable Type: numeric

SPED6: HQ19 11.6 Spouse educ: Completed Years, never,<1=0

Value	Label	Unweighted Frequency	%
0	none, <1 0	5676	22.3 %
1	1st class 1	131	0.5 %
2	2nd class 2	562	2.2 %
3	3rd class 3	665	2.6 %
4	4th class 4	940	3.7 %
5	5th class 5	2115	8.3 %
6	6th class 6	672	2.6 %
7	7th class 7	1363	5.3 %
8	8th class 8	1951	7.7 %
9	9th class 9	2066	8.1 %
10	Secondary 10	2989	11.7 %
11	11th Class 11	437	1.7 %
12	High Secondary 12	1605	6.3 %
13	-	88	0.3 %
14	-	130	0.5 %
15	Bachelors 15	2087	8.2 %
16	Above Bachelors 16	0	0.0 %
55	<1st class 55	0	0.0 %
	Missing Data		
.	-	2002	7.9 %
	Total	25,479	100%

Based upon 23,477 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 15.00

Location: 2556-2557 (width: 2; decimal: 0)

Variable Type: numeric

SPEDUC7: HQ19 11.4.6 Spouse educ: Completed Years, 7cats

Value	Label	Unweighted Frequency	%
0	none 0	5676	22.3 %
3	1-4 3	2298	9.0 %
5	primary 5	2115	8.3 %
8	6-9 8	6052	23.8 %
10	Secondary(&11) 10	3426	13.4 %
12	Higher sec(&13,14) 12	1823	7.2 %
15	graduate 15	2087	8.2 %
16	some post-grad 16	0	0.0 %
Missing Data			
.	-	2002	7.9 %
Total		25,479	100%

Based upon 23,477 valid cases out of 25,479 total cases.

- Minimum: 0.00
- Maximum: 15.00

Location: 2558-2559 (width: 2; decimal: 0)

Variable Type: numeric

WTEW: Weight for eligible women, IHDS1, best weight

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 5552.69422365
- Minimum: 192.50207520
- Maximum: 312372.81250000
- Standard Deviation: 7513.21211110

Location: 2560-2574 (width: 15; decimal: 8)

Variable Type: numeric

FWTEW: Weight (integer) for eligible, IHDS1, best weight

Based upon 25,479 valid cases out of 25,479 total cases.

- Mean: 5552.69
- Minimum: 193.00
- Maximum: 312373.00
- Standard Deviation: 7513.21

Location: 2575-2580 (width: 6; decimal: 0)

Variable Type: numeric