NAME : MUHAMMAD ZIKRI BIN KASHIM

MATRIC NO : B032320063

SECTION : S1G2

PROGRAMME : BITS

SUBJECT : WEB APPLICATION DEVELOPMENT

PROBLEM SOLVING EXERCISE

The Link:

https://raw.githack.com/zikrimzk/evp-system-html/refs/heads/main/index.html

The Code:

```
index.html
```

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <title>EVP - Event Planner</title>
   <link rel="stylesheet" href="styles.css">
</head>
<body>
       <button id="menu-toggle" aria-label="Toggle menu">&#9776;
   </header>
   <nav id="sidebar">
       <div class="nav-header">
           <h2>EVP System</h2>
           <button id="close-nav" aria-label="Close menu">&times;
       </div>
       <l
           <a href="javascript:void(0)" id="homepage">Home</a>
```

```
<a href="javascript:void(0)" id="manage-event-page">Manage
Event</a>
        </nav>
    <div class="main-container">
        <section id="homepage-section">
            <div class="card">
               <div class="card-header">
                   <h4>Welcome to EVP System</h4>
               </div>
               <div class="card-body">
                   Easily manage your
events like birthdays, weddings, and corporate
                       functions.
                   Click on the <strong>"Manage Event"</strong> to get
started.
                   <hr>>
                   Name : <strong>Muhammad Zikri Bin Kashim</strong>
                   Matric No : <strong>B032320063</strong>
                   Programme/Section : <strong>BITS / S1G2</strong>
               </div>
           </div>
        </section>
        <section id="manage-event-section">
            <div class="card" id="manage-event-form">
               <div class="card-header">
                   <h4>Manage Event</h4>
               </div>
               <div class="card-body">
                   <input type="text" id="event-name" class="form-control"</pre>
placeholder="Event Name">
                   <input type="text" id="event-venue" class="form-control"</pre>
placeholder="Event Venue">
                   <div class="form-row">
                       <div>
                           <input type="date" id="event-date" class="form-</pre>
control" placeholder="Date">
                       </div>
                       <div>
                           <input type="time" id="event-start-time"</pre>
class="form-control" placeholder="Start Time">
                       </div>
                       <div>
                           <input type="time" id="event-end-time"</pre>
class="form-control" placeholder="End Time">
```

styles.css

```
margin: 0;
  padding: 0;
  box-sizing: border-box;
body {
 font-family: system-ui, -apple-system, BlinkMacSystemFont, "Segoe UI",
Roboto,
    Oxygen, Ubuntu, Cantarell, "Open Sans", "Helvetica Neue", sans-serif;
  background-color: #f8f9fa;
  color: #333;
/* Header */
header {
 background-color: #666666;
 height: 60px;
 position: fixed;
 top: 0;
  left: 0;
 right: 0;
 z-index: 1000;
 display: flex;
  align-items: center;
  padding: 0 20px;
 box-shadow: 0.2px 5px rgba(0, 0, 0, 0.2);
```

```
#menu-toggle {
  font-size: 1.6rem;
  color: white;
 background: none;
 border: none;
 cursor: pointer;
 display: none;
/* Sidebar */
nav#sidebar {
 background-color: #1f2020;
 width: 220px;
 min-height: 100vh;
 position: fixed;
 top: 0;
  left: 0;
 transition: transform 0.3s ease;
  box-shadow: 2px 0 8px rgba(0, 0, 0, 0.15);
 color: white;
 z-index: 1001;
 display: flex;
  flex-direction: column;
nav#sidebar {
 transform: translateX(-100%);
nav#sidebar.active {
 transform: translateX(0);
/* Navigation Header */
.nav-header {
 display: flex;
 justify-content: space-between;
 align-items: center;
 padding: 16px;
 border-bottom: 1px solid rgba(255, 255, 255, 0.2);
nav h2 {
 margin: 0;
 font-size: 1.3rem;
 font-weight: 600;
```

```
#close-nav {
  font-size: 1.5rem;
 color: white;
 background: none;
 border: none;
 cursor: pointer;
 display: none;
/* Nav Links */
nav ul {
 list-style: none;
 padding: 0;
 margin: 0;
nav ul li a {
 display: block;
 color: white;
 padding: 14px 24px;
 text-decoration: none;
 font-size: 1rem;
  transition: background-color 0.3s ease;
nav ul li a:hover {
 background-color: #003366;
/* Main Content */
.main-container {
 padding: 80px 20px 20px;
 transition: margin-left 0.3s ease;
 margin-left: 0;
/* Card */
.card {
 background: white;
 padding: 0;
 margin-bottom: 25px;
 box-shadow: 0 4px 12px rgba(0, 0, 0, 0.06);
 border-radius: 12px;
 overflow: hidden;
  transition: box-shadow 0.3s ease;
 card:hover {
```

```
box-shadow: 0 6px 18px rgba(0, 0, 0, 0.08);
.card-header {
 background-color: #1f2020;
 padding: 20px 24px;
 border-bottom: 1px solid #e0e0e0;
 display: flex;
 flex-direction: column;
 gap: 6px;
.card-header h4 {
 margin: 0;
 color: #ffffff;
 font-size: 1.25rem;
 font-weight: 600;
.card-header p {
 margin: 0;
 color: #efefef;
 font-size: 0.95rem;
.card-body {
 padding: 24px;
 background-color: #ffffff;
 display: flex;
 flex-direction: column;
 gap: 15px;
.card-body input.form-control {
 border-radius: 8px;
 padding: 12px;
 font-size: 0.95rem;
 border: 1px solid #ccc;
  transition: border 0.3s ease;
.card-body input.form-control:focus {
  border-color: #007bff;
 outline: none;
.card-body .btn-add {
 align-self: flex-start;
```

```
.card-footer {
 display: flex;
 justify-content: flex-end;
 gap: 10px;
 padding: 16px 24px;
 border-top: 1px solid #e0e0e0;
 background-color: #f8f9fa;
 border-bottom-left-radius: 12px;
 border-bottom-right-radius: 12px;
/* Buttons */
.btn {
 padding: 12px 20px;
 border: none;
 border-radius: 8px;
 cursor: pointer;
 font-weight: 600;
 transition: background-color 0.3s ease;
.btn-add {
 background-color: #28a745;
  color: white;
.btn-add:hover {
 background-color: #218838;
.btn-reset {
 background-color: #6c757d;
 color: white;
.btn-reset:hover {
 background-color: #5a6268;
.btn-delete {
 margin-top: 10px;
 align-self: flex-start;
 padding: 8px 16px;
 font-size: 0.9rem;
 background-color: #e53935;
 color: #fff;
```

```
border: none;
 border-radius: 8px;
 cursor: pointer;
 transition: background-color 0.3s ease;
.btn-delete:hover {
 background-color: #c62828;
/* Form */
.form-label {
 display: block;
 margin-bottom: 6px;
 font-weight: 600;
.form-control {
 width: 100%;
 padding: 12px 14px;
 margin-bottom: 15px;
 border: 1px solid #ccc;
 border-radius: 8px;
 transition: border 0.3s ease;
.form-control:focus {
 border-color: #007bff;
 outline: none;
.form-row {
 display: flex;
 flex-wrap: wrap;
 gap: 20px;
.form-row > div {
 flex: 1;
 min-width: 150px;
/* Activity Timeline */
.activity-list {
 margin-top: 15px;
 display: flex;
 flex-direction: column;
 gap: 10px;
```

```
.timeline-card {
 display: flex;
 align-items: center;
 justify-content: space-between;
 background-color: #ffffff;
 padding: 15px 20px;
 border-radius: 8px;
 border-left: 5px solid #666666;
 box-shadow: 0 2px 8px rgba(0, 0, 0, 0.05);
 transition: background-color 0.3s ease;
.timeline-card:hover {
 background-color: #f8f9fa;
.timeline-time {
 font-weight: bold;
 color: #007bff;
 width: 80px;
 flex-shrink: 0;
.timeline-details {
 flex: 1;
 padding: 0 10px;
.timeline-title {
 font-size: 16px;
 color: #333;
.timeline-delete-btn {
 background-color: transparent;
 border: none;
 color: #dc3545;
 font-size: 18px;
 cursor: pointer;
 padding: 4px 8px;
 border-radius: 4px;
 transition: background-color 0.2s ease;
.timeline-delete-btn:hover {
 background-color: rgba(220, 53, 69, 0.1);
```

```
#manage-event-section {
 display: none;
.checkbox {
 width: 18px;
 height: 18px;
 accent-color: #0055a5;
 margin-right: 10px;
 cursor: pointer;
.status {
 font-weight: bold;
  color: #f0ad4e;
.status.completed {
 color: #5cb85c;
.status.upcoming {
 color: #f0ad4e;
@media (min-width: 768px) {
 nav#sidebar {
    transform: translateX(0);
  #menu-toggle,
  #close-nav {
    display: none;
  .main-container {
    margin-left: 220px;
    padding-top: 80px;
@media (max-width: 768px) {
 #menu-toggle {
    display: block;
  }
```

```
#close-nav {
    display: block;
}

body.nav-open {
    overflow: hidden;
}

.form-row {
    flex-direction: column;
}
```

myscript.js

```
const homepageSection = document.getElementById('homepage-section');
const manageEventSection = document.getElementById('manage-event-section');
const homepageLink = document.getElementById('homepage');
const manageEventLink = document.getElementById('manage-event-page');
const eventList = document.getElementById('event-list');
const toggleBtn = document.getElementById('menu-toggle');
const closeBtn = document.getElementById('close-nav');
const nav = document.getElementById('sidebar');
const body = document.body;
toggleBtn.addEventListener('click', () => {
    nav.classList.add('active');
    body.classList.add('nav-open');
});
closeBtn.addEventListener('click', () => {
    nav.classList.remove('active');
    body.classList.remove('nav-open');
});
homepageLink.addEventListener('click', () => {
    homepageSection.style.display = 'block';
    manageEventSection.style.display = 'none';
});
manageEventLink.addEventListener('click', () => {
    homepageSection.style.display = 'none';
    manageEventSection.style.display = 'block';
});
function resetForm() {
    document.getElementById('event-name').value = '';
```

```
document.getElementById('event-venue').value = '';
    document.getElementById('event-date').value = '';
    document.getElementById('event-start-time').value = '';
    document.getElementById('event-end-time').value = '';
function addEvent() {
    const name = document.getElementById('event-name').value;
    const venue = document.getElementById('event-venue').value;
    const date = document.getElementById('event-date').value;
    const startTime = document.getElementById('event-start-time').value;
    const endTime = document.getElementById('event-end-time').value;
    if (!name | !venue | !date | !startTime | !endTime)
        return alert("Please fill in all fields !");
    const formattedDate = new Date(date).toLocaleDateString('en-GB');
    const formattedStartTime = formatTime(startTime);
    const formattedEndTime = formatTime(endTime);
    const eventCard = document.createElement('div');
    eventCard.className = 'card';
    eventCard.innerHTML = `
                <div class="card-header">
                    <input type="checkbox" class="checkbox status-checkbox"</pre>
onchange="handleStatusChange(this)">
                    <h4>${name}</h4>
                    ${venue} | ${formattedDate} | ${formattedStartTime} -
${formattedEndTime}
                    Status : <span class="status"
upcoming">Upcoming</span>
                    <button class="btn btn-delete"</pre>
onclick="this.closest('.card').remove()">Delete Event</button>
                </div>
                <div class="card-body">
                    <input type="text" class="form-control"</pre>
placeholder="Activity Name">
                    <input type="time" class="form-control"</pre>
placeholder="Activity Time">
                    <button class="btn btn-add"</pre>
onclick="addActivity(this)">Add Activity</button>
                    <div class="activity-list"></div>
                </div>
    eventList.appendChild(eventCard);
    resetForm();
```

```
function handleStatusChange(checkbox) {
    const card = checkbox.closest('.card');
    const statusSpan = card.querySelector('.status');
    const activitySection = card.querySelector('.card-body');
    if (checkbox.checked) {
        const confirmComplete = confirm("Are you sure you want to mark this
event as completed?");
       if (confirmComplete) {
            statusSpan.textContent = "Completed";
            statusSpan.classList.add("completed");
            statusSpan.classList.remove("upcoming");
            activitySection.style.display = "none";
        } else {
            checkbox.checked = false;
    } else {
        statusSpan.textContent = "Upcoming";
        statusSpan.classList.remove("completed");
        statusSpan.classList.add("upcoming");
        activitySection.style.display = "block";
    }
function formatTime(timeStr) {
    const [hour, minute] = timeStr.split(':').map(Number);
    const ampm = hour >= 12 ? 'PM' : 'AM';
    const adjustedHour = hour % 12 | 12;
    return `${adjustedHour.toString().padStart(2,
0')}:${minute.toString().padStart(2, '0')} ${ampm}`;
function addActivity(button) {
    const cardBody = button.closest('.card-body');
    const nameInput = cardBody.querySelector('input[type="text"]');
    const timeInput = cardBody.querySelector('input[type="time"]');
    const activityList = cardBody.querySelector('.activity-list');
    const name = nameInput.value.trim();
    const time = timeInput.value;
    if (!name | !time) return alert("Please fill in activity name and
time");
    const timeline = document.createElement('div');
    timeline.className = 'timeline-card';
    timeline.innerHTML = `
```

The Result:





