```
function [] = HW11_schaffjr()
% function [] = HW11 schaffjr
%HW 11 Johnathan Schaff (schaffjr)
close all; clc;
[x,Fs] = audioread('test_voice.wav'); % Save vector for test voice
signal
fprintf('Part 1 Complete\n');
figure()
freqz(x,1,1024, Fs);
title('Unfiltered Spectrum')
fprintf('Part 2 Complete\n');
sound(x,Fs);
pause(4);
% window the ideal coefficients
N = 7; %filter order / Number of taps
wc1 = (2*pi*1620)/8000;%Lower cutoff frequency
wc2 = (2*pi*3500)/8000;%Upper cutoff frequency
n = -((N-1)/2):((N-1)/2); %Symmetric about zero
n = n + (n==0) * eps; % avoiding division by zero
h = -(\sin(n*wc2) - \sin(n*wc1))./(n*pi); % generate sequence of ideal
 coefficients
h(ceil(N/2)) = 1 + h(ceil(N/2));%Accounts for band stop
windFunc = rectwin(N)'; Rectangular Window Function
d = h.*windFunc;%Filter Coefficients after windowing
fprintf('Part 3 Complete\n');
figure()
freqz(d,1,1024,Fs); % transform into frequency domain for plotting
title('Filter Spectrum')
fprintf('Part 4 Complete\n');
%Filtering Operation
y = filter(h,1,x);
fprintf('Part 5 Complete\n');
sound(y,Fs);
fprintf('Part 6 Complete\n');
audiowrite('FilteredWaveform.wav', y,Fs);
fprintf('Part 7 Complete\n');
figure()
freqz(y,1,1024,Fs);
title('Filtered Spectrum')
%Output for Report
%Cutoff Frequencies
fprintf('Stopband Edge 1 | %g\nStopband Edge 2 | %g\n', wc1,wc2);
fprintf('Stopband Frequency 1 | %q\nStopband Frequency 2 | %q\n', ...
    (wc1*(8000)/(2*pi)),(wc2*(8000)/(2*pi)));
coeff = sprintf('%g, ', h);
fprintf('Filter Coefficients | %s\n',coeff);
index = sprintf('%g, ', round(n));
fprintf('Filter Indexes | %s\n',(index));
fprintf('Filter Order | %g\n', N);
```

```
fprintf('Window Function | Rectangular\n');
end
Part 1 Complete
Part 2 Complete
Part 3 Complete
Part 4 Complete
Part 5 Complete
Part 6 Complete
Part 7 Complete
Stopband Edge 1 | 1.27235
Stopband Edge 2 | 2.74889
Stopband Frequency 1 | 1620
Stopband Frequency 2 | 3500
Filter Coefficients | -0.164367, 0.201998, 0.182426, 0.53, 0.182426,
 0.201998, -0.164367,
Filter Indexes | -3, -2, -1, 0, 1, 2, 3,
Filter Order | 7
Window Function | Rectangular
```





