

Zip Code Study - Intro to Programming with JavaScript

Zip Code Study Records Layout¶

Field 1	Field 2	Field 3	Field 4
First Name	Last Name	Status	Zip Code

Using the Customer Gas Usage Records¶

- The records are made available to your programs with this function:

```
1 // The open function
2 openZipCodeStudyRecordSet();
```

- * The function returns the records so you need to store them in a variable:

```
1 // Record set variable
2 let records;
3 records = openZipCodeStudyRecordSet();
```

- * After the `openZipCodeStudyRecordSet()` function has been run you have access to the first record's data. You will retrieve each part of one record with a different function. Here are the functions:

```
1 // Field functions
2 records.getSampleFirstName();
3 records.getSampleLastName();
4 records.getSampleStatus();
5 records.getSampleZipCode();
```

- Notice that you need to have "records." in front of each of the functions.
- When you want to read the next record you use the following function. It will make the next record available and you then use the above functions to retrieve the data. This function returns `true` if there was a next record and `false` if the end of the record set has been reached.

```
1 // Read the next record or stop the loop
2 studentRecords.readNextRecord();
```

Example Usage¶

Notice the `if` statement in the `while` loop. This stops the loop after the first 25 records have been processed. This is an excellent way to test a sub-set of data!

```

1 /*
2   This is an example of using the
3   Zip Code Study Record Set
4 */
5 function zipCodeStudyRecords() {
6   "use strict";
7
8   // Variable Declarations
9   let firstName;
10  let lastName;
11  let status;
12  let zipCode;
13  let outputTable;
14  let records;
15  let count;
16  let outputRows;
17
18  count = 0;
19
20  // Get the HTML output table so we can add rows
21  outputTable = document.getElementById("outputTable");
22
23  // build table header
24  outputRows = "<tr><th>First<br />Name</th>"
25              + "<th>Last<br />Name</th>"
26              + "<th>Status</th>"
27              + "<th>Zip Code</th></tr>";
28
29  // Open the Zip Code Study Records and make them
30  // available to the script
31  records = openZipCodeStudyRecordSet();
32
33  while (records.readNextRecord()) {
34    // This IF only in place for this particular example program
35    // Remove the IF to work with the entire file
36    if (count >= 25) {
37      break;
38    }
39    firstName = records.getSampleFirstName();
40    lastName = records.getSampleLastName();
41    status = records.getSampleStatus();
42    zipCode = records.getSampleZipCode();
43
44    outputRows += "<tr><td>" + firstName + "</td>"
45                + "<td>" + lastName + "</td><td>" + status
46                + "</td><td>" + zipCode + "</td></tr>";
47
48    count += 1;
49  }
50
51  // Output table rows
52  outputTable.innerHTML = outputRows;
53 }

```

Zip Code Study Record Data

The First 25 Records

First Name	Last Name	Status	Zip Code
Francis	Reynolds	FT	91343
Henry	Conley	PT	91342
Sam	Holder	PT	75211
Kendra	Mcmahon	PT	10024
Stefanie	Rodriguez	FT	75214
Bernadette	Morrow	FT	10023
Graham	White	FT	55410
Rivas	Weaver	FT	91343
Tonia	Everett	PT	10023
Cantu	Rhodes	FT	55412
Adam	Murphy	PT	10021
Pam	Sexton	PT	55411
Lucy	Curry	PT	10022
Oneal	Hart	FT	55414
Carla	Black	FT	10023
Ladonna	Tyler	PT	55411
Britt	Floyd	PT	10024
Bradon	Cole	FT	91344
Frank	Pitts	FT	10020
Sarah	Booth	PT	55410
Lynne	Harrell	FT	91344
Benjamin	Collins	PT	55411
Jason	Maxwell	FT	91342
Lilian	King	FT	75214
Bob	Osborn	FT	10021