UGEE CHENICALS & Trainee: Nahers Office

Role: mgl. of s manager

Nozzle Operation & Configuration

Page 9 of 9

UCLIBDMSG/CD/Ords 0

Skill Owner: Mybudu Cau love

Qualifier Aghash Lawrence

	DESK	larger	Self Evaluation	TEST F	TIS EVAIDATEM	Hear Cydlestern
		Profic	Date Evaluation	n Date	Evaluation Date	Evaluation
	Can identify the components of the nozzle assembly	E	10345		1201 5	- Ö
2.2	Can describe the potential risks associated with the task	6	12348		12046	1294
52	Can temize the PPEs required for the task	C.	1 03 4 5		16346	0.70
4	Can verify that steam is available for cleaning	m	- Q -		1 200 4 8	12046
5	Can drain the condensate from each nozzle header	8	7 - O3 4 5		12046	5 × Ø 7 + E
The same of the sa	Can drain the condensate from the steam separator	the state of the s	0 - O	2.5	2 94 5	20
7	Can steam out each nozzle arm by opening the associated steam valves		10345	100	12046	-
8	Can verify the open and closed position of the manual valves	- 7	C + 10 - 1	_	S # 200 -	- 20 to
O Comment	Can yerly the open and closed position of the auto valves	3	10 10348	10)	12645 6	2 4 00 E
01	Can diassemble to nozzle head		103 # 0	4	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	12045
ON	Can assemble the nozzle head	27-	12046	0	12018 0	1.204
12 Configuration	Can It in the nozzle ann property into the lower	8	10345		12045	÷ ~ (Å)
1.3	Can clamp the nozzle arm to the cone	8	10040		1 20 4 5	12045
14	Can read off the slurry pressure at the nozzle room	9	16340		12045	12015
15	Can preselect the spray nozzles to be used for start-up	0	18346		1 20 4 6	Q 2 1.
9,	Can detect a blocked nozzle	17	10345		12045	1.2045
7	Can decouple the nozzle arm from the stury header	70	10345		12045	1204
(2)	Can couple the nozzle arm to the surry delivery header	(9)	12346		12645	12048
			>			
land of the land o		ma makama kata minin minin maga sa maga kata kata maka minin minin maga sa kata minin maga sa kata minin maga An aki maga di kata ma sa makana kata minin Manama kata minin maga sa kata makan manan kata mata kata kata kat				
Signature of Trainee	Comone		Signature of Qualifier	ualifier	ARC.	
Date of Qualification	og (81/1073)		Date of Qualification	cation	01-9-1223	2023
SOP COMMER	WHERE GA APPROVAL	HSE APPROVAL		0 L	AUTHORISAMION	
Activacia L	Werence Alawole Drume	Adelyman dedoys	30	Darramol.	Daramola Madeeb	1