

(Name: _____)

Role:

CRO

Tower Line clearance: 1700000 Chukwuebu

Tower Line clearance and changeover SUC



UGEE CHEMICALS

Quartier

Skill Owner:

Agbadu Mawente

Abbas Ali Khan

Task	Profic	Self Evaluation		First Evaluation		Final Evaluation	
		Date	Evaluation	Date	Evaluation	Date	Evaluation
Operator can identify all the different formulation in the department by name/GCAS	3	12045	12045	12045	12045	12045	12045
Operator can interpret the Process orders on SAP based on time	3	12045	12045	12045	12045	12045	12045
Operator can interpret the Process orders on SAP based on quantity	3	12045	12045	12045	12045	12045	12045
Operator can clear used copies of the BFRs from the floor and destroy unused copies	3	12045	12045	12045	12045	12045	12045
Operator can identify the right original copies of new formulation	3	12045	12045	12045	12045	12045	12045
Operator can make copies of the new formulation BFRs	3	12045	12045	12045	12045	12045	12045
Operator can change the set-points on the ODO5 pop up page for new formula	3	12045	12045	12045	12045	12045	12045
Operator can transfer the new formula at the right ageing vessel level	3	12045	12045	12045	12045	12045	12045
Operator knows where to find the new quality centerlines like moisture, CatSO ₃ , density for the new formula	3	12045	12045	12045	12045	12045	12045
Operator knows where to find the new lower parameters centerlines likeHPP RPM, pressures, temperatures ... for the new formula	3	12045	12045	12045	12045	12045	12045
Can perform all necessary line clearance for Brand Change over	3	12045	12045	12045	12045	12045	12045
Can put old batch crutching operation on hold while preparing for change over	3	12045	12045	12045	12045	12045	12045
Can upload new brand recipe and commence crutching of new brand without cross contamination	3	12045	12045	12045	12045	12045	12045
Operator can fill the change-over checklist	3	12045	12045	12045	12045	12045	12045
Operator can do fly change over	3	12045	12045	12045	12045	12045	12045
Operator can switch to bad bin at change over	3	12045	12045	12045	12045	12045	12045
Operator knows when to switch to the good bin after change over	3	12045	12045	12045	12045	12045	12045
Operator can sign off and document the change-over checklist accordingly	3	12045	12045	12045	12045	12045	12045

Tower Line clearance and charge/receive

MODELS

of range

25/10/2023

Date of graduation

Signature of Applicant: _____

• 50/50/50

Agbadu Lawrence

SOP OWNER

Date: 11/17/2009

QA APPROVAL

Date: _____

HSE APPROVAL

Adebiyi Adegboyin

Date.

Nadeeb Daraniola

AUTHORISATION