

수신양호

2020213297 오아연

2020213264 조성은

목차

- 팀원의 역할
- 제작의도
- ER다이어그램과 지원하는 기능
- 시연

▶ 팀원의 역할 소개

오아연

- DB 설계 및 구현
- UI 구현
- 오류 수정 및 검토
- ppt 제작
- 발표

조성은

- DB 설계 및 구현
- UI 구현
- 오류 수정 및 검토
- ppt 제작
- 발표

제작의도

공지사항
수강신청
의견제시판

검색방법
장바구니

장바구니

수강신청	이수	교과명	학년	학수강좌번호	교과목명	학점	여분	담당교원	강의시간	강의실	비고
신청	전공		3,4	AMC404-01	분리분석특론	3	0				
신청	전공		3,4	AMC410-01	세미나	1	0				
신청	전공		3,4	AMC408-01	신소재물리화학	3	0				
신청완료	교필		1	RGC005-01	글쓰기2	2	10				
신청완료	전공		3,4	AMC306-01	나노화학	3	0				


학수번호-분반 :
수강신청
남은과목보기
시간표보기
수강신청 확인서 출력

수강신청 내역 [최소신청학점 : 12학점, 최대신청학점 : 21학점, 초과가능신청학점 : 3학점] [신청학점 : 5학점, 신청과목수 : 2과목]

	이수구분	학수강좌번호	교과목명	학점	강의시간	강의실	담당교원	비고	삭제
1	교필	RGC005-01	글쓰기2	2					삭제
2	전공	AMC306-01	나노화학	3					삭제

- 수강신청 시 최소신청학점을 채우지 못하였을 때 자신의 만들어진 시간표와 겹치지 않는 과목들을 '남은과목보기'로 빠르게 찾아 수강신청 성공률을 높이기 위함.


ER다이어그램과 지원하는 기능



‘남은과목보기’의 기능(sql 구문)

```
from course as a
full outer join weekTable as b
cross join
```

시연




새 탭

Google에서 검색하거나 URL을 입력하세요.

Gmail YouTube 번역 calendar zinco1130 (zinco) https://soundcloud... Big data Lab. todo mate

Gmail 이미지



Google 검색 또는 URL 입력

https://web.d... https://ce.do... https://eclas... 바로가기 추가

Chrome 맞춤설정

app.js > app.get('/') callback

```
38 app.get('/', (req, res) => {
39   const sql = "select * from course" // 개설강좌
40   const sql1 = `select c.crsCode, c.subArea, c.year, c.crs
41   from student as a
42   inner join sugang as b on a.num = b.num
43   inner join course as c on b.crsCode = c.crsC
44   const sql2 = `select distinct * from(
45     select
46       a.crsCode,
47       a.subArea,
48       a.year,
49       a.crsNum,
50       a.subName,
51       a.grade,
52       a.prName,
53       a.crsTime,
54       a.room,
55       b.week,
56       b.starttime,
57       b.finishtime
58     from course as a
59     full outer join weekTable as b on a.crsCode = b.crsCc
```

PROBLEMS OUTPUT TERMINAL DEBUG CONSOLE

node

```
[nodemon] starting `node app.js`
C:\Users\oay23\OneDrive\문서\VS_Code\database\html\form.html
start
start
[nodemon] restarting due to changes...
[nodemon] restarting due to changes...
[nodemon] starting `node app.js`
C:\Users\oay23\OneDrive\문서\VS_Code\database\html\form.html
start
start
[nodemon] restarting due to changes...
[nodemon] starting `node app.js`
C:\Users\oay23\OneDrive\문서\VS_Code\database\html\form.html
start
start
[]
```

Ln 39, Col 46 Spaces: 4 UTF-8 CRLF {} JavaScript



감사합니다