

Risk Filtering Trigger Ops Manual

Per-item Enabled behavior · Presale check order ·
Ops overview

ICOPAY Risk Filtering Trigger Ops Manual · V2.40 · 2026-07-22

📌 Menu: HQ Policy → Fees & Risk → Risk · “Risk Filtering”

Related documents: [Unified Fees & Risk Manual](#) · [Filter detail \(codes · DB\)](#)

Status screen: **Ops Management** → **Risk Status** (/risk/list)

PDF: `cd scripts && node operator-manual-pdf/gen.mjs risk`

Naming principle: Do not expose PG names on merchant or buyer UI (ICOPAY-neutral). Mentions of JPAY, ChillPay, and Eximbay in this manual are for **ops / internal integration** only.

Contents

1. Ops overview
2. Risk Settings vs Risk Filtering
3. End-to-end flow
4. Per-item behavior when Enabled
5. Presale filter check order
6. Block outcomes · Ops verification
7. Ops recommendations · FAQ

1. Ops overview

This document explains, from an operations perspective, **which triggers fire and when** when each switch under “Risk Filtering” is set to **Enabled**.

- Audience: HQ operators · permission screen M0129 (Risk Settings)
- Policy storage: `tb_hq_risk_card_policy` (id=1) · applied to all merchants immediately on save
- Presale block: **immediately before** calling the PG (JPAY · ChillPay · Eximbay, etc.)
- Postsale cooldown: **after** JPAY pay_index for high-risk · PY0124 (independent switches)

2. Risk Settings vs Risk Filtering

Area	Trigger	Outcome
Risk Settings (risk management)	Same card non-success (FAIL · cancel · void · unpaid, etc.) accumulation	Stage 1–4 wait · auto-register inactive card
Risk Filtering	Format · velocity · contact mismatch · suspicious name, etc.	PG not called · system cancel (20) · Risk Status
Merchant risk status	Per-merchant risk mode (HQ / separate / unused)	Shows applied wait time · auto-register values

Merchant “separate / unused” takes precedence for **risk management (accumulation triggers)**. **Presale filter switches** follow HQ policy.

3. End-to-end flow

Buyer payment attempt

- (other checks: card brand · policy, etc.)
- If **【Presale filter Enabled=Y】**, run item checks (\$5 order)
- On violation: PG not called · cancel (20) · Risk Status · buyer message
- On pass: PG approval request

→ (JPAY only) Postsale high-risk / PY0124 → cooldown · status (when those switches=Y)

Hosted flow (no card number collected): email · phone · name · IP · email velocity are primary. Without a card hash, card velocity and contact mismatch are effectively skipped.

4. Per-item behavior when Enabled

Saving each screen item as **Enabled (Y)** activates the triggers below. **Disabled (N)** skips that check only.

4.0 Presale filter Enabled (master)

Item	Detail
Field	<code>presaleFilterEnabledYn</code>
Enabled	Evaluate individual presale filters §4.1–4.8
Disabled	Skip all even if individuals are Y. JPAY postsale cooldown (§4.9–4.10) is unaffected

4.1 Invalid email

Item	Detail
Code	<code>EMAIL_INVALID</code>
When Enabled	Block if email is non-empty but format is wrong, local part < 2 chars or repeated same character, or domain is <code>test.</code> / <code>example.</code>
Note	Skipped when the value is empty

4.2 Invalid phone

Item	Detail
Code	PHONE_INVALID
When Enabled	Block if digits-only length is outside 7–15, same digit repeated, sequential up/down, 000000 pattern, etc.
Note	Skipped when empty

4.3 Suspicious holder name

Item	Detail
Code	HOLDER_NAME_SUSPICIOUS
When Enabled	Block if the name contains prepaid · proxy · suspicious phrases such as Giftcard Holder, PayPay User, Merpay/Kyash Member, Business Card, VPRECA

4.4 Buyer contact mismatch

Item	Detail
Code	BUYER_EMAIL_MISMATCH / BUYER_PHONE_MISMATCH / BUYER_NAME_MISMATCH
When Enabled	Compare with the latest 1 txn for the same card (hash) · same merchant. Block if email · phone · name differs
Note	Swapped family/given name order alone is not a mismatch. Skipped without a card hash

4.5–4.7 Velocity limits (card · email · IP)

Item	Code	When Enabled
Card velocity limit	VELOCITY_CARD	Same card · merchant: attempts in window (minutes) $\geq$ count $\rightarrow$ block
Email velocity limit	VELOCITY_EMAIL	Same email · merchant under the same rule
IP velocity limit	VELOCITY_IP	Same buyer IP · merchant under the same rule

Shared parameter	Field	Default · range
Velocity window (minutes)	velocityWindowMinutes	10 · 1–1440
Velocity max attempts	velocityMaxAttempts	3 · 1–99

4.9 JPAY postsale high-risk cooldown

Item	Detail
Code	POSTSALE_JPAY_HIGH_RISK
When Enabled	After JPAY approval request, apply high-risk failures to card cooldown · Risk Status
Disabled	That classification is excluded from cooldown aggregation

4.10 JPAY PY0124 cooldown

Item	Detail
Code	POSTSALE_JPAY_PY0124
When Enabled	For JPAY PY0124 failures, record cooldown · status the same way as high-risk

5. Presale filter check order

When Presale filter Enabled=Y, the code **evaluates in the order below** and **stops at the first violation**.

1 Invalid email — EMAIL_INVALID

2 Invalid phone — PHONE_INVALID

3 Suspicious holder name — HOLDER_NAME_SUSPICIOUS

4 Card velocity limit — VELOCITY_CARD

5 Email velocity limit — VELOCITY_EMAIL

6 IP velocity limit — VELOCITY_IP

7 Buyer contact mismatch — BUYER_*_MISMATCH (email → phone → name)

① EMAIL_INVALID → ② PHONE_INVALID → ③ HOLDER_NAME_SUSPICIOUS
→ ④ VELOCITY_CARD → ⑤ VELOCITY_EMAIL → ⑥ VELOCITY_IP
→ ⑦ BUYER_EMAIL / PHONE / NAME_MISMATCH

If an individual switch is Disabled, only that step is skipped. Example: email format OFF
→ skip ①, then continue from ②.

6. Block outcomes · Ops verification

1. No approval request is sent to the PG
2. One attempt is recorded in the system with status **cancel (20)**
3. Written to `tb_pay_risk_filter_event` → **Ops Management** → **Risk Status**
4. Buyer response: multilingual message · error code `PRESALE_RISK_FILTER`

If a legitimate customer is blocked, check `filterCode` on the status screen, then ease only that item (Disabled) or adjust the velocity window / count.

7. Ops recommendations · FAQ

Item	Recommended
Presale filter Enabled	Enabled
Format · holder · 3 velocity types	Enabled · window 10 min / count 3
Contact mismatch	Enabled (auto-remember is under Payment · URL tab)
JPAY postsale 2 types	Enabled

- **Turn only some OFF:** keep Presale filter=Enabled; set only the problem item to Disabled
- **Turn all OFF:** Presale filter=Disabled (individuals Y still do not run)
- **No txn in PG logs:** often means presale block worked as designed
- **Auto-remember:** not under "Risk Filtering"; HQ Policy → Payment · URL → checkout display defaults

For field · DB · code tables, see the [Filter detail manual](#).