

Distributor Risk Trigger Guide

Based on Risk Settings & Risk Filtering defaults —
when each limit fires

ICOPAY Distributor Risk Trigger Guide · V2.43 · 2026-07-22 ·
Audience: Master distributors

📌 Check: Operations → Risk dashboard · Inactive cards · Merchant “Risk trigger”

HQ detail docs: [Trigger ops manual](#) · [Fees & risk \(KO\)](#)

PDF: `cd scripts && node operator-manual-pdf/gen.mjs risk`

Naming: Merchant/buyer UI stays PG-neutral (ICOPAY). JPAY names here are for **internal ops** only.

Policy changes: Risk Settings / Risk Filtering switches and numbers are changed only on the **HQ policy screen**. Distributors operate merchant risk mode, dashboards, and inactive cards.

Contents

1. What this guide covers
2. When defaults apply
3. Risk Settings — defaults & triggers
4. Risk Filtering — defaults & triggers
5. What distributors can do
6. Where to check

1. What this guide covers

HQ sets platform-wide safeguards under **Risk Settings** and **Risk Filtering**. If a merchant uses **Follow HQ policy**, the **defaults below** apply as-is.

Area	In short	Outcome
Risk Settings	Non-success attempts accumulate on the same card	Cooldown wait → inactive card after N failures
Risk Filtering	Format / velocity / contact issues (before sending to PG)	No PG call · cancel on ledger · Risk dashboard

One failure does not permanently ban a card. Filtering blocks that attempt only; Risk Settings escalate by count and wait time.

2. When defaults apply

- Merchant risk policy = **Follow HQ** (or unset → follow HQ)
- HQ has not changed system defaults (figures in this doc = built-in defaults)

With **Custom** merchant policy, only tier waits and auto-inactive tier override HQ. **Presale filter switches and velocity windows/attempts** remain HQ-wide.

3. Risk Settings — defaults & triggers

Non-success (FAIL, cancel, void, unpaid, etc.) on the same card adds a wait before the next try. CVV/format errors are excluded; a **successful payment resets the count**.

Item	Default	Meaning
Risk management	On	Tiers and auto-inactive rules run
Tier 1 wait	5 min	After 1 non-success → block same card for 5 min
Tier 2 wait	10 min	After 2 → 10 min
Tier 3 wait	1 hour	After 3 → 1 hour
Tier 4 wait	0 (none)	Tied to auto-inactive instead of a wait
Auto-register trigger	4	At 4 non-successes in track window → inactive card ; further tries blocked until release
Track period	Off	Accumulate without time window (reset on success)

1 non-success → 5 min cooldown
 2 → 10 min
 3 → 1 hour
 4 → inactive card (long block until manual release)
 1 success → reset count

JPAY postsale high-risk / PY0124 (when HQ switches are On) also **count as one failure** toward this cooldown. If Off, they may still log to the dashboard but do not count.

4. Risk Filtering — defaults & triggers

Checked **just before** sending an auth request to the payment processor. A hit blocks that attempt only and appears on the Risk dashboard.

4.1 Switch defaults (all On)

Item	Default	Example trigger
Presale filter master	On	If Off, all individual filters are skipped even if On
Invalid email	On	Bad format / suspicious domain
Invalid phone	On	Length / repeat / sequential patterns
Suspicious holder name	On	Prepaid / proxy-like phrases
Buyer contact mismatch	On	Email/phone/name differs from last use of same card
Card / email / IP velocity	On	Too many attempts in a short window
JPAY postsale high-risk / PY0124 cooldown	On	Counts into \$3 cooldown

4.2 Velocity defaults (per channel)

Channel	Window	Attempts	Trigger
Card	10 min	3	≥3 tries same card+merchant in 10 min → block
Email	30 min	5	≥5 same email+merchant in 30 min
IP	15 min	10	≥10 same IP+merchant in 15 min (shared-network friendly)

Hosted flows without card PAN mainly use email / phone / name / IP checks.

5. What distributors can do

You can	Ask HQ
· Merchant risk mode: Follow HQ / Custom / Off · Under Custom: tier waits & auto-register tier · Risk dashboard · inactive card register/release (within permission)	· Risk Settings waits & auto-inactive tier · Risk Filtering switches & velocity numbers · Platform-wide policy changes

6. Where to check

- **Operations** → **Risk dashboard** — filter codes / postsale codes
- **Operations** → **Inactive cards** — auto/manual register & release
- Merchant detail → **Risk trigger** — Follow HQ vs custom waits

7. FAQ

Q. Does one failure permanently ban the card?

A. No. Defaults are cooldowns (5→10→60 min); at **4** failures the card is auto-registered inactive. Success resets the count.

Q. What do I see when filtering blocks?

A. No transaction at the processor; ledger shows cancel; Risk dashboard lists the event.

Q. Can distributors change 10 min / 3 card velocity?

A. No — only HQ Risk Filtering.

Q. If merchant risk is Off?

A. Only that merchant's **card cooldown / auto-inactive** stops. HQ presale filtering still runs.